

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

29/05/2025

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2241G	4.25	6.1045G	-37.94	-33.63	-4.31	1
6.224G	4.53	6.0804G	-36.90	-35.47	-1.43	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

29/05/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3478G	2.38	6.0876G	-41.85	-37.62	-4.23	1
6.3418G	2.36	6.5998G	-37.28	-37.19	-0.09	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

16/05/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

16/05/2025



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

29/05/2025

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6265G	3.87	6.7577G	-37.25	-36.13	-1.12	1
6.6231G	4.51	6.713G	-21.37	-17.01	-4.36	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

16/05/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67G	0.50	6.9212G	-46.77	-38.70	-8.07	1
6.6608G	1.05	6.9266G	-41.00	-38.95	-2.05	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)	Pass	5.95521G	3.83	6.0825G	-28.51	-27.65	-0.86	2
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)	Pass	5.96981G	1.22	5.7604G	-41.14	-38.78	-2.36	2

**Result**


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)	-	-	-	-	-	-	-	-
5985MHz	Pass	5.95521G	3.83	6.0825G	-28.51	-27.65	-0.86	2
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)	-	-	-	-	-	-	-	-
6025MHz	Pass	5.96981G	1.22	5.7604G	-41.14	-38.78	-2.36	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)

MASK

5985MHz_TX

02/07/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)

MASK

6025MHz_TX

02/07/2025





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	5.96321G	1.75	6.0852G	-32.59	-31.32	-1.27	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	5.96162G	0.56	6.2196G	-33.05	-31.01	-2.04	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.96321G	1.75	6.0852G	-32.59	-31.32	-1.27	1
5985MHz	Pass	5.94711G	1.73	6.0818G	-32.83	-29.28	-3.55	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.96162G	0.56	6.2196G	-33.05	-31.01	-2.04	1
6025MHz	Pass	5.94842G	1.35	5.7604G	-42.02	-38.65	-3.37	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

MASK

5985MHz_TX

17/07/2025

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96321G	1.75	6.0852G	-32.59	-31.32	-1.27	1
5.94711G	1.73	6.0818G	-32.83	-29.28	-3.55	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6025MHz_TX

17/07/2025

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96162G	0.56	6.2196G	-33.05	-31.01	-2.04	1
5.94842G	1.35	5.7604G	-42.02	-38.65	-3.37	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)	Pass	5.987G	3.91	5.8569G	-36.33	-36.09	-0.24	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port2)	Pass	6.0208G	1.60	5.7596G	-39.54	-38.40	-1.14	2

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)	-	-	-	-	-	-	-	-
5985MHz	Pass	5.987G	3.91	5.8569G	-36.33	-36.09	-0.24	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port2)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0208G	1.90	5.7602G	-40.23	-38.10	-2.13	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port2)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0208G	1.60	5.7596G	-39.54	-38.40	-1.14	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)

MASK

5985MHz_TX

30/05/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port2)

MASK

6025MHz_TX

30/05/2025





Mask_Non-Beamforming_Radio 3_2T1S_ Channel Puncturing

Appendix E.6

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	5.9823G	2.90	5.8604G	-39.22	-37.10	-2.12	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	Pass	6.0278G	2.63	5.7598G	-41.40	-37.37	-4.03	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9823G	2.90	5.8604G	-39.22	-37.10	-2.12	1
5985MHz	Pass	5.9832G	2.92	5.8473G	-39.99	-37.08	-2.91	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.022G	2.80	5.7604G	-42.28	-37.20	-5.08	1
6025MHz	Pass	6.0278G	2.63	5.7598G	-41.40	-37.37	-4.03	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0216G	2.17	5.7598G	-45.59	-37.83	-7.76	1
6025MHz	Pass	6.028G	2.10	5.7602G	-43.37	-37.90	-5.47	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

MASK

5985MHz_TX

30/05/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9823G	2.90	5.8604G	-39.22	-37.10	-2.12	1
5.9832G	2.92	5.8473G	-39.99	-37.08	-2.91	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

MASK

6025MHz_TX

15/07/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.022G	2.80	5.7604G	-42.28	-37.20	-5.08	1
6.0278G	2.63	5.7598G	-41.40	-37.37	-4.03	2



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	5.953G	0.75	5.97025G	-25.33	-20.48	-4.85	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	6.534G	-0.05	6.5515G	-28.92	-22.80	-6.12	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.953G	0.75	5.97025G	-25.33	-20.48	-4.85	1
6195MHz	Pass	6.1945G	-0.74	6.209675G	-31.31	-23.11	-8.20	1
6415MHz	Pass	6.414475G	-1.56	6.426325G	-29.43	-21.57	-7.86	1
6535MHz	Pass	6.534G	-0.05	6.5515G	-28.92	-22.80	-6.12	1
6695MHz	Pass	6.695625G	-1.39	6.708075G	-27.63	-21.47	-6.16	1
6855MHz	Pass	6.854475G	0.46	6.871275G	-28.34	-20.68	-7.66	1

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

14/06/2025




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

14/06/2025



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.41585G	-0.18	6.384025G	-47.44	-39.94	-7.50	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.4059G	0.62	6.34035G	-45.20	-39.18	-6.02	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.3889G	-1.29	6.5154G	-47.39	-41.29	-6.10	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.3414G	-4.02	6.6722G	-44.98	-44.02	-0.96	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.534725G	0.10	6.56795G	-48.50	-39.90	-8.60	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.84565G	-0.08	6.768G	-44.12	-40.08	-4.04	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.6217G	-0.48	6.7681G	-44.27	-40.48	-3.79	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.6686G	-2.45	6.3842G	-47.72	-42.45	-5.27	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9547G	-1.12	5.943475G	-32.41	-21.21	-11.20	1
5955MHz	Pass	5.954275G	-0.90	5.96705G	-35.12	-20.92	-14.20	2
6195MHz	Pass	6.195425G	1.86	6.206425G	-30.31	-18.17	-12.14	1
6195MHz	Pass	6.1943G	2.02	6.183275G	-32.33	-17.98	-14.35	2
6415MHz	Pass	6.41585G	-0.18	6.384025G	-47.44	-39.94	-7.50	1
6415MHz	Pass	6.414425G	1.68	6.448425G	-50.77	-38.32	-12.45	2
6535MHz	Pass	6.534725G	-0.59	6.5471G	-33.21	-20.76	-12.45	1
6535MHz	Pass	6.534725G	0.10	6.56795G	-48.50	-39.90	-8.60	2
6695MHz	Pass	6.6947G	-0.65	6.7073G	-33.29	-20.69	-12.60	1
6695MHz	Pass	6.695475G	0.38	6.707325G	-30.91	-19.70	-11.21	2
6855MHz	Pass	6.854225G	-0.94	6.816025G	-49.71	-40.94	-8.77	1
6855MHz	Pass	6.854675G	-0.57	6.866775G	-30.75	-20.66	-10.09	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.96615G	-1.11	5.89745G	-52.28	-41.11	-11.17	1
5965MHz	Pass	5.96415G	-1.03	5.9432G	-29.98	-21.06	-8.92	2
6205MHz	Pass	6.2059G	1.96	6.13975G	-47.92	-38.04	-9.88	1
6205MHz	Pass	6.20565G	-0.46	6.13835G	-47.74	-40.46	-7.28	2
6405MHz	Pass	6.4035G	-1.52	6.4801G	-48.84	-41.52	-7.32	1
6405MHz	Pass	6.4059G	0.62	6.34035G	-45.20	-39.18	-6.02	2
6565MHz	Pass	6.5668G	0.47	6.47995G	-49.34	-39.53	-9.81	1
6565MHz	Pass	6.56435G	0.40	6.6222G	-41.70	-34.80	-6.90	2
6685MHz	Pass	6.68395G	0.34	6.76805G	-44.61	-39.66	-4.95	1
6685MHz	Pass	6.6859G	1.83	6.7493G	-46.96	-37.60	-9.36	2
6845MHz	Pass	6.84565G	-0.08	6.768G	-44.12	-40.08	-4.04	1
6845MHz	Pass	6.84385G	0.00	6.9108G	-47.55	-40.00	-7.55	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9814G	-1.71	5.9411G	-32.04	-21.71	-10.33	1
5985MHz	Pass	5.983G	-2.45	5.9409G	-32.75	-22.47	-10.28	2
6225MHz	Pass	6.2276G	-1.50	6.3843G	-48.78	-41.50	-7.28	1
6225MHz	Pass	6.2242G	1.00	6.1816G	-29.02	-19.07	-9.95	2
6385MHz	Pass	6.3885G	-2.45	6.5282G	-49.46	-42.45	-7.01	1
6385MHz	Pass	6.3889G	-1.29	6.5154G	-47.39	-41.29	-6.10	2
6625MHz	Pass	6.6217G	-0.48	6.7681G	-44.27	-40.48	-3.79	1
6625MHz	Pass	6.6233G	0.61	6.768G	-49.63	-39.39	-10.24	2
6705MHz	Pass	6.7025G	0.09	6.5282G	-49.83	-39.91	-9.92	1
6705MHz	Pass	6.7066G	0.41	6.5688G	-51.05	-39.59	-11.46	2
6785MHz	Pass	6.7865G	-1.25	6.6721G	-44.40	-37.66	-6.74	1
6785MHz	Pass	6.7863G	-1.04	6.8286G	-30.28	-21.05	-9.23	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.028G	-3.06	5.7604G	-46.79	-43.06	-3.73	1
6025MHz	Pass	6.0212G	-3.61	5.76G	-48.02	-43.61	-4.41	2
6185MHz	Pass	6.179G	-3.00	6.528G	-50.85	-43.00	-7.85	1
6185MHz	Pass	6.1814G	-3.63	5.9296G	-50.52	-43.35	-7.17	2
6345MHz	Pass	6.3414G	-4.02	6.6722G	-44.98	-44.02	-0.96	1
6345MHz	Pass	6.3386G	-3.70	6.6722G	-52.07	-43.70	-8.37	2
6665MHz	Pass	6.6686G	-2.45	6.3842G	-47.72	-42.45	-5.27	1
6665MHz	Pass	6.6616G	-0.89	6.7504G	-30.77	-20.90	-9.87	2


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

25/06/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41585G	-0.18	6.384025G	-47.44	-39.94	-7.50	1
6.414425G	1.68	6.448425G	-50.77	-38.32	-12.45	2


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

26/06/2025

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4035G	-1.52	6.4801G	-48.84	-41.52	-7.32	1
6.4059G	0.62	6.34035G	-45.20	-39.18	-6.02	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

26/06/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

26/06/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

25/06/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

26/06/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

26/06/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

26/06/2025





RSE TX below 1GHz_Non-Beamforming_Radio 3_1T1S_Full RU Appendix E.9

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX(Port2)	Pass	PK	31.94M	29.11	40.00	-10.89	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz_PoE	Pass	PK	31.94M	29.11	40.00	-10.89	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	37.76M	25.59	40.00	-14.41	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	84.32M	19.03	40.00	-20.97	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	148.34M	15.10	43.50	-28.40	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	220.12M	25.37	46.00	-20.63	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	398.6M	21.01	46.00	-24.99	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	37.76M	17.65	40.00	-22.35	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	200.72M	24.48	43.50	-19.02	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	214.3M	29.44	43.50	-14.06	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	352.04M	18.54	46.00	-27.46	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	555.74M	25.44	46.00	-20.56	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	710.94M	26.66	46.00	-19.34	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)


6025MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	29.11	40.00	-10.89	-14.06	3	Vertical	360	1.00	43.17	22.53	0.63	37.22
PK	37.76M	25.59	40.00	-14.41	-16.85	3	Vertical	360	1.00	42.44	19.58	0.69	37.12
PK	84.32M	19.03	40.00	-20.97	-22.83	3	Vertical	360	1.00	41.86	12.91	1.03	36.77
PK	148.34M	15.10	43.50	-28.40	-18.76	3	Vertical	360	1.00	33.86	16.26	1.39	36.41
PK	220.12M	25.37	46.00	-20.63	-20.26	3	Vertical	360	1.00	45.63	14.24	1.74	36.24
PK	398.6M	21.01	46.00	-24.99	-13.36	3	Vertical	360	1.00	34.37	20.81	2.41	36.58

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6025MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	17.65	40.00	-22.35	-16.85	3	Horizontal	0	1.00	34.50	19.58	0.69	37.12
PK	200.72M	24.48	43.50	-19.02	-20.55	3	Horizontal	0	1.00	45.03	14.03	1.66	36.24
PK	214.3M	29.44	43.50	-14.06	-20.71	3	Horizontal	0	1.00	50.15	13.81	1.72	36.24
PK	352.04M	18.54	46.00	-27.46	-14.65	3	Horizontal	0	1.00	33.19	19.54	2.28	36.47
PK	555.74M	25.44	46.00	-20.56	-9.25	3	Horizontal	0	1.00	34.69	24.84	2.93	37.02
PK	710.94M	26.66	46.00	-19.34	-8.43	3	Horizontal	0	1.00	35.09	25.51	3.35	37.29



RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S_Full RU Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.38796G	45.75	54.00	-8.25	3	Horizontal	252	2.76
802.11be EHT40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.40126G	45.68	54.00	-8.32	3	Vertical	122	1.58
802.11be EHT80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.9225G	67.72	68.20	-0.48	3	Horizontal	326	2.35
802.11be EHT160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.8725G	62.98	68.20	-5.22	3	Horizontal	328	2.60
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.3874G	47.86	54.00	-6.14	3	Horizontal	15	1.72
802.11be EHT40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.36012G	47.80	54.00	-6.20	3	Vertical	111	1.40
802.11be EHT80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.2629G	47.65	54.00	-6.35	3	Horizontal	346	2.92
802.11be EHT160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.33092G	48.41	54.00	-5.59	3	Vertical	70	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9235G	50.21	68.20	-17.99	3	Horizontal	327	2.22
5955MHz	Pass	AV	5.9541G	102.35	Inf	-Inf	3	Horizontal	327	2.22
5955MHz	Pass	PK	5.9133G	62.78	88.20	-25.42	3	Horizontal	327	2.22
5955MHz	Pass	PK	5.9556G	113.39	Inf	-Inf	3	Horizontal	327	2.22
5955MHz	Pass	AV	11.9132G	45.10	54.00	-8.90	3	Vertical	310	1.32
5955MHz	Pass	PK	11.91732G	56.74	74.00	-17.26	3	Vertical	310	1.32
5955MHz	Pass	AV	11.919G	45.10	54.00	-8.90	3	Horizontal	244	2.93
5955MHz	Pass	PK	11.91874G	57.17	74.00	-16.83	3	Horizontal	244	2.93
6195MHz	Pass	AV	12.38786G	45.69	54.00	-8.31	3	Vertical	219	1.67
6195MHz	Pass	PK	12.383G	58.07	74.00	-15.93	3	Vertical	219	1.67
6195MHz	Pass	AV	12.38796G	45.75	54.00	-8.25	3	Horizontal	252	2.76
6195MHz	Pass	PK	12.38514G	58.27	74.00	-15.73	3	Horizontal	252	2.76
6415MHz	Pass	AV	12.83868G	46.77	68.20	-21.43	3	Vertical	335	2.12
6415MHz	Pass	PK	12.8289G	58.59	88.20	-29.61	3	Vertical	335	2.12
6415MHz	Pass	AV	12.8383G	46.77	68.20	-21.43	3	Horizontal	252	2.91
6415MHz	Pass	PK	12.82794G	58.53	88.20	-29.67	3	Horizontal	252	2.91
6535MHz	Pass	AV	13.07988G	47.04	68.20	-21.16	3	Vertical	96	2.87
6535MHz	Pass	PK	13.07572G	59.42	88.20	-28.78	3	Vertical	96	2.87
6535MHz	Pass	AV	13.06928G	47.02	68.20	-21.18	3	Horizontal	155	1.78
6535MHz	Pass	PK	13.06542G	59.15	88.20	-29.05	3	Horizontal	155	1.78
6695MHz	Pass	AV	13.38706G	47.79	54.00	-6.21	3	Vertical	174	1.02
6695MHz	Pass	PK	13.39086G	59.79	74.00	-14.21	3	Vertical	174	1.02
6695MHz	Pass	AV	13.3874G	47.86	54.00	-6.14	3	Horizontal	15	1.72
6695MHz	Pass	PK	13.39586G	59.79	74.00	-14.21	3	Horizontal	15	1.72
6855MHz	Pass	AV	13.7185G	48.26	68.20	-19.94	3	Vertical	113	1.81
6855MHz	Pass	PK	13.7009G	60.92	88.20	-27.28	3	Vertical	113	1.81
6855MHz	Pass	AV	13.71466G	48.29	68.20	-19.91	3	Horizontal	326	2.09
6855MHz	Pass	PK	13.70208G	60.59	88.20	-27.61	3	Horizontal	326	2.09
802.11be EHT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.923G	52.52	68.20	-15.68	3	Horizontal	328	2.18
5965MHz	Pass	AV	5.9659G	99.83	Inf	-Inf	3	Horizontal	328	2.18
5965MHz	Pass	PK	5.9212G	65.51	88.20	-22.69	3	Horizontal	328	2.18
5965MHz	Pass	PK	5.9665G	111.06	Inf	-Inf	3	Horizontal	328	2.18
5965MHz	Pass	AV	11.9377G	45.32	54.00	-8.68	3	Vertical	217	2.86
5965MHz	Pass	PK	11.93348G	57.88	74.00	-16.12	3	Vertical	217	2.86
5965MHz	Pass	AV	11.93266G	45.33	54.00	-8.67	3	Horizontal	223	1.09
5965MHz	Pass	PK	11.92568G	57.35	74.00	-16.65	3	Horizontal	223	1.09
6205MHz	Pass	AV	12.40126G	45.68	54.00	-8.32	3	Vertical	122	1.58
6205MHz	Pass	PK	12.40904G	58.11	74.00	-15.89	3	Vertical	122	1.58
6205MHz	Pass	AV	12.40768G	45.68	54.00	-8.32	3	Horizontal	108	1.66
6205MHz	Pass	PK	12.4068G	57.60	74.00	-16.40	3	Horizontal	108	1.66
6405MHz	Pass	AV	12.81572G	46.62	68.20	-21.58	3	Vertical	60	1.96
6405MHz	Pass	PK	12.80052G	57.95	88.20	-30.25	3	Vertical	60	1.96
6405MHz	Pass	AV	12.80318G	46.63	68.20	-21.57	3	Horizontal	83	2.36
6405MHz	Pass	PK	12.81246G	58.51	88.20	-29.69	3	Horizontal	83	2.36
6565MHz	Pass	AV	13.13796G	47.04	68.20	-21.16	3	Vertical	146	1.75
6565MHz	Pass	PK	13.131G	60.02	88.20	-28.18	3	Vertical	146	1.75
6565MHz	Pass	AV	13.13956G	47.07	68.20	-21.13	3	Horizontal	148	2.51
6565MHz	Pass	PK	13.13476G	59.41	88.20	-28.79	3	Horizontal	148	2.51
6685MHz	Pass	AV	13.36012G	47.80	54.00	-6.20	3	Vertical	111	1.40
6685MHz	Pass	PK	13.36506G	59.59	74.00	-14.41	3	Vertical	111	1.40
6685MHz	Pass	AV	13.36608G	47.76	54.00	-6.24	3	Horizontal	153	1.20
6685MHz	Pass	PK	13.3763G	60.10	74.00	-13.90	3	Horizontal	153	1.20
6845MHz	Pass	AV	13.6859G	48.24	68.20	-19.96	3	Vertical	2	1.85
6845MHz	Pass	PK	13.69278G	60.12	88.20	-28.08	3	Vertical	2	1.85
6845MHz	Pass	AV	13.68282G	48.17	68.20	-20.03	3	Horizontal	190	1.84
6845MHz	Pass	PK	13.68818G	60.56	88.20	-27.64	3	Horizontal	190	1.84
802.11be EHT80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9225G	67.72	68.20	-0.48	3	Horizontal	326	2.35
5985MHz	Pass	AV	5.986G	99.88	Inf	-Inf	3	Horizontal	326	2.35




RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S_Full RU Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	5.9125G	81.06	88.20	-7.14	3	Horizontal	326	2.35
5985MHz	Pass	PK	5.987G	111.71	Inf	-Inf	3	Horizontal	326	2.35
5985MHz	Pass	AV	11.9792G	46.21	54.00	-7.79	3	Vertical	1	1.13
5985MHz	Pass	PK	11.97858G	58.54	74.00	-15.46	3	Vertical	1	1.13
5985MHz	Pass	AV	11.9737G	46.22	54.00	-7.78	3	Horizontal	239	1.50
5985MHz	Pass	PK	11.97282G	58.09	74.00	-15.91	3	Horizontal	239	1.50
6225MHz	Pass	AV	12.4582G	46.53	54.00	-7.47	3	Vertical	125	1.25
6225MHz	Pass	PK	12.44428G	58.15	74.00	-15.85	3	Vertical	125	1.25
6225MHz	Pass	AV	12.4489G	46.59	54.00	-7.41	3	Horizontal	137	1.50
6225MHz	Pass	PK	12.45254G	58.40	74.00	-15.60	3	Horizontal	137	1.50
6385MHz	Pass	AV	12.77404G	47.24	68.20	-20.96	3	Vertical	109	1.50
6385MHz	Pass	PK	12.7653G	59.48	88.20	-28.72	3	Vertical	109	1.50
6385MHz	Pass	AV	12.77928G	47.24	68.20	-20.96	3	Horizontal	123	1.12
6385MHz	Pass	PK	12.77168G	59.72	88.20	-28.48	3	Horizontal	123	1.12
6625MHz	Pass	AV	13.26035G	47.61	54.00	-6.39	3	Vertical	102	1.62
6625MHz	Pass	PK	13.24529G	59.49	88.20	-28.71	3	Vertical	102	1.62
6625MHz	Pass	AV	13.2629G	47.65	54.00	-6.35	3	Horizontal	346	2.92
6625MHz	Pass	PK	13.24859G	59.37	88.20	-28.83	3	Horizontal	346	2.92
6705MHz	Pass	AV	13.42377G	48.21	68.20	-19.99	3	Vertical	347	1.99
6705MHz	Pass	PK	13.42179G	60.07	88.20	-28.13	3	Vertical	347	1.99
6705MHz	Pass	AV	13.42347G	48.27	68.20	-19.93	3	Horizontal	134	1.51
6705MHz	Pass	PK	13.41282G	59.90	88.20	-28.30	3	Horizontal	134	1.51
6785MHz	Pass	AV	13.55749G	48.96	68.20	-19.24	3	Vertical	318	1.58
6785MHz	Pass	PK	13.56859G	60.28	88.20	-27.92	3	Vertical	318	1.58
6785MHz	Pass	AV	13.56073G	49.01	68.20	-19.19	3	Horizontal	197	2.04
6785MHz	Pass	PK	13.57942G	60.28	88.20	-27.92	3	Horizontal	197	2.04
802.11be EHT160_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.8725G	62.98	68.20	-5.22	3	Horizontal	328	2.60
6025MHz	Pass	AV	6.023G	95.96	Inf	-Inf	3	Horizontal	328	2.60
6025MHz	Pass	PK	5.889G	77.31	88.20	-10.89	3	Horizontal	328	2.60
6025MHz	Pass	PK	6.0225G	107.34	Inf	-Inf	3	Horizontal	328	2.60
6025MHz	Pass	AV	12.05798G	46.43	54.00	-7.57	3	Vertical	213	1.50
6025MHz	Pass	PK	12.05638G	58.72	74.00	-15.28	3	Vertical	213	1.50
6025MHz	Pass	AV	12.05464G	46.52	54.00	-7.48	3	Horizontal	202	1.50
6025MHz	Pass	PK	12.04552G	58.66	74.00	-15.34	3	Horizontal	202	1.50
6185MHz	Pass	AV	12.36638G	46.39	54.00	-7.61	3	Vertical	59	1.50
6185MHz	Pass	PK	12.36558G	58.53	74.00	-15.47	3	Vertical	59	1.50
6185MHz	Pass	AV	12.36184G	46.44	54.00	-7.56	3	Horizontal	4	1.55
6185MHz	Pass	PK	12.36766G	58.74	74.00	-15.26	3	Horizontal	4	1.55
6345MHz	Pass	AV	12.6839G	47.18	54.00	-6.82	3	Vertical	355	1.86
6345MHz	Pass	PK	12.68512G	59.45	74.00	-14.55	3	Vertical	355	1.86
6345MHz	Pass	AV	12.69222G	47.23	54.00	-6.77	3	Horizontal	171	1.50
6345MHz	Pass	PK	12.69026G	60.53	74.00	-13.47	3	Horizontal	171	1.50
6665MHz	Pass	AV	13.33092G	48.41	54.00	-5.59	3	Vertical	70	1.50
6665MHz	Pass	PK	13.32892G	60.09	74.00	-13.91	3	Vertical	70	1.50
6665MHz	Pass	AV	13.34161G	48.31	54.00	-5.69	3	Horizontal	3	1.18
6665MHz	Pass	PK	13.32577G	60.48	74.00	-13.52	3	Horizontal	3	1.18


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)

6205MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9225G	67.72	68.20	-0.48	7.21	3	Horizontal	326	2.35	60.51	34.00	8.33	35.12
AV	5.986G	99.88	Inf	-Inf	7.29	3	Horizontal	326	2.35	92.59	34.00	8.37	35.08
PK	5.9125G	81.06	88.20	-7.14	7.19	3	Horizontal	326	2.35	73.87	34.00	8.32	35.13
PK	5.987G	111.71	Inf	-Inf	7.29	3	Horizontal	326	2.35	104.42	34.00	8.37	35.08

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9792G	46.21	54.00	-7.79	14.78	3	Vertical	1	1.13	31.43	38.56	11.61	35.39
PK	11.97858G	58.54	74.00	-15.46	14.78	3	Vertical	1	1.13	43.76	38.56	11.61	35.39


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

6695MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

6695MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S_Full RU Appendix E.10


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6665MHz_TX





RSE TX below 1GHz_Non-Beamforming_Radio 3_2T1S_Full RU Appendix E.11

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	33.88M	31.08	40.00	-8.92	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz_PoE	Pass	PK	33.88M	31.08	40.00	-8.92	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	45.52M	24.17	40.00	-15.83	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	220.12M	24.69	46.00	-20.54	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	295.78M	20.41	46.00	-25.59	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	419.94M	21.30	46.00	-24.70	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	604.24M	24.54	46.00	-21.46	3	Vertical	360	1.00
6025MHz_PoE	Pass	PK	33.88M	26.16	40.00	-13.84	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	82.38M	19.70	40.00	-20.30	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	142.52M	16.53	43.50	-26.97	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	222.06M	28.44	46.00	-17.56	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	309.36M	22.75	46.00	-23.25	3	Horizontal	0	1.00
6025MHz_PoE	Pass	PK	631.4M	25.50	46.00	-20.50	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	33.88M	31.08	40.00	-8.92	-14.94	3	Vertical	360	1.00	46.02	21.60	0.66	37.20				
PK	45.52M	24.17	40.00	-15.83	-20.71	3	Vertical	360	1.00	44.88	15.54	0.74	36.99				
PK	220.12M	24.69	46.00	-20.54	-20.26	3	Vertical	360	1.00	45.72	14.24	1.74	36.24				
PK	295.78M	20.41	46.00	-25.59	-16.26	3	Vertical	360	1.00	36.67	18.11	2.03	36.40				
PK	419.94M	21.30	46.00	-24.70	-12.74	3	Vertical	360	1.00	34.04	21.43	2.47	36.64				
PK	604.24M	24.54	46.00	-21.46	-9.73	3	Vertical	360	1.00	34.27	24.35	3.08	37.16				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	33.88M	26.16	40.00	-13.84	-14.94	3	Horizontal	0	1.00	41.10	21.60	0.66	37.20				
PK	82.38M	19.70	40.00	-20.30	-23.15	3	Horizontal	0	1.00	42.85	12.60	1.02	36.77				
PK	142.52M	16.53	43.50	-26.97	-18.56	3	Horizontal	0	1.00	35.09	16.49	1.37	36.42				
PK	222.06M	28.44	46.00	-17.56	-20.01	3	Horizontal	0	1.00	48.45	14.48	1.75	36.24				
PK	309.36M	22.75	46.00	-23.25	-16.21	3	Horizontal	0	1.00	38.96	18.12	2.09	36.42				
PK	631.4M	25.50	46.00	-20.50	-8.50	3	Horizontal	0	1.00	34.00	25.55	3.16	37.21				



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38556G	45.99	54.00	-8.01	3	Horizontal	359	1.18
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.42908G	45.88	54.00	-8.12	3	Horizontal	171	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.924G	65.21	68.20	-2.99	3	Vertical	138	2.53
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.887G	67.33	68.20	-0.87	3	Vertical	137	2.64
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.39228G	47.97	54.00	-6.03	3	Vertical	269	2.42
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.35144G	47.99	54.00	-6.01	3	Vertical	355	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.26302G	47.57	54.00	-6.43	3	Vertical	152	2.34
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.33776G	48.43	54.00	-5.57	3	Vertical	188	2.72

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	51.37	68.20	-16.83	3	Vertical	139	3.00
5955MHz	Pass	AV	5.9544G	107.82	Inf	-Inf	3	Vertical	139	3.00
5955MHz	Pass	PK	5.8371G	63.28	88.20	-24.92	3	Vertical	139	3.00
5955MHz	Pass	PK	5.9556G	118.21	Inf	-Inf	3	Vertical	139	3.00
5955MHz	Pass	AV	5.9127G	49.76	68.20	-18.44	3	Horizontal	178	3.00
5955MHz	Pass	AV	5.9544G	92.91	Inf	-Inf	3	Horizontal	178	3.00
5955MHz	Pass	PK	5.8425G	62.15	88.20	-26.05	3	Horizontal	178	3.00
5955MHz	Pass	PK	5.9538G	104.23	Inf	-Inf	3	Horizontal	178	3.00
5955MHz	Pass	AV	11.9177G	45.29	54.00	-8.71	3	Vertical	28	2.87
5955MHz	Pass	PK	11.9196G	57.48	74.00	-16.52	3	Vertical	28	2.87
5955MHz	Pass	AV	11.9175G	45.29	54.00	-8.71	3	Horizontal	16	1.22
5955MHz	Pass	PK	11.90418G	57.45	74.00	-16.55	3	Horizontal	16	1.22
6195MHz	Pass	AV	12.3814G	45.93	54.00	-8.07	3	Vertical	279	2.09
6195MHz	Pass	PK	12.38282G	57.84	74.00	-16.16	3	Vertical	279	2.09
6195MHz	Pass	AV	12.38556G	45.99	54.00	-8.01	3	Horizontal	359	1.18
6195MHz	Pass	PK	12.38662G	57.65	74.00	-16.35	3	Horizontal	359	1.18
6415MHz	Pass	AV	12.838G	46.84	68.20	-21.36	3	Vertical	359	2.24
6415MHz	Pass	PK	12.82146G	59.12	88.20	-29.08	3	Vertical	359	2.24
6415MHz	Pass	AV	12.82804G	46.70	68.20	-21.50	3	Horizontal	340	1.65
6415MHz	Pass	PK	12.83048G	58.54	88.20	-29.66	3	Horizontal	340	1.65
6535MHz	Pass	AV	13.07638G	47.11	68.20	-21.09	3	Vertical	300	1.50
6535MHz	Pass	PK	13.07562G	58.98	88.20	-29.22	3	Vertical	300	1.50
6535MHz	Pass	AV	13.07396G	47.09	68.20	-21.11	3	Horizontal	148	1.50
6535MHz	Pass	PK	13.07868G	59.66	88.20	-28.54	3	Horizontal	148	1.50
6695MHz	Pass	AV	13.39228G	47.97	54.00	-6.03	3	Vertical	269	2.42
6695MHz	Pass	PK	13.3902G	60.13	74.00	-13.87	3	Vertical	269	2.42
6695MHz	Pass	AV	13.38816G	47.92	54.00	-6.08	3	Horizontal	310	1.04
6695MHz	Pass	PK	13.39754G	60.24	74.00	-13.76	3	Horizontal	310	1.04
6855MHz	Pass	AV	13.71028G	48.38	68.20	-19.82	3	Vertical	213	1.59
6855MHz	Pass	PK	13.71232G	61.53	88.20	-26.67	3	Vertical	213	1.59
6855MHz	Pass	AV	13.71296G	48.41	68.20	-19.79	3	Horizontal	81	1.50
6855MHz	Pass	PK	13.71648G	61.02	88.20	-27.18	3	Horizontal	81	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	56.49	68.20	-11.71	3	Vertical	140	2.78
5965MHz	Pass	AV	5.9638G	104.79	Inf	-Inf	3	Vertical	140	2.78
5965MHz	Pass	PK	5.9242G	68.85	88.20	-19.35	3	Vertical	140	2.78
5965MHz	Pass	PK	5.9659G	116.44	Inf	-Inf	3	Vertical	140	2.78
5965MHz	Pass	AV	11.94256G	45.62	54.00	-8.38	3	Vertical	205	1.50
5965MHz	Pass	PK	11.9334G	58.16	74.00	-15.84	3	Vertical	205	1.50
5965MHz	Pass	AV	11.94808G	45.50	54.00	-8.50	3	Horizontal	39	2.38
5965MHz	Pass	PK	11.91332G	57.96	74.00	-16.04	3	Horizontal	39	2.38
6205MHz	Pass	AV	12.39136G	45.77	54.00	-8.23	3	Vertical	39	1.50
6205MHz	Pass	PK	12.41732G	58.90	74.00	-15.10	3	Vertical	39	1.50
6205MHz	Pass	AV	12.42908G	45.88	54.00	-8.12	3	Horizontal	171	1.50
6205MHz	Pass	PK	12.41236G	57.83	74.00	-16.17	3	Horizontal	171	1.50
6405MHz	Pass	AV	12.79096G	46.79	68.20	-21.41	3	Vertical	50	1.50
6405MHz	Pass	PK	12.80952G	58.84	88.20	-29.36	3	Vertical	50	1.50
6405MHz	Pass	AV	12.79636G	46.86	68.20	-21.34	3	Horizontal	2	2.09
6405MHz	Pass	PK	12.8084G	58.87	88.20	-29.33	3	Horizontal	2	2.09
6565MHz	Pass	AV	13.1482G	47.39	68.20	-20.81	3	Vertical	126	1.50
6565MHz	Pass	PK	13.12468G	59.42	88.20	-28.78	3	Vertical	126	1.50
6565MHz	Pass	AV	13.14912G	47.48	68.20	-20.72	3	Horizontal	134	1.49
6565MHz	Pass	PK	13.13056G	59.67	88.20	-28.53	3	Horizontal	134	1.49
6685MHz	Pass	AV	13.35144G	47.99	54.00	-6.01	3	Vertical	355	1.50
6685MHz	Pass	PK	13.35192G	59.76	74.00	-14.24	3	Vertical	355	1.50
6685MHz	Pass	AV	13.35292G	47.99	54.00	-6.01	3	Horizontal	14	1.50
6685MHz	Pass	PK	13.36012G	59.86	74.00	-14.14	3	Horizontal	14	1.50
6845MHz	Pass	AV	13.6826G	48.31	68.20	-19.89	3	Vertical	1	1.50
6845MHz	Pass	PK	13.67864G	60.95	88.20	-27.25	3	Vertical	1	1.50
6845MHz	Pass	AV	13.7018G	48.27	68.20	-19.93	3	Horizontal	91	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S_Full RU

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6845MHz	Pass	PK	13.7032G	60.45	88.20	-27.75	3	Horizontal	91	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.924G	65.21	68.20	-2.99	3	Vertical	138	2.53
5985MHz	Pass	AV	5.984G	103.10	Inf	-Inf	3	Vertical	138	2.53
5985MHz	Pass	PK	5.92G	77.16	88.20	-11.04	3	Vertical	138	2.53
5985MHz	Pass	PK	5.986G	114.65	Inf	-Inf	3	Vertical	138	2.53
5985MHz	Pass	AV	11.9783G	46.22	54.00	-7.78	3	Vertical	49	2.26
5985MHz	Pass	PK	11.96976G	58.83	74.00	-15.17	3	Vertical	49	2.26
5985MHz	Pass	AV	11.97212G	46.16	54.00	-7.84	3	Horizontal	28	1.00
5985MHz	Pass	PK	11.97896G	58.35	74.00	-15.65	3	Horizontal	28	1.00
6225MHz	Pass	AV	12.44542G	46.70	54.00	-7.30	3	Vertical	190	2.15
6225MHz	Pass	PK	12.4577G	58.68	74.00	-15.32	3	Vertical	190	2.15
6225MHz	Pass	AV	12.45938G	46.68	54.00	-7.32	3	Horizontal	185	1.25
6225MHz	Pass	PK	12.44576G	58.81	74.00	-15.19	3	Horizontal	185	1.25
6385MHz	Pass	AV	12.7664G	47.21	68.20	-20.99	3	Vertical	13	1.50
6385MHz	Pass	PK	12.76584G	60.44	88.20	-27.76	3	Vertical	13	1.50
6385MHz	Pass	AV	12.7602G	47.20	68.20	-21.00	3	Horizontal	296	1.50
6385MHz	Pass	PK	12.77G	59.32	88.20	-28.88	3	Horizontal	296	1.50
6625MHz	Pass	AV	13.26302G	47.57	54.00	-6.43	3	Vertical	152	2.34
6625MHz	Pass	PK	13.25426G	59.80	74.00	-14.20	3	Vertical	152	2.34
6625MHz	Pass	AV	13.2605G	47.54	54.00	-6.46	3	Horizontal	65	1.96
6625MHz	Pass	PK	13.25459G	59.02	74.00	-14.98	3	Horizontal	65	1.96
6705MHz	Pass	AV	13.42335G	48.27	68.20	-19.93	3	Vertical	260	2.04
6705MHz	Pass	PK	13.41108G	60.45	88.20	-27.75	3	Vertical	260	2.04
6705MHz	Pass	AV	13.42407G	48.28	68.20	-19.92	3	Horizontal	61	1.38
6705MHz	Pass	PK	13.41351G	60.58	88.20	-27.62	3	Horizontal	61	1.38
6785MHz	Pass	AV	13.56937G	48.93	68.20	-19.27	3	Vertical	93	2.20
6785MHz	Pass	PK	13.56427G	60.07	88.20	-28.13	3	Vertical	93	2.20
6785MHz	Pass	AV	13.55761G	49.03	68.20	-19.17	3	Horizontal	84	1.14
6785MHz	Pass	PK	13.56895G	60.12	88.20	-28.08	3	Horizontal	84	1.14
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.887G	67.33	68.20	-0.87	3	Vertical	137	2.64
6025MHz	Pass	AV	6.0235G	100.77	Inf	-Inf	3	Vertical	137	2.64
6025MHz	Pass	PK	5.8865G	81.31	88.20	-6.89	3	Vertical	137	2.64
6025MHz	Pass	PK	6.0235G	112.41	Inf	-Inf	3	Vertical	137	2.64
6025MHz	Pass	AV	12.05694G	46.65	54.00	-7.35	3	Vertical	314.1	1.50
6025MHz	Pass	PK	12.05414G	59.68	74.00	-14.32	3	Vertical	314.1	1.50
6025MHz	Pass	AV	12.05546G	46.64	54.00	-7.36	3	Horizontal	138	1.50
6025MHz	Pass	PK	12.05422G	58.75	74.00	-15.25	3	Horizontal	138	1.50
6185MHz	Pass	AV	12.36036G	46.54	54.00	-7.46	3	Vertical	271	2.22
6185MHz	Pass	PK	12.36722G	58.57	74.00	-15.43	3	Vertical	271	2.22
6185MHz	Pass	AV	12.369G	46.62	54.00	-7.38	3	Horizontal	52	1.50
6185MHz	Pass	PK	12.3673G	58.83	74.00	-15.17	3	Horizontal	52	1.50
6345MHz	Pass	AV	12.6897G	47.30	54.00	-6.70	3	Vertical	312	2.12
6345MHz	Pass	PK	12.68162G	59.57	74.00	-14.43	3	Vertical	312	2.12
6345MHz	Pass	AV	12.68382G	47.18	54.00	-6.82	3	Horizontal	92	1.50
6345MHz	Pass	PK	12.69332G	59.45	74.00	-14.55	3	Horizontal	92	1.50
6665MHz	Pass	AV	13.33776G	48.43	54.00	-5.57	3	Vertical	188	2.72
6665MHz	Pass	PK	13.3349G	60.31	74.00	-13.69	3	Vertical	188	2.72
6665MHz	Pass	AV	13.33724G	48.43	54.00	-5.57	3	Horizontal	359	1.50
6665MHz	Pass	PK	13.33896G	60.62	74.00	-13.38	3	Horizontal	359	1.50


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX



6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6195MHz_TX





5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX
6205MHz_TX

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX
6205MHz_TX


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX
5985MHz_TX


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	65.21	68.20	-2.99	7.21	3	Vertical	138	2.53	58.00	34.00	8.33	35.12
AV	5.984G	103.10	Inf	-Inf	7.29	3	Vertical	138	2.53	95.81	34.00	8.37	35.08
PK	5.92G	77.16	88.20	-11.04	7.21	3	Vertical	138	2.53	69.95	34.00	8.33	35.12
PK	5.986G	114.65	Inf	-Inf	7.29	3	Vertical	138	2.53	107.36	34.00	8.37	35.08


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX
5985MHz_TX


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9783G	46.22	54.00	-7.78	14.78	3	Vertical	49	2.26	31.44	38.56	11.61	35.39
PK	11.96976G	58.83	74.00	-15.17	14.75	3	Vertical	49	2.26	44.08	38.54	11.60	35.39

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX
5985MHz_TX

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX
6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX



6695MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX
6685MHz_TX

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX
6685MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S _Multi-RU

Appendix E.13

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port2)	Pass	AV	5.9136G	67.12	68.20	-1.08	3	Horizontal	347	2.24
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)	Pass	AV	5.9225G	62.03	68.20	-6.17	3	Horizontal	325	2.37

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9136G	67.12	68.20	-1.08	3	Horizontal	347	2.24
5985MHz	Pass	AV	5.9598G	97.95	Inf	-Inf	3	Horizontal	347	2.24
5985MHz	Pass	PK	5.925G	79.17	88.20	-9.03	3	Horizontal	347	2.24
5985MHz	Pass	PK	5.955G	107.01	Inf	-Inf	3	Horizontal	347	2.24
5985MHz	Pass	AV	11.9717G	46.11	54.00	-7.89	3	Vertical	260	2.51
5985MHz	Pass	PK	11.97166G	58.57	74.00	-15.43	3	Vertical	260	2.51
5985MHz	Pass	AV	11.96714G	46.18	54.00	-7.82	3	Horizontal	3	1.81
5985MHz	Pass	PK	11.96651G	57.65	74.00	-16.35	3	Horizontal	3	1.81
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9225G	62.03	68.20	-6.17	3	Horizontal	325	2.37
6025MHz	Pass	AV	5.9475G	94.93	Inf	-Inf	3	Horizontal	325	2.37
6025MHz	Pass	PK	5.8965G	81.40	88.20	-6.80	3	Horizontal	325	2.37
6025MHz	Pass	PK	5.9625G	107.86	Inf	-Inf	3	Horizontal	325	2.37
6025MHz	Pass	AV	12.06416G	46.42	54.00	-7.58	3	Vertical	225	1.80
6025MHz	Pass	PK	12.04745G	57.73	74.00	-16.27	3	Vertical	225	1.80
6025MHz	Pass	AV	12.05441G	46.39	54.00	-7.61	3	Horizontal	171	2.03
6025MHz	Pass	PK	12.03761G	57.51	74.00	-16.49	3	Horizontal	171	2.03


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)

6025MHz_TX





RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S_Multi-RU

Appendix E.14

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.9245G	66.44	68.20	-1.76	3	Vertical	139	2.82
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	5.925G	66.61	68.20	-1.59	3	Vertical	143	2.82

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	66.44	68.20	-1.76	3	Vertical	139	2.82
5985MHz	Pass	AV	5.964G	101.83	Inf	-Inf	3	Vertical	139	2.82
5985MHz	Pass	PK	5.91G	82.51	88.20	-5.69	3	Vertical	139	2.82
5985MHz	Pass	PK	6.0165G	113.12	Inf	-Inf	3	Vertical	139	2.82
5985MHz	Pass	AV	11.97968G	45.93	54.00	-8.07	3	Vertical	344	1.50
5985MHz	Pass	PK	12.00976G	57.84	74.00	-16.16	3	Vertical	344	1.50
5985MHz	Pass	AV	11.94872G	45.94	54.00	-8.06	3	Horizontal	325	1.50
5985MHz	Pass	PK	11.96896G	58.20	74.00	-15.80	3	Horizontal	325	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	66.61	68.20	-1.59	3	Vertical	143	2.82
6025MHz	Pass	AV	5.9615G	98.84	Inf	-Inf	3	Vertical	143	2.82
6025MHz	Pass	PK	5.889G	81.23	88.20	-6.97	3	Vertical	143	2.82
6025MHz	Pass	PK	5.961G	109.79	Inf	-Inf	3	Vertical	143	2.82
6025MHz	Pass	AV	12.07936G	46.79	54.00	-7.21	3	Vertical	191	1.50
6025MHz	Pass	PK	12.06464G	58.47	74.00	-15.53	3	Vertical	191	1.50
6025MHz	Pass	AV	12.06648G	46.74	54.00	-7.26	3	Horizontal	305	1.54
6025MHz	Pass	PK	12.07352G	58.43	74.00	-15.57	3	Horizontal	305	1.54


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX





RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S_ Channel Puncturing

Appendix E.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)	Pass	AV	5.925G	66.50	68.20	-1.70	3	Horizontal	325	2.49
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port2)	Pass	AV	5.925G	64.82	68.20	-3.38	3	Horizontal	329	2.53



RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S Channel Puncturing


Appendix E.15

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	66.50	68.20	-1.70	3	Horizontal	325	2.49
5985MHz	Pass	AV	5.987G	99.26	Inf	-Inf	3	Horizontal	325	2.49
5985MHz	Pass	PK	5.916G	79.87	88.20	-8.33	3	Horizontal	325	2.49
5985MHz	Pass	PK	5.989G	110.33	Inf	-Inf	3	Horizontal	325	2.49
5985MHz	Pass	AV	11.97395G	45.88	54.00	-8.12	3	Vertical	128	1.50
5985MHz	Pass	PK	11.97076G	58.37	74.00	-15.63	3	Vertical	128	1.50
5985MHz	Pass	AV	11.96557G	45.58	54.00	-8.42	3	Horizontal	176	3.00
5985MHz	Pass	PK	11.97051G	58.93	74.00	-15.07	3	Horizontal	176	3.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	64.82	68.20	-3.38	3	Horizontal	329	2.53
6025MHz	Pass	AV	6.0265G	95.01	Inf	-Inf	3	Horizontal	329	2.53
6025MHz	Pass	PK	5.901G	83.36	88.20	-4.84	3	Horizontal	329	2.53
6025MHz	Pass	PK	6.0225G	107.36	Inf	-Inf	3	Horizontal	329	2.53
6025MHz	Pass	AV	12.05346G	46.12	54.00	-7.88	3	Vertical	138	1.25
6025MHz	Pass	PK	12.04643G	58.59	74.00	-15.41	3	Vertical	138	1.25
6025MHz	Pass	AV	12.05365G	46.12	54.00	-7.88	3	Horizontal	262	1.17
6025MHz	Pass	PK	12.04675G	58.66	74.00	-15.34	3	Horizontal	262	1.17
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	61.29	68.20	-6.91	3	Horizontal	329	2.46
6025MHz	Pass	AV	6.0225G	94.14	Inf	-Inf	3	Horizontal	329	2.46
6025MHz	Pass	PK	5.916G	75.95	88.20	-12.25	3	Horizontal	329	2.46
6025MHz	Pass	PK	6.029G	106.45	Inf	-Inf	3	Horizontal	329	2.46
6025MHz	Pass	AV	12.04916G	46.08	54.00	-7.92	3	Vertical	207	1.50
6025MHz	Pass	PK	12.04818G	58.56	74.00	-15.44	3	Vertical	207	1.50
6025MHz	Pass	AV	12.05463G	46.12	54.00	-7.88	3	Horizontal	203	1.50
6025MHz	Pass	PK	12.04889G	58.18	74.00	-15.82	3	Horizontal	203	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port2)

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_1TX(Port2)

6025MHz_TX





***RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S_
Channel Puncturing***

Appendix E.16

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	AV	5.92G	63.10	68.20	-5.10	3	Vertical	143	2.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	Pass	AV	5.9245G	67.86	68.20	-0.34	3	Vertical	138	2.77

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz_TX	Pass	AV	5.92G	63.10	68.20	-5.10	3	Vertical	143	2.54
5985MHz_TX	Pass	AV	5.9815G	101.09	Inf	-Inf	3	Vertical	143	2.54
5985MHz_TX	Pass	PK	5.919G	77.45	88.20	-10.75	3	Vertical	143	2.54
5985MHz_TX	Pass	PK	5.98G	112.25	Inf	-Inf	3	Vertical	143	2.54
5985MHz_TX	Pass	AV	11.97221G	45.88	54.00	-8.12	3	Vertical	165	2.99
5985MHz_TX	Pass	PK	11.9674G	58.22	74.00	-15.78	3	Vertical	165	2.99
5985MHz_TX	Pass	AV	11.97455G	45.82	54.00	-8.18	3	Horizontal	189	2.61
5985MHz_TX	Pass	PK	11.97336G	58.70	74.00	-15.30	3	Horizontal	189	2.61
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz_TX	Pass	AV	5.9245G	67.86	68.20	-0.34	3	Vertical	138	2.77
6025MHz_TX	Pass	AV	6.0235G	99.81	Inf	-Inf	3	Vertical	138	2.77
6025MHz_TX	Pass	PK	5.9005G	86.22	88.20	-1.98	3	Vertical	138	2.77
6025MHz_TX	Pass	PK	6.023G	110.31	Inf	-Inf	3	Vertical	138	2.77
6025MHz_TX	Pass	AV	12.05099G	46.21	54.00	-7.79	3	Vertical	262	1.50
6025MHz_TX	Pass	PK	12.05022G	58.50	74.00	-15.50	3	Vertical	262	1.50
6025MHz_TX	Pass	AV	12.05435G	46.19	54.00	-7.81	3	Horizontal	9	1.50
6025MHz_TX	Pass	PK	12.05274G	58.56	74.00	-15.44	3	Horizontal	9	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz_TX	Pass	AV	5.923G	65.66	68.20	-2.54	3	Vertical	139	2.91
6025MHz_TX	Pass	AV	6.023G	99.63	Inf	-Inf	3	Vertical	139	2.91
6025MHz_TX	Pass	PK	5.924G	79.57	88.20	-8.63	3	Vertical	139	2.91
6025MHz_TX	Pass	PK	6.0225G	112.35	Inf	-Inf	3	Vertical	139	2.91
6025MHz_TX	Pass	AV	12.05125G	46.15	54.00	-7.85	3	Vertical	270	1.50
6025MHz_TX	Pass	PK	12.05419G	58.28	74.00	-15.72	3	Vertical	270	1.50
6025MHz_TX	Pass	AV	12.04766G	46.20	54.00	-7.80	3	Horizontal	91	1.50
6025MHz_TX	Pass	PK	12.04567G	58.32	74.00	-15.68	3	Horizontal	91	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

6025MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	PK	730.34M	39.05	46.00	-6.95	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6185MHz_PoE	Pass	PK	30M	32.12	40.00	-7.88	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	216.24M	26.49	46.00	-19.51	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	220.12M	26.14	46.00	-19.86	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	501.42M	23.33	46.00	-22.67	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	740.04M	27.11	46.00	-18.89	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	840.92M	30.96	46.00	-15.04	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	31.94M	28.26	40.00	-11.74	3	Horizontal	0	1.00
6185MHz_PoE	Pass	PK	218.18M	29.35	46.00	-16.65	3	Horizontal	0	1.00
6185MHz_PoE	Pass	PK	220.12M	28.75	46.00	-17.25	3	Horizontal	0	1.00
6185MHz_PoE	Pass	PK	419.94M	22.71	46.00	-23.29	3	Horizontal	0	1.00
6185MHz_PoE	Pass	PK	730.34M	39.05	46.00	-6.95	3	Horizontal	0	1.00
6185MHz_PoE	Pass	PK	840.92M	31.35	46.00	-14.65	3	Horizontal	0	1.00

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	32.12	40.00	-7.88	-13.38	3	Vertical	360	1.00	45.50	23.26	0.61	37.25
PK	216.24M	26.49	46.00	-19.51	-20.71	3	Vertical	360	1.00	47.20	13.81	1.72	36.24
PK	220.12M	26.14	46.00	-19.86	-20.26	3	Vertical	360	1.00	46.40	14.24	1.74	36.24
PK	501.42M	23.33	46.00	-22.67	-11.31	3	Vertical	360	1.00	34.64	22.84	2.78	36.93
PK	740.04M	27.11	46.00	-18.89	-7.13	3	Vertical	360	1.00	34.24	26.79	3.44	37.36
PK	840.92M	30.96	46.00	-15.04	-5.61	3	Vertical	360	1.00	36.57	28.09	3.75	37.45

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	28.26	40.00	-11.74	-14.06	3	Horizontal	0	1.00	42.32	22.53	0.63	37.22
PK	218.18M	29.35	46.00	-16.65	-20.49	3	Horizontal	0	1.00	49.84	14.02	1.73	36.24
PK	220.12M	28.75	46.00	-17.25	-20.26	3	Horizontal	0	1.00	49.01	14.24	1.74	36.24
PK	419.94M	22.71	46.00	-23.29	-12.74	3	Horizontal	0	1.00	35.45	21.43	2.47	36.64
PK	730.34M	39.05	46.00	-6.95	-7.43	3	Horizontal	0	1.00	46.48	26.50	3.41	37.34
PK	840.92M	31.35	46.00	-14.65	-5.61	3	Horizontal	0	1.00	36.96	28.09	3.75	37.45

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	12.3897G	47.42	54.00	-6.58	3	Horizontal	337	1.69
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.9248G	66.77	68.20	-1.43	3	Horizontal	331	1.69
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.9245G	68.15	68.20	-0.05	3	Horizontal	331	1.28
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	5.9245G	67.84	68.20	-0.36	3	Horizontal	332	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	13.38942G	49.51	54.00	-4.49	3	Horizontal	321	1.76
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	13.36799G	48.67	54.00	-5.33	3	Horizontal	339	2.64
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	13.25413G	47.28	54.00	-6.72	3	Vertical	90	1.50
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	13.33892G	48.32	54.00	-5.68	3	Horizontal	32	1.56


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	61.13	68.20	-7.07	3	Horizontal	329	1.50
5955MHz	Pass	AV	5.9541G	102.48	Inf	-Inf	3	Horizontal	329	1.50
5955MHz	Pass	PK	5.925G	75.82	88.20	-12.38	3	Horizontal	329	1.50
5955MHz	Pass	PK	5.9541G	114.58	Inf	-Inf	3	Horizontal	329	1.50
5955MHz	Pass	AV	11.91317G	45.39	54.00	-8.61	3	Vertical	323	1.93
5955MHz	Pass	PK	11.90724G	57.55	74.00	-16.45	3	Vertical	323	1.93
5955MHz	Pass	AV	11.90677G	47.11	54.00	-6.89	3	Horizontal	331	1.50
5955MHz	Pass	PK	11.91348G	60.36	74.00	-13.64	3	Horizontal	331	1.50
6195MHz	Pass	AV	12.39041G	45.82	54.00	-8.18	3	Vertical	173	1.50
6195MHz	Pass	PK	12.38509G	58.18	74.00	-15.82	3	Vertical	173	1.50
6195MHz	Pass	AV	12.3897G	47.42	54.00	-6.58	3	Horizontal	337	1.69
6195MHz	Pass	PK	12.38782G	60.29	74.00	-13.71	3	Horizontal	337	1.69
6415MHz	Pass	AV	12.83465G	47.62	68.20	-20.58	3	Vertical	285	1.57
6415MHz	Pass	PK	12.83413G	60.00	88.20	-28.20	3	Vertical	285	1.57
6415MHz	Pass	AV	12.82851G	48.87	68.20	-19.33	3	Horizontal	317	1.75
6415MHz	Pass	PK	12.82659G	61.31	88.20	-26.89	3	Horizontal	317	1.75
6535MHz	Pass	AV	13.07324G	46.78	68.20	-21.42	3	Vertical	261	2.52
6535MHz	Pass	PK	13.06943G	58.96	88.20	-29.24	3	Vertical	261	2.52
6535MHz	Pass	AV	13.06695G	48.20	68.20	-20.00	3	Horizontal	338	1.50
6535MHz	Pass	PK	13.07027G	61.06	88.20	-27.14	3	Horizontal	338	1.50
6695MHz	Pass	AV	13.385G	48.08	54.00	-5.92	3	Vertical	180	1.50
6695MHz	Pass	PK	13.38937G	60.13	74.00	-13.87	3	Vertical	180	1.50
6695MHz	Pass	AV	13.38942G	49.51	54.00	-4.49	3	Horizontal	321	1.76
6695MHz	Pass	PK	13.38702G	62.24	74.00	-11.76	3	Horizontal	321	1.76
6855MHz	Pass	AV	13.71017G	48.37	68.20	-19.83	3	Vertical	4	3.00
6855MHz	Pass	PK	13.71465G	60.94	88.20	-27.26	3	Vertical	4	3.00
6855MHz	Pass	AV	13.70847G	49.57	68.20	-18.63	3	Horizontal	328	1.77
6855MHz	Pass	PK	13.71082G	62.00	88.20	-26.20	3	Horizontal	328	1.77
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	66.77	68.20	-1.43	3	Horizontal	331	1.69
5965MHz	Pass	AV	5.9638G	99.67	Inf	-Inf	3	Horizontal	331	1.69
5965MHz	Pass	PK	5.9242G	78.93	88.20	-9.27	3	Horizontal	331	1.69
5965MHz	Pass	PK	5.9656G	112.21	Inf	-Inf	3	Horizontal	331	1.69
5965MHz	Pass	AV	11.9291G	45.62	54.00	-8.38	3	Vertical	149	1.50
5965MHz	Pass	PK	11.93138G	58.53	74.00	-15.47	3	Vertical	149	1.50
5965MHz	Pass	AV	11.92899G	46.29	54.00	-7.71	3	Horizontal	331	1.71
5965MHz	Pass	PK	11.93121G	58.70	74.00	-15.30	3	Horizontal	331	1.71
6205MHz	Pass	AV	12.41626G	46.07	54.00	-7.93	3	Vertical	320	1.50
6205MHz	Pass	PK	12.41392G	58.51	74.00	-15.49	3	Vertical	320	1.50
6205MHz	Pass	AV	12.41162G	46.10	54.00	-7.90	3	Horizontal	11	1.50
6205MHz	Pass	PK	12.41604G	58.15	74.00	-15.85	3	Horizontal	11	1.50
6405MHz	Pass	AV	12.81492G	47.27	68.20	-20.93	3	Vertical	239	2.22
6405MHz	Pass	PK	12.80956G	59.09	88.20	-29.11	3	Vertical	239	2.22
6405MHz	Pass	AV	12.81888G	47.22	68.20	-20.98	3	Horizontal	24	1.50
6405MHz	Pass	PK	12.80618G	59.14	88.20	-29.06	3	Horizontal	24	1.50
6565MHz	Pass	AV	13.13142G	47.55	68.20	-20.65	3	Vertical	205	2.18
6565MHz	Pass	PK	13.12756G	59.26	88.20	-28.94	3	Vertical	205	2.18
6565MHz	Pass	AV	13.13161G	48.30	68.20	-19.90	3	Horizontal	337	2.58
6565MHz	Pass	PK	13.13406G	61.12	88.20	-27.08	3	Horizontal	337	2.58
6685MHz	Pass	AV	13.37363G	48.07	54.00	-5.93	3	Vertical	359	2.33
6685MHz	Pass	PK	13.3669G	60.83	74.00	-13.17	3	Vertical	359	2.33
6685MHz	Pass	AV	13.36799G	48.67	54.00	-5.33	3	Horizontal	339	2.64
6685MHz	Pass	PK	13.36501G	61.01	74.00	-12.99	3	Horizontal	339	2.64
6845MHz	Pass	AV	13.69154G	48.14	68.20	-20.06	3	Vertical	64	2.97
6845MHz	Pass	PK	13.68588G	60.22	88.20	-27.98	3	Vertical	64	2.97
6845MHz	Pass	AV	13.68602G	48.66	68.20	-19.54	3	Horizontal	345	1.86
6845MHz	Pass	PK	13.69105G	61.19	88.20	-27.01	3	Horizontal	345	1.86
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	68.15	68.20	-0.05	3	Horizontal	331	1.28
5985MHz	Pass	AV	5.9865G	96.53	Inf	-Inf	3	Horizontal	331	1.28

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	5.925G	80.56	88.20	-7.64	3	Horizontal	331	1.28
5985MHz	Pass	PK	5.981G	108.12	Inf	-Inf	3	Horizontal	331	1.28
5985MHz	Pass	AV	11.97872G	46.10	54.00	-7.90	3	Vertical	98	1.50
5985MHz	Pass	PK	11.97216G	58.43	74.00	-15.57	3	Vertical	98	1.50
5985MHz	Pass	AV	11.9765G	46.15	54.00	-7.85	3	Horizontal	278	1.50
5985MHz	Pass	PK	11.96722G	57.70	74.00	-16.30	3	Horizontal	278	1.50
6225MHz	Pass	AV	12.4511G	46.50	54.00	-7.50	3	Vertical	344	1.50
6225MHz	Pass	PK	12.4466G	58.40	74.00	-15.60	3	Vertical	344	1.50
6225MHz	Pass	AV	12.4576G	46.48	54.00	-7.52	3	Horizontal	25	1.63
6225MHz	Pass	PK	12.45126G	59.11	74.00	-14.89	3	Horizontal	25	1.63
6385MHz	Pass	AV	12.77134G	47.09	68.20	-21.11	3	Vertical	0	1.50
6385MHz	Pass	PK	12.77698G	59.05	88.20	-29.15	3	Vertical	0	1.50
6385MHz	Pass	AV	12.77644G	47.01	68.20	-21.19	3	Horizontal	359	1.50
6385MHz	Pass	PK	12.76898G	59.80	88.20	-28.40	3	Horizontal	359	1.50
6625MHz	Pass	AV	13.25413G	47.28	54.00	-6.72	3	Vertical	90	1.50
6625MHz	Pass	PK	13.24748G	59.61	88.20	-28.59	3	Vertical	90	1.50
6625MHz	Pass	AV	13.2582G	47.10	54.00	-6.90	3	Horizontal	15	1.06
6625MHz	Pass	PK	13.2557G	59.82	74.00	-14.18	3	Horizontal	15	1.06
6705MHz	Pass	AV	13.41586G	48.31	68.20	-19.89	3	Vertical	355	1.50
6705MHz	Pass	PK	13.41776G	60.44	88.20	-27.76	3	Vertical	355	1.50
6705MHz	Pass	AV	13.41844G	48.26	68.20	-19.94	3	Horizontal	58	1.36
6705MHz	Pass	PK	13.41194G	60.77	88.20	-27.43	3	Horizontal	58	1.36
6785MHz	Pass	AV	13.56736G	49.12	68.20	-19.08	3	Vertical	229	1.50
6785MHz	Pass	PK	13.56642G	60.84	88.20	-27.36	3	Vertical	229	1.50
6785MHz	Pass	AV	13.56402G	49.15	68.20	-19.05	3	Horizontal	195	1.50
6785MHz	Pass	PK	13.57872G	61.87	88.20	-26.33	3	Horizontal	195	1.50
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	67.84	68.20	-0.36	3	Horizontal	332	1.50
6025MHz	Pass	AV	6.023G	93.59	Inf	-Inf	3	Horizontal	332	1.50
6025MHz	Pass	PK	5.8985G	79.88	88.20	-8.32	3	Horizontal	332	1.50
6025MHz	Pass	PK	6.023G	105.65	Inf	-Inf	3	Horizontal	332	1.50
6025MHz	Pass	AV	12.05954G	46.61	54.00	-7.39	3	Vertical	118	1.17
6025MHz	Pass	PK	12.04276G	58.62	74.00	-15.38	3	Vertical	118	1.17
6025MHz	Pass	AV	12.05954G	46.56	54.00	-7.44	3	Horizontal	358	1.50
6025MHz	Pass	PK	12.0429G	58.52	74.00	-15.48	3	Horizontal	358	1.50
6185MHz	Pass	AV	12.3609G	46.48	54.00	-7.52	3	Vertical	60	1.50
6185MHz	Pass	PK	12.36922G	58.78	74.00	-15.22	3	Vertical	60	1.50
6185MHz	Pass	AV	12.3601G	46.48	54.00	-7.52	3	Horizontal	100	2.65
6185MHz	Pass	PK	12.36134G	59.24	74.00	-14.76	3	Horizontal	100	2.65
6345MHz	Pass	AV	12.69492G	47.18	54.00	-6.82	3	Vertical	4	1.50
6345MHz	Pass	PK	12.69142G	60.04	74.00	-13.96	3	Vertical	4	1.50
6345MHz	Pass	AV	12.68154G	47.14	54.00	-6.86	3	Horizontal	174	1.50
6345MHz	Pass	PK	12.69108G	59.38	74.00	-14.62	3	Horizontal	174	1.50
6665MHz	Pass	AV	13.33876G	48.25	54.00	-5.75	3	Vertical	306	2.13
6665MHz	Pass	PK	13.33566G	61.11	74.00	-12.89	3	Vertical	306	2.13
6665MHz	Pass	AV	13.33892G	48.32	54.00	-5.68	3	Horizontal	32	1.56
6665MHz	Pass	PK	13.33244G	60.57	74.00	-13.43	3	Horizontal	32	1.56


5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	67.84	68.20	-0.36	7.21	3	Horizontal	332	1.50	60.63	34.00	8.33	35.12
AV	6.023G	93.59	Inf	-Inf	7.31	3	Horizontal	332	1.50	86.28	34.00	8.39	35.08
PK	5.8985G	79.88	88.20	-8.32	7.18	3	Horizontal	332	1.50	72.70	34.00	8.31	35.13
PK	6.023G	105.65	Inf	-Inf	7.31	3	Horizontal	332	1.50	98.34	34.00	8.39	35.08

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05954G	46.61	54.00	-7.39	15.00	3	Vertical	118	1.17	31.61	38.72	11.63	35.35
PK	12.04276G	58.62	74.00	-15.38	14.96	3	Vertical	118	1.17	43.66	38.69	11.63	35.36


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX



6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.38804G	46.26	54.00	-7.74	3	Vertical	345	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	64.86	68.20	-3.34	3	Vertical	342	2.83
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.4524G	46.51	54.00	-7.49	3	Horizontal	6	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.68566G	46.90	54.00	-7.10	3	Vertical	73	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39486G	48.35	54.00	-5.65	3	Horizontal	26	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37025G	48.12	54.00	-5.88	3	Vertical	96	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.25353G	45.95	54.00	-8.05	3	Vertical	115	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.33934G	48.22	54.00	-5.78	3	Vertical	256	1.55

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9235G	55.00	68.20	-13.20	3	Vertical	134	2.67
5955MHz	Pass	AV	5.9556G	108.89	Inf	-Inf	3	Vertical	134	2.67
5955MHz	Pass	PK	5.9166G	67.49	88.20	-20.71	3	Vertical	134	2.67
5955MHz	Pass	PK	5.9562G	119.95	Inf	-Inf	3	Vertical	134	2.67
5955MHz	Pass	AV	5.9235G	53.12	68.20	-15.08	3	Horizontal	156	2.88
5955MHz	Pass	AV	5.9541G	102.86	Inf	-Inf	3	Horizontal	156	2.88
5955MHz	Pass	PK	5.9025G	67.07	88.20	-21.13	3	Horizontal	156	2.88
5955MHz	Pass	PK	5.9541G	113.95	Inf	-Inf	3	Horizontal	156	2.88
5955MHz	Pass	AV	11.91393G	45.79	54.00	-8.21	3	Vertical	59	1.50
5955MHz	Pass	PK	11.91461G	57.66	74.00	-16.34	3	Vertical	59	1.50
5955MHz	Pass	AV	11.91321G	45.79	54.00	-8.21	3	Horizontal	240	1.50
5955MHz	Pass	PK	11.91129G	57.39	74.00	-16.61	3	Horizontal	240	1.50
6195MHz	Pass	AV	12.38804G	46.26	54.00	-7.74	3	Vertical	345	1.50
6195MHz	Pass	PK	12.38586G	58.37	74.00	-15.63	3	Vertical	345	1.50
6195MHz	Pass	AV	12.38963G	46.22	54.00	-7.78	3	Horizontal	44	1.00
6195MHz	Pass	PK	12.38501G	58.59	74.00	-15.41	3	Horizontal	44	1.00
6415MHz	Pass	AV	12.83212G	47.86	68.20	-20.34	3	Vertical	192	1.50
6415MHz	Pass	PK	12.8307G	60.07	88.20	-28.13	3	Vertical	192	1.50
6415MHz	Pass	AV	12.82886G	47.83	68.20	-20.37	3	Horizontal	92	2.28
6415MHz	Pass	PK	12.82516G	59.60	88.20	-28.60	3	Horizontal	92	2.28
6535MHz	Pass	AV	13.07157G	47.35	68.20	-20.85	3	Vertical	216	1.66
6535MHz	Pass	PK	13.07415G	59.05	88.20	-29.15	3	Vertical	216	1.66
6535MHz	Pass	AV	13.07116G	47.28	68.20	-20.92	3	Horizontal	341	1.50
6535MHz	Pass	PK	13.06924G	59.26	88.20	-28.94	3	Horizontal	341	1.50
6695MHz	Pass	AV	13.38682G	48.18	54.00	-5.82	3	Vertical	350	1.50
6695MHz	Pass	PK	13.3871G	60.47	74.00	-13.53	3	Vertical	350	1.50
6695MHz	Pass	AV	13.39486G	48.35	54.00	-5.65	3	Horizontal	26	1.50
6695MHz	Pass	PK	13.39264G	60.46	74.00	-13.54	3	Horizontal	26	1.50
6855MHz	Pass	AV	13.70776G	48.60	68.20	-19.60	3	Vertical	15	2.70
6855MHz	Pass	PK	13.70511G	60.20	88.20	-28.00	3	Vertical	15	2.70
6855MHz	Pass	AV	13.70704G	48.67	68.20	-19.53	3	Horizontal	134	1.50
6855MHz	Pass	PK	13.70872G	60.60	88.20	-27.60	3	Horizontal	134	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	64.86	68.20	-3.34	3	Vertical	342	2.83
5965MHz	Pass	AV	5.9662G	102.88	Inf	-Inf	3	Vertical	342	2.83
5965MHz	Pass	PK	5.9245G	81.55	88.20	-6.65	3	Vertical	342	2.83
5965MHz	Pass	PK	5.9662G	114.66	Inf	-Inf	3	Vertical	342	2.83
5965MHz	Pass	AV	5.9191G	62.19	68.20	-6.01	3	Horizontal	158	3.00
5965MHz	Pass	AV	5.9638G	99.76	Inf	-Inf	3	Horizontal	158	3.00
5965MHz	Pass	PK	5.9185G	76.24	88.20	-11.96	3	Horizontal	158	3.00
5965MHz	Pass	PK	5.9539G	111.82	Inf	-Inf	3	Horizontal	158	3.00
5965MHz	Pass	AV	11.93455G	45.77	54.00	-8.23	3	Vertical	359	1.50
5965MHz	Pass	PK	11.92506G	58.55	74.00	-15.45	3	Vertical	359	1.50
5965MHz	Pass	AV	11.92696G	45.76	54.00	-8.24	3	Horizontal	55	1.50
5965MHz	Pass	PK	11.92501G	57.44	74.00	-16.56	3	Horizontal	55	1.50
6205MHz	Pass	AV	12.41207G	46.06	54.00	-7.94	3	Vertical	328	1.50
6205MHz	Pass	PK	12.41124G	58.45	74.00	-15.55	3	Vertical	328	1.50
6205MHz	Pass	AV	12.41276G	46.15	54.00	-7.85	3	Horizontal	122	2.36
6205MHz	Pass	PK	12.40633G	58.00	74.00	-16.00	3	Horizontal	122	2.36
6405MHz	Pass	AV	12.81285G	47.44	68.20	-20.76	3	Vertical	232	1.50
6405MHz	Pass	PK	12.80583G	59.49	88.20	-28.71	3	Vertical	232	1.50
6405MHz	Pass	AV	12.80936G	47.49	68.20	-20.71	3	Horizontal	242	1.50
6405MHz	Pass	PK	12.81377G	59.73	88.20	-28.47	3	Horizontal	242	1.50
6565MHz	Pass	AV	13.12836G	47.60	68.20	-20.60	3	Vertical	166	2.78
6565MHz	Pass	PK	13.12857G	59.77	88.20	-28.43	3	Vertical	166	2.78
6565MHz	Pass	AV	13.13395G	47.58	68.20	-20.62	3	Horizontal	338	1.99
6565MHz	Pass	PK	13.12715G	59.85	88.20	-28.35	3	Horizontal	338	1.99
6685MHz	Pass	AV	13.37025G	48.12	54.00	-5.88	3	Vertical	96	1.50
6685MHz	Pass	PK	13.37498G	60.01	74.00	-13.99	3	Vertical	96	1.50
6685MHz	Pass	AV	13.37298G	48.02	54.00	-5.98	3	Horizontal	354	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.36621G	60.37	74.00	-13.63	3	Horizontal	354	1.50
6845MHz	Pass	AV	13.68728G	48.42	68.20	-19.78	3	Vertical	173	2.46
6845MHz	Pass	PK	13.68819G	61.21	88.20	-26.99	3	Vertical	173	2.46
6845MHz	Pass	AV	13.68802G	48.48	68.20	-19.72	3	Horizontal	2	1.83
6845MHz	Pass	PK	13.69309G	60.70	88.20	-27.50	3	Horizontal	2	1.83
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9185G	58.94	68.20	-9.26	3	Vertical	166	3.00
5985MHz	Pass	AV	5.952G	98.85	Inf	-Inf	3	Vertical	166	3.00
5985MHz	Pass	PK	5.9145G	72.75	88.20	-15.45	3	Vertical	166	3.00
5985MHz	Pass	PK	5.9545G	113.34	Inf	-Inf	3	Vertical	166	3.00
5985MHz	Pass	AV	5.914G	55.03	68.20	-13.17	3	Horizontal	158	2.86
5985MHz	Pass	AV	5.9495G	94.34	Inf	-Inf	3	Horizontal	158	2.86
5985MHz	Pass	PK	5.9185G	68.28	88.20	-19.92	3	Horizontal	158	2.86
5985MHz	Pass	PK	5.9515G	108.51	Inf	-Inf	3	Horizontal	158	2.86
5985MHz	Pass	AV	11.96517G	44.54	54.00	-9.46	3	Vertical	2	2.25
5985MHz	Pass	PK	11.97229G	57.11	74.00	-16.89	3	Vertical	2	2.25
5985MHz	Pass	AV	11.96502G	44.54	54.00	-9.46	3	Horizontal	325	1.09
5985MHz	Pass	PK	11.96778G	57.40	74.00	-16.60	3	Horizontal	325	1.09
6225MHz	Pass	AV	12.45005G	46.50	54.00	-7.50	3	Vertical	359	1.50
6225MHz	Pass	PK	12.45448G	58.74	74.00	-15.26	3	Vertical	359	1.50
6225MHz	Pass	AV	12.4524G	46.51	54.00	-7.49	3	Horizontal	6	1.50
6225MHz	Pass	PK	12.4468G	59.30	74.00	-14.70	3	Horizontal	6	1.50
6385MHz	Pass	AV	12.76796G	46.12	68.20	-22.08	3	Vertical	248	1.00
6385MHz	Pass	PK	12.77497G	58.35	88.20	-29.85	3	Vertical	248	1.00
6385MHz	Pass	AV	12.76935G	46.15	68.20	-22.05	3	Horizontal	223	1.50
6385MHz	Pass	PK	12.77402G	58.21	88.20	-29.99	3	Horizontal	223	1.50
6625MHz	Pass	AV	13.25353G	45.95	54.00	-8.05	3	Vertical	115	1.50
6625MHz	Pass	PK	13.25078G	58.59	74.00	-15.41	3	Vertical	115	1.50
6625MHz	Pass	AV	13.25417G	45.89	54.00	-8.11	3	Horizontal	125	1.50
6625MHz	Pass	PK	13.25142G	58.52	74.00	-15.48	3	Horizontal	125	1.50
6705MHz	Pass	AV	13.40886G	46.45	68.20	-21.75	3	Vertical	2	2.32
6705MHz	Pass	PK	13.40642G	59.13	88.20	-29.07	3	Vertical	2	2.32
6705MHz	Pass	AV	13.41166G	46.47	68.20	-21.73	3	Horizontal	359	1.50
6705MHz	Pass	PK	13.40799G	58.96	88.20	-29.24	3	Horizontal	359	1.50
6785MHz	Pass	AV	13.56677G	47.45	68.20	-20.75	3	Vertical	91	1.50
6785MHz	Pass	PK	13.57321G	59.35	88.20	-28.85	3	Vertical	91	1.50
6785MHz	Pass	AV	13.56647G	47.30	68.20	-20.90	3	Horizontal	158	1.50
6785MHz	Pass	PK	13.57376G	60.08	88.20	-28.12	3	Horizontal	158	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.875G	58.78	68.20	-9.42	3	Vertical	136	2.49
6025MHz	Pass	AV	6.0295G	95.73	Inf	-Inf	3	Vertical	136	2.49
6025MHz	Pass	PK	5.889G	75.46	88.20	-12.74	3	Vertical	136	2.49
6025MHz	Pass	PK	5.9595G	110.89	Inf	-Inf	3	Vertical	136	2.49
6025MHz	Pass	AV	5.888G	54.02	68.20	-14.18	3	Horizontal	179	1.73
6025MHz	Pass	AV	6.019G	83.90	Inf	-Inf	3	Horizontal	179	1.73
6025MHz	Pass	PK	5.8875G	65.30	88.20	-22.90	3	Horizontal	179	1.73
6025MHz	Pass	PK	6.023G	96.20	Inf	-Inf	3	Horizontal	179	1.73
6025MHz	Pass	AV	12.0555G	46.37	54.00	-7.63	3	Vertical	135	1.50
6025MHz	Pass	PK	12.04008G	59.40	74.00	-14.60	3	Vertical	135	1.50
6025MHz	Pass	AV	12.05852G	46.28	54.00	-7.72	3	Horizontal	186	1.50
6025MHz	Pass	PK	12.0425G	58.53	74.00	-15.47	3	Horizontal	186	1.50
6185MHz	Pass	AV	12.37864G	46.25	54.00	-7.75	3	Vertical	32	1.50
6185MHz	Pass	PK	12.37912G	58.71	74.00	-15.29	3	Vertical	32	1.50
6185MHz	Pass	AV	12.37172G	46.18	54.00	-7.82	3	Horizontal	6	1.78
6185MHz	Pass	PK	12.3618G	58.89	74.00	-15.11	3	Horizontal	6	1.78
6345MHz	Pass	AV	12.68566G	46.90	54.00	-7.10	3	Vertical	73	1.50
6345MHz	Pass	PK	12.69454G	59.35	74.00	-14.65	3	Vertical	73	1.50
6345MHz	Pass	AV	12.68554G	46.83	54.00	-7.17	3	Horizontal	281	1.50
6345MHz	Pass	PK	12.6884G	59.57	74.00	-14.43	3	Horizontal	281	1.50
6665MHz	Pass	AV	13.33934G	48.22	54.00	-5.78	3	Vertical	256	1.55
6665MHz	Pass	PK	13.33664G	60.07	74.00	-13.93	3	Vertical	256	1.55
6665MHz	Pass	AV	13.32434G	48.18	54.00	-5.82	3	Horizontal	62	2.30




RSE TX above 1GHz_Beamforming_Radio 3_2T1S

Appendix E.19

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.3269G	60.40	74.00	-13.60	3	Horizontal	62	2.30


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	13.39304G	44.46	54.00	-9.54	Horizontal
Mode 2	Pass	AV	13.36644G	44.57	54.00	-9.43	Horizontal
Mode 3	Pass	AV	13.38792G	44.48	54.00	-9.52	Horizontal
Mode 4	Pass	AV	13.373G	44.54	54.00	-9.46	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.80744G	31.80	54.00	-22.20	3	Vertical	209	1.50
Mode 1	Pass	AV	4.92212G	32.49	54.00	-21.51	3	Vertical	94	1.50
Mode 1	Pass	AV	11.38012G	42.26	54.00	-11.74	3	Vertical	306	1.50
Mode 1	Pass	AV	11.55208G	41.82	54.00	-12.18	3	Vertical	202	1.98
Mode 1	Pass	AV	13.39304G	44.42	54.00	-9.58	3	Vertical	47	1.50
Mode 1	Pass	PK	4.79556G	43.75	74.00	-30.25	3	Vertical	209	1.50
Mode 1	Pass	PK	4.91592G	44.35	74.00	-29.65	3	Vertical	94	1.50
Mode 1	Pass	PK	11.38948G	54.49	74.00	-19.51	3	Vertical	306	1.50
Mode 1	Pass	PK	11.54528G	53.42	74.00	-20.58	3	Vertical	202	1.98
Mode 1	Pass	PK	13.39228G	56.68	74.00	-17.32	3	Vertical	47	1.50
Mode 1	Pass	AV	4.80412G	31.69	54.00	-22.31	3	Horizontal	178	1.47
Mode 1	Pass	AV	4.9216G	32.56	54.00	-21.44	3	Horizontal	121	1.50
Mode 1	Pass	AV	11.38104G	42.16	54.00	-11.84	3	Horizontal	42	1.50
Mode 1	Pass	AV	11.55008G	41.81	54.00	-12.19	3	Horizontal	210	1.50
Mode 1	Pass	AV	13.39304G	44.46	54.00	-9.54	3	Horizontal	120	1.10
Mode 1	Pass	PK	4.79884G	43.52	74.00	-30.48	3	Horizontal	178	1.47
Mode 1	Pass	PK	4.9234G	44.44	74.00	-29.56	3	Horizontal	121	1.50
Mode 1	Pass	PK	11.37596G	54.03	74.00	-19.97	3	Horizontal	42	1.50
Mode 1	Pass	PK	11.55916G	54.43	74.00	-19.57	3	Horizontal	210	1.50
Mode 1	Pass	PK	13.39696G	56.61	74.00	-17.39	3	Horizontal	120	1.10
Mode 2	Pass	AV	4.80564G	31.70	54.00	-22.30	3	Vertical	127	1.50
Mode 2	Pass	AV	4.92016G	32.42	54.00	-21.58	3	Vertical	70	1.78
Mode 2	Pass	AV	11.5516G	41.92	54.00	-12.08	3	Vertical	17	1.50
Mode 2	Pass	AV	13.37092G	44.53	54.00	-9.47	3	Vertical	186	1.55
Mode 2	Pass	AV	13.39332G	44.37	54.00	-9.63	3	Vertical	94	1.50
Mode 2	Pass	PK	4.80444G	44.04	74.00	-29.96	3	Vertical	127	1.50
Mode 2	Pass	PK	4.92632G	44.43	74.00	-29.57	3	Vertical	70	1.78
Mode 2	Pass	PK	11.5472G	53.67	74.00	-20.33	3	Vertical	17	1.50
Mode 2	Pass	PK	13.36092G	56.49	74.00	-17.51	3	Vertical	186	1.55
Mode 2	Pass	PK	13.39692G	56.66	74.00	-17.34	3	Vertical	94	1.50
Mode 2	Pass	AV	4.7944G	31.82	54.00	-22.18	3	Horizontal	138	1.50
Mode 2	Pass	AV	4.91488G	32.49	54.00	-21.51	3	Horizontal	34	1.50
Mode 2	Pass	AV	11.55496G	41.89	54.00	-12.11	3	Horizontal	138	1.50
Mode 2	Pass	AV	13.36644G	44.57	54.00	-9.43	3	Horizontal	41	1.50
Mode 2	Pass	AV	13.39108G	44.30	54.00	-9.70	3	Horizontal	16	1.50
Mode 2	Pass	PK	4.8064G	44.01	74.00	-29.99	3	Horizontal	138	1.50
Mode 2	Pass	PK	4.9212G	44.43	74.00	-29.57	3	Horizontal	34	1.50
Mode 2	Pass	PK	11.5524G	54.30	74.00	-19.70	3	Horizontal	138	1.50
Mode 2	Pass	PK	13.37752G	56.48	74.00	-17.52	3	Horizontal	41	1.50
Mode 2	Pass	PK	13.39832G	56.81	74.00	-17.19	3	Horizontal	16	1.50
Mode 3	Pass	AV	4.81968G	31.87	54.00	-22.13	3	Vertical	21	1.50
Mode 3	Pass	AV	4.92108G	32.56	54.00	-21.44	3	Vertical	295	1.50
Mode 3	Pass	AV	11.381G	42.31	54.00	-11.69	3	Vertical	302	1.50
Mode 3	Pass	AV	11.55408G	41.88	54.00	-12.12	3	Vertical	25	1.50
Mode 3	Pass	AV	13.39472G	44.42	54.00	-9.58	3	Vertical	5	1.48
Mode 3	Pass	PK	4.8134G	44.48	74.00	-29.52	3	Vertical	21	1.50
Mode 3	Pass	PK	4.92048G	44.79	74.00	-29.21	3	Vertical	295	1.50
Mode 3	Pass	PK	11.38468G	54.56	74.00	-19.44	3	Vertical	302	1.50
Mode 3	Pass	PK	11.55708G	53.74	74.00	-20.26	3	Vertical	25	1.50
Mode 3	Pass	PK	13.39972G	56.17	74.00	-17.83	3	Vertical	5	1.48


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.80808G	31.73	54.00	-22.27	3	Horizontal	358	1.50
Mode 3	Pass	AV	4.91836G	32.48	54.00	-21.52	3	Horizontal	221	1.64
Mode 3	Pass	AV	11.37812G	42.19	54.00	-11.81	3	Horizontal	132	1.50
Mode 3	Pass	AV	11.54908G	41.93	54.00	-12.07	3	Horizontal	60	1.02
Mode 3	Pass	AV	13.38792G	44.48	54.00	-9.52	3	Horizontal	314	1.50
Mode 3	Pass	PK	4.81568G	44.44	74.00	-29.56	3	Horizontal	358	1.50
Mode 3	Pass	PK	4.92016G	44.72	74.00	-29.28	3	Horizontal	221	1.64
Mode 3	Pass	PK	11.3814G	53.60	74.00	-20.40	3	Horizontal	132	1.50
Mode 3	Pass	PK	11.54628G	54.05	74.00	-19.95	3	Horizontal	60	1.02
Mode 3	Pass	PK	13.39892G	56.18	74.00	-17.82	3	Horizontal	314	1.50
Mode 4	Pass	AV	4.80164G	31.83	54.00	-22.17	3	Vertical	351	2.33
Mode 4	Pass	AV	4.92376G	32.51	54.00	-21.49	3	Vertical	347	1.50
Mode 4	Pass	AV	11.55248G	41.90	54.00	-12.10	3	Vertical	2	1.56
Mode 4	Pass	AV	13.37248G	44.45	54.00	-9.55	3	Vertical	184	1.50
Mode 4	Pass	AV	13.3938G	44.50	54.00	-9.50	3	Vertical	201	1.62
Mode 4	Pass	PK	4.8084G	43.79	74.00	-30.21	3	Vertical	351	2.33
Mode 4	Pass	PK	4.92836G	44.16	74.00	-29.84	3	Vertical	347	1.50
Mode 4	Pass	PK	11.55392G	54.22	74.00	-19.78	3	Vertical	2	1.56
Mode 4	Pass	PK	13.37012G	56.34	74.00	-17.66	3	Vertical	184	1.50
Mode 4	Pass	PK	13.38432G	55.87	74.00	-18.13	3	Vertical	201	1.62
Mode 4	Pass	AV	4.8196G	32.01	54.00	-21.99	3	Horizontal	76	1.15
Mode 4	Pass	AV	4.91452G	32.36	54.00	-21.64	3	Horizontal	111	1.66
Mode 4	Pass	AV	11.54664G	41.77	54.00	-12.23	3	Horizontal	125	2.91
Mode 4	Pass	AV	13.373G	44.54	54.00	-9.46	3	Horizontal	138	1.30
Mode 4	Pass	AV	13.38768G	44.35	54.00	-9.65	3	Horizontal	78	2.05
Mode 4	Pass	PK	4.81144G	43.29	74.00	-30.71	3	Horizontal	76	1.15
Mode 4	Pass	PK	4.92816G	44.08	74.00	-29.92	3	Horizontal	111	1.66
Mode 4	Pass	PK	11.5402G	53.50	74.00	-20.50	3	Horizontal	125	2.91
Mode 4	Pass	PK	13.37556G	56.42	74.00	-17.58	3	Horizontal	138	1.30
Mode 4	Pass	PK	13.38196G	56.17	74.00	-17.83	3	Horizontal	78	2.05

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.80744G	31.80	54.00	-22.20	2.29	3	Vertical	209	1.50	29.51	32.33	5.02	35.06				
AV	4.92212G	32.49	54.00	-21.51	2.77	3	Vertical	94	1.50	29.72	32.83	5.01	35.07				
AV	11.38012G	42.26	54.00	-11.74	12.94	3	Vertical	306	1.50	29.32	39.04	7.96	34.06				
AV	11.55208G	41.82	54.00	-12.18	12.79	3	Vertical	202	1.98	29.03	38.79	8.01	34.01				
AV	13.39304G	44.42	54.00	-9.58	16.54	3	Vertical	47	1.50	27.88	40.10	8.58	32.14				
PK	4.79556G	43.75	74.00	-30.25	2.23	3	Vertical	209	1.50	41.52	32.27	5.02	35.06				
PK	4.91592G	44.35	74.00	-29.65	2.75	3	Vertical	94	1.50	41.60	32.80	5.01	35.06				
PK	11.38948G	54.49	74.00	-19.51	12.94	3	Vertical	306	1.50	41.55	39.02	7.97	34.05				
PK	11.54528G	53.42	74.00	-20.58	12.81	3	Vertical	202	1.98	40.61	38.81	8.01	34.01				
PK	13.39228G	56.68	74.00	-17.32	16.54	3	Vertical	47	1.50	40.14	40.10	8.58	32.14				

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.80412G	31.69	54.00	-22.31	2.28	3	Horizontal	178	1.47	29.41	32.32	5.02	35.06				
AV	4.9216G	32.56	54.00	-21.44	2.77	3	Horizontal	121	1.50	29.79	32.83	5.01	35.07				
AV	11.38104G	42.16	54.00	-11.84	12.94	3	Horizontal	42	1.50	29.22	39.04	7.96	34.06				
AV	11.55008G	41.81	54.00	-12.19	12.80	3	Horizontal	210	1.50	29.01	38.80	8.01	34.01				
AV	13.39304G	44.46	54.00	-9.54	16.54	3	Horizontal	120	1.10	27.92	40.10	8.58	32.14				
PK	4.79884G	43.52	74.00	-30.48	2.25	3	Horizontal	178	1.47	41.27	32.29	5.02	35.06				
PK	4.9234G	44.44	74.00	-29.56	2.78	3	Horizontal	121	1.50	41.66	32.84	5.01	35.07				
PK	11.37596G	54.03	74.00	-19.97	12.95	3	Horizontal	42	1.50	41.08	39.05	7.96	34.06				
PK	11.55916G	54.43	74.00	-19.57	12.76	3	Horizontal	210	1.50	41.67	38.76	8.01	34.01				
PK	13.39696G	56.61	74.00	-17.39	16.55	3	Horizontal	120	1.10	40.06	40.10	8.58	32.13				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80564G	31.70	54.00	-22.30	2.28	3	Vertical	127	1.50	29.42	32.32	5.02	35.06
AV	4.92016G	32.42	54.00	-21.58	2.76	3	Vertical	70	1.78	29.66	32.82	5.01	35.07
AV	11.5516G	41.92	54.00	-12.08	12.79	3	Vertical	17	1.50	29.13	38.79	8.01	34.01
AV	13.37092G	44.53	54.00	-9.47	16.50	3	Vertical	186	1.55	28.03	40.10	8.57	32.17
AV	13.39332G	44.37	54.00	-9.63	16.54	3	Vertical	94	1.50	27.83	40.10	8.58	32.14
PK	4.80444G	44.04	74.00	-29.96	2.28	3	Vertical	127	1.50	41.76	32.32	5.02	35.06
PK	4.92632G	44.43	74.00	-29.57	2.80	3	Vertical	70	1.78	41.63	32.86	5.01	35.07
PK	11.5472G	53.67	74.00	-20.33	12.81	3	Vertical	17	1.50	40.86	38.81	8.01	34.01
PK	13.36092G	56.49	74.00	-17.51	16.49	3	Vertical	186	1.55	40.00	40.10	8.57	32.18
PK	13.39692G	56.66	74.00	-17.34	16.55	3	Vertical	94	1.50	40.11	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.7944G	31.82	54.00	-22.18	2.23	3	Horizontal	138	1.50	29.59	32.27	5.02	35.06
AV	4.91488G	32.49	54.00	-21.51	2.74	3	Horizontal	34	1.50	29.75	32.79	5.01	35.06
AV	11.55496G	41.89	54.00	-12.11	12.78	3	Horizontal	138	1.50	29.11	38.78	8.01	34.01
AV	13.36644G	44.57	54.00	-9.43	16.50	3	Horizontal	41	1.50	28.07	40.10	8.57	32.17
AV	13.39108G	44.30	54.00	-9.70	16.54	3	Horizontal	16	1.50	27.76	40.10	8.58	32.14
PK	4.8064G	44.01	74.00	-29.99	2.29	3	Horizontal	138	1.50	41.72	32.33	5.02	35.06
PK	4.9212G	44.43	74.00	-29.57	2.77	3	Horizontal	34	1.50	41.66	32.83	5.01	35.07
PK	11.5524G	54.30	74.00	-19.70	12.79	3	Horizontal	138	1.50	41.51	38.79	8.01	34.01
PK	13.37752G	56.48	74.00	-17.52	16.51	3	Horizontal	41	1.50	39.97	40.10	8.57	32.16
PK	13.39832G	56.81	74.00	-17.19	16.55	3	Horizontal	16	1.50	40.26	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81968G	31.87	54.00	-22.13	2.34	3	Vertical	21	1.50	29.53	32.38	5.02	35.06
AV	4.92108G	32.56	54.00	-21.44	2.77	3	Vertical	295	1.50	29.79	32.83	5.01	35.07
AV	11.381G	42.31	54.00	-11.69	12.94	3	Vertical	302	1.50	29.37	39.04	7.96	34.06
AV	11.55408G	41.88	54.00	-12.12	12.78	3	Vertical	25	1.50	29.10	38.78	8.01	34.01
AV	13.39472G	44.42	54.00	-9.58	16.55	3	Vertical	5	1.48	27.87	40.10	8.58	32.13
PK	4.8134G	44.48	74.00	-29.52	2.31	3	Vertical	21	1.50	42.17	32.35	5.02	35.06
PK	4.92048G	44.79	74.00	-29.21	2.76	3	Vertical	295	1.50	42.03	32.82	5.01	35.07
PK	11.38468G	54.56	74.00	-19.44	12.94	3	Vertical	302	1.50	41.62	39.03	7.96	34.05
PK	11.55708G	53.74	74.00	-20.26	12.77	3	Vertical	25	1.50	40.97	38.77	8.01	34.01
PK	13.39972G	56.17	74.00	-17.83	16.55	3	Vertical	5	1.48	39.62	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80808G	31.73	54.00	-22.27	2.29	3	Horizontal	358	1.50	29.44	32.33	5.02	35.06
AV	4.91836G	32.48	54.00	-21.52	2.75	3	Horizontal	221	1.64	29.73	32.81	5.01	35.07
AV	11.37812G	42.19	54.00	-11.81	12.94	3	Horizontal	132	1.50	29.25	39.04	7.96	34.06
AV	11.54908G	41.93	54.00	-12.07	12.80	3	Horizontal	60	1.02	29.13	38.80	8.01	34.01
AV	13.38792G	44.48	54.00	-9.52	16.53	3	Horizontal	314	1.50	27.95	40.10	8.57	32.14
PK	4.81568G	44.44	74.00	-29.56	2.32	3	Horizontal	358	1.50	42.12	32.36	5.02	35.06
PK	4.92016G	44.72	74.00	-29.28	2.76	3	Horizontal	221	1.64	41.96	32.82	5.01	35.07
PK	11.3814G	53.60	74.00	-20.40	12.94	3	Horizontal	132	1.50	40.66	39.04	7.96	34.06
PK	11.54628G	54.05	74.00	-19.95	12.81	3	Horizontal	60	1.02	41.24	38.81	8.01	34.01
PK	13.39892G	56.18	74.00	-17.82	16.55	3	Horizontal	314	1.50	39.63	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80164G	31.83	54.00	-22.17	2.27	3	Vertical	351	2.33	29.56	32.31	5.02	35.06
AV	4.92376G	32.51	54.00	-21.49	2.78	3	Vertical	347	1.50	29.73	32.84	5.01	35.07
AV	11.55248G	41.90	54.00	-12.10	12.79	3	Vertical	2	1.56	29.11	38.79	8.01	34.01
AV	13.37248G	44.45	54.00	-9.55	16.50	3	Vertical	184	1.50	27.95	40.10	8.57	32.17
AV	13.3938G	44.50	54.00	-9.50	16.54	3	Vertical	201	1.62	27.96	40.10	8.58	32.14
PK	4.8084G	43.79	74.00	-30.21	2.29	3	Vertical	351	2.33	41.50	32.33	5.02	35.06
PK	4.92836G	44.16	74.00	-29.84	2.81	3	Vertical	347	1.50	41.35	32.87	5.01	35.07
PK	11.55392G	54.22	74.00	-19.78	12.78	3	Vertical	2	1.56	41.44	38.78	8.01	34.01
PK	13.37012G	56.34	74.00	-17.66	16.50	3	Vertical	184	1.50	39.84	40.10	8.57	32.17
PK	13.38432G	55.87	74.00	-18.13	16.52	3	Vertical	201	1.62	39.35	40.10	8.57	32.15

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8196G	32.01	54.00	-21.99	2.34	3	Horizontal	76	1.15	29.67	32.38	5.02	35.06
AV	4.91452G	32.36	54.00	-21.64	2.74	3	Horizontal	111	1.66	29.62	32.79	5.01	35.06
AV	11.54664G	41.77	54.00	-12.23	12.81	3	Horizontal	125	2.91	28.96	38.81	8.01	34.01
AV	13.373G	44.54	54.00	-9.46	16.50	3	Horizontal	138	1.30	28.04	40.10	8.57	32.17
AV	13.38768G	44.35	54.00	-9.65	16.53	3	Horizontal	78	2.05	27.82	40.10	8.57	32.14
PK	4.81144G	43.29	74.00	-30.71	2.31	3	Horizontal	76	1.15	40.98	32.35	5.02	35.06
PK	4.92816G	44.08	74.00	-29.92	2.81	3	Horizontal	111	1.66	41.27	32.87	5.01	35.07
PK	11.5402G	53.50	74.00	-20.50	12.82	3	Horizontal	125	2.91	40.68	38.82	8.01	34.01
PK	13.37556G	56.42	74.00	-17.58	16.51	3	Horizontal	138	1.30	39.91	40.10	8.57	32.16
PK	13.38196G	56.17	74.00	-17.83	16.52	3	Horizontal	78	2.05	39.65	40.10	8.57	32.15