

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.414675G	-7.74	6.384025G	-48.31	-46.76	-1.55	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.4063G	-5.87	6.48005G	-50.16	-45.87	-4.29	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.2218G	-4.99	6.3842G	-48.93	-44.99	-3.94	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.3414G	-4.02	6.6722G	-44.98	-44.02	-0.96	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.10824G	-3.89	5.7454G	-44.32	-41.31	-3.01	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.515675G	-8.43	6.48G	-49.27	-48.43	-0.84	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.527099G	-5.08	6.62405G	-48.49	-45.08	-3.41	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.547G	-2.60	6.6721G	-44.94	-42.06	-2.88	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.5016G	-2.87	6.7684G	-44.17	-42.87	-1.30	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.429G	-2.27	5.9194G	-48.90	-42.15	-6.75	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.87535G	-9.62	6.912025G	-51.75	-49.62	-2.13	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.68625G	-3.40	6.76805G	-44.10	-43.40	-0.70	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.8659G	-3.11	6.672G	-44.64	-43.11	-1.53	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.6686G	-2.45	6.3842G	-47.72	-42.45	-5.27	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.7406G	-5.01	6.0958G	-50.70	-45.01	-5.69	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	7.11555G	-15.47	7.152025G	-56.54	-55.47	-1.07	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.9241G	-6.22	6.86405G	-49.90	-45.12	-4.78	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.9436G	-2.01	6.7679G	-45.41	-42.01	-3.40	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.9882G	-2.25	6.672G	-43.85	-42.25	-1.60	1
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.9018G	-7.61	6.3838G	-47.64	-47.61	-0.03	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.954775G	-8.72	6.000025G	-54.16	-48.72	-5.44	1
5955MHz	Pass	5.955675G	-8.26	5.943375G	-41.98	-28.27	-13.71	2
6195MHz	Pass	6.194725G	-10.58	6.24405G	-55.78	-50.58	-5.20	1
6195MHz	Pass	6.1947G	-8.20	6.20635G	-40.40	-28.21	-12.19	2
6415MHz	Pass	6.414675G	-7.74	6.384025G	-48.31	-46.76	-1.55	1
6415MHz	Pass	6.415675G	-7.94	6.4267G	-39.19	-28.03	-11.16	2
6435MHz	Pass	6.43535G	-9.04	6.480025G	-49.95	-49.04	-0.91	1
6435MHz	Pass	6.433825G	-7.80	6.423175G	-42.30	-27.00	-15.30	2
6475MHz	Pass	6.4745G	-7.27	6.521375G	-53.95	-47.27	-6.68	1
6475MHz	Pass	6.474325G	-5.61	6.5214G	-61.45	-45.61	-15.84	2
6515MHz	Pass	6.515675G	-8.43	6.48G	-49.27	-48.43	-0.84	1
6515MHz	Pass	6.514475G	-7.57	6.526625G	-40.17	-27.17	-13.00	2
6535MHz	Pass	6.53545G	-7.86	6.576025G	-57.48	-47.86	-9.62	1
6535MHz	Pass	6.53445G	-7.61	6.5476G	-45.58	-27.65	-17.93	2
6695MHz	Pass	6.695375G	-7.84	6.672025G	-45.22	-38.08	-7.14	1
6695MHz	Pass	6.695575G	-6.40	6.707225G	-40.09	-26.42	-13.67	2
6875MHz	Pass	6.87535G	-9.62	6.912025G	-51.75	-49.62	-2.13	1
6875MHz	Pass	6.8755G	-9.51	6.91205G	-59.71	-49.51	-10.20	2
6895MHz	Pass	6.895475G	-9.13	6.864025G	-49.36	-48.15	-1.21	1
6895MHz	Pass	6.89465G	-9.41	6.864G	-58.59	-48.36	-10.23	2
6995MHz	Pass	6.994425G	-8.69	6.960025G	-53.37	-48.69	-4.68	1
6995MHz	Pass	6.99475G	-7.69	6.983475G	-40.41	-27.71	-12.70	2
7095MHz	Pass	7.094775G	-8.71	7.056025G	-53.29	-48.71	-4.58	1
7095MHz	Pass	7.09465G	-7.52	7.1063G	-40.25	-27.32	-12.93	2
7115MHz	Pass	7.11555G	-15.47	7.152025G	-56.54	-55.47	-1.07	1
7115MHz	Pass	7.11555G	-15.67	7.152075G	-68.97	-55.67	-13.30	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.96585G	-6.79	6.03335G	-56.93	-46.79	-10.14	1
5965MHz	Pass	5.962401G	-6.47	5.94295G	-36.38	-26.51	-9.87	2
6205MHz	Pass	6.2041G	-5.96	6.18295G	-35.71	-25.66	-10.05	1
6205MHz	Pass	6.20425G	-5.70	6.1821G	-40.16	-25.70	-14.46	2
6405MHz	Pass	6.4063G	-5.87	6.48005G	-50.16	-45.87	-4.29	1
6405MHz	Pass	6.40585G	-6.39	6.42735G	-37.21	-26.44	-10.77	2
6445MHz	Pass	6.44625G	-5.04	6.384G	-48.36	-43.43	-4.93	1
6445MHz	Pass	6.4443G	-3.73	6.42295G	-34.16	-23.75	-10.41	2
6485MHz	Pass	6.4859G	-4.83	6.46275G	-35.85	-24.84	-11.01	1
6485MHz	Pass	6.4844G	-3.04	6.4627G	-34.37	-23.07	-11.30	2
6525MHz	Pass	6.527099G	-5.08	6.62405G	-48.49	-45.08	-3.41	1
6525MHz	Pass	6.52345G	-3.08	6.50315G	-32.64	-23.22	-9.42	2
6565MHz	Pass	6.56615G	-3.48	6.48G	-49.63	-43.48	-6.15	1
6565MHz	Pass	6.56405G	-3.82	6.5874G	-34.56	-23.82	-10.74	2
6685MHz	Pass	6.68625G	-3.40	6.76805G	-44.10	-43.40	-0.70	1
6685MHz	Pass	6.686G	-4.00	6.76805G	-52.93	-44.00	-8.93	2
6885MHz	Pass	6.88405G	-4.40	6.81605G	-49.41	-44.40	-5.01	1
6885MHz	Pass	6.88605G	-3.24	6.90735G	-34.96	-23.24	-11.72	2
6925MHz	Pass	6.9241G	-6.22	6.86405G	-49.90	-45.12	-4.78	1
6925MHz	Pass	6.92625G	-6.10	6.94715G	-36.53	-26.20	-10.33	2
7005MHz	Pass	7.00595G	-6.14	6.912G	-52.29	-46.14	-6.15	1
7005MHz	Pass	7.0059G	-7.09	6.94045G	-56.84	-46.65	-10.19	2
7085MHz	Pass	7.0844G	-6.08	7.15205G	-55.85	-46.08	-9.77	1
7085MHz	Pass	7.0864G	-3.61	7.10745G	-35.09	-23.65	-11.44	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9862G	-4.36	5.7952G	-54.82	-44.36	-10.46	1
5985MHz	Pass	5.9826G	-4.47	5.9411G	-34.36	-24.47	-9.89	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6225MHz	Pass	6.2218G	-4.99	6.3842G	-48.93	-44.99	-3.94	1
6225MHz	Pass	6.2266G	-4.73	6.1808G	-34.36	-24.81	-9.55	2
6385MHz	Pass	6.3868G	-1.15	6.5282G	-49.91	-41.15	-8.76	1
6385MHz	Pass	6.3832G	-2.12	6.4276G	-29.13	-22.15	-6.98	2
6465MHz	Pass	6.4684G	-2.98	6.624G	-48.13	-42.98	-5.15	1
6465MHz	Pass	6.4631G	-0.36	6.5085G	-30.38	-20.41	-9.97	2
6545MHz	Pass	6.547G	-2.60	6.6721G	-44.94	-42.06	-2.88	1
6545MHz	Pass	6.5436G	-2.43	6.5891G	-31.61	-22.45	-9.16	2
6625MHz	Pass	6.6217G	-0.48	6.7681G	-44.27	-40.48	-3.79	1
6625MHz	Pass	6.6233G	0.61	6.768G	-49.63	-39.39	-10.24	2
6705MHz	Pass	6.7018G	-3.85	6.8641G	-50.19	-43.85	-6.34	1
6705MHz	Pass	6.7036G	-2.86	6.6623G	-31.23	-22.88	-8.35	2
6785MHz	Pass	6.7824G	-4.17	6.6719G	-44.75	-40.81	-3.94	1
6785MHz	Pass	6.7867G	-3.79	6.829G	-33.66	-23.59	-10.07	2
6865MHz	Pass	6.8659G	-3.11	6.672G	-44.64	-43.11	-1.53	1
6865MHz	Pass	6.867G	-2.47	6.6718G	-52.14	-42.47	-9.67	2
6945MHz	Pass	6.9436G	-2.01	6.7679G	-45.41	-42.01	-3.40	1
6945MHz	Pass	6.9466G	-1.41	6.7682G	-53.05	-41.41	-11.64	2
7025MHz	Pass	7.0206G	-3.68	6.8639G	-50.31	-43.68	-6.63	1
7025MHz	Pass	7.0228G	-4.41	6.8704G	-54.01	-44.41	-9.60	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.028G	-3.06	5.7604G	-46.79	-43.06	-3.73	1
6025MHz	Pass	6.0212G	-3.61	5.76G	-48.02	-43.61	-4.41	2
6185MHz	Pass	6.179G	-3.00	6.528G	-50.85	-43.00	-7.85	1
6185MHz	Pass	6.1814G	-3.63	5.9296G	-50.52	-43.35	-7.17	2
6345MHz	Pass	6.3414G	-4.02	6.6722G	-44.98	-44.02	-0.96	1
6345MHz	Pass	6.3386G	-3.70	6.6722G	-52.07	-43.70	-8.37	2
6505MHz	Pass	6.5016G	-2.87	6.7684G	-44.17	-42.87	-1.30	1
6505MHz	Pass	6.5128G	-2.91	6.7684G	-50.29	-42.91	-7.38	2
6665MHz	Pass	6.6686G	-2.45	6.3842G	-47.72	-42.45	-5.27	1
6665MHz	Pass	6.6616G	-0.89	6.7504G	-30.77	-20.90	-9.87	2
6825MHz	Pass	6.8212G	-2.40	6.5278G	-49.43	-42.40	-7.03	1
6825MHz	Pass	6.8298G	-2.82	6.6234G	-45.54	-34.73	-10.81	2
6985MHz	Pass	6.9882G	-2.25	6.672G	-43.85	-42.25	-1.60	1
6985MHz	Pass	6.9816G	-3.85	6.7866G	-41.63	-35.25	-6.38	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.085G	-3.03	6.7686G	-44.59	-34.96	-9.63	1
6105MHz	Pass	6.1094G	-2.46	5.7342G	-34.98	-24.96	-10.02	2
6265MHz	Pass	6.12344G	-4.22	5.6078G	-47.93	-44.22	-3.71	1
6265MHz	Pass	6.10824G	-3.89	5.7454G	-44.32	-41.31	-3.01	2
6425MHz	Pass	6.429G	-2.27	5.9194G	-48.90	-42.15	-6.75	1
6425MHz	Pass	6.4414G	-1.63	5.7602G	-49.93	-38.96	-10.97	2
6585MHz	Pass	6.5918G	-1.95	6.2094G	-37.52	-22.83	-14.69	1
6585MHz	Pass	6.5994G	-1.62	6.8674G	-32.52	-21.74	-10.78	2
6745MHz	Pass	6.7406G	-5.01	6.0958G	-50.70	-45.01	-5.69	1
6745MHz	Pass	6.7514G	-4.06	7.147G	-44.05	-37.37	-6.68	2
6905MHz	Pass	6.9018G	-7.61	6.3838G	-47.64	-47.61	-0.03	1
6905MHz	Pass	6.9094G	-7.05	6.4014G	-55.42	-47.05	-8.37	2


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

25/06/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.414675G	-7.74	6.384025G	-48.31	-46.76	-1.55	1
6.415675G	-7.94	6.4267G	-39.19	-28.03	-11.16	2


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

26/06/2025

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4063G	-5.87	6.48005G	-50.16	-45.87	-4.29	1
6.40585G	-6.39	6.42735G	-37.21	-26.44	-10.77	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

26/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2218G	-4.99	6.3842G	-48.93	-44.99	-3.94	1
6.2266G	-4.73	6.1808G	-34.36	-24.81	-9.55	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

26/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3414G	-4.02	6.6722G	-44.98	-44.02	-0.96	1
6.3386G	-3.70	6.6722G	-52.07	-43.70	-8.37	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

26/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.12344G	-4.22	5.6078G	-47.93	-44.22	-3.71	1
6.10824G	-3.89	5.7454G	-44.32	-41.31	-3.01	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

25/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.515675G	-8.43	6.48G	-49.27	-48.43	-0.84	1
6.514475G	-7.57	6.526625G	-40.17	-27.17	-13.00	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

26/06/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

26/06/2025




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

26/06/2025




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

26/06/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

25/06/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

26/06/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

26/06/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

26/06/2025




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

26/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7406G	-5.01	6.0958G	-50.70	-45.01	-5.69	1
6.7514G	-4.06	7.147G	-44.05	-37.37	-6.68	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

25/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.11555G	-15.47	7.152025G	-56.54	-55.47	-1.07	1
7.11555G	-15.67	7.152075G	-68.97	-55.67	-13.30	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

26/06/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

26/06/2025




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

26/06/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9882G	-2.25	6.672G	-43.85	-42.25	-1.60	1
6.9816G	-3.85	6.7866G	-41.63	-35.25	-6.38	2

6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

26/06/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9018G	-7.61	6.3838G	-47.64	-47.61	-0.03	1
6.9094G	-7.05	6.4014G	-55.42	-47.05	-8.37	2



RSE TX below 1GHz_Non-Beamforming_Radio 3_1T1S_Full RU Appendix E.9

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_1TX(Port2)	Pass	PK	30M	32.63	40.00	-7.37	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6425MHz_PoE	Pass	PK	30M	32.63	40.00	-7.37	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	214.3M	25.89	43.50	-17.61	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	220.12M	25.47	46.00	-20.53	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	419.94M	23.00	46.00	-23.00	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	730.34M	35.85	46.00	-10.15	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	840.92M	31.40	46.00	-14.60	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	33.88M	28.01	40.00	-11.99	3	Horizontal	0	1.00
6425MHz_PoE	Pass	PK	214.3M	30.31	43.50	-13.19	3	Horizontal	0	1.00
6425MHz_PoE	Pass	PK	220.12M	28.41	46.00	-17.59	3	Horizontal	0	1.00
6425MHz_PoE	Pass	PK	419.94M	22.61	46.00	-23.39	3	Horizontal	0	1.00
6425MHz_PoE	Pass	PK	710.94M	27.68	46.00	-18.32	3	Horizontal	0	1.00
6425MHz_PoE	Pass	PK	840.92M	31.54	46.00	-14.46	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6425MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	32.63	40.00	-7.37	-13.38	3	Vertical	360	1.00	46.01	23.26	0.61	37.25
PK	214.3M	25.89	43.50	-17.61	-20.71	3	Vertical	360	1.00	46.60	13.81	1.72	36.24
PK	220.12M	25.47	46.00	-20.53	-20.26	3	Vertical	360	1.00	45.73	14.24	1.74	36.24
PK	419.94M	23.00	46.00	-23.00	-12.74	3	Vertical	360	1.00	35.74	21.43	2.47	36.64
PK	730.34M	35.85	46.00	-10.15	-7.43	3	Vertical	360	1.00	43.28	26.50	3.41	37.34
PK	840.92M	31.40	46.00	-14.60	-5.61	3	Vertical	360	1.00	37.01	28.09	3.75	37.45

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6425MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	28.01	40.00	-11.99	-14.94	3	Horizontal	0	1.00	42.95	21.60	0.66	37.20
PK	214.3M	30.31	43.50	-13.19	-20.71	3	Horizontal	0	1.00	51.02	13.81	1.72	36.24
PK	220.12M	28.41	46.00	-17.59	-20.26	3	Horizontal	0	1.00	48.67	14.24	1.74	36.24
PK	419.94M	22.61	46.00	-23.39	-12.74	3	Horizontal	0	1.00	35.35	21.43	2.47	36.64
PK	710.94M	27.68	46.00	-18.32	-8.43	3	Horizontal	0	1.00	36.11	25.51	3.35	37.29
PK	840.92M	31.54	46.00	-14.46	-5.61	3	Horizontal	0	1.00	37.15	28.09	3.75	37.45



RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S_Full RU Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.38748G	44.94	54.00	-9.06	3	Horizontal	0	1.50
802.11be EHT40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.41734G	45.15	54.00	-8.85	3	Horizontal	305	1.50
802.11be EHT80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.45832G	45.62	54.00	-8.38	3	Horizontal	85	1.50
802.11be EHT160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.68008G	45.67	54.00	-8.33	3	Horizontal	244	1.50
802.11be EHT320_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.52396G	45.74	54.00	-8.26	3	Vertical	354	1.23
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.86028G	46.73	68.20	-21.47	3	Horizontal	330	2.14
802.11be EHT40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.88012G	46.45	68.20	-21.75	3	Vertical	306	2.19
802.11be EHT80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.92742G	46.51	68.20	-21.69	3	Vertical	300	1.94
802.11be EHT160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.00148G	45.98	68.20	-22.22	3	Vertical	210	2.10
802.11be EHT320_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.1601G	46.72	68.20	-21.48	3	Vertical	317	1.50
6.525-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.3862G	46.79	54.00	-7.21	3	Horizontal	63	2.91
802.11be EHT40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.36146G	47.01	54.00	-6.99	3	Horizontal	88	1.50
802.11be EHT80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.25972G	46.27	54.00	-7.73	3	Horizontal	177	1.95
802.11be EHT160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.33956G	47.33	54.00	-6.67	3	Vertical	228	2.71
802.11be EHT320_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.25G	53.23	54.00	-0.77	3	Horizontal	337	2.32
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.1255G	67.80	68.20	-0.40	3	Horizontal	341	2.32
802.11be EHT40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.1264G	52.85	68.20	-15.35	3	Horizontal	340	2.28
802.11be EHT80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.1264G	55.58	68.20	-12.62	3	Horizontal	333	3.00
802.11be EHT160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.142G	51.63	68.20	-16.57	3	Horizontal	331	3.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9064G	49.91	68.20	-18.29	3	Horizontal	325	2.35
5955MHz	Pass	AV	5.9556G	98.62	Inf	-Inf	3	Horizontal	325	2.35
5955MHz	Pass	PK	5.9247G	62.30	88.20	-25.90	3	Horizontal	325	2.35
5955MHz	Pass	PK	5.9538G	109.48	Inf	-Inf	3	Horizontal	325	2.35
5955MHz	Pass	AV	11.9174G	44.84	54.00	-9.16	3	Vertical	82	1.34
5955MHz	Pass	PK	11.91506G	56.78	74.00	-17.22	3	Vertical	82	1.34
5955MHz	Pass	AV	11.91308G	44.78	54.00	-9.22	3	Horizontal	10	1.50
5955MHz	Pass	PK	11.91754G	56.87	74.00	-17.13	3	Horizontal	10	1.50
6195MHz	Pass	AV	12.39148G	44.89	54.00	-9.11	3	Vertical	240	1.50
6195MHz	Pass	PK	12.38112G	57.45	74.00	-16.55	3	Vertical	240	1.50
6195MHz	Pass	AV	12.38748G	44.94	54.00	-9.06	3	Horizontal	0	1.50
6195MHz	Pass	PK	12.3831G	57.80	74.00	-16.20	3	Horizontal	0	1.50
6415MHz	Pass	AV	12.83598G	46.64	68.20	-21.56	3	Vertical	230	1.44
6415MHz	Pass	PK	12.82462G	59.18	88.20	-29.02	3	Vertical	230	1.44
6415MHz	Pass	AV	12.83942G	46.65	68.20	-21.55	3	Horizontal	190	1.50
6415MHz	Pass	PK	12.83676G	58.93	88.20	-29.27	3	Horizontal	190	1.50
6435MHz	Pass	AV	12.86006G	46.65	68.20	-21.55	3	Vertical	210	2.35
6435MHz	Pass	PK	12.87724G	58.94	88.20	-29.26	3	Vertical	210	2.35
6435MHz	Pass	AV	12.86028G	46.73	68.20	-21.47	3	Horizontal	330	2.14
6435MHz	Pass	PK	12.86688G	59.23	88.20	-28.97	3	Horizontal	330	2.14
6475MHz	Pass	AV	12.94854G	46.38	68.20	-21.82	3	Vertical	2	1.50
6475MHz	Pass	PK	12.95568G	58.09	88.20	-30.11	3	Vertical	2	1.50
6475MHz	Pass	AV	12.94172G	46.42	68.20	-21.78	3	Horizontal	350	1.50
6475MHz	Pass	PK	12.95008G	58.53	88.20	-29.67	3	Horizontal	350	1.50
6515MHz	Pass	AV	13.02002G	45.78	68.20	-22.42	3	Vertical	317	3.00
6515MHz	Pass	PK	13.03066G	58.59	88.20	-29.61	3	Vertical	317	3.00
6515MHz	Pass	AV	13.03344G	45.86	68.20	-22.34	3	Horizontal	3	1.50
6515MHz	Pass	PK	13.03396G	57.90	88.20	-30.30	3	Horizontal	3	1.50
6535MHz	Pass	AV	13.07882G	45.92	68.20	-22.28	3	Vertical	341	1.50
6535MHz	Pass	PK	13.06264G	58.01	88.20	-30.19	3	Vertical	341	1.50
6535MHz	Pass	AV	13.07294G	45.85	68.20	-22.35	3	Horizontal	20	2.54
6535MHz	Pass	PK	13.06998G	58.32	88.20	-29.88	3	Horizontal	20	2.54
6695MHz	Pass	AV	13.38064G	46.73	54.00	-7.27	3	Vertical	106	1.50
6695MHz	Pass	PK	13.39144G	59.09	74.00	-14.91	3	Vertical	106	1.50
6695MHz	Pass	AV	13.3862G	46.79	54.00	-7.21	3	Horizontal	63	2.91
6695MHz	Pass	PK	13.38562G	59.80	74.00	-14.20	3	Horizontal	63	2.91
6875MHz	Pass	AV	13.75324G	47.59	68.20	-20.61	3	Vertical	63	1.50
6875MHz	Pass	PK	13.75268G	59.38	88.20	-28.82	3	Vertical	63	1.50
6875MHz	Pass	AV	13.75912G	47.58	68.20	-20.62	3	Horizontal	2	2.20
6875MHz	Pass	PK	13.74452G	59.85	88.20	-28.35	3	Horizontal	2	2.20
6895MHz	Pass	AV	13.79894G	48.10	68.20	-20.10	3	Vertical	164	1.50
6895MHz	Pass	PK	13.78622G	60.31	88.20	-27.89	3	Vertical	164	1.50
6895MHz	Pass	AV	13.79666G	48.00	68.20	-20.20	3	Horizontal	217	1.50
6895MHz	Pass	PK	13.79748G	60.49	88.20	-27.71	3	Horizontal	217	1.50
6995MHz	Pass	AV	13.99564G	48.10	68.20	-20.10	3	Vertical	311	1.50
6995MHz	Pass	PK	13.98512G	60.78	88.20	-27.42	3	Vertical	311	1.50
6995MHz	Pass	AV	13.9949G	48.10	68.20	-20.10	3	Horizontal	189	1.50
6995MHz	Pass	PK	13.99112G	60.47	88.20	-27.73	3	Horizontal	189	1.50
7095MHz	Pass	AV	7.0956G	99.05	Inf	-Inf	3	Horizontal	339	2.39
7095MHz	Pass	AV	7.2441G	52.30	68.20	-15.90	3	Horizontal	339	2.39
7095MHz	Pass	PK	7.0959G	110.56	Inf	-Inf	3	Horizontal	339	2.39
7095MHz	Pass	PK	7.212G	64.21	88.20	-23.99	3	Horizontal	339	2.39
7095MHz	Pass	AV	14.18068G	48.23	68.20	-19.97	3	Vertical	190	1.50
7095MHz	Pass	PK	14.18926G	61.40	88.20	-26.80	3	Vertical	190	1.50
7095MHz	Pass	AV	14.19058G	48.27	68.20	-19.93	3	Horizontal	1	1.50
7095MHz	Pass	PK	14.19996G	60.99	88.20	-27.21	3	Horizontal	1	1.50
7115MHz	Pass	AV	7.1145G	91.43	Inf	-Inf	3	Horizontal	341	2.32
7115MHz	Pass	AV	7.1255G	67.80	68.20	-0.40	3	Horizontal	341	2.32
7115MHz	Pass	PK	7.1145G	97.03	Inf	-Inf	3	Horizontal	341	2.32
7115MHz	Pass	PK	7.1255G	76.87	88.20	-11.33	3	Horizontal	341	2.32


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.23304G	47.92	68.20	-20.28	3	Vertical	292	1.50
7115MHz	Pass	PK	14.22678G	60.30	88.20	-27.90	3	Vertical	292	1.50
7115MHz	Pass	AV	14.22136G	47.96	68.20	-20.24	3	Horizontal	86	1.50
7115MHz	Pass	PK	14.23886G	61.15	88.20	-27.05	3	Horizontal	86	1.50
802.11be EHT40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	51.52	68.20	-16.68	3	Horizontal	324	2.35
5965MHz	Pass	AV	5.9641G	98.82	Inf	-Inf	3	Horizontal	324	2.35
5965MHz	Pass	PK	5.9227G	63.04	88.20	-25.16	3	Horizontal	324	2.35
5965MHz	Pass	PK	5.9641G	110.38	Inf	-Inf	3	Horizontal	324	2.35
5965MHz	Pass	AV	11.92694G	44.94	54.00	-9.06	3	Vertical	83	2.81
5965MHz	Pass	PK	11.93378G	57.55	74.00	-16.45	3	Vertical	83	2.81
5965MHz	Pass	AV	11.9242G	44.89	54.00	-9.11	3	Horizontal	292	1.50
5965MHz	Pass	PK	11.93638G	57.09	74.00	-16.91	3	Horizontal	292	1.50
6205MHz	Pass	AV	12.41988G	45.07	54.00	-8.93	3	Vertical	69	1.00
6205MHz	Pass	PK	12.41488G	56.90	74.00	-17.10	3	Vertical	69	1.00
6205MHz	Pass	AV	12.41734G	45.15	54.00	-8.85	3	Horizontal	305	1.50
6205MHz	Pass	PK	12.40018G	56.79	74.00	-17.21	3	Horizontal	305	1.50
6405MHz	Pass	AV	12.80676G	46.59	68.20	-21.61	3	Vertical	283	1.50
6405MHz	Pass	PK	12.81498G	58.34	88.20	-29.86	3	Vertical	283	1.50
6405MHz	Pass	AV	12.816G	46.57	68.20	-21.63	3	Horizontal	120	1.50
6405MHz	Pass	PK	12.81282G	58.68	88.20	-29.52	3	Horizontal	120	1.50
6445MHz	Pass	AV	12.88012G	46.45	68.20	-21.75	3	Vertical	306	2.19
6445MHz	Pass	PK	12.89842G	58.58	88.20	-29.62	3	Vertical	306	2.19
6445MHz	Pass	AV	12.88078G	46.44	68.20	-21.76	3	Horizontal	286	1.50
6445MHz	Pass	PK	12.88048G	58.35	88.20	-29.85	3	Horizontal	286	1.50
6485MHz	Pass	AV	12.97302G	46.41	68.20	-21.79	3	Vertical	339	1.21
6485MHz	Pass	PK	12.96396G	59.16	88.20	-29.04	3	Vertical	339	1.21
6485MHz	Pass	AV	12.96532G	46.38	68.20	-21.82	3	Horizontal	78	1.50
6485MHz	Pass	PK	12.97888G	58.50	88.20	-29.70	3	Horizontal	78	1.50
6525MHz	Pass	AV	13.0404G	45.70	68.20	-22.50	3	Vertical	62	1.50
6525MHz	Pass	PK	13.04728G	58.05	88.20	-30.15	3	Vertical	62	1.50
6525MHz	Pass	AV	13.043G	45.71	68.20	-22.49	3	Horizontal	31	1.50
6525MHz	Pass	PK	13.0555G	57.90	88.20	-30.30	3	Horizontal	31	1.50
6565MHz	Pass	AV	13.13332G	46.87	68.20	-21.33	3	Vertical	242	1.50
6565MHz	Pass	PK	13.13538G	58.41	88.20	-29.79	3	Vertical	242	1.50
6565MHz	Pass	AV	13.13762G	46.82	68.20	-21.38	3	Horizontal	131	1.18
6565MHz	Pass	PK	13.12342G	58.99	88.20	-29.21	3	Horizontal	131	1.18
6685MHz	Pass	AV	13.36206G	46.93	54.00	-7.07	3	Vertical	143	1.50
6685MHz	Pass	PK	13.36072G	59.38	74.00	-14.62	3	Vertical	143	1.50
6685MHz	Pass	AV	13.36146G	47.01	54.00	-6.99	3	Horizontal	88	1.50
6685MHz	Pass	PK	13.36324G	58.88	74.00	-15.12	3	Horizontal	88	1.50
6885MHz	Pass	AV	13.77332G	47.82	68.20	-20.38	3	Vertical	229	1.67
6885MHz	Pass	PK	13.76212G	60.13	88.20	-28.07	3	Vertical	229	1.67
6885MHz	Pass	AV	13.77722G	47.79	68.20	-20.41	3	Horizontal	90	1.50
6885MHz	Pass	PK	13.7798G	59.80	88.20	-28.40	3	Horizontal	90	1.50
6925MHz	Pass	AV	13.84002G	48.33	68.20	-19.87	3	Vertical	39	2.63
6925MHz	Pass	PK	13.84964G	60.50	88.20	-27.70	3	Vertical	39	2.63
6925MHz	Pass	AV	13.85704G	48.44	68.20	-19.76	3	Horizontal	334	1.30
6925MHz	Pass	PK	13.84678G	60.35	88.20	-27.85	3	Horizontal	334	1.30
7005MHz	Pass	AV	14.00824G	48.12	68.20	-20.08	3	Vertical	60	1.05
7005MHz	Pass	PK	14.00834G	60.64	88.20	-27.56	3	Vertical	60	1.05
7005MHz	Pass	AV	14.0005G	48.16	68.20	-20.04	3	Horizontal	12	2.32
7005MHz	Pass	PK	14.0193G	60.50	88.20	-27.70	3	Horizontal	12	2.32
7085MHz	Pass	AV	7.0859G	97.97	Inf	-Inf	3	Horizontal	340	2.28
7085MHz	Pass	AV	7.1264G	52.85	68.20	-15.35	3	Horizontal	340	2.28
7085MHz	Pass	PK	7.0841G	108.93	Inf	-Inf	3	Horizontal	340	2.28
7085MHz	Pass	PK	7.2098G	64.92	88.20	-23.28	3	Horizontal	340	2.28
7085MHz	Pass	AV	14.16774G	48.39	68.20	-19.81	3	Vertical	4	1.13
7085MHz	Pass	PK	14.17482G	61.14	88.20	-27.06	3	Vertical	4	1.13
7085MHz	Pass	AV	14.17146G	48.34	68.20	-19.86	3	Horizontal	357	1.50
7085MHz	Pass	PK	14.16186G	61.75	88.20	-26.45	3	Horizontal	357	1.50
802.11be EHT80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.7595G	53.39	68.20	-14.81	3	Horizontal	326	2.47
5985MHz	Pass	AV	5.984G	97.23	Inf	-Inf	3	Horizontal	326	2.47
5985MHz	Pass	PK	5.898G	66.68	88.20	-21.52	3	Horizontal	326	2.47
5985MHz	Pass	PK	5.9875G	108.25	Inf	-Inf	3	Horizontal	326	2.47
5985MHz	Pass	AV	11.96314G	44.83	54.00	-9.17	3	Vertical	92	1.50
5985MHz	Pass	PK	11.97998G	57.00	74.00	-17.00	3	Vertical	92	1.50
5985MHz	Pass	AV	11.96944G	44.88	54.00	-9.12	3	Horizontal	1	1.51
5985MHz	Pass	PK	11.9797G	57.06	74.00	-16.94	3	Horizontal	1	1.51
6225MHz	Pass	AV	12.4546G	45.60	54.00	-8.40	3	Vertical	260	2.91
6225MHz	Pass	PK	12.44986G	57.74	74.00	-16.26	3	Vertical	260	2.91
6225MHz	Pass	AV	12.45832G	45.62	54.00	-8.38	3	Horizontal	85	1.50
6225MHz	Pass	PK	12.45122G	57.51	74.00	-16.49	3	Horizontal	85	1.50
6385MHz	Pass	AV	12.77324G	46.26	68.20	-21.94	3	Vertical	355	1.50
6385MHz	Pass	PK	12.7774G	58.84	88.20	-29.36	3	Vertical	355	1.50
6385MHz	Pass	AV	12.77646G	46.31	68.20	-21.89	3	Horizontal	248	1.50
6385MHz	Pass	PK	12.76296G	58.13	88.20	-30.07	3	Horizontal	248	1.50
6465MHz	Pass	AV	12.92742G	46.51	68.20	-21.69	3	Vertical	300	1.94
6465MHz	Pass	PK	12.93348G	58.63	88.20	-29.57	3	Vertical	300	1.94
6465MHz	Pass	AV	12.9321G	46.48	68.20	-21.72	3	Horizontal	139	2.01
6465MHz	Pass	PK	12.9273G	58.50	88.20	-29.70	3	Horizontal	139	2.01
6545MHz	Pass	AV	13.09842G	46.26	68.20	-21.94	3	Vertical	206	1.10
6545MHz	Pass	PK	13.09598G	58.57	88.20	-29.63	3	Vertical	206	1.10
6545MHz	Pass	AV	13.09662G	46.24	68.20	-21.96	3	Horizontal	113	2.33
6545MHz	Pass	PK	13.09028G	58.11	88.20	-30.09	3	Horizontal	113	2.33
6625MHz	Pass	AV	13.25804G	46.26	54.00	-7.74	3	Vertical	356	1.91
6625MHz	Pass	PK	13.25716G	58.98	74.00	-15.02	3	Vertical	356	1.91
6625MHz	Pass	AV	13.25972G	46.27	54.00	-7.73	3	Horizontal	177	1.95
6625MHz	Pass	PK	13.24316G	58.74	88.20	-29.46	3	Horizontal	177	1.95
6705MHz	Pass	AV	13.41198G	46.71	68.20	-21.49	3	Vertical	60	1.00
6705MHz	Pass	PK	13.41172G	59.56	88.20	-28.64	3	Vertical	60	1.00
6705MHz	Pass	AV	13.41904G	46.69	68.20	-21.51	3	Horizontal	0	1.50
6705MHz	Pass	PK	13.41576G	59.20	88.20	-29.00	3	Horizontal	0	1.50
6785MHz	Pass	AV	13.56018G	47.90	68.20	-20.30	3	Vertical	216	1.50
6785MHz	Pass	PK	13.56244G	60.23	88.20	-27.97	3	Vertical	216	1.50
6785MHz	Pass	AV	13.57286G	47.94	68.20	-20.26	3	Horizontal	4	2.88
6785MHz	Pass	PK	13.56262G	60.63	88.20	-27.57	3	Horizontal	4	2.88
6865MHz	Pass	AV	13.72438G	47.33	68.20	-20.87	3	Vertical	197	1.50
6865MHz	Pass	PK	13.73732G	60.44	88.20	-27.76	3	Vertical	197	1.50
6865MHz	Pass	AV	13.73712G	47.41	68.20	-20.79	3	Horizontal	72	1.97
6865MHz	Pass	PK	13.73504G	60.41	88.20	-27.79	3	Horizontal	72	1.97
6945MHz	Pass	AV	13.89638G	48.43	68.20	-19.77	3	Vertical	202	1.50
6945MHz	Pass	PK	13.88818G	61.61	88.20	-26.59	3	Vertical	202	1.50
6945MHz	Pass	AV	13.8827G	48.45	68.20	-19.75	3	Horizontal	325	1.50
6945MHz	Pass	PK	13.89148G	61.04	88.20	-27.16	3	Horizontal	325	1.50
7025MHz	Pass	AV	7.0262G	96.71	Inf	-Inf	3	Horizontal	333	3.00
7025MHz	Pass	AV	7.1264G	55.58	68.20	-12.62	3	Horizontal	333	3.00
7025MHz	Pass	PK	7.0157G	107.92	Inf	-Inf	3	Horizontal	333	3.00
7025MHz	Pass	PK	7.1351G	69.12	88.20	-19.08	3	Horizontal	333	3.00
7025MHz	Pass	AV	14.0416G	47.85	68.20	-20.35	3	Vertical	1	1.50
7025MHz	Pass	PK	14.05276G	59.75	88.20	-28.45	3	Vertical	1	1.50
7025MHz	Pass	AV	14.04198G	47.92	68.20	-20.28	3	Horizontal	200	1.50
7025MHz	Pass	PK	14.04302G	60.16	88.20	-28.04	3	Horizontal	200	1.50
802.11be EHT160_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.845G	54.64	68.20	-13.56	3	Horizontal	326	2.34
6025MHz	Pass	AV	6.023G	91.86	Inf	-Inf	3	Horizontal	326	2.34
6025MHz	Pass	PK	5.887G	69.59	88.20	-18.61	3	Horizontal	326	2.34
6025MHz	Pass	PK	6.023G	105.55	Inf	-Inf	3	Horizontal	326	2.34
6025MHz	Pass	AV	12.05934G	45.32	54.00	-8.68	3	Vertical	39	1.67
6025MHz	Pass	PK	12.055G	57.37	74.00	-16.63	3	Vertical	39	1.67
6025MHz	Pass	AV	12.05838G	45.32	54.00	-8.68	3	Horizontal	234	1.50
6025MHz	Pass	PK	12.04148G	57.27	74.00	-16.73	3	Horizontal	234	1.50
6185MHz	Pass	AV	12.36648G	44.91	54.00	-9.09	3	Vertical	125	2.77

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.36458G	57.65	74.00	-16.35	3	Vertical	125	2.77
6185MHz	Pass	AV	12.36202G	44.96	54.00	-9.04	3	Horizontal	312	1.50
6185MHz	Pass	PK	12.36472G	56.84	74.00	-17.16	3	Horizontal	312	1.50
6345MHz	Pass	AV	12.69344G	45.64	54.00	-8.36	3	Vertical	106	1.50
6345MHz	Pass	PK	12.68034G	57.88	74.00	-16.12	3	Vertical	106	1.50
6345MHz	Pass	AV	12.68008G	45.67	54.00	-8.33	3	Horizontal	244	1.50
6345MHz	Pass	PK	12.69432G	57.99	74.00	-16.01	3	Horizontal	244	1.50
6505MHz	Pass	AV	13.00148G	45.98	68.20	-22.22	3	Vertical	210	2.10
6505MHz	Pass	PK	13.00732G	58.54	88.20	-29.66	3	Vertical	210	2.10
6505MHz	Pass	AV	13.0077G	45.96	68.20	-22.24	3	Horizontal	360	1.50
6505MHz	Pass	PK	13.0162G	58.50	88.20	-29.70	3	Horizontal	360	1.50
6665MHz	Pass	AV	13.33956G	47.33	54.00	-6.67	3	Vertical	228	2.71
6665MHz	Pass	PK	13.3334G	58.77	74.00	-15.23	3	Vertical	228	2.71
6665MHz	Pass	AV	13.33994G	47.11	54.00	-6.89	3	Horizontal	291	2.41
6665MHz	Pass	PK	13.33344G	59.43	74.00	-14.57	3	Horizontal	291	2.41
6825MHz	Pass	AV	13.6406G	47.55	68.20	-20.65	3	Vertical	53	1.50
6825MHz	Pass	PK	13.65068G	59.42	88.20	-28.78	3	Vertical	53	1.50
6825MHz	Pass	AV	13.64016G	47.55	68.20	-20.65	3	Horizontal	158	1.94
6825MHz	Pass	PK	13.64964G	59.36	88.20	-28.84	3	Horizontal	158	1.94
6985MHz	Pass	AV	6.983G	90.78	Inf	-Inf	3	Horizontal	331	3.00
6985MHz	Pass	AV	7.142G	51.63	68.20	-16.57	3	Horizontal	331	3.00
6985MHz	Pass	PK	6.9885G	104.44	Inf	-Inf	3	Horizontal	331	3.00
6985MHz	Pass	PK	7.141G	66.25	88.20	-21.95	3	Horizontal	331	3.00
6985MHz	Pass	AV	13.9774G	48.06	68.20	-20.14	3	Vertical	306	2.12
6985MHz	Pass	PK	13.96696G	60.81	88.20	-27.39	3	Vertical	306	2.12
6985MHz	Pass	AV	13.9768G	48.14	68.20	-20.06	3	Horizontal	206	1.60
6985MHz	Pass	PK	13.96782G	60.25	88.20	-27.95	3	Horizontal	206	1.60
802.11be EHT320_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.76G	59.60	68.20	-8.60	3	Horizontal	323	2.50
6105MHz	Pass	AV	5.947G	89.60	Inf	-Inf	3	Horizontal	323	2.50
6105MHz	Pass	PK	5.755G	73.44	88.20	-14.76	3	Horizontal	323	2.50
6105MHz	Pass	PK	5.947G	102.21	Inf	-Inf	3	Horizontal	323	2.50
6105MHz	Pass	AV	12.21694G	45.47	54.00	-8.53	3	Vertical	252	1.50
6105MHz	Pass	PK	12.20716G	58.55	74.00	-15.45	3	Vertical	252	1.50
6105MHz	Pass	AV	12.20532G	45.46	54.00	-8.54	3	Horizontal	260	2.76
6105MHz	Pass	PK	12.20058G	57.88	74.00	-16.12	3	Horizontal	260	2.76
6265MHz	Pass	AV	12.52396G	45.74	54.00	-8.26	3	Vertical	354	1.23
6265MHz	Pass	PK	12.53766G	58.23	74.00	-15.77	3	Vertical	354	1.23
6265MHz	Pass	AV	12.52294G	45.74	54.00	-8.26	3	Horizontal	161	3.00
6265MHz	Pass	PK	12.53368G	58.00	74.00	-16.00	3	Horizontal	161	3.00
6425MHz	Pass	AV	12.8413G	46.67	68.20	-21.53	3	Vertical	1	2.50
6425MHz	Pass	PK	12.85934G	59.24	88.20	-28.96	3	Vertical	1	2.50
6425MHz	Pass	AV	12.8448G	46.68	68.20	-21.52	3	Horizontal	311	1.27
6425MHz	Pass	PK	12.85488G	58.66	88.20	-29.54	3	Horizontal	311	1.27
6585MHz	Pass	AV	13.1601G	46.72	68.20	-21.48	3	Vertical	317	1.50
6585MHz	Pass	PK	13.17274G	59.01	88.20	-29.19	3	Vertical	317	1.50
6585MHz	Pass	AV	13.1607G	46.58	68.20	-21.62	3	Horizontal	357	1.50
6585MHz	Pass	PK	13.16128G	59.63	88.20	-28.57	3	Horizontal	357	1.50
6745MHz	Pass	AV	13.49938G	47.82	68.20	-20.38	3	Vertical	293	1.50
6745MHz	Pass	PK	13.4967G	60.22	88.20	-27.98	3	Vertical	293	1.50
6745MHz	Pass	AV	13.49272G	47.83	68.20	-20.37	3	Horizontal	1	1.50
6745MHz	Pass	PK	13.49888G	60.55	88.20	-27.65	3	Horizontal	1	1.50
6905MHz	Pass	AV	6.903G	90.36	Inf	-Inf	3	Horizontal	337	2.32
6905MHz	Pass	AV	7.25G	53.23	54.00	-0.77	3	Horizontal	337	2.32
6905MHz	Pass	PK	6.895G	101.87	Inf	-Inf	3	Horizontal	337	2.32
6905MHz	Pass	PK	7.271G	65.43	74.00	-8.57	3	Horizontal	337	2.32
6905MHz	Pass	AV	13.81516G	48.30	68.20	-19.90	3	Vertical	215	1.50
6905MHz	Pass	PK	13.80566G	59.86	88.20	-28.34	3	Vertical	215	1.50
6905MHz	Pass	AV	13.8124G	48.21	68.20	-19.99	3	Horizontal	18	1.50
6905MHz	Pass	PK	13.81234G	60.63	88.20	-27.57	3	Horizontal	18	1.50


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

6225MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

6225MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6345MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6345MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port2)

6265MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port2)

6265MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

6435MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

6435MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)

6445MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)

6445MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port2)

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port2)

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

6695MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

6695MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S_Full RU Appendix E.10


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port2)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port2)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX(Port2)

6905MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port2)

7115MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0859G	97.97	Inf	-Inf	10.00	3	Horizontal	340	2.28	87.97	36.09	8.81	34.90
AV	7.1264G	52.85	68.20	-15.35	10.21	3	Horizontal	340	2.28	42.64	36.31	8.79	34.89
PK	7.0841G	108.93	Inf	-Inf	9.98	3	Horizontal	340	2.28	98.95	36.07	8.81	34.90
PK	7.2098G	64.92	88.20	-23.28	10.51	3	Horizontal	340	2.28	54.41	36.62	8.78	34.89

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16774G	48.39	68.20	-19.81	18.87	3	Vertical	4	1.13	29.52	40.50	12.15	33.78
PK	14.17482G	61.14	88.20	-27.06	18.87	3	Vertical	4	1.13	42.27	40.50	12.16	33.79


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX(Port2)

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX(Port2)

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX(Port2)

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.9768G	48.14	68.20	-20.06	19.01	3	Horizontal	206	1.60	29.13	40.35	12.08	33.42				
PK	13.96782G	60.25	88.20	-27.95	19.00	3	Horizontal	206	1.60	41.25	40.34	12.08	33.42				



RSE TX below 1GHz_Non-Beamforming_Radio 3_2T1S_Full RU Appendix E.11

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	PK	33.88M	33.33	40.00	-6.67	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6425MHz_PoE	Pass	PK	33.88M	33.33	40.00	-6.67	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	218.18M	26.74	46.00	-19.26	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	220.12M	25.38	46.00	-20.62	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	524.7M	22.30	46.00	-23.70	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	714.82M	26.61	46.00	-19.39	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	761.38M	31.59	46.00	-14.41	3	Vertical	360	1.00
6425MHz_PoE	Pass	PK	31.94M	28.80	40.00	-11.20	3	Horizontal	0	1.00
6425MHz_PoE	Pass	PK	214.3M	29.97	43.50	-13.53	3	Horizontal	0	1.00
6425MHz_PoE	Pass	PK	220.12M	28.59	46.00	-17.41	3	Horizontal	0	1.00
6425MHz_PoE	Pass	PK	515M	22.58	46.00	-23.42	3	Horizontal	0	1.00
6425MHz_PoE	Pass	PK	730.34M	28.52	46.00	-17.48	3	Horizontal	0	1.00
6425MHz_PoE	Pass	PK	761.38M	30.04	46.00	-15.96	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	33.33	40.00	-6.67	-14.94	3	Vertical	360	1.00	48.27	21.60	0.66	37.20
PK	218.18M	26.74	46.00	-19.26	-20.49	3	Vertical	360	1.00	47.23	14.02	1.73	36.24
PK	220.12M	25.38	46.00	-20.62	-20.26	3	Vertical	360	1.00	45.64	14.24	1.74	36.24
PK	524.7M	22.30	46.00	-23.70	-11.00	3	Vertical	360	1.00	33.30	23.12	2.84	36.96
PK	714.82M	26.61	46.00	-19.39	-8.27	3	Vertical	360	1.00	34.88	25.67	3.36	37.30
PK	761.38M	31.59	46.00	-14.41	-6.72	3	Vertical	360	1.00	38.31	27.18	3.51	37.41

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	28.80	40.00	-11.20	-14.06	3	Horizontal	0	1.00	42.86	22.53	0.63	37.22
PK	214.3M	29.97	43.50	-13.53	-20.71	3	Horizontal	0	1.00	50.68	13.81	1.72	36.24
PK	220.12M	28.59	46.00	-17.41	-20.26	3	Horizontal	0	1.00	48.85	14.24	1.74	36.24
PK	515M	22.58	46.00	-23.42	-11.22	3	Horizontal	0	1.00	33.80	22.91	2.82	36.95
PK	730.34M	28.52	46.00	-17.48	-7.43	3	Horizontal	0	1.00	35.95	26.50	3.41	37.34
PK	761.38M	30.04	46.00	-15.96	-6.72	3	Horizontal	0	1.00	36.76	27.18	3.51	37.41



RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S_Full RU Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38278G	45.96	54.00	-8.04	3	Vertical	169	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.41418G	45.78	54.00	-8.22	3	Vertical	196	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.4559G	46.22	54.00	-7.78	3	Horizontal	188	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.8415G	61.29	68.20	-6.91	3	Vertical	141	2.89
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.763G	65.69	68.20	-2.51	3	Vertical	137	2.94
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.87632G	47.38	68.20	-20.82	3	Horizontal	300	1.80
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.88616G	47.39	68.20	-20.81	3	Vertical	40	1.62
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.91608G	47.44	68.20	-20.76	3	Horizontal	44	3.00
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.01284G	46.71	68.20	-21.49	3	Horizontal	123	1.38
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	13.16964G	47.16	68.20	-21.04	3	Horizontal	128	2.48
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38654G	47.93	54.00	-6.07	3	Vertical	32	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.35032G	48.07	54.00	-5.93	3	Vertical	44	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.37632G	47.92	54.00	-6.08	3	Vertical	283	1.98
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.33448G	47.95	54.00	-6.05	3	Vertical	68	2.56
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	7.266G	53.38	54.00	-0.62	3	Vertical	12	2.61
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	63.95	68.20	-4.25	3	Vertical	10	2.55
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	7.127G	52.45	68.20	-15.75	3	Vertical	10	2.58
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.1471G	52.19	68.20	-16.01	3	Vertical	14	2.78
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.1425G	63.14	68.20	-5.06	3	Vertical	11	2.81



RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S_Full RU Appendix E.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz_TX	Pass	AV	5.9238G	49.84	68.20	-18.36	3	Vertical	138	2.97
5955MHz_TX	Pass	AV	5.9541G	98.35	Inf	-Inf	3	Vertical	138	2.97
5955MHz_TX	Pass	PK	5.9028G	62.97	88.20	-25.23	3	Vertical	138	2.97
5955MHz_TX	Pass	PK	5.9538G	109.19	Inf	-Inf	3	Vertical	138	2.97
5955MHz_TX	Pass	AV	11.91816G	45.27	54.00	-8.73	3	Vertical	147	1.50
5955MHz_TX	Pass	PK	11.91758G	57.81	74.00	-16.19	3	Vertical	147	1.50
5955MHz_TX	Pass	AV	11.91726G	45.32	54.00	-8.68	3	Horizontal	99	2.21
5955MHz_TX	Pass	PK	11.90688G	57.43	74.00	-16.57	3	Horizontal	99	2.21
6195MHz_TX	Pass	AV	12.38278G	45.96	54.00	-8.04	3	Vertical	169	1.50
6195MHz_TX	Pass	PK	12.39578G	58.61	74.00	-15.39	3	Vertical	169	1.50
6195MHz_TX	Pass	AV	12.38008G	45.85	54.00	-8.15	3	Horizontal	315	3.00
6195MHz_TX	Pass	PK	12.39156G	57.96	74.00	-16.04	3	Horizontal	315	3.00
6415MHz_TX	Pass	AV	12.83914G	47.20	68.20	-21.00	3	Vertical	300	1.50
6415MHz_TX	Pass	PK	12.83974G	58.74	88.20	-29.46	3	Vertical	300	1.50
6415MHz_TX	Pass	AV	12.83928G	47.20	68.20	-21.00	3	Horizontal	20	2.18
6415MHz_TX	Pass	PK	12.83094G	58.64	88.20	-29.56	3	Horizontal	20	2.18
6435MHz_TX	Pass	AV	12.8797G	47.32	68.20	-20.88	3	Vertical	52	1.50
6435MHz_TX	Pass	PK	12.87796G	59.33	88.20	-28.87	3	Vertical	52	1.50
6435MHz_TX	Pass	AV	12.87632G	47.38	68.20	-20.82	3	Horizontal	300	1.80
6435MHz_TX	Pass	PK	12.86412G	58.90	88.20	-29.30	3	Horizontal	300	1.80
6475MHz_TX	Pass	AV	12.9414G	47.29	68.20	-20.91	3	Vertical	271	1.50
6475MHz_TX	Pass	PK	12.95478G	59.74	88.20	-28.46	3	Vertical	271	1.50
6475MHz_TX	Pass	AV	12.94178G	47.28	68.20	-20.92	3	Horizontal	42	1.50
6475MHz_TX	Pass	PK	12.95392G	59.97	88.20	-28.23	3	Horizontal	42	1.50
6515MHz_TX	Pass	AV	13.02484G	46.98	68.20	-21.22	3	Vertical	23	1.50
6515MHz_TX	Pass	PK	13.02872G	59.67	88.20	-28.53	3	Vertical	23	1.50
6515MHz_TX	Pass	AV	13.02828G	47.10	68.20	-21.10	3	Horizontal	278	1.50
6515MHz_TX	Pass	PK	13.02838G	58.99	88.20	-29.21	3	Horizontal	278	1.50
6535MHz_TX	Pass	AV	13.06692G	47.05	68.20	-21.15	3	Vertical	186	1.50
6535MHz_TX	Pass	PK	13.07926G	60.39	88.20	-27.81	3	Vertical	186	1.50
6535MHz_TX	Pass	AV	13.07714G	47.06	68.20	-21.14	3	Horizontal	300	1.25
6535MHz_TX	Pass	PK	13.06838G	58.87	88.20	-29.33	3	Horizontal	300	1.25
6695MHz_TX	Pass	AV	13.38654G	47.93	54.00	-6.07	3	Vertical	32	1.50
6695MHz_TX	Pass	PK	13.39264G	60.73	74.00	-13.27	3	Vertical	32	1.50
6695MHz_TX	Pass	AV	13.38868G	47.92	54.00	-6.08	3	Horizontal	262	1.50
6695MHz_TX	Pass	PK	13.38922G	60.43	74.00	-13.57	3	Horizontal	262	1.50
6875MHz_TX	Pass	AV	13.75958G	48.38	68.20	-19.82	3	Vertical	163	1.50
6875MHz_TX	Pass	PK	13.74356G	60.95	88.20	-27.25	3	Vertical	163	1.50
6875MHz_TX	Pass	AV	13.7563G	48.49	68.20	-19.71	3	Horizontal	92	1.66
6875MHz_TX	Pass	PK	13.7536G	62.06	88.20	-26.14	3	Horizontal	92	1.66
6895MHz_TX	Pass	AV	13.794G	48.39	68.20	-19.81	3	Vertical	148	2.10
6895MHz_TX	Pass	PK	13.79554G	60.60	88.20	-27.60	3	Vertical	148	2.10
6895MHz_TX	Pass	AV	13.79358G	48.46	68.20	-19.74	3	Horizontal	70	1.50
6895MHz_TX	Pass	PK	13.78026G	60.58	88.20	-27.62	3	Horizontal	70	1.50
6995MHz_TX	Pass	AV	13.9876G	48.84	68.20	-19.36	3	Vertical	229	1.50
6995MHz_TX	Pass	PK	13.99916G	61.24	88.20	-26.96	3	Vertical	229	1.50
6995MHz_TX	Pass	AV	13.99398G	48.89	68.20	-19.31	3	Horizontal	299	1.50
6995MHz_TX	Pass	PK	13.99178G	61.11	88.20	-27.09	3	Horizontal	299	1.50
7095MHz_TX	Pass	AV	7.0956G	98.86	Inf	-Inf	3	Vertical	10	2.63
7095MHz_TX	Pass	AV	7.2396G	52.26	68.20	-15.94	3	Vertical	10	2.63
7095MHz_TX	Pass	PK	7.0941G	109.10	Inf	-Inf	3	Vertical	10	2.63
7095MHz_TX	Pass	PK	7.2354G	64.23	88.20	-23.97	3	Vertical	10	2.63
7095MHz_TX	Pass	AV	14.18078G	49.09	68.20	-19.11	3	Vertical	235	1.00
7095MHz_TX	Pass	PK	14.19696G	60.78	88.20	-27.42	3	Vertical	235	1.00
7095MHz_TX	Pass	AV	14.19338G	48.99	68.20	-19.21	3	Horizontal	283	1.62
7095MHz_TX	Pass	PK	14.19082G	61.08	88.20	-27.12	3	Horizontal	283	1.62
7115MHz_TX	Pass	AV	7.1155G	100.45	Inf	-Inf	3	Vertical	10	2.55
7115MHz_TX	Pass	AV	7.1255G	63.95	68.20	-4.25	3	Vertical	10	2.55
7115MHz_TX	Pass	PK	7.1155G	106.15	Inf	-Inf	3	Vertical	10	2.55
7115MHz_TX	Pass	PK	7.1255G	77.68	88.20	-10.52	3	Vertical	10	2.55

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz_TX	Pass	AV	14.23712G	48.83	68.20	-19.37	3	Vertical	6	1.50
7115MHz_TX	Pass	PK	14.23486G	61.12	88.20	-27.08	3	Vertical	6	1.50
7115MHz_TX	Pass	AV	14.23078G	48.79	68.20	-19.41	3	Horizontal	298	1.50
7115MHz_TX	Pass	PK	14.23948G	60.82	88.20	-27.38	3	Horizontal	298	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz_TX	Pass	AV	5.9248G	50.72	68.20	-17.48	3	Vertical	138	2.94
5965MHz_TX	Pass	AV	5.9638G	98.79	Inf	-Inf	3	Vertical	138	2.94
5965MHz_TX	Pass	PK	5.923G	62.16	88.20	-26.04	3	Vertical	138	2.94
5965MHz_TX	Pass	PK	5.9626G	110.27	Inf	-Inf	3	Vertical	138	2.94
5965MHz_TX	Pass	AV	11.93004G	45.55	54.00	-8.45	3	Vertical	325	1.50
5965MHz_TX	Pass	PK	11.9341G	57.80	74.00	-16.20	3	Vertical	325	1.50
5965MHz_TX	Pass	AV	11.92656G	45.49	54.00	-8.51	3	Horizontal	16	2.09
5965MHz_TX	Pass	PK	11.93342G	58.07	74.00	-15.93	3	Horizontal	16	2.09
6205MHz_TX	Pass	AV	12.41418G	45.78	54.00	-8.22	3	Vertical	196	1.50
6205MHz_TX	Pass	PK	12.41562G	57.73	74.00	-16.27	3	Vertical	196	1.50
6205MHz_TX	Pass	AV	12.41426G	45.78	54.00	-8.22	3	Horizontal	196	1.50
6205MHz_TX	Pass	PK	12.4161G	57.64	74.00	-16.36	3	Horizontal	196	1.50
6405MHz_TX	Pass	AV	12.81154G	47.02	68.20	-21.18	3	Vertical	304	1.77
6405MHz_TX	Pass	PK	12.80316G	59.49	88.20	-28.71	3	Vertical	304	1.77
6405MHz_TX	Pass	AV	12.81448G	47.05	68.20	-21.15	3	Horizontal	304	1.50
6405MHz_TX	Pass	PK	12.81602G	59.54	88.20	-28.66	3	Horizontal	304	1.50
6445MHz_TX	Pass	AV	12.88616G	47.39	68.20	-20.81	3	Vertical	40	1.62
6445MHz_TX	Pass	PK	12.9046G	58.63	88.20	-29.57	3	Vertical	40	1.62
6445MHz_TX	Pass	AV	12.89824G	47.33	68.20	-20.87	3	Horizontal	1	1.50
6445MHz_TX	Pass	PK	12.88776G	59.15	88.20	-29.05	3	Horizontal	1	1.50
6485MHz_TX	Pass	AV	12.97392G	47.12	68.20	-21.08	3	Vertical	278	1.50
6485MHz_TX	Pass	PK	12.97688G	59.48	88.20	-28.72	3	Vertical	278	1.50
6485MHz_TX	Pass	AV	12.96816G	47.15	68.20	-21.05	3	Horizontal	122	1.50
6485MHz_TX	Pass	PK	12.97044G	60.16	88.20	-28.04	3	Horizontal	122	1.50
6525MHz_TX	Pass	AV	13.03528G	46.94	68.20	-21.26	3	Vertical	320	1.83
6525MHz_TX	Pass	PK	13.06668G	59.24	88.20	-28.96	3	Vertical	320	1.83
6525MHz_TX	Pass	AV	13.03168G	47.01	68.20	-21.19	3	Horizontal	83	1.50
6525MHz_TX	Pass	PK	13.03208G	59.12	88.20	-29.08	3	Horizontal	83	1.50
6565MHz_TX	Pass	AV	13.14916G	47.55	68.20	-20.65	3	Vertical	4	1.50
6565MHz_TX	Pass	PK	13.13788G	60.25	88.20	-27.95	3	Vertical	4	1.50
6565MHz_TX	Pass	AV	13.1496G	47.49	68.20	-20.71	3	Horizontal	356	1.50
6565MHz_TX	Pass	PK	13.14152G	59.72	88.20	-28.48	3	Horizontal	356	1.50
6685MHz_TX	Pass	AV	13.35032G	48.07	54.00	-5.93	3	Vertical	44	1.50
6685MHz_TX	Pass	PK	13.3892G	60.81	74.00	-13.19	3	Vertical	44	1.50
6685MHz_TX	Pass	AV	13.35108G	47.92	54.00	-6.08	3	Horizontal	206	1.50
6685MHz_TX	Pass	PK	13.3686G	59.90	74.00	-14.10	3	Horizontal	206	1.50
6885MHz_TX	Pass	AV	13.77708G	48.43	68.20	-19.77	3	Vertical	341	1.50
6885MHz_TX	Pass	PK	13.76556G	61.14	88.20	-27.06	3	Vertical	341	1.50
6885MHz_TX	Pass	AV	13.77084G	48.44	68.20	-19.76	3	Horizontal	20	2.39
6885MHz_TX	Pass	PK	13.77492G	61.01	88.20	-27.19	3	Horizontal	20	2.39
6925MHz_TX	Pass	AV	13.86628G	48.74	68.20	-19.46	3	Vertical	40	2.22
6925MHz_TX	Pass	PK	13.85044G	60.27	88.20	-27.93	3	Vertical	40	2.22
6925MHz_TX	Pass	AV	13.86672G	48.74	68.20	-19.46	3	Horizontal	65	1.50
6925MHz_TX	Pass	PK	13.85812G	60.41	88.20	-27.79	3	Horizontal	65	1.50
7005MHz_TX	Pass	AV	14.01388G	48.90	68.20	-19.30	3	Vertical	86	1.50
7005MHz_TX	Pass	PK	14.01552G	61.18	88.20	-27.02	3	Vertical	86	1.50
7005MHz_TX	Pass	AV	13.99152G	48.82	68.20	-19.38	3	Horizontal	115	1.50
7005MHz_TX	Pass	PK	14.01744G	60.97	88.20	-27.23	3	Horizontal	115	1.50
7085MHz_TX	Pass	AV	7.0856G	99.10	Inf	-Inf	3	Vertical	10	2.58
7085MHz_TX	Pass	AV	7.127G	52.45	68.20	-15.75	3	Vertical	10	2.58
7085MHz_TX	Pass	PK	7.0841G	110.62	Inf	-Inf	3	Vertical	10	2.58
7085MHz_TX	Pass	PK	7.1927G	64.53	88.20	-23.67	3	Vertical	10	2.58
7085MHz_TX	Pass	AV	14.18964G	48.98	68.20	-19.22	3	Vertical	31	3.00
7085MHz_TX	Pass	PK	14.15792G	60.96	88.20	-27.24	3	Vertical	31	3.00
7085MHz_TX	Pass	AV	14.17756G	48.93	68.20	-19.27	3	Horizontal	334	2.26
7085MHz_TX	Pass	PK	14.15448G	61.79	88.20	-26.41	3	Horizontal	334	2.26
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz_TX	Pass	AV	5.7595G	52.94	68.20	-15.26	3	Vertical	138	2.75
5985MHz_TX	Pass	AV	5.9835G	98.74	Inf	-Inf	3	Vertical	138	2.75
5985MHz_TX	Pass	PK	5.886G	64.90	88.20	-23.30	3	Vertical	138	2.75
5985MHz_TX	Pass	PK	5.9845G	110.26	Inf	-Inf	3	Vertical	138	2.75
5985MHz_TX	Pass	AV	11.96922G	45.73	54.00	-8.27	3	Vertical	129	1.50
5985MHz_TX	Pass	PK	11.96398G	58.33	74.00	-15.67	3	Vertical	129	1.50
5985MHz_TX	Pass	AV	11.97284G	45.78	54.00	-8.22	3	Horizontal	123	1.50
5985MHz_TX	Pass	PK	11.97608G	57.87	74.00	-16.13	3	Horizontal	123	1.50
6225MHz_TX	Pass	AV	12.45642G	46.16	54.00	-7.84	3	Vertical	107	1.31
6225MHz_TX	Pass	PK	12.4424G	58.28	74.00	-15.72	3	Vertical	107	1.31
6225MHz_TX	Pass	AV	12.4559G	46.22	54.00	-7.78	3	Horizontal	188	1.50
6225MHz_TX	Pass	PK	12.45716G	58.53	74.00	-15.47	3	Horizontal	188	1.50
6385MHz_TX	Pass	AV	12.73136G	46.83	68.20	-21.37	3	Vertical	306	1.50
6385MHz_TX	Pass	PK	12.76928G	58.94	88.20	-29.26	3	Vertical	306	1.50
6385MHz_TX	Pass	AV	12.73056G	46.82	68.20	-21.38	3	Horizontal	151	2.03
6385MHz_TX	Pass	PK	12.74136G	58.72	88.20	-29.48	3	Horizontal	151	2.03
6465MHz_TX	Pass	AV	12.92624G	47.39	68.20	-20.81	3	Vertical	334	1.50
6465MHz_TX	Pass	PK	12.914G	58.69	88.20	-29.51	3	Vertical	334	1.50
6465MHz_TX	Pass	AV	12.91608G	47.44	68.20	-20.76	3	Horizontal	44	3.00
6465MHz_TX	Pass	PK	12.9576G	58.95	88.20	-29.25	3	Horizontal	44	3.00
6545MHz_TX	Pass	AV	13.12752G	47.04	68.20	-21.16	3	Vertical	282	1.50
6545MHz_TX	Pass	PK	13.07696G	59.66	88.20	-28.54	3	Vertical	282	1.50
6545MHz_TX	Pass	AV	13.12832G	47.13	68.20	-21.07	3	Horizontal	157	1.50
6545MHz_TX	Pass	PK	13.09368G	59.76	88.20	-28.44	3	Horizontal	157	1.50
6625MHz_TX	Pass	AV	13.28496G	47.33	54.00	-6.67	3	Vertical	173	1.50
6625MHz_TX	Pass	PK	13.22776G	59.24	88.20	-28.96	3	Vertical	173	1.50
6625MHz_TX	Pass	AV	13.27488G	47.44	54.00	-6.56	3	Horizontal	18	1.50
6625MHz_TX	Pass	PK	13.2804G	59.53	74.00	-14.47	3	Horizontal	18	1.50
6705MHz_TX	Pass	AV	13.37632G	47.92	54.00	-6.08	3	Vertical	283	1.98
6705MHz_TX	Pass	PK	13.4348G	60.30	88.20	-27.90	3	Vertical	283	1.98
6705MHz_TX	Pass	AV	13.3768G	47.84	54.00	-6.16	3	Horizontal	41	1.50
6705MHz_TX	Pass	PK	13.424G	60.46	88.20	-27.74	3	Horizontal	41	1.50
6785MHz_TX	Pass	AV	13.54776G	48.76	68.20	-19.44	3	Vertical	78	1.48
6785MHz_TX	Pass	PK	13.5636G	60.39	88.20	-27.81	3	Vertical	78	1.48
6785MHz_TX	Pass	AV	13.54776G	48.83	68.20	-19.37	3	Horizontal	156	2.42
6785MHz_TX	Pass	PK	13.57888G	60.22	88.20	-27.98	3	Horizontal	156	2.42
6865MHz_TX	Pass	AV	13.70832G	48.35	68.20	-19.85	3	Vertical	357	2.13
6865MHz_TX	Pass	PK	13.7536G	60.66	88.20	-27.54	3	Vertical	357	2.13
6865MHz_TX	Pass	AV	13.7696G	48.35	68.20	-19.85	3	Horizontal	357	1.04
6865MHz_TX	Pass	PK	13.76472G	60.68	88.20	-27.52	3	Horizontal	357	1.04
6945MHz_TX	Pass	AV	13.89808G	49.14	68.20	-19.06	3	Vertical	118	1.00
6945MHz_TX	Pass	PK	13.9092G	60.00	88.20	-28.20	3	Vertical	118	1.00
6945MHz_TX	Pass	AV	13.898G	49.14	68.20	-19.06	3	Horizontal	354	1.50
6945MHz_TX	Pass	PK	13.90456G	61.03	88.20	-27.17	3	Horizontal	354	1.50
7025MHz_TX	Pass	AV	7.0265G	86.03	Inf	-Inf	3	Vertical	14	2.78
7025MHz_TX	Pass	AV	7.1471G	52.19	68.20	-16.01	3	Vertical	14	2.78
7025MHz_TX	Pass	PK	7.0268G	94.93	Inf	-Inf	3	Vertical	14	2.78
7025MHz_TX	Pass	PK	7.1408G	62.36	88.20	-25.84	3	Vertical	14	2.78
7025MHz_TX	Pass	AV	14.01944G	48.73	68.20	-19.47	3	Vertical	257	2.21
7025MHz_TX	Pass	PK	14.02296G	60.98	88.20	-27.22	3	Vertical	257	2.21
7025MHz_TX	Pass	AV	14.01088G	48.76	68.20	-19.44	3	Horizontal	167	1.50
7025MHz_TX	Pass	PK	14.04144G	60.86	88.20	-27.34	3	Horizontal	167	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz_TX	Pass	AV	5.8415G	61.29	68.20	-6.91	3	Vertical	141	2.89
6025MHz_TX	Pass	AV	6.023G	98.43	Inf	-Inf	3	Vertical	141	2.89
6025MHz_TX	Pass	PK	5.842G	74.73	88.20	-13.47	3	Vertical	141	2.89
6025MHz_TX	Pass	PK	6.0215G	110.13	Inf	-Inf	3	Vertical	141	2.89
6025MHz_TX	Pass	AV	12.05676G	46.09	54.00	-7.91	3	Vertical	69	1.59
6025MHz_TX	Pass	PK	12.05132G	58.46	74.00	-15.54	3	Vertical	69	1.59
6025MHz_TX	Pass	AV	12.05824G	46.11	54.00	-7.89	3	Horizontal	357	1.50
6025MHz_TX	Pass	PK	12.04436G	58.81	74.00	-15.19	3	Horizontal	357	1.50
6185MHz_TX	Pass	AV	12.36114G	45.92	54.00	-8.08	3	Vertical	182	1.59




RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S_Full RU Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz_TX	Pass	PK	12.37994G	58.51	74.00	-15.49	3	Vertical	182	1.59
6185MHz_TX	Pass	AV	12.37632G	45.95	54.00	-8.05	3	Horizontal	166	2.25
6185MHz_TX	Pass	PK	12.36618G	58.23	74.00	-15.77	3	Horizontal	166	2.25
6345MHz_TX	Pass	AV	12.68442G	46.69	54.00	-7.31	3	Vertical	354	1.50
6345MHz_TX	Pass	PK	12.68558G	58.77	74.00	-15.23	3	Vertical	354	1.50
6345MHz_TX	Pass	AV	12.68336G	46.83	54.00	-7.17	3	Horizontal	8	1.50
6345MHz_TX	Pass	PK	12.68846G	58.89	74.00	-15.11	3	Horizontal	8	1.50
6505MHz_TX	Pass	AV	13.01418G	46.70	68.20	-21.50	3	Vertical	337	1.08
6505MHz_TX	Pass	PK	13.01204G	58.54	88.20	-29.66	3	Vertical	337	1.08
6505MHz_TX	Pass	AV	13.01284G	46.71	68.20	-21.49	3	Horizontal	123	1.38
6505MHz_TX	Pass	PK	13.01338G	58.80	88.20	-29.40	3	Horizontal	123	1.38
6665MHz_TX	Pass	AV	13.33448G	47.95	54.00	-6.05	3	Vertical	68	2.56
6665MHz_TX	Pass	PK	13.33266G	59.68	74.00	-14.32	3	Vertical	68	2.56
6665MHz_TX	Pass	AV	13.33426G	47.81	54.00	-6.19	3	Horizontal	314	1.97
6665MHz_TX	Pass	PK	13.32484G	59.58	74.00	-14.42	3	Horizontal	314	1.97
6825MHz_TX	Pass	AV	13.64032G	48.12	68.20	-20.08	3	Vertical	78	1.24
6825MHz_TX	Pass	PK	13.6419G	60.66	88.20	-27.54	3	Vertical	78	1.24
6825MHz_TX	Pass	AV	13.6407G	48.12	68.20	-20.08	3	Horizontal	174	1.45
6825MHz_TX	Pass	PK	13.64122G	59.96	88.20	-28.24	3	Horizontal	174	1.45
6985MHz_TX	Pass	AV	6.9835G	99.24	Inf	-Inf	3	Vertical	11	2.81
6985MHz_TX	Pass	AV	7.1425G	63.14	68.20	-5.06	3	Vertical	11	2.81
6985MHz_TX	Pass	PK	6.9875G	109.87	Inf	-Inf	3	Vertical	11	2.81
6985MHz_TX	Pass	PK	7.1405G	80.44	88.20	-7.76	3	Vertical	11	2.81
6985MHz_TX	Pass	AV	13.97102G	48.65	68.20	-19.55	3	Vertical	15	2.44
6985MHz_TX	Pass	PK	13.97417G	60.21	88.20	-27.99	3	Vertical	15	2.44
6985MHz_TX	Pass	AV	13.97783G	48.71	68.20	-19.49	3	Horizontal	291	1.74
6985MHz_TX	Pass	PK	13.97306G	60.64	88.20	-27.56	3	Horizontal	291	1.74
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz_TX	Pass	AV	5.763G	65.69	68.20	-2.51	3	Vertical	137	2.94
6105MHz_TX	Pass	AV	5.964G	95.63	Inf	-Inf	3	Vertical	137	2.94
6105MHz_TX	Pass	PK	5.792G	78.66	88.20	-9.54	3	Vertical	137	2.94
6105MHz_TX	Pass	PK	6.103G	107.07	Inf	-Inf	3	Vertical	137	2.94
6105MHz_TX	Pass	AV	12.21994G	46.26	54.00	-7.74	3	Vertical	73	1.50
6105MHz_TX	Pass	PK	12.20998G	58.66	74.00	-15.34	3	Vertical	73	1.50
6105MHz_TX	Pass	AV	12.20304G	46.25	54.00	-7.75	3	Horizontal	40	1.50
6105MHz_TX	Pass	PK	12.21952G	58.45	74.00	-15.55	3	Horizontal	40	1.50
6265MHz_TX	Pass	AV	12.5243G	46.49	54.00	-7.51	3	Vertical	192	1.50
6265MHz_TX	Pass	PK	12.52308G	58.98	74.00	-15.02	3	Vertical	192	1.50
6265MHz_TX	Pass	AV	12.52192G	46.48	54.00	-7.52	3	Horizontal	10	1.50
6265MHz_TX	Pass	PK	12.53746G	58.65	74.00	-15.35	3	Horizontal	10	1.50
6425MHz_TX	Pass	AV	12.85624G	47.42	68.20	-20.78	3	Vertical	249	2.28
6425MHz_TX	Pass	PK	12.84916G	59.21	88.20	-28.99	3	Vertical	249	2.28
6425MHz_TX	Pass	AV	12.8582G	47.49	68.20	-20.71	3	Horizontal	56	2.02
6425MHz_TX	Pass	PK	12.85876G	59.60	88.20	-28.60	3	Horizontal	56	2.02
6585MHz_TX	Pass	AV	13.16536G	47.12	68.20	-21.08	3	Vertical	321	2.51
6585MHz_TX	Pass	PK	13.1636G	58.77	88.20	-29.43	3	Vertical	321	2.51
6585MHz_TX	Pass	AV	13.16964G	47.16	68.20	-21.04	3	Horizontal	128	2.48
6585MHz_TX	Pass	PK	13.16058G	58.89	88.20	-29.31	3	Horizontal	128	2.48
6745MHz_TX	Pass	AV	13.49956G	47.94	68.20	-20.26	3	Vertical	233	2.96
6745MHz_TX	Pass	PK	13.49454G	59.55	88.20	-28.65	3	Vertical	233	2.96
6745MHz_TX	Pass	AV	13.4991G	47.94	68.20	-20.26	3	Horizontal	273	1.77
6745MHz_TX	Pass	PK	13.48168G	59.98	88.20	-28.22	3	Horizontal	273	1.77
6905MHz_TX	Pass	AV	6.907G	95.08	Inf	-Inf	3	Vertical	12	2.61
6905MHz_TX	Pass	AV	7.266G	53.38	54.00	-0.62	3	Vertical	12	2.61
6905MHz_TX	Pass	PK	6.903G	106.70	Inf	-Inf	3	Vertical	12	2.61
6905MHz_TX	Pass	PK	7.285G	66.08	74.00	-7.92	3	Vertical	12	2.61
6905MHz_TX	Pass	AV	13.80412G	48.25	68.20	-19.95	3	Vertical	114	1.18
6905MHz_TX	Pass	PK	13.81249G	60.40	88.20	-27.80	3	Vertical	114	1.18
6905MHz_TX	Pass	AV	13.79512G	48.25	68.20	-19.95	3	Horizontal	332	2.04
6905MHz_TX	Pass	PK	13.82368G	60.19	88.20	-28.01	3	Horizontal	332	2.04


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0856G	99.10	Inf	-Inf	9.99	3	Vertical	10	2.58	89.11	36.08	8.81	34.90
AV	7.127G	52.45	68.20	-15.75	10.21	3	Vertical	10	2.58	42.24	36.31	8.79	34.89
PK	7.0841G	110.62	Inf	-Inf	9.98	3	Vertical	10	2.58	100.64	36.07	8.81	34.90
PK	7.1927G	64.53	88.20	-23.67	10.44	3	Vertical	10	2.58	54.09	36.57	8.76	34.89

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.18964G	48.98	68.20	-19.22	18.84	3	Vertical	31	3.00	30.14	40.50	12.16	33.82
PK	14.15792G	60.96	88.20	-27.24	18.89	3	Vertical	31	3.00	42.07	40.50	12.15	33.76


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9835G	99.24	Inf	-Inf	9.62	3	Vertical	11	2.81	89.62	35.70	8.83	34.91
AV	7.1425G	63.14	68.20	-5.06	10.26	3	Vertical	11	2.81	52.88	36.37	8.78	34.89
PK	6.9875G	109.87	Inf	-Inf	9.63	3	Vertical	11	2.81	100.24	35.70	8.84	34.91
PK	7.1405G	80.44	88.20	-7.76	10.25	3	Vertical	11	2.81	70.19	36.36	8.78	34.89

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97102G	48.65	68.20	-19.55	19.00	3	Vertical	15	2.44	29.65	40.34	12.08	33.42
PK	13.97417G	60.21	88.20	-27.99	19.01	3	Vertical	15	2.44	41.20	40.35	12.08	33.42

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.97783G	48.71	68.20	-19.49	19.02	3	Horizontal	291	1.74	29.69	40.36	12.08	33.42				
PK	13.97306G	60.64	88.20	-27.56	19.01	3	Horizontal	291	1.74	41.63	40.35	12.08	33.42				



RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S_ Multi-RU

Appendix E.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)	Pass	AV	5.893G	60.97	68.20	-7.23	3	Horizontal	328	2.36
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)	Pass	AV	12.05434G	46.51	54.00	-7.49	3	Vertical	152	1.64
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port2)	Pass	AV	12.20583G	46.74	54.00	-7.26	3	Vertical	54	2.22
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port2)	Pass	AV	7.284G	52.21	54.00	-1.79	3	Horizontal	337	2.41
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)	Pass	AV	7.1252G	58.90	68.20	-9.30	3	Horizontal	341	2.34
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)	Pass	AV	7.1265G	53.89	68.20	-14.31	3	Horizontal	339	2.49

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.893G	55.06	68.20	-13.14	3	Vertical	64	2.95
5985MHz	Pass	AV	5.947G	88.89	Inf	-Inf	3	Vertical	64	2.95
5985MHz	Pass	PK	5.878G	69.86	88.20	-18.34	3	Vertical	64	2.95
5985MHz	Pass	PK	5.9495G	101.01	Inf	-Inf	3	Vertical	64	2.95
5985MHz	Pass	AV	5.893G	60.97	68.20	-7.23	3	Horizontal	328	2.36
5985MHz	Pass	AV	5.9475G	96.28	Inf	-Inf	3	Horizontal	328	2.36
5985MHz	Pass	PK	5.9105G	78.25	88.20	-9.95	3	Horizontal	328	2.36
5985MHz	Pass	PK	5.9545G	108.75	Inf	-Inf	3	Horizontal	328	2.36
5985MHz	Pass	AV	11.97255G	46.10	54.00	-7.90	3	Vertical	67	2.10
5985MHz	Pass	PK	11.97479G	59.46	74.00	-14.54	3	Vertical	67	2.10
5985MHz	Pass	AV	11.97254G	46.10	54.00	-7.90	3	Horizontal	178	1.98
5985MHz	Pass	PK	11.97073G	58.45	74.00	-15.55	3	Horizontal	178	1.98
7025MHz	Pass	AV	6.9917G	94.70	Inf	-Inf	3	Horizontal	341	2.34
7025MHz	Pass	AV	7.1252G	58.90	68.20	-9.30	3	Horizontal	341	2.34
7025MHz	Pass	PK	7.0001G	107.55	Inf	-Inf	3	Horizontal	341	2.34
7025MHz	Pass	PK	7.1255G	77.17	88.20	-11.03	3	Horizontal	341	2.34
7025MHz	Pass	AV	14.04836G	49.39	68.20	-18.81	3	Vertical	210	1.94
7025MHz	Pass	PK	14.051G	61.38	88.20	-26.82	3	Vertical	210	1.94
7025MHz	Pass	AV	14.04733G	49.54	68.20	-18.66	3	Horizontal	141	2.52
7025MHz	Pass	PK	14.05299G	61.82	88.20	-26.38	3	Horizontal	141	2.52
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.91G	52.36	68.20	-15.84	3	Vertical	54	2.43
6025MHz	Pass	AV	5.9495G	83.79	Inf	-Inf	3	Vertical	54	2.43
6025MHz	Pass	PK	5.902G	69.30	88.20	-18.90	3	Vertical	54	2.43
6025MHz	Pass	PK	5.9495G	96.64	Inf	-Inf	3	Vertical	54	2.43
6025MHz	Pass	AV	5.925G	58.17	68.20	-10.03	3	Horizontal	325	2.37
6025MHz	Pass	AV	5.947G	92.74	Inf	-Inf	3	Horizontal	325	2.37
6025MHz	Pass	PK	5.9005G	77.58	88.20	-10.62	3	Horizontal	325	2.37
6025MHz	Pass	PK	5.95G	105.23	Inf	-Inf	3	Horizontal	325	2.37
6025MHz	Pass	AV	12.05434G	46.51	54.00	-7.49	3	Vertical	152	1.64
6025MHz	Pass	PK	12.05489G	58.32	74.00	-15.68	3	Vertical	152	1.64
6025MHz	Pass	AV	12.05406G	46.51	54.00	-7.49	3	Horizontal	194	2.87
6025MHz	Pass	PK	12.05489G	58.76	74.00	-15.24	3	Horizontal	194	2.87
6985MHz	Pass	AV	6.952G	84.46	Inf	-Inf	3	Vertical	36	2.96
6985MHz	Pass	AV	7.2315G	53.27	68.20	-14.93	3	Vertical	36	2.96
6985MHz	Pass	PK	6.9545G	96.72	Inf	-Inf	3	Vertical	36	2.96
6985MHz	Pass	PK	7.182G	65.96	88.20	-22.24	3	Vertical	36	2.96
6985MHz	Pass	AV	6.912G	90.47	Inf	-Inf	3	Horizontal	339	2.49
6985MHz	Pass	AV	7.1285G	53.89	68.20	-14.31	3	Horizontal	339	2.49
6985MHz	Pass	PK	6.914G	102.73	Inf	-Inf	3	Horizontal	339	2.49
6985MHz	Pass	PK	7.1425G	68.65	88.20	-19.55	3	Horizontal	339	2.49
6985MHz	Pass	AV	13.96843G	49.29	68.20	-18.91	3	Vertical	208	1.37
6985MHz	Pass	PK	13.96897G	60.86	88.20	-27.34	3	Vertical	208	1.37
6985MHz	Pass	AV	13.96841G	49.36	68.20	-18.84	3	Horizontal	218	2.02
6985MHz	Pass	PK	13.97276G	61.23	88.20	-26.97	3	Horizontal	218	2.02
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.723G	52.35	68.20	-15.85	3	Vertical	55	2.42
6105MHz	Pass	AV	5.947G	80.52	Inf	-Inf	3	Vertical	55	2.42
6105MHz	Pass	PK	5.73G	69.64	88.20	-18.56	3	Vertical	55	2.42
6105MHz	Pass	PK	5.949G	92.53	Inf	-Inf	3	Vertical	55	2.42
6105MHz	Pass	AV	5.72G	59.51	68.20	-8.69	3	Horizontal	325	2.47
6105MHz	Pass	AV	5.947G	89.77	Inf	-Inf	3	Horizontal	325	2.47
6105MHz	Pass	PK	5.712G	78.63	88.20	-9.57	3	Horizontal	325	2.47
6105MHz	Pass	PK	5.957G	102.13	Inf	-Inf	3	Horizontal	325	2.47
6105MHz	Pass	AV	12.20583G	46.74	54.00	-7.26	3	Vertical	54	2.22
6105MHz	Pass	PK	12.21237G	58.98	74.00	-15.02	3	Vertical	54	2.22
6105MHz	Pass	AV	12.20725G	46.68	54.00	-7.32	3	Horizontal	240	2.18
6105MHz	Pass	PK	12.2117G	59.10	74.00	-14.90	3	Horizontal	240	2.18
6905MHz	Pass	AV	7.009G	82.71	Inf	-Inf	3	Vertical	42	2.94
6905MHz	Pass	AV	7.283G	49.11	54.00	-4.89	3	Vertical	42	2.94




**RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S_
Multi-RU**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	6.991G	94.72	Inf	-Inf	3	Vertical	42	2.94
6905MHz	Pass	PK	7.283G	66.80	74.00	-7.20	3	Vertical	42	2.94
6905MHz	Pass	AV	6.801G	89.13	Inf	-Inf	3	Horizontal	337	2.41
6905MHz	Pass	AV	7.284G	52.21	54.00	-1.79	3	Horizontal	337	2.41
6905MHz	Pass	PK	6.808G	101.21	Inf	-Inf	3	Horizontal	337	2.41
6905MHz	Pass	PK	7.279G	70.09	74.00	-3.91	3	Horizontal	337	2.41
6905MHz	Pass	AV	13.80807G	48.82	68.20	-19.38	3	Vertical	37	1.50
6905MHz	Pass	PK	13.80869G	61.08	88.20	-27.12	3	Vertical	37	1.50
6905MHz	Pass	AV	13.80745G	48.81	68.20	-19.39	3	Horizontal	220	2.13
6905MHz	Pass	PK	13.8111G	61.32	88.20	-26.88	3	Horizontal	220	2.13


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port2)


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.72G	59.51	68.20	-8.69	6.46	3	Horizontal	325	2.47	53.05	33.48	8.23	35.25
AV	5.947G	89.77	Inf	-Inf	7.25	3	Horizontal	325	2.47	82.52	34.00	8.35	35.10
PK	5.712G	78.63	88.20	-9.57	6.43	3	Horizontal	325	2.47	72.20	33.45	8.23	35.25
PK	5.957G	102.13	Inf	-Inf	7.25	3	Horizontal	325	2.47	94.88	34.00	8.35	35.10

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port2)


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.20583G	46.74	54.00	-7.26	15.25	3	Vertical	54	2.22	31.49	38.80	11.67	35.22
PK	12.21237G	58.98	74.00	-15.02	15.25	3	Vertical	54	2.22	43.73	38.80	11.67	35.22


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port2)

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port2)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port2)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX(Port2)

6905MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9917G	94.70	Inf	-Inf	9.63	3	Horizontal	341	2.34	85.07	35.70	8.84	34.91
AV	7.1252G	58.90	68.20	-9.30	10.20	3	Horizontal	341	2.34	48.70	36.30	8.79	34.89
PK	7.0001G	107.55	Inf	-Inf	9.64	3	Horizontal	341	2.34	97.91	35.70	8.84	34.90
PK	7.1255G	77.17	88.20	-11.03	10.20	3	Horizontal	341	2.34	66.97	36.30	8.79	34.89

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04836G	49.39	68.20	-18.81	18.98	3	Vertical	210	1.94	30.41	40.40	12.11	33.53
PK	14.051G	61.38	88.20	-26.82	18.97	3	Vertical	210	1.94	42.41	40.40	12.11	33.54


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX(Port2)

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX(Port2)

6985MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	AV	11.96944G	45.89	54.00	-8.11	3	Vertical	121	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	5.9218G	63.81	68.20	-4.39	3	Vertical	139	2.77
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	Pass	AV	5.733G	60.65	68.20	-7.55	3	Vertical	141	3.00
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	Pass	AV	7.283G	53.88	54.00	-0.12	3	Vertical	10	3.00
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	AV	7.125G	57.58	68.20	-10.62	3	Vertical	14	2.96
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	7.1265G	67.80	68.20	-0.40	3	Vertical	13	2.97

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.8895G	58.61	68.20	-9.59	3	Vertical	141	2.60
5985MHz	Pass	AV	5.9635G	96.86	Inf	-Inf	3	Vertical	141	2.60
5985MHz	Pass	PK	5.8895G	71.42	88.20	-16.78	3	Vertical	141	2.60
5985MHz	Pass	PK	6.0115G	107.43	Inf	-Inf	3	Vertical	141	2.60
5985MHz	Pass	AV	11.96944G	45.89	54.00	-8.11	3	Vertical	121	1.50
5985MHz	Pass	PK	11.9736G	58.45	74.00	-15.55	3	Vertical	121	1.50
5985MHz	Pass	AV	11.9705G	45.88	54.00	-8.12	3	Horizontal	270	1.50
5985MHz	Pass	PK	11.96402G	58.69	74.00	-15.31	3	Horizontal	270	1.50
7025MHz	Pass	AV	7.0478G	97.75	Inf	-Inf	3	Vertical	14	2.96
7025MHz	Pass	AV	7.125G	57.58	68.20	-10.62	3	Vertical	14	2.96
7025MHz	Pass	PK	7.0546G	107.85	Inf	-Inf	3	Vertical	14	2.96
7025MHz	Pass	PK	7.1266G	70.45	88.20	-17.75	3	Vertical	14	2.96
7025MHz	Pass	AV	14.02256G	49.04	68.20	-19.16	3	Vertical	311	1.69
7025MHz	Pass	PK	14.06456G	61.12	88.20	-27.08	3	Vertical	311	1.69
7025MHz	Pass	AV	14.01336G	49.16	68.20	-19.04	3	Horizontal	40	1.68
7025MHz	Pass	PK	14.02488G	60.37	88.20	-27.83	3	Horizontal	40	1.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9218G	63.81	68.20	-4.39	3	Vertical	139	2.77
6025MHz	Pass	AV	5.9638G	98.34	Inf	-Inf	3	Vertical	139	2.77
6025MHz	Pass	PK	5.8894G	77.23	88.20	-10.97	3	Vertical	139	2.77
6025MHz	Pass	PK	6.0892G	107.63	Inf	-Inf	3	Vertical	139	2.77
6025MHz	Pass	AV	12.05844G	46.15	54.00	-7.85	3	Vertical	229	1.50
6025MHz	Pass	PK	12.04728G	58.02	74.00	-15.98	3	Vertical	229	1.50
6025MHz	Pass	AV	12.05952G	46.16	54.00	-7.84	3	Horizontal	31	1.61
6025MHz	Pass	PK	12.05088G	58.06	74.00	-15.94	3	Horizontal	31	1.61
6985MHz	Pass	AV	6.994G	96.97	Inf	-Inf	3	Vertical	13	2.97
6985MHz	Pass	AV	7.1265G	67.80	68.20	-0.40	3	Vertical	13	2.97
6985MHz	Pass	PK	6.996G	108.02	Inf	-Inf	3	Vertical	13	2.97
6985MHz	Pass	PK	7.132G	78.61	88.20	-9.59	3	Vertical	13	2.97
6985MHz	Pass	AV	13.97042G	48.84	68.20	-19.36	3	Vertical	112	1.50
6985MHz	Pass	PK	13.9613G	61.52	88.20	-26.68	3	Vertical	112	1.50
6985MHz	Pass	AV	13.9308G	49.46	68.20	-18.74	3	Horizontal	12	2.91
6985MHz	Pass	PK	14.00952G	60.75	88.20	-27.45	3	Horizontal	12	2.91
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.733G	60.65	68.20	-7.55	3	Vertical	141	3.00
6105MHz	Pass	AV	5.963G	93.27	Inf	-Inf	3	Vertical	141	3.00
6105MHz	Pass	PK	5.754G	77.24	88.20	-10.96	3	Vertical	141	3.00
6105MHz	Pass	PK	5.963G	105.71	Inf	-Inf	3	Vertical	141	3.00
6105MHz	Pass	AV	12.20082G	46.34	54.00	-7.66	3	Vertical	81	1.50
6105MHz	Pass	PK	12.20246G	58.96	74.00	-15.04	3	Vertical	81	1.50
6105MHz	Pass	AV	12.20136G	46.34	54.00	-7.66	3	Horizontal	244	1.50
6105MHz	Pass	PK	12.20914G	58.42	74.00	-15.58	3	Horizontal	244	1.50
6905MHz	Pass	AV	6.993G	90.93	Inf	-Inf	3	Vertical	10	3.00
6905MHz	Pass	AV	7.283G	53.88	54.00	-0.12	3	Vertical	10	3.00
6905MHz	Pass	PK	7.046G	100.66	Inf	-Inf	3	Vertical	10	3.00
6905MHz	Pass	PK	7.258G	65.45	74.00	-8.55	3	Vertical	10	3.00
6905MHz	Pass	AV	13.80834G	48.62	68.20	-19.58	3	Vertical	116	2.99
6905MHz	Pass	PK	13.81002G	60.60	88.20	-27.60	3	Vertical	116	2.99
6905MHz	Pass	AV	13.81408G	48.67	68.20	-19.53	3	Horizontal	314	1.50
6905MHz	Pass	PK	13.81898G	60.75	88.20	-27.45	3	Horizontal	314	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.733G	60.65	68.20	-7.55	54.13	3	Vertical	141	3.00	-	33.53	8.23	35.24
AV	5.963G	93.27	Inf	-Inf	86.00	3	Vertical	141	3.00	-	34.00	8.36	35.09
PK	5.754G	77.24	88.20	-10.96	70.61	3	Vertical	141	3.00	-	33.62	8.24	35.23
PK	5.963G	105.71	Inf	-Inf	98.44	3	Vertical	141	3.00	-	34.00	8.36	35.09

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	12.20082G	46.34	54.00	-7.66	31.10	3	Vertical	81	1.50	-	38.80	11.67	35.23
PK	12.20246G	58.96	74.00	-15.04	43.72	3	Vertical	81	1.50	-	38.80	11.67	35.23


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	7.0478G	97.75	Inf	-Inf	88.03	3	Vertical	14	2.96	-	35.80	8.82	34.90
AV	7.125G	57.58	68.20	-10.62	47.38	3	Vertical	14	2.96	-	36.30	8.79	34.89
PK	7.0546G	107.85	Inf	-Inf	98.09	3	Vertical	14	2.96	-	35.84	8.82	34.90
PK	7.1266G	70.45	88.20	-17.75	60.24	3	Vertical	14	2.96	-	36.31	8.79	34.89

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	14.02256G	49.04	68.20	-19.16	30.02	3	Vertical	311	1.69	-	40.40	12.10	33.48
PK	14.06456G	61.12	88.20	-27.08	42.11	3	Vertical	311	1.69	-	40.46	12.11	33.56


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX





RSE TX above 1GHz_Non-Beamforming_Radio 3_1T1S_ Channel Puncturing

Appendix E.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)	Pass	AV	11.9785G	46.04	54.00	-7.96	3	Vertical	340	2.63
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port2)	Pass	AV	12.05358G	46.12	54.00	-7.88	3	Vertical	304	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX(Port2)	Pass	AV	5.924G	61.15	68.20	-7.05	3	Horizontal	328	2.24
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port2)	Pass	AV	7.269G	52.39	54.00	-1.61	3	Horizontal	341	2.48
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX(Port2)	Pass	AV	7.1273G	51.22	68.20	-16.98	3	Horizontal	338	2.89
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX(Port2)	Pass	PK	7.142G	73.49	88.20	-14.71	3	Horizontal	343	2.43


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	54.19	68.20	-14.01	3	Horizontal	327	2.46
5985MHz	Pass	AV	5.983G	94.15	Inf	-Inf	3	Horizontal	327	2.46
5985MHz	Pass	PK	5.9085G	68.40	88.20	-19.80	3	Horizontal	327	2.46
5985MHz	Pass	PK	5.9805G	107.71	Inf	-Inf	3	Horizontal	327	2.46
5985MHz	Pass	AV	11.9785G	46.04	54.00	-7.96	3	Vertical	340	2.63
5985MHz	Pass	PK	11.9686G	57.74	74.00	-16.26	3	Vertical	340	2.63
5985MHz	Pass	AV	11.96915G	45.83	54.00	-8.17	3	Horizontal	51	1.50
5985MHz	Pass	PK	11.96704G	58.22	74.00	-15.78	3	Horizontal	51	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0232G	94.47	Inf	-Inf	3	Horizontal	338	2.89
7025MHz	Pass	AV	7.1273G	51.22	68.20	-16.98	3	Horizontal	338	2.89
7025MHz	Pass	PK	7.0229G	107.99	Inf	-Inf	3	Horizontal	338	2.89
7025MHz	Pass	PK	7.1303G	64.75	88.20	-23.45	3	Horizontal	338	2.89
7025MHz	Pass	AV	14.05335G	48.78	68.20	-19.42	3	Vertical	56	1.50
7025MHz	Pass	PK	14.04888G	61.11	88.20	-27.09	3	Vertical	56	1.50
7025MHz	Pass	AV	14.04951G	48.78	68.20	-19.42	3	Horizontal	315	1.50
7025MHz	Pass	PK	14.0452G	61.09	88.20	-27.11	3	Horizontal	315	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	57.69	68.20	-10.51	3	Horizontal	327	2.52
6025MHz	Pass	AV	6.027G	92.74	Inf	-Inf	3	Horizontal	327	2.52
6025MHz	Pass	PK	5.9015G	76.99	88.20	-11.21	3	Horizontal	327	2.52
6025MHz	Pass	PK	6.023G	105.28	Inf	-Inf	3	Horizontal	327	2.52
6025MHz	Pass	AV	12.05481G	46.06	54.00	-7.94	3	Vertical	79	2.09
6025MHz	Pass	PK	12.04831G	58.69	74.00	-15.31	3	Vertical	79	2.09
6025MHz	Pass	AV	12.05358G	46.06	54.00	-7.94	3	Horizontal	150	1.50
6025MHz	Pass	PK	12.04948G	58.71	74.00	-15.29	3	Horizontal	150	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	55.17	68.20	-13.03	3	Horizontal	327	2.30
6025MHz	Pass	AV	6.0225G	91.58	Inf	-Inf	3	Horizontal	327	2.30
6025MHz	Pass	PK	5.881G	70.82	88.20	-17.38	3	Horizontal	327	2.30
6025MHz	Pass	PK	6.0275G	104.93	Inf	-Inf	3	Horizontal	327	2.30
6025MHz	Pass	AV	12.05358G	46.12	54.00	-7.88	3	Vertical	304	1.50
6025MHz	Pass	PK	12.05476G	58.94	74.00	-15.06	3	Vertical	304	1.50
6025MHz	Pass	AV	12.05414G	46.06	54.00	-7.94	3	Horizontal	43	1.50
6025MHz	Pass	PK	12.05397G	58.16	74.00	-15.84	3	Horizontal	43	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.983G	87.37	Inf	-Inf	3	Horizontal	343	2.43
6985MHz	Pass	AV	7.1265G	52.92	68.20	-15.28	3	Horizontal	343	2.43
6985MHz	Pass	PK	6.988G	100.66	Inf	-Inf	3	Horizontal	343	2.43
6985MHz	Pass	PK	7.142G	73.49	88.20	-14.71	3	Horizontal	343	2.43
6985MHz	Pass	AV	13.97093G	48.88	68.20	-19.32	3	Vertical	62	1.50
6985MHz	Pass	PK	13.97213G	61.58	88.20	-26.62	3	Vertical	62	1.50
6985MHz	Pass	AV	13.97466G	48.80	68.20	-19.40	3	Horizontal	58	1.50
6985MHz	Pass	PK	13.96773G	60.90	88.20	-27.30	3	Horizontal	58	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.979G	87.40	Inf	-Inf	3	Horizontal	342	2.27
6985MHz	Pass	AV	7.135G	51.67	68.20	-16.53	3	Horizontal	342	2.27
6985MHz	Pass	PK	6.982G	100.08	Inf	-Inf	3	Horizontal	342	2.27
6985MHz	Pass	PK	7.138G	70.44	88.20	-17.76	3	Horizontal	342	2.27
6985MHz	Pass	AV	13.96718G	48.81	68.20	-19.39	3	Vertical	91	1.50
6985MHz	Pass	PK	13.97179G	60.98	88.20	-27.22	3	Vertical	91	1.50
6985MHz	Pass	AV	13.96757G	48.74	68.20	-19.46	3	Horizontal	87	2.69
6985MHz	Pass	PK	13.97061G	61.37	88.20	-26.83	3	Horizontal	87	2.69
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	61.15	68.20	-7.05	3	Horizontal	328	2.24
6105MHz	Pass	AV	6.103G	91.68	Inf	-Inf	3	Horizontal	328	2.24
6105MHz	Pass	PK	5.79G	77.03	88.20	-11.17	3	Horizontal	328	2.24
6105MHz	Pass	PK	6.118G	102.70	Inf	-Inf	3	Horizontal	328	2.24
6105MHz	Pass	AV	12.20591G	46.27	54.00	-7.73	3	Vertical	46	2.66
6105MHz	Pass	PK	12.20714G	58.17	74.00	-15.83	3	Vertical	46	2.66

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.20934G	46.33	54.00	-7.67	3	Horizontal	174	2.89
6105MHz	Pass	PK	12.20658G	58.19	74.00	-15.81	3	Horizontal	174	2.89
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	59.77	68.20	-8.43	3	Horizontal	328	2.48
6105MHz	Pass	AV	6.107G	91.39	Inf	-Inf	3	Horizontal	328	2.48
6105MHz	Pass	PK	5.922G	72.89	88.20	-15.31	3	Horizontal	328	2.48
6105MHz	Pass	PK	6.079G	102.66	Inf	-Inf	3	Horizontal	328	2.48
6105MHz	Pass	AV	12.20502G	46.14	54.00	-7.86	3	Vertical	45	2.77
6105MHz	Pass	PK	12.21473G	58.20	74.00	-15.80	3	Vertical	45	2.77
6105MHz	Pass	AV	12.20613G	46.20	54.00	-7.80	3	Horizontal	136	1.66
6105MHz	Pass	PK	12.21312G	58.16	74.00	-15.84	3	Horizontal	136	1.66
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	54.62	68.20	-13.58	3	Horizontal	330	2.46
6105MHz	Pass	AV	6.103G	88.89	Inf	-Inf	3	Horizontal	330	2.46
6105MHz	Pass	PK	5.912G	69.17	88.20	-19.03	3	Horizontal	330	2.46
6105MHz	Pass	PK	6.077G	101.57	Inf	-Inf	3	Horizontal	330	2.46
6105MHz	Pass	AV	12.20528G	46.21	54.00	-7.79	3	Vertical	90	2.21
6105MHz	Pass	PK	12.21079G	58.50	74.00	-15.50	3	Vertical	90	2.21
6105MHz	Pass	AV	12.20731G	46.27	54.00	-7.73	3	Horizontal	246	1.75
6105MHz	Pass	PK	12.20552G	58.41	74.00	-15.59	3	Horizontal	246	1.75
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.901G	86.53	Inf	-Inf	3	Horizontal	340	2.47
6905MHz	Pass	AV	7.25G	52.19	54.00	-1.81	3	Horizontal	340	2.47
6905MHz	Pass	PK	6.903G	100.27	Inf	-Inf	3	Horizontal	340	2.47
6905MHz	Pass	PK	7.257G	65.71	74.00	-8.29	3	Horizontal	340	2.47
6905MHz	Pass	AV	13.81432G	48.70	68.20	-19.50	3	Vertical	71	1.50
6905MHz	Pass	PK	13.81232G	61.21	88.20	-26.99	3	Vertical	71	1.50
6905MHz	Pass	AV	13.81388G	48.62	68.20	-19.58	3	Horizontal	64	1.50
6905MHz	Pass	PK	13.81127G	60.68	88.20	-27.52	3	Horizontal	64	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.907G	86.35	Inf	-Inf	3	Horizontal	341	2.48
6905MHz	Pass	AV	7.269G	52.39	54.00	-1.61	3	Horizontal	341	2.48
6905MHz	Pass	PK	6.915G	99.72	Inf	-Inf	3	Horizontal	341	2.48
6905MHz	Pass	PK	7.301G	67.90	74.00	-6.10	3	Horizontal	341	2.48
6905MHz	Pass	AV	13.81449G	48.62	68.20	-19.58	3	Vertical	113	1.50
6905MHz	Pass	PK	13.80998G	61.25	88.20	-26.95	3	Vertical	113	1.50
6905MHz	Pass	AV	13.81472G	48.71	68.20	-19.49	3	Horizontal	359	1.50
6905MHz	Pass	PK	13.80925G	61.38	88.20	-26.82	3	Horizontal	359	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_1TX(Port2)	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.908G	86.51	Inf	-Inf	3	Horizontal	338	2.96
6905MHz	Pass	AV	7.292G	51.61	54.00	-2.39	3	Horizontal	338	2.96
6905MHz	Pass	PK	6.907G	99.82	Inf	-Inf	3	Horizontal	338	2.96
6905MHz	Pass	PK	7.314G	64.90	74.00	-9.10	3	Horizontal	338	2.96
6905MHz	Pass	AV	13.8131G	48.69	68.20	-19.51	3	Vertical	177	1.50
6905MHz	Pass	PK	13.80619G	61.05	88.20	-27.15	3	Vertical	177	1.50
6905MHz	Pass	AV	13.81417G	48.70	68.20	-19.50	3	Horizontal	288	1.50
6905MHz	Pass	PK	13.80979G	61.09	88.20	-27.11	3	Horizontal	288	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX(Port2)

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_1TX(Port2)

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX(Port2)

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX(Port2)

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_1TX(Port2)

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port2)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port2)

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_1TX(Port2)

6905MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX(Port2)

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX(Port2)

7025MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX(Port2)

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX(Port2)

6985MHz_TX

