



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX(Port2)

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_1TX(Port2)

6985MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	AV	11.97954G	46.00	54.00	-8.00	3	Vertical	280	1.15
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	Pass	PK	5.8935G	82.35	88.20	-5.85	3	Vertical	141	2.78
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	Pass	AV	12.20156G	46.53	54.00	-7.47	3	Horizontal	107	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	Pass	AV	7.265G	53.90	54.00	-0.10	3	Vertical	11	2.86
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	AV	7.1252G	53.68	68.20	-14.52	3	Vertical	7	3.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX	Pass	AV	7.125G	63.47	68.20	-4.73	3	Vertical	12	3.00


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	55.38	68.20	-12.82	3	Vertical	135	2.77
5985MHz	Pass	AV	5.9865G	97.03	Inf	-Inf	3	Vertical	135	2.77
5985MHz	Pass	PK	5.9245G	72.61	88.20	-15.59	3	Vertical	135	2.77
5985MHz	Pass	PK	5.987G	107.98	Inf	-Inf	3	Vertical	135	2.77
5985MHz	Pass	AV	11.97954G	46.00	54.00	-8.00	3	Vertical	280	1.15
5985MHz	Pass	PK	11.97236G	58.31	74.00	-15.69	3	Vertical	280	1.15
5985MHz	Pass	AV	11.97276G	45.95	54.00	-8.05	3	Horizontal	14	1.50
5985MHz	Pass	PK	11.97158G	58.42	74.00	-15.58	3	Horizontal	14	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0232G	98.84	Inf	-Inf	3	Vertical	7	3.00
7025MHz	Pass	AV	7.1252G	53.68	68.20	-14.52	3	Vertical	7	3.00
7025MHz	Pass	PK	7.0235G	111.40	Inf	-Inf	3	Vertical	7	3.00
7025MHz	Pass	PK	7.1252G	67.25	88.20	-20.95	3	Vertical	7	3.00
7025MHz	Pass	AV	14.04741G	48.86	68.20	-19.34	3	Vertical	273	1.60
7025MHz	Pass	PK	14.05192G	60.68	88.20	-27.52	3	Vertical	273	1.60
7025MHz	Pass	AV	14.04668G	48.86	68.20	-19.34	3	Horizontal	15	1.78
7025MHz	Pass	PK	14.05092G	61.07	88.20	-27.13	3	Horizontal	15	1.78
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9215G	62.24	68.20	-5.96	3	Vertical	141	2.78
6025MHz	Pass	AV	6.0225G	97.75	Inf	-Inf	3	Vertical	141	2.78
6025MHz	Pass	PK	5.8935G	82.35	88.20	-5.85	3	Vertical	141	2.78
6025MHz	Pass	PK	6.0215G	109.56	Inf	-Inf	3	Vertical	141	2.78
6025MHz	Pass	AV	12.053G	46.24	54.00	-7.76	3	Vertical	227	1.50
6025MHz	Pass	PK	12.05088G	58.43	74.00	-15.57	3	Vertical	227	1.50
6025MHz	Pass	AV	12.05904G	46.16	54.00	-7.84	3	Horizontal	154	1.50
6025MHz	Pass	PK	12.04268G	58.48	74.00	-15.52	3	Horizontal	154	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.903G	60.61	68.20	-7.59	3	Vertical	138	2.77
6025MHz	Pass	AV	6.0235G	98.32	Inf	-Inf	3	Vertical	138	2.77
6025MHz	Pass	PK	5.8935G	77.66	88.20	-10.54	3	Vertical	138	2.77
6025MHz	Pass	PK	6.0235G	109.57	Inf	-Inf	3	Vertical	138	2.77
6025MHz	Pass	AV	12.05584G	46.19	54.00	-7.81	3	Vertical	78	1.50
6025MHz	Pass	PK	12.05664G	58.58	74.00	-15.42	3	Vertical	78	1.50
6025MHz	Pass	AV	12.05668G	46.26	54.00	-7.74	3	Horizontal	341	1.55
6025MHz	Pass	PK	12.05452G	57.92	74.00	-16.08	3	Horizontal	341	1.55
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_2TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.9865G	97.30	Inf	-Inf	3	Vertical	12	3.00
6985MHz	Pass	AV	7.125G	63.47	68.20	-4.73	3	Vertical	12	3.00
6985MHz	Pass	PK	7.0035G	108.06	Inf	-Inf	3	Vertical	12	3.00
6985MHz	Pass	PK	7.141G	81.52	88.20	-6.68	3	Vertical	12	3.00
6985MHz	Pass	AV	13.96823G	48.82	68.20	-19.38	3	Vertical	293	1.76
6985MHz	Pass	PK	13.96806G	60.68	88.20	-27.52	3	Vertical	293	1.76
6985MHz	Pass	AV	13.9717G	48.96	68.20	-19.24	3	Horizontal	218	2.05
6985MHz	Pass	PK	13.9708G	60.77	88.20	-27.43	3	Horizontal	218	2.05
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.9835G	98.08	Inf	-Inf	3	Vertical	8	2.95
6985MHz	Pass	AV	7.125G	60.13	68.20	-8.07	3	Vertical	8	2.95
6985MHz	Pass	PK	6.9835G	110.43	Inf	-Inf	3	Vertical	8	2.95
6985MHz	Pass	PK	7.1335G	76.93	88.20	-11.27	3	Vertical	8	2.95
6985MHz	Pass	AV	13.97976G	49.11	68.20	-19.09	3	Vertical	214	2.78
6985MHz	Pass	PK	13.96562G	61.08	88.20	-27.12	3	Vertical	214	2.78
6985MHz	Pass	AV	13.96038G	49.07	68.20	-19.13	3	Horizontal	2	1.50
6985MHz	Pass	PK	13.97026G	61.14	88.20	-27.06	3	Horizontal	2	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.863G	57.78	68.20	-10.42	3	Vertical	140	2.68
6105MHz	Pass	AV	6.103G	92.84	Inf	-Inf	3	Vertical	140	2.68
6105MHz	Pass	PK	5.829G	71.71	88.20	-16.49	3	Vertical	140	2.68
6105MHz	Pass	PK	5.963G	104.33	Inf	-Inf	3	Vertical	140	2.68
6105MHz	Pass	AV	12.20384G	46.41	54.00	-7.59	3	Vertical	359	1.50
6105MHz	Pass	PK	12.2008G	59.58	74.00	-14.42	3	Vertical	359	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	AV	12.20398G	46.41	54.00	-7.59	3	Horizontal	149	1.50
6105MHz	Pass	PK	12.20698G	58.74	74.00	-15.26	3	Horizontal	149	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.76G	58.33	68.20	-9.87	3	Vertical	138	2.81
6105MHz	Pass	AV	6.107G	93.05	Inf	-Inf	3	Vertical	138	2.81
6105MHz	Pass	PK	5.87G	73.29	88.20	-14.91	3	Vertical	138	2.81
6105MHz	Pass	PK	5.963G	104.78	Inf	-Inf	3	Vertical	138	2.81
6105MHz	Pass	AV	12.2003G	46.40	54.00	-7.60	3	Vertical	2	1.50
6105MHz	Pass	PK	12.20968G	59.18	74.00	-14.82	3	Vertical	2	1.50
6105MHz	Pass	AV	12.20404G	46.47	54.00	-7.53	3	Horizontal	123	1.42
6105MHz	Pass	PK	12.20062G	58.66	74.00	-15.34	3	Horizontal	123	1.42
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.901G	58.55	68.20	-9.65	3	Vertical	142	2.93
6105MHz	Pass	AV	6.102G	94.00	Inf	-Inf	3	Vertical	142	2.93
6105MHz	Pass	PK	5.896G	70.68	88.20	-17.52	3	Vertical	142	2.93
6105MHz	Pass	PK	6.1G	104.51	Inf	-Inf	3	Vertical	142	2.93
6105MHz	Pass	AV	12.20054G	46.40	54.00	-7.60	3	Vertical	273	1.17
6105MHz	Pass	PK	12.20724G	59.50	74.00	-14.50	3	Vertical	273	1.17
6105MHz	Pass	AV	12.20156G	46.53	54.00	-7.47	3	Horizontal	107	1.50
6105MHz	Pass	PK	12.20288G	58.78	74.00	-15.22	3	Horizontal	107	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_2TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.903G	92.68	Inf	-Inf	3	Vertical	7	2.86
6905MHz	Pass	AV	7.281G	53.39	54.00	-0.61	3	Vertical	7	2.86
6905MHz	Pass	PK	6.903G	103.50	Inf	-Inf	3	Vertical	7	2.86
6905MHz	Pass	PK	7.284G	65.67	74.00	-8.33	3	Vertical	7	2.86
6905MHz	Pass	AV	13.80258G	48.70	68.20	-19.50	3	Vertical	149	3.00
6905MHz	Pass	PK	13.8132G	61.35	88.20	-26.85	3	Vertical	149	3.00
6905MHz	Pass	AV	13.80096G	48.68	68.20	-19.52	3	Horizontal	101	1.50
6905MHz	Pass	PK	13.8074G	60.68	88.20	-27.52	3	Horizontal	101	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.907G	92.67	Inf	-Inf	3	Vertical	11	2.86
6905MHz	Pass	AV	7.265G	53.90	54.00	-0.10	3	Vertical	11	2.86
6905MHz	Pass	PK	7.005G	103.23	Inf	-Inf	3	Vertical	11	2.86
6905MHz	Pass	PK	7.264G	66.92	74.00	-7.08	3	Vertical	11	2.86
6905MHz	Pass	AV	13.81312G	48.69	68.20	-19.51	3	Vertical	129	1.50
6905MHz	Pass	PK	13.80382G	60.99	88.20	-27.21	3	Vertical	129	1.50
6905MHz	Pass	AV	13.81338G	48.70	68.20	-19.50	3	Horizontal	294	1.50
6905MHz	Pass	PK	13.80906G	60.93	88.20	-27.27	3	Horizontal	294	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_2TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.903G	93.37	Inf	-Inf	3	Vertical	7	2.85
6905MHz	Pass	AV	7.264G	53.21	54.00	-0.79	3	Vertical	7	2.85
6905MHz	Pass	PK	6.901G	105.04	Inf	-Inf	3	Vertical	7	2.85
6905MHz	Pass	PK	7.349G	65.36	74.00	-8.64	3	Vertical	7	2.85
6905MHz	Pass	AV	13.80922G	48.75	68.20	-19.45	3	Vertical	184	1.50
6905MHz	Pass	PK	13.8085G	60.72	88.20	-27.48	3	Vertical	184	1.50
6905MHz	Pass	AV	13.8181G	48.65	68.20	-19.55	3	Horizontal	292	1.50
6905MHz	Pass	PK	13.80944G	60.59	88.20	-27.61	3	Horizontal	292	1.50


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_2TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	7.0232G	98.84	Inf	-Inf	89.16	3	Vertical	7	3.00	13	35.75	8.83	34.90
AV	7.1252G	53.68	68.20	-14.52	43.48	3	Vertical	7	3.00	13	36.30	8.79	34.89
PK	7.0235G	111.40	Inf	-Inf	101.72	3	Vertical	7	3.00	13	35.75	8.83	34.90
PK	7.1252G	67.25	88.20	-20.95	57.05	3	Vertical	7	3.00	13	36.30	8.79	34.89

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	14.04741G	48.86	68.20	-19.34	29.88	3	Vertical	273	1.60	-	40.40	12.11	33.53
PK	14.05192G	60.68	88.20	-27.52	41.70	3	Vertical	273	1.60	-	40.41	12.11	33.54


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_2TX

6985MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	PK	730.34M	39.05	46.00	-6.95	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6185MHz_PoE	Pass	PK	30M	32.12	40.00	-7.88	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	216.24M	26.49	46.00	-19.51	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	220.12M	26.14	46.00	-19.86	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	501.42M	23.33	46.00	-22.67	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	740.04M	27.11	46.00	-18.89	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	840.92M	30.96	46.00	-15.04	3	Vertical	360	1.00
6185MHz_PoE	Pass	PK	31.94M	28.26	40.00	-11.74	3	Horizontal	0	1.00
6185MHz_PoE	Pass	PK	218.18M	29.35	46.00	-16.65	3	Horizontal	0	1.00
6185MHz_PoE	Pass	PK	220.12M	28.75	46.00	-17.25	3	Horizontal	0	1.00
6185MHz_PoE	Pass	PK	419.94M	22.71	46.00	-23.29	3	Horizontal	0	1.00
6185MHz_PoE	Pass	PK	730.34M	39.05	46.00	-6.95	3	Horizontal	0	1.00
6185MHz_PoE	Pass	PK	840.92M	31.35	46.00	-14.65	3	Horizontal	0	1.00

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6185MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	32.12	40.00	-7.88	-13.38	3	Vertical	360	1.00	45.50	23.26	0.61	37.25
PK	216.24M	26.49	46.00	-19.51	-20.71	3	Vertical	360	1.00	47.20	13.81	1.72	36.24
PK	220.12M	26.14	46.00	-19.86	-20.26	3	Vertical	360	1.00	46.40	14.24	1.74	36.24
PK	501.42M	23.33	46.00	-22.67	-11.31	3	Vertical	360	1.00	34.64	22.84	2.78	36.93
PK	740.04M	27.11	46.00	-18.89	-7.13	3	Vertical	360	1.00	34.24	26.79	3.44	37.36
PK	840.92M	30.96	46.00	-15.04	-5.61	3	Vertical	360	1.00	36.57	28.09	3.75	37.45

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	28.26	40.00	-11.74	-14.06	3	Horizontal	0	1.00	42.32	22.53	0.63	37.22
PK	218.18M	29.35	46.00	-16.65	-20.49	3	Horizontal	0	1.00	49.84	14.02	1.73	36.24
PK	220.12M	28.75	46.00	-17.25	-20.26	3	Horizontal	0	1.00	49.01	14.24	1.74	36.24
PK	419.94M	22.71	46.00	-23.29	-12.74	3	Horizontal	0	1.00	35.45	21.43	2.47	36.64
PK	730.34M	39.05	46.00	-6.95	-7.43	3	Horizontal	0	1.00	46.48	26.50	3.41	37.34
PK	840.92M	31.35	46.00	-14.65	-5.61	3	Horizontal	0	1.00	36.96	28.09	3.75	37.45



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	12.38116G	45.87	54.00	-8.13	3	Horizontal	137	1.50
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.9248G	65.70	68.20	-2.50	3	Horizontal	330	1.50
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.9245G	68.15	68.20	-0.05	3	Horizontal	331	1.28
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	5.9245G	67.84	68.20	-0.36	3	Horizontal	332	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	12.8702G	47.44	68.20	-20.76	3	Vertical	24	1.50
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	12.89618G	47.67	68.20	-20.53	3	Vertical	209	2.06
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	12.92574G	47.73	68.20	-20.47	3	Vertical	261	1.50
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	13.01912G	47.11	68.20	-21.09	3	Vertical	201	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	13.397G	48.00	54.00	-6.00	3	Vertical	294	2.16
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	13.3613G	48.22	54.00	-5.78	3	Horizontal	177	2.61
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	13.25822G	47.48	54.00	-6.52	3	Vertical	37	1.30
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	13.33892G	48.32	54.00	-5.68	3	Horizontal	32	1.56
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	7.1255G	67.46	68.20	-0.74	3	Horizontal	28	2.03
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	7.1252G	65.92	68.20	-2.28	3	Horizontal	328	1.68
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	7.1252G	56.95	68.20	-11.25	3	Horizontal	324	1.80
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	AV	7.125G	63.63	68.20	-4.57	3	Horizontal	328	1.80

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9249G	51.44	68.20	-16.76	3	Horizontal	31	2.29
5955MHz	Pass	AV	5.9541G	98.23	Inf	-Inf	3	Horizontal	31	2.29
5955MHz	Pass	PK	5.9245G	62.58	88.20	-25.62	3	Horizontal	31	2.29
5955MHz	Pass	PK	5.9542G	110.17	Inf	-Inf	3	Horizontal	31	2.29
5955MHz	Pass	AV	11.91808G	45.23	54.00	-8.77	3	Vertical	296	1.50
5955MHz	Pass	PK	11.90246G	57.37	74.00	-16.63	3	Vertical	296	1.50
5955MHz	Pass	AV	11.91878G	45.35	54.00	-8.65	3	Horizontal	323	2.44
5955MHz	Pass	PK	11.91998G	57.49	74.00	-16.51	3	Horizontal	323	2.44
6195MHz	Pass	AV	12.38144G	45.81	54.00	-8.19	3	Vertical	155	1.50
6195MHz	Pass	PK	12.39372G	58.23	74.00	-15.77	3	Vertical	155	1.50
6195MHz	Pass	AV	12.38116G	45.87	54.00	-8.13	3	Horizontal	137	1.50
6195MHz	Pass	PK	12.38382G	58.01	74.00	-15.99	3	Horizontal	137	1.50
6415MHz	Pass	AV	12.83476G	47.55	68.20	-20.65	3	Vertical	317	1.50
6415MHz	Pass	PK	12.83818G	59.16	88.20	-29.04	3	Vertical	317	1.50
6415MHz	Pass	AV	12.83204G	47.53	68.20	-20.67	3	Horizontal	151	2.73
6415MHz	Pass	PK	12.83572G	58.93	88.20	-29.27	3	Horizontal	151	2.73
6435MHz	Pass	AV	12.8702G	47.44	68.20	-20.76	3	Vertical	24	1.50
6435MHz	Pass	PK	12.87204G	59.25	88.20	-28.95	3	Vertical	24	1.50
6435MHz	Pass	AV	12.87866G	47.38	68.20	-20.82	3	Horizontal	189	1.35
6435MHz	Pass	PK	12.8648G	59.97	88.20	-28.23	3	Horizontal	189	1.35
6475MHz	Pass	AV	12.94636G	47.18	68.20	-21.02	3	Vertical	317	2.08
6475MHz	Pass	PK	12.9478G	59.62	88.20	-28.58	3	Vertical	317	2.08
6475MHz	Pass	AV	12.9425G	47.28	68.20	-20.92	3	Horizontal	1	1.50
6475MHz	Pass	PK	12.95112G	60.73	88.20	-27.47	3	Horizontal	1	1.50
6515MHz	Pass	AV	13.02934G	46.96	68.20	-21.24	3	Vertical	359	1.50
6515MHz	Pass	PK	13.03374G	59.01	88.20	-29.19	3	Vertical	359	1.50
6515MHz	Pass	AV	13.02848G	46.97	68.20	-21.23	3	Horizontal	129	1.50
6515MHz	Pass	PK	13.03808G	58.93	88.20	-29.27	3	Horizontal	129	1.50
6535MHz	Pass	AV	13.06314G	47.06	68.20	-21.14	3	Vertical	97	1.20
6535MHz	Pass	PK	13.07556G	59.52	88.20	-28.68	3	Vertical	97	1.20
6535MHz	Pass	AV	13.07584G	47.11	68.20	-21.09	3	Horizontal	38	1.50
6535MHz	Pass	PK	13.0755G	59.74	88.20	-28.46	3	Horizontal	38	1.50
6695MHz	Pass	AV	13.397G	48.00	54.00	-6.00	3	Vertical	294	2.16
6695MHz	Pass	PK	13.39408G	60.16	74.00	-13.84	3	Vertical	294	2.16
6695MHz	Pass	AV	13.39G	47.97	54.00	-6.03	3	Horizontal	194	1.53
6695MHz	Pass	PK	13.38858G	60.66	74.00	-13.34	3	Horizontal	194	1.53
6875MHz	Pass	AV	13.7462G	48.52	68.20	-19.68	3	Vertical	38	1.50
6875MHz	Pass	PK	13.74846G	60.76	88.20	-27.44	3	Vertical	38	1.50
6875MHz	Pass	AV	13.74564G	48.44	68.20	-19.76	3	Horizontal	332	1.50
6875MHz	Pass	PK	13.74738G	60.87	88.20	-27.33	3	Horizontal	332	1.50
6895MHz	Pass	AV	13.7812G	48.54	68.20	-19.66	3	Vertical	329	1.50
6895MHz	Pass	PK	13.79444G	61.58	88.20	-26.62	3	Vertical	329	1.50
6895MHz	Pass	AV	13.79768G	48.57	68.20	-19.63	3	Horizontal	208	2.07
6895MHz	Pass	PK	13.78242G	61.15	88.20	-27.05	3	Horizontal	208	2.07
6995MHz	Pass	AV	13.99644G	48.94	68.20	-19.26	3	Vertical	137	1.50
6995MHz	Pass	PK	13.98792G	60.83	88.20	-27.37	3	Vertical	137	1.50
6995MHz	Pass	AV	13.99084G	49.10	68.20	-19.10	3	Horizontal	200	1.08
6995MHz	Pass	PK	13.98654G	61.55	88.20	-26.65	3	Horizontal	200	1.08
7095MHz	Pass	AV	7.0941G	99.35	Inf	-Inf	3	Horizontal	327	1.86
7095MHz	Pass	AV	7.2432G	53.22	68.20	-14.98	3	Horizontal	327	1.86
7095MHz	Pass	PK	7.0941G	111.32	Inf	-Inf	3	Horizontal	327	1.86
7095MHz	Pass	PK	7.1358G	65.59	88.20	-22.61	3	Horizontal	327	1.86
7095MHz	Pass	AV	14.19234G	49.12	68.20	-19.08	3	Vertical	228	1.50
7095MHz	Pass	PK	14.19168G	61.43	88.20	-26.77	3	Vertical	228	1.50
7095MHz	Pass	AV	14.19472G	49.06	68.20	-19.14	3	Horizontal	30	1.50
7095MHz	Pass	PK	14.18346G	61.18	88.20	-27.02	3	Horizontal	30	1.50
7115MHz	Pass	AV	7.1135G	97.57	Inf	-Inf	3	Horizontal	28	2.03
7115MHz	Pass	AV	7.1255G	67.46	68.20	-0.74	3	Horizontal	28	2.03
7115MHz	Pass	PK	7.1135G	103.67	Inf	-Inf	3	Horizontal	28	2.03
7115MHz	Pass	PK	7.1255G	76.26	88.20	-11.94	3	Horizontal	28	2.03


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22152G	48.89	68.20	-19.31	3	Vertical	302	1.50
7115MHz	Pass	PK	14.22514G	61.19	88.20	-27.01	3	Vertical	302	1.50
7115MHz	Pass	AV	14.2371G	48.82	68.20	-19.38	3	Horizontal	216	1.50
7115MHz	Pass	PK	14.23572G	60.87	88.20	-27.33	3	Horizontal	216	1.50
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	65.70	68.20	-2.50	3	Horizontal	330	1.50
5965MHz	Pass	AV	5.9659G	99.18	Inf	-Inf	3	Horizontal	330	1.50
5965MHz	Pass	PK	5.9224G	78.33	88.20	-9.87	3	Horizontal	330	1.50
5965MHz	Pass	PK	5.9641G	110.65	Inf	-Inf	3	Horizontal	330	1.50
5965MHz	Pass	AV	11.92882G	45.87	54.00	-8.13	3	Vertical	357	1.50
5965MHz	Pass	PK	11.92284G	57.97	74.00	-16.03	3	Vertical	357	1.50
5965MHz	Pass	AV	11.93716G	45.86	54.00	-8.14	3	Horizontal	223	2.44
5965MHz	Pass	PK	11.93456G	58.34	74.00	-15.66	3	Horizontal	223	2.44
6205MHz	Pass	AV	12.41626G	46.07	54.00	-7.93	3	Vertical	320	1.50
6205MHz	Pass	PK	12.41392G	58.51	74.00	-15.49	3	Vertical	320	1.50
6205MHz	Pass	AV	12.41162G	46.10	54.00	-7.90	3	Horizontal	11	1.50
6205MHz	Pass	PK	12.41604G	58.15	74.00	-15.85	3	Horizontal	11	1.50
6405MHz	Pass	AV	12.81492G	47.27	68.20	-20.93	3	Vertical	239	2.22
6405MHz	Pass	PK	12.80956G	59.09	88.20	-29.11	3	Vertical	239	2.22
6405MHz	Pass	AV	12.81888G	47.22	68.20	-20.98	3	Horizontal	24	1.50
6405MHz	Pass	PK	12.80618G	59.14	88.20	-29.06	3	Horizontal	24	1.50
6445MHz	Pass	AV	12.89618G	47.67	68.20	-20.53	3	Vertical	209	2.06
6445MHz	Pass	PK	12.89958G	60.53	88.20	-27.67	3	Vertical	209	2.06
6445MHz	Pass	AV	12.88202G	47.66	68.20	-20.54	3	Horizontal	56	2.37
6445MHz	Pass	PK	12.89912G	60.49	88.20	-27.71	3	Horizontal	56	2.37
6485MHz	Pass	AV	12.96686G	47.51	68.20	-20.69	3	Vertical	325	3.00
6485MHz	Pass	PK	12.96188G	60.58	88.20	-27.62	3	Vertical	325	3.00
6485MHz	Pass	AV	12.97864G	47.45	68.20	-20.75	3	Horizontal	109	1.00
6485MHz	Pass	PK	12.97582G	59.70	88.20	-28.50	3	Horizontal	109	1.00
6525MHz	Pass	AV	13.0568G	47.15	68.20	-21.05	3	Vertical	223	1.21
6525MHz	Pass	PK	13.05748G	59.02	88.20	-29.18	3	Vertical	223	1.21
6525MHz	Pass	AV	13.04362G	47.16	68.20	-21.04	3	Horizontal	88	1.50
6525MHz	Pass	PK	13.04032G	59.58	88.20	-28.62	3	Horizontal	88	1.50
6565MHz	Pass	AV	13.13952G	47.57	68.20	-20.63	3	Vertical	4	1.50
6565MHz	Pass	PK	13.12686G	59.67	88.20	-28.53	3	Vertical	4	1.50
6565MHz	Pass	AV	13.1379G	47.53	68.20	-20.67	3	Horizontal	229	1.50
6565MHz	Pass	PK	13.12868G	59.60	88.20	-28.60	3	Horizontal	229	1.50
6685MHz	Pass	AV	13.3644G	48.20	54.00	-5.80	3	Vertical	269	1.50
6685MHz	Pass	PK	13.37904G	61.31	74.00	-12.69	3	Vertical	269	1.50
6685MHz	Pass	AV	13.3613G	48.22	54.00	-5.78	3	Horizontal	177	2.61
6685MHz	Pass	PK	13.37136G	60.62	74.00	-13.38	3	Horizontal	177	2.61
6885MHz	Pass	AV	13.76816G	48.68	68.20	-19.52	3	Vertical	119	2.20
6885MHz	Pass	PK	13.76184G	61.21	88.20	-26.99	3	Vertical	119	2.20
6885MHz	Pass	AV	13.77442G	48.75	68.20	-19.45	3	Horizontal	249	1.50
6885MHz	Pass	PK	13.77198G	61.24	88.20	-26.96	3	Horizontal	249	1.50
6925MHz	Pass	AV	13.84952G	49.09	68.20	-19.11	3	Vertical	0	2.42
6925MHz	Pass	PK	13.85048G	60.76	88.20	-27.44	3	Vertical	0	2.42
6925MHz	Pass	AV	13.85262G	49.03	68.20	-19.17	3	Horizontal	213	2.48
6925MHz	Pass	PK	13.85196G	61.46	88.20	-26.74	3	Horizontal	213	2.48
7005MHz	Pass	AV	14.00628G	49.06	68.20	-19.14	3	Vertical	302	1.50
7005MHz	Pass	PK	14.0071G	61.53	88.20	-26.67	3	Vertical	302	1.50
7005MHz	Pass	AV	14.00388G	49.06	68.20	-19.14	3	Horizontal	150	1.48
7005MHz	Pass	PK	14.0049G	61.43	88.20	-26.77	3	Horizontal	150	1.48
7085MHz	Pass	AV	7.0838G	99.04	Inf	-Inf	3	Horizontal	328	1.68
7085MHz	Pass	AV	7.1252G	65.92	68.20	-2.28	3	Horizontal	328	1.68
7085MHz	Pass	PK	7.0826G	109.91	Inf	-Inf	3	Horizontal	328	1.68
7085MHz	Pass	PK	7.1294G	78.04	88.20	-10.16	3	Horizontal	328	1.68
7085MHz	Pass	AV	14.1635G	49.22	68.20	-18.98	3	Vertical	323	1.50
7085MHz	Pass	PK	14.17064G	62.09	88.20	-26.11	3	Vertical	323	1.50
7085MHz	Pass	AV	14.1619G	49.22	68.20	-18.98	3	Horizontal	31	2.28
7085MHz	Pass	PK	14.16524G	61.65	88.20	-26.55	3	Horizontal	31	2.28
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.9245G	68.15	68.20	-0.05	3	Horizontal	331	1.28
5985MHz	Pass	AV	5.9865G	96.53	Inf	-Inf	3	Horizontal	331	1.28
5985MHz	Pass	PK	5.925G	80.56	88.20	-7.64	3	Horizontal	331	1.28
5985MHz	Pass	PK	5.981G	108.12	Inf	-Inf	3	Horizontal	331	1.28
5985MHz	Pass	AV	11.97872G	46.10	54.00	-7.90	3	Vertical	98	1.50
5985MHz	Pass	PK	11.97216G	58.43	74.00	-15.57	3	Vertical	98	1.50
5985MHz	Pass	AV	11.9765G	46.15	54.00	-7.85	3	Horizontal	278	1.50
5985MHz	Pass	PK	11.96722G	57.70	74.00	-16.30	3	Horizontal	278	1.50
6225MHz	Pass	AV	12.4511G	46.50	54.00	-7.50	3	Vertical	344	1.50
6225MHz	Pass	PK	12.4466G	58.40	74.00	-15.60	3	Vertical	344	1.50
6225MHz	Pass	AV	12.4576G	46.48	54.00	-7.52	3	Horizontal	25	1.63
6225MHz	Pass	PK	12.45126G	59.11	74.00	-14.89	3	Horizontal	25	1.63
6385MHz	Pass	AV	12.77134G	47.09	68.20	-21.11	3	Vertical	0	1.50
6385MHz	Pass	PK	12.77698G	59.05	88.20	-29.15	3	Vertical	0	1.50
6385MHz	Pass	AV	12.77644G	47.01	68.20	-21.19	3	Horizontal	359	1.50
6385MHz	Pass	PK	12.76898G	59.80	88.20	-28.40	3	Horizontal	359	1.50
6465MHz	Pass	AV	12.92574G	47.73	68.20	-20.47	3	Vertical	261	1.50
6465MHz	Pass	PK	12.93866G	59.83	88.20	-28.37	3	Vertical	261	1.50
6465MHz	Pass	AV	12.92026G	47.63	68.20	-20.57	3	Horizontal	346	1.50
6465MHz	Pass	PK	12.9257G	60.18	88.20	-28.02	3	Horizontal	346	1.50
6545MHz	Pass	AV	13.09242G	47.31	68.20	-20.89	3	Vertical	1	1.50
6545MHz	Pass	PK	13.09114G	59.89	88.20	-28.31	3	Vertical	1	1.50
6545MHz	Pass	AV	13.08612G	47.29	68.20	-20.91	3	Horizontal	193	1.50
6545MHz	Pass	PK	13.0948G	60.06	88.20	-28.14	3	Horizontal	193	1.50
6625MHz	Pass	AV	13.25822G	47.48	54.00	-6.52	3	Vertical	37	1.30
6625MHz	Pass	PK	13.25506G	60.46	74.00	-13.54	3	Vertical	37	1.30
6625MHz	Pass	AV	13.2402G	47.51	68.20	-20.69	3	Horizontal	332	1.50
6625MHz	Pass	PK	13.2464G	60.15	88.20	-28.05	3	Horizontal	332	1.50
6705MHz	Pass	AV	13.41586G	48.31	68.20	-19.89	3	Vertical	355	1.50
6705MHz	Pass	PK	13.41776G	60.44	88.20	-27.76	3	Vertical	355	1.50
6705MHz	Pass	AV	13.41844G	48.26	68.20	-19.94	3	Horizontal	58	1.36
6705MHz	Pass	PK	13.41194G	60.77	88.20	-27.43	3	Horizontal	58	1.36
6785MHz	Pass	AV	13.56736G	49.12	68.20	-19.08	3	Vertical	229	1.50
6785MHz	Pass	PK	13.56642G	60.84	88.20	-27.36	3	Vertical	229	1.50
6785MHz	Pass	AV	13.56402G	49.15	68.20	-19.05	3	Horizontal	195	1.50
6785MHz	Pass	PK	13.57872G	61.87	88.20	-26.33	3	Horizontal	195	1.50
6865MHz	Pass	AV	13.7261G	48.71	68.20	-19.49	3	Vertical	235	1.50
6865MHz	Pass	PK	13.72166G	60.88	88.20	-27.32	3	Vertical	235	1.50
6865MHz	Pass	AV	13.72936G	48.68	68.20	-19.52	3	Horizontal	140	1.50
6865MHz	Pass	PK	13.73944G	60.94	88.20	-27.26	3	Horizontal	140	1.50
6945MHz	Pass	AV	13.8953G	49.49	68.20	-18.71	3	Vertical	116	1.50
6945MHz	Pass	PK	13.88866G	61.35	88.20	-26.85	3	Vertical	116	1.50
6945MHz	Pass	AV	13.89546G	49.49	68.20	-18.71	3	Horizontal	283	1.50
6945MHz	Pass	PK	13.89168G	61.29	88.20	-26.91	3	Horizontal	283	1.50
7025MHz	Pass	AV	7.0262G	97.45	Inf	-Inf	3	Horizontal	324	1.80
7025MHz	Pass	AV	7.1252G	56.95	68.20	-11.25	3	Horizontal	324	1.80
7025MHz	Pass	PK	7.0244G	108.79	Inf	-Inf	3	Horizontal	324	1.80
7025MHz	Pass	PK	7.1264G	68.22	88.20	-19.98	3	Horizontal	324	1.80
7025MHz	Pass	AV	14.05248G	49.03	68.20	-19.17	3	Vertical	220	1.50
7025MHz	Pass	PK	14.05252G	60.93	88.20	-27.27	3	Vertical	220	1.50
7025MHz	Pass	AV	14.05906G	49.05	68.20	-19.15	3	Horizontal	70	1.75
7025MHz	Pass	PK	14.04104G	61.04	88.20	-27.16	3	Horizontal	70	1.75
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	67.84	68.20	-0.36	3	Horizontal	332	1.50
6025MHz	Pass	AV	6.023G	93.59	Inf	-Inf	3	Horizontal	332	1.50
6025MHz	Pass	PK	5.8985G	79.88	88.20	-8.32	3	Horizontal	332	1.50
6025MHz	Pass	PK	6.023G	105.65	Inf	-Inf	3	Horizontal	332	1.50
6025MHz	Pass	AV	12.05954G	46.61	54.00	-7.39	3	Vertical	118	1.17
6025MHz	Pass	PK	12.04276G	58.62	74.00	-15.38	3	Vertical	118	1.17
6025MHz	Pass	AV	12.05954G	46.56	54.00	-7.44	3	Horizontal	358	1.50
6025MHz	Pass	PK	12.0429G	58.52	74.00	-15.48	3	Horizontal	358	1.50
6185MHz	Pass	AV	12.3609G	46.48	54.00	-7.52	3	Vertical	60	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.36922G	58.78	74.00	-15.22	3	Vertical	60	1.50
6185MHz	Pass	AV	12.3601G	46.48	54.00	-7.52	3	Horizontal	100	2.65
6185MHz	Pass	PK	12.36134G	59.24	74.00	-14.76	3	Horizontal	100	2.65
6345MHz	Pass	AV	12.69492G	47.18	54.00	-6.82	3	Vertical	4	1.50
6345MHz	Pass	PK	12.69142G	60.04	74.00	-13.96	3	Vertical	4	1.50
6345MHz	Pass	AV	12.68154G	47.14	54.00	-6.86	3	Horizontal	174	1.50
6345MHz	Pass	PK	12.69108G	59.38	74.00	-14.62	3	Horizontal	174	1.50
6505MHz	Pass	AV	13.01912G	47.11	68.20	-21.09	3	Vertical	201	1.50
6505MHz	Pass	PK	13.00232G	59.68	88.20	-28.52	3	Vertical	201	1.50
6505MHz	Pass	AV	13.00868G	47.09	68.20	-21.11	3	Horizontal	25	1.50
6505MHz	Pass	PK	13.0149G	60.12	88.20	-28.08	3	Horizontal	25	1.50
6665MHz	Pass	AV	13.33876G	48.25	54.00	-5.75	3	Vertical	306	2.13
6665MHz	Pass	PK	13.33566G	61.11	74.00	-12.89	3	Vertical	306	2.13
6665MHz	Pass	AV	13.33892G	48.32	54.00	-5.68	3	Horizontal	32	1.56
6665MHz	Pass	PK	13.33244G	60.57	74.00	-13.43	3	Horizontal	32	1.56
6825MHz	Pass	AV	13.64666G	48.66	68.20	-19.54	3	Vertical	329	2.92
6825MHz	Pass	PK	13.65438G	60.70	88.20	-27.50	3	Vertical	329	2.92
6825MHz	Pass	AV	13.6533G	48.55	68.20	-19.65	3	Horizontal	84	1.50
6825MHz	Pass	PK	13.65278G	60.87	88.20	-27.33	3	Horizontal	84	1.50
6985MHz	Pass	AV	6.9875G	94.13	Inf	-Inf	3	Horizontal	328	1.80
6985MHz	Pass	AV	7.125G	63.63	68.20	-4.57	3	Horizontal	328	1.80
6985MHz	Pass	PK	6.9965G	106.04	Inf	-Inf	3	Horizontal	328	1.80
6985MHz	Pass	PK	7.1385G	75.47	88.20	-12.73	3	Horizontal	328	1.80
6985MHz	Pass	AV	13.97764G	49.14	68.20	-19.06	3	Vertical	358	1.50
6985MHz	Pass	PK	13.97906G	61.79	88.20	-26.41	3	Vertical	358	1.50
6985MHz	Pass	AV	13.96406G	49.10	68.20	-19.10	3	Horizontal	197	1.50
6985MHz	Pass	PK	13.96182G	61.30	88.20	-26.90	3	Horizontal	197	1.50


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	67.84	68.20	-0.36	7.21	3	Horizontal	332	1.50	60.63	34.00	8.33	35.12
AV	6.023G	93.59	Inf	-Inf	7.31	3	Horizontal	332	1.50	86.28	34.00	8.39	35.08
PK	5.8985G	79.88	88.20	-8.32	7.18	3	Horizontal	332	1.50	72.70	34.00	8.31	35.13
PK	6.023G	105.65	Inf	-Inf	7.31	3	Horizontal	332	1.50	98.34	34.00	8.39	35.08

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05954G	46.61	54.00	-7.39	15.00	3	Vertical	118	1.17	31.61	38.72	11.63	35.35
PK	12.04276G	58.62	74.00	-15.38	14.96	3	Vertical	118	1.17	43.66	38.69	11.63	35.36


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TX




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TX




6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz_TX




6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




6.875-7.125GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

7115MHz_TX




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TX




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.90652G	45.01	54.00	-8.99	3	Vertical	335	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.41414G	44.94	54.00	-9.06	3	Vertical	355	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.45474G	45.49	54.00	-8.51	3	Vertical	123	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.68566G	46.90	54.00	-7.10	3	Vertical	73	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.86G	65.48	68.20	-2.72	3	Vertical	191	1.85
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.86553G	46.57	68.20	-21.63	3	Horizontal	355	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.96507G	46.23	68.20	-21.97	3	Vertical	162	1.44
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.92578G	46.29	68.20	-21.91	3	Vertical	293	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.01538G	47.15	68.20	-21.05	3	Horizontal	162	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	13.16908G	47.63	68.20	-20.57	3	Vertical	306	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38537G	46.71	54.00	-7.29	3	Vertical	175	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.36555G	46.74	54.00	-7.26	3	Vertical	328	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.25353G	45.95	54.00	-8.05	3	Vertical	115	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.33934G	48.22	54.00	-5.78	3	Vertical	256	1.55
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	7.291G	52.23	54.00	-1.77	3	Vertical	12	2.46
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.61	68.20	-0.59	3	Vertical	10	2.77
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	7.1252G	75.36	88.20	-12.84	3	Vertical	13	2.80
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	53.01	68.20	-15.19	3	Vertical	9	2.91
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1305G	65.56	68.20	-2.64	3	Vertical	324	2.43

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9193G	50.68	68.20	-17.52	3	Vertical	137	2.96
5955MHz	Pass	AV	5.9541G	99.56	Inf	-Inf	3	Vertical	137	2.96
5955MHz	Pass	PK	5.8548G	62.75	88.20	-25.45	3	Vertical	137	2.96
5955MHz	Pass	PK	5.9532G	110.08	Inf	-Inf	3	Vertical	137	2.96
5955MHz	Pass	AV	5.9007G	50.57	68.20	-17.63	3	Horizontal	177	3.00
5955MHz	Pass	AV	5.9544G	93.22	Inf	-Inf	3	Horizontal	177	3.00
5955MHz	Pass	PK	5.8134G	62.52	88.20	-25.68	3	Horizontal	177	3.00
5955MHz	Pass	PK	5.9541G	103.94	Inf	-Inf	3	Horizontal	177	3.00
5955MHz	Pass	AV	11.90652G	45.01	54.00	-8.99	3	Vertical	335	1.50
5955MHz	Pass	PK	11.91385G	57.61	74.00	-16.39	3	Vertical	335	1.50
5955MHz	Pass	AV	11.91157G	44.94	54.00	-9.06	3	Horizontal	254	1.50
5955MHz	Pass	PK	11.90598G	57.47	74.00	-16.53	3	Horizontal	254	1.50
6195MHz	Pass	AV	12.39125G	44.92	54.00	-9.08	3	Vertical	237	1.50
6195MHz	Pass	PK	12.39316G	57.20	74.00	-16.80	3	Vertical	237	1.50
6195MHz	Pass	AV	12.39061G	44.92	54.00	-9.08	3	Horizontal	18	2.25
6195MHz	Pass	PK	12.39244G	57.30	74.00	-16.70	3	Horizontal	18	2.25
6415MHz	Pass	AV	12.82709G	46.65	68.20	-21.55	3	Vertical	194	1.50
6415MHz	Pass	PK	12.82915G	59.07	88.20	-29.13	3	Vertical	194	1.50
6415MHz	Pass	AV	12.83319G	46.70	68.20	-21.50	3	Horizontal	44	1.50
6415MHz	Pass	PK	12.83276G	58.99	88.20	-29.21	3	Horizontal	44	1.50
6435MHz	Pass	AV	12.86501G	46.42	68.20	-21.78	3	Vertical	137	2.60
6435MHz	Pass	PK	12.86878G	59.02	88.20	-29.18	3	Vertical	137	2.60
6435MHz	Pass	AV	12.86553G	46.57	68.20	-21.63	3	Horizontal	355	1.50
6435MHz	Pass	PK	12.87235G	58.41	88.20	-29.79	3	Horizontal	355	1.50
6475MHz	Pass	AV	12.94934G	46.37	68.20	-21.83	3	Vertical	126	1.50
6475MHz	Pass	PK	12.94759G	58.89	88.20	-29.31	3	Vertical	126	1.50
6475MHz	Pass	AV	12.95132G	46.36	68.20	-21.84	3	Horizontal	315	1.50
6475MHz	Pass	PK	12.9532G	58.56	88.20	-29.64	3	Horizontal	315	1.50
6515MHz	Pass	AV	13.02607G	45.84	68.20	-22.36	3	Vertical	328	1.84
6515MHz	Pass	PK	13.03487G	58.51	88.20	-29.69	3	Vertical	328	1.84
6515MHz	Pass	AV	13.02523G	45.77	68.20	-22.43	3	Horizontal	5	1.37
6515MHz	Pass	PK	13.03206G	57.77	88.20	-30.43	3	Horizontal	5	1.37
6535MHz	Pass	AV	13.07357G	45.73	68.20	-22.47	3	Vertical	83	1.50
6535MHz	Pass	PK	13.07398G	58.50	88.20	-29.70	3	Vertical	83	1.50
6535MHz	Pass	AV	13.07423G	45.74	68.20	-22.46	3	Horizontal	252	1.50
6535MHz	Pass	PK	13.06823G	59.10	88.20	-29.10	3	Horizontal	252	1.50
6695MHz	Pass	AV	13.38537G	46.71	54.00	-7.29	3	Vertical	175	1.50
6695MHz	Pass	PK	13.39365G	59.24	74.00	-14.76	3	Vertical	175	1.50
6695MHz	Pass	AV	13.38796G	46.69	54.00	-7.31	3	Horizontal	84	2.73
6695MHz	Pass	PK	13.39478G	58.92	74.00	-15.08	3	Horizontal	84	2.73
6875MHz	Pass	AV	13.75465G	47.52	68.20	-20.68	3	Vertical	3	2.03
6875MHz	Pass	PK	13.74606G	59.61	88.20	-28.59	3	Vertical	3	2.03
6875MHz	Pass	AV	13.74699G	47.60	68.20	-20.60	3	Horizontal	8	3.00
6875MHz	Pass	PK	13.75327G	59.74	88.20	-28.46	3	Horizontal	8	3.00
6895MHz	Pass	AV	13.79329G	47.88	68.20	-20.32	3	Vertical	264	1.93
6895MHz	Pass	PK	13.79265G	60.01	88.20	-28.19	3	Vertical	264	1.93
6895MHz	Pass	AV	13.78734G	47.89	68.20	-20.31	3	Horizontal	318	1.50
6895MHz	Pass	PK	13.78636G	60.17	88.20	-28.03	3	Horizontal	318	1.50
6995MHz	Pass	AV	13.9905G	48.03	68.20	-20.17	3	Vertical	283	2.72
6995MHz	Pass	PK	13.99463G	60.62	88.20	-27.58	3	Vertical	283	2.72
6995MHz	Pass	AV	13.98753G	47.96	68.20	-20.24	3	Horizontal	107	2.37
6995MHz	Pass	PK	13.98637G	60.27	88.20	-27.93	3	Horizontal	107	2.37
7095MHz	Pass	AV	7.0956G	99.22	Inf	-Inf	3	Vertical	324	2.51
7095MHz	Pass	AV	7.2408G	53.60	68.20	-14.60	3	Vertical	324	2.51
7095MHz	Pass	PK	7.0959G	109.48	Inf	-Inf	3	Vertical	324	2.51
7095MHz	Pass	PK	7.2234G	66.10	88.20	-22.10	3	Vertical	324	2.51
7095MHz	Pass	AV	7.0941G	94.22	Inf	-Inf	3	Horizontal	175	2.41
7095MHz	Pass	AV	7.239G	53.60	68.20	-14.60	3	Horizontal	175	2.41
7095MHz	Pass	PK	7.0959G	104.97	Inf	-Inf	3	Horizontal	175	2.41
7095MHz	Pass	PK	7.1574G	66.62	88.20	-21.58	3	Horizontal	175	2.41

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.18567G	48.10	68.20	-20.10	3	Vertical	208	1.17
7095MHz	Pass	PK	14.18788G	60.18	88.20	-28.02	3	Vertical	208	1.17
7095MHz	Pass	AV	14.18895G	48.03	68.20	-20.17	3	Horizontal	280	1.48
7095MHz	Pass	PK	14.18764G	60.33	88.20	-27.87	3	Horizontal	280	1.48
7115MHz	Pass	AV	7.1155G	94.93	Inf	-Inf	3	Vertical	10	2.77
7115MHz	Pass	AV	7.1255G	67.61	68.20	-0.59	3	Vertical	10	2.77
7115MHz	Pass	PK	7.1155G	102.09	Inf	-Inf	3	Vertical	10	2.77
7115MHz	Pass	PK	7.1255G	80.21	88.20	-7.99	3	Vertical	10	2.77
7115MHz	Pass	AV	7.1155G	91.11	Inf	-Inf	3	Horizontal	172	3.00
7115MHz	Pass	AV	7.1255G	64.84	68.20	-3.36	3	Horizontal	172	3.00
7115MHz	Pass	PK	7.1165G	98.32	Inf	-Inf	3	Horizontal	172	3.00
7115MHz	Pass	PK	7.1255G	76.73	88.20	-11.47	3	Horizontal	172	3.00
7115MHz	Pass	AV	14.22675G	47.78	68.20	-20.42	3	Vertical	87	1.85
7115MHz	Pass	PK	14.22701G	59.86	88.20	-28.34	3	Vertical	87	1.85
7115MHz	Pass	AV	14.22809G	47.86	68.20	-20.34	3	Horizontal	355	1.50
7115MHz	Pass	PK	14.22663G	60.22	88.20	-27.98	3	Horizontal	355	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9224G	51.42	68.20	-16.78	3	Vertical	137	2.83
5965MHz	Pass	AV	5.9641G	100.69	Inf	-Inf	3	Vertical	137	2.83
5965MHz	Pass	PK	5.9095G	63.59	88.20	-24.61	3	Vertical	137	2.83
5965MHz	Pass	PK	5.9665G	110.80	Inf	-Inf	3	Vertical	137	2.83
5965MHz	Pass	AV	5.9227G	50.70	68.20	-17.50	3	Horizontal	158	2.69
5965MHz	Pass	AV	5.9641G	94.33	Inf	-Inf	3	Horizontal	158	2.69
5965MHz	Pass	PK	5.9209G	62.74	88.20	-25.46	3	Horizontal	158	2.69
5965MHz	Pass	PK	5.9659G	105.16	Inf	-Inf	3	Horizontal	158	2.69
5965MHz	Pass	AV	11.92753G	44.79	54.00	-9.21	3	Vertical	337	1.50
5965MHz	Pass	PK	11.92787G	57.43	74.00	-16.57	3	Vertical	337	1.50
5965MHz	Pass	AV	11.92887G	44.79	54.00	-9.21	3	Horizontal	224	2.88
5965MHz	Pass	PK	11.92581G	57.12	74.00	-16.88	3	Horizontal	224	2.88
6205MHz	Pass	AV	12.41414G	44.94	54.00	-9.06	3	Vertical	355	1.50
6205MHz	Pass	PK	12.40712G	57.59	74.00	-16.41	3	Vertical	355	1.50
6205MHz	Pass	AV	12.40891G	44.91	54.00	-9.09	3	Horizontal	312	2.85
6205MHz	Pass	PK	12.41304G	57.04	74.00	-16.96	3	Horizontal	312	2.85
6405MHz	Pass	AV	12.80728G	46.53	68.20	-21.67	3	Vertical	49	1.50
6405MHz	Pass	PK	12.80907G	58.93	88.20	-29.27	3	Vertical	49	1.50
6405MHz	Pass	AV	12.81369G	46.57	68.20	-21.63	3	Horizontal	359	1.50
6405MHz	Pass	PK	12.81G	59.08	88.20	-29.12	3	Horizontal	359	1.50
6445MHz	Pass	AV	12.89435G	46.21	68.20	-21.99	3	Vertical	335	1.50
6445MHz	Pass	PK	12.88588G	58.54	88.20	-29.66	3	Vertical	335	1.50
6445MHz	Pass	AV	12.8936G	46.21	68.20	-21.99	3	Horizontal	345	1.98
6445MHz	Pass	PK	12.89426G	58.87	88.20	-29.33	3	Horizontal	345	1.98
6485MHz	Pass	AV	12.96507G	46.23	68.20	-21.97	3	Vertical	162	1.44
6485MHz	Pass	PK	12.97179G	59.31	88.20	-28.89	3	Vertical	162	1.44
6485MHz	Pass	AV	12.96834G	46.20	68.20	-22.00	3	Horizontal	99	1.50
6485MHz	Pass	PK	12.96882G	58.38	88.20	-29.82	3	Horizontal	99	1.50
6525MHz	Pass	AV	13.05376G	45.46	68.20	-22.74	3	Vertical	256	1.50
6525MHz	Pass	PK	13.05178G	57.42	88.20	-30.78	3	Vertical	256	1.50
6525MHz	Pass	AV	13.05381G	45.46	68.20	-22.74	3	Horizontal	192	1.50
6525MHz	Pass	PK	13.04538G	58.09	88.20	-30.11	3	Horizontal	192	1.50
6565MHz	Pass	AV	13.13465G	46.70	68.20	-21.50	3	Vertical	33	1.50
6565MHz	Pass	PK	13.12986G	59.17	88.20	-29.03	3	Vertical	33	1.50
6565MHz	Pass	AV	13.1338G	46.69	68.20	-21.51	3	Horizontal	96	1.45
6565MHz	Pass	PK	13.12537G	59.22	88.20	-28.98	3	Horizontal	96	1.45
6685MHz	Pass	AV	13.36555G	46.74	54.00	-7.26	3	Vertical	328	1.50
6685MHz	Pass	PK	13.36768G	59.05	74.00	-14.95	3	Vertical	328	1.50
6685MHz	Pass	AV	13.365G	46.67	54.00	-7.33	3	Horizontal	269	1.50
6685MHz	Pass	PK	13.37158G	58.98	74.00	-15.02	3	Horizontal	269	1.50
6885MHz	Pass	AV	13.77365G	47.59	68.20	-20.61	3	Vertical	234	1.50
6885MHz	Pass	PK	13.7741G	60.15	88.20	-28.05	3	Vertical	234	1.50
6885MHz	Pass	AV	13.77458G	47.52	68.20	-20.68	3	Horizontal	115	1.50
6885MHz	Pass	PK	13.77098G	60.10	88.20	-28.10	3	Horizontal	115	1.50
6925MHz	Pass	AV	13.84658G	48.06	68.20	-20.14	3	Vertical	1	1.76

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.84886G	60.72	88.20	-27.48	3	Vertical	1	1.76
6925MHz	Pass	AV	13.85341G	47.94	68.20	-20.26	3	Horizontal	1	2.01
6925MHz	Pass	PK	13.85008G	60.35	88.20	-27.85	3	Horizontal	1	2.01
7005MHz	Pass	AV	14.00718G	47.82	68.20	-20.38	3	Vertical	76	2.67
7005MHz	Pass	PK	14.01369G	60.84	88.20	-27.36	3	Vertical	76	2.67
7005MHz	Pass	AV	14.00892G	47.81	68.20	-20.39	3	Horizontal	15	1.36
7005MHz	Pass	PK	14.01148G	60.12	88.20	-28.08	3	Horizontal	15	1.36
7085MHz	Pass	AV	7.0862G	99.54	Inf	-Inf	3	Vertical	13	2.80
7085MHz	Pass	AV	7.127G	55.03	68.20	-13.17	3	Vertical	13	2.80
7085MHz	Pass	PK	7.0769G	110.46	Inf	-Inf	3	Vertical	13	2.80
7085MHz	Pass	PK	7.1252G	75.36	88.20	-12.84	3	Vertical	13	2.80
7085MHz	Pass	AV	7.0838G	96.65	Inf	-Inf	3	Horizontal	171	2.92
7085MHz	Pass	AV	7.1318G	53.02	68.20	-15.18	3	Horizontal	171	2.92
7085MHz	Pass	PK	7.0859G	108.02	Inf	-Inf	3	Horizontal	171	2.92
7085MHz	Pass	PK	7.1276G	65.05	88.20	-23.15	3	Horizontal	171	2.92
7085MHz	Pass	AV	14.17218G	47.89	68.20	-20.31	3	Vertical	296	1.50
7085MHz	Pass	PK	14.17436G	60.92	88.20	-27.28	3	Vertical	296	1.50
7085MHz	Pass	AV	14.17217G	47.89	68.20	-20.31	3	Horizontal	81	1.50
7085MHz	Pass	PK	14.16965G	60.20	88.20	-28.00	3	Horizontal	81	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9185G	58.94	68.20	-9.26	3	Vertical	166	3.00
5985MHz	Pass	AV	5.952G	98.85	Inf	-Inf	3	Vertical	166	3.00
5985MHz	Pass	PK	5.9145G	72.75	88.20	-15.45	3	Vertical	166	3.00
5985MHz	Pass	PK	5.9545G	113.34	Inf	-Inf	3	Vertical	166	3.00
5985MHz	Pass	AV	5.914G	55.03	68.20	-13.17	3	Horizontal	158	2.86
5985MHz	Pass	AV	5.9495G	94.34	Inf	-Inf	3	Horizontal	158	2.86
5985MHz	Pass	PK	5.9185G	68.28	88.20	-19.92	3	Horizontal	158	2.86
5985MHz	Pass	PK	5.9515G	108.51	Inf	-Inf	3	Horizontal	158	2.86
5985MHz	Pass	AV	11.96517G	44.54	54.00	-9.46	3	Vertical	2	2.25
5985MHz	Pass	PK	11.97229G	57.11	74.00	-16.89	3	Vertical	2	2.25
5985MHz	Pass	AV	11.96502G	44.54	54.00	-9.46	3	Horizontal	325	1.09
5985MHz	Pass	PK	11.96778G	57.40	74.00	-16.60	3	Horizontal	325	1.09
6225MHz	Pass	AV	12.45474G	45.49	54.00	-8.51	3	Vertical	123	1.50
6225MHz	Pass	PK	12.45162G	58.38	74.00	-15.62	3	Vertical	123	1.50
6225MHz	Pass	AV	12.45269G	45.41	54.00	-8.59	3	Horizontal	212	1.47
6225MHz	Pass	PK	12.45336G	58.86	74.00	-15.14	3	Horizontal	212	1.47
6385MHz	Pass	AV	12.76796G	46.12	68.20	-22.08	3	Vertical	248	1.00
6385MHz	Pass	PK	12.77497G	58.35	88.20	-29.85	3	Vertical	248	1.00
6385MHz	Pass	AV	12.76935G	46.15	68.20	-22.05	3	Horizontal	223	1.50
6385MHz	Pass	PK	12.77402G	58.21	88.20	-29.99	3	Horizontal	223	1.50
6465MHz	Pass	AV	12.92578G	46.29	68.20	-21.91	3	Vertical	293	1.50
6465MHz	Pass	PK	12.92946G	58.47	88.20	-29.73	3	Vertical	293	1.50
6465MHz	Pass	AV	12.92687G	46.28	68.20	-21.92	3	Horizontal	39	2.06
6465MHz	Pass	PK	12.92966G	59.02	88.20	-29.18	3	Horizontal	39	2.06
6545MHz	Pass	AV	13.09465G	46.01	68.20	-22.19	3	Vertical	297	1.50
6545MHz	Pass	PK	13.09026G	58.16	88.20	-30.04	3	Vertical	297	1.50
6545MHz	Pass	AV	13.09257G	46.06	68.20	-22.14	3	Horizontal	359	1.27
6545MHz	Pass	PK	13.09131G	58.24	88.20	-29.96	3	Horizontal	359	1.27
6625MHz	Pass	AV	13.25353G	45.95	54.00	-8.05	3	Vertical	115	1.50
6625MHz	Pass	PK	13.25078G	58.59	74.00	-15.41	3	Vertical	115	1.50
6625MHz	Pass	AV	13.25417G	45.89	54.00	-8.11	3	Horizontal	125	1.50
6625MHz	Pass	PK	13.25142G	58.52	74.00	-15.48	3	Horizontal	125	1.50
6705MHz	Pass	AV	13.40886G	46.45	68.20	-21.75	3	Vertical	2	2.32
6705MHz	Pass	PK	13.40642G	59.13	88.20	-29.07	3	Vertical	2	2.32
6705MHz	Pass	AV	13.41166G	46.47	68.20	-21.73	3	Horizontal	359	1.50
6705MHz	Pass	PK	13.40799G	58.96	88.20	-29.24	3	Horizontal	359	1.50
6785MHz	Pass	AV	13.56677G	47.45	68.20	-20.75	3	Vertical	91	1.50
6785MHz	Pass	PK	13.57321G	59.35	88.20	-28.85	3	Vertical	91	1.50
6785MHz	Pass	AV	13.56647G	47.30	68.20	-20.90	3	Horizontal	158	1.50
6785MHz	Pass	PK	13.57376G	60.08	88.20	-28.12	3	Horizontal	158	1.50
6865MHz	Pass	AV	13.73413G	47.05	68.20	-21.15	3	Vertical	10	1.50
6865MHz	Pass	PK	13.72944G	59.64	88.20	-28.56	3	Vertical	10	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.73317G	47.12	68.20	-21.08	3	Horizontal	302	2.20
6865MHz	Pass	PK	13.73313G	59.32	88.20	-28.88	3	Horizontal	302	2.20
6945MHz	Pass	AV	13.8936G	48.23	68.20	-19.97	3	Vertical	116	1.50
6945MHz	Pass	PK	13.88503G	60.68	88.20	-27.52	3	Vertical	116	1.50
6945MHz	Pass	AV	13.89391G	48.17	68.20	-20.03	3	Horizontal	177	1.50
6945MHz	Pass	PK	13.89103G	60.54	88.20	-27.66	3	Horizontal	177	1.50
7025MHz	Pass	AV	7.0259G	99.93	Inf	-Inf	3	Vertical	9	2.91
7025MHz	Pass	AV	7.1255G	53.01	68.20	-15.19	3	Vertical	9	2.91
7025MHz	Pass	PK	7.0232G	111.79	Inf	-Inf	3	Vertical	9	2.91
7025MHz	Pass	PK	7.1288G	64.77	88.20	-23.43	3	Vertical	9	2.91
7025MHz	Pass	AV	7.0238G	96.53	Inf	-Inf	3	Horizontal	170	2.85
7025MHz	Pass	AV	7.1264G	51.98	68.20	-16.22	3	Horizontal	170	2.85
7025MHz	Pass	PK	7.0274G	107.76	Inf	-Inf	3	Horizontal	170	2.85
7025MHz	Pass	PK	7.1402G	64.32	88.20	-23.88	3	Horizontal	170	2.85
7025MHz	Pass	AV	14.05389G	47.59	68.20	-20.61	3	Vertical	344	1.50
7025MHz	Pass	PK	14.05008G	60.93	88.20	-27.27	3	Vertical	344	1.50
7025MHz	Pass	AV	14.05036G	47.58	68.20	-20.62	3	Horizontal	340	2.89
7025MHz	Pass	PK	14.0479G	60.78	88.20	-27.42	3	Horizontal	340	2.89
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.875G	58.78	68.20	-9.42	3	Vertical	136	2.49
6025MHz	Pass	AV	6.0295G	95.73	Inf	-Inf	3	Vertical	136	2.49
6025MHz	Pass	PK	5.889G	75.46	88.20	-12.74	3	Vertical	136	2.49
6025MHz	Pass	PK	5.9595G	110.89	Inf	-Inf	3	Vertical	136	2.49
6025MHz	Pass	AV	5.888G	54.02	68.20	-14.18	3	Horizontal	179	1.73
6025MHz	Pass	AV	6.019G	83.90	Inf	-Inf	3	Horizontal	179	1.73
6025MHz	Pass	PK	5.8875G	65.30	88.20	-22.90	3	Horizontal	179	1.73
6025MHz	Pass	PK	6.023G	96.20	Inf	-Inf	3	Horizontal	179	1.73
6025MHz	Pass	AV	12.0555G	46.37	54.00	-7.63	3	Vertical	135	1.50
6025MHz	Pass	PK	12.04008G	59.40	74.00	-14.60	3	Vertical	135	1.50
6025MHz	Pass	AV	12.05852G	46.28	54.00	-7.72	3	Horizontal	186	1.50
6025MHz	Pass	PK	12.0425G	58.53	74.00	-15.47	3	Horizontal	186	1.50
6185MHz	Pass	AV	12.37864G	46.25	54.00	-7.75	3	Vertical	32	1.50
6185MHz	Pass	PK	12.37912G	58.71	74.00	-15.29	3	Vertical	32	1.50
6185MHz	Pass	AV	12.37172G	46.18	54.00	-7.82	3	Horizontal	6	1.78
6185MHz	Pass	PK	12.3618G	58.89	74.00	-15.11	3	Horizontal	6	1.78
6345MHz	Pass	AV	12.68566G	46.90	54.00	-7.10	3	Vertical	73	1.50
6345MHz	Pass	PK	12.69454G	59.35	74.00	-14.65	3	Vertical	73	1.50
6345MHz	Pass	AV	12.68554G	46.83	54.00	-7.17	3	Horizontal	281	1.50
6345MHz	Pass	PK	12.6884G	59.57	74.00	-14.43	3	Horizontal	281	1.50
6505MHz	Pass	AV	13.0042G	47.13	68.20	-21.07	3	Vertical	336	1.50
6505MHz	Pass	PK	13.0092G	59.35	88.20	-28.85	3	Vertical	336	1.50
6505MHz	Pass	AV	13.01538G	47.15	68.20	-21.05	3	Horizontal	162	1.50
6505MHz	Pass	PK	13.01092G	59.91	88.20	-28.29	3	Horizontal	162	1.50
6665MHz	Pass	AV	13.33934G	48.22	54.00	-5.78	3	Vertical	256	1.55
6665MHz	Pass	PK	13.33664G	60.07	74.00	-13.93	3	Vertical	256	1.55
6665MHz	Pass	AV	13.32434G	48.18	54.00	-5.82	3	Horizontal	62	2.30
6665MHz	Pass	PK	13.3269G	60.40	74.00	-13.60	3	Horizontal	62	2.30
6825MHz	Pass	AV	13.64178G	48.51	68.20	-19.69	3	Vertical	85	1.50
6825MHz	Pass	PK	13.65944G	61.64	88.20	-26.56	3	Vertical	85	1.50
6825MHz	Pass	AV	13.64748G	48.48	68.20	-19.72	3	Horizontal	29	1.25
6825MHz	Pass	PK	13.64564G	61.58	88.20	-26.62	3	Horizontal	29	1.25
6985MHz	Pass	AV	6.9135G	100.18	Inf	-Inf	3	Vertical	324	2.43
6985MHz	Pass	AV	7.1305G	65.56	68.20	-2.64	3	Vertical	324	2.43
6985MHz	Pass	PK	6.911G	112.68	Inf	-Inf	3	Vertical	324	2.43
6985MHz	Pass	PK	7.1295G	79.78	88.20	-8.42	3	Vertical	324	2.43
6985MHz	Pass	AV	6.9075G	93.00	Inf	-Inf	3	Horizontal	166	2.53
6985MHz	Pass	AV	7.14G	62.99	68.20	-5.21	3	Horizontal	166	2.53
6985MHz	Pass	PK	6.9165G	108.19	Inf	-Inf	3	Horizontal	166	2.53
6985MHz	Pass	PK	7.137G	76.10	88.20	-12.10	3	Horizontal	166	2.53
6985MHz	Pass	AV	13.9738G	48.90	68.20	-19.30	3	Vertical	359	2.91
6985MHz	Pass	PK	13.96864G	61.34	88.20	-26.86	3	Vertical	359	2.91
6985MHz	Pass	AV	13.97754G	48.97	68.20	-19.23	3	Horizontal	305	1.50



RSE TX above 1GHz_Beamforming_Radio 3_2T1S

Appendix E.19

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.97066G	61.91	88.20	-26.29	3	Horizontal	305	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.86G	65.48	68.20	-2.72	3	Vertical	191	1.85
6105MHz	Pass	AV	6.111G	86.01	Inf	-Inf	3	Vertical	191	1.85
6105MHz	Pass	PK	5.83G	82.14	88.20	-6.06	3	Vertical	191	1.85
6105MHz	Pass	PK	6.112G	97.83	Inf	-Inf	3	Vertical	191	1.85
6105MHz	Pass	AV	5.855G	62.01	68.20	-6.19	3	Horizontal	158	2.81
6105MHz	Pass	AV	6.126G	85.15	Inf	-Inf	3	Horizontal	158	2.81
6105MHz	Pass	PK	5.84G	78.44	88.20	-9.76	3	Horizontal	158	2.81
6105MHz	Pass	PK	6.121G	96.52	Inf	-Inf	3	Horizontal	158	2.81
6105MHz	Pass	AV	12.20014G	46.71	54.00	-7.29	3	Vertical	143	1.50
6105MHz	Pass	PK	12.20956G	59.02	74.00	-14.98	3	Vertical	143	1.50
6105MHz	Pass	AV	12.20392G	46.66	54.00	-7.34	3	Horizontal	90	2.24
6105MHz	Pass	PK	12.20358G	58.88	74.00	-15.12	3	Horizontal	90	2.24
6265MHz	Pass	AV	12.5383G	46.72	54.00	-7.28	3	Vertical	1	1.50
6265MHz	Pass	PK	12.5396G	59.34	74.00	-14.66	3	Vertical	1	1.50
6265MHz	Pass	AV	12.53948G	46.79	54.00	-7.21	3	Horizontal	237	1.50
6265MHz	Pass	PK	12.53344G	59.26	74.00	-14.74	3	Horizontal	237	1.50
6425MHz	Pass	AV	12.8537G	47.39	68.20	-20.81	3	Vertical	64	1.50
6425MHz	Pass	PK	12.85594G	59.23	88.20	-28.97	3	Vertical	64	1.50
6425MHz	Pass	AV	12.85148G	47.39	68.20	-20.81	3	Horizontal	73	1.50
6425MHz	Pass	PK	12.84974G	58.90	88.20	-29.30	3	Horizontal	73	1.50
6585MHz	Pass	AV	13.16908G	47.63	68.20	-20.57	3	Vertical	306	1.50
6585MHz	Pass	PK	13.16158G	59.99	88.20	-28.21	3	Vertical	306	1.50
6585MHz	Pass	AV	13.1648G	47.59	68.20	-20.61	3	Horizontal	242	2.04
6585MHz	Pass	PK	13.17626G	59.78	88.20	-28.42	3	Horizontal	242	2.04
6745MHz	Pass	AV	13.49832G	48.33	68.20	-19.87	3	Vertical	194	1.09
6745MHz	Pass	PK	13.49694G	60.79	88.20	-27.41	3	Vertical	194	1.09
6745MHz	Pass	AV	13.49962G	48.27	68.20	-19.93	3	Horizontal	56	2.68
6745MHz	Pass	PK	13.48828G	60.93	88.20	-27.27	3	Horizontal	56	2.68
6905MHz	Pass	AV	6.908G	89.87	Inf	-Inf	3	Vertical	12	2.46
6905MHz	Pass	AV	7.291G	52.23	54.00	-1.77	3	Vertical	12	2.46
6905MHz	Pass	PK	6.909G	102.27	Inf	-Inf	3	Vertical	12	2.46
6905MHz	Pass	PK	7.302G	67.81	74.00	-6.19	3	Vertical	12	2.46
6905MHz	Pass	AV	6.928G	85.20	Inf	-Inf	3	Horizontal	169	2.75
6905MHz	Pass	AV	7.292G	46.72	54.00	-7.28	3	Horizontal	169	2.75
6905MHz	Pass	PK	6.927G	96.98	Inf	-Inf	3	Horizontal	169	2.75
6905MHz	Pass	PK	7.288G	60.31	74.00	-13.69	3	Horizontal	169	2.75
6905MHz	Pass	AV	13.81354G	48.73	68.20	-19.47	3	Vertical	131	1.50
6905MHz	Pass	PK	13.8099G	60.96	88.20	-27.24	3	Vertical	131	1.50
6905MHz	Pass	AV	13.8036G	48.65	68.20	-19.55	3	Horizontal	349	3.00
6905MHz	Pass	PK	13.8022G	61.49	88.20	-26.71	3	Horizontal	349	3.00

Antenna Gain(dBi)			
3.88	3.44	3.56	3.58

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-69.88	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-72.44	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-70.56	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-69.58	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-75.88	OFF	10	100	90	Pass
				Center	6105	-64.88	OFF	10	100	90	Pass
				High edge	6260	-69.88	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-71.44	OFF	10	100	90	Pass
				Center	6425	-63.44	OFF	10	100	90	Pass
				High edge	6580	-65.44	OFF	10	100	90	Pass
7,8	159	320	6745	Low edge	6590	-65.56	OFF	10	100	90	Pass
				Center	6745	-62.56	OFF	10	100	90	Pass
				High edge	6900	-63.56	OFF	10	100	90	Pass


Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.00	3.88	-69.88	≤ -62
						Minimal	-70.00	3.88	-73.88	≤ -62
						ON	-71.00	3.88	-74.88	≤ -62
6	101	20	6455	Center	6455	OFF	-69.00	3.44	-72.44	≤ -62
						Minimal	-75.00	3.44	-78.44	≤ -62
						ON	-76.00	3.44	-79.44	≤ -62
7	149	20	6695	Center	6695	OFF	-67.00	3.56	-70.56	≤ -62
						Minimal	-71.00	3.56	-74.56	≤ -62
						ON	-72.00	3.56	-75.56	≤ -62
8	213	20	7015	Center	7015	OFF	-66.00	3.58	-69.58	≤ -62
						Minimal	-72.00	3.58	-75.58	≤ -62
						ON	-73.00	3.58	-76.58	≤ -62

Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-72.00	3.88	-75.88	≤ -62
						Minimal	-73.00	3.88	-76.88	
						ON	-74.00	3.88	-77.88	
				Center	6105	OFF	-61.00	3.88	-64.88	≤ -62
						Minimal	-67.00	3.88	-70.88	
						ON	-68.00	3.88	-71.88	
				High edge	6260	OFF	-66.00	3.88	-69.88	≤ -62
						Minimal	-67.00	3.88	-70.88	
						ON	-67.00	3.88	-70.88	
5,6,7	95	320	6425	Low edge	6270	OFF	-68.00	3.44	-71.44	≤ -62
						Minimal	-69.00	3.44	-72.44	
						ON	-69.00	3.44	-72.44	
				Center	6425	OFF	-60.00	3.44	-63.44	≤ -62
						Minimal	-69.00	3.44	-72.44	
						ON	-70.00	3.44	-73.44	
				High edge	6580	OFF	-62.00	3.44	-65.44	≤ -62
						Minimal	-63.00	3.44	-66.44	
						ON	-64.00	3.44	-67.44	
7,8	159	320	6745	Low edge	6590	OFF	-62.00	3.56	-65.56	≤ -62
						Minimal	-63.00	3.56	-66.56	
						ON	-64.00	3.56	-67.56	
				Center	6745	OFF	-59.00	3.56	-62.56	≤ -62
						Minimal	-65.00	3.56	-68.56	
						ON	-66.00	3.56	-69.56	
				High edge	6900	OFF	-60.00	3.56	-63.56	≤ -62
						Minimal	-61.00	3.56	-64.56	
						ON	-61.00	3.56	-64.56	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main




09/09/2025
Sample Time
12.5us
All TX Time
80.3375ms
All TX Sample
6427
Duty Cycle
0.803275
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main




09/09/2025
Sample Time
12.5us
All TX Time
84.0375ms
All TX Sample
6723
Duty Cycle
0.84027
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



09/09/2025

Sample Time

12.5us

All TX Time

82.75ms

All TX Sample

6620

Duty Cycle

0.827397

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



09/09/2025

Sample Time

12.5us

All TX Time

83.675ms

All TX Sample

6694

Duty Cycle

0.836645

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 5950MHz

Time Analysis

Main



09/09/2025

Sample Time

12.5us

All TX Time

82.7125ms

All TX Sample

6617

Duty Cycle

0.827022

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



09/09/2025

Sample Time

12.5us

All TX Time

84.7625ms

All TX Sample

6781

Duty Cycle

0.847519

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main



09/09/2025

Sample Time

12.5us

All TX Time

84.3625ms

All TX Sample

6749

Duty Cycle

0.84352

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6270MHz

Time Analysis

Main



09/09/2025

Sample Time

12.5us

All TX Time

80.9875ms

All TX Sample

6479

Duty Cycle

0.809774

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



09/09/2025

Sample Time

12.5us

All TX Time

83.3ms

All TX Sample

6664

Duty Cycle

0.832896

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



09/09/2025

Sample Time

12.5us

All TX Time

83.5375ms

All TX Sample

6683

Duty Cycle

0.835271

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot -6590MHz

Time Analysis

Main




10/09/2025
Sample Time
12.5us
All TX Time
83.675ms
All TX Sample
6694
Duty Cycle
0.836645
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6745MHz

Time Analysis

Main




10/09/2025
Sample Time
12.5us
All TX Time
80.925ms
All TX Sample
6474
Duty Cycle
0.809149
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6900MHz

Time Analysis

Main



10/09/2025

Sample Time

12.5us

All TX Time

82.1875ms

All TX Sample

6575

Duty Cycle

0.821772


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 9.SEP.2025 11:28:33


Frequency (MHz): 7105 MHz



Date: 9.SEP.2025 11:29:21


802.11be EHT320

Frequency (MHz): 5950 MHz




Date: 9.SEP.2025 11:33:10

Frequency (MHz): 6105 MHz




Date: 9.SEP.2025 11:33:59

Frequency (MHz): 6260 MHz




Date: 9.SEP.2025 11:35:11

Frequency (MHz): 6270 MHz




Date: 9.SEP.2025 11:40:51

Frequency (MHz): 6425 MHz




Date: 9.SEP.2025 11:41:25

Frequency (MHz): 6580 MHz




Date: 9.SEP.2025 11:42:02

Frequency (MHz): 6590 MHz




Date: 10.SEP.2025 23:52:13


Frequency (MHz): 6745 MHz



Date: 10.SEP.2025 23:50:51




2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11be EHT320

Test CH 31 ; Incumbent signal 5950 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 159 ; Incumbent signal 6590 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 159 ; Incumbent signal 6745 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 159 ; Incumbent signal 6900 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -71dBm)


Time Analysis



Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -72dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -73dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -74dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -61dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -67dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -68dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -66dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -67dBm)

Time Analysis



09/09/2025
Sample Time
1us
All TX Time
616.346ms
All TX Sample
616346
Duty Cycle
0.616345
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Antenna Gain(dBi)											
3.44											

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-67.44	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-67.44	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-72.44	OFF	10	100	90	Pass
8	197	20	6935	Center	6935	-68.44	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-79.44	OFF	10	100	90	Pass
				Center	6105	-67.44	OFF	10	100	90	Pass
				High edge	6260	-74.44	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-69.44	OFF	10	100	90	Pass
				Center	6425	-67.44	OFF	10	100	90	Pass
				High edge	6580	-67.44	OFF	10	100	90	Pass
7,8	159	320	6745	Low edge	6590	-62.44	OFF	10	100	90	Pass
				Center	6745	-70.44	OFF	10	100	90	Pass
				High edge	6900	-66.44	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-62.44	OFF	10	100	90	Pass
				Center	6905	-65.44	OFF	10	100	90	Pass
				High edge	7060	-64.44	OFF	10	100	90	Pass


Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-64.00	3.44	-67.44	≤ -62
						Minimal	-69.00	3.44	-72.44	≤ -62
						ON	-70.00	3.44	-73.44	≤ -62
6	101	20	6455	Center	6455	OFF	-64.00	3.44	-67.44	≤ -62
						Minimal	-69.00	3.44	-72.44	≤ -62
						ON	-70.00	3.44	-73.44	≤ -62
7	149	20	6695	Center	6695	OFF	-69.00	3.44	-72.44	≤ -62
						Minimal	-72.00	3.44	-75.44	≤ -62
						ON	-73.00	3.44	-76.44	≤ -62
8	197	20	6935	Center	6935	OFF	-65.00	3.44	-68.44	≤ -62
						Minimal	-69.00	3.44	-72.44	≤ -62
						ON	-70.00	3.44	-73.44	≤ -62

Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-76.00	3.44	-79.44	≤ -62
						Minimal	-77.00	3.44	-80.44	
						ON	-78.00	3.44	-81.44	
				Center	6105	OFF	-64.00	3.44	-67.44	≤ -62
						Minimal	-68.00	3.44	-71.44	
						ON	-69.00	3.44	-72.44	
				High edge	6260	OFF	-71.00	3.44	-74.44	≤ -62
						Minimal	-72.00	3.44	-75.44	
						ON	-72.00	3.44	-75.44	
5,6,7	95	320	6425	Low edge	6270	OFF	-66.00	3.44	-69.44	≤ -62
						Minimal	-67.00	3.44	-70.44	
						ON	-67.00	3.44	-70.44	
				Center	6425	OFF	-64.00	3.44	-67.44	≤ -62
						Minimal	-69.00	3.44	-72.44	
						ON	-70.00	3.44	-73.44	
				High edge	6580	OFF	-64.00	3.44	-67.44	≤ -62
						Minimal	-66.00	3.44	-69.44	
						ON	-67.00	3.44	-70.44	
7,8	159	320	6745	Low edge	6590	OFF	-59.00	3.44	-62.44	≤ -62
						Minimal	-66.00	3.44	-69.44	
						ON	-67.00	3.44	-70.44	
				Center	6745	OFF	-67.00	3.44	-70.44	≤ -62
						Minimal	-69.00	3.44	-72.44	
						ON	-70.00	3.44	-73.44	
				High edge	6900	OFF	-63.00	3.44	-66.44	≤ -62
						Minimal	-68.00	3.44	-71.44	
						ON	-69.00	3.44	-72.44	
7,8	191	320	6905	Low edge	6750	OFF	-59.00	3.44	-62.44	≤ -62
						Minimal	-75.00	3.44	-78.44	
						ON	-76.00	3.44	-79.44	
				Center	6905	OFF	-62.00	3.44	-65.44	≤ -62
						Minimal	-70.00	3.44	-73.44	
						ON	-71.00	3.44	-74.44	
				High edge	7060	OFF	-61.00	3.44	-64.44	≤ -62
						Minimal	-70.00	3.44	-73.44	
						ON	-71.00	3.44	-74.44	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

86.9125ms

All TX Sample

6953

Duty Cycle

0.869016

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

85.9ms

All TX Sample

6872

Duty Cycle

0.858893

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

91.2125ms

All TX Sample

7297

Duty Cycle

0.912011

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6935MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

89.8ms

All TX Sample

7184

Duty Cycle

0.897888

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 5950MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

90.325ms

All TX Sample

7226

Duty Cycle

0.903137

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

88.725ms

All TX Sample

7098

Duty Cycle

0.887139

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6260MHz

Time Analysis


Main



Bandwidth 320MHz: Traffic Loading Plot - 6270MHz

Time Analysis


Main



Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

82.9875ms

All TX Sample

6639

Duty Cycle

0.829771

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

82.8625ms

All TX Sample

6629

Duty Cycle

0.828521

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot -6590MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

80.4625ms

All TX Sample

6437

Duty Cycle

0.804524

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6745MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

80.0375ms

All TX Sample

6403

Duty Cycle

0.800275

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot -6750MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

90.825ms

All TX Sample

7266

Duty Cycle

0.908136

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6900MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

80.15ms

All TX Sample

6412

Duty Cycle

0.8014

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot -6905MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

89.325ms

All TX Sample

7146

Duty Cycle

0.893138

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot -7060MHz

Time Analysis

Main



21/06/2025

Sample Time

12.5us

All TX Time

89.1375ms

All TX Sample

7131

Duty Cycle

0.891264


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 21.JUN.2025 16:57:23


Frequency (MHz): 6935 MHz



Date: 22.JUN.2025 00:23:41


802.11be EHT320

Frequency (MHz): 5950 MHz




Date: 21.JUN.2025 16:59:54

Frequency (MHz): 6105 MHz




Date: 21.JUN.2025 17:01:06

Frequency (MHz): 6260 MHz




Date: 21.JUN.2025 17:02:07

Frequency (MHz): 6270 MHz




Date: 21.JUN.2025 17:02:52

Frequency (MHz): 6425 MHz




Date: 21.JUN.2025 17:03:46

Frequency (MHz): 6580 MHz




Date: 21.JUN.2025 17:04:40

Frequency (MHz): 6590 MHz




Date: 22.JUN.2025 00:27:00

Frequency (MHz): 6745 MHz




Date: 22.JUN.2025 00:26:24

Frequency (MHz): 6750 MHz




Date: 21.JUN.2025 17:08:02

Frequency (MHz): 6900 MHz




Date: 22.JUN.2025 00:27:35

Frequency (MHz): 6905 MHz




Date: 21.JUN.2025 17:09:05

Frequency (MHz): 7060 MHz




Date: 21.JUN.2025 17:10:11

2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 6935 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11be EHT320

Test CH 31 ; Incumbent signal 5950 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 159 ; Incumbent signal 6590 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 159 ; Incumbent signal 6745 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 159 ; Incumbent signal 6900 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -70dBm)


Time Analysis



Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -76dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -77dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -78dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -64dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -68dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -69dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -72dBm)

Time Analysis



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	13.39304G	44.46	54.00	-9.54	Horizontal
Mode 2	Pass	AV	13.36644G	44.57	54.00	-9.43	Horizontal
Mode 3	Pass	AV	13.38792G	44.48	54.00	-9.52	Horizontal
Mode 4	Pass	AV	13.373G	44.54	54.00	-9.46	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.80744G	31.80	54.00	-22.20	3	Vertical	209	1.50
Mode 1	Pass	AV	4.92212G	32.49	54.00	-21.51	3	Vertical	94	1.50
Mode 1	Pass	AV	11.38012G	42.26	54.00	-11.74	3	Vertical	306	1.50
Mode 1	Pass	AV	11.55208G	41.82	54.00	-12.18	3	Vertical	202	1.98
Mode 1	Pass	AV	13.39304G	44.42	54.00	-9.58	3	Vertical	47	1.50
Mode 1	Pass	PK	4.79556G	43.75	74.00	-30.25	3	Vertical	209	1.50
Mode 1	Pass	PK	4.91592G	44.35	74.00	-29.65	3	Vertical	94	1.50
Mode 1	Pass	PK	11.38948G	54.49	74.00	-19.51	3	Vertical	306	1.50
Mode 1	Pass	PK	11.54528G	53.42	74.00	-20.58	3	Vertical	202	1.98
Mode 1	Pass	PK	13.39228G	56.68	74.00	-17.32	3	Vertical	47	1.50
Mode 1	Pass	AV	4.80412G	31.69	54.00	-22.31	3	Horizontal	178	1.47
Mode 1	Pass	AV	4.9216G	32.56	54.00	-21.44	3	Horizontal	121	1.50
Mode 1	Pass	AV	11.38104G	42.16	54.00	-11.84	3	Horizontal	42	1.50
Mode 1	Pass	AV	11.55008G	41.81	54.00	-12.19	3	Horizontal	210	1.50
Mode 1	Pass	AV	13.39304G	44.46	54.00	-9.54	3	Horizontal	120	1.10
Mode 1	Pass	PK	4.79884G	43.52	74.00	-30.48	3	Horizontal	178	1.47
Mode 1	Pass	PK	4.9234G	44.44	74.00	-29.56	3	Horizontal	121	1.50
Mode 1	Pass	PK	11.37596G	54.03	74.00	-19.97	3	Horizontal	42	1.50
Mode 1	Pass	PK	11.55916G	54.43	74.00	-19.57	3	Horizontal	210	1.50
Mode 1	Pass	PK	13.39696G	56.61	74.00	-17.39	3	Horizontal	120	1.10
Mode 2	Pass	AV	4.80564G	31.70	54.00	-22.30	3	Vertical	127	1.50
Mode 2	Pass	AV	4.92016G	32.42	54.00	-21.58	3	Vertical	70	1.78
Mode 2	Pass	AV	11.5516G	41.92	54.00	-12.08	3	Vertical	17	1.50
Mode 2	Pass	AV	13.37092G	44.53	54.00	-9.47	3	Vertical	186	1.55
Mode 2	Pass	AV	13.39332G	44.37	54.00	-9.63	3	Vertical	94	1.50
Mode 2	Pass	PK	4.80444G	44.04	74.00	-29.96	3	Vertical	127	1.50
Mode 2	Pass	PK	4.92632G	44.43	74.00	-29.57	3	Vertical	70	1.78
Mode 2	Pass	PK	11.5472G	53.67	74.00	-20.33	3	Vertical	17	1.50
Mode 2	Pass	PK	13.36092G	56.49	74.00	-17.51	3	Vertical	186	1.55
Mode 2	Pass	PK	13.39692G	56.66	74.00	-17.34	3	Vertical	94	1.50
Mode 2	Pass	AV	4.7944G	31.82	54.00	-22.18	3	Horizontal	138	1.50
Mode 2	Pass	AV	4.91488G	32.49	54.00	-21.51	3	Horizontal	34	1.50
Mode 2	Pass	AV	11.55496G	41.89	54.00	-12.11	3	Horizontal	138	1.50
Mode 2	Pass	AV	13.36644G	44.57	54.00	-9.43	3	Horizontal	41	1.50
Mode 2	Pass	AV	13.39108G	44.30	54.00	-9.70	3	Horizontal	16	1.50
Mode 2	Pass	PK	4.8064G	44.01	74.00	-29.99	3	Horizontal	138	1.50
Mode 2	Pass	PK	4.9212G	44.43	74.00	-29.57	3	Horizontal	34	1.50
Mode 2	Pass	PK	11.5524G	54.30	74.00	-19.70	3	Horizontal	138	1.50
Mode 2	Pass	PK	13.37752G	56.48	74.00	-17.52	3	Horizontal	41	1.50
Mode 2	Pass	PK	13.39832G	56.81	74.00	-17.19	3	Horizontal	16	1.50
Mode 3	Pass	AV	4.81968G	31.87	54.00	-22.13	3	Vertical	21	1.50
Mode 3	Pass	AV	4.92108G	32.56	54.00	-21.44	3	Vertical	295	1.50
Mode 3	Pass	AV	11.381G	42.31	54.00	-11.69	3	Vertical	302	1.50
Mode 3	Pass	AV	11.55408G	41.88	54.00	-12.12	3	Vertical	25	1.50
Mode 3	Pass	AV	13.39472G	44.42	54.00	-9.58	3	Vertical	5	1.48
Mode 3	Pass	PK	4.8134G	44.48	74.00	-29.52	3	Vertical	21	1.50
Mode 3	Pass	PK	4.92048G	44.79	74.00	-29.21	3	Vertical	295	1.50
Mode 3	Pass	PK	11.38468G	54.56	74.00	-19.44	3	Vertical	302	1.50
Mode 3	Pass	PK	11.55708G	53.74	74.00	-20.26	3	Vertical	25	1.50
Mode 3	Pass	PK	13.39972G	56.17	74.00	-17.83	3	Vertical	5	1.48


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.80808G	31.73	54.00	-22.27	3	Horizontal	358	1.50
Mode 3	Pass	AV	4.91836G	32.48	54.00	-21.52	3	Horizontal	221	1.64
Mode 3	Pass	AV	11.37812G	42.19	54.00	-11.81	3	Horizontal	132	1.50
Mode 3	Pass	AV	11.54908G	41.93	54.00	-12.07	3	Horizontal	60	1.02
Mode 3	Pass	AV	13.38792G	44.48	54.00	-9.52	3	Horizontal	314	1.50
Mode 3	Pass	PK	4.81568G	44.44	74.00	-29.56	3	Horizontal	358	1.50
Mode 3	Pass	PK	4.92016G	44.72	74.00	-29.28	3	Horizontal	221	1.64
Mode 3	Pass	PK	11.3814G	53.60	74.00	-20.40	3	Horizontal	132	1.50
Mode 3	Pass	PK	11.54628G	54.05	74.00	-19.95	3	Horizontal	60	1.02
Mode 3	Pass	PK	13.39892G	56.18	74.00	-17.82	3	Horizontal	314	1.50
Mode 4	Pass	AV	4.80164G	31.83	54.00	-22.17	3	Vertical	351	2.33
Mode 4	Pass	AV	4.92376G	32.51	54.00	-21.49	3	Vertical	347	1.50
Mode 4	Pass	AV	11.55248G	41.90	54.00	-12.10	3	Vertical	2	1.56
Mode 4	Pass	AV	13.37248G	44.45	54.00	-9.55	3	Vertical	184	1.50
Mode 4	Pass	AV	13.3938G	44.50	54.00	-9.50	3	Vertical	201	1.62
Mode 4	Pass	PK	4.8084G	43.79	74.00	-30.21	3	Vertical	351	2.33
Mode 4	Pass	PK	4.92836G	44.16	74.00	-29.84	3	Vertical	347	1.50
Mode 4	Pass	PK	11.55392G	54.22	74.00	-19.78	3	Vertical	2	1.56
Mode 4	Pass	PK	13.37012G	56.34	74.00	-17.66	3	Vertical	184	1.50
Mode 4	Pass	PK	13.38432G	55.87	74.00	-18.13	3	Vertical	201	1.62
Mode 4	Pass	AV	4.8196G	32.01	54.00	-21.99	3	Horizontal	76	1.15
Mode 4	Pass	AV	4.91452G	32.36	54.00	-21.64	3	Horizontal	111	1.66
Mode 4	Pass	AV	11.54664G	41.77	54.00	-12.23	3	Horizontal	125	2.91
Mode 4	Pass	AV	13.373G	44.54	54.00	-9.46	3	Horizontal	138	1.30
Mode 4	Pass	AV	13.38768G	44.35	54.00	-9.65	3	Horizontal	78	2.05
Mode 4	Pass	PK	4.81144G	43.29	74.00	-30.71	3	Horizontal	76	1.15
Mode 4	Pass	PK	4.92816G	44.08	74.00	-29.92	3	Horizontal	111	1.66
Mode 4	Pass	PK	11.5402G	53.50	74.00	-20.50	3	Horizontal	125	2.91
Mode 4	Pass	PK	13.37556G	56.42	74.00	-17.58	3	Horizontal	138	1.30
Mode 4	Pass	PK	13.38196G	56.17	74.00	-17.83	3	Horizontal	78	2.05

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.80744G	31.80	54.00	-22.20	2.29	3	Vertical	209	1.50	29.51	32.33	5.02	35.06				
AV	4.92212G	32.49	54.00	-21.51	2.77	3	Vertical	94	1.50	29.72	32.83	5.01	35.07				
AV	11.38012G	42.26	54.00	-11.74	12.94	3	Vertical	306	1.50	29.32	39.04	7.96	34.06				
AV	11.55208G	41.82	54.00	-12.18	12.79	3	Vertical	202	1.98	29.03	38.79	8.01	34.01				
AV	13.39304G	44.42	54.00	-9.58	16.54	3	Vertical	47	1.50	27.88	40.10	8.58	32.14				
PK	4.79556G	43.75	74.00	-30.25	2.23	3	Vertical	209	1.50	41.52	32.27	5.02	35.06				
PK	4.91592G	44.35	74.00	-29.65	2.75	3	Vertical	94	1.50	41.60	32.80	5.01	35.06				
PK	11.38948G	54.49	74.00	-19.51	12.94	3	Vertical	306	1.50	41.55	39.02	7.97	34.05				
PK	11.54528G	53.42	74.00	-20.58	12.81	3	Vertical	202	1.98	40.61	38.81	8.01	34.01				
PK	13.39228G	56.68	74.00	-17.32	16.54	3	Vertical	47	1.50	40.14	40.10	8.58	32.14				

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.80412G	31.69	54.00	-22.31	2.28	3	Horizontal	178	1.47	29.41	32.32	5.02	35.06				
AV	4.9216G	32.56	54.00	-21.44	2.77	3	Horizontal	121	1.50	29.79	32.83	5.01	35.07				
AV	11.38104G	42.16	54.00	-11.84	12.94	3	Horizontal	42	1.50	29.22	39.04	7.96	34.06				
AV	11.55008G	41.81	54.00	-12.19	12.80	3	Horizontal	210	1.50	29.01	38.80	8.01	34.01				
AV	13.39304G	44.46	54.00	-9.54	16.54	3	Horizontal	120	1.10	27.92	40.10	8.58	32.14				
PK	4.79884G	43.52	74.00	-30.48	2.25	3	Horizontal	178	1.47	41.27	32.29	5.02	35.06				
PK	4.9234G	44.44	74.00	-29.56	2.78	3	Horizontal	121	1.50	41.66	32.84	5.01	35.07				
PK	11.37596G	54.03	74.00	-19.97	12.95	3	Horizontal	42	1.50	41.08	39.05	7.96	34.06				
PK	11.55916G	54.43	74.00	-19.57	12.76	3	Horizontal	210	1.50	41.67	38.76	8.01	34.01				
PK	13.39696G	56.61	74.00	-17.39	16.55	3	Horizontal	120	1.10	40.06	40.10	8.58	32.13				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80564G	31.70	54.00	-22.30	2.28	3	Vertical	127	1.50	29.42	32.32	5.02	35.06
AV	4.92016G	32.42	54.00	-21.58	2.76	3	Vertical	70	1.78	29.66	32.82	5.01	35.07
AV	11.5516G	41.92	54.00	-12.08	12.79	3	Vertical	17	1.50	29.13	38.79	8.01	34.01
AV	13.37092G	44.53	54.00	-9.47	16.50	3	Vertical	186	1.55	28.03	40.10	8.57	32.17
AV	13.39332G	44.37	54.00	-9.63	16.54	3	Vertical	94	1.50	27.83	40.10	8.58	32.14
PK	4.80444G	44.04	74.00	-29.96	2.28	3	Vertical	127	1.50	41.76	32.32	5.02	35.06
PK	4.92632G	44.43	74.00	-29.57	2.80	3	Vertical	70	1.78	41.63	32.86	5.01	35.07
PK	11.5472G	53.67	74.00	-20.33	12.81	3	Vertical	17	1.50	40.86	38.81	8.01	34.01
PK	13.36092G	56.49	74.00	-17.51	16.49	3	Vertical	186	1.55	40.00	40.10	8.57	32.18
PK	13.39692G	56.66	74.00	-17.34	16.55	3	Vertical	94	1.50	40.11	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.7944G	31.82	54.00	-22.18	2.23	3	Horizontal	138	1.50	29.59	32.27	5.02	35.06
AV	4.91488G	32.49	54.00	-21.51	2.74	3	Horizontal	34	1.50	29.75	32.79	5.01	35.06
AV	11.55496G	41.89	54.00	-12.11	12.78	3	Horizontal	138	1.50	29.11	38.78	8.01	34.01
AV	13.36644G	44.57	54.00	-9.43	16.50	3	Horizontal	41	1.50	28.07	40.10	8.57	32.17
AV	13.39108G	44.30	54.00	-9.70	16.54	3	Horizontal	16	1.50	27.76	40.10	8.58	32.14
PK	4.8064G	44.01	74.00	-29.99	2.29	3	Horizontal	138	1.50	41.72	32.33	5.02	35.06
PK	4.9212G	44.43	74.00	-29.57	2.77	3	Horizontal	34	1.50	41.66	32.83	5.01	35.07
PK	11.5524G	54.30	74.00	-19.70	12.79	3	Horizontal	138	1.50	41.51	38.79	8.01	34.01
PK	13.37752G	56.48	74.00	-17.52	16.51	3	Horizontal	41	1.50	39.97	40.10	8.57	32.16
PK	13.39832G	56.81	74.00	-17.19	16.55	3	Horizontal	16	1.50	40.26	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81968G	31.87	54.00	-22.13	2.34	3	Vertical	21	1.50	29.53	32.38	5.02	35.06
AV	4.92108G	32.56	54.00	-21.44	2.77	3	Vertical	295	1.50	29.79	32.83	5.01	35.07
AV	11.381G	42.31	54.00	-11.69	12.94	3	Vertical	302	1.50	29.37	39.04	7.96	34.06
AV	11.55408G	41.88	54.00	-12.12	12.78	3	Vertical	25	1.50	29.10	38.78	8.01	34.01
AV	13.39472G	44.42	54.00	-9.58	16.55	3	Vertical	5	1.48	27.87	40.10	8.58	32.13
PK	4.8134G	44.48	74.00	-29.52	2.31	3	Vertical	21	1.50	42.17	32.35	5.02	35.06
PK	4.92048G	44.79	74.00	-29.21	2.76	3	Vertical	295	1.50	42.03	32.82	5.01	35.07
PK	11.38468G	54.56	74.00	-19.44	12.94	3	Vertical	302	1.50	41.62	39.03	7.96	34.05
PK	11.55708G	53.74	74.00	-20.26	12.77	3	Vertical	25	1.50	40.97	38.77	8.01	34.01
PK	13.39972G	56.17	74.00	-17.83	16.55	3	Vertical	5	1.48	39.62	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80808G	31.73	54.00	-22.27	2.29	3	Horizontal	358	1.50	29.44	32.33	5.02	35.06
AV	4.91836G	32.48	54.00	-21.52	2.75	3	Horizontal	221	1.64	29.73	32.81	5.01	35.07
AV	11.37812G	42.19	54.00	-11.81	12.94	3	Horizontal	132	1.50	29.25	39.04	7.96	34.06
AV	11.54908G	41.93	54.00	-12.07	12.80	3	Horizontal	60	1.02	29.13	38.80	8.01	34.01
AV	13.38792G	44.48	54.00	-9.52	16.53	3	Horizontal	314	1.50	27.95	40.10	8.57	32.14
PK	4.81568G	44.44	74.00	-29.56	2.32	3	Horizontal	358	1.50	42.12	32.36	5.02	35.06
PK	4.92016G	44.72	74.00	-29.28	2.76	3	Horizontal	221	1.64	41.96	32.82	5.01	35.07
PK	11.3814G	53.60	74.00	-20.40	12.94	3	Horizontal	132	1.50	40.66	39.04	7.96	34.06
PK	11.54628G	54.05	74.00	-19.95	12.81	3	Horizontal	60	1.02	41.24	38.81	8.01	34.01
PK	13.39892G	56.18	74.00	-17.82	16.55	3	Horizontal	314	1.50	39.63	40.10	8.58	32.13

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80164G	31.83	54.00	-22.17	2.27	3	Vertical	351	2.33	29.56	32.31	5.02	35.06
AV	4.92376G	32.51	54.00	-21.49	2.78	3	Vertical	347	1.50	29.73	32.84	5.01	35.07
AV	11.55248G	41.90	54.00	-12.10	12.79	3	Vertical	2	1.56	29.11	38.79	8.01	34.01
AV	13.37248G	44.45	54.00	-9.55	16.50	3	Vertical	184	1.50	27.95	40.10	8.57	32.17
AV	13.3938G	44.50	54.00	-9.50	16.54	3	Vertical	201	1.62	27.96	40.10	8.58	32.14
PK	4.8084G	43.79	74.00	-30.21	2.29	3	Vertical	351	2.33	41.50	32.33	5.02	35.06
PK	4.92836G	44.16	74.00	-29.84	2.81	3	Vertical	347	1.50	41.35	32.87	5.01	35.07
PK	11.55392G	54.22	74.00	-19.78	12.78	3	Vertical	2	1.56	41.44	38.78	8.01	34.01
PK	13.37012G	56.34	74.00	-17.66	16.50	3	Vertical	184	1.50	39.84	40.10	8.57	32.17
PK	13.38432G	55.87	74.00	-18.13	16.52	3	Vertical	201	1.62	39.35	40.10	8.57	32.15

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8196G	32.01	54.00	-21.99	2.34	3	Horizontal	76	1.15	29.67	32.38	5.02	35.06
AV	4.91452G	32.36	54.00	-21.64	2.74	3	Horizontal	111	1.66	29.62	32.79	5.01	35.06
AV	11.54664G	41.77	54.00	-12.23	12.81	3	Horizontal	125	2.91	28.96	38.81	8.01	34.01
AV	13.373G	44.54	54.00	-9.46	16.50	3	Horizontal	138	1.30	28.04	40.10	8.57	32.17
AV	13.38768G	44.35	54.00	-9.65	16.53	3	Horizontal	78	2.05	27.82	40.10	8.57	32.14
PK	4.81144G	43.29	74.00	-30.71	2.31	3	Horizontal	76	1.15	40.98	32.35	5.02	35.06
PK	4.92816G	44.08	74.00	-29.92	2.81	3	Horizontal	111	1.66	41.27	32.87	5.01	35.07
PK	11.5402G	53.50	74.00	-20.50	12.82	3	Horizontal	125	2.91	40.68	38.82	8.01	34.01
PK	13.37556G	56.42	74.00	-17.58	16.51	3	Horizontal	138	1.30	39.91	40.10	8.57	32.16
PK	13.38196G	56.17	74.00	-17.83	16.52	3	Horizontal	78	2.05	39.65	40.10	8.57	32.15