


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 22
22
5.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4612G	111.67	Inf	-Inf	79.64	3	Horizontal	32	1.57	22	27.40	4.63	-				
AV	2.4612G	109.17	Inf	-Inf	77.14	3	Horizontal	32	1.57	22	27.40	4.63	-				
PK	2.4862G	59.63	74.00	-14.37	27.50	3	Horizontal	32	1.57	22	27.46	4.67	-				
AV	2.4852G	48.88	54.00	-5.12	16.76	3	Horizontal	32	1.57	22	27.45	4.67	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.93039G	44.73	74.00	-29.27	40.33	3	Vertical	180	1.80	22	31.28	6.79	33.67				
AV	4.9077G	31.91	54.00	-22.09	27.65	3	Vertical	180	1.80	22	31.15	6.78	33.67				
PK	7.37397G	52.58	74.00	-21.42	40.78	3	Vertical	262	1.80	22	36.45	8.91	33.56				
AV	7.36834G	39.97	54.00	-14.03	28.17	3	Vertical	262	1.80	22	36.46	8.90	33.56				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	4.93851G	44.96	74.00	-29.04	40.51	3	Horizontal	87	1.87	22	31.33	6.80	33.68					
AV	4.924G	34.16	54.00	-19.84	29.80	3	Horizontal	87	1.87	22	31.24	6.79	33.67					
PK	7.37237G	52.68	74.00	-21.32	40.87	3	Horizontal	15.5	1.80	22	36.46	8.91	33.56					
AV	7.36666G	39.99	54.00	-14.01	28.19	3	Horizontal	15.5	1.80	22	36.47	8.89	33.56					

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 17.5
15\18.5\17\17.5
3.67\1.47\1.18\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	65.49	74.00	-8.51	33.36	3	Vertical	311	1.52	17.5	27.60	4.53	-			
AV	2.3898G	53.51	54.00	-0.49	21.38	3	Vertical	311	1.52	17.5	27.60	4.53	-			
PK	2.4139G	111.92	Inf	-Inf	79.86	3	Vertical	311	1.52	17.5	27.50	4.56	-			
AV	2.4144G	102.44	Inf	-Inf	70.38	3	Vertical	311	1.52	17.5	27.50	4.56	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 17.5
17.5
1.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.39G	64.54	74.00	-9.46	32.41	3	Horizontal	295	1.92	17.5	27.60	4.53	-				
AV	2.39G	52.28	54.00	-1.72	20.15	3	Horizontal	295	1.92	17.5	27.60	4.53	-				
PK	2.4097G	107.39	Inf	-Inf	75.34	3	Horizontal	295	1.92	17.5	27.50	4.55	-				
AV	2.4097G	98.92	Inf	-Inf	66.87	3	Horizontal	295	1.92	17.5	27.50	4.55	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 17.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82232G	44.71	74.00	-29.29	40.46	3	Vertical	145.1	1.80	17.5	31.20	6.72	33.67			
AV	4.82932G	31.89	54.00	-22.11	27.63	3	Vertical	145.1	1.80	17.5	31.20	6.73	33.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 17.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.8222G	44.33	74.00	-29.67	40.08	3	Horizontal	228	1.80	17.5	31.20	6.72	33.67			
AV	4.83791G	31.94	54.00	-22.06	27.68	3	Horizontal	228	1.80	17.5	31.20	6.73	33.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_V_2TX
SET 21.5
17.5\24\16.5\20\21.5
6.60\9.05\7.82\2.59\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3891G	69.20	74.00	-4.80	36.91	3	Vertical	309	1.99	21.5	27.29	5.00	-				
AV	2.39G	53.81	54.00	-0.19	21.51	3	Vertical	309	1.99	21.5	27.30	5.00	-				
PK	2.4107G	116.94	Inf	-Inf	84.42	3	Vertical	309	1.99	21.5	27.50	5.02	-				
AV	2.4102G	106.00	Inf	-Inf	73.48	3	Vertical	309	1.99	21.5	27.50	5.02	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_V_2TX
SET 21.5
21.5
5.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3879G	64.06	74.00	-9.94	31.78	3	Horizontal	66	1.80	21.5	27.28	5.00	-			
AV	2.3874G	48.79	54.00	-5.21	16.52	3	Horizontal	66	1.80	21.5	27.27	5.00	-			
PK	2.4233G	112.24	Inf	-Inf	79.67	3	Horizontal	66	1.80	21.5	27.53	5.04	-			
AV	2.4232G	102.00	Inf	-Inf	69.43	3	Horizontal	66	1.80	21.5	27.53	5.04	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
SET 25.5
17.5\25.5
8.04\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.389G	65.63	74.00	-8.37	33.50	3	Vertical	45	1.98	25.5	27.60	4.53	-				
AV	2.38996G	53.69	54.00	-0.31	21.56	3	Vertical	45	1.98	25.5	27.60	4.53	-				
PK	2.44164G	119.43	Inf	-Inf	87.43	3	Vertical	45	1.98	25.5	27.40	4.60	-				
AV	2.4418G	110.53	Inf	-Inf	78.53	3	Vertical	45	1.98	25.5	27.40	4.60	-				
PK	2.48708G	64.56	74.00	-9.44	32.42	3	Vertical	45	1.98	25.5	27.47	4.67	-				
AV	2.48596G	51.72	54.00	-2.28	19.59	3	Vertical	45	1.98	25.5	27.46	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
SET 25.5
25.5
4.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38916G	60.31	74.00	-13.69	28.18	3	Horizontal	60	1.97	25.5	27.60	4.53	-				
AV	2.38996G	48.52	54.00	-5.48	16.39	3	Horizontal	60	1.97	25.5	27.60	4.53	-				
PK	2.4426G	116.60	Inf	-Inf	84.60	3	Horizontal	60	1.97	25.5	27.40	4.60	-				
AV	2.44276G	108.24	Inf	-Inf	76.24	3	Horizontal	60	1.97	25.5	27.40	4.60	-				
PK	2.48388G	61.11	74.00	-12.89	29.00	3	Horizontal	60	1.97	25.5	27.44	4.67	-				
AV	2.4835G	49.27	54.00	-4.73	17.17	3	Horizontal	60	1.97	25.5	27.43	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
SET 25.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.86493G	44.99	74.00	-29.01	40.74	3	Vertical	180	1.80	25.5	31.17	6.75	33.67				
AV	4.88259G	31.86	54.00	-22.14	27.64	3	Vertical	180	1.80	25.5	31.13	6.76	33.67				
PK	7.31304G	53.76	74.00	-20.24	41.98	3	Vertical	276	1.80	25.5	36.57	8.75	33.54				
AV	7.31136G	40.17	54.00	-13.83	28.38	3	Vertical	276	1.80	25.5	36.58	8.75	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX

EUT_V_2TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86777G	45.56	74.00	-28.44	41.32	3	Horizontal	97	1.06	25.5	31.16	6.75	33.67				
AV	4.87684G	33.35	54.00	-20.65	29.11	3	Horizontal	97	1.06	25.5	31.15	6.76	33.67				
PK	7.29769G	53.07	74.00	-20.93	41.30	3	Horizontal	288	1.75	25.5	36.59	8.71	33.53				
AV	7.31284G	40.31	54.00	-13.69	28.53	3	Horizontal	288	1.75	25.5	36.57	8.75	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT Y_2TX
SET 21
17.5\23\20.5\21.5\21
5.88\ -3.45\1.14\ -0.16\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.45G	116.30	Inf	-Inf	83.62	3	Vertical	313	1.97	21	27.60	5.08	-				
AV	2.4502G	106.03	Inf	-Inf	73.35	3	Vertical	313	1.97	21	27.60	5.08	-				
PK	2.4848G	70.04	74.00	-3.96	37.06	3	Vertical	313	1.97	21	27.85	5.13	-				
AV	2.4849G	53.54	54.00	-0.46	20.56	3	Vertical	313	1.97	21	27.85	5.13	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
SET 21
21
4.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4526G	112.89	Inf	-Inf	80.21	3	Horizontal	46	1.80	21	27.60	5.08	-			
AV	2.4524G	102.81	Inf	-Inf	70.13	3	Horizontal	46	1.80	21	27.60	5.08	-			
PK	2.4875G	63.36	74.00	-10.64	30.36	3	Horizontal	46	1.80	21	27.87	5.13	-			
AV	2.4835G	49.89	54.00	-4.11	16.92	3	Horizontal	46	1.80	21	27.84	5.13	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 18
17.5\19\18.5\18
1.63\0.98\0.11\0.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.457G	111.30	Inf	-Inf	79.27	3	Vertical	43	1.94	18	27.40	4.63	-				
AV	2.4568G	102.73	Inf	-Inf	70.70	3	Vertical	43	1.94	18	27.40	4.63	-				
PK	2.4863G	66.17	74.00	-7.83	34.04	3	Vertical	43	1.94	18	27.46	4.67	-				
AV	2.4835G	53.09	54.00	-0.91	20.99	3	Vertical	43	1.94	18	27.43	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 18
18
4.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4633G	108.53	Inf	-Inf	76.50	3	Horizontal	65	1.98	18	27.40	4.63	-				
AV	2.458G	100.18	Inf	-Inf	68.15	3	Horizontal	65	1.98	18	27.40	4.63	-				
PK	2.4835G	60.56	74.00	-13.44	28.46	3	Horizontal	65	1.98	18	27.43	4.67	-				
AV	2.4835G	49.46	54.00	-4.54	17.36	3	Horizontal	65	1.98	18	27.43	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX

EUT Y_2TX
SET 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91825G	44.50	74.00	-29.50	40.17	3	Vertical	212	1.80	18	31.21	6.79	33.67				
AV	4.90738G	31.87	54.00	-22.13	27.62	3	Vertical	212	1.80	18	31.14	6.78	33.67				
PK	7.39016G	52.17	74.00	-21.83	40.37	3	Vertical	142	1.05	18	36.42	8.95	33.57				
AV	7.36634G	39.96	54.00	-14.04	28.16	3	Vertical	142	1.05	18	36.47	8.89	33.56				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
SET 18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92076G	45.43	74.00	-28.57	41.09	3	Horizontal	189	1.80	18	31.22	6.79	33.67				
AV	4.90782G	31.85	54.00	-22.15	27.59	3	Horizontal	189	1.80	18	31.15	6.78	33.67				
PK	7.39431G	52.48	74.00	-21.52	40.68	3	Horizontal	87	1.80	18	36.41	8.96	33.57				
AV	7.3677G	39.96	54.00	-14.04	28.17	3	Horizontal	87	1.80	18	36.46	8.89	33.56				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 16
15\16.5\16
1.64\ -0.03\0.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3899G	66.70	74.00	-7.30	34.57	3	Vertical	40	1.53	16	27.60	4.53	-				
AV	2.39G	53.53	54.00	-0.47	21.40	3	Vertical	40	1.53	16	27.60	4.53	-				
PK	2.4103G	110.79	Inf	-Inf	78.73	3	Vertical	40	1.53	16	27.50	4.56	-				
AV	2.4074G	99.81	Inf	-Inf	67.73	3	Vertical	40	1.53	16	27.53	4.55	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
SET 16
16
3.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	63.28	74.00	-10.72	31.15	3	Horizontal	68	1.84	16	27.60	4.53	-			
AV	2.39G	50.35	54.00	-3.65	18.22	3	Horizontal	68	1.84	16	27.60	4.53	-			
PK	2.4158G	106.82	Inf	-Inf	74.76	3	Horizontal	68	1.84	16	27.50	4.56	-			
AV	2.4153G	95.63	Inf	-Inf	63.57	3	Horizontal	68	1.84	16	27.50	4.56	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82544G	44.62	74.00	-29.38	40.36	3	Vertical	109	1.80	16	31.20	6.73	33.67			
AV	4.81996G	31.90	54.00	-22.10	27.65	3	Vertical	109	1.80	16	31.20	6.72	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
SET 16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.83407G	44.83	74.00	-29.17	40.57	3	Horizontal	174.1	1.80	16	31.20	6.73	33.67			
AV	4.83982G	31.92	54.00	-22.08	27.65	3	Horizontal	174.1	1.80	16	31.20	6.74	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
SET 19
15.5\21.5\18.5\20\19.5\19
6.20\ -3.74\1.32\ -1.17\ -0.68\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3899G	67.46	74.00	-6.54	35.16	3	Vertical	34	2.00	19	27.30	5.00	-				
AV	2.3899G	53.81	54.00	-0.19	21.51	3	Vertical	34	2.00	19	27.30	5.00	-				
PK	2.4132G	116.22	Inf	-Inf	83.69	3	Vertical	34	2.00	19	27.50	5.03	-				
AV	2.411G	103.45	Inf	-Inf	70.92	3	Vertical	34	2.00	19	27.50	5.03	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT Y_2TX
SET 19
19
6.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	61.57	74.00	-12.43	29.27	3	Horizontal	67	1.80	19	27.30	5.00	-			
AV	2.39G	47.56	54.00	-6.44	15.26	3	Horizontal	67	1.80	19	27.30	5.00	-			
PK	2.4251G	111.85	Inf	-Inf	79.25	3	Horizontal	67	1.80	19	27.55	5.05	-			
AV	2.4227G	99.44	Inf	-Inf	66.87	3	Horizontal	67	1.80	19	27.53	5.04	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 24
16\24
8.07\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38948G	67.56	74.00	-6.44	35.43	3	Vertical	36	1.99	24	27.60	4.53	-			
AV	2.38996G	53.60	54.00	-0.40	21.47	3	Vertical	36	1.99	24	27.60	4.53	-			
PK	2.43892G	120.23	Inf	-Inf	88.22	3	Vertical	36	1.99	24	27.41	4.60	-			
AV	2.43556G	108.64	Inf	-Inf	76.61	3	Vertical	36	1.99	24	27.44	4.59	-			
PK	2.4835G	62.13	74.00	-11.87	30.03	3	Vertical	36	1.99	24	27.43	4.67	-			
AV	2.4835G	48.91	54.00	-5.09	16.81	3	Vertical	36	1.99	24	27.43	4.67	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
SET 24
24
5.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.38932G	60.73	74.00	-13.27	28.60	3	Horizontal	66	1.96	24	27.60	4.53	-			
AV	2.38996G	48.54	54.00	-5.46	16.41	3	Horizontal	66	1.96	24	27.60	4.53	-			
PK	2.43892G	118.80	Inf	-Inf	86.79	3	Horizontal	66	1.96	24	27.41	4.60	-			
AV	2.43988G	106.91	Inf	-Inf	74.91	3	Horizontal	66	1.96	24	27.40	4.60	-			
PK	2.48548G	61.61	74.00	-12.39	29.49	3	Horizontal	66	1.96	24	27.45	4.67	-			
AV	2.4835G	48.57	54.00	-5.43	16.47	3	Horizontal	66	1.96	24	27.43	4.67	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87983G	44.46	74.00	-29.54	40.23	3	Vertical	15	2.36	24	31.14	6.76	33.67				
AV	4.88555G	31.84	54.00	-22.16	27.61	3	Vertical	15	2.36	24	31.13	6.77	33.67				
PK	7.29586G	52.28	74.00	-21.72	40.53	3	Vertical	360	1.80	24	36.58	8.70	33.53				
AV	7.29206G	39.86	54.00	-14.14	28.13	3	Vertical	360	1.80	24	36.57	8.69	33.53				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
SET 24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.85777G	44.17	74.00	-29.83	39.91	3	Horizontal	88	1.80	24	31.18	6.75	33.67				
AV	4.88371G	31.91	54.00	-22.09	27.69	3	Horizontal	88	1.80	24	31.13	6.76	33.67				
PK	7.32674G	52.60	74.00	-21.40	40.80	3	Horizontal	186	1.80	24	36.55	8.79	33.54				
AV	7.29134G	39.82	54.00	-14.18	28.09	3	Horizontal	186	1.80	24	36.57	8.69	33.53				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
SET 20
15.5\22\19\20.5\20
6.79\2.52\2.16\0.32\0.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4502G	117.01	Inf	-Inf	84.33	3	Vertical	309	1.80	20	27.60	5.08	-				
AV	2.4484G	104.46	Inf	-Inf	71.80	3	Vertical	309	1.80	20	27.58	5.08	-				
PK	2.4841G	68.76	74.00	-5.24	35.79	3	Vertical	309	1.80	20	27.84	5.13	-				
AV	2.4835G	53.46	54.00	-0.54	20.49	3	Vertical	309	1.80	20	27.84	5.13	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
SET 20
20
2.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4581G	114.28	Inf	-Inf	81.59	3	Horizontal	46	1.80	20	27.60	5.09	-				
AV	2.4586G	101.55	Inf	-Inf	68.86	3	Horizontal	46	1.80	20	27.60	5.09	-				
PK	2.484G	66.90	74.00	-7.10	33.93	3	Horizontal	46	1.80	20	27.84	5.13	-				
AV	2.4835G	51.19	54.00	-2.81	18.22	3	Horizontal	46	1.80	20	27.84	5.13	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
SET 15.5
16\15\15.5
-0.51\0.88\0.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4585G	109.98	Inf	-Inf	77.95	3	Vertical	42	1.80	15.5	27.40	4.63	-				
AV	2.4594G	99.14	Inf	-Inf	67.11	3	Vertical	42	1.80	15.5	27.40	4.63	-				
PK	2.4835G	66.02	74.00	-7.98	33.92	3	Vertical	42	1.80	15.5	27.43	4.67	-				
AV	2.4835G	53.77	54.00	-0.23	21.67	3	Vertical	42	1.80	15.5	27.43	4.67	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
SET 15.5
15.5
4.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4662G	108.06	Inf	-Inf	76.02	3	Horizontal	57	1.98	15.5	27.40	4.64	-				
AV	2.4645G	96.58	Inf	-Inf	64.54	3	Horizontal	57	1.98	15.5	27.40	4.64	-				
PK	2.4835G	61.00	74.00	-13.00	28.90	3	Horizontal	57	1.98	15.5	27.43	4.67	-				
AV	2.4835G	49.65	54.00	-4.35	17.55	3	Horizontal	57	1.98	15.5	27.43	4.67	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9288G	44.60	74.00	-29.40	40.21	3	Vertical	95	1.80	15.5	31.27	6.79	33.67				
AV	4.92456G	32.02	54.00	-21.98	27.65	3	Vertical	95	1.80	15.5	31.25	6.79	33.67				
PK	7.38077G	53.28	74.00	-20.72	41.48	3	Vertical	92	1.80	15.5	36.44	8.93	33.57				
AV	7.36922G	39.98	54.00	-14.02	28.18	3	Vertical	92	1.80	15.5	36.46	8.90	33.56				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2462MHz_TX

EUT_Y_2TX
SET 15.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.93151G	44.60	74.00	-29.40	40.18	3	Horizontal	360	1.80	15.5	31.29	6.80	33.67				
AV	4.9067G	31.88	54.00	-22.12	27.63	3	Horizontal	360	1.80	15.5	31.14	6.78	33.67				
PK	7.39343G	52.39	74.00	-21.61	40.59	3	Horizontal	206	1.80	15.5	36.41	8.96	33.57				
AV	7.3675G	40.00	54.00	-14.00	28.21	3	Horizontal	206	1.80	15.5	36.46	8.89	33.56				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 21.5
15\22.5\19\20.5\21\21.5\22\21.5
7.59\2.59\4.77\2.54\1.08\0.86\1.57\1.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3882G	62.01	74.00	-11.99	29.88	3	Vertical	323	1.99	21.5	27.60	4.53	-				
AV	2.3877G	52.94	54.00	-1.06	20.81	3	Vertical	323	1.99	21.5	27.60	4.53	-				
PK	2.4112G	120.28	Inf	-Inf	88.22	3	Vertical	323	1.99	21.5	27.50	4.56	-				
AV	2.4112G	117.82	Inf	-Inf	85.76	3	Vertical	323	1.99	21.5	27.50	4.56	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 21.5
21.5
4.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3856G	59.80	74.00	-14.20	27.67	3	Horizontal	39	1.62	21.5	27.60	4.53	-				
AV	2.3888G	49.31	54.00	-4.69	17.18	3	Horizontal	39	1.62	21.5	27.60	4.53	-				
PK	2.4112G	115.05	Inf	-Inf	82.99	3	Horizontal	39	1.62	21.5	27.50	4.56	-				
AV	2.4112G	112.58	Inf	-Inf	80.52	3	Horizontal	39	1.62	21.5	27.50	4.56	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.84214G	44.70	74.00	-29.30	40.43	3	Vertical	64	1.80	21.5	31.20	6.74	33.67			
AV	4.82396G	33.02	54.00	-20.98	28.76	3	Vertical	64	1.80	21.5	31.20	6.73	33.67			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 21.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82384G	47.95	74.00	-26.05	43.69	3	Horizontal	65	1.09	21.5	31.20	6.73	33.67			
AV	4.82404G	40.49	54.00	-13.51	36.23	3	Horizontal	65	1.09	21.5	31.20	6.73	33.67			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 26
21.5\27\22\24.5\25.5\26\26.5\26
6.08\5.72\6.31\4.96\3.86\3.98\6.03\3.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3882G	60.72	74.00	-13.28	28.59	3	Vertical	42	1.96	26	27.60	4.53	-				
AV	2.38916G	50.41	54.00	-3.59	18.28	3	Vertical	42	1.96	26	27.60	4.53	-				
PK	2.4362G	126.28	Inf	-Inf	94.25	3	Vertical	42	1.96	26	27.44	4.59	-				
AV	2.4362G	123.79	Inf	-Inf	91.76	3	Vertical	42	1.96	26	27.44	4.59	-				
PK	2.4835G	60.58	74.00	-13.42	28.48	3	Vertical	42	1.96	26	27.43	4.67	-				
AV	2.4835G	50.34	54.00	-3.66	18.24	3	Vertical	42	1.96	26	27.43	4.67	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 26
26
5.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38836G	59.54	74.00	-14.46	27.41	3	Horizontal	36	1.58	26	27.60	4.53	-				
AV	2.38916G	48.43	54.00	-5.57	16.30	3	Horizontal	36	1.58	26	27.60	4.53	-				
PK	2.4362G	122.19	Inf	-Inf	90.16	3	Horizontal	36	1.58	26	27.44	4.59	-				
AV	2.4362G	119.69	Inf	-Inf	87.66	3	Horizontal	36	1.58	26	27.44	4.59	-				
PK	2.48388G	59.16	74.00	-14.84	27.05	3	Horizontal	36	1.58	26	27.44	4.67	-				
AV	2.48468G	48.62	54.00	-5.38	16.50	3	Horizontal	36	1.58	26	27.45	4.67	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX


2437MHz_TX

EUT Y_4TX
SET 26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86984G	44.80	74.00	-29.20	40.55	3	Vertical	94	1.80	26	31.16	6.76	33.67				
AV	4.87396G	32.47	54.00	-21.53	28.23	3	Vertical	94	1.80	26	31.15	6.76	33.67				
PK	7.31624G	53.98	74.00	-20.02	42.19	3	Vertical	50	1.80	26	36.57	8.76	33.54				
AV	7.31723G	45.20	54.00	-8.80	33.41	3	Vertical	50	1.80	26	36.57	8.76	33.54				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX


2437MHz_TX

EUT_Y_4TX
SET 26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.874G	48.31	74.00	-25.69	44.07	3	Horizontal	71	1.20	26	31.15	6.76	33.67				
AV	4.874G	40.81	54.00	-13.19	36.57	3	Horizontal	71	1.20	26	31.15	6.76	33.67				
PK	7.31695G	54.13	74.00	-19.87	42.34	3	Horizontal	69	2.94	26	36.57	8.76	33.54				
AV	7.31731G	45.99	54.00	-8.01	34.20	3	Horizontal	69	2.94	26	36.57	8.76	33.54				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 20.5
20.5\22\21.5\21\20.5
1.58\1.22\0.77\0.49\1.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4562G	120.26	Inf	-Inf	87.57	3	Vertical	46	1.98	20.5	27.60	5.09	-				
AV	2.4563G	117.60	Inf	-Inf	84.91	3	Vertical	46	1.98	20.5	27.60	5.09	-				
PK	2.4836G	62.27	74.00	-11.73	29.30	3	Vertical	46	1.98	20.5	27.84	5.13	-				
AV	2.4838G	52.45	54.00	-1.55	19.48	3	Vertical	46	1.98	20.5	27.84	5.13	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 20.5
20.5
8.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4562G	117.54	Inf	-Inf	84.85	3	Horizontal	39	1.99	20.5	27.60	5.09	-				
AV	2.4562G	114.89	Inf	-Inf	82.20	3	Horizontal	39	1.99	20.5	27.60	5.09	-				
PK	2.486G	58.46	74.00	-15.54	25.47	3	Horizontal	39	1.99	20.5	27.86	5.13	-				
AV	2.4835G	45.99	54.00	-8.01	13.02	3	Horizontal	39	1.99	20.5	27.84	5.13	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 20.5
21.5\19\20\20.5\21\20.5
-2.07\3.47\1.98\0.88\0.46\0.89

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4612G	118.42	Inf	-Inf	86.39	3	Vertical	42	1.89	20.5	27.40	4.63	-				
AV	2.4612G	115.98	Inf	-Inf	83.95	3	Vertical	42	1.89	20.5	27.40	4.63	-				
PK	2.4881G	61.46	74.00	-12.54	29.31	3	Vertical	42	1.89	20.5	27.48	4.67	-				
AV	2.4874G	53.11	54.00	-0.89	20.97	3	Vertical	42	1.89	20.5	27.47	4.67	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 20.5
20.5
6.07

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4611G	114.59	Inf	-Inf	82.56	3	Horizontal	36	1.58	20.5	27.40	4.63	-				
AV	2.4607G	112.10	Inf	-Inf	80.07	3	Horizontal	36	1.58	20.5	27.40	4.63	-				
PK	2.4902G	58.93	74.00	-15.07	26.75	3	Horizontal	36	1.58	20.5	27.50	4.68	-				
AV	2.4888G	47.93	54.00	-6.07	15.77	3	Horizontal	36	1.58	20.5	27.49	4.67	-				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX


2462MHz_TX

EUT_Y_4TX
SET 20.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.92424G	44.41	74.00	-29.59	40.04	3	Vertical	71	1.05	20.5	31.25	6.79	33.67				
AV	4.92392G	33.01	54.00	-20.99	28.65	3	Vertical	71	1.05	20.5	31.24	6.79	33.67				
PK	7.36818G	52.88	74.00	-21.12	41.08	3	Vertical	250	1.80	20.5	36.46	8.90	33.56				
AV	7.3679G	39.96	54.00	-14.04	28.17	3	Vertical	250	1.80	20.5	36.46	8.89	33.56				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92396G	46.17	74.00	-27.83	41.81	3	Horizontal	105	1.75	20.5	31.24	6.79	33.67				
AV	4.92396G	37.46	54.00	-16.54	33.10	3	Horizontal	105	1.75	20.5	31.24	6.79	33.67				
PK	7.37078G	52.67	74.00	-21.33	40.87	3	Horizontal	83	1.80	20.5	36.46	8.90	33.56				
AV	7.3663G	39.96	54.00	-14.04	28.16	3	Horizontal	83	1.80	20.5	36.47	8.89	33.56				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 17
15\18\16.5\17
3.20\0.93\1.36\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3899G	66.10	74.00	-7.90	33.97	3	Vertical	320	2.00	17	27.60	4.53	-				
AV	2.39G	53.57	54.00	-0.43	21.44	3	Vertical	320	2.00	17	27.60	4.53	-				
PK	2.4146G	116.83	Inf	-Inf	84.77	3	Vertical	320	2.00	17	27.50	4.56	-				
AV	2.4135G	107.88	Inf	-Inf	75.82	3	Vertical	320	2.00	17	27.50	4.56	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT Y_4TX
SET 17
17
1.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.39G	64.87	74.00	-9.13	32.74	3	Horizontal	327	1.89	17	27.60	4.53	-				
AV	2.39G	52.31	54.00	-1.69	20.18	3	Horizontal	327	1.89	17	27.60	4.53	-				
PK	2.4189G	111.02	Inf	-Inf	78.95	3	Horizontal	327	1.89	17	27.50	4.57	-				
AV	2.4191G	102.48	Inf	-Inf	70.41	3	Horizontal	327	1.89	17	27.50	4.57	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.83419G	44.76	74.00	-29.24	40.50	3	Vertical	0	1.12	17	31.20	6.73	33.67				
AV	4.8399G	31.89	54.00	-22.11	27.62	3	Vertical	0	1.12	17	31.20	6.74	33.67				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.84218G	44.85	74.00	-29.15	40.58	3	Horizontal	122	1.80	17	31.20	6.74	33.67				
AV	4.83159G	31.91	54.00	-22.09	27.65	3	Horizontal	122	1.80	17	31.20	6.73	33.67				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
SET 18
14.5\21.5\16.5\19\18\18.5\18
7.25\5.35\4.44\1.37\1.09\0.22\0.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3895G	69.59	74.00	-4.41	37.30	3	Vertical	321	1.80	18	27.29	5.00	-				
AV	2.39G	53.09	54.00	-0.91	20.79	3	Vertical	321	1.80	18	27.30	5.00	-				
PK	2.4196G	117.86	Inf	-Inf	85.32	3	Vertical	321	1.80	18	27.50	5.04	-				
AV	2.4189G	107.60	Inf	-Inf	75.06	3	Vertical	321	1.80	18	27.50	5.04	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT Y_4TX
SET 18
18
7.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3874G	60.64	74.00	-13.36	28.37	3	Horizontal	39	1.80	18	27.27	5.00	-				
AV	2.3877G	46.43	54.00	-7.57	14.15	3	Horizontal	39	1.80	18	27.28	5.00	-				
PK	2.4195G	114.31	Inf	-Inf	81.77	3	Horizontal	39	1.80	18	27.50	5.04	-				
AV	2.4188G	104.12	Inf	-Inf	71.58	3	Horizontal	39	1.80	18	27.50	5.04	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 23
17\24.5\21\22.5\23\26\23
7.59\0.63\5.64\3.79\3.19\6.51\3.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3898G	66.05	74.00	-7.95	33.92	3	Vertical	322	1.97	23	27.60	4.53	-				
AV	2.38996G	50.95	54.00	-3.05	18.82	3	Vertical	322	1.97	23	27.60	4.53	-				
PK	2.43956G	122.35	Inf	-Inf	90.35	3	Vertical	322	1.97	23	27.40	4.60	-				
AV	2.43844G	114.09	Inf	-Inf	82.07	3	Vertical	322	1.97	23	27.42	4.60	-				
PK	2.48372G	62.28	74.00	-11.72	30.17	3	Vertical	322	1.97	23	27.44	4.67	-				
AV	2.4835G	48.71	54.00	-5.29	16.61	3	Vertical	322	1.97	23	27.43	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 23
23
6.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.38916G	60.63	74.00	-13.37	28.50	3	Horizontal	37	1.57	23	27.60	4.53	-				
AV	2.38932G	47.67	54.00	-6.33	15.54	3	Horizontal	37	1.57	23	27.60	4.53	-				
PK	2.43972G	119.03	Inf	-Inf	87.03	3	Horizontal	37	1.57	23	27.40	4.60	-				
AV	2.43876G	110.74	Inf	-Inf	78.73	3	Horizontal	37	1.57	23	27.41	4.60	-				
PK	2.48436G	60.25	74.00	-13.75	28.14	3	Horizontal	37	1.57	23	27.44	4.67	-				
AV	2.485G	47.07	54.00	-6.93	14.95	3	Horizontal	37	1.57	23	27.45	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87872G	44.58	74.00	-29.42	40.35	3	Vertical	190.1	1.80	23	31.14	6.76	33.67				
AV	4.87876G	31.84	54.00	-22.16	27.61	3	Vertical	190.1	1.80	23	31.14	6.76	33.67				
PK	7.32019G	53.17	74.00	-20.83	41.38	3	Vertical	83	1.80	23	36.56	8.77	33.54				
AV	7.32147G	40.59	54.00	-13.41	28.80	3	Vertical	83	1.80	23	36.56	8.77	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT Y_4TX
SET 23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.8923G	44.59	74.00	-29.41	40.37	3	Horizontal	311	1.80	23	31.12	6.77	33.67				
AV	4.86325G	31.93	54.00	-22.07	27.68	3	Horizontal	311	1.80	23	31.17	6.75	33.67				
PK	7.32922G	56.42	74.00	-17.58	44.63	3	Horizontal	61	2.91	23	36.54	8.79	33.54				
AV	7.31995G	42.23	54.00	-11.77	30.44	3	Horizontal	61	2.91	23	36.56	8.77	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 21.5
14.5\22.5\18.5\20.5\21.5
8.08\1.94\4.30\1.81\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4577G	121.57	Inf	-Inf	88.88	3	Vertical	43	1.99	21.5	27.60	5.09	-				
AV	2.4587G	111.59	Inf	-Inf	78.90	3	Vertical	43	1.99	21.5	27.60	5.09	-				
PK	2.4846G	68.05	74.00	-5.95	35.07	3	Vertical	43	1.99	21.5	27.85	5.13	-				
AV	2.4835G	53.80	54.00	-0.20	20.83	3	Vertical	43	1.99	21.5	27.84	5.13	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 21.5
21.5
0.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4583G	118.85	Inf	-Inf	86.16	3	Horizontal	37	1.80	21.5	27.60	5.09	-			
AV	2.4585G	108.65	Inf	-Inf	75.96	3	Horizontal	37	1.80	21.5	27.60	5.09	-			
PK	2.4849G	68.53	74.00	-5.47	35.55	3	Horizontal	37	1.80	21.5	27.85	5.13	-			
AV	2.4853G	53.18	54.00	-0.82	20.20	3	Horizontal	37	1.80	21.5	27.85	5.13	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 14.5
17\13\15\14\14.5
-3.57\2.62\0.20\1.12\0.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4647G	112.89	Inf	-Inf	80.85	3	Vertical	43	1.83	14.5	27.40	4.64	-				
AV	2.4639G	104.54	Inf	-Inf	72.50	3	Vertical	43	1.83	14.5	27.40	4.64	-				
PK	2.4835G	67.25	74.00	-6.75	35.15	3	Vertical	43	1.83	14.5	27.43	4.67	-				
AV	2.4835G	53.27	54.00	-0.73	21.17	3	Vertical	43	1.83	14.5	27.43	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 14.5
14.5
3.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4638G	109.12	Inf	-Inf	77.08	3	Horizontal	30	1.60	14.5	27.40	4.64	-				
AV	2.4637G	101.03	Inf	-Inf	68.99	3	Horizontal	30	1.60	14.5	27.40	4.64	-				
PK	2.4835G	63.83	74.00	-10.17	31.73	3	Horizontal	30	1.60	14.5	27.43	4.67	-				
AV	2.4835G	50.66	54.00	-3.34	18.56	3	Horizontal	30	1.60	14.5	27.43	4.67	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 14.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.93499G	45.33	74.00	-28.67	40.89	3	Vertical	341	1.80	14.5	31.31	6.80	33.67				
AV	4.9053G	31.86	54.00	-22.14	27.62	3	Vertical	341	1.80	14.5	31.13	6.78	33.67				
PK	7.36822G	52.31	74.00	-21.69	40.51	3	Vertical	269	1.80	14.5	36.46	8.90	33.56				
AV	7.36646G	39.95	54.00	-14.05	28.15	3	Vertical	269	1.80	14.5	36.47	8.89	33.56				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX


2462MHz_TX

EUT_Y_4TX
SET 14.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92736G	44.64	74.00	-29.36	40.26	3	Horizontal	0	1.80	14.5	31.26	6.79	33.67				
AV	4.90658G	31.84	54.00	-22.16	27.59	3	Horizontal	0	1.80	14.5	31.14	6.78	33.67				
PK	7.37177G	52.46	74.00	-21.54	40.65	3	Horizontal	172	1.79	14.5	36.46	8.91	33.56				
AV	7.36846G	39.98	54.00	-14.02	28.18	3	Horizontal	172	1.79	14.5	36.46	8.90	33.56				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
SET 15
15
0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3882G	65.88	74.00	-8.12	33.75	3	Vertical	317	2.00	15	27.60	4.53	-			
AV	2.39G	53.67	54.00	-0.33	21.54	3	Vertical	317	2.00	15	27.60	4.53	-			
PK	2.4131G	116.66	Inf	-Inf	84.60	3	Vertical	317	2.00	15	27.50	4.56	-			
AV	2.4132G	105.19	Inf	-Inf	73.13	3	Vertical	317	2.00	15	27.50	4.56	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT Y_4TX
SET 15
15
0.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	64.16	74.00	-9.84	32.03	3	Horizontal	37	1.62	15	27.60	4.53	-			
AV	2.39G	53.06	54.00	-0.94	20.93	3	Horizontal	37	1.62	15	27.60	4.53	-			
PK	2.4138G	111.92	Inf	-Inf	79.86	3	Horizontal	37	1.62	15	27.50	4.56	-			
AV	2.4135G	100.18	Inf	-Inf	68.12	3	Horizontal	37	1.62	15	27.50	4.56	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
SET 15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.84138G	44.33	74.00	-29.67	40.06	3	Vertical	16	1.80	15	31.20	6.74	33.67				
AV	4.83179G	31.91	54.00	-22.09	27.65	3	Vertical	16	1.80	15	31.20	6.73	33.67				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
SET 15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81641G	44.70	74.00	-29.30	40.45	3	Horizontal	114	1.79	15	31.20	6.72	33.67			
AV	4.82504G	31.92	54.00	-22.08	27.66	3	Horizontal	114	1.79	15	31.20	6.73	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_Y_4TX
SET 17
12\20\14.5\17\18\17.5\17
8.04\ -5.53\4.85\0.51\ -1.59\ -0.49\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.3894G	68.55	74.00	-5.45	36.26	3	Vertical	323	1.80	17	27.29	5.00	-				
AV	2.39G	53.52	54.00	-0.48	21.22	3	Vertical	323	1.80	17	27.30	5.00	-				
PK	2.4194G	118.28	Inf	-Inf	85.74	3	Vertical	323	1.80	17	27.50	5.04	-				
AV	2.419G	106.19	Inf	-Inf	73.65	3	Vertical	323	1.80	17	27.50	5.04	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT Y_4TX
SET 17
17
7.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3888G	61.09	74.00	-12.91	28.80	3	Horizontal	40	1.80	17	27.29	5.00	-			
AV	2.3884G	46.61	54.00	-7.39	14.33	3	Horizontal	40	1.80	17	27.28	5.00	-			
PK	2.4193G	116.57	Inf	-Inf	84.03	3	Horizontal	40	1.80	17	27.50	5.04	-			
AV	2.4188G	102.96	Inf	-Inf	70.42	3	Horizontal	40	1.80	17	27.50	5.04	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 22.5
15\22.5\26\24.5\24\21\22.5
7.68\0.79\9.92\4.19\3.13\3.97\0.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.38948G	68.36	74.00	-5.64	36.23	3	Vertical	323	1.99	22.5	27.60	4.53	-				
AV	2.3898G	53.34	54.00	-0.66	21.21	3	Vertical	323	1.99	22.5	27.60	4.53	-				
PK	2.43828G	124.38	Inf	-Inf	92.36	3	Vertical	323	1.99	22.5	27.42	4.60	-				
AV	2.43828G	113.01	Inf	-Inf	80.99	3	Vertical	323	1.99	22.5	27.42	4.60	-				
PK	2.489G	63.11	74.00	-10.89	30.95	3	Vertical	323	1.99	22.5	27.49	4.67	-				
AV	2.4835G	49.26	54.00	-4.74	17.16	3	Vertical	323	1.99	22.5	27.43	4.67	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 22.5
22.5
4.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.38724G	63.59	74.00	-10.41	31.46	3	Horizontal	37	1.55	22.5	27.60	4.53	-				
AV	2.38932G	49.67	54.00	-4.33	17.54	3	Horizontal	37	1.55	22.5	27.60	4.53	-				
PK	2.43876G	121.29	Inf	-Inf	89.28	3	Horizontal	37	1.55	22.5	27.41	4.60	-				
AV	2.43876G	109.75	Inf	-Inf	77.74	3	Horizontal	37	1.55	22.5	27.41	4.60	-				
PK	2.48484G	61.13	74.00	-12.87	29.01	3	Horizontal	37	1.55	22.5	27.45	4.67	-				
AV	2.48596G	47.99	54.00	-6.01	15.86	3	Horizontal	37	1.55	22.5	27.46	4.67	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX


2437MHz_TX

EUT_Y_4TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.85506G	44.35	74.00	-29.65	40.08	3	Vertical	353	1.80	22.5	31.19	6.75	33.67				
AV	4.86585G	31.86	54.00	-22.14	27.61	3	Vertical	353	1.80	22.5	31.17	6.75	33.67				
PK	7.31608G	52.72	74.00	-21.28	40.93	3	Vertical	47	2.90	22.5	36.57	8.76	33.54				
AV	7.29146G	39.82	54.00	-14.18	28.09	3	Vertical	47	2.90	22.5	36.57	8.69	33.53				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 22.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.89338G	44.87	74.00	-29.13	40.66	3	Horizontal	280	1.74	22.5	31.11	6.77	33.67				
AV	4.88395G	32.18	54.00	-21.82	27.96	3	Horizontal	280	1.74	22.5	31.13	6.76	33.67				
PK	7.33018G	56.68	74.00	-17.32	44.90	3	Horizontal	337	2.54	22.5	36.54	8.79	33.55				
AV	7.32107G	42.09	54.00	-11.91	30.30	3	Horizontal	337	2.54	22.5	36.56	8.77	33.54				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT Y_4TX
SET 17
12\19\15.5\17\17.5\17
7.48\ -3.30\3.50\0.78\ -0.09\0.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4504G	118.17	Inf	-Inf	85.49	3	Vertical	309	1.80	17	27.60	5.08	-				
AV	2.4493G	106.01	Inf	-Inf	73.34	3	Vertical	309	1.80	17	27.59	5.08	-				
PK	2.4835G	67.86	74.00	-6.14	34.89	3	Vertical	309	1.80	17	27.84	5.13	-				
AV	2.4835G	53.34	54.00	-0.66	20.37	3	Vertical	309	1.80	17	27.84	5.13	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT Y_4TX
SET 17
17
5.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4582G	116.36	Inf	-Inf	83.67	3	Horizontal	39	1.80	17	27.60	5.09	-				
AV	2.4585G	103.91	Inf	-Inf	71.22	3	Horizontal	39	1.80	17	27.60	5.09	-				
PK	2.4849G	62.92	74.00	-11.08	29.94	3	Horizontal	39	1.80	17	27.85	5.13	-				
AV	2.485G	48.38	54.00	-5.62	15.40	3	Horizontal	39	1.80	17	27.85	5.13	-				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
SET 12
15\10.5\12.5\11.5\12
-4.05\2.70\0.40\1.13\0.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	2.4625G	113.20	Inf	-Inf	81.17	3	Vertical	43	1.94	12	27.40	4.63	-					
AV	2.4633G	101.56	Inf	-Inf	69.53	3	Vertical	43	1.94	12	27.40	4.63	-					
PK	2.4844G	65.86	74.00	-8.14	33.75	3	Vertical	43	1.94	12	27.44	4.67	-					
AV	2.4835G	53.78	54.00	-0.22	21.68	3	Vertical	43	1.94	12	27.43	4.67	-					

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
SET 12
12
5.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4535G	109.63	Inf	-Inf	77.61	3	Horizontal	33	1.91	12	27.40	4.62	-			
AV	2.4532G	97.96	Inf	-Inf	65.94	3	Horizontal	33	1.91	12	27.40	4.62	-			
PK	2.4835G	61.13	74.00	-12.87	29.03	3	Horizontal	33	1.91	12	27.43	4.67	-			
AV	2.4835G	48.68	54.00	-5.32	16.58	3	Horizontal	33	1.91	12	27.43	4.67	-			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX


2462MHz_TX

EUT_Y_4TX
SET 12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.93187G	44.38	74.00	-29.62	39.96	3	Vertical	183	2.91	12	31.29	6.80	33.67				
AV	4.91221G	31.96	54.00	-22.04	27.68	3	Vertical	183	2.91	12	31.17	6.78	33.67				
PK	7.37849G	52.22	74.00	-21.78	40.43	3	Vertical	360	1.80	12	36.44	8.92	33.57				
AV	7.36926G	39.99	54.00	-14.01	28.19	3	Vertical	360	1.80	12	36.46	8.90	33.56				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX

EUT_Y_4TX
SET 12


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	4.94066G	44.72	74.00	-29.28	40.26	3	Horizontal	360	2.59	12	31.34	6.80	33.68				
AV	4.90518G	31.92	54.00	-22.08	27.68	3	Horizontal	360	2.59	12	31.13	6.78	33.67				
PK	7.36634G	52.82	74.00	-21.18	41.02	3	Horizontal	165	1.80	12	36.47	8.89	33.56				
AV	7.3675G	40.02	54.00	-13.98	28.23	3	Horizontal	165	1.80	12	36.46	8.89	33.56				



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.76946G	34.89	54.00	-19.11	Vertical

Mode 1



Mode 1

