

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	320M	22.11M	19.037M	21.89M	19.162M				
6195MHz	Pass	320M	22.165M	19.107M	22.385M	19.076M				
6415MHz	Pass	320M	22.385M	19.062M	22.11M	19.106M				
6535MHz	Pass	320M	22.715M	19.065M	22.385M	19.083M				
6695MHz	Pass	320M	22.495M	19.058M	22.44M	19.074M				
6855MHz	Pass	320M	21.78M	19.075M	22.385M	19.065M				
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	320M	44.22M	38.09M	43.56M	38.085M				
6205MHz	Pass	320M	43.23M	38.022M	43.89M	38.047M				
6405MHz	Pass	320M	44M	38.08M	43.01M	38.096M				
6565MHz	Pass	320M	43.01M	38.055M	44.22M	38.094M				
6685MHz	Pass	320M	43.56M	38.047M	43.01M	38.034M				
6845MHz	Pass	320M	42.24M	38.064M	43.67M	38.056M				
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	320M	89.1M	77.688M	86.9M	77.8M				
6225MHz	Pass	320M	87.12M	77.46M	88.22M	77.633M				
6385MHz	Pass	320M	88.66M	77.764M	89.32M	77.637M				
6625MHz	Pass	320M	87.78M	77.628M	89.54M	77.698M				
6705MHz	Pass	320M	87.78M	77.839M	88.44M	77.818M				
6785MHz	Pass	320M	89.1M	77.847M	87.56M	77.656M				
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	320M	169.4M	156.816M	166.32M	156.83M				
6185MHz	Pass	320M	172.48M	156.88M	170.28M	157.209M				
6345MHz	Pass	320M	170.28M	156.994M	172.92M	156.723M				
6665MHz	Pass	320M	169.84M	156.948M	168.96M	156.772M				
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	320M	335.28M	315.22M	333.52M	315.497M				
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	320M	21.835M	19.051M	21.78M	19.116M	22.385M	19.054M	22.385M	19.076M
6195MHz	Pass	320M	21.505M	19.05M	22.44M	19.035M	21.835M	19.096M	21.835M	19.068M
6415MHz	Pass	320M	21.89M	19.103M	22.44M	19.045M	22.22M	19.069M	22.275M	19.039M
6535MHz	Pass	320M	21.945M	19.061M	22M	19.115M	22.11M	19.053M	22.55M	19.07M
6695MHz	Pass	320M	21.67M	19.024M	22.165M	19.093M	22.055M	19.022M	22.055M	19.062M
6855MHz	Pass	320M	22.495M	19.004M	22.22M	19.121M	22.055M	19.08M	22.495M	19.046M
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	320M	43.89M	38.027M	43.12M	38.003M	44M	38.002M	43.89M	38.071M
6205MHz	Pass	320M	43.12M	38.116M	43.89M	38.027M	43.56M	38.064M	42.46M	37.987M
6405MHz	Pass	320M	44.33M	38.072M	43.34M	38.055M	44.33M	38.068M	43.45M	38.034M
6565MHz	Pass	320M	44.33M	38.094M	42.57M	37.994M	44M	38.011M	44.22M	38.127M
6685MHz	Pass	320M	43.12M	38.008M	44.55M	38.019M	43.34M	38.064M	42.79M	38.023M
6845MHz	Pass	320M	42.9M	37.997M	42.68M	38.006M	43.12M	38.032M	43.78M	38.039M
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	320M	90.64M	77.812M	86.46M	77.842M	86.68M	77.785M	88M	77.886M
6225MHz	Pass	320M	87.78M	77.531M	88.22M	77.718M	89.1M	77.735M	87.12M	77.508M
6385MHz	Pass	320M	89.32M	77.663M	90.86M	77.71M	87.78M	77.786M	88.44M	77.772M
6625MHz	Pass	320M	88.88M	77.667M	87.12M	77.501M	89.32M	77.782M	86.9M	77.603M
6705MHz	Pass	320M	87.34M	77.677M	88.44M	77.641M	89.54M	77.93M	86.9M	77.451M
6785MHz	Pass	320M	90.64M	77.941M	85.8M	77.503M	88.66M	77.904M	88.22M	77.566M
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	320M	167.2M	156.628M	171.6M	156.952M	169.4M	156.605M	170.28M	156.967M
6185MHz	Pass	320M	169.84M	156.665M	170.72M	156.873M	169.84M	157.222M	170.72M	156.881M
6345MHz	Pass	320M	173.8M	156.883M	171.6M	156.761M	170.28M	156.663M	175.56M	157.24M
6665MHz	Pass	320M	170.28M	156.887M	174.24M	156.63M	170.28M	156.932M	169.84M	156.874M
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-



EBW_Mode 5

Appendix B.5



Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
6105MHz	Pass	320M	337.92M	315.358M	329.12M	315.128M	337.04M	316.132M	333.52M	315.03M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band



Port X-OBW = Port X 99% occupied bandwidth

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
5955MHz

25/02/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6195MHz

25/02/2026





5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6415MHz

25/02/2026


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6535MHz

25/02/2026





6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

EBW

6695MHz

25/02/2026





6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

EBW



6855MHz

25/02/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
5965MHz

25/02/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6205MHz

25/02/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6405MHz

25/02/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6565MHz

25/02/2026





6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6685MHz

25/02/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6845MHz

25/02/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
5985MHz

25/02/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6225MHz

25/02/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6385MHz

25/02/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6625MHz

25/02/2026





6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6705MHz

25/02/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6785MHz

25/02/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6025MHz

25/02/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6185MHz

25/02/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6345MHz

25/02/2026




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6665MHz

25/02/2026





5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX
EBW
6105MHz

25/02/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
5955MHz

25/02/2026





5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6195MHz

25/02/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6415MHz

25/02/2026





6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6535MHz

25/02/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6695MHz

25/02/2026





6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6855MHz

25/02/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
5965MHz

25/02/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
6205MHz

25/02/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
6405MHz

25/02/2026





6.525-6.875GHz_802.11be EHT40-BF_Nss1.(MCS0)_4TX
EBW
6565MHz

25/02/2026



6.525-6.875GHz_802.11be EHT40-BF_Nss1.(MCS0)_4TX
EBW
6685MHz

25/02/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
6845MHz

25/02/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
5985MHz

25/02/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6225MHz

25/02/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6385MHz

25/02/2026





6.525-6.875GHz_802.11be EHT80-BF_Nss1.(MCS0)_4TX
EBW
6625MHz

25/02/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1.(MCS0)_4TX
EBW
6705MHz

25/02/2026





6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6785MHz

25/02/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6025MHz

25/02/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6185MHz

25/02/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6345MHz

25/02/2026





6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6665MHz

25/02/2026


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX
EBW
6105MHz

25/02/2026



**Summary**

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.925-6.425GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	22.77M	19.11M	19M1D1D	21.89M	19.058M
802.11be EHT40-BF_Nss1,(MCS0)_2TX	44.77M	38.086M	38M1D1D	43.01M	37.987M
802.11be EHT80-BF_Nss1,(MCS0)_2TX	89.54M	77.793M	77M8D1D	86.68M	77.594M
802.11be EHT160-BF_Nss1,(MCS0)_2TX	173.36M	157.149M	157MD1D	170.28M	156.691M
802.11be EHT320-BF_Nss1,(MCS0)_2TX	335.28M	315.59M	316MD1D	335.28M	315.152M
6.525-6.875GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	23.045M	19.084M	19M1D1D	21.34M	19.016M
802.11be EHT40-BF_Nss1,(MCS0)_2TX	44.66M	38.064M	38M1D1D	42.57M	37.99M
802.11be EHT80-BF_Nss1,(MCS0)_2TX	88.66M	77.861M	77M9D1D	86.24M	77.481M
802.11be EHT160-BF_Nss1,(MCS0)_2TX	170.28M	156.963M	157MD1D	168.52M	156.712M

Max-N dB = Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5955MHz	Pass	320M	21.89M	19.079M	22.11M	19.08M
6195MHz	Pass	320M	22.77M	19.069M	22.165M	19.066M
6415MHz	Pass	320M	22.11M	19.058M	22.495M	19.11M
6535MHz	Pass	320M	21.34M	19.028M	23.045M	19.047M
6695MHz	Pass	320M	21.78M	19.016M	22.495M	19.062M
6855MHz	Pass	320M	22.99M	19.084M	22.165M	19.035M
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5965MHz	Pass	320M	43.12M	38.029M	43.23M	38.04M
6205MHz	Pass	320M	43.12M	38.039M	44.33M	37.987M
6405MHz	Pass	320M	43.01M	38.086M	44.77M	38.083M
6565MHz	Pass	320M	44.66M	38.059M	42.57M	37.99M
6685MHz	Pass	320M	43.89M	38.024M	44.22M	38.045M
6845MHz	Pass	320M	42.57M	38.064M	43.12M	38.057M
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5985MHz	Pass	320M	88.88M	77.793M	88.66M	77.768M
6225MHz	Pass	320M	86.68M	77.679M	87.78M	77.604M
6385MHz	Pass	320M	89.54M	77.677M	89.54M	77.594M
6625MHz	Pass	320M	87.78M	77.788M	87.78M	77.679M
6705MHz	Pass	320M	88.22M	77.766M	88.66M	77.56M
6785MHz	Pass	320M	87.12M	77.861M	86.24M	77.481M
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6025MHz	Pass	320M	172.04M	156.752M	170.28M	156.721M
6185MHz	Pass	320M	170.72M	156.691M	172.48M	157.149M
6345MHz	Pass	320M	173.36M	157.103M	172.48M	157.008M
6665MHz	Pass	320M	168.52M	156.963M	170.28M	156.712M
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6105MHz	Pass	320M	335.28M	315.59M	335.28M	315.152M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
5955MHz

27/02/2026



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6195MHz

27/02/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6415MHz

27/02/2026



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6535MHz

27/02/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6695MHz

27/02/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6855MHz

27/02/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
5965MHz

27/02/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6205MHz

27/02/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6405MHz

27/02/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6565MHz

27/02/2026





6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6685MHz

27/02/2026



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6845MHz

27/02/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
5985MHz

27/02/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6225MHz

27/02/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6385MHz

27/02/2026



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6625MHz

27/02/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6705MHz

27/02/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6785MHz

27/02/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6025MHz

27/02/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6185MHz

27/02/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6345MHz

27/02/2026


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6665MHz

27/02/2026





5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

EBW

6105MHz

27/02/2026



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.925-6.425GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.55M	19.115M	19M1D1D	21.395M	19.014M
802.11be EHT40-BF_Nss1,(MCS0)_4TX	44M	38.087M	38M1D1D	42.35M	37.98M
802.11be EHT80-BF_Nss1,(MCS0)_4TX	90.2M	77.928M	77M9D1D	85.36M	77.415M
802.11be EHT160-BF_Nss1,(MCS0)_4TX	172.92M	157.476M	157MD1D	168.96M	156.25M
802.11be EHT320-BF_Nss1,(MCS0)_4TX	336.16M	316.078M	316MD1D	334.4M	315.016M
6.525-6.875GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.935M	19.077M	19M1D1D	21.615M	19.01M
802.11be EHT40-BF_Nss1,(MCS0)_4TX	45.1M	38.135M	38M1D1D	42.68M	37.967M
802.11be EHT80-BF_Nss1,(MCS0)_4TX	91.96M	77.937M	77M9D1D	86.24M	77.483M
802.11be EHT160-BF_Nss1,(MCS0)_4TX	173.36M	157.069M	157MD1D	167.2M	156.328M

Max-N dB = Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	320M	22.275M	19.066M	21.395M	19.059M	22.385M	19.025M	21.89M	19.053M
6195MHz	Pass	320M	21.78M	19.068M	22.44M	19.044M	21.89M	19.082M	22.055M	19.014M
6415MHz	Pass	320M	22M	19.115M	22.55M	19.025M	22.495M	19.027M	22.11M	19.035M
6535MHz	Pass	320M	22.275M	19.053M	22M	19.055M	22.44M	19.046M	22.935M	19.077M
6695MHz	Pass	320M	22.715M	19.064M	22.165M	19.052M	22.11M	19.01M	22M	19.053M
6855MHz	Pass	320M	21.615M	19.03M	22.385M	19.075M	22.22M	19.042M	22.495M	19.075M
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	320M	44M	38.051M	43.78M	37.98M	43.89M	37.98M	42.57M	38.078M
6205MHz	Pass	320M	44M	38.059M	42.35M	38.029M	43.23M	38.016M	42.57M	38.087M
6405MHz	Pass	320M	44M	38.082M	43.12M	38.047M	42.79M	38.083M	42.9M	37.999M
6565MHz	Pass	320M	43.34M	37.979M	43.12M	37.967M	42.79M	38.135M	43.23M	38.022M
6685MHz	Pass	320M	44.11M	38.035M	43.12M	38.058M	43.78M	38.006M	42.79M	38.031M
6845MHz	Pass	320M	43.01M	38.056M	45.1M	38.066M	42.68M	37.985M	44.22M	38.014M
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	320M	85.36M	77.715M	90.2M	77.928M	88.88M	77.755M	89.76M	77.757M
6225MHz	Pass	320M	88.22M	77.415M	87.34M	77.657M	88.22M	77.793M	88.66M	77.617M
6385MHz	Pass	320M	88M	77.845M	87.78M	77.543M	88.44M	77.758M	89.76M	77.661M
6625MHz	Pass	320M	89.1M	77.656M	86.68M	77.624M	91.52M	77.786M	86.9M	77.648M
6705MHz	Pass	320M	86.24M	77.679M	89.54M	77.678M	91.96M	77.937M	87.34M	77.483M
6785MHz	Pass	320M	88.66M	77.85M	91.52M	77.64M	89.98M	77.786M	89.98M	77.729M
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	320M	170.72M	156.67M	172.92M	156.931M	168.96M	156.25M	170.28M	156.835M
6185MHz	Pass	320M	170.72M	156.633M	170.72M	157.093M	171.6M	157.476M	171.16M	156.688M
6345MHz	Pass	320M	170.28M	157.406M	169.84M	157.109M	170.72M	156.816M	172.92M	156.954M
6665MHz	Pass	320M	173.36M	157.069M	167.2M	156.831M	170.28M	157.003M	170.28M	156.328M
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	320M	335.28M	315.036M	334.4M	315.016M	335.28M	315.79M	336.16M	316.078M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
5955MHz

27/02/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6195MHz

27/02/2026





5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6415MHz

27/02/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6535MHz

27/02/2026





6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6695MHz

27/02/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6855MHz

28/02/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
5965MHz

27/02/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
6205MHz

27/02/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
6405MHz

27/02/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
6565MHz

27/02/2026





6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
6685MHz

28/02/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
6845MHz

28/02/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
5985MHz

28/02/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6225MHz

28/02/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6385MHz

28/02/2026


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6625MHz

28/02/2026





6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

EBW

6705MHz

28/02/2026





6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

EBW



6785MHz

28/02/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6025MHz

28/02/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6185MHz

28/02/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6345MHz

28/02/2026


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6665MHz

28/02/2026





5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

EBW

6105MHz

28/02/2026



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	28.02	0.63387	35.76	3.76704
802.11ax HEW40_Nss1,(MCS0)_2TX	28.17	0.65615	35.91	3.89942
802.11ax HEW80_Nss1,(MCS0)_2TX	28.10	0.64565	35.84	3.83707
802.11ax HEW160_Nss1,(MCS0)_2TX	28.00	0.63096	35.74	3.74973
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	26.31	0.42756	35.87	3.86367
802.11ax HEW40_Nss1,(MCS0)_2TX	26.40	0.43652	35.96	3.94457
802.11ax HEW80_Nss1,(MCS0)_2TX	26.25	0.42170	35.81	3.81066
802.11ax HEW160_Nss1,(MCS0)_2TX	26.12	0.40926	35.68	3.69828

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	7.74	24.49	24.98	27.75	35.49	36.00
6195MHz	Pass	7.74	24.63	25.02	27.84	35.58	36.00
6415MHz	Pass	7.74	25.04	24.98	28.02	35.76	36.00
6535MHz	Pass	9.56	23.14	23.31	26.24	35.80	36.00
6695MHz	Pass	9.56	23.08	23.50	26.31	35.87	36.00
6855MHz	Pass	9.56	22.87	23.43	26.17	35.73	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	7.74	22.43	22.96	25.71	33.45	36.00
6205MHz	Pass	7.74	24.71	25.27	28.01	35.75	36.00
6405MHz	Pass	7.74	25.04	25.28	28.17	35.91	36.00
6565MHz	Pass	9.56	23.12	23.44	26.29	35.85	36.00
6685MHz	Pass	9.56	23.11	23.42	26.28	35.84	36.00
6845MHz	Pass	9.56	23.43	23.34	26.40	35.96	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	7.74	21.74	22.16	24.97	32.71	36.00
6225MHz	Pass	7.74	25.00	25.17	28.10	35.84	36.00
6385MHz	Pass	7.74	24.84	25.05	27.96	35.70	36.00
6625MHz	Pass	9.56	22.94	23.29	26.13	35.69	36.00
6705MHz	Pass	9.56	23.09	23.39	26.25	35.81	36.00
6785MHz	Pass	9.56	23.02	23.15	26.10	35.66	36.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	7.74	22.11	22.67	25.41	33.15	36.00
6185MHz	Pass	7.74	24.43	24.84	27.65	35.39	36.00
6345MHz	Pass	7.74	24.91	25.07	28.00	35.74	36.00
6665MHz	Pass	9.56	23.19	23.02	26.12	35.68	36.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	20.46	0.11117	28.20/20.86	0.66069/0.121899
802.11ax HEW40_Nss1,(MCS0)_2TX	20.30	0.10715	28.04/20.70	0.63680/0.117490
802.11ax HEW80_Nss1,(MCS0)_2TX	20.49	0.11194	28.23/20.89	0.66527/0.122744
802.11ax HEW160_Nss1,(MCS0)_2TX	20.51	0.11246	28.25/20.91	0.66834/0.123310
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	22.72	0.18707	32.28/20.92	1.69044/0.123595
802.11ax HEW40_Nss1,(MCS0)_2TX	22.48	0.17701	32.04/20.68	1.59956/0.116950
802.11ax HEW80_Nss1,(MCS0)_2TX	22.67	0.18493	32.23/20.87	1.67109/0.122180
802.11ax HEW160_Nss1,(MCS0)_2TX	22.75	0.18836	32.31/20.95	1.70216/0.124451

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	7.74/0.40	17.18	17.06	20.13	27.87/20.53	36.00/21.00
6195MHz	Pass	7.74/0.40	17.18	17.22	20.21	27.95/20.61	36.00/21.00
6415MHz	Pass	7.74/0.40	17.47	17.43	20.46	28.20/20.86	36.00/21.00
6535MHz	Pass	9.56/-1.80	19.55	19.31	22.44	32.00/20.64	36.00/21.00
6695MHz	Pass	9.56/-1.80	19.93	19.48	22.72	32.28/20.92	36.00/21.00
6855MHz	Pass	9.56/-1.80	19.41	19.19	22.31	31.87/20.51	36.00/21.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	7.74/0.40	17.30	17.12	20.22	27.96/20.62	36.00/21.00
6205MHz	Pass	7.74/0.40	17.30	17.27	20.30	28.04/20.70	36.00/21.00
6405MHz	Pass	7.74/0.40	17.22	17.17	20.21	27.95/20.61	36.00/21.00
6565MHz	Pass	9.56/-1.80	19.58	19.36	22.48	32.04/20.68	36.00/21.00
6685MHz	Pass	9.56/-1.80	19.51	19.07	22.31	31.87/20.51	36.00/21.00
6845MHz	Pass	9.56/-1.80	19.55	19.22	22.40	31.96/20.60	36.00/21.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	7.74/0.40	17.60	17.35	20.49	28.23/20.89	36.00/21.00
6225MHz	Pass	7.74/0.40	17.49	17.39	20.45	28.19/20.85	36.00/21.00
6385MHz	Pass	7.74/0.40	17.21	17.15	20.19	27.93/20.59	36.00/21.00
6625MHz	Pass	9.56/-1.80	19.56	19.57	22.58	32.14/20.78	36.00/21.00
6705MHz	Pass	9.56/-1.80	19.83	19.48	22.67	32.23/20.87	36.00/21.00
6785MHz	Pass	9.56/-1.80	19.66	19.65	22.67	32.23/20.87	36.00/21.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	7.74/0.40	17.53	17.47	20.51	28.25/20.91	36.00/21.00
6185MHz	Pass	7.74/0.40	17.28	17.14	20.22	27.96/20.62	36.00/21.00
6345MHz	Pass	7.74/0.40	17.46	17.31	20.40	28.14/20.80	36.00/21.00
6665MHz	Pass	9.56/-1.80	19.91	19.56	22.75	32.31/20.95	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	28.15	0.65313
802.11be EHT20_Nss1,(MCS0)_2TX	30.42	1.10154
802.11be EHT20_Nss1,(MCS0)_4TX	31.73	1.48936
802.11be EHT40_Nss1,(MCS0)_1TX	29.02	0.79799
802.11be EHT40_Nss1,(MCS0)_2TX	31.64	1.45881
802.11be EHT40_Nss1,(MCS0)_4TX	34.26	2.66686
802.11be EHT80_Nss1,(MCS0)_1TX	28.67	0.73621
802.11be EHT80_Nss1,(MCS0)_2TX	30.94	1.24165
802.11be EHT80_Nss1,(MCS0)_4TX	32.15	1.64059
802.11be EHT160_Nss1,(MCS0)_1TX	27.26	0.53211
802.11be EHT160_Nss1,(MCS0)_2TX	30.31	1.07399
802.11be EHT160_Nss1,(MCS0)_4TX	34.20	2.63027
802.11be EHT320_Nss1,(MCS0)_1TX	25.18	0.32961
802.11be EHT320_Nss1,(MCS0)_2TX	27.32	0.53951
802.11be EHT320_Nss1,(MCS0)_4TX	30.06	1.01391
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	28.04	0.63680
802.11be EHT20_Nss1,(MCS0)_2TX	31.97	1.57398
802.11be EHT20_Nss1,(MCS0)_4TX	32.46	1.76198
802.11be EHT40_Nss1,(MCS0)_1TX	29.43	0.87700
802.11be EHT40_Nss1,(MCS0)_2TX	32.61	1.82390
802.11be EHT40_Nss1,(MCS0)_4TX	34.85	3.05492
802.11be EHT80_Nss1,(MCS0)_1TX	28.37	0.68707
802.11be EHT80_Nss1,(MCS0)_2TX	31.52	1.41906
802.11be EHT80_Nss1,(MCS0)_4TX	32.30	1.69824
802.11be EHT160_Nss1,(MCS0)_1TX	25.05	0.31989
802.11be EHT160_Nss1,(MCS0)_2TX	28.34	0.68234
802.11be EHT160_Nss1,(MCS0)_4TX	31.64	1.45881

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	26.00	36.00
6195MHz	Pass	27.97	36.00
6415MHz	Pass	28.15	36.00
6535MHz	Pass	27.76	36.00
6695MHz	Pass	28.04	36.00
6855MHz	Pass	27.29	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	25.48	36.00
6205MHz	Pass	29.02	36.00
6405MHz	Pass	28.78	36.00
6565MHz	Pass	29.43	36.00
6685MHz	Pass	28.68	36.00
6845MHz	Pass	28.45	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	23.39	36.00
6225MHz	Pass	28.12	36.00
6385MHz	Pass	28.67	36.00
6625MHz	Pass	28.37	36.00
6705MHz	Pass	28.20	36.00
6785MHz	Pass	28.23	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	24.80	36.00
6185MHz	Pass	26.89	36.00
6345MHz	Pass	27.26	36.00
6665MHz	Pass	25.05	36.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	25.18	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	24.89	36.00
6195MHz	Pass	30.42	36.00
6415MHz	Pass	29.31	36.00
6535MHz	Pass	30.11	36.00
6695MHz	Pass	31.97	36.00
6855MHz	Pass	30.37	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	25.04	36.00
6205MHz	Pass	31.64	36.00
6405MHz	Pass	29.23	36.00
6565MHz	Pass	32.61	36.00
6685MHz	Pass	31.79	36.00
6845MHz	Pass	30.43	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	24.89	36.00
6225MHz	Pass	30.94	36.00
6385MHz	Pass	28.23	36.00
6625MHz	Pass	31.52	36.00
6705MHz	Pass	31.52	36.00
6785MHz	Pass	31.08	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	26.13	36.00
6185MHz	Pass	30.31	36.00
6345MHz	Pass	27.38	36.00
6665MHz	Pass	28.34	36.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	27.32	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	29.64	36.00
6195MHz	Pass	31.73	36.00
6415MHz	Pass	31.56	36.00
6535MHz	Pass	32.46	36.00
6695MHz	Pass	31.80	36.00
6855MHz	Pass	31.41	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	30.27	36.00
6205MHz	Pass	34.26	36.00
6405MHz	Pass	31.46	36.00
6565MHz	Pass	34.85	36.00
6685MHz	Pass	33.61	36.00
6845MHz	Pass	34.58	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	30.42	36.00
6225MHz	Pass	32.05	36.00
6385MHz	Pass	32.15	36.00
6625MHz	Pass	32.30	36.00
6705MHz	Pass	31.89	36.00
6785MHz	Pass	32.10	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	30.08	36.00
6185MHz	Pass	34.20	36.00
6345MHz	Pass	31.16	36.00
6665MHz	Pass	31.64	36.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	30.06	36.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

11/02/2026

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz



Page 9

Vertical

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
26				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.99	13.40	7.63	33.76	57.54

11/02/2026

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz




Page 10

Horizontal

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
27.97				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
9.35	13.21	7.58	33.63	57.88


11/02/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6415MHz;TX




05/02/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6535MHz;TX




05/02/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6695MHz;TX




05/02/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6855MHz;TX




11/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:5965MHz;TX




11/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6205MHz;TX




11/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6405MHz;TX




10/02/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6565MHz;TX




10/02/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX



10/02/2026


EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6845MHz;TX



05/02/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
23.39				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.28	13.40	7.68	33.75	57.58

05/02/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
28.12				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
9.38	13.20	7.62	33.61	57.93


05/02/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6385MHz;TX



10/02/2026


EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX



10/02/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
28.2				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.47	12.41	7.99	33.42	58.57

04/02/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz



Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
28.23				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.39	12.50	8.08	33.41	58.67

04/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
160MHz



Page 9

Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
24.8				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.60	13.40	7.69	33.73	57.64

04/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6185MHz;TX

CF Freq
6.185GHz

Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
160MHz




Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
26.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
8.29	13.23	7.59	33.63	57.87


04/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6345MHz;TX




05/02/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX




11/02/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6105MHz;TX




04/02/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6265MHz;TX




11/02/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




11/02/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




05/02/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




05/02/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




05/02/2026

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




05/02/2026

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




11/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




05/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




05/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




10/02/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




10/02/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




05/02/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




05/02/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




05/02/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




05/02/2026

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




05/02/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




05/02/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




05/02/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




11/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




05/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




05/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




05/02/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




04/02/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




05/02/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




04/02/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




10/02/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




10/02/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




10/02/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




10/02/2026

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




10/02/2026

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




10/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




10/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




10/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




10/02/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




10/02/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




10/02/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




10/02/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




10/02/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




10/02/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



10/02/2026


EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX



11/02/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
31.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.62	11.60	8.86	30.56	58.57

11/02/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
32.1				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.57	11.53	9.04	30.65	58.67


11/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




11/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




11/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




11/02/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




11/02/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



11/02/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX



Summary


Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	20.28	0.10666
802.11be EHT20_Nss1,(MCS0)_2TX	19.54	0.08995
802.11be EHT20_Nss1,(MCS0)_4TX	19.87	0.09705
802.11be EHT40_Nss1,(MCS0)_1TX	20.77	0.11940
802.11be EHT40_Nss1,(MCS0)_2TX	20.22	0.10520
802.11be EHT40_Nss1,(MCS0)_4TX	18.75	0.07499
802.11be EHT80_Nss1,(MCS0)_1TX	20.59	0.11455
802.11be EHT80_Nss1,(MCS0)_2TX	20.98	0.12531
802.11be EHT80_Nss1,(MCS0)_4TX	18.29	0.06745
802.11be EHT160_Nss1,(MCS0)_1TX	21.45	0.13964
802.11be EHT160_Nss1,(MCS0)_2TX	21.33	0.13583
802.11be EHT160_Nss1,(MCS0)_4TX	19.54	0.08995
802.11be EHT320_Nss1,(MCS0)_1TX	19.71	0.09354
802.11be EHT320_Nss1,(MCS0)_2TX	21.15	0.13032
802.11be EHT320_Nss1,(MCS0)_4TX	19.45	0.08810
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	20.51	0.11246
802.11be EHT20_Nss1,(MCS0)_2TX	19.80	0.09550
802.11be EHT20_Nss1,(MCS0)_4TX	18.73	0.07464
802.11be EHT40_Nss1,(MCS0)_1TX	21.08	0.12823
802.11be EHT40_Nss1,(MCS0)_2TX	19.98	0.09954
802.11be EHT40_Nss1,(MCS0)_4TX	18.66	0.07345
802.11be EHT80_Nss1,(MCS0)_1TX	21.36	0.13677
802.11be EHT80_Nss1,(MCS0)_2TX	20.69	0.11722
802.11be EHT80_Nss1,(MCS0)_4TX	19.50	0.08913
802.11be EHT160_Nss1,(MCS0)_1TX	20.87	0.12218
802.11be EHT160_Nss1,(MCS0)_2TX	19.98	0.09954
802.11be EHT160_Nss1,(MCS0)_4TX	18.74	0.07482

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	20.19	36.00
6195MHz	Pass	20.15	36.00
6415MHz	Pass	20.28	36.00
6535MHz	Pass	19.83	36.00
6695MHz	Pass	20.51	36.00
6855MHz	Pass	19.97	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	18.73	36.00
6205MHz	Pass	20.77	36.00
6405MHz	Pass	20.01	36.00
6565MHz	Pass	21.08	36.00
6685MHz	Pass	20.12	36.00
6845MHz	Pass	20.15	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	19.65	36.00
6225MHz	Pass	20.59	36.00
6385MHz	Pass	20.42	36.00
6625MHz	Pass	20.55	36.00
6705MHz	Pass	20.00	36.00
6785MHz	Pass	21.36	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	21.45	36.00
6185MHz	Pass	21.10	36.00
6345MHz	Pass	20.54	36.00
6665MHz	Pass	20.87	36.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	19.71	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	18.36	36.00
6195MHz	Pass	17.78	36.00
6415MHz	Pass	19.54	36.00
6535MHz	Pass	19.07	36.00
6695MHz	Pass	19.76	36.00
6855MHz	Pass	19.80	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	20.22	36.00
6205MHz	Pass	19.33	36.00
6405MHz	Pass	18.70	36.00
6565MHz	Pass	19.98	36.00
6685MHz	Pass	19.82	36.00
6845MHz	Pass	19.93	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	20.98	36.00
6225MHz	Pass	18.94	36.00
6385MHz	Pass	18.45	36.00
6625MHz	Pass	19.47	36.00
6705MHz	Pass	19.94	36.00
6785MHz	Pass	20.69	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	21.33	36.00
6185MHz	Pass	21.33	36.00
6345MHz	Pass	18.63	36.00
6665MHz	Pass	19.98	36.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	21.15	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	19.78	36.00
6195MHz	Pass	19.87	36.00
6415MHz	Pass	19.23	36.00
6535MHz	Pass	18.13	36.00
6695MHz	Pass	18.73	36.00
6855MHz	Pass	18.60	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	18.75	36.00
6205MHz	Pass	18.35	36.00
6405MHz	Pass	18.36	36.00
6565MHz	Pass	18.48	36.00
6685MHz	Pass	18.66	36.00
6845MHz	Pass	18.65	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	17.98	36.00
6225MHz	Pass	18.27	36.00
6385MHz	Pass	18.29	36.00
6625MHz	Pass	18.79	36.00
6705MHz	Pass	18.45	36.00
6785MHz	Pass	19.50	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	19.54	36.00
6185MHz	Pass	19.53	36.00
6345MHz	Pass	19.41	36.00
6665MHz	Pass	18.74	36.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	19.45	36.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.




11/03/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6415MHz;TX




11/03/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6535MHz;TX




11/03/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6695MHz;TX




11/03/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6855MHz;TX




11/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:5965MHz;TX




11/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6205MHz;TX




11/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6405MHz;TX




11/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6565MHz;TX




11/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX




11/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6845MHz;TX




11/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:5985MHz;TX




11/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6225MHz;TX




11/03/2026

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6385MHz;TX




11/03/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX




11/03/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX



11/03/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX



11/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 9

Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
21.45				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.26	11.70	10.21	32.44	57.64

11/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6185MHz;TX

CF Freq
6.185GHz

Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 9

Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
21.1				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.92	11.80	10.37	32.42	57.87

11/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6345MHz;TX

CF Freq
6.345GHz

Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 9

Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
20.54		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.02	11.71	10.58	32.40	58.09

11/03/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX

CF Freq
6.665GHz

Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
20.87		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.28	10.67	10.80	32.50	58.52

11/03/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
800MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 9

Vertical

EIRP (dBm)
19.71

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.11	11.80	10.29	32.43	57.76

11/03/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6265MHz;TX

CF Freq
6.265GHz

Span
800MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 10

Horizontal


EIRP (dBm)
20.29

EIRP=Pr+Lp [Lp Free Space Path Loss]
Pr=Pmeas-Gr+Lc-Gamp

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.95	11.80	10.47	32.41	57.98


11/03/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




11/03/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




11/03/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




11/03/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




11/03/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




11/03/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




11/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




11/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




11/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




11/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




11/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




11/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




11/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




11/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




11/03/2026

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




11/03/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




11/03/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX



11/03/2026


EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX



11/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
21.33				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.38	11.70	10.21	32.44	57.64

11/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX

CF Freq
6.185GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
21.33				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.69	11.80	10.37	32.42	57.87


11/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




11/03/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




11/03/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX



11/03/2026


EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX



11/03/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX

CF Freq
5.955GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
19.78				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.86	11.61	10.15	32.44	57.54

11/03/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX

CF Freq
6.195GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
19.87				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.18	11.80	10.39	32.42	57.88


11/03/2026

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




11/03/2026

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




11/03/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




11/03/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




11/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




11/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




11/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




11/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




11/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



11/03/2026


EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX



11/03/2026

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
17.98				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.93	13.30	9.12	43.35	57.58

11/03/2026

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
18.27				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.46	13.20	9.30	43.22	57.93

11/03/2026

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
18.29				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.61	12.83	9.49	43.13	58.15

11/03/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX

CF Freq
6.625GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
18.79				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.14	12.50	9.70	43.02	58.47

11/03/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
18.45				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.73	12.61	9.74	42.98	58.57

11/03/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
19.5				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.68	12.70	9.79	42.94	58.67


11/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




11/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




11/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




11/03/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




11/03/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



11/03/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX





Average Power-E.I.R.P. at any elevation angle above 30 degrees
Mode 4

Appendix C.5

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP [Phi 30°] (dBm)	EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	18.72	0.07447	20.92	0.123595
802.11be EHT20_Nss1,(MCS0)_2TX	18.65	0.07328	20.85	0.121619
802.11be EHT20_Nss1,(MCS0)_4TX	18.67	0.07362	20.87	0.122180
802.11be EHT40_Nss1,(MCS0)_1TX	18.64	0.07311	20.84	0.121339
802.11be EHT40_Nss1,(MCS0)_2TX	18.74	0.07482	20.94	0.124165
802.11be EHT40_Nss1,(MCS0)_4TX	18.74	0.07482	20.94	0.124165
802.11be EHT80_Nss1,(MCS0)_1TX	18.51	0.07096	20.71	0.117761
802.11be EHT80_Nss1,(MCS0)_2TX	18.70	0.07413	20.90	0.123027
802.11be EHT80_Nss1,(MCS0)_4TX	18.64	0.07311	20.84	0.121339
802.11be EHT160_Nss1,(MCS0)_1TX	18.71	0.07430	20.91	0.123310
802.11be EHT160_Nss1,(MCS0)_2TX	18.60	0.07244	20.80	0.120226
802.11be EHT160_Nss1,(MCS0)_4TX	18.65	0.07328	20.85	0.121619
802.11be EHT320_Nss1,(MCS0)_1TX	18.30	0.06761	20.50	0.112202
802.11be EHT320_Nss1,(MCS0)_2TX	18.55	0.07161	20.75	0.118850
802.11be EHT320_Nss1,(MCS0)_4TX	18.40	0.06918	20.60	0.114815
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	18.61	0.07261	20.71	0.117761
802.11be EHT20_Nss1,(MCS0)_2TX	18.79	0.07568	20.89	0.122744
802.11be EHT20_Nss1,(MCS0)_4TX	18.61	0.07261	20.71	0.117761
802.11be EHT40_Nss1,(MCS0)_1TX	18.78	0.07551	20.88	0.122462
802.11be EHT40_Nss1,(MCS0)_2TX	18.62	0.07278	20.72	0.118032
802.11be EHT40_Nss1,(MCS0)_4TX	18.68	0.07379	20.78	0.119674
802.11be EHT80_Nss1,(MCS0)_1TX	18.78	0.07551	20.88	0.122462
802.11be EHT80_Nss1,(MCS0)_2TX	18.81	0.07603	20.91	0.123310
802.11be EHT80_Nss1,(MCS0)_4TX	18.55	0.07161	20.65	0.116145
802.11be EHT160_Nss1,(MCS0)_1TX	18.61	0.07261	20.71	0.117761
802.11be EHT160_Nss1,(MCS0)_2TX	18.51	0.07096	20.61	0.115080
802.11be EHT160_Nss1,(MCS0)_4TX	18.75	0.07499	20.85	0.121619



Average Power-E.I.R.P. at any elevation angle above 30 degrees
Mode 4

Appendix C.5

Result

Mode	Result	Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP [Phi 30°] (dBm)	EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	2.20	18.72				18.72	20.92	21.00
6195MHz	Pass	2.20	18.31				18.31	20.51	21.00
6415MHz	Pass	2.20	18.72				18.72	20.92	21.00
6535MHz	Pass	2.10	18.56				18.56	20.66	21.00
6695MHz	Pass	2.10	18.61				18.61	20.71	21.00
6855MHz	Pass	2.10	18.54				18.54	20.64	21.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	2.20	18.31				18.31	20.51	21.00
6205MHz	Pass	2.20	18.64				18.64	20.84	21.00
6405MHz	Pass	2.20	18.36				18.36	20.56	21.00
6565MHz	Pass	2.10	18.78				18.78	20.88	21.00
6685MHz	Pass	2.10	18.55				18.55	20.65	21.00
6845MHz	Pass	2.10	18.6				18.60	20.70	21.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	2.20	18.51				18.51	20.71	21.00
6225MHz	Pass	2.20	18.39				18.39	20.59	21.00
6385MHz	Pass	2.20	18.46				18.46	20.66	21.00
6625MHz	Pass	2.10	18.59				18.59	20.69	21.00
6705MHz	Pass	2.10	18.51				18.51	20.61	21.00
6785MHz	Pass	2.10	18.78				18.78	20.88	21.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	2.20	18.71				18.71	20.91	21.00
6185MHz	Pass	2.20	18.39				18.39	20.59	21.00
6345MHz	Pass	2.20	18.41				18.41	20.61	21.00
6665MHz	Pass	2.10	18.61				18.61	20.71	21.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	2.20	18.3				18.30	20.50	21.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	2.20	15.16	15.99			18.61	20.81	21.00
6195MHz	Pass	2.20	14.67	15.93			18.36	20.56	21.00
6415MHz	Pass	2.20	15	16.19			18.65	20.85	21.00
6535MHz	Pass	2.10	15.03	15.78			18.43	20.53	21.00
6695MHz	Pass	2.10	15.5	16.04			18.79	20.89	21.00
6855MHz	Pass	2.10	15.43	15.87			18.67	20.77	21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	2.20	15.14	15.6			18.39	20.59	21.00
6205MHz	Pass	2.20	15	16.36			18.74	20.94	21.00
6405MHz	Pass	2.20	14.74	16.05			18.45	20.65	21.00
6565MHz	Pass	2.10	15.32	15.67			18.51	20.61	21.00
6685MHz	Pass	2.10	15.39	15.82			18.62	20.72	21.00
6845MHz	Pass	2.10	15.19	15.65			18.44	20.54	21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	2.20	15.33	16.02			18.70	20.90	21.00
6225MHz	Pass	2.20	14.89	15.93			18.45	20.65	21.00
6385MHz	Pass	2.20	14.92	16.03			18.52	20.72	21.00
6625MHz	Pass	2.10	15.45	15.4			18.44	20.54	21.00
6705MHz	Pass	2.10	15.42	16.06			18.76	20.86	21.00
6785MHz	Pass	2.10	15.63	15.96			18.81	20.91	21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	2.20	14.85	16.1			18.53	20.73	21.00
6185MHz	Pass	2.20	15.33	15.84			18.60	20.80	21.00
6345MHz	Pass	2.20	14.86	15.72			18.32	20.52	21.00
6665MHz	Pass	2.10	15.52	15.47			18.51	20.61	21.00



Average Power-E.I.R.P. at any elevation angle above 30 degrees
Mode 4

Appendix C.5

Mode	Result	Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP [Phi 30°] (dBm)	EIRP Limit [Phi 30°] (dBm)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	2.20	15.4	15.68			18.55	20.75	21.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	2.20	12.08	12.85	12.04	12.7	18.45	20.65	21.00
6195MHz	Pass	2.20	12.14	12.89	12.69	12.83	18.67	20.87	21.00
6415MHz	Pass	2.20	11.68	12.75	12.53	12.85	18.50	20.70	21.00
6535MHz	Pass	2.10	12.14	12.83	12.42	12.91	18.61	20.71	21.00
6695MHz	Pass	2.10	11.99	12.78	12.47	12.9	18.57	20.67	21.00
6855MHz	Pass	2.10	12.01	12.68	12.68	12.75	18.56	20.66	21.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	2.20	12.26	13.02	12.47	13.07	18.74	20.94	21.00
6205MHz	Pass	2.20	11.95	12.79	12.45	12.94	18.57	20.77	21.00
6405MHz	Pass	2.20	11.52	12.6	12.19	12.84	18.34	20.54	21.00
6565MHz	Pass	2.10	12.48	12.79	12.49	12.88	18.68	20.78	21.00
6685MHz	Pass	2.10	11.99	12.56	12.14	12.83	18.41	20.51	21.00
6845MHz	Pass	2.10	12.18	12.5	12.34	12.56	18.42	20.52	21.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	2.20	11.94	12.71	12.04	12.79	18.41	20.61	21.00
6225MHz	Pass	2.20	12.23	12.91	12.33	12.94	18.64	20.84	21.00
6385MHz	Pass	2.20	11.59	12.61	12.23	12.8	18.35	20.55	21.00
6625MHz	Pass	2.10	12.3	12.71	12.09	12.98	18.55	20.65	21.00
6705MHz	Pass	2.10	12.02	12.8	12.42	12.84	18.55	20.65	21.00
6785MHz	Pass	2.10	12.1	12.67	12.5	12.82	18.55	20.65	21.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	2.20	11.74	12.83	11.97	12.67	18.35	20.55	21.00
6185MHz	Pass	2.20	12.19	12.47	12.45	12.36	18.39	20.59	21.00
6345MHz	Pass	2.20	12.08	12.97	12.53	12.87	18.65	20.85	21.00
6665MHz	Pass	2.10	12.42	12.77	12.47	13.21	18.75	20.85	21.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	2.20	12.21	12.44	12.41	12.45	18.40	20.60	21.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	26.47	0.44361
802.11be EHT20-BF_Nss1,(MCS0)_4TX	29.88	0.97275
802.11be EHT40-BF_Nss1,(MCS0)_2TX	25.93	0.39174
802.11be EHT40-BF_Nss1,(MCS0)_4TX	29.98	0.99541
802.11be EHT80-BF_Nss1,(MCS0)_2TX	26.99	0.50003
802.11be EHT80-BF_Nss1,(MCS0)_4TX	34.25	2.66073
802.11be EHT160-BF_Nss1,(MCS0)_2TX	27.33	0.54075
802.11be EHT160-BF_Nss1,(MCS0)_4TX	34.30	2.69153
802.11be EHT320-BF_Nss1,(MCS0)_2TX	27.16	0.52000
802.11be EHT320-BF_Nss1,(MCS0)_4TX	32.52	1.78649
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	26.20	0.41687
802.11be EHT20-BF_Nss1,(MCS0)_4TX	30.14	1.03276
802.11be EHT40-BF_Nss1,(MCS0)_2TX	25.02	0.31769
802.11be EHT40-BF_Nss1,(MCS0)_4TX	30.57	1.14025
802.11be EHT80-BF_Nss1,(MCS0)_2TX	27.31	0.53827
802.11be EHT80-BF_Nss1,(MCS0)_4TX	34.57	2.86418
802.11be EHT160-BF_Nss1,(MCS0)_2TX	26.69	0.46666
802.11be EHT160-BF_Nss1,(MCS0)_4TX	33.92	2.46604

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	25.48	36.00
6195MHz	Pass	26.47	36.00
6415MHz	Pass	24.61	36.00
6535MHz	Pass	25.15	36.00
6695MHz	Pass	26.20	36.00
6855MHz	Pass	25.68	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	25.20	36.00
6205MHz	Pass	25.93	36.00
6405MHz	Pass	24.18	36.00
6565MHz	Pass	24.28	36.00
6685MHz	Pass	25.02	36.00
6845MHz	Pass	24.08	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	26.99	36.00
6225MHz	Pass	26.98	36.00
6385MHz	Pass	26.08	36.00
6625MHz	Pass	27.15	36.00
6705MHz	Pass	26.88	36.00
6785MHz	Pass	27.31	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	27.28	36.00
6185MHz	Pass	27.33	36.00
6345MHz	Pass	26.53	36.00
6665MHz	Pass	26.69	36.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	27.16	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	28.64	36.00
6195MHz	Pass	29.64	36.00
6415MHz	Pass	29.88	36.00
6535MHz	Pass	29.12	36.00
6695MHz	Pass	29.91	36.00
6855MHz	Pass	30.14	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	29.54	36.00
6205MHz	Pass	29.98	36.00
6405MHz	Pass	29.68	36.00
6565MHz	Pass	28.99	36.00
6685MHz	Pass	30.57	36.00
6845MHz	Pass	30.07	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	34.25	36.00
6225MHz	Pass	34.15	36.00
6385MHz	Pass	33.21	36.00
6625MHz	Pass	34.57	36.00
6705MHz	Pass	33.47	36.00
6785MHz	Pass	33.74	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	32.92	36.00
6185MHz	Pass	34.30	36.00
6345MHz	Pass	33.14	36.00
6665MHz	Pass	33.92	36.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-



Average Power-E.I.R.P._Mode 5

Appendix C.6

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	32.52	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

04/02/2026

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz



Page 9

Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
25.48		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.91	10.50	7.53	35.00	57.54

04/02/2026

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
26.47		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.50	10.60	7.74	35.05	57.88


04/02/2026

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




04/02/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




04/02/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




04/02/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




04/02/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




04/02/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




04/02/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




04/02/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




04/02/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




04/02/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




04/02/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




04/02/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




05/02/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX



04/02/2026


EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX



05/02/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
26.88				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.78	10.50	8.15	35.12	58.57

05/02/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
27.31				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.97	10.43	8.21	35.11	58.67


05/02/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




05/02/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




05/02/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




05/02/2026

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




05/02/2026

EIRP:Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX



05/02/2026


EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



05/02/2026

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX

CF Freq
6.195GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
29.64				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
9.67	10.60	7.74	35.05	57.88

05/02/2026

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX

CF Freq
6.415GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
29.88				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
9.58	10.73	7.94	35.10	58.19


05/02/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




05/02/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




05/02/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX



05/02/2026


EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



05/02/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX

CF Freq
6.205GHz
Span
100MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
29.98				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
10.01	10.62	7.75	35.06	57.90

05/02/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX

CF Freq
6.405GHz
Span
100MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
29.68				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
9.39	10.71	7.93	35.10	58.17


05/02/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



05/02/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



05/02/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX

CF Freq
6.845GHz

Span
100MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 9

Vertical

EIRP (dBm)	30.07	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
8.49	10.31	8.25	35.11	58.75

05/02/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
200MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 9


Vertical

EIRP (dBm)	34.25	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
14.65	10.50	7.53	35.01	57.58

05/02/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
34.15				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
14.21	10.70	7.77	35.06	57.93

05/02/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
33.21				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
12.96	10.73	7.92	35.09	58.15


05/02/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




05/02/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




05/02/2026

EIRP;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




05/02/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




05/02/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




05/02/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




05/02/2026

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



05/02/2026

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	20.80	0.12023
802.11be EHT20-BF_Nss1,(MCS0)_4TX	20.58	0.11429
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.33	0.10789
802.11be EHT40-BF_Nss1,(MCS0)_4TX	20.14	0.10328
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.03	0.15959
802.11be EHT80-BF_Nss1,(MCS0)_4TX	23.85	0.24266
802.11be EHT160-BF_Nss1,(MCS0)_2TX	21.48	0.14060
802.11be EHT160-BF_Nss1,(MCS0)_4TX	22.07	0.16106
802.11be EHT320-BF_Nss1,(MCS0)_2TX	22.67	0.18493
802.11be EHT320-BF_Nss1,(MCS0)_4TX	21.34	0.13614
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	20.77	0.11940
802.11be EHT20-BF_Nss1,(MCS0)_4TX	21.24	0.13305
802.11be EHT40-BF_Nss1,(MCS0)_2TX	21.10	0.12882
802.11be EHT40-BF_Nss1,(MCS0)_4TX	20.83	0.12106
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.21	0.16634
802.11be EHT80-BF_Nss1,(MCS0)_4TX	23.27	0.21232
802.11be EHT160-BF_Nss1,(MCS0)_2TX	22.28	0.16904
802.11be EHT160-BF_Nss1,(MCS0)_4TX	23.12	0.20512

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	20.80	36.00
6195MHz	Pass	20.38	36.00
6415MHz	Pass	19.80	36.00
6535MHz	Pass	19.75	36.00
6695MHz	Pass	20.77	36.00
6855MHz	Pass	20.72	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	20.10	36.00
6205MHz	Pass	19.80	36.00
6405MHz	Pass	20.33	36.00
6565MHz	Pass	19.95	36.00
6685MHz	Pass	20.94	36.00
6845MHz	Pass	21.10	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	21.45	36.00
6225MHz	Pass	21.69	36.00
6385MHz	Pass	22.03	36.00
6625MHz	Pass	21.48	36.00
6705MHz	Pass	22.21	36.00
6785MHz	Pass	21.46	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	21.48	36.00
6185MHz	Pass	20.05	36.00
6345MHz	Pass	21.25	36.00
6665MHz	Pass	22.28	36.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	22.67	36.00
6265MHz	Pass	21.64	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	20.58	36.00
6195MHz	Pass	19.74	36.00
6415MHz	Pass	19.25	36.00
6535MHz	Pass	19.21	36.00
6695MHz	Pass	21.24	36.00
6855MHz	Pass	21.17	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	20.14	36.00
6205MHz	Pass	20.11	36.00
6405MHz	Pass	19.06	36.00
6565MHz	Pass	20.10	36.00
6685MHz	Pass	20.83	36.00
6845MHz	Pass	20.70	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	23.85	36.00
6225MHz	Pass	23.75	36.00
6385MHz	Pass	23.05	36.00
6625MHz	Pass	23.27	36.00
6705MHz	Pass	22.49	36.00
6785MHz	Pass	21.46	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	22.05	36.00
6185MHz	Pass	22.07	36.00
6345MHz	Pass	20.75	36.00
6665MHz	Pass	23.12	36.00



Average Power-E.I.R.P._Mode 6

Appendix C.7

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	21.34	36.00
6265MHz	Pass	20.78	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

28/02/2026

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 9

Vertical

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
20.8				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.23	11.50	8.14	30.15	57.54

28/02/2026

EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 10

Horizontal

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
20.38				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.81	11.49	8.01	30.21	57.88


28/02/2026

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX



28/02/2026


EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX



28/02/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 9
Vertical

EIRP (dBm)	20.77	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.47	11.61	8.84	30.55	58.56

28/02/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX

CF Freq
6.855GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 9
Vertical

EIRP (dBm)	20.72	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.81	11.52	9.02	30.73	58.76

28/02/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX

CF Freq
5.965GHz
Span
100MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 9
Vertical

EIRP (dBm)	20.1	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.95	11.50	8.14	30.14	57.55

28/02/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX

CF Freq
6.205GHz
Span
100MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 10
Horizontal

EIRP (dBm)	19.8	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.41	11.50	8.02	30.21	57.90

28/02/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX



28/02/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX

