



28/02/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




28/02/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




10/03/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




28/02/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




28/02/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX



28/02/2026


EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX



28/02/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)	22.21	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.06	11.60	8.86	30.56	58.57

28/02/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)	21.46	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.07	11.53	9.04	30.65	58.67


28/02/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX



28/02/2026


EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX



28/02/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX

CF Freq
6.345GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 10
Horizontal

EIRP (dBm)	21.25	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.04	11.79	8.26	30.27	58.09

10/03/2026

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX

CF Freq
6.665GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
160MHz




Page 10
Horizontal

EIRP (dBm)	22.28	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.64	12.40	7.94	33.42	58.52


02/03/2026

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




02/03/2026

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




02/03/2026

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




02/03/2026

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




02/03/2026

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




02/03/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




02/03/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




02/03/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




02/03/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




02/03/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




02/03/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




02/03/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




02/03/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




10/03/2026

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




02/03/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




03/03/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




03/03/2026

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




09/03/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




09/03/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




09/03/2026

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




09/03/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




09/03/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




09/03/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




09/03/2026

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




09/03/2026

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



09/03/2026

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX





Average Power-E.I.R.P. at any elevation angle above 30 degrees
_Mode 6 (2TX)

Appendix C.8

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP [Phi 30°] (dBm)	EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	18.47	0.07031	18.47/20.67	0.07031/0.116681
802.11be EHT40-BF_Nss1,(MCS0)_2TX	18.64	0.07311	18.64/20.84	0.07311/0.121339
802.11be EHT80-BF_Nss1,(MCS0)_2TX	18.70	0.07413	18.70/20.90	0.07413/0.123027
802.11be EHT160-BF_Nss1,(MCS0)_2TX	18.54	0.07145	18.54/20.74	0.07145/0.118577
802.11be EHT320-BF_Nss1,(MCS0)_2TX	18.64	0.07311	18.64/20.84	0.07311/0.121339
6.525-6.875GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	18.53	0.07129	18.53/20.63	0.07129/0.115611
802.11be EHT40-BF_Nss1,(MCS0)_2TX	18.59	0.07228	18.59/20.69	0.07228/0.117220
802.11be EHT80-BF_Nss1,(MCS0)_2TX	18.53	0.07129	18.53/20.63	0.07129/0.115611
802.11be EHT160-BF_Nss1,(MCS0)_2TX	18.47	0.07031	18.47/20.57	0.07031/0.114025



Average Power-E.I.R.P. at any elevation angle above 30 degrees
Mode 6 (2TX)

Appendix C.8

Result

Mode	Result	Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP [Phi 30°] (dBm)	EIRP Limit [Phi 30°] (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	2.20	15.19	15.48	18.35	20.55	21.00
6195MHz	Pass	2.20	15.26	15.65	18.47	20.67	21.00
6415MHz	Pass	2.20	15.21	15.6	18.42	20.62	21.00
6535MHz	Pass	2.10	15.44	15.59	18.53	20.63	21.00
6695MHz	Pass	2.10	15.04	15.42	18.24	20.34	21.00
6855MHz	Pass	2.10	15.51	15.35	18.44	20.54	21.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	2.20	15.26	15.74	18.52	20.72	21.00
6205MHz	Pass	2.20	15.42	15.83	18.64	20.84	21.00
6405MHz	Pass	2.20	15.26	15.67	18.48	20.68	21.00
6565MHz	Pass	2.10	15.37	15.78	18.59	20.69	21.00
6685MHz	Pass	2.10	15.15	15.47	18.32	20.42	21.00
6845MHz	Pass	2.10	15.41	15.73	18.58	20.68	21.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	2.20	15.23	15.56	18.41	20.61	21.00
6225MHz	Pass	2.20	15.65	15.72	18.70	20.90	21.00
6385MHz	Pass	2.20	15.35	15.68	18.53	20.73	21.00
6625MHz	Pass	2.10	15.38	15.65	18.53	20.63	21.00
6705MHz	Pass	2.10	15.36	15.61	18.50	20.60	21.00
6785MHz	Pass	2.10	15.16	15.45	18.32	20.42	21.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	2.20	15.36	15.69	18.54	20.74	21.00
6185MHz	Pass	2.20	14.83	14.94	17.90	20.10	21.00
6345MHz	Pass	2.20	15.36	15.65	18.52	20.72	21.00
6665MHz	Pass	2.10	15.34	15.57	18.47	20.57	21.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	2.20	15.62	15.64	18.64	20.84	21.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.



Average Power-E.I.R.P. at any elevation angle above 30 degrees
_Mode 6 (4TX)

Appendix C.9

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP [Phi 30°] (dBm)	EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.69	0.04667	20.69	0.117220
802.11be EHT40-BF_Nss1,(MCS0)_4TX	16.65	0.04624	20.65	0.116145
802.11be EHT80-BF_Nss1,(MCS0)_4TX	16.76	0.04742	20.76	0.119124
802.11be EHT160-BF_Nss1,(MCS0)_4TX	16.74	0.04721	20.74	0.118577
802.11be EHT320-BF_Nss1,(MCS0)_4TX	16.52	0.04487	20.52	0.112720
6.525-6.875GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	17.27	0.05333	20.74	0.118577
802.11be EHT40-BF_Nss1,(MCS0)_4TX	17.25	0.05309	20.72	0.118032
802.11be EHT80-BF_Nss1,(MCS0)_4TX	17.23	0.05284	20.70	0.117490
802.11be EHT160-BF_Nss1,(MCS0)_4TX	17.28	0.05346	20.75	0.118850



Average Power-E.I.R.P. at any elevation angle above 30 degrees
Mode 6 (4TX)

Appendix C.9

Result

Mode	Result	Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP [Phi 30°] (dBm)	EIRP Limit [Phi 30°] (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	4.00	10.53	10.86	10.52	10.77	16.69	20.69	21.00
6195MHz	Pass	4.00	10.05	10.59	10.11	10.61	16.37	20.37	21.00
6415MHz	Pass	4.00	10.04	10.75	10.33	10.72	16.49	20.49	21.00
6535MHz	Pass	3.47	10.6	11.16	10.5	10.95	16.83	20.30	21.00
6695MHz	Pass	3.47	10.9	11.65	10.81	11.07	17.14	20.61	21.00
6855MHz	Pass	3.47	11.13	11.74	11.01	11.08	17.27	20.74	21.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	4.00	10.61	10.81	10.22	10.84	16.65	20.65	21.00
6205MHz	Pass	4.00	10.33	10.84	10.19	10.89	16.59	20.59	21.00
6405MHz	Pass	4.00	10.01	10.87	10.03	10.59	16.41	20.41	21.00
6565MHz	Pass	3.47	10.99	11.88	10.62	11.33	17.25	20.72	21.00
6685MHz	Pass	3.47	10.77	11.53	10.78	10.84	17.01	20.48	21.00
6845MHz	Pass	3.47	11.09	11.15	11.18	11.06	17.14	20.61	21.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	4.00	10.77	10.63	10.37	10.82	16.67	20.67	21.00
6225MHz	Pass	4.00	10.74	10.85	10.44	10.91	16.76	20.76	21.00
6385MHz	Pass	4.00	10.17	11.04	10.26	10.79	16.60	20.60	21.00
6625MHz	Pass	3.47	10.83	11.51	10.93	11.51	17.23	20.70	21.00
6705MHz	Pass	3.47	10.87	11.57	10.77	10.62	16.99	20.46	21.00
6785MHz	Pass	3.47	10.2	11.64	10.69	11.13	16.97	20.44	21.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	4.00	10.73	10.83	10.09	10.93	16.68	20.68	21.00
6185MHz	Pass	4.00	10.76	10.81	10.48	10.8	16.74	20.74	21.00
6345MHz	Pass	4.00	10.47	10.81	10.3	10.9	16.65	20.65	21.00
6665MHz	Pass	3.47	11.29	11.5	10.48	11.66	17.28	20.75	21.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	4.00	10.08	10.93	10.51	10.43	16.52	20.52	21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	15.15	22.89
802.11ax HEW40_Nss1,(MCS0)_2TX	12.31	20.05
802.11ax HEW80_Nss1,(MCS0)_2TX	9.62	17.36
802.11ax HEW160_Nss1,(MCS0)_2TX	5.83	13.57
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	13.24	22.80
802.11ax HEW40_Nss1,(MCS0)_2TX	10.86	20.42
802.11ax HEW80_Nss1,(MCS0)_2TX	7.25	16.81
802.11ax HEW160_Nss1,(MCS0)_2TX	4.48	14.04

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	7.74	11.78	12.50	15.15	22.89	23.00
6195MHz	Pass	7.74	11.91	12.27	15.04	22.78	23.00
6415MHz	Pass	7.74	11.68	11.88	14.74	22.48	23.00
6535MHz	Pass	9.56	9.99	10.17	13.04	22.60	23.00
6695MHz	Pass	9.56	9.92	10.22	13.03	22.59	23.00
6855MHz	Pass	9.56	9.99	10.61	13.24	22.80	23.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	7.74	7.18	7.37	10.17	17.91	23.00
6205MHz	Pass	7.74	9.13	9.59	12.31	20.05	23.00
6405MHz	Pass	7.74	8.96	9.19	12.02	19.76	23.00
6565MHz	Pass	9.56	7.26	7.35	10.26	19.82	23.00
6685MHz	Pass	9.56	7.30	7.65	10.39	19.95	23.00
6845MHz	Pass	9.56	7.66	8.11	10.86	20.42	23.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	7.74	3.37	3.74	6.40	14.14	23.00
6225MHz	Pass	7.74	6.71	6.99	9.62	17.36	23.00
6385MHz	Pass	7.74	6.00	6.24	9.07	16.81	23.00
6625MHz	Pass	9.56	4.14	4.25	7.17	16.73	23.00
6705MHz	Pass	9.56	4.14	4.46	7.20	16.76	23.00
6785MHz	Pass	9.56	4.10	4.46	7.25	16.81	23.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	7.74	0.47	1.04	3.76	11.50	23.00
6185MHz	Pass	7.74	2.57	3.03	5.73	13.47	23.00
6345MHz	Pass	7.74	2.83	2.98	5.83	13.57	23.00
6665MHz	Pass	9.56	1.23	1.73	4.48	14.04	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5955MHz

21/03/2026

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
15.15	15.15	11.78	12.50

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6195MHz

21/03/2026

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
15.04	15.04	11.91	12.27

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6415MHz

21/03/2026

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.74	14.74	11.68	11.88

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6535MHz

21/03/2026

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.04	13.04	9.99	10.17

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6695MHz

21/03/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.03	13.03	9.92	10.22

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6855MHz

21/03/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.24	13.24	9.99	10.61

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5965MHz

21/03/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.17	10.17	7.18	7.37

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6205MHz

21/03/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.31	12.31	9.13	9.59

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6405MHz

21/03/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.02	12.02	8.96	9.19

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6565MHz

21/03/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.26	10.26	7.26	7.35

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6685MHz

21/03/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.39	10.39	7.30	7.65

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6845MHz

21/03/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.86	10.86	7.66	8.11

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5985MHz

21/03/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.40	6.40	3.37	3.74

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6225MHz

21/03/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.62	9.62	6.71	6.99

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6385MHz

21/03/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.07	9.07	6.00	6.24

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6625MHz

21/03/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.17	7.17	4.14	4.25

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6705MHz

21/03/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.20	7.20	4.14	4.46

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6785MHz

21/03/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.25	7.25	4.10	4.46

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6025MHz

21/03/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.76	3.76	0.47	1.04

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6185MHz

21/03/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.73	5.73	2.57	3.03

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6345MHz

21/03/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.83	5.83	2.83	2.98

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6665MHz

21/03/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.48	4.48	1.23	1.73

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	6.33	14.07
802.11ax HEW40_Nss1,(MCS0)_2TX	3.25	10.99
802.11ax HEW80_Nss1,(MCS0)_2TX	0.63	8.37
802.11ax HEW160_Nss1,(MCS0)_2TX	-2.37	5.37
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.60	18.16
802.11ax HEW40_Nss1,(MCS0)_2TX	5.40	14.96
802.11ax HEW80_Nss1,(MCS0)_2TX	2.81	12.37
802.11ax HEW160_Nss1,(MCS0)_2TX	0.08	9.64

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	7.74	3.11	3.11	6.00	13.74	23.00
6195MHz	Pass	7.74	3.20	3.16	6.05	13.79	23.00
6415MHz	Pass	7.74	3.38	3.32	6.33	14.07	23.00
6535MHz	Pass	9.56	5.35	5.18	8.22	17.78	23.00
6695MHz	Pass	9.56	5.91	5.39	8.60	18.16	23.00
6855MHz	Pass	9.56	5.40	5.22	8.21	17.77	23.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	7.74	0.27	0.08	3.11	10.85	23.00
6205MHz	Pass	7.74	0.24	0.31	3.25	10.99	23.00
6405MHz	Pass	7.74	0.21	0.02	3.09	10.83	23.00
6565MHz	Pass	9.56	2.62	2.29	5.40	14.96	23.00
6685MHz	Pass	9.56	2.57	2.16	5.33	14.89	23.00
6845MHz	Pass	9.56	2.57	2.25	5.32	14.88	23.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	7.74	-2.31	-2.60	0.51	8.25	23.00
6225MHz	Pass	7.74	-2.22	-2.48	0.63	8.37	23.00
6385MHz	Pass	7.74	-2.55	-2.57	0.28	8.02	23.00
6625MHz	Pass	9.56	-0.25	-0.07	2.73	12.29	23.00
6705MHz	Pass	9.56	0.03	-0.36	2.80	12.36	23.00
6785MHz	Pass	9.56	0.05	-0.09	2.81	12.37	23.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	7.74	-5.25	-5.32	-2.42	5.32	23.00
6185MHz	Pass	7.74	-5.57	-5.65	-2.65	5.09	23.00
6345MHz	Pass	7.74	-5.33	-5.28	-2.37	5.37	23.00
6665MHz	Pass	9.56	-2.46	-3.28	0.08	9.64	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5955MHz

31/03/2026

CF (Hz)
5.955G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.00	6.00	3.11	3.11

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6195MHz

31/03/2026

CF (Hz)
6.195G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.05	6.05	3.20	3.16

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6415MHz

31/03/2026

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.33	6.33	3.38	3.32

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6535MHz

31/03/2026

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.22	8.22	5.35	5.18

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6695MHz

31/03/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.60	8.60	5.91	5.39

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6855MHz

31/03/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.21	8.21	5.40	5.22

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

5965MHz

31/03/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
3.11	3.11	0.27	0.08

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6205MHz

31/03/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
3.25	3.25	0.24	0.31

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6405MHz

31/03/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.09	3.09	0.21	0.02

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6565MHz

31/03/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.40	5.40	2.62	2.29

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6685MHz

31/03/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.33	5.33	2.57	2.16

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6845MHz

31/03/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.32	5.32	2.57	2.25

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

5985MHz

31/03/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.51	0.51	-2.31	-2.60

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6225MHz

31/03/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.63	0.63	-2.22	-2.48

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6385MHz

31/03/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.28	0.28	-2.55	-2.57

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6625MHz

01/04/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.73	2.73	-0.25	-0.07

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6705MHz

01/04/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.80	2.80	0.03	-0.36

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6785MHz

01/04/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.81	2.81	0.05	-0.09

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6025MHz

01/04/2026




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6185MHz

01/04/2026



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6345MHz

01/04/2026

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.37	-2.37	-5.33	-5.28

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6665MHz

01/04/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.08	0.08	-2.46	-3.28

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	16.37
802.11be EHT20_Nss1,(MCS0)_2TX	20.89
802.11be EHT20_Nss1,(MCS0)_4TX	22.58
802.11be EHT40_Nss1,(MCS0)_1TX	13.74
802.11be EHT40_Nss1,(MCS0)_2TX	18.87
802.11be EHT40_Nss1,(MCS0)_4TX	22.51
802.11be EHT80_Nss1,(MCS0)_1TX	10.15
802.11be EHT80_Nss1,(MCS0)_2TX	15.01
802.11be EHT80_Nss1,(MCS0)_4TX	16.63
802.11be EHT160_Nss1,(MCS0)_1TX	6.63
802.11be EHT160_Nss1,(MCS0)_2TX	11.84
802.11be EHT160_Nss1,(MCS0)_4TX	15.02
802.11be EHT320_Nss1,(MCS0)_1TX	2.41
802.11be EHT320_Nss1,(MCS0)_2TX	6.38
802.11be EHT320_Nss1,(MCS0)_4TX	9.04
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	16.09
802.11be EHT20_Nss1,(MCS0)_2TX	21.95
802.11be EHT20_Nss1,(MCS0)_4TX	22.97
802.11be EHT40_Nss1,(MCS0)_1TX	14.58
802.11be EHT40_Nss1,(MCS0)_2TX	19.80
802.11be EHT40_Nss1,(MCS0)_4TX	22.57
802.11be EHT80_Nss1,(MCS0)_1TX	10.63
802.11be EHT80_Nss1,(MCS0)_2TX	16.29
802.11be EHT80_Nss1,(MCS0)_4TX	16.96
802.11be EHT160_Nss1,(MCS0)_1TX	6.18
802.11be EHT160_Nss1,(MCS0)_2TX	10.04
802.11be EHT160_Nss1,(MCS0)_4TX	13.73

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	14.09	23.00
6195MHz	Pass	15.66	23.00
6415MHz	Pass	16.37	23.00
6535MHz	Pass	16.09	23.00
6695MHz	Pass	16.05	23.00
6855MHz	Pass	15.17	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	9.48	23.00
6205MHz	Pass	13.74	23.00
6405MHz	Pass	13.61	23.00
6565MHz	Pass	14.58	23.00
6685MHz	Pass	13.86	23.00
6845MHz	Pass	13.28	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	5.88	23.00
6225MHz	Pass	10.05	23.00
6385MHz	Pass	10.15	23.00
6625MHz	Pass	10.63	23.00
6705MHz	Pass	10.25	23.00
6785MHz	Pass	10.19	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	4.35	23.00
6185MHz	Pass	5.94	23.00
6345MHz	Pass	6.63	23.00
6665MHz	Pass	6.18	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	2.41	23.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	15.84	23.00
6195MHz	Pass	20.89	23.00
6415MHz	Pass	19.54	23.00
6535MHz	Pass	20.32	23.00
6695MHz	Pass	21.95	23.00
6855MHz	Pass	20.75	23.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	12.85	23.00
6205MHz	Pass	18.87	23.00
6405MHz	Pass	16.71	23.00
6565MHz	Pass	19.80	23.00
6685MHz	Pass	19.42	23.00
6845MHz	Pass	17.42	23.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	10.40	23.00
6225MHz	Pass	15.01	23.00
6385MHz	Pass	12.63	23.00
6625MHz	Pass	16.13	23.00
6705MHz	Pass	16.29	23.00
6785MHz	Pass	15.69	23.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	7.24	23.00
6185MHz	Pass	11.84	23.00
6345MHz	Pass	11.81	23.00
6665MHz	Pass	10.04	23.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6105MHz	Pass	6.38	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	19.71	23.00
6195MHz	Pass	22.38	23.00
6415MHz	Pass	22.58	23.00
6535MHz	Pass	22.66	23.00
6695MHz	Pass	22.68	23.00
6855MHz	Pass	22.97	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	16.96	23.00
6205MHz	Pass	22.51	23.00
6405MHz	Pass	19.75	23.00
6565MHz	Pass	22.56	23.00
6685MHz	Pass	22.52	23.00
6845MHz	Pass	22.57	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	15.08	23.00
6225MHz	Pass	16.63	23.00
6385MHz	Pass	16.52	23.00
6625MHz	Pass	16.96	23.00
6705MHz	Pass	16.68	23.00
6785MHz	Pass	16.00	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	11.35	23.00
6185MHz	Pass	15.02	23.00
6345MHz	Pass	12.50	23.00
6665MHz	Pass	13.73	23.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	9.04	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

07/04/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
54.778s

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
14.09		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.89	13.40	7.61	33.76	57.53

07/04/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
54.778s

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
15.66		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.94	13.23	7.59	33.63	57.87


07/04/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6415MHz;TX



11/02/2026


EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6535MHz;TX



11/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.778s
Detector Type
RMS
CP BW
20MHz



Page 7
Vertical

EIRP PSD (dBm)

16.05

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-4.65

12.40

7.97


33.42

58.55

11/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6855MHz;TX

CF Freq
6.855GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.778s
Detector Type
RMS
CP BW
20MHz



Page 7
Vertical

EIRP PSD (dBm)

15.17

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

-5.95

Gr (dBi)

12.40

Lc (dB)

8.18

Gamp (dB)


33.41

Lp (dB)

58.75


11/02/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:5965MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6205MHz;TX




11/02/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6405MHz;TX



10/02/2026


EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6565MHz;TX



10/02/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.778s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
13.86				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.80	12.40	7.95	33.42	58.53

10/02/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6845MHz;TX

CF Freq
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.778s
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
13.28				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.87	12.38	8.18	33.41	58.76


07/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:5985MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6225MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6385MHz;TX



10/02/2026


EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX



10/02/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.778s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
10.25				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.42	12.40	7.95	33.42	58.54

04/02/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.778s
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
10.19				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.63	12.50	8.07	33.41	58.66


10/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6025MHz;TX




04/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6185MHz;TX




04/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6345MHz;TX



05/02/2026


EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX



11/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.809s
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.41				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.31	13.20	7.61	33.61	57.92

04/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.809s
Detector Type
RMS
CP BW
320MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.53				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.20	13.20	7.62	33.61	57.92


07/04/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX



05/02/2026


EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX



11/02/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX

CF Freq
5.965GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.778s
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
12.85				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.26	13.40	7.68	33.75	57.58

05/02/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX

CF Freq
6.205GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.778s
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
18.87				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.15	13.20	7.61	33.61	57.92


05/02/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




11/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




04/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




04/02/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



10/02/2026


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



10/02/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX

CF Freq
6.415GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 7
Vertical

EIRP PSD (dBm)	22.58	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.76	11.92	8.37	30.29	58.18

10/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	22.66	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.87	12.00	8.55	30.37	58.35

10/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 7
Vertical

EIRP PSD (dBm)	22.68	EIRP=Pr+Lp [Lp Free Space Path Loss]	Pr=Pmeas-Gr+Lc-Gamp
Pmeas	-2.53	Gr (dBi)	11.62
Lc (dB)	8.82	Gamp (dB)	30.54
Lp (dB)	58.55		

10/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX

CF Freq
6.855GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	22.97	EIRP=Pr+Lp [Lp Free Space Path Loss]	Pr=Pmeas-Gr+Lc-Gamp
Pmeas	-2.55	Gr (dBi)	11.53
Lc (dB)	9.02	Gamp (dB)	30.73
Lp (dB)	58.76		

10/02/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX

CF Freq
5.965GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
16.96		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.11	11.50	8.13	30.14	57.58

10/02/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX

CF Freq
6.205GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz



Page 7
Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
22.51		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.72	11.50	8.04	30.22	57.91

10/02/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX

CF Freq
6.405GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
19.75		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.57	11.88	8.34	30.29	58.15

10/02/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX

CF Freq
6.565GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
22.56		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.05	11.96	8.59	30.41	58.39

10/02/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
22.52				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.59	11.67	8.78	30.52	58.52

10/02/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX

CF Freq
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
22.57				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.01	11.50	9.05	30.70	58.73

10/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	15.08	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.06	11.46	8.11	30.14	57.63

07/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	16.63	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.66	11.50	8.07	30.22	57.94


10/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




10/02/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




10/02/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX



11/02/2026


EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



11/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
11.35				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.85	11.42	8.10	30.15	57.67

11/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX

CF Freq
6.185GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 7
Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
15.02				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.21	11.50	8.04	30.22	57.91


11/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




11/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



11/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX



Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	8.91
802.11be EHT20_Nss1,(MCS0)_2TX	11.53
802.11be EHT20_Nss1,(MCS0)_4TX	12.08
802.11be EHT40_Nss1,(MCS0)_1TX	6.29
802.11be EHT40_Nss1,(MCS0)_2TX	7.02
802.11be EHT40_Nss1,(MCS0)_4TX	7.89
802.11be EHT80_Nss1,(MCS0)_1TX	3.30
802.11be EHT80_Nss1,(MCS0)_2TX	5.17
802.11be EHT80_Nss1,(MCS0)_4TX	5.08
802.11be EHT160_Nss1,(MCS0)_1TX	1.08
802.11be EHT160_Nss1,(MCS0)_2TX	2.26
802.11be EHT160_Nss1,(MCS0)_4TX	3.75
802.11be EHT320_Nss1,(MCS0)_1TX	-2.55
802.11be EHT320_Nss1,(MCS0)_2TX	-1.41
802.11be EHT320_Nss1,(MCS0)_4TX	1.24
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	8.27
802.11be EHT20_Nss1,(MCS0)_2TX	10.72
802.11be EHT20_Nss1,(MCS0)_4TX	11.84
802.11be EHT40_Nss1,(MCS0)_1TX	6.36
802.11be EHT40_Nss1,(MCS0)_2TX	7.62
802.11be EHT40_Nss1,(MCS0)_4TX	8.80
802.11be EHT80_Nss1,(MCS0)_1TX	3.63
802.11be EHT80_Nss1,(MCS0)_2TX	5.73
802.11be EHT80_Nss1,(MCS0)_4TX	7.09
802.11be EHT160_Nss1,(MCS0)_1TX	0.51
802.11be EHT160_Nss1,(MCS0)_2TX	2.40
802.11be EHT160_Nss1,(MCS0)_4TX	3.27

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	8.22	23.00
6195MHz	Pass	8.91	23.00
6415MHz	Pass	8.78	23.00
6535MHz	Pass	8.09	23.00
6695MHz	Pass	8.27	23.00
6855MHz	Pass	7.57	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	5.29	23.00
6205MHz	Pass	6.29	23.00
6405MHz	Pass	6.00	23.00
6565MHz	Pass	6.36	23.00
6685MHz	Pass	4.93	23.00
6845MHz	Pass	5.09	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	2.64	23.00
6225MHz	Pass	3.03	23.00
6385MHz	Pass	3.30	23.00
6625MHz	Pass	2.58	23.00
6705MHz	Pass	2.13	23.00
6785MHz	Pass	3.63	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	1.08	23.00
6185MHz	Pass	1.08	23.00
6345MHz	Pass	0.55	23.00
6665MHz	Pass	0.51	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	-2.55	23.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	9.65	23.00
6195MHz	Pass	9.63	23.00
6415MHz	Pass	11.53	23.00
6535MHz	Pass	9.67	23.00
6695MHz	Pass	10.72	23.00
6855MHz	Pass	9.85	23.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	5.95	23.00
6205MHz	Pass	7.02	23.00
6405MHz	Pass	6.23	23.00
6565MHz	Pass	6.72	23.00
6685MHz	Pass	7.62	23.00
6845MHz	Pass	6.21	23.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	5.17	23.00
6225MHz	Pass	3.85	23.00
6385MHz	Pass	4.06	23.00
6625MHz	Pass	4.83	23.00
6705MHz	Pass	5.63	23.00
6785MHz	Pass	5.73	23.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	2.26	23.00
6185MHz	Pass	1.69	23.00
6345MHz	Pass	2.10	23.00
6665MHz	Pass	2.40	23.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6105MHz	Pass	-1.41	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	10.79	23.00
6195MHz	Pass	11.53	23.00
6415MHz	Pass	12.08	23.00
6535MHz	Pass	10.89	23.00
6695MHz	Pass	11.84	23.00
6855MHz	Pass	11.66	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	6.88	23.00
6205MHz	Pass	7.09	23.00
6405MHz	Pass	7.89	23.00
6565MHz	Pass	8.50	23.00
6685MHz	Pass	8.80	23.00
6845MHz	Pass	8.76	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	3.04	23.00
6225MHz	Pass	4.24	23.00
6385MHz	Pass	5.08	23.00
6625MHz	Pass	5.86	23.00
6705MHz	Pass	5.94	23.00
6785MHz	Pass	7.09	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	2.18	23.00
6185MHz	Pass	3.75	23.00
6345MHz	Pass	3.38	23.00
6665MHz	Pass	3.27	23.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	1.24	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

10/03/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
8.22				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.42	11.59	10.14	32.44	57.53

10/03/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
8.91				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.16	11.80	10.39	32.42	57.90


10/03/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6415MHz;TX



10/03/2026


EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6535MHz;TX



10/03/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
8.27				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.99	10.62	10.85	32.52	58.55

10/03/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6855MHz;TX

CF Freq
6.855GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
7.57				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.58	10.99	11.03	32.64	58.75


10/03/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:5965MHz;TX



10/03/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6205MHz;TX



10/03/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6405MHz;TX

CF Freq
6.405GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
6		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.78	11.62	10.64	32.39	58.15

10/03/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6565MHz;TX

CF Freq
6.565GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
40MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
6.36		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.52	10.77	10.68	32.44	58.41

10/03/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.93				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.24	10.66	10.81	32.50	58.52

10/03/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6845MHz;TX

CF Freq
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
5.09				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.07	10.98	11.03	32.63	58.74

10/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.64				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.02	11.70	10.19	32.44	57.61

10/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
3.03				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.15	11.80	10.44	32.41	57.95

10/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
3.3				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.27	11.70	10.58	32.40	58.09

10/03/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX

CF Freq
6.625GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.58				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-23.37	10.71	10.68	32.45	58.43


10/03/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX




10/03/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX




10/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6025MHz;TX



10/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6185MHz;TX



10/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6345MHz;TX

CF Freq
6.345GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)	0.55	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-23.71	11.80	10.48	32.41	57.99

10/03/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX

CF Freq
6.665GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
160MHz



Page 8


Horizontal

EIRP PSD (dBm)	0.51	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-25.44	10.71	10.68	32.45	58.43

10/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
-2.55				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-26.74	11.80	10.45	32.41	57.95

10/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
-2.12				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-26.31	11.80	10.45	32.41	57.95

10/03/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
20MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
9.65				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.98	11.60	10.14	32.44	57.53

10/03/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
9.63				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.43	11.80	10.39	32.42	57.89

10/03/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX

CF Freq
6.415GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	11.53	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.34	11.57	10.65	32.39	58.18

10/03/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX

CF Freq
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
20MHz




Page 7
Vertical

EIRP PSD (dBm)	9.67	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.92	11.02	10.67	32.40	58.34

10/03/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
20MHz



Page 8
Horizontal


EIRP PSD (dBm)		$EIRP = P_r + L_p$ [Lp Free Space Path Loss] $P_r = P_{meas} - G_r + L_c - G_{amp}$				
10.72						

Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)	
-15.57	10.60	10.86	32.53	58.56	

10/03/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX

CF Freq
6.855GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
20MHz



Page 7
Vertical

EIRP PSD (dBm)

9.85

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-16.30

10.99


11.03

32.64

58.75


10/03/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




10/03/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




10/03/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




10/03/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




10/03/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX



10/03/2026


EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX



10/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
5.17				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.54	11.70	10.21	32.44	57.64

10/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
80MHz



Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
3.85				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.30	11.80	10.43	32.41	57.93

10/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX

CF Freq
6.385GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.06		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.53	11.70	10.59	32.40	58.10

10/03/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX

CF Freq
6.625GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
80MHz




Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.83		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.07	10.75	10.68	32.45	58.42


10/03/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




10/03/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




10/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




10/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




10/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




10/03/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




10/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX



10/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX



10/03/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
10.79		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.84	11.63	10.15	32.44	57.55

10/03/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
20MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
11.53		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.53	11.80	10.39	32.42	57.89

10/03/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX

CF Freq
6.415GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	12.08	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.84	11.53	10.65	32.39	58.19

10/03/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	10.89	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.61	12.43	9.63	43.05	58.35


10/03/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX



10/03/2026


EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX



10/03/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX

CF Freq
5.965GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.778s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	6.88	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.16	13.30	9.12	43.36	57.58

10/03/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX

CF Freq
6.205GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
54.778s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	7.09	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.59	13.27	9.28	43.23	57.90


10/03/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




10/03/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




10/03/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



10/03/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX



10/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
80MHz



Page 7

Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
3.04				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.11	13.30	9.15	43.33	57.63

10/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
60s

Detector Type
RMS

CP BW
80MHz



Page 8


Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.24				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.58	13.19	9.30	43.22	57.93

10/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	5.08	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.40	12.91	9.45	43.15	58.09

10/03/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX

CF Freq
6.625GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	5.86	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.74	12.50	9.68	43.02	58.44

10/03/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
5.94				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.77	12.53	9.72	43.00	58.52

10/03/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
7.09				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.78	12.70	9.81	42.94	58.70


10/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX



10/03/2026


EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX



10/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX

CF Freq
6.345GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
3.38				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.88	11.80	10.48	32.41	57.99

10/03/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX

CF Freq
6.665GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
3.27				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.33	12.50	9.68	43.02	58.44

10/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	1.24	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.96	11.80	10.45	32.41	57.96

10/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
60s
Detector Type
RMS
CP BW
320MHz



Page 8
Horizontal

EIRP PSD (dBm)	-0.33	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-24.53	11.80	10.45	32.41	57.96

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	15.09
802.11be EHT20-BF_Nss1,(MCS0)_4TX	19.99
802.11be EHT40-BF_Nss1,(MCS0)_2TX	11.29
802.11be EHT40-BF_Nss1,(MCS0)_4TX	17.31
802.11be EHT80-BF_Nss1,(MCS0)_2TX	11.27
802.11be EHT80-BF_Nss1,(MCS0)_4TX	15.32
802.11be EHT160-BF_Nss1,(MCS0)_2TX	7.56
802.11be EHT160-BF_Nss1,(MCS0)_4TX	13.53
802.11be EHT320-BF_Nss1,(MCS0)_2TX	6.98
802.11be EHT320-BF_Nss1,(MCS0)_4TX	9.85
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	14.73
802.11be EHT20-BF_Nss1,(MCS0)_4TX	21.34
802.11be EHT40-BF_Nss1,(MCS0)_2TX	11.59
802.11be EHT40-BF_Nss1,(MCS0)_4TX	18.19
802.11be EHT80-BF_Nss1,(MCS0)_2TX	11.47
802.11be EHT80-BF_Nss1,(MCS0)_4TX	16.09
802.11be EHT160-BF_Nss1,(MCS0)_2TX	7.13
802.11be EHT160-BF_Nss1,(MCS0)_4TX	14.62

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	14.46	23.00
6195MHz	Pass	15.09	23.00
6415MHz	Pass	13.12	23.00
6535MHz	Pass	13.74	23.00
6695MHz	Pass	14.73	23.00
6855MHz	Pass	14.62	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	11.16	23.00
6205MHz	Pass	11.29	23.00
6405MHz	Pass	10.02	23.00
6565MHz	Pass	10.17	23.00
6685MHz	Pass	11.59	23.00
6845MHz	Pass	9.75	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	11.27	23.00
6225MHz	Pass	10.89	23.00
6385MHz	Pass	9.96	23.00
6625MHz	Pass	9.41	23.00
6705MHz	Pass	10.97	23.00
6785MHz	Pass	11.47	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	7.56	23.00
6185MHz	Pass	7.26	23.00
6345MHz	Pass	7.49	23.00
6665MHz	Pass	7.13	23.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	6.98	23.00
6265MHz	Pass	5.42	23.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	18.76	23.00
6195MHz	Pass	19.50	23.00
6415MHz	Pass	19.99	23.00
6535MHz	Pass	20.27	23.00
6695MHz	Pass	21.34	23.00
6855MHz	Pass	20.57	23.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	16.92	23.00
6205MHz	Pass	17.31	23.00
6405MHz	Pass	16.64	23.00
6565MHz	Pass	16.85	23.00
6685MHz	Pass	18.19	23.00
6845MHz	Pass	16.86	23.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	15.32	23.00
6225MHz	Pass	14.76	23.00
6385MHz	Pass	15.09	23.00
6625MHz	Pass	16.09	23.00
6705MHz	Pass	15.06	23.00
6785MHz	Pass	14.00	23.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	13.07	23.00
6185MHz	Pass	13.53	23.00
6345MHz	Pass	12.85	23.00
6665MHz	Pass	14.62	23.00



Radiated PSD_Mode 5

Appendix D.5

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	9.46	23.00
6265MHz	Pass	9.85	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

04/02/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)	14.46	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.12	10.50	7.53	35.00	57.55

04/02/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 7


Vertical

EIRP PSD (dBm)	15.09	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.88	10.60	7.74	35.05	57.88

04/02/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX

CF Freq
6.415GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
13.12				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.18	10.73	7.94	35.10	58.19

04/02/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX

CF Freq
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
13.74				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.97	10.55	8.03	35.12	58.35


04/02/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX



04/02/2026


EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX



04/02/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX

CF Freq
5.965GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
11.16				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.43	10.50	7.53	35.00	57.56

04/02/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX

CF Freq
6.205GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
11.29				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.68	10.63	7.76	35.06	57.90


04/02/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX



04/02/2026


EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX



04/02/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	11.59	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.43	10.50	8.12	35.12	58.52

04/02/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX

CF Freq
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	9.75	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.83	10.31	8.25	35.11	58.75

04/02/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
11.27				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.46	10.45	7.56	35.02	57.64

04/02/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
10.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.04	10.72	7.78	35.06	57.93

05/02/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
9.96				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.12	10.80	7.88	35.09	58.09

05/02/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX

CF Freq
6.625GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
9.41				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.58	10.48	8.10	35.12	58.49


05/02/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



05/02/2026


EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



05/02/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	21.34	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.26	10.50	8.14	35.12	58.56

05/02/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX

CF Freq
6.855GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	20.57	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.03	10.31	8.25	35.11	58.77

05/02/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX

CF Freq
5.965GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
16.92				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.65	10.50	7.53	35.00	57.54

05/02/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX

CF Freq
6.205GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
17.31				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.67	10.62	7.76	35.06	57.90

05/02/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX

CF Freq
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
16.64				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.66	10.73	7.94	35.10	58.19

05/02/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX

CF Freq
6.565GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
16.85				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.07	10.43	8.06	35.12	58.41


05/02/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX



05/02/2026


EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



05/02/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	15.09	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.21	10.70	7.93	35.10	58.17

05/02/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX

CF Freq
6.625GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	16.09	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.89	10.49	8.10	35.12	58.49


05/02/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX



05/02/2026


EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX



05/02/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX

CF Freq
6.345GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	12.85	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.11	10.80	7.82	35.07	58.01

05/02/2026

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX

CF Freq
6.665GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	14.62	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.37	10.50	8.11	35.12	58.50

05/02/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
9.46				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.44	10.80	7.80	35.07	57.97

05/02/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
9.85				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.14	10.61	7.75	35.05	57.90

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	8.90
802.11be EHT20-BF_Nss1,(MCS0)_4TX	10.13
802.11be EHT40-BF_Nss1,(MCS0)_2TX	6.20
802.11be EHT40-BF_Nss1,(MCS0)_4TX	6.60
802.11be EHT80-BF_Nss1,(MCS0)_2TX	3.33
802.11be EHT80-BF_Nss1,(MCS0)_4TX	5.60
802.11be EHT160-BF_Nss1,(MCS0)_2TX	1.08
802.11be EHT160-BF_Nss1,(MCS0)_4TX	2.86
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-0.02
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-1.43
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	9.71
802.11be EHT20-BF_Nss1,(MCS0)_4TX	11.80
802.11be EHT40-BF_Nss1,(MCS0)_2TX	8.08
802.11be EHT40-BF_Nss1,(MCS0)_4TX	8.98
802.11be EHT80-BF_Nss1,(MCS0)_2TX	3.54
802.11be EHT80-BF_Nss1,(MCS0)_4TX	5.90
802.11be EHT160-BF_Nss1,(MCS0)_2TX	2.31
802.11be EHT160-BF_Nss1,(MCS0)_4TX	2.84

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	8.90	23.00
6195MHz	Pass	8.44	23.00
6415MHz	Pass	7.64	23.00
6535MHz	Pass	7.38	23.00
6695MHz	Pass	7.92	23.00
6855MHz	Pass	9.71	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	5.06	23.00
6205MHz	Pass	6.20	23.00
6405MHz	Pass	5.12	23.00
6565MHz	Pass	4.93	23.00
6685MHz	Pass	6.93	23.00
6845MHz	Pass	8.08	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	2.60	23.00
6225MHz	Pass	3.33	23.00
6385MHz	Pass	2.30	23.00
6625MHz	Pass	2.81	23.00
6705MHz	Pass	3.06	23.00
6785MHz	Pass	3.54	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	0.24	23.00
6185MHz	Pass	-0.13	23.00
6345MHz	Pass	1.08	23.00
6665MHz	Pass	2.31	23.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	-0.02	23.00
6265MHz	Pass	-2.47	23.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	10.13	23.00
6195MHz	Pass	9.64	23.00
6415MHz	Pass	9.97	23.00
6535MHz	Pass	8.41	23.00
6695MHz	Pass	11.16	23.00
6855MHz	Pass	11.80	23.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	6.13	23.00
6205MHz	Pass	6.60	23.00
6405MHz	Pass	6.33	23.00
6565MHz	Pass	7.55	23.00
6685MHz	Pass	8.98	23.00
6845MHz	Pass	7.19	23.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	5.60	23.00
6225MHz	Pass	5.20	23.00
6385MHz	Pass	4.36	23.00
6625MHz	Pass	5.90	23.00
6705MHz	Pass	4.67	23.00
6785MHz	Pass	5.21	23.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	1.25	23.00
6185MHz	Pass	2.86	23.00
6345MHz	Pass	1.14	23.00
6665MHz	Pass	2.84	23.00



Radiated PSD_Mode 6

Appendix D.6

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	-1.54	23.00
6265MHz	Pass	-1.43	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

02/03/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
8.9		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.12	11.50	8.14	30.15	57.53

28/02/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
8.44		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.77	11.50	8.02	30.21	57.90


28/02/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




28/02/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




28/02/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




28/02/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




28/02/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




28/02/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




28/02/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




28/02/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




28/02/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX



28/02/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX



10/03/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
2.6		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.47	13.40	7.66	33.75	57.56

28/02/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX

CF Freq
6.225GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
3.33		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.98	11.50	8.09	30.23	57.95

28/02/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.3				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.03	11.90	8.36	30.29	58.16

28/02/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX

CF Freq
6.625GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.81				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.18	11.73	8.72	30.49	58.49


28/02/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




28/02/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




28/02/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




28/02/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




28/02/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




10/03/2026

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




02/03/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




02/03/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




02/03/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




02/03/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




02/03/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




02/03/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




02/03/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




02/03/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




02/03/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




02/03/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




02/03/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




02/03/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




02/03/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




10/03/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




02/03/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




03/03/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




03/03/2026

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




09/03/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




09/03/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




09/03/2026

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




09/03/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




09/03/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




09/03/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




09/03/2026

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




09/03/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



09/03/2026

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	5.84
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	5.59
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	9.80
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	10.27
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	14.76
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	14.91
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	1.75
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX	2.39
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	2.40
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	6.78
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	7.01
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	7.03
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	10.96
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	11.08
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	11.24
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-1.57
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX	-1.92
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX	1.91
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	4.47
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	4.99
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	6.07
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	8.85
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	8.76
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	8.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-
5985MHz	Pass	5.84	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-
5985MHz	Pass	5.59	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-
6025MHz	Pass	1.75	23.00
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX	-	-	-
6025MHz	Pass	2.39	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-	-
6025MHz	Pass	2.40	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-
6105MHz	Pass	-1.57	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX	-	-	-
6105MHz	Pass	-1.92	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX	-	-	-
6105MHz	Pass	1.91	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-
5985MHz	Pass	9.80	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-
5985MHz	Pass	10.27	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-
6025MHz	Pass	6.78	23.00
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-
6025MHz	Pass	7.01	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-
6025MHz	Pass	7.03	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX	-	-	-
6105MHz	Pass	4.47	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX	-	-	-
6105MHz	Pass	4.99	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX	-	-	-
6105MHz	Pass	6.07	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Pass	14.76	23.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-
5985MHz	Pass	14.91	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6025MHz	Pass	10.96	23.00
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-
6025MHz	Pass	11.08	23.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-
6025MHz	Pass	11.24	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	8.85	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-
6105MHz	Pass	8.76	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-
6105MHz	Pass	8.96	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

16/05/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:1;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)

5.84

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-14.48

11.64

9.04

34.72

57.64

16/05/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:1;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)

5.59

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-14.72

11.63

9.04

34.73

57.63

16/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
1.75				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.56	11.66	9.04	34.72	57.65

16/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+3xRU242 MRU 1;Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
2.39				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.92	11.66	9.04	34.72	57.65

16/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
2.4				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.93	11.74	9.06	34.69	57.70

16/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
-1.57				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.88	11.66	9.04	34.72	57.65

16/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 5;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 7
Vertical

EIRP PSD (dBm)	-1.92	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.24	11.68	9.05	34.71	57.66

16/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	1.91	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.80	11.70	9.12	34.60	57.89

16/05/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	9.8	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.50	11.64	9.04	34.73	57.63

16/05/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	10.27	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.03	11.64	9.04	34.73	57.63


16/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:2;Ch:6025MHz;TX



16/05/2026


EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+3xRU242 MRU 1;Nant:2;Ch:6025MHz;TX



16/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
7.03		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.30	11.74	9.06	34.69	57.70

16/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 7
Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.47		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.86	11.67	9.05	34.71	57.66

16/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 5;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.99				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.34	11.67	9.05	34.71	57.66

16/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
6.07				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.71	11.70	9.15	34.58	57.91

16/05/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
14.76		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.55	11.63	9.04	34.73	57.63

16/05/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU242+RU242 MRU 1;Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
14.91		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.40	11.63	9.04	34.73	57.63

16/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
10.96				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.36	11.69	9.05	34.71	57.67

16/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+3xRU242 MRU 1;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
11.08				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.25	11.68	9.05	34.71	57.67

16/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU484+RU484 MRU 1;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
11.24		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.10	11.73	9.06	34.69	57.70

16/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7


Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
8.85		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.46	11.67	9.05	34.72	57.65

16/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 5;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
8.76				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.55	11.67	9.05	34.72	57.65

16/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996 MRU 1;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
8.96				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.83	11.70	9.15	34.58	57.92



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0)_1TX	5.75
802.11be EHT80_Nss1,(MCS0)_2TX	10.11
802.11be EHT80_Nss1,(MCS0)_4TX	14.17
802.11be EHT160_Nss1,(MCS0)_1TX	4.27
802.11be EHT160_Nss1,(MCS0)_2TX	7.23
802.11be EHT160_Nss1,(MCS0)_4TX	11.30
802.11be EHT320_Nss1,(MCS0)_1TX	2.09
802.11be EHT320_Nss1,(MCS0)_2TX	6.35
802.11be EHT320_Nss1,(MCS0)_4TX	9.01

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX	-	-	-
5985MHz	Pass	5.75	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX	-	-	-
6025MHz	Pass	4.27	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-
6025MHz	Pass	3.92	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX	-	-	-
6105MHz	Pass	1.61	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX	-	-	-
6105MHz	Pass	2.09	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX	-	-	-
6105MHz	Pass	1.95	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	-	-	-
5985MHz	Pass	10.11	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-
6025MHz	Pass	6.98	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-
6025MHz	Pass	7.23	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX	-	-	-
6105MHz	Pass	6.35	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX	-	-	-
6105MHz	Pass	6.18	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX	-	-	-
6105MHz	Pass	5.96	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-
5985MHz	Pass	14.17	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-
6025MHz	Pass	11.30	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-
6025MHz	Pass	11.27	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-
6105MHz	Pass	8.82	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-
6105MHz	Pass	9.01	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-
6105MHz	Pass	8.52	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

18/05/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:1;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
5.75		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.54	11.61	9.03	34.74	57.61

15/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 5;Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.27		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.91	13.30	9.11	43.31	57.68

15/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 3;Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
3.92		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.44	11.80	9.08	34.67	57.75

18/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 3;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
1.61		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.75	11.80	9.08	34.67	57.75

18/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 3;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	2.09	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.24	11.67	9.05	34.71	57.66

18/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 3;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 8
Horizontal

EIRP PSD (dBm)	1.95	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.67	11.74	9.11	34.61	57.86

18/05/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
10.61		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.63	11.50	8.97	34.76	57.53

18/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 5;Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 7


Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
6.98		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.35	11.72	9.06	34.70	57.69

19/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 3;Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 7
Vertical

EIRP PSD (dBm)	7.23	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.12	11.80	9.07	34.67	57.75

18/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 3;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	6.35	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.56	11.70	9.21	34.56	57.96

18/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 3;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
6.18				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.15	11.70	9.05	34.70	57.68

18/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 3;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
5.96				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.66	11.74	9.11	34.61	57.86


18/05/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 CP 4;Nant:4;Ch:5985MHz;TX



18/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 CP 5;Nant:4;Ch:6025MHz;TX



19/05/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 CP 3;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)	11.27	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.07	11.74	9.06	34.69	57.71

18/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 CP 3;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8

Horizontal

EIRP PSD (dBm)	8.82	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.09	11.70	9.21	34.56	57.96