


18/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 CP 3;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	9.01	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.90	11.70	9.21	34.56	57.96

18/05/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 CP 3;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 7
Vertical

EIRP PSD (dBm)	8.52	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.09	11.75	9.11	34.61	57.86




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 10	Pass	PK	47.46M	35.82	40.00	-4.18	Vertical

Mode 10



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	34.37M	32.12	40.00	-7.88	-36.57	3	Vertical	167	1.00	-	68.69	18.15	0.15	54.87		
PK	47.46M	35.82	40.00	-4.18	-34.17	3	Vertical	223	1.00	"Worst"	69.99	19.51	0.28	53.96		
PK	184.72M	30.52	43.50	-12.98	-35.12	3	Vertical	29	1.00	-	65.64	16.91	1.57	53.60		
PK	707.55M	26.47	46.00	-19.53	-21.95	3	Vertical	319	2.00	-	48.42	26.92	3.68	52.55		
PK	800.18M	30.07	46.00	-15.93	-19.74	3	Vertical	166	3.00	-	49.81	28.09	4.04	51.87		
PK	905.91M	26.96	46.00	-19.04	-18.04	3	Vertical	87	2.00	-	45.00	29.13	4.58	51.75		

Mode 10



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	47.46M	20.88	40.00	-19.12	-34.17	3	Horizontal	174	1.00	-	55.05	19.51	0.28	53.96		
PK	186.17M	26.34	43.50	-17.16	-35.32	3	Horizontal	211	2.00	"Worst"	61.66	16.73	1.58	53.63		
PK	298.21M	23.09	46.00	-22.91	-32.33	3	Horizontal	13	1.00	-	55.42	19.19	2.15	53.67		
PK	587.75M	22.58	46.00	-23.42	-24.34	3	Horizontal	189	3.00	-	46.92	25.32	3.33	52.99		
PK	764.78M	27.36	46.00	-18.64	-20.29	3	Horizontal	334	3.00	-	47.65	27.98	3.88	52.15		
PK	907.37M	26.65	46.00	-19.35	-17.97	3	Horizontal	151	1.00	-	44.62	29.19	4.58	51.74		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_2TX	Pass	AV	5.925G	67.78	68.20	-0.42	3	Vertical	3	1.85	25.5

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 25.5
20\28\24\26\25\25.5
15.92\ -4.09\4.11\ -0.58\1.66\0.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	82.51	88.20	-5.69	70.37	3	Vertical	3	1.85	25.5	34.15	8.15	30.16				
AV	5.925G	67.78	68.20	-0.42	55.64	3	Vertical	3	1.85	25.5	34.15	8.15	30.16				
PK	5.9562G	126.02	Inf	-Inf	113.82	3	Vertical	3	1.85	25.5	34.21	8.14	30.15				
AV	5.9565G	113.61	Inf	-Inf	101.41	3	Vertical	3	1.85	25.5	34.21	8.14	30.15				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
SET 25.5
25.5
0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9232G	81.87	88.20	-6.33	69.73	3	Horizontal	9	2.03	25.5	34.15	8.15	30.16				
AV	5.9226G	67.77	68.20	-0.43	55.63	3	Horizontal	9	2.03	25.5	34.15	8.15	30.16				
PK	5.952G	126.92	Inf	-Inf	114.73	3	Horizontal	9	2.03	25.5	34.20	8.14	30.15				
AV	5.9517G	114.24	Inf	-Inf	102.05	3	Horizontal	9	2.03	25.5	34.20	8.14	30.15				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
SET 25.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.89989G	47.90	74.00	-26.10	43.98	3	Vertical	88	1.80	25.5	38.80	11.06	45.94				
AV	11.90912G	35.62	54.00	-18.38	31.69	3	Vertical	88	1.80	25.5	38.80	11.07	45.94				
PK	17.87723G	58.23	74.00	-15.77	40.94	3	Vertical	330	1.80	25.5	47.83	14.74	45.28				
AV	17.85121G	44.52	54.00	-9.48	28.22	3	Vertical	330	1.80	25.5	46.85	14.73	45.28				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 25.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.90061G	48.57	74.00	-25.43	44.64	3	Horizontal	65	1.80	25.5	38.80	11.07	45.94				
AV	11.9078G	35.93	54.00	-18.07	32.00	3	Horizontal	65	1.80	25.5	38.80	11.07	45.94				
PK	17.85725G	57.12	74.00	-16.88	40.59	3	Horizontal	292	1.80	25.5	47.08	14.73	45.28				
AV	17.86324G	45.10	54.00	-8.90	28.35	3	Horizontal	292	1.80	25.5	47.30	14.73	45.28				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 25.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80118G	66.49	83.54	-17.05	57.39	1	Vertical	72	1.50	25.5	38.90	18.10	47.90			
AV	23.82124G	52.18	63.54	-11.36	43.06	1	Vertical	72	1.50	25.5	38.90	18.12	47.90			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_4TX
SET 25.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8015G	66.89	83.54	-16.65	57.79	1	Horizontal	20	1.50	25.5	38.90	18.10	47.90			
AV	23.82052G	53.34	63.54	-10.20	44.22	1	Horizontal	20	1.50	25.5	38.90	18.12	47.90			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
SET 20
05-E--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38608G	54.87	74.00	-19.13	70.56	3	Vertical	184	2.65	20	38.90	11.02	65.61			
AV	12.38544G	37.94	54.00	-16.06	53.63	3	Vertical	184	2.65	20	38.90	11.02	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
SET 20
05-E--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3936G	47.95	74.00	-26.05	63.64	3	Horizontal	138	2.00	20	38.90	11.02	65.61			
AV	12.39016G	34.57	54.00	-19.43	50.26	3	Horizontal	138	2.00	20	38.90	11.02	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58452G	67.18	83.54	-16.36	62.45	1	Vertical	48	1.50	28	37.64	15.74	48.65			
AV	18.58316G	53.30	63.54	-10.24	48.58	1	Vertical	48	1.50	28	37.63	15.74	48.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5844G	66.07	83.54	-17.47	61.34	1	Horizontal	5	1.54	28	37.64	15.74	48.65			
AV	18.58488G	51.14	63.54	-12.40	46.41	1	Horizontal	5	1.54	28	37.64	15.74	48.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.835G	59.29	88.20	-28.91	73.91	3	Vertical	180	2.67	20	39.34	11.15	65.11			
AV	12.83208G	42.15	68.20	-26.05	56.78	3	Vertical	180	2.67	20	39.33	11.15	65.11			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84852G	49.28	88.20	-38.92	63.82	3	Horizontal	111	1.05	20	39.39	11.16	65.09			
AV	12.83052G	35.02	68.20	-33.18	49.66	3	Horizontal	111	1.05	20	39.32	11.15	65.11			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24956G	53.84	83.54	-29.70	48.74	1	Vertical	67	1.54	28	37.90	16.05	48.85			
AV	19.24632G	40.27	63.54	-23.27	35.19	1	Vertical	67	1.54	28	37.88	16.05	48.85			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23773G	51.84	83.54	-31.70	46.82	1	Horizontal	36	1.50	28	37.83	16.04	48.85			
AV	19.23973G	38.25	63.54	-25.29	33.22	1	Horizontal	36	1.50	28	37.84	16.04	48.85			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07432G	67.12	88.20	-21.08	81.02	3	Vertical	167	2.59	20	39.75	11.22	64.87			
AV	13.0752G	49.49	68.20	-18.71	63.39	3	Vertical	167	2.59	20	39.75	11.22	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.08488G	48.60	88.20	-39.60	62.48	3	Horizontal	205	1.75	20	39.77	11.22	64.87				
AV	13.07508G	34.91	68.20	-33.29	48.81	3	Horizontal	205	1.75	20	39.75	11.22	64.87				

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60116G	49.13	83.54	-34.41	44.17	1	Vertical	356	1.49	28	37.60	16.20	48.84			
AV	19.59977G	37.07	63.54	-26.47	32.11	1	Vertical	356	1.49	28	37.60	16.20	48.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60132G	50.79	83.54	-32.75	45.83	1	Horizontal	52	1.50	28	37.60	16.20	48.84			
AV	19.60188G	38.74	63.54	-24.80	33.78	1	Horizontal	52	1.50	28	37.60	16.20	48.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39084G	64.80	74.00	-9.20	77.97	3	Vertical	163	2.62	20	40.36	11.31	64.84			
AV	13.38996G	48.21	54.00	-5.79	61.38	3	Vertical	163	2.62	20	40.36	11.31	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37892G	50.51	74.00	-23.49	63.72	3	Horizontal	168	2.92	20	40.32	11.31	64.84			
AV	13.39104G	36.93	54.00	-17.07	50.10	3	Horizontal	168	2.92	20	40.36	11.31	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0896G	48.69	83.54	-34.85	43.98	1	Vertical	12	1.50	28	37.28	16.41	48.98			
AV	20.08748G	36.04	63.54	-27.50	31.34	1	Vertical	12	1.50	28	37.27	16.41	48.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.07769G	52.27	83.54	-31.27	47.58	1	Horizontal	311	1.50	28	37.26	16.41	48.98				
AV	20.07797G	39.03	63.54	-24.51	34.34	1	Horizontal	311	1.50	28	37.26	16.41	48.98				

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70664G	59.50	88.20	-28.70	72.02	3	Vertical	3	1.58	-	40.81	11.40	64.73			
RMS	13.72344G	46.18	68.20	-22.02	58.65	3	Vertical	3	1.58	-	40.85	11.41	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70835G	47.42	88.20	-40.78	59.92	3	Horizontal	131	2.46	-	40.82	11.41	64.73			
RMS	13.72245G	34.16	68.20	-34.04	46.64	3	Horizontal	131	2.46	-	40.84	11.41	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
SET 28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.57673G	50.31	83.54	-33.23	44.96	1	Vertical	248	2.60	-	37.61	16.64	48.90			
AV	20.57646G	35.92	63.54	-27.62	30.57	1	Vertical	248	2.60	-	37.61	16.64	48.90			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
SET 28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.57991G	53.09	83.54	-30.45	47.73	1	Horizontal	199	1.24	-	37.62	16.64	48.90			
AV	20.57619G	39.91	63.54	-23.63	34.57	1	Horizontal	199	1.24	-	37.60	16.64	48.90			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX



EUT_Y_2TX

SET 23


13\23\28\25.5\24.5\24\21\22.5\23

19.48\1.39\16.18\9.34\6.10\4.41\12.99\4.68\1.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	80.10	88.20	-8.10	72.92	3	Vertical	184	1.80	23	34.65	7.52	34.99				
RMS	5.925G	66.62	68.20	-1.58	59.44	3	Vertical	184	1.80	23	34.65	7.52	34.99				
PK	5.9581G	120.91	Inf	-Inf	113.66	3	Vertical	184	1.80	23	34.72	7.53	35.00				
RMS	5.9665G	108.74	Inf	-Inf	101.48	3	Vertical	184	1.80	23	34.73	7.53	35.00				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 23
23
0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9194G	84.44	88.20	-3.76	77.27	3	Horizontal	178	2.27	23	34.64	7.52	34.99				
RMS	5.9203G	67.30	68.20	-0.90	60.13	3	Horizontal	178	2.27	23	34.64	7.52	34.99				
PK	5.9683G	122.37	Inf	-Inf	115.10	3	Horizontal	178	2.27	23	34.74	7.53	35.00				
RMS	5.9695G	110.32	Inf	-Inf	103.05	3	Horizontal	178	2.27	23	34.74	7.53	35.00				

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 22
20\28\19\23.5\21.5\22.5\22
12.84\19.13\14.56\6.17\5.38\0.64\2.52

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.918G	81.94	88.20	-6.26	74.77	3	Vertical	183	1.74	22	34.64	7.52	34.99			
RMS	5.9165G	65.68	68.20	-2.52	58.51	3	Vertical	183	1.74	22	34.63	7.52	34.98			
PK	6.018G	117.68	Inf	-Inf	110.27	3	Vertical	183	1.74	22	34.87	7.55	35.01			
RMS	5.9865G	105.69	Inf	-Inf	98.40	3	Vertical	183	1.74	22	34.77	7.53	35.01			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 22
22
0.77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9035G	82.36	88.20	-5.84	75.21	3	Horizontal	186	1.80	22	34.61	7.52	34.98				
RMS	5.9225G	67.43	68.20	-0.77	60.25	3	Horizontal	186	1.80	22	34.65	7.52	34.99				
PK	5.983G	118.43	Inf	-Inf	111.13	3	Horizontal	186	1.80	22	34.77	7.53	35.00				
RMS	5.983G	105.81	Inf	-Inf	98.51	3	Horizontal	186	1.80	22	34.77	7.53	35.00				

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 22.5
20\28\19\23.5\21.5\22.5\23\22.5
8.62\17.42\9.71\4.42\7.23\1.55\1.15\1.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.916G	81.09	88.20	-7.11	68.96	3	Vertical	1	1.70	22.5	34.13	8.16	30.16			
RMS	5.9175G	66.85	68.20	-1.35	54.71	3	Vertical	1	1.70	22.5	34.14	8.16	30.16			
PK	6.0465G	115.98	Inf	-Inf	103.65	3	Vertical	1	1.70	22.5	34.39	8.09	30.15			
RMS	6.047G	103.57	Inf	-Inf	91.24	3	Vertical	1	1.70	22.5	34.39	8.09	30.15			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX



EUT_Y_2TX
SET 22.5
22.5
0.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9225G	82.40	88.20	-5.80	70.26	3	Horizontal	356	1.75	22.5	34.15	8.15	30.16				
RMS	5.922G	67.62	68.20	-0.58	55.48	3	Horizontal	356	1.75	22.5	34.14	8.16	30.16				
PK	6.0515G	115.91	Inf	-Inf	103.57	3	Horizontal	356	1.75	22.5	34.40	8.09	30.15				
RMS	6.0525G	104.07	Inf	-Inf	91.72	3	Horizontal	356	1.75	22.5	34.41	8.09	30.15				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	RMS	5.9205G	68.17	68.20	-0.03	3	Horizontal	347	1.59	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 24
15\25\20\22.5\23.5\24
22.71\ -2.71\9.78\2.44\1.10\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9211G	81.00	88.20	-7.20	74.95	3	Vertical	305	1.39	24	32.24	7.57	33.76				
RMS	5.925G	67.72	68.20	-0.48	61.65	3	Vertical	305	1.39	24	32.25	7.58	33.76				
PK	5.9463G	118.30	Inf	-Inf	112.16	3	Vertical	305	1.39	24	32.29	7.61	33.76				
RMS	5.9469G	105.34	Inf	-Inf	99.20	3	Vertical	305	1.39	24	32.29	7.61	33.76				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
SET 24
24
1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9229G	80.65	88.20	-7.55	74.59	3	Horizontal	315	2.05	24	32.25	7.57	33.76				
RMS	5.925G	67.15	68.20	-1.05	61.08	3	Horizontal	315	2.05	24	32.25	7.58	33.76				
PK	5.958G	116.99	Inf	-Inf	110.80	3	Horizontal	315	2.05	24	32.32	7.63	33.76				
RMS	5.9493G	104.08	Inf	-Inf	97.92	3	Horizontal	315	2.05	24	32.30	7.62	33.76				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUTY_1TX
Setting 22.5
02-D-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9224G	78.80	88.20	-9.40	66.67	3	Vertical	0	1.80	-	34.14	8.15	30.16			
RMS	5.9245G	67.43	68.20	-0.77	55.29	3	Vertical	0	1.80	-	34.15	8.15	30.16			
PK	5.9833G	115.30	Inf	-Inf	103.04	3	Vertical	0	1.80	-	34.27	8.13	30.14			
RMS	5.9749G	104.03	Inf	-Inf	91.79	3	Vertical	0	1.80	-	34.25	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 22.5
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	81.25	88.20	-6.95	69.11	3	Horizontal	349	2.51	-	34.14	8.16	30.16			
RMS	5.923G	68.16	68.20	-0.04	56.02	3	Horizontal	349	2.51	-	34.15	8.15	30.16			
PK	5.9683G	115.82	Inf	-Inf	103.59	3	Horizontal	349	2.51	-	34.24	8.13	30.14			
RMS	5.983G	105.75	Inf	-Inf	93.49	3	Horizontal	349	2.51	-	34.27	8.13	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 22.5
15\25\16\20.5\22.5\23.5\23\22.5
15.07\ -9.45\13.13\4.65\0.99\ -3.09\ -1.01\1.05

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.919G	78.94	88.20	-9.26	72.90	3	Vertical	314	1.39	22.5	32.24	7.56	33.76			
RMS	5.92G	67.15	68.20	-1.05	61.10	3	Vertical	314	1.39	22.5	32.24	7.57	33.76			
PK	6.0195G	111.61	Inf	-Inf	105.21	3	Vertical	314	1.39	22.5	32.44	7.70	33.74			
RMS	6.0195G	99.60	Inf	-Inf	93.20	3	Vertical	314	1.39	22.5	32.44	7.70	33.74			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 22.5
22.5
0.81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9205G	78.78	88.20	-9.42	72.73	3	Horizontal	340	2.44	22.5	32.24	7.57	33.76				
RMS	5.925G	67.39	68.20	-0.81	61.32	3	Horizontal	340	2.44	22.5	32.25	7.58	33.76				
PK	6.014G	111.88	Inf	-Inf	105.49	3	Horizontal	340	2.44	22.5	32.43	7.70	33.74				
RMS	6.0225G	99.45	Inf	-Inf	93.04	3	Horizontal	340	2.44	22.5	32.45	7.70	33.74				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 23.5
15\25\17\21\23\24\23.5
17.66\8.22\14.82\8.01\2.72\2.92\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	80.31	88.20	-7.89	74.25	3	Vertical	325	1.32	23.5	32.25	7.57	33.76			
RMS	5.92G	67.89	68.20	-0.31	61.84	3	Vertical	325	1.32	23.5	32.24	7.57	33.76			
PK	6.0155G	109.04	Inf	-Inf	102.65	3	Vertical	325	1.32	23.5	32.43	7.70	33.74			
RMS	6.023G	97.04	Inf	-Inf	90.63	3	Vertical	325	1.32	23.5	32.45	7.70	33.74			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
SET 23.5
23.5
0.62

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9245G	79.11	88.20	-9.09	73.05	3	Horizontal	345	1.99	23.5	32.25	7.57	33.76				
RMS	5.925G	67.58	68.20	-0.62	61.51	3	Horizontal	345	1.99	23.5	32.25	7.58	33.76				
PK	6.0305G	108.80	Inf	-Inf	102.38	3	Horizontal	345	1.99	23.5	32.46	7.69	33.73				
RMS	6.02G	97.12	Inf	-Inf	90.72	3	Horizontal	345	1.99	23.5	32.44	7.70	33.74				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 22.5
15\25\16\20.5\22.5\23.5\23\22.5
17.81\ -9.24\16.64\9.64\2.68\ -3.00\ -0.50\2.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	77.11	88.20	-11.09	71.06	3	Vertical	324	1.80	22.5	32.24	7.57	33.76			
RMS	5.923G	65.38	68.20	-2.82	59.32	3	Vertical	324	1.80	22.5	32.25	7.57	33.76			
PK	6.258G	106.39	Inf	-Inf	99.28	3	Vertical	324	1.80	22.5	33.02	7.67	33.58			
RMS	6.232G	94.92	Inf	-Inf	87.96	3	Vertical	324	1.80	22.5	32.93	7.63	33.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET 22.5
22.5
3.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.85	88.20	-10.35	71.78	3	Horizontal	335	2.34	22.5	32.25	7.58	33.76			
RMS	5.925G	65.13	68.20	-3.07	59.06	3	Horizontal	335	2.34	22.5	32.25	7.58	33.76			
PK	6.215G	107.81	Inf	-Inf	100.96	3	Horizontal	335	2.34	22.5	32.86	7.60	33.61			
RMS	6.219G	95.22	Inf	-Inf	88.34	3	Horizontal	335	2.34	22.5	32.88	7.61	33.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 20
15\25\14\19.5\22\21\20.5\20
20.21\14.57\20.50\4.04\3.73\2.16\0.34\1.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9241G	80.15	88.20	-8.05	74.09	3	Vertical	337	1.44	20	32.25	7.57	33.76				
RMS	5.925G	67.11	68.20	-1.09	61.04	3	Vertical	337	1.44	20	32.25	7.58	33.76				
PK	5.9466G	119.74	Inf	-Inf	113.60	3	Vertical	337	1.44	20	32.29	7.61	33.76				
RMS	5.9466G	107.84	Inf	-Inf	101.70	3	Vertical	337	1.44	20	32.29	7.61	33.76				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 20
20
0.75

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9241G	83.62	88.20	-4.58	77.56	3	Horizontal	314	2.64	20	32.25	7.57	33.76				
RMS	5.925G	67.45	68.20	-0.75	61.38	3	Horizontal	314	2.64	20	32.25	7.58	33.76				
PK	5.9472G	119.74	Inf	-Inf	113.60	3	Horizontal	314	2.64	20	32.29	7.61	33.76				
RMS	5.9463G	108.56	Inf	-Inf	102.42	3	Horizontal	314	2.64	20	32.29	7.61	33.76				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 20.5
15\25\14\19.5\22\21\20.5
10.49\20.98\12.11\1.72\6.74\1.54\0.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9233G	79.68	88.20	-8.52	73.62	3	Vertical	322	2.11	20.5	32.25	7.57	33.76			
RMS	5.9239G	67.42	68.20	-0.78	61.36	3	Vertical	322	2.11	20.5	32.25	7.57	33.76			
PK	5.9815G	117.24	Inf	-Inf	110.95	3	Vertical	322	2.11	20.5	32.36	7.68	33.75			
RMS	5.9824G	105.54	Inf	-Inf	99.25	3	Vertical	322	2.11	20.5	32.36	7.68	33.75			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 20.5
20.5
2.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9182G	78.54	88.20	-9.66	72.50	3	Horizontal	309	2.63	20.5	32.24	7.56	33.76				
RMS	5.917G	65.79	68.20	-2.41	59.76	3	Horizontal	309	2.63	20.5	32.23	7.56	33.76				
PK	5.9764G	117.32	Inf	-Inf	111.05	3	Horizontal	309	2.63	20.5	32.35	7.67	33.75				
RMS	5.9761G	105.16	Inf	-Inf	98.89	3	Horizontal	309	2.63	20.5	32.35	7.67	33.75				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 20.5
15\25\14\19.5\22\21\20.5
10.85\15.22\12.47\1.28\3.17\0.44\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.92G	80.70	88.20	-7.50	74.65	3	Vertical	321	1.76	20.5	32.24	7.57	33.76				
RMS	5.9205G	67.92	68.20	-0.28	61.87	3	Vertical	321	1.76	20.5	32.24	7.57	33.76				
PK	6.001G	113.70	Inf	-Inf	107.34	3	Vertical	321	1.76	20.5	32.40	7.71	33.75				
RMS	6.02G	102.56	Inf	-Inf	96.16	3	Vertical	321	1.76	20.5	32.44	7.70	33.74				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 20.5
20.5
0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	79.87	88.20	-8.33	73.85	3	Horizontal	304	2.38	20.5	32.23	7.55	33.76			
RMS	5.916G	67.93	68.20	-0.27	61.90	3	Horizontal	304	2.38	20.5	32.23	7.56	33.76			
PK	6.0165G	114.57	Inf	-Inf	108.18	3	Horizontal	304	2.38	20.5	32.43	7.70	33.74			
RMS	6.015G	103.03	Inf	-Inf	96.64	3	Horizontal	304	2.38	20.5	32.43	7.70	33.74			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
02-D-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9225G	76.27	88.20	-11.93	64.13	3	Vertical	4	2.12	-	34.15	8.15	30.16				
RMS	5.9205G	66.58	68.20	-1.62	54.44	3	Vertical	4	2.12	-	34.14	8.16	30.16				
PK	6.0205G	113.14	Inf	-Inf	100.83	3	Vertical	4	2.12	-	34.34	8.11	30.14				
RMS	6.022G	103.76	Inf	-Inf	91.45	3	Vertical	4	2.12	-	34.34	8.11	30.14				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 22
02-D-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	76.10	88.20	-12.10	63.97	3	Horizontal	351	2.83	-	34.13	8.16	30.16			
RMS	5.9145G	66.78	68.20	-1.42	54.65	3	Horizontal	351	2.83	-	34.13	8.16	30.16			
PK	6.016G	114.20	Inf	-Inf	101.90	3	Horizontal	351	2.83	-	34.33	8.11	30.14			
RMS	6.0365G	103.74	Inf	-Inf	91.41	3	Horizontal	351	2.83	-	34.37	8.10	30.14			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 22
15\25\14\19.5\22\23\22.5\22
14.75\14.37\16.44\6.29\0.65\5.11\1.73\0.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.41	88.20	-9.79	72.34	3	Vertical	312	2.43	22	32.25	7.58	33.76			
RMS	5.925G	67.40	68.20	-0.80	61.33	3	Vertical	312	2.43	22	32.25	7.58	33.76			
PK	6.005G	111.24	Inf	-Inf	104.87	3	Vertical	312	2.43	22	32.41	7.71	33.75			
RMS	6.224G	99.20	Inf	-Inf	92.29	3	Vertical	312	2.43	22	32.90	7.62	33.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 22
22
1.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.921G	81.04	88.20	-7.16	74.99	3	Horizontal	311	1.75	22	32.24	7.57	33.76				
RMS	5.911G	66.60	68.20	-1.60	60.59	3	Horizontal	311	1.75	22	32.22	7.55	33.76				
PK	6.169G	110.59	Inf	-Inf	103.89	3	Horizontal	311	1.75	22	32.74	7.60	33.64				
RMS	6.229G	99.01	Inf	-Inf	92.06	3	Horizontal	311	1.75	22	32.92	7.63	33.60				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 20
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9226G	81.92	88.20	-6.28	69.78	3	Vertical	337	1.69	-	34.15	8.15	30.16				
RMS	5.9224G	67.69	68.20	-0.51	55.56	3	Vertical	337	1.69	-	34.14	8.15	30.16				
PK	5.963G	124.30	Inf	-Inf	112.07	3	Vertical	337	1.69	-	34.23	8.14	30.14				
RMS	5.9632G	114.88	Inf	-Inf	102.65	3	Vertical	337	1.69	-	34.23	8.14	30.14				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 20
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9122G	79.38	88.20	-8.82	67.26	3	Horizontal	334	1.78	-	34.12	8.16	30.16			
RMS	5.9142G	66.38	68.20	-1.82	54.25	3	Horizontal	334	1.78	-	34.13	8.16	30.16			
PK	5.9538G	124.64	Inf	-Inf	112.44	3	Horizontal	334	1.78	-	34.21	8.14	30.15			
RMS	5.9536G	114.31	Inf	-Inf	102.11	3	Horizontal	334	1.78	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 23.5
06-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9091G	61.25	74.00	-12.75	77.21	3	Vertical	308	1.91	-	38.80	11.07	65.83			
AV	11.91G	49.84	54.00	-4.16	65.80	3	Vertical	308	1.91	-	38.80	11.07	65.83			
PK	17.8685G	63.79	74.00	-10.21	65.58	3	Vertical	339	2.19	-	47.50	14.73	64.02			
AV	17.8684G	52.26	54.00	-1.74	54.05	3	Vertical	339	2.19	-	47.50	14.73	64.02			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 23.5
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9109G	58.42	74.00	-15.58	74.38	3	Horizontal	304	1.68	-	38.80	11.07	65.83			
AV	11.9105G	47.42	54.00	-6.58	63.38	3	Horizontal	304	1.68	-	38.80	11.07	65.83			
PK	17.8696G	65.87	74.00	-8.13	67.62	3	Horizontal	44	2.87	-	47.54	14.73	64.02			
AV	17.8695G	53.29	54.00	-0.71	55.04	3	Horizontal	44	2.87	-	47.54	14.73	64.02			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 23.5
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82687G	50.30	83.54	-33.24	41.36	1	Vertical	334	1.50	-	38.90	17.94	47.90			
AV	23.8269G	37.10	63.54	-26.44	28.16	1	Vertical	334	1.50	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 23.5
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81712G	54.30	83.54	-29.24	45.36	1	Horizontal	314	1.50	-	38.90	17.94	47.90			
AV	23.81904G	41.59	63.54	-21.95	32.65	1	Horizontal	314	1.50	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3907G	50.12	74.00	-23.88	65.68	3	Vertical	46	1.88	-	38.72	11.33	65.61			
AV	12.3898G	37.96	54.00	-16.04	53.52	3	Vertical	46	1.88	-	38.72	11.33	65.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3901G	49.21	74.00	-24.79	64.77	3	Horizontal	41	1.88	-	38.72	11.33	65.61			
AV	12.3901G	37.63	54.00	-16.37	53.19	3	Horizontal	41	1.88	-	38.72	11.33	65.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58434G	47.64	83.54	-35.90	42.51	1	Vertical	57	1.44	-	37.64	16.14	48.65			
AV	18.58452G	34.68	63.54	-28.86	29.55	1	Vertical	57	1.44	-	37.64	16.14	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.592618G	40.69	83.54	-42.85	35.53	1	Horizontal	309	1.69	-	37.67	16.15	48.66			
AV	18.59262G	28.33	63.54	-35.21	23.17	1	Horizontal	309	1.69	-	37.67	16.15	48.66			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8288G	54.88	88.20	-33.32	68.94	3	Vertical	51	1.80	-	39.46	11.60	65.12			
RMS	12.8282G	40.79	68.20	-27.41	54.85	3	Vertical	51	1.80	-	39.46	11.60	65.12			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8393G	50.95	88.20	-37.25	64.96	3	Horizontal	71	1.94	-	39.48	11.61	65.10			
RMS	12.8353G	36.86	68.20	-31.34	50.89	3	Horizontal	71	1.94	-	39.47	11.61	65.11			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24308G	41.54	83.54	-42.00	36.02	1	Vertical	58	1.44	-	37.86	16.51	48.85			
AV	19.24302G	29.56	63.54	-33.98	24.04	1	Vertical	58	1.44	-	37.86	16.51	48.85			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2402G	41.88	83.54	-41.66	36.38	1	Horizontal	321	1.65	-	37.84	16.51	48.85			
AV	19.2402G	29.53	63.54	-34.01	24.03	1	Horizontal	321	1.65	-	37.84	16.51	48.85			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0584G	55.05	88.20	-33.15	68.87	3	Vertical	18	1.80	-	39.30	11.75	64.87			
RMS	13.0772G	42.95	68.20	-25.25	56.76	3	Vertical	18	1.80	-	39.30	11.76	64.87			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0699G	51.74	88.20	-36.46	65.56	3	Horizontal	300	2.23	-	39.30	11.75	64.87			
RMS	13.0701G	40.02	68.20	-28.18	53.84	3	Horizontal	300	2.23	-	39.30	11.75	64.87			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5987G	48.38	83.54	-35.16	43.06	1	Vertical	314	1.62	-	37.60	16.56	48.84			
AV	19.5921G	36.47	63.54	-27.07	31.15	1	Vertical	314	1.62	-	37.60	16.56	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.590358G	49.10	83.54	-34.44	43.78	1	Horizontal	29	1.61	-	37.60	16.56	48.84			
AV	19.59036G	36.45	63.54	-27.09	31.13	1	Horizontal	29	1.61	-	37.60	16.56	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3915G	57.60	74.00	-16.40	70.41	3	Vertical	352	1.82	-	40.08	11.95	64.84			
AV	13.3904G	46.10	54.00	-7.90	58.91	3	Vertical	352	1.82	-	40.08	11.95	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3902G	58.22	74.00	-15.78	71.03	3	Horizontal	351	1.80	-	40.08	11.95	64.84			
AV	13.3907G	45.64	54.00	-8.36	58.45	3	Horizontal	351	1.80	-	40.08	11.95	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09436G	48.06	83.54	-35.48	43.04	1	Vertical	70	1.67	-	37.29	16.71	48.98			
AV	20.08668G	35.63	63.54	-27.91	30.64	1	Vertical	70	1.67	-	37.27	16.70	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07246G	47.67	83.54	-35.87	42.73	1	Horizontal	69	1.66	-	37.24	16.69	48.99			
AV	20.07642G	35.68	63.54	-27.86	30.72	1	Horizontal	69	1.66	-	37.25	16.69	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6997G	58.10	88.20	-30.10	70.50	3	Vertical	345	1.85	-	40.20	12.14	64.74			
RMS	13.7092G	46.14	68.20	-22.06	58.52	3	Vertical	345	1.85	-	40.20	12.15	64.73			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7087G	56.37	88.20	-31.83	68.75	3	Horizontal	308	1.65	-	40.20	12.15	64.73			
RMS	13.7098G	44.03	68.20	-24.17	56.41	3	Horizontal	308	1.65	-	40.20	12.15	64.73			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.574G	49.75	83.54	-33.79	43.91	1	Vertical	251	1.40	-	37.60	17.14	48.90			
AV	20.57316G	36.98	63.54	-26.56	31.15	1	Vertical	251	1.40	-	37.59	17.14	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 26
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.550418G	49.88	83.54	-33.66	44.16	1	Horizontal	249	1.62	-	37.50	17.12	48.90			
AV	20.55042G	36.91	63.54	-26.63	31.19	1	Horizontal	249	1.62	-	37.50	17.12	48.90			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 20.5
02-D-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9086G	78.59	88.20	-9.61	66.47	3	Vertical	340	1.77	-	34.12	8.16	30.16			
RMS	5.925G	66.24	68.20	-1.96	54.10	3	Vertical	340	1.77	-	34.15	8.15	30.16			
PK	5.9536G	121.13	Inf	-Inf	108.93	3	Vertical	340	1.77	-	34.21	8.14	30.15			
RMS	5.9734G	111.78	Inf	-Inf	99.54	3	Vertical	340	1.77	-	34.25	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 20.5
02-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9182G	78.56	88.20	-9.64	66.42	3	Horizontal	352	1.70	-	34.14	8.16	30.16			
RMS	5.9212G	66.91	68.20	-1.29	54.77	3	Horizontal	352	1.70	-	34.14	8.16	30.16			
PK	5.9824G	123.27	Inf	-Inf	111.02	3	Horizontal	352	1.70	-	34.26	8.13	30.14			
RMS	5.9815G	112.33	Inf	-Inf	100.08	3	Horizontal	352	1.70	-	34.26	8.13	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 22
02-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.912G	77.82	88.20	-10.38	65.70	3	Vertical	324	1.80	-	34.12	8.16	30.16				
RMS	5.9135G	67.79	68.20	-0.41	55.66	3	Vertical	324	1.80	-	34.13	8.16	30.16				
PK	6.015G	119.93	Inf	-Inf	107.63	3	Vertical	324	1.80	-	34.33	8.11	30.14				
RMS	6.0145G	110.59	Inf	-Inf	98.29	3	Vertical	324	1.80	-	34.33	8.11	30.14				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Y_4TX
Setting 22
02-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	81.06	88.20	-7.14	68.92	3	Horizontal	356	1.54	-	34.14	8.16	30.16			
RMS	5.9185G	68.16	68.20	-0.04	56.02	3	Horizontal	356	1.54	-	34.14	8.16	30.16			
PK	6.02G	119.34	Inf	-Inf	107.03	3	Horizontal	356	1.54	-	34.34	8.11	30.14			
RMS	6.02G	111.38	Inf	-Inf	99.07	3	Horizontal	356	1.54	-	34.34	8.11	30.14			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 21.5
02-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.915G	77.65	88.20	-10.55	65.52	3	Vertical	323	1.80	-	34.13	8.16	30.16				
RMS	5.914G	67.33	68.20	-0.87	55.20	3	Vertical	323	1.80	-	34.13	8.16	30.16				
PK	6.034G	117.73	Inf	-Inf	105.40	3	Vertical	323	1.80	-	34.37	8.10	30.14				
RMS	6.0345G	107.15	Inf	-Inf	94.82	3	Vertical	323	1.80	-	34.37	8.10	30.14				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 21.5
02-D-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.921G	77.53	88.20	-10.67	65.39	3	Horizontal	347	1.59	-	34.14	8.16	30.16				
RMS	5.9205G	68.17	68.20	-0.03	56.03	3	Horizontal	347	1.59	-	34.14	8.16	30.16				
PK	6.042G	116.55	Inf	-Inf	104.22	3	Horizontal	347	1.59	-	34.38	8.10	30.15				
RMS	6.041G	107.17	Inf	-Inf	94.84	3	Horizontal	347	1.59	-	34.38	8.10	30.15				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 21.5
02-D-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	74.22	88.20	-13.98	62.08	3	Vertical	0	1.80	-	34.15	8.15	30.16			
RMS	5.9238G	64.29	68.20	-3.91	52.15	3	Vertical	0	1.80	-	34.15	8.15	30.16			
PK	6.219G	115.58	Inf	-Inf	103.16	3	Vertical	0	1.80	-	34.60	8.04	30.22			
RMS	6.2586G	105.44	Inf	-Inf	92.98	3	Vertical	0	1.80	-	34.58	8.11	30.23			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX

EUT_Y_4TX
Setting 21.5
02-D-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9082G	76.86	88.20	-11.34	64.74	3	Horizontal	0	1.61	-	34.12	8.16	30.16			
RMS	5.9202G	65.22	68.20	-2.98	53.08	3	Horizontal	0	1.61	-	34.14	8.16	30.16			
PK	6.2094G	114.64	Inf	-Inf	102.22	3	Horizontal	0	1.61	-	34.60	8.03	30.21			
RMS	6.2274G	105.66	Inf	-Inf	93.22	3	Horizontal	0	1.61	-	34.60	8.06	30.22			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.9246G	66.81	68.20	-1.39	3	Horizontal	347	1.41	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 23
03-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9237G	77.78	88.20	-10.42	70.16	3	Vertical	359	1.47	-	35.09	7.52	34.99			
RMS	5.925G	65.27	68.20	-2.93	57.64	3	Vertical	359	1.47	-	35.10	7.52	34.99			
PK	5.9614G	121.82	Inf	-Inf	114.07	3	Vertical	359	1.47	-	35.22	7.53	35.00			
RMS	5.9633G	111.09	Inf	-Inf	103.33	3	Vertical	359	1.47	-	35.23	7.53	35.00			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 23
03-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	78.46	88.20	-9.74	70.84	3	Horizontal	347	1.41	-	35.09	7.52	34.99			
RMS	5.9246G	66.81	68.20	-1.39	59.18	3	Horizontal	347	1.41	-	35.10	7.52	34.99			
PK	5.9533G	120.69	Inf	-Inf	112.95	3	Horizontal	347	1.41	-	35.21	7.53	35.00			
RMS	5.9536G	110.55	Inf	-Inf	102.81	3	Horizontal	347	1.41	-	35.21	7.53	35.00			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 23
03-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9215G	73.01	88.20	-15.19	65.39	3	Vertical	186	1.80	-	35.09	7.52	34.99				
RMS	5.9245G	61.26	68.20	-6.94	53.63	3	Vertical	186	1.80	-	35.10	7.52	34.99				
PK	5.9602G	115.50	Inf	-Inf	107.75	3	Vertical	186	1.80	-	35.22	7.53	35.00				
RMS	5.9758G	105.06	Inf	-Inf	97.28	3	Vertical	186	1.80	-	35.25	7.53	35.00				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 23
03-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9221G	73.26	88.20	-14.94	65.64	3	Horizontal	170	1.84	-	35.09	7.52	34.99			
RMS	5.925G	63.58	68.20	-4.62	55.95	3	Horizontal	170	1.84	-	35.10	7.52	34.99			
PK	5.9713G	117.85	Inf	-Inf	110.08	3	Horizontal	170	1.84	-	35.24	7.53	35.00			
RMS	5.9689G	106.43	Inf	-Inf	98.66	3	Horizontal	170	1.84	-	35.24	7.53	35.00			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 23
03-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	62.39	88.20	-25.81	54.77	3	Vertical	195	1.17	-	35.09	7.52	34.99			
RMS	5.9242G	53.22	68.20	-14.98	45.59	3	Vertical	195	1.17	-	35.10	7.52	34.99			
PK	6.0178G	111.81	Inf	-Inf	103.90	3	Vertical	195	1.17	-	35.37	7.55	35.01			
RMS	6.0174G	103.35	Inf	-Inf	95.44	3	Vertical	195	1.17	-	35.37	7.55	35.01			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 23
03-E-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	70.47	88.20	-17.73	62.84	3	Horizontal	167	2.31	-	35.10	7.52	34.99			
RMS	5.925G	55.12	68.20	-13.08	47.49	3	Horizontal	167	2.31	-	35.10	7.52	34.99			
PK	6.019G	115.65	Inf	-Inf	107.73	3	Horizontal	167	2.31	-	35.38	7.55	35.01			
RMS	6.0194G	105.30	Inf	-Inf	97.38	3	Horizontal	167	2.31	-	35.38	7.55	35.01			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 23
03-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9145G	66.95	88.20	-21.25	59.35	3	Vertical	178	1.00	-	35.06	7.52	34.98				
RMS	5.92G	53.66	68.20	-14.54	46.05	3	Vertical	178	1.00	-	35.08	7.52	34.99				
PK	6.0005G	111.06	Inf	-Inf	103.24	3	Vertical	178	1.00	-	35.30	7.53	35.01				
RMS	6.002G	102.25	Inf	-Inf	94.42	3	Vertical	178	1.00	-	35.31	7.53	35.01				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 23
03-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.898G	72.66	88.20	-15.54	65.14	3	Horizontal	169	1.80	-	34.98	7.52	34.98			
RMS	5.925G	54.99	68.20	-13.21	47.36	3	Horizontal	169	1.80	-	35.10	7.52	34.99			
PK	6.0285G	112.26	Inf	-Inf	104.31	3	Horizontal	169	1.80	-	35.41	7.56	35.02			
RMS	6.0295G	102.67	Inf	-Inf	94.71	3	Horizontal	169	1.80	-	35.42	7.56	35.02			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 23
03-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	63.55	88.20	-24.65	55.92	3	Vertical	178	1.50	-	35.10	7.52	34.99			
RMS	5.925G	53.18	68.20	-15.02	45.55	3	Vertical	178	1.50	-	35.10	7.52	34.99			
PK	6.1834G	110.53	Inf	-Inf	102.45	3	Vertical	178	1.50	-	35.40	7.73	35.05			
RMS	6.1794G	101.62	Inf	-Inf	93.54	3	Vertical	178	1.50	-	35.40	7.73	35.05			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 23
03-E-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8994G	66.51	88.20	-21.69	58.97	3	Horizontal	174	1.79	-	35.00	7.52	34.98			
RMS	5.925G	53.03	68.20	-15.17	45.40	3	Horizontal	174	1.79	-	35.10	7.52	34.99			
PK	6.1074G	108.45	Inf	-Inf	100.43	3	Horizontal	174	1.79	-	35.40	7.65	35.03			
RMS	6.2282G	99.37	Inf	-Inf	91.31	3	Horizontal	174	1.79	-	35.34	7.78	35.06			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 26
03-E-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9204G	80.24	88.20	-7.96	72.63	3	Vertical	164	1.49	-	35.08	7.52	34.99			
RMS	5.9224G	63.91	68.20	-4.29	56.29	3	Vertical	164	1.49	-	35.09	7.52	34.99			
PK	5.9644G	124.95	Inf	-Inf	117.19	3	Vertical	164	1.49	-	35.23	7.53	35.00			
RMS	5.961G	115.64	Inf	-Inf	107.89	3	Vertical	164	1.49	-	35.22	7.53	35.00			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 26
03-E-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.919G	79.53	88.20	-8.67	71.92	3	Horizontal	178	1.80	-	35.08	7.52	34.99			
RMS	5.92G	66.64	68.20	-1.56	59.03	3	Horizontal	178	1.80	-	35.08	7.52	34.99			
PK	5.9472G	125.43	Inf	-Inf	117.71	3	Horizontal	178	1.80	-	35.19	7.52	34.99			
RMS	5.959G	114.85	Inf	-Inf	107.10	3	Horizontal	178	1.80	-	35.22	7.53	35.00			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9049G	53.33	74.00	-20.67	49.10	3	Vertical	134	1.76	-	39.29	10.88	45.94				
AV	11.90955G	41.20	54.00	-12.80	36.98	3	Vertical	134	1.76	-	39.28	10.88	45.94				
PK	17.85894G	55.81	74.00	-18.19	43.14	3	Vertical	222	1.80	-	44.74	13.21	45.28				
AV	17.86803G	43.34	54.00	-10.66	30.64	3	Vertical	222	1.80	-	44.77	13.21	45.28				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9061G	53.12	74.00	-20.88	48.89	3	Horizontal	225	1.96	-	39.29	10.88	45.94				
AV	11.90643G	39.49	54.00	-14.51	35.26	3	Horizontal	225	1.96	-	39.29	10.88	45.94				
PK	17.86584G	56.88	74.00	-17.12	44.19	3	Horizontal	130	1.78	-	44.76	13.21	45.28				
AV	17.86671G	44.31	54.00	-9.69	31.61	3	Horizontal	130	1.78	-	44.77	13.21	45.28				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81096G	51.16	83.54	-32.38	42.21	1	Vertical	0	1.80	-	38.90	17.95	47.90			
AV	23.81052G	37.94	63.54	-25.60	28.99	1	Vertical	0	1.80	-	38.90	17.95	47.90			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81676G	50.88	83.54	-32.66	41.94	1	Horizontal	345	2.14	-	38.90	17.94	47.90			
AV	23.81752G	37.79	63.54	-25.75	28.85	1	Horizontal	345	2.14	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38937G	52.16	74.00	-21.84	47.91	3	Vertical	187	1.65	-	38.80	11.02	45.57			
AV	12.37647G	39.96	54.00	-14.04	35.73	3	Vertical	187	1.65	-	38.80	11.02	45.59			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39279G	53.34	74.00	-20.66	49.09	3	Horizontal	204	1.08	-	38.80	11.02	45.57			
AV	12.37614G	40.02	54.00	-13.98	35.79	3	Horizontal	204	1.08	-	38.80	11.02	45.59			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58448G	47.48	83.54	-36.06	42.35	1	Vertical	287	2.61	-	37.64	16.14	48.65			
AV	18.59472G	34.59	63.54	-28.95	29.42	1	Vertical	287	2.61	-	37.68	16.15	48.66			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5752G	46.72	83.54	-36.82	41.64	1	Horizontal	170	1.35	-	37.60	16.13	48.65			
AV	18.58152G	33.81	63.54	-29.73	28.69	1	Horizontal	170	1.35	-	37.63	16.14	48.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82355G	54.14	88.20	-34.06	49.60	3	Vertical	344	1.00	-	39.15	11.15	45.76			
RMS	12.82763G	41.34	68.20	-26.86	36.79	3	Vertical	344	1.00	-	39.16	11.15	45.76			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82073G	51.58	88.20	-36.62	47.05	3	Horizontal	129	2.10	-	39.14	11.15	45.76			
RMS	12.84482G	39.35	68.20	-28.85	34.79	3	Horizontal	129	2.10	-	39.19	11.15	45.78			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25372G	55.95	83.54	-27.59	50.41	1	Vertical	203	1.10	-	37.88	16.51	48.85			
AV	19.25104G	42.13	63.54	-21.41	36.58	1	Vertical	203	1.10	-	37.89	16.51	48.85			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25104G	54.40	83.54	-29.14	48.85	1	Horizontal	170	1.99	-	37.89	16.51	48.85			
AV	19.24936G	43.13	63.54	-20.41	37.57	1	Horizontal	170	1.99	-	37.90	16.51	48.85			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05902G	51.11	88.20	-37.09	46.18	3	Vertical	174	1.91	-	39.52	11.22	45.81			
RMS	13.08248G	37.53	68.20	-30.67	32.52	3	Vertical	174	1.91	-	39.56	11.22	45.77			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08101G	54.61	88.20	-33.59	49.60	3	Horizontal	135	2.28	-	39.56	11.22	45.77			
RMS	13.07441G	42.82	68.20	-25.38	37.83	3	Horizontal	135	2.28	-	39.55	11.22	45.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60196G	56.85	83.54	-26.69	51.53	1	Vertical	8	2.32	-	37.60	16.56	48.84			
AV	19.5996G	44.66	63.54	-18.88	39.34	1	Vertical	8	2.32	-	37.60	16.56	48.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61224G	57.75	83.54	-25.79	52.45	1	Horizontal	38	2.05	-	37.58	16.56	48.84			
AV	19.59592G	44.55	63.54	-18.99	39.23	1	Horizontal	38	2.05	-	37.60	16.56	48.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39678G	55.62	74.00	-18.38	49.31	3	Vertical	87	1.53	-	40.19	11.32	45.20			
AV	13.38596G	43.32	54.00	-10.68	37.06	3	Vertical	87	1.53	-	40.17	11.31	45.22			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39554G	54.69	74.00	-19.31	48.39	3	Horizontal	254	2.94	-	40.19	11.31	45.20			
AV	13.3938G	42.33	54.00	-11.67	36.03	3	Horizontal	254	2.94	-	40.19	11.31	45.20			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08024G	58.11	83.54	-25.43	53.14	1	Vertical	103	1.78	-	37.26	16.69	48.98			
AV	20.082G	44.58	63.54	-18.96	39.61	1	Vertical	103	1.78	-	37.26	16.69	48.98			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08472G	57.96	83.54	-25.58	52.97	1	Horizontal	285	1.16	-	37.27	16.70	48.98			
AV	20.08352G	44.60	63.54	-18.94	39.61	1	Horizontal	285	1.16	-	37.27	16.70	48.98			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70876G	50.24	88.20	-37.96	43.35	3	Vertical	134	1.77	-	40.54	11.41	45.06			
RMS	13.71656G	38.40	68.20	-29.80	31.48	3	Vertical	134	1.77	-	40.57	11.41	45.06			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71126G	52.40	88.20	-35.80	45.50	3	Horizontal	153	2.59	-	40.55	11.41	45.06			
RMS	13.71776G	39.54	68.20	-28.66	32.62	3	Horizontal	153	2.59	-	40.57	11.41	45.06			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56068G	57.79	83.54	-25.75	52.02	1	Vertical	86	1.10	-	37.54	17.13	48.90			
AV	20.56732G	44.29	63.54	-19.25	38.48	1	Vertical	86	1.10	-	37.57	17.14	48.90			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5684G	58.81	83.54	-24.73	53.00	1	Horizontal	213	2.55	-	37.57	17.14	48.90			
AV	20.56112G	45.80	63.54	-17.74	40.03	1	Horizontal	213	2.55	-	37.54	17.13	48.90			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 26
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	83.26	88.20	-4.94	75.65	3	Vertical	157	1.80	-	35.08	7.52	34.99			
RMS	5.9216G	65.36	68.20	-2.84	57.74	3	Vertical	157	1.80	-	35.09	7.52	34.99			
PK	5.9804G	123.78	Inf	-Inf	115.99	3	Vertical	157	1.80	-	35.26	7.53	35.00			
RMS	5.9736G	112.49	Inf	-Inf	104.71	3	Vertical	157	1.80	-	35.25	7.53	35.00			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 26
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.02	88.20	-10.18	70.39	3	Horizontal	176	1.80	-	35.10	7.52	34.99			
RMS	5.9206G	64.57	68.20	-3.63	56.96	3	Horizontal	176	1.80	-	35.08	7.52	34.99			
PK	5.9498G	122.95	Inf	-Inf	115.22	3	Horizontal	176	1.80	-	35.20	7.52	34.99			
RMS	5.949G	111.64	Inf	-Inf	103.91	3	Horizontal	176	1.80	-	35.20	7.52	34.99			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 26
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.911G	67.12	88.20	-21.08	59.54	3	Vertical	169	1.75	-	35.04	7.52	34.98				
RMS	5.923G	56.99	68.20	-11.21	49.37	3	Vertical	169	1.75	-	35.09	7.52	34.99				
PK	5.9978G	120.99	Inf	-Inf	113.17	3	Vertical	169	1.75	-	35.30	7.53	35.01				
RMS	5.9986G	111.11	Inf	-Inf	103.29	3	Vertical	169	1.75	-	35.30	7.53	35.01				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 26
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9134G	70.63	88.20	-17.57	63.04	3	Horizontal	200	1.80	-	35.05	7.52	34.98			
RMS	5.925G	58.05	68.20	-10.15	50.42	3	Horizontal	200	1.80	-	35.10	7.52	34.99			
PK	5.9634G	119.46	Inf	-Inf	111.70	3	Horizontal	200	1.80	-	35.23	7.53	35.00			
RMS	5.9646G	109.71	Inf	-Inf	101.95	3	Horizontal	200	1.80	-	35.23	7.53	35.00			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 26
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	72.00	88.20	-16.20	64.38	3	Vertical	179	1.54	-	35.09	7.52	34.99			
RMS	5.925G	62.03	68.20	-6.17	54.40	3	Vertical	179	1.54	-	35.10	7.52	34.99			
PK	6.0034G	117.90	Inf	-Inf	110.07	3	Vertical	179	1.54	-	35.31	7.53	35.01			
RMS	6.0074G	108.47	Inf	-Inf	100.61	3	Vertical	179	1.54	-	35.33	7.54	35.01			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 26
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	66.59	88.20	-21.61	58.96	3	Horizontal	182	1.80	-	35.10	7.52	34.99			
RMS	5.925G	58.54	68.20	-9.66	50.91	3	Horizontal	182	1.80	-	35.10	7.52	34.99			
PK	5.9618G	116.03	Inf	-Inf	108.28	3	Horizontal	182	1.80	-	35.22	7.53	35.00			
RMS	5.9602G	106.13	Inf	-Inf	98.38	3	Horizontal	182	1.80	-	35.22	7.53	35.00			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 26
03-E-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.345G	54.39	88.20	-33.81	48.83	3	Vertical	176	1.78	-	33.29	7.16	34.89			
RMS	5.3066G	44.37	68.20	-23.83	38.93	3	Vertical	176	1.78	-	33.21	7.13	34.90			
PK	5.4554G	55.06	74.00	-18.94	49.06	3	Vertical	176	1.78	-	33.63	7.24	34.87			
AV	5.4458G	44.74	54.00	-9.26	38.80	3	Vertical	176	1.78	-	33.58	7.23	34.87			
PK	5.9178G	64.32	88.20	-23.88	56.72	3	Vertical	176	1.78	-	35.07	7.52	34.99			
RMS	5.9194G	54.73	68.20	-13.47	47.12	3	Vertical	176	1.78	-	35.08	7.52	34.99			
PK	6.1738G	114.48	Inf	-Inf	106.41	3	Vertical	176	1.78	-	35.40	7.72	35.05			
AV	6.2106G	104.62	Inf	-Inf	96.54	3	Vertical	176	1.78	-	35.38	7.76	35.06			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX



EUT_Y_4TX
Setting 26
03-E-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3114G	54.34	88.20	-33.86	48.88	3	Horizontal	196	1.76	-	33.22	7.14	34.90			
RMS	5.305G	44.29	68.20	-23.91	38.85	3	Horizontal	196	1.76	-	33.21	7.13	34.90			
PK	5.377G	54.04	74.00	-19.96	48.39	3	Horizontal	196	1.76	-	33.35	7.18	34.88			
AV	5.4474G	44.75	54.00	-9.25	38.79	3	Horizontal	196	1.76	-	33.59	7.24	34.87			
PK	5.925G	66.53	88.20	-21.67	58.90	3	Horizontal	196	1.76	-	35.10	7.52	34.99			
RMS	5.925G	55.26	68.20	-12.94	47.63	3	Horizontal	196	1.76	-	35.10	7.52	34.99			
PK	6.233G	113.41	Inf	-Inf	105.36	3	Horizontal	196	1.76	-	35.33	7.78	35.06			
AV	6.233G	103.62	Inf	-Inf	95.57	3	Horizontal	196	1.76	-	35.33	7.78	35.06			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1.(MCS0),RU484+3xRU242_4TX	Pass	PK	5.913G	86.01	88.20	-2.19	3	Vertical	326	1.80	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT Y_1TX
Setting 11/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	68.74	88.20	-19.46	60.43	3	Vertical	327	1.80	-	34.15	8.94	34.78			
RMS	5.923G	52.62	68.20	-15.58	44.31	3	Vertical	327	1.80	-	34.15	8.94	34.78			
PK	6.022G	107.61	Inf	-Inf	99.09	3	Vertical	327	1.80	-	34.20	9.04	34.72			
RMS	6.02G	97.56	Inf	-Inf	89.05	3	Vertical	327	1.80	-	34.20	9.04	34.73			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT Y_1TX
Setting 11/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.904G	68.66	88.20	-19.54	60.42	3	Horizontal	339.1	1.80	-	34.11	8.92	34.79			
RMS	5.9235G	53.66	68.20	-14.54	45.35	3	Horizontal	339.1	1.80	-	34.15	8.94	34.78			
PK	6.022G	109.24	Inf	-Inf	100.72	3	Horizontal	339.1	1.80	-	34.20	9.04	34.72			
RMS	6.021G	99.50	Inf	-Inf	90.98	3	Horizontal	339.1	1.80	-	34.20	9.04	34.72			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT Y_1TX
Setting 9.5/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.898G	67.34	88.20	-20.86	59.13	3	Vertical	325.9	1.80	-	34.09	8.91	34.79
RMS	5.898G	52.54	68.20	-15.66	44.33	3	Vertical	325.9	1.80	-	34.09	8.91	34.79
PK	5.957G	109.24	Inf	-Inf	100.82	3	Vertical	325.9	1.80	-	34.20	8.98	34.76
RMS	6.006G	98.58	Inf	-Inf	90.09	3	Vertical	325.9	1.80	-	34.20	9.03	34.74

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5985MHz_TX




EUT Y_1TX
Setting 9.5/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.907G	70.97	88.20	-17.23	62.72	3	Horizontal	339	1.80	-	34.11	8.92	34.78			
RMS	5.9065G	54.70	68.20	-13.50	46.45	3	Horizontal	339	1.80	-	34.11	8.92	34.78			
PK	6.019G	113.08	Inf	-Inf	104.57	3	Horizontal	339	1.80	-	34.20	9.04	34.73			
RMS	6.019G	102.30	Inf	-Inf	93.79	3	Horizontal	339	1.80	-	34.20	9.04	34.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT_Y_1TX
Setting 11.5/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	70.21	88.20	-17.99	61.90	3	Vertical	316	1.80	-	34.15	8.94	34.78			
RMS	5.925G	54.91	68.20	-13.29	46.60	3	Vertical	316	1.80	-	34.15	8.94	34.78			
PK	6.043G	108.12	Inf	-Inf	99.58	3	Vertical	316	1.80	-	34.20	9.05	34.71			
RMS	6.0375G	96.61	Inf	-Inf	88.07	3	Vertical	316	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6025MHz_TX




EUT Y_1TX
Setting 11.5/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	69.93	88.20	-18.27	61.62	3	Horizontal	328	1.80	-	34.15	8.94	34.78			
RMS	5.925G	54.57	68.20	-13.63	46.26	3	Horizontal	328	1.80	-	34.15	8.94	34.78			
PK	6.036G	106.28	Inf	-Inf	97.74	3	Horizontal	328	1.80	-	34.20	9.05	34.71			
RMS	6.038G	96.24	Inf	-Inf	87.70	3	Horizontal	328	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT Y_1TX
Setting 10.5/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.911G	72.65	88.20	-15.55	64.38	3	Vertical	347	1.80	-	34.12	8.93	34.78			
RMS	5.9215G	53.65	68.20	-14.55	45.35	3	Vertical	347	1.80	-	34.14	8.94	34.78			
PK	6.028G	105.77	Inf	-Inf	97.25	3	Vertical	347	1.80	-	34.20	9.04	34.72			
RMS	6.038G	95.80	Inf	-Inf	87.26	3	Vertical	347	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

6025MHz_TX




EUT_Y_1TX
Setting 10.5/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.91G	74.96	88.20	-13.24	66.69	3	Horizontal	330	1.80	-	34.12	8.93	34.78			
RMS	5.923G	54.42	68.20	-13.78	46.11	3	Horizontal	330	1.80	-	34.15	8.94	34.78			
PK	6.033G	108.15	Inf	-Inf	99.63	3	Horizontal	330	1.80	-	34.20	9.04	34.72			
RMS	6.029G	97.70	Inf	-Inf	89.18	3	Horizontal	330	1.80	-	34.20	9.04	34.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT Y_1TX
Setting 9.5/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	66.78	88.20	-21.42	58.47	3	Vertical	315	1.80	-	34.15	8.94	34.78
RMS	5.9245G	52.86	68.20	-15.34	44.55	3	Vertical	315	1.80	-	34.15	8.94	34.78
PK	6.073G	107.49	Inf	-Inf	98.97	3	Vertical	315	1.80	-	34.15	9.06	34.69
RMS	6.0675G	96.73	Inf	-Inf	88.20	3	Vertical	315	1.80	-	34.16	9.06	34.69

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

6025MHz_TX




EUT Y_1TX
Setting 9.5/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	63.80	88.20	-24.40	55.50	3	Horizontal	332	1.80	-	34.14	8.94	34.78			
RMS	5.925G	52.22	68.20	-15.98	43.91	3	Horizontal	332	1.80	-	34.15	8.94	34.78			
PK	6.07G	107.50	Inf	-Inf	98.97	3	Horizontal	332	1.80	-	34.16	9.06	34.69			
RMS	6.067G	96.92	Inf	-Inf	88.38	3	Horizontal	332	1.80	-	34.17	9.06	34.69			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT Y_1TX
Setting 11.5/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	69.03	88.20	-19.17	60.72	3	Vertical	312	1.80	-	34.15	8.94	34.78			
RMS	5.923G	53.49	68.20	-14.71	45.18	3	Vertical	312	1.80	-	34.15	8.94	34.78			
PK	6.029G	103.43	Inf	-Inf	94.91	3	Vertical	312	1.80	-	34.20	9.04	34.72			
RMS	6.039G	92.69	Inf	-Inf	84.15	3	Vertical	312	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT Y_1TX
Setting 11.5/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	67.80	88.20	-20.40	59.50	3	Horizontal	330	1.80	-	34.14	8.94	34.78			
RMS	5.923G	53.44	68.20	-14.76	45.13	3	Horizontal	330	1.80	-	34.15	8.94	34.78			
PK	6.168G	104.28	Inf	-Inf	95.55	3	Horizontal	330	1.80	-	34.24	9.11	34.62			
RMS	6.037G	93.84	Inf	-Inf	85.30	3	Horizontal	330	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT Y_1TX
Setting 10.5/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.91G	65.99	88.20	-22.21	57.72	3	Vertical	313	1.80	-	34.12	8.93	34.78			
RMS	5.924G	53.08	68.20	-15.12	44.77	3	Vertical	313	1.80	-	34.15	8.94	34.78			
PK	6.035G	105.43	Inf	-Inf	96.89	3	Vertical	313	1.80	-	34.20	9.05	34.71			
RMS	6.0375G	93.41	Inf	-Inf	84.87	3	Vertical	313	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

6105MHz_TX




EUT Y_1TX
Setting 10.5/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.916G	64.04	88.20	-24.16	55.76	3	Horizontal	8.9	1.80	-	34.13	8.93	34.78			
RMS	5.925G	51.65	68.20	-16.55	43.34	3	Horizontal	8.9	1.80	-	34.15	8.94	34.78			
PK	6.043G	102.32	Inf	-Inf	93.78	3	Horizontal	8.9	1.80	-	34.20	9.05	34.71			
RMS	6.1775G	90.38	Inf	-Inf	81.62	3	Horizontal	8.9	1.80	-	34.26	9.11	34.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT Y_1TX
Setting 9.5/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	61.94	88.20	-26.26	53.63	3	Vertical	294	1.80	-	34.15	8.94	34.78			
RMS	5.925G	51.04	68.20	-17.16	42.73	3	Vertical	294	1.80	-	34.15	8.94	34.78			
PK	6.022G	104.83	Inf	-Inf	96.31	3	Vertical	294	1.80	-	34.20	9.04	34.72			
RMS	6.0205G	93.83	Inf	-Inf	85.32	3	Vertical	294	1.80	-	34.20	9.04	34.73			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

6105MHz_TX




EUT Y_1TX
Setting 9.5/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	66.68	88.20	-21.52	58.38	3	Horizontal	330	3.00	-	34.14	8.94	34.78			
RMS	5.9245G	52.33	68.20	-15.87	44.02	3	Horizontal	330	3.00	-	34.15	8.94	34.78			
PK	6.21G	108.76	Inf	-Inf	99.89	3	Horizontal	330	3.00	-	34.32	9.14	34.59			
RMS	6.2115G	97.10	Inf	-Inf	88.23	3	Horizontal	330	3.00	-	34.32	9.14	34.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT Y_2TX
Setting 10/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	78.23	88.20	-9.97	69.93	3	Vertical	349	1.80	-	34.14	8.94	34.78
RMS	5.9195G	59.08	68.20	-9.12	50.78	3	Vertical	349	1.80	-	34.14	8.94	34.78
PK	6.017G	115.67	Inf	-Inf	107.16	3	Vertical	349	1.80	-	34.20	9.04	34.73
RMS	6.0175G	105.16	Inf	-Inf	96.65	3	Vertical	349	1.80	-	34.20	9.04	34.73

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT V_2TX
Setting 10/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	74.72	88.20	-13.48	66.41	3	Horizontal	341.9	1.80	-	34.15	8.94	34.78			
RMS	5.925G	58.88	68.20	-9.32	50.57	3	Horizontal	341.9	1.80	-	34.15	8.94	34.78			
PK	6.01G	114.93	Inf	-Inf	106.43	3	Horizontal	341.9	1.80	-	34.20	9.03	34.73			
RMS	6.007G	105.16	Inf	-Inf	96.66	3	Horizontal	341.9	1.80	-	34.20	9.03	34.73			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT V_2TX
Setting 8/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	75.24	88.20	-12.96	67.03	3	Vertical	350	1.80	-	34.09	8.91	34.79
RMS	5.8995G	57.56	68.20	-10.64	49.34	3	Vertical	350	1.80	-	34.10	8.91	34.79
PK	6.017G	117.77	Inf	-Inf	109.26	3	Vertical	350	1.80	-	34.20	9.04	34.73
RMS	6.018G	107.54	Inf	-Inf	99.03	3	Vertical	350	1.80	-	34.20	9.04	34.73

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5985MHz_TX




EUT V_2TX
Setting 8/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.908G	73.53	88.20	-14.67	65.27	3	Horizontal	339	1.80	-	34.12	8.92	34.78			
RMS	5.907G	57.33	68.20	-10.87	49.08	3	Horizontal	339	1.80	-	34.11	8.92	34.78			
PK	6.007G	116.27	Inf	-Inf	107.77	3	Horizontal	339	1.80	-	34.20	9.03	34.73			
RMS	6.0085G	105.74	Inf	-Inf	97.24	3	Horizontal	339	1.80	-	34.20	9.03	34.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_V_2TX
Setting 10/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	72.84	88.20	-15.36	64.54	3	Vertical	348	1.80	-	34.14	8.94	34.78			
RMS	5.9185G	57.13	68.20	-11.07	48.83	3	Vertical	348	1.80	-	34.14	8.94	34.78			
PK	6.038G	112.59	Inf	-Inf	104.05	3	Vertical	348	1.80	-	34.20	9.05	34.71			
RMS	6.0375G	101.87	Inf	-Inf	93.33	3	Vertical	348	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

6025MHz_TX




EUT_V_2TX
Setting 10/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.901G	72.50	88.20	-15.70	64.27	3	Horizontal	336	1.80	-	34.10	8.92	34.79			
RMS	5.925G	56.74	68.20	-11.46	48.43	3	Horizontal	336	1.80	-	34.15	8.94	34.78			
PK	6.048G	112.99	Inf	-Inf	104.45	3	Horizontal	336	1.80	-	34.20	9.05	34.71			
RMS	6.0475G	101.79	Inf	-Inf	93.25	3	Horizontal	336	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT_V_2TX
Setting 9/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	79.03	88.20	-9.17	70.75	3	Vertical	348	1.80	-	34.13	8.93	34.78
RMS	5.919G	57.50	68.20	-10.70	49.20	3	Vertical	348	1.80	-	34.14	8.94	34.78
PK	6.036G	113.39	Inf	-Inf	104.85	3	Vertical	348	1.80	-	34.20	9.05	34.71
RMS	6.038G	102.41	Inf	-Inf	93.87	3	Vertical	348	1.80	-	34.20	9.05	34.71

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

6025MHz_TX




EUT V_2TX
Setting 9/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	76.81	88.20	-11.39	68.53	3	Horizontal	339	1.80	-	34.13	8.93	34.78			
RMS	5.925G	58.06	68.20	-10.14	49.75	3	Horizontal	339	1.80	-	34.15	8.94	34.78			
PK	6.088G	112.59	Inf	-Inf	104.08	3	Horizontal	339	1.80	-	34.12	9.07	34.68			
RMS	6.0285G	102.73	Inf	-Inf	94.21	3	Horizontal	339	1.80	-	34.20	9.04	34.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_V_2TX
Setting 8/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.918G	67.37	88.20	-20.83	59.07	3	Vertical	340	1.80	-	34.14	8.94	34.78
RMS	5.918G	53.25	68.20	-14.95	44.95	3	Vertical	340	1.80	-	34.14	8.94	34.78
PK	6.094G	111.84	Inf	-Inf	103.33	3	Vertical	340	1.80	-	34.11	9.07	34.67
RMS	6.0765G	101.97	Inf	-Inf	93.44	3	Vertical	340	1.80	-	34.15	9.06	34.68

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

6025MHz_TX




EUT_V_2TX
Setting 8/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	69.28	88.20	-18.92	60.97	3	Horizontal	336	1.80	-	34.15	8.94	34.78			
RMS	5.925G	55.07	68.20	-13.13	46.76	3	Horizontal	336	1.80	-	34.15	8.94	34.78			
PK	6.088G	112.64	Inf	-Inf	104.13	3	Horizontal	336	1.80	-	34.12	9.07	34.68			
RMS	6.068G	103.41	Inf	-Inf	94.88	3	Horizontal	336	1.80	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_V_2TX
Setting 10/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	72.13	88.20	-16.07	63.83	3	Vertical	346	1.80	-	34.14	8.94	34.78			
RMS	5.9225G	56.64	68.20	-11.56	48.33	3	Vertical	346	1.80	-	34.15	8.94	34.78			
PK	6.158G	108.48	Inf	-Inf	99.79	3	Vertical	346	1.80	-	34.22	9.10	34.63			
RMS	6.0375G	98.78	Inf	-Inf	90.24	3	Vertical	346	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_V_2TX
Setting 10/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.907G	70.49	88.20	-17.71	62.24	3	Horizontal	333.9	1.80	-	34.11	8.92	34.78			
RMS	5.925G	55.40	68.20	-12.80	47.09	3	Horizontal	333.9	1.80	-	34.15	8.94	34.78			
PK	6.05G	108.43	Inf	-Inf	99.88	3	Horizontal	333.9	1.80	-	34.20	9.05	34.70			
RMS	6.0485G	98.69	Inf	-Inf	90.15	3	Horizontal	333.9	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT V_2TX
Setting 9/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	73.28	88.20	-14.92	64.98	3	Vertical	347	1.80	-	34.14	8.94	34.78			
RMS	5.919G	57.59	68.20	-10.61	49.29	3	Vertical	347	1.80	-	34.14	8.94	34.78			
PK	6.181G	110.42	Inf	-Inf	101.66	3	Vertical	347	1.80	-	34.26	9.11	34.61			
RMS	6.0375G	100.60	Inf	-Inf	92.06	3	Vertical	347	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

6105MHz_TX




EUT V_2TX
Setting 9/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.911G	70.07	88.20	-18.13	61.80	3	Horizontal	336	1.80	-	34.12	8.93	34.78			
RMS	5.925G	56.68	68.20	-11.52	48.37	3	Horizontal	336	1.80	-	34.15	8.94	34.78			
PK	6.148G	110.27	Inf	-Inf	101.60	3	Horizontal	336	1.80	-	34.20	9.10	34.63			
RMS	6.0475G	99.95	Inf	-Inf	91.41	3	Horizontal	336	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT V_2TX
Setting 8/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	69.45	88.20	-18.75	61.17	3	Vertical	300	1.80	-	34.13	8.93	34.78			
RMS	5.92G	54.10	68.20	-14.10	45.80	3	Vertical	300	1.80	-	34.14	8.94	34.78			
PK	6.218G	112.74	Inf	-Inf	103.83	3	Vertical	300	1.80	-	34.34	9.15	34.58			
RMS	6.218G	101.56	Inf	-Inf	92.65	3	Vertical	300	1.80	-	34.34	9.15	34.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

6105MHz_TX




EUT V_2TX
Setting 8/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.906G	68.44	88.20	-19.76	60.20	3	Horizontal	323	1.80	-	34.11	8.92	34.79			
RMS	5.925G	54.47	68.20	-13.73	46.16	3	Horizontal	323	1.80	-	34.15	8.94	34.78			
PK	6.208G	112.02	Inf	-Inf	103.15	3	Horizontal	323	1.80	-	34.32	9.14	34.59			
RMS	6.2075G	101.17	Inf	-Inf	92.32	3	Horizontal	323	1.80	-	34.31	9.13	34.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 4/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	79.59	88.20	-8.61	71.31	3	Vertical	321.9	1.80	-	34.13	8.93	34.78			
RMS	5.913G	64.25	68.20	-3.95	55.97	3	Vertical	321.9	1.80	-	34.13	8.93	34.78			
PK	6.015G	118.99	Inf	-Inf	110.48	3	Vertical	321.9	1.80	-	34.20	9.04	34.73			
RMS	6.014G	109.58	Inf	-Inf	101.07	3	Vertical	321.9	1.80	-	34.20	9.04	34.73			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT Y_4TX
Setting 4/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	80.79	88.20	-7.41	72.48	3	Horizontal	336	1.80	-	34.15	8.94	34.78			
RMS	5.922G	65.37	68.20	-2.83	57.07	3	Horizontal	336	1.80	-	34.14	8.94	34.78			
PK	5.963G	120.08	Inf	-Inf	111.65	3	Horizontal	336	1.80	-	34.20	8.99	34.76			
RMS	6.0225G	110.69	Inf	-Inf	102.17	3	Horizontal	336	1.80	-	34.20	9.04	34.72			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 4/19
05-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.97488G	47.58	74.00	-26.42	62.63	3	Vertical	103	1.83	-	38.75	12.80	66.60				
AV	11.97752G	35.21	54.00	-18.79	50.25	3	Vertical	103	1.83	-	38.76	12.80	66.60				
PK	17.93716G	52.63	74.00	-21.37	58.37	3	Vertical	254	1.26	-	42.47	15.58	63.79				
AV	17.96124G	41.26	54.00	-12.74	46.79	3	Vertical	254	1.26	-	42.64	15.59	63.76				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5985MHz_TX

EUT_Y_4TX
Setting 4/19
05-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.98896G	47.20	74.00	-26.80	62.21	3	Horizontal	219	1.65	-	38.78	12.81	66.60				
AV	11.98824G	35.34	54.00	-18.66	50.35	3	Horizontal	219	1.65	-	38.78	12.81	66.60				
PK	17.94332G	52.70	74.00	-21.30	58.37	3	Horizontal	65	2.05	-	42.53	15.58	63.78				
AV	17.96092G	41.37	54.00	-12.63	46.90	3	Horizontal	65	2.05	-	42.64	15.59	63.76				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT Y_4TX
Setting 4/19
05-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94952G	50.14	83.54	-33.40	41.19	1	Vertical	330	1.63	-	39.00	17.85	47.90			
AV	23.92728G	38.05	63.54	-25.49	29.13	1	Vertical	330	1.63	-	38.95	17.87	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT Y_4TX
Setting 4/19
05-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92672G	49.71	83.54	-33.83	40.79	1	Horizontal	340	1.28	-	38.95	17.87	47.90			
AV	23.92776G	38.03	63.54	-25.51	29.10	1	Horizontal	340	1.28	-	38.96	17.87	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5985MHz_TX

EUT_Y_4TX
Setting 2/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.903G	79.38	88.20	-8.82	71.14	3	Vertical	319.9	1.80	-	34.11	8.92	34.79			
RMS	5.903G	62.82	68.20	-5.38	54.58	3	Vertical	319.9	1.80	-	34.11	8.92	34.79			
PK	6.024G	121.88	Inf	-Inf	113.36	3	Vertical	319.9	1.80	-	34.20	9.04	34.72			
RMS	6.0235G	111.05	Inf	-Inf	102.53	3	Vertical	319.9	1.80	-	34.20	9.04	34.72			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 2/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.91G	82.35	88.20	-5.85	74.08	3	Horizontal	339	1.80	-	34.12	8.93	34.78			
RMS	5.9015G	64.03	68.20	-4.17	55.80	3	Horizontal	339	1.80	-	34.10	8.92	34.79			
PK	5.961G	122.20	Inf	-Inf	113.77	3	Horizontal	339	1.80	-	34.20	8.99	34.76			
RMS	6.0225G	112.10	Inf	-Inf	103.58	3	Horizontal	339	1.80	-	34.20	9.04	34.72			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT_Y_4TX
Setting 2/19
05-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97392G	46.64	74.00	-27.36	61.69	3	Vertical	159	1.76	-	38.75	12.80	66.60			
AV	11.9652G	34.92	54.00	-19.08	49.98	3	Vertical	159	1.76	-	38.73	12.80	66.59			
PK	17.96108G	53.21	74.00	-20.79	58.74	3	Vertical	252	1.54	-	42.64	15.59	63.76			
AV	17.95892G	41.06	54.00	-12.94	46.59	3	Vertical	252	1.54	-	42.64	15.59	63.76			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5985MHz_TX

EUT_Y_4TX
Setting 2/19
05-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.97816G	46.96	74.00	-27.04	61.99	3	Horizontal	67	1.52	-	38.76	12.81	66.60				
AV	11.9772G	35.01	54.00	-18.99	50.06	3	Horizontal	67	1.52	-	38.75	12.80	66.60				
PK	17.96468G	52.61	74.00	-21.39	58.12	3	Horizontal	166	1.37	-	42.66	15.59	63.76				
AV	17.96052G	41.02	54.00	-12.98	46.55	3	Horizontal	166	1.37	-	42.64	15.59	63.76				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT Y_4TX
Setting 2/19
05-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92064G	50.07	83.54	-33.47	41.16	1	Vertical	296	1.83	-	38.94	17.87	47.90			
AV	23.93608G	37.83	63.54	-25.71	28.90	1	Vertical	296	1.83	-	38.97	17.86	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




EUT Y_4TX
Setting 2/19
05-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94184G	50.17	83.54	-33.37	41.23	1	Horizontal	256	1.64	-	38.98	17.86	47.90			
AV	23.924G	37.84	63.54	-25.70	28.92	1	Horizontal	256	1.64	-	38.95	17.87	47.90			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 4/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	77.61	88.20	-10.59	69.33	3	Vertical	317	1.80	-	34.13	8.93	34.78			
RMS	5.9145G	63.12	68.20	-5.08	54.84	3	Vertical	317	1.80	-	34.13	8.93	34.78			
PK	6.053G	117.09	Inf	-Inf	108.55	3	Vertical	317	1.80	-	34.19	9.05	34.70			
RMS	6.0345G	107.65	Inf	-Inf	99.12	3	Vertical	317	1.80	-	34.20	9.05	34.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




EUT_Y_4TX
Setting 4/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.29	88.20	-8.91	70.98	3	Horizontal	12.9	1.80	-	34.15	8.94	34.78			
RMS	5.925G	64.58	68.20	-3.62	56.27	3	Horizontal	12.9	1.80	-	34.15	8.94	34.78			
PK	6.045G	116.42	Inf	-Inf	107.88	3	Horizontal	12.9	1.80	-	34.20	9.05	34.71			
RMS	6.0465G	106.65	Inf	-Inf	98.11	3	Horizontal	12.9	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 3/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	86.01	88.20	-2.19	77.73	3	Vertical	326	1.80	-	34.13	8.93	34.78			
RMS	5.914G	62.62	68.20	-5.58	54.34	3	Vertical	326	1.80	-	34.13	8.93	34.78			
PK	6.033G	118.99	Inf	-Inf	110.47	3	Vertical	326	1.80	-	34.20	9.04	34.72			
RMS	6.034G	107.81	Inf	-Inf	99.28	3	Vertical	326	1.80	-	34.20	9.05	34.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 3/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.92G	81.80	88.20	-6.40	73.50	3	Horizontal	338	1.80	-	34.14	8.94	34.78				
RMS	5.9225G	62.21	68.20	-5.99	53.90	3	Horizontal	338	1.80	-	34.15	8.94	34.78				
PK	6.042G	116.50	Inf	-Inf	107.96	3	Horizontal	338	1.80	-	34.20	9.05	34.71				
RMS	6.0425G	107.19	Inf	-Inf	98.65	3	Horizontal	338	1.80	-	34.20	9.05	34.71				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 2/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	72.99	88.20	-15.21	64.71	3	Vertical	342	1.80	-	34.13	8.93	34.78			
RMS	5.9195G	58.14	68.20	-10.06	49.84	3	Vertical	342	1.80	-	34.14	8.94	34.78			
PK	6.091G	118.23	Inf	-Inf	109.71	3	Vertical	342	1.80	-	34.12	9.07	34.67			
RMS	6.071G	108.19	Inf	-Inf	99.66	3	Vertical	342	1.80	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6025MHz_TX




EUT_Y_4TX
Setting 2/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	74.66	88.20	-13.54	66.35	3	Horizontal	1.9	1.80	-	34.15	8.94	34.78			
RMS	5.925G	60.67	68.20	-7.53	52.36	3	Horizontal	1.9	1.80	-	34.15	8.94	34.78			
PK	6.088G	117.03	Inf	-Inf	108.52	3	Horizontal	1.9	1.80	-	34.12	9.07	34.68			
RMS	6.067G	108.00	Inf	-Inf	99.46	3	Horizontal	1.9	1.80	-	34.17	9.06	34.69			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT Y_4TX
Setting 4/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.912G	76.44	88.20	-11.76	68.17	3	Vertical	318	1.80	-	34.12	8.93	34.78			
RMS	5.9135G	58.71	68.20	-9.49	50.43	3	Vertical	318	1.80	-	34.13	8.93	34.78			
PK	6.034G	114.63	Inf	-Inf	106.10	3	Vertical	318	1.80	-	34.20	9.05	34.72			
RMS	6.034G	104.11	Inf	-Inf	95.58	3	Vertical	318	1.80	-	34.20	9.05	34.72			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT Y_4TX
Setting 4/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	75.09	88.20	-13.11	66.78	3	Horizontal	12	1.80	-	34.15	8.94	34.78			
RMS	5.9245G	59.25	68.20	-8.95	50.94	3	Horizontal	12	1.80	-	34.15	8.94	34.78			
PK	6.047G	113.79	Inf	-Inf	105.25	3	Horizontal	12	1.80	-	34.20	9.05	34.71			
RMS	6.046G	104.25	Inf	-Inf	95.71	3	Horizontal	12	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT_Y_4TX
Setting 3/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	74.72	88.20	-13.48	66.44	3	Vertical	319	1.80	-	34.13	8.93	34.78			
RMS	5.9125G	59.99	68.20	-8.21	51.72	3	Vertical	319	1.80	-	34.12	8.93	34.78			
PK	6.034G	115.40	Inf	-Inf	106.87	3	Vertical	319	1.80	-	34.20	9.05	34.72			
RMS	6.034G	105.21	Inf	-Inf	96.68	3	Vertical	319	1.80	-	34.20	9.05	34.72			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

6105MHz_TX




EUT Y_4TX
Setting 3/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	75.15	88.20	-13.05	66.85	3	Horizontal	337	1.80	-	34.14	8.94	34.78			
RMS	5.9215G	61.27	68.20	-6.93	52.97	3	Horizontal	337	1.80	-	34.14	8.94	34.78			
PK	6.022G	115.38	Inf	-Inf	106.86	3	Horizontal	337	1.80	-	34.20	9.04	34.72			
RMS	6.0415G	105.37	Inf	-Inf	96.83	3	Horizontal	337	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX




EUT_Y_4TX
Setting 3/19
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.916G	68.92	88.20	-19.28	60.64	3	Vertical	349	1.80	-	34.13	8.93	34.78			
RMS	5.925G	55.05	68.20	-13.15	46.74	3	Vertical	349	1.80	-	34.15	8.94	34.78			
PK	6.218G	115.81	Inf	-Inf	106.90	3	Vertical	349	1.80	-	34.34	9.15	34.58			
RMS	6.238G	105.74	Inf	-Inf	96.74	3	Vertical	349	1.80	-	34.38	9.19	34.57			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

6105MHz_TX



EUT Y_4TX
Setting 3/19
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	74.73	88.20	-13.47	66.42	3	Horizontal	0	1.80	-	34.15	8.94	34.78
RMS	5.925G	56.64	68.20	-11.56	48.33	3	Horizontal	0	1.80	-	34.15	8.94	34.78
PK	6.227G	116.68	Inf	-Inf	107.74	3	Horizontal	0	1.80	-	34.35	9.17	34.58
RMS	6.247G	106.29	Inf	-Inf	97.25	3	Horizontal	0	1.80	-	34.39	9.21	34.56




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX	Pass	RMS	5.9246G	68.18	68.20	-0.02	3	Horizontal	346	1.80	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

5985MHz_TX




EUT_Y_1TX
Setting 22
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	79.06	88.20	-9.14	70.75	3	Vertical	328	1.02	-	34.15	8.94	34.78			
RMS	5.9242G	65.01	68.20	-3.19	56.70	3	Vertical	328	1.02	-	34.15	8.94	34.78			
PK	6.0018G	112.60	Inf	-Inf	104.11	3	Vertical	328	1.02	-	34.20	9.03	34.74			
RMS	5.9998G	101.45	Inf	-Inf	92.96	3	Vertical	328	1.02	-	34.20	9.03	34.74			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX


5985MHz_TX

EUT Y_1TX
Setting 22
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	80.59	88.20	-7.61	72.28	3	Horizontal	338	1.80	-	34.15	8.94	34.78			
RMS	5.925G	65.76	68.20	-2.44	57.45	3	Horizontal	338	1.80	-	34.15	8.94	34.78			
PK	6.003G	111.96	Inf	-Inf	103.47	3	Horizontal	338	1.80	-	34.20	9.03	34.74			
RMS	5.9986G	101.67	Inf	-Inf	93.18	3	Horizontal	338	1.80	-	34.20	9.03	34.74			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_Y_1TX
Setting 23.5
04-C-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9174G	75.84	88.20	-12.36	77.97	3	Vertical	333	1.80	-	32.40	8.88	43.41			
RMS	5.925G	64.53	68.20	-3.67	66.64	3	Vertical	333	1.80	-	32.40	8.89	43.40			
PK	6.0998G	106.15	Inf	-Inf	107.79	3	Vertical	333	1.80	-	32.50	9.15	43.29			
RMS	6.047G	96.11	Inf	-Inf	97.83	3	Vertical	333	1.80	-	32.49	9.10	43.31			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

6025MHz_TX




EUT_V_1TX
Setting 23.5
04-C-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	77.98	88.20	-10.22	80.09	3	Horizontal	360	3.00	-	32.40	8.89	43.40			
RMS	5.9242G	67.53	68.20	-0.67	69.64	3	Horizontal	360	3.00	-	32.40	8.89	43.40			
PK	6.071G	108.67	Inf	-Inf	110.34	3	Horizontal	360	3.00	-	32.50	9.13	43.30			
RMS	6.0486G	98.65	Inf	-Inf	100.35	3	Horizontal	360	3.00	-	32.50	9.11	43.31			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6025MHz_TX




EUT_Y_1TX
Setting 22.5
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	85.33	88.20	-2.87	77.03	3	Vertical	329	1.80	-	34.14	8.94	34.78			
RMS	5.924G	66.82	68.20	-1.38	58.51	3	Vertical	329	1.80	-	34.15	8.94	34.78			
PK	6.082G	109.22	Inf	-Inf	100.69	3	Vertical	329	1.80	-	34.14	9.07	34.68			
RMS	6.0695G	98.41	Inf	-Inf	89.88	3	Vertical	329	1.80	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

6025MHz_TX




EUT_Y_1TX
Setting 22.5
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	86.12	88.20	-2.08	77.82	3	Horizontal	0	1.80	-	34.14	8.94	34.78			
RMS	5.9235G	67.86	68.20	-0.34	59.55	3	Horizontal	0	1.80	-	34.15	8.94	34.78			
PK	5.997G	110.47	Inf	-Inf	101.98	3	Horizontal	0	1.80	-	34.20	9.03	34.74			
RMS	6.101G	99.04	Inf	-Inf	90.53	3	Horizontal	0	1.80	-	34.10	9.08	34.67			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	78.08	88.20	-10.12	69.77	3	Vertical	329	1.80	-	34.15	8.94	34.78				
RMS	5.925G	65.34	68.20	-2.86	57.03	3	Vertical	329	1.80	-	34.15	8.94	34.78				
PK	6.103G	107.24	Inf	-Inf	98.72	3	Vertical	329	1.80	-	34.11	9.08	34.67				
RMS	6.069G	96.42	Inf	-Inf	87.89	3	Vertical	329	1.80	-	34.16	9.06	34.69				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT Y_1TX
Setting 22.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	79.95	88.20	-8.25	71.64	3	Horizontal	1	1.80	-	34.15	8.94	34.78			
RMS	5.925G	66.50	68.20	-1.70	58.19	3	Horizontal	1	1.80	-	34.15	8.94	34.78			
PK	6.155G	109.12	Inf	-Inf	100.44	3	Horizontal	1	1.80	-	34.21	9.10	34.63			
RMS	6.133G	97.26	Inf	-Inf	88.64	3	Horizontal	1	1.80	-	34.17	9.09	34.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9214G	78.06	88.20	-10.14	69.76	3	Vertical	328	1.80	-	34.14	8.94	34.78				
RMS	5.9238G	65.96	68.20	-2.24	57.65	3	Vertical	328	1.80	-	34.15	8.94	34.78				
PK	6.2082G	108.99	Inf	-Inf	100.12	3	Vertical	328	1.80	-	34.32	9.14	34.59				
RMS	6.0378G	97.37	Inf	-Inf	88.83	3	Vertical	328	1.80	-	34.20	9.05	34.71				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9154G	79.03	88.20	-9.17	70.75	3	Horizontal	339	1.80	-	34.13	8.93	34.78			
RMS	5.925G	66.94	68.20	-1.26	58.63	3	Horizontal	339	1.80	-	34.15	8.94	34.78			
PK	6.2406G	109.33	Inf	-Inf	100.32	3	Horizontal	339	1.80	-	34.38	9.20	34.57			
RMS	6.039G	98.10	Inf	-Inf	89.56	3	Horizontal	339	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX


6105MHz_TX

EUT_Y_1TX
Setting 22.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	78.90	88.20	-9.30	70.59	3	Vertical	327	1.80	-	34.15	8.94	34.78			
RMS	5.925G	64.77	68.20	-3.43	56.46	3	Vertical	327	1.80	-	34.15	8.94	34.78			
PK	6.117G	109.11	Inf	-Inf	100.56	3	Vertical	327	1.80	-	34.13	9.08	34.66			
RMS	6.069G	97.61	Inf	-Inf	89.08	3	Vertical	327	1.80	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

6105MHz_TX




EUT_Y_1TX
Setting 22.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	79.31	88.20	-8.89	71.00	3	Horizontal	352	1.80	-	34.15	8.94	34.78			
RMS	5.9238G	65.60	68.20	-2.60	57.29	3	Horizontal	352	1.80	-	34.15	8.94	34.78			
PK	6.099G	108.97	Inf	-Inf	100.47	3	Horizontal	352	1.80	-	34.10	9.07	34.67			
RMS	6.069G	98.12	Inf	-Inf	89.59	3	Horizontal	352	1.80	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5985MHz_TX




EUT_V_2TX
Setting 20
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	86.09	88.20	-2.11	77.78	3	Vertical	359	1.80	-	34.15	8.94	34.78			
RMS	5.9214G	67.81	68.20	-0.39	59.51	3	Vertical	359	1.80	-	34.14	8.94	34.78			
PK	6.0022G	116.47	Inf	-Inf	107.98	3	Vertical	359	1.80	-	34.20	9.03	34.74			
RMS	5.9994G	106.29	Inf	-Inf	97.80	3	Vertical	359	1.80	-	34.20	9.03	34.74			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

5985MHz_TX




EUT_V_2TX
Setting 20
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	84.19	88.20	-4.01	75.88	3	Horizontal	346	1.80	-	34.15	8.94	34.78			
RMS	5.9246G	68.18	68.20	-0.02	59.87	3	Horizontal	346	1.80	-	34.15	8.94	34.78			
PK	5.989G	116.25	Inf	-Inf	107.78	3	Horizontal	346	1.80	-	34.20	9.02	34.75			
RMS	5.9506G	105.85	Inf	-Inf	97.44	3	Horizontal	346	1.80	-	34.20	8.97	34.76			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX


6025MHz_TX

EUT_V_2TX
Setting 21
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9175G	81.08	88.20	-7.12	72.78	3	Vertical	0	1.80	-	34.14	8.94	34.78			
RMS	5.918G	67.98	68.20	-0.22	59.68	3	Vertical	0	1.80	-	34.14	8.94	34.78			
PK	6.0795G	113.67	Inf	-Inf	105.14	3	Vertical	0	1.80	-	34.14	9.07	34.68			
RMS	6.059G	103.45	Inf	-Inf	94.91	3	Vertical	0	1.80	-	34.18	9.06	34.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

6025MHz_TX




EUT_V_2TX
Setting 21
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	79.19	88.20	-9.01	70.88	3	Horizontal	350	1.80	-	34.15	8.94	34.78			
RMS	5.925G	67.80	68.20	-0.40	59.49	3	Horizontal	350	1.80	-	34.15	8.94	34.78			
PK	6.0685G	113.70	Inf	-Inf	105.17	3	Horizontal	350	1.80	-	34.16	9.06	34.69			
RMS	6.0495G	102.96	Inf	-Inf	94.41	3	Horizontal	350	1.80	-	34.20	9.05	34.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6025MHz_TX




EUT_V_2TX
Setting 21
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9225G	85.39	88.20	-2.81	77.08	3	Vertical	0	1.80	-	34.15	8.94	34.78			
RMS	5.918G	66.87	68.20	-1.33	58.57	3	Vertical	0	1.80	-	34.14	8.94	34.78			
PK	6.0195G	114.14	Inf	-Inf	105.63	3	Vertical	0	1.80	-	34.20	9.04	34.73			
RMS	6.0995G	104.03	Inf	-Inf	95.53	3	Vertical	0	1.80	-	34.10	9.07	34.67			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

6025MHz_TX




EUT_V_2TX
Setting 21
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9125G	83.43	88.20	-4.77	75.16	3	Horizontal	349	1.80	-	34.12	8.93	34.78			
RMS	5.925G	67.40	68.20	-0.80	59.09	3	Horizontal	349	1.80	-	34.15	8.94	34.78			
PK	6.069G	113.93	Inf	-Inf	105.40	3	Horizontal	349	1.80	-	34.16	9.06	34.69			
RMS	6.069G	103.93	Inf	-Inf	95.40	3	Horizontal	349	1.80	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_V_2TX
Setting 21.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.8986G	77.83	88.20	-10.37	69.62	3	Vertical	0	1.80	-	34.09	8.91	34.79				
RMS	5.9202G	65.08	68.20	-3.12	56.78	3	Vertical	0	1.80	-	34.14	8.94	34.78				
PK	6.2586G	112.08	Inf	-Inf	103.00	3	Vertical	0	1.80	-	34.40	9.23	34.55				
RMS	6.1782G	101.98	Inf	-Inf	93.22	3	Vertical	0	1.80	-	34.26	9.11	34.61				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_V_2TX
Setting 21.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9154G	78.93	88.20	-9.27	70.65	3	Horizontal	350	1.80	-	34.13	8.93	34.78			
RMS	5.9118G	64.07	68.20	-4.13	55.80	3	Horizontal	350	1.80	-	34.12	8.93	34.78			
PK	6.0666G	111.98	Inf	-Inf	103.44	3	Horizontal	350	1.80	-	34.17	9.06	34.69			
RMS	6.069G	101.14	Inf	-Inf	92.61	3	Horizontal	350	1.80	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_V_2TX
Setting 21.5
05-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	79.57	88.20	-8.63	71.27	3	Vertical	0	1.80	-	34.14	8.94	34.78			
RMS	5.9202G	65.86	68.20	-2.34	57.56	3	Vertical	0	1.80	-	34.14	8.94	34.78			
PK	6.0366G	112.44	Inf	-Inf	103.90	3	Vertical	0	1.80	-	34.20	9.05	34.71			
RMS	6.0594G	102.16	Inf	-Inf	93.62	3	Vertical	0	1.80	-	34.18	9.06	34.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

6105MHz_TX




EUT_V_2TX
Setting 21.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9214G	80.61	88.20	-7.59	72.31	3	Horizontal	347	1.80	-	34.14	8.94	34.78			
RMS	5.9106G	65.43	68.20	-2.77	57.16	3	Horizontal	347	1.80	-	34.12	8.93	34.78			
PK	6.1878G	113.31	Inf	-Inf	104.52	3	Horizontal	347	1.80	-	34.28	9.11	34.60			
RMS	6.0498G	102.37	Inf	-Inf	93.82	3	Horizontal	347	1.80	-	34.20	9.05	34.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_V_2TX
Setting 21.5
05-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	82.37	88.20	-5.83	74.09	3	Vertical	0	1.80	-	34.13	8.93	34.78			
RMS	5.919G	65.47	68.20	-2.73	57.17	3	Vertical	0	1.80	-	34.14	8.94	34.78			
PK	6.1194G	113.33	Inf	-Inf	104.76	3	Vertical	0	1.80	-	34.14	9.08	34.65			
RMS	6.1794G	103.15	Inf	-Inf	94.39	3	Vertical	0	1.80	-	34.26	9.11	34.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

6105MHz_TX




EUT_V_2TX
Setting 21.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9142G	76.61	88.20	-11.59	68.33	3	Horizontal	350	1.80	-	34.13	8.93	34.78			
RMS	5.9106G	63.82	68.20	-4.38	55.55	3	Horizontal	350	1.80	-	34.12	8.93	34.78			
PK	6.1686G	112.37	Inf	-Inf	103.64	3	Horizontal	350	1.80	-	34.24	9.11	34.62			
RMS	6.1086G	102.44	Inf	-Inf	93.90	3	Horizontal	350	1.80	-	34.12	9.08	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




EUT_Y_4TX
Setting 19
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	83.42	88.20	-4.78	75.14	3	Vertical	333	1.80	-	34.13	8.93	34.78
RMS	5.9214G	65.09	68.20	-3.11	56.79	3	Vertical	333	1.80	-	34.14	8.94	34.78
PK	5.9754G	118.75	Inf	-Inf	110.30	3	Vertical	333	1.80	-	34.20	9.00	34.75
RMS	5.9546G	109.70	Inf	-Inf	101.28	3	Vertical	333	1.80	-	34.20	8.98	34.76

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

5985MHz_TX




EUT Y_4TX
Setting 19
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	84.62	88.20	-3.58	76.31	3	Horizontal	12	1.80	-	34.15	8.94	34.78			
RMS	5.9246G	67.99	68.20	-0.21	59.68	3	Horizontal	12	1.80	-	34.15	8.94	34.78			
PK	5.9666G	119.00	Inf	-Inf	110.57	3	Horizontal	12	1.80	-	34.20	8.99	34.76			
RMS	5.9474G	108.68	Inf	-Inf	100.29	3	Horizontal	12	1.80	-	34.19	8.97	34.77			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 20
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.919G	81.05	88.20	-7.15	72.75	3	Vertical	360.1	1.80	-	34.14	8.94	34.78			
RMS	5.9185G	66.58	68.20	-1.62	58.28	3	Vertical	360.1	1.80	-	34.14	8.94	34.78			
PK	6.058G	116.64	Inf	-Inf	108.10	3	Vertical	360.1	1.80	-	34.18	9.06	34.70			
RMS	6.059G	106.80	Inf	-Inf	98.26	3	Vertical	360.1	1.80	-	34.18	9.06	34.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT_Y_4TX
Setting 20
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	83.62	88.20	-4.58	75.31	3	Horizontal	20	1.80	-	34.15	8.94	34.78			
RMS	5.925G	67.32	68.20	-0.88	59.01	3	Horizontal	20	1.80	-	34.15	8.94	34.78			
PK	6.0475G	117.99	Inf	-Inf	109.45	3	Horizontal	20	1.80	-	34.20	9.05	34.71			
RMS	6.047G	107.44	Inf	-Inf	98.90	3	Horizontal	20	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT Y_4TX
Setting 20
05-X-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06452G	57.90	74.00	-16.10	39.71	3	Vertical	84	1.94	-	38.93	12.85	33.59			
AV	12.0548G	42.76	54.00	-11.24	24.59	3	Vertical	84	1.94	-	38.91	12.85	33.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

6025MHz_TX




EUT Y_4TX
Setting 20
05-X-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05153G	58.03	74.00	-15.97	39.87	3	Horizontal	233	1.44	-	38.90	12.84	33.58			
AV	12.05048G	42.77	54.00	-11.23	24.61	3	Horizontal	233	1.44	-	38.90	12.84	33.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX


6025MHz_TX

EUT Y_4TX
Setting 20
05-X-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07113G	47.47	83.54	-36.07	43.17	1	Vertical	146	1.33	-	37.24	15.49	48.43			
AV	18.07485G	35.23	63.54	-28.31	30.91	1	Vertical	146	1.33	-	37.25	15.50	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX


6025MHz_TX

EUT Y_4TX
Setting 20
05-X-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08778G	47.31	83.54	-36.23	42.97	1	Horizontal	205	2.00	-	37.28	15.50	48.44			
AV	18.08419G	35.02	63.54	-28.52	30.68	1	Horizontal	205	2.00	-	37.27	15.50	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

6025MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9185G	84.15	88.20	-4.05	75.85	3	Vertical	0	1.80	-	34.14	8.94	34.78			
RMS	5.917G	66.23	68.20	-1.97	57.95	3	Vertical	0	1.80	-	34.13	8.93	34.78			
PK	6.0785G	117.74	Inf	-Inf	109.21	3	Vertical	0	1.80	-	34.14	9.07	34.68			
RMS	6.099G	107.34	Inf	-Inf	98.84	3	Vertical	0	1.80	-	34.10	9.07	34.67			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_3_4TX

6025MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9205G	86.63	88.20	-1.57	78.33	3	Horizontal	360	1.80	-	34.14	8.94	34.78			
RMS	5.922G	67.22	68.20	-0.98	58.92	3	Horizontal	360	1.80	-	34.14	8.94	34.78			
PK	6.001G	116.46	Inf	-Inf	107.97	3	Horizontal	360	1.80	-	34.20	9.03	34.74			
RMS	6.0695G	107.09	Inf	-Inf	98.56	3	Horizontal	360	1.80	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

6025MHz_TX




EUT Y_4TX
Setting 20.5
05-X-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06458G	58.23	74.00	-15.77	40.04	3	Vertical	24	1.44	-	38.93	12.85	33.59			
AV	12.05315G	43.68	54.00	-10.32	25.51	3	Vertical	24	1.44	-	38.91	12.84	33.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

6025MHz_TX




EUT Y_4TX
Setting 20.5
05-X-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05966G	58.24	74.00	-15.76	40.06	3	Horizontal	213	1.91	-	38.92	12.85	33.59			
AV	12.0584G	43.60	54.00	-10.40	25.42	3	Horizontal	213	1.91	-	38.92	12.85	33.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

6025MHz_TX




EUT Y_4TX
Setting 20.5
05-X-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0744G	47.66	83.54	-35.88	43.10	1	Vertical	27	1.55	-	37.25	15.74	48.43			
AV	18.07437G	36.42	63.54	-27.12	31.86	1	Vertical	27	1.55	-	37.25	15.74	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

6025MHz_TX




EUT Y_4TX
Setting 20.5
05-X-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0735G	47.81	83.54	-35.73	43.25	1	Horizontal	238	1.58	-	37.25	15.74	48.43			
AV	18.07446G	36.32	63.54	-27.22	31.76	1	Horizontal	238	1.58	-	37.25	15.74	48.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9106G	79.58	88.20	-8.62	71.31	3	Vertical	360	1.80	-	34.12	8.93	34.78			
RMS	5.919G	65.61	68.20	-2.59	57.31	3	Vertical	360	1.80	-	34.14	8.94	34.78			
PK	6.2394G	116.60	Inf	-Inf	107.60	3	Vertical	360	1.80	-	34.38	9.19	34.57			
RMS	6.2586G	106.10	Inf	-Inf	97.02	3	Vertical	360	1.80	-	34.40	9.23	34.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8998G	79.45	88.20	-8.75	71.23	3	Horizontal	13	1.80	-	34.10	8.91	34.79			
RMS	5.925G	65.92	68.20	-2.28	57.61	3	Horizontal	13	1.80	-	34.15	8.94	34.78			
PK	6.2478G	116.16	Inf	-Inf	107.11	3	Horizontal	13	1.80	-	34.40	9.21	34.56			
RMS	6.2478G	106.76	Inf	-Inf	97.71	3	Horizontal	13	1.80	-	34.40	9.21	34.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.919G	78.59	88.20	-9.61	70.29	3	Vertical	360.1	1.80	-	34.14	8.94	34.78			
RMS	5.9178G	66.84	68.20	-1.36	58.54	3	Vertical	360.1	1.80	-	34.14	8.94	34.78			
PK	6.0594G	115.83	Inf	-Inf	107.29	3	Vertical	360.1	1.80	-	34.18	9.06	34.70			
RMS	6.2586G	106.38	Inf	-Inf	97.30	3	Vertical	360.1	1.80	-	34.40	9.23	34.55			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.907G	82.07	88.20	-6.13	73.82	3	Horizontal	13	1.80	-	34.11	8.92	34.78			
RMS	5.925G	67.15	68.20	-1.05	58.84	3	Horizontal	13	1.80	-	34.15	8.94	34.78			
PK	6.2478G	115.52	Inf	-Inf	106.47	3	Horizontal	13	1.80	-	34.40	9.21	34.56			
RMS	6.2478G	107.03	Inf	-Inf	97.98	3	Horizontal	13	1.80	-	34.40	9.21	34.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 21
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9154G	80.67	88.20	-7.53	72.39	3	Vertical	330	1.80	-	34.13	8.93	34.78			
RMS	5.9154G	68.11	68.20	-0.09	59.83	3	Vertical	330	1.80	-	34.13	8.93	34.78			
PK	6.1746G	117.24	Inf	-Inf	108.49	3	Vertical	330	1.80	-	34.25	9.11	34.61			
RMS	6.1746G	107.43	Inf	-Inf	98.68	3	Vertical	330	1.80	-	34.25	9.11	34.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX



EUT_Y_4TX
Setting 21
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	84.03	88.20	-4.17	75.72	3	Horizontal	12	1.80	-	34.15	8.94	34.78			
RMS	5.925G	67.83	68.20	-0.37	59.52	3	Horizontal	12	1.80	-	34.15	8.94	34.78			
PK	6.1074G	116.46	Inf	-Inf	107.93	3	Horizontal	12	1.80	-	34.11	9.08	34.66			
RMS	6.1674G	106.56	Inf	-Inf	97.84	3	Horizontal	12	1.80	-	34.23	9.11	34.62			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

21/03/2026

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
1m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9581G	7.04	5.972975G	-19.61	-13.03	-6.58	1
5.9514G	7.19	5.973275G	-20.60	-13.54	-7.06	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

21/03/2026

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
1m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190625G	7.41	6.214725G	-19.58	-12.70	-6.88	1
6.191475G	7.34	6.174425G	-20.71	-12.98	-7.73	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

21/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.418325G	7.13	6.434775G	-21.86	-12.89	-8.97	1
6.416725G	7.08	6.395075G	-19.95	-12.92	-7.03	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

21/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.530025G	5.69	6.5483G	-23.29	-15.28	-8.01	1
6.533275G	5.69	6.520875G	-23.26	-14.58	-8.68	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

21/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69945G	6.02	6.6817G	-22.46	-14.18	-8.28	1
6.69575G	6.27	6.6609G	-41.02	-33.73	-7.29	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

21/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8518G	5.46	6.83775G	-22.69	-16.87	-5.82	1
6.856425G	6.39	6.886975G	-37.53	-33.12	-4.41	2

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

21/03/2026




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

21/03/2026



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

21/03/2026

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41185G	9.20	6.44535G	-18.89	-11.03	-7.86	1
6.403G	9.54	6.3603G	-20.41	-10.63	-9.78	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

21/03/2026

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56705G	6.60	6.61015G	-30.70	-13.58	-17.12	1
6.56775G	6.61	6.6072G	-27.58	-13.46	-14.12	2

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

21/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6862G	7.72	6.64425G	-24.79	-12.40	-12.39	1
6.6887G	8.47	6.64325G	-26.16	-11.68	-14.48	2

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

21/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84645G	8.47	6.89205G	-25.61	-11.54	-14.07	1
6.8426G	9.11	6.89095G	-25.62	-10.94	-14.68	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

21/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9795G	4.39	5.8624G	-43.34	-35.61	-7.73	1
5.9937G	4.49	5.866G	-42.36	-34.69	-7.67	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

21/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2226G	6.83	6.1357G	-21.82	-13.23	-8.59	1
6.2307G	7.25	6.1302G	-23.70	-12.78	-10.92	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

21/03/2026




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

21/03/2026



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

21/03/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7016G	4.54	6.8564G	-41.76	-35.21	-6.55	1
6.707G	5.75	6.7696G	-23.80	-15.78	-8.02	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

21/03/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.789G	4.76	6.8729G	-28.01	-15.52	-12.49	1
6.7815G	5.20	6.8711G	-29.09	-14.81	-14.28	2

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

21/03/2026

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
3m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6G	6.48	5.7812G	-36.77	-33.52	-3.25	1
6.0034G	6.33	5.7786G	-36.91	-33.67	-3.24	2

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

21/03/2026

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
3m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.157G	8.06	6.0318G	-18.65	-12.09	-6.56	1
6.1606G	7.83	6.037G	-18.14	-12.17	-5.97	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

21/03/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
3m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3284G	7.57	6.1904G	-18.71	-12.51	-6.20	1
6.3162G	7.40	6.1824G	-18.37	-12.79	-5.58	2

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

21/03/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
3m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6456G	6.60	6.8234G	-26.55	-13.41	-13.14	1
6.6412G	6.47	6.8242G	-27.07	-13.59	-13.48	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

31/03/2026




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

31/03/2026




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

31/03/2026




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

31/03/2026




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

31/03/2026




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

31/03/2026



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

31/03/2026




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

31/03/2026



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

31/03/2026

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40385G	2.38	6.3431G	-49.94	-37.62	-12.32	1
6.4064G	2.21	6.34475G	-49.93	-37.79	-12.14	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

31/03/2026

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5665G	5.16	6.6228G	-45.44	-33.87	-11.57	1
6.559901G	5.02	6.62355G	-44.56	-34.37	-10.19	2

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

31/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.682901G	4.34	6.7441G	-46.47	-35.58	-10.89	1
6.689299G	4.29	6.7355G	-41.64	-30.49	-11.15	2

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

31/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852498G	4.87	6.9048G	-43.70	-35.13	-8.57	1
6.849599G	4.35	6.9051G	-45.92	-35.65	-10.27	2

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

31/03/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9838G	-0.23	5.8504G	-50.25	-40.23	-10.02	1
5.977G	-0.63	5.8381G	-50.12	-40.63	-9.49	2

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

31/03/2026

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2236G	0.04	6.3532G	-50.25	-39.96	-10.29	1
6.2314G	-0.37	6.1023G	-49.90	-40.16	-9.74	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

31/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3886G	-0.37	6.2473G	-50.21	-40.37	-9.84	1
6.3799G	-0.83	6.2621G	-49.81	-40.83	-8.98	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

01/04/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6175G	1.75	6.5021G	-47.29	-38.25	-9.04	1
6.6218G	1.99	6.7473G	-46.07	-38.01	-8.06	2