


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX



Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.75
802.11ax HEW20_Nss1,(MCS0)_2TX	7.54
802.11ax HEW40_Nss1,(MCS0)_2TX	7.70
802.11ax HEW80_Nss1,(MCS0)_2TX	4.43
802.11ax HEW160_Nss1,(MCS0)_2TX	-6.12
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	5.49
802.11ax HEW20_Nss1,(MCS0)_2TX	5.34
802.11ax HEW40_Nss1,(MCS0)_2TX	4.65
802.11ax HEW80_Nss1,(MCS0)_2TX	0.80

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5500MHz	Pass	9.20	4.58	5.02	7.75	7.80
5580MHz	Pass	9.20	4.49	4.69	7.48	7.80
5700MHz	Pass	9.20	4.71	4.63	7.64	7.80
5720MHz Straddle 5.47-5.725GHz	Pass	9.20	4.55	4.33	7.39	7.80
5720MHz Straddle 5.725-5.85GHz	Pass	8.35	2.61	2.40	5.49	27.65
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5500MHz	Pass	9.20	4.45	4.77	7.54	7.80
5580MHz	Pass	9.20	4.47	4.58	7.50	7.80
5700MHz	Pass	9.20	4.57	4.56	7.50	7.80
5720MHz Straddle 5.47-5.725GHz	Pass	9.20	4.49	4.31	7.34	7.80
5720MHz Straddle 5.725-5.85GHz	Pass	8.35	2.41	2.29	5.34	27.65
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5510MHz	Pass	9.20	-0.28	-0.36	2.57	7.80
5550MHz	Pass	9.20	4.03	4.52	7.21	7.80
5670MHz	Pass	9.20	3.78	3.79	6.74	7.80
5710MHz Straddle 5.47-5.725GHz	Pass	9.20	4.64	4.85	7.70	7.80
5710MHz Straddle 5.725-5.85GHz	Pass	8.35	1.84	1.63	4.65	27.65
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5530MHz	Pass	9.20	-6.75	-6.01	-3.38	7.80
5610MHz	Pass	9.20	1.24	1.23	4.14	7.80
5690MHz Straddle 5.47-5.725GHz	Pass	9.20	1.30	1.80	4.43	7.80
5690MHz Straddle 5.725-5.85GHz	Pass	8.35	-2.44	-1.95	0.80	27.65
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5570MHz	Pass	9.20	-9.33	-8.88	-6.12	7.80

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

31/03/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.75	7.75	4.58	5.02

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

31/03/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.48	7.48	4.49	4.69

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

31/03/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.64	7.64	4.71	4.63

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

31/03/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.39	7.39	4.55	4.33

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

31/03/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.49	5.49	2.61	2.40

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5500MHz

31/03/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.54	7.54	4.45	4.77

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5580MHz

31/03/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.50	7.50	4.47	4.58

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5700MHz

31/03/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.50	7.50	4.57	4.56

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

31/03/2026




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

31/03/2026



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5510MHz

20/03/2026

CF (Hz)
5.51G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.57	2.57	-0.28	-0.36

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5550MHz

20/03/2026

CF (Hz)
5.55G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.21	7.21	4.03	4.52

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5670MHz

20/03/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.74	6.74	3.78	3.79

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

20/03/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.70	7.70	4.64	4.85

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

20/03/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.65	4.65	1.84	1.63

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5530MHz

20/03/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.38	-3.38	-6.75	-6.01

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5610MHz

20/03/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.14	4.14	1.24	1.23

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

20/03/2026

CF (Hz)
5.65G


Span (Hz)
300M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.43	4.43	1.30	1.80

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

20/03/2026




5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

5570MHz

20/03/2026



Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.89
802.11a_Nss1,(6Mbps)_2TX	10.53
802.11a_Nss1,(6Mbps)_4TX	8.83
802.11be EHT20_Nss1,(MCS0)_1TX	10.40
802.11be EHT20_Nss1,(MCS0)_2TX	10.10
802.11be EHT20_Nss1,(MCS0)_4TX	8.70
802.11be EHT40_Nss1,(MCS0)_1TX	7.80
802.11be EHT40_Nss1,(MCS0)_2TX	7.01
802.11be EHT40_Nss1,(MCS0)_4TX	6.98
802.11be EHT80_Nss1,(MCS0)_1TX	4.07
802.11be EHT80_Nss1,(MCS0)_2TX	3.94
802.11be EHT80_Nss1,(MCS0)_4TX	3.96
802.11be EHT160_Nss1,(MCS0)_1TX	-5.68
802.11be EHT160_Nss1,(MCS0)_2TX	-4.73
802.11be EHT160_Nss1,(MCS0)_4TX	-3.60
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	9.40
802.11a_Nss1,(6Mbps)_2TX	8.98
802.11a_Nss1,(6Mbps)_4TX	7.42
802.11be EHT20_Nss1,(MCS0)_1TX	9.14
802.11be EHT20_Nss1,(MCS0)_2TX	8.58
802.11be EHT20_Nss1,(MCS0)_4TX	7.30
802.11be EHT40_Nss1,(MCS0)_1TX	6.10
802.11be EHT40_Nss1,(MCS0)_2TX	5.45
802.11be EHT40_Nss1,(MCS0)_4TX	5.38
802.11be EHT80_Nss1,(MCS0)_1TX	2.33
802.11be EHT80_Nss1,(MCS0)_2TX	2.12
802.11be EHT80_Nss1,(MCS0)_4TX	1.95

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5500MHz	Pass	3.57	8.95				8.95	11.00
5580MHz	Pass	3.57	10.46				10.46	11.00
5700MHz	Pass	3.57	5.81				5.81	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	3.57	10.89				10.89	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.71	9.40				9.40	30.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5500MHz	Pass	3.57	8.58				8.58	11.00
5580MHz	Pass	3.57	9.40				9.40	11.00
5700MHz	Pass	3.57	1.57				1.57	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	3.57	10.40				10.40	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.71	9.14				9.14	30.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5510MHz	Pass	3.57	1.19				1.19	11.00
5550MHz	Pass	3.57	6.84				6.84	11.00
5670MHz	Pass	3.57	3.93				3.93	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	3.57	7.80				7.80	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.71	6.10				6.10	30.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5530MHz	Pass	3.57	-0.14				-0.14	11.00
5610MHz	Pass	3.57	2.26				2.26	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	3.57	4.07				4.07	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.71	2.33				2.33	30.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	3.57	-5.68				-5.68	11.00
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5500MHz	Pass	6.43	7.39	7.71			10.53	10.57
5580MHz	Pass	6.43	6.94	7.30			10.06	10.57
5700MHz	Pass	6.43	5.23	6.06			8.63	10.57
5720MHz Straddle 5.47-5.725GHz	Pass	6.43	7.46	7.67			10.52	10.57
5720MHz Straddle 5.725-5.85GHz	Pass	5.77	5.90	6.16			8.98	30.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5500MHz	Pass	6.43	7.06	7.24			10.10	10.57
5580MHz	Pass	6.43	6.45	6.57			9.45	10.57
5700MHz	Pass	6.43	0.75	1.41			4.09	10.57
5720MHz Straddle 5.47-5.725GHz	Pass	6.43	6.77	7.07			9.92	10.57
5720MHz Straddle 5.725-5.85GHz	Pass	5.77	5.47	5.71			8.58	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5510MHz	Pass	6.43	-2.24	-2.01			0.85	10.57
5550MHz	Pass	6.43	3.48	3.71			6.59	10.57
5670MHz	Pass	6.43	0.93	1.40			4.04	10.57
5710MHz Straddle 5.47-5.725GHz	Pass	6.43	3.74	4.36			7.01	10.57
5710MHz Straddle 5.725-5.85GHz	Pass	5.77	2.09	2.83			5.45	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5530MHz	Pass	6.43	-4.06	-3.76			-0.99	10.57
5610MHz	Pass	6.43	-0.14	0.62			3.21	10.57
5690MHz Straddle 5.47-5.725GHz	Pass	6.43	0.71	1.42			3.94	10.57
5690MHz Straddle 5.725-5.85GHz	Pass	5.77	-1.08	-0.57			2.12	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.43	-7.80	-7.59			-4.73	10.57
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5500MHz	Pass	7.99	2.91	3.18	2.02	2.88	8.74	9.01
5580MHz	Pass	7.99	2.91	2.98	2.22	3.39	8.83	9.01
5700MHz	Pass	7.99	2.16	3.06	2.23	3.00	8.62	9.01
5720MHz Straddle 5.47-5.725GHz	Pass	7.99	2.71	2.97	2.48	3.32	8.80	9.01

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5720MHz Straddle 5.725-5.85GHz	Pass	7.82	1.33	1.33	1.12	1.94	7.42	28.18
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5500MHz	Pass	7.99	2.75	3.27	2.06	2.52	8.59	9.01
5580MHz	Pass	7.99	2.87	3.03	2.23	2.99	8.70	9.01
5700MHz	Pass	7.99	-1.29	-0.34	-1.20	-0.84	5.04	9.01
5720MHz Straddle 5.47-5.725GHz	Pass	7.99	2.55	3.15	2.47	2.86	8.68	9.01
5720MHz Straddle 5.725-5.85GHz	Pass	7.82	1.34	1.58	1.09	1.49	7.30	28.18
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5510MHz	Pass	7.99	-4.04	-3.81	-4.76	-4.24	1.74	9.01
5550MHz	Pass	7.99	0.70	1.04	-0.04	0.29	6.43	9.01
5670MHz	Pass	7.99	0.55	1.20	-0.02	0.45	6.44	9.01
5710MHz Straddle 5.47-5.725GHz	Pass	7.99	1.03	1.45	0.84	1.17	6.98	9.01
5710MHz Straddle 5.725-5.85GHz	Pass	7.82	-0.50	-0.11	-0.64	-0.80	5.38	28.18
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.99	-5.33	-5.17	-6.06	-5.66	0.26	9.01
5610MHz	Pass	7.99	-2.70	-2.08	-3.37	-3.12	3.06	9.01
5690MHz Straddle 5.47-5.725GHz	Pass	7.99	-1.93	-1.57	-2.15	-1.89	3.96	9.01
5690MHz Straddle 5.725-5.85GHz	Pass	7.82	-3.85	-3.63	-4.27	-4.02	1.95	28.18
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.99	-9.23	-9.15	-10.24	-9.41	-3.60	9.01

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

17/02/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.95	8.95	8.95

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

17/02/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.46	10.46	10.46

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

17/02/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
5.81	5.81	5.81

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

17/02/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
10.89	10.89	10.89

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

17/02/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5500MHz

17/02/2026



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5580MHz

17/02/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.40	9.40	9.40

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5700MHz

17/02/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.57	1.57	1.57

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

17/02/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

17/02/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5510MHz

17/02/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5550MHz

17/02/2026



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5670MHz

17/02/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.93	3.93	3.93

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

17/02/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.80	7.80	7.80

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

17/02/2026



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5530MHz

17/02/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5610MHz

17/02/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

17/02/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

17/02/2026




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.33	2.33	2.33

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

5570MHz

17/02/2026



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.68	-5.68	-5.68

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

17/02/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.53	10.53	7.39	7.71

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

17/02/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.06	10.06	6.94	7.30

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

17/02/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
8.63	8.63	5.23	6.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

17/02/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
10.52	10.52	7.46	7.67

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

17/02/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5500MHz

17/02/2026



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5580MHz

17/02/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.45	9.45	6.45	6.57

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5700MHz

17/02/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.09	4.09	0.75	1.41

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

17/02/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

17/02/2026



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5510MHz

17/02/2026

CF (Hz)
5.51G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.85	0.85	-2.24	-2.01

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5550MHz

17/02/2026

CF (Hz)
5.55G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.59	6.59	3.48	3.71

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5670MHz

17/02/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.04	4.04	0.93	1.40

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

17/02/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.01	7.01	3.74	4.36

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

17/02/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.45	5.45	2.09	2.83

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5530MHz

17/02/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.99	-0.99	-4.06	-3.76

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5610MHz

17/02/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.21	3.21	-0.14	0.62

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

17/02/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.94	3.94	0.71	1.42

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

17/02/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

17/02/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

17/02/2026




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

17/02/2026



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

17/02/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.62	8.62	2.16	3.06	2.23	3.00

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

17/02/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.80	8.80	2.71	2.97	2.48	3.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

17/02/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5500MHz

17/02/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5580MHz

17/02/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5700MHz

17/02/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

17/02/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

17/02/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5510MHz

17/02/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5550MHz

17/02/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5670MHz

17/02/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

17/02/2026




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

17/02/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5530MHz

17/02/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5610MHz

17/02/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

17/02/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

17/02/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

5570MHz

17/02/2026



Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	4.03
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	3.92
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	3.84
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX	-5.73
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-5.16
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-3.63
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	1.86
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	1.81
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	1.38

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-
5530MHz	Pass	3.57	-0.46	-	-	-	-0.46	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-
5530MHz	Pass	3.57	-0.34	-	-	-	-0.34	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-
5610MHz	Pass	3.57	1.86	-	-	-	1.86	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-
5610MHz	Pass	3.57	2.04	-	-	-	2.04	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	3.57	4.03	-	-	-	4.03	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.71	1.86	-	-	-	1.86	30.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	3.57	3.94	-	-	-	3.94	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.71	1.54	-	-	-	1.54	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	3.57	-5.81	-	-	-	-5.81	11.00
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	3.57	-5.73	-	-	-	-5.73	11.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	3.57	-6.06	-	-	-	-6.06	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
5530MHz	Pass	6.43	-3.99	-3.73	-	-	-1.09	10.57
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
5530MHz	Pass	6.43	-4.02	-3.68	-	-	-1.12	10.57
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
5610MHz	Pass	6.43	-0.49	0.34	-	-	2.88	10.57
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
5610MHz	Pass	6.43	-0.64	0.25	-	-	2.75	10.57
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	6.43	1.22	0.85	-	-	3.92	10.57
5690MHz Straddle 5.725-5.85GHz	Pass	5.77	-1.20	-0.90	-	-	1.81	30.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	6.43	0.97	0.79	-	-	3.83	10.57
5690MHz Straddle 5.725-5.85GHz	Pass	5.77	-1.41	-1.21	-	-	1.68	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.43	-8.15	-7.70	-	-	-5.21	10.57
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.43	-8.12	-7.83	-	-	-5.16	10.57
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.43	-8.07	-7.67	-	-	-5.22	10.57
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.99	-5.90	-5.79	-6.27	-5.76	-0.12	9.01
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.99	-5.78	-5.39	-5.88	-5.43	0.21	9.01
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	7.99	-3.48	-2.58	-3.17	-2.77	2.77	9.01
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	7.99	-3.46	-2.66	-3.31	-2.96	2.69	9.01
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	7.99	-1.77	-1.97	-2.45	-2.00	3.74	9.01
5690MHz Straddle 5.725-5.85GHz	Pass	7.82	-4.37	-4.08	-5.47	-4.53	1.25	28.18
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	7.99	-2.08	-1.83	-2.69	-2.01	3.84	9.01
5690MHz Straddle 5.725-5.85GHz	Pass	7.82	-4.58	-3.88	-5.47	-4.24	1.38	28.18
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-



PSD_Mode 3

Appendix D.3

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5570MHz	Pass	7.99	-9.70	-9.32	-9.47	-9.24	-3.63	9.01
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.99	-9.64	-9.27	-9.55	-9.09	-3.65	9.01

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5530MHz

01/05/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.46	-0.46	-0.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5530MHz

01/05/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.34	-0.34	-0.34

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5610MHz

01/05/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5610MHz

01/05/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

01/05/2026



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.03	4.03	4.03

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

01/05/2026



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.94	3.94	3.94

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

01/05/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

01/05/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

PSD

5570MHz

01/05/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.81	-5.81	-5.81

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

PSD

5570MHz

01/05/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.73	-5.73	-5.73

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

PSD

5570MHz

01/05/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5530MHz

01/05/2026



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5530MHz

01/05/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.12	-1.12	-4.02	-3.68

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5610MHz

01/05/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.88	2.88	-0.49	0.34

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5610MHz

01/05/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.75	2.75	-0.64	0.25

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

01/05/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.92	3.92	1.22	0.85

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

01/05/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

01/05/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

01/05/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5570MHz

01/05/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

PSD

5570MHz

01/05/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.16	-5.16	-8.12	-7.83

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

PSD

5570MHz

01/05/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.22	-5.22	-8.07	-7.67

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5530MHz

01/05/2026




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.12	-0.12	-5.90	-5.79	-6.27	-5.76

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5530MHz

01/05/2026




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.21	0.21	-5.78	-5.39	-5.88	-5.43

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5610MHz

01/05/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5610MHz

01/05/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

01/05/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

01/05/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

01/05/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

01/05/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5570MHz

01/05/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

PSD

5570MHz

01/05/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

PSD

5570MHz

01/05/2026



Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	3.85
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	3.65
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	3.79
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-5.78
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-5.11
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-3.65
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	1.89
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	1.71
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	1.50

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
5530MHz	Pass	3.57	-0.59				-0.59	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX	-	-	-	-	-	-	-	-
5610MHz	Pass	3.57	1.88				1.88	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	3.57	3.85				3.85	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.71	1.89				1.89	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	3.57	-5.88				-5.88	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	3.57	-5.78				-5.78	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
5530MHz	Pass	6.43	-3.83	-3.83			-1.03	10.57
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-
5610MHz	Pass	6.43	-0.21	0.54			3.04	10.57
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	6.43	0.83	0.86			3.65	10.57
5690MHz Straddle 5.725-5.85GHz	Pass	5.77	-1.27	-1.21			1.71	30.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.43	-8.14	-7.97			-5.19	10.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	6.43	-8.06	-7.82			-5.11	10.57
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.99	-6.09	-6.13	-5.94	-5.84	-0.21	9.01
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	7.99	-3.50	-2.81	-3.00	-3.28	2.71	9.01
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	7.99	-2.26	-2.16	-2.20	-2.11	3.79	9.01
5690MHz Straddle 5.725-5.85GHz	Pass	7.82	-4.23	-4.40	-4.47	-4.65	1.50	28.18
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.99	-9.71	-9.68	-9.09	-9.44	-3.75	9.01
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.99	-9.70	-9.59	-9.05	-9.36	-3.65	9.01

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

PSD

5530MHz

23/04/2026

CF (Hz)
5.53G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.507
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.59	-0.59	-0.59


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX

PSD

5610MHz

23/04/2026

CF (Hz)
5.61G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.74
Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.88	1.88	1.88

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/04/2026




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.85	3.85	3.85

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/04/2026




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.89	1.89	1.89

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_1TX

PSD

5570MHz

23/04/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_3_1TX

PSD

5570MHz

23/04/2026



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

PSD

5530MHz

23/04/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.507

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.03	-1.03	-3.83	-3.83

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

PSD

5610MHz

23/04/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
54.74

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.04	3.04	-0.21	0.54

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/04/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/04/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

PSD

5570MHz

23/04/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.19	-5.19	-8.14	-7.97

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

PSD

5570MHz

23/04/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.11	-5.11	-8.06	-7.82


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

PSD

5530MHz

23/04/2026

CF (Hz)
5.53G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.507
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.21	-0.21	-6.09	-6.13	-5.94	-5.84


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

PSD

5610MHz

23/04/2026

CF (Hz)
5.61G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
54.74
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.71	2.71	-3.50	-2.81	-3.00	-3.28

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/04/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/04/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_4TX

PSD

5570MHz

23/04/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.241
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.75	-3.75	-9.71	-9.68	-9.09	-9.44


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_3_4TX

PSD

5570MHz

23/04/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.35
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.65	-3.65	-9.70	-9.59	-9.05	-9.36

Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.59
802.11a_Nss1,(6Mbps)_2TX	10.74
802.11a_Nss1,(6Mbps)_4TX	9.60
802.11be EHT20_Nss1,(MCS0)_1TX	10.54
802.11be EHT20_Nss1,(MCS0)_2TX	10.53
802.11be EHT20_Nss1,(MCS0)_4TX	9.59
802.11be EHT40_Nss1,(MCS0)_1TX	7.70
802.11be EHT40_Nss1,(MCS0)_2TX	7.82
802.11be EHT40_Nss1,(MCS0)_4TX	7.63
802.11be EHT80_Nss1,(MCS0)_1TX	4.43
802.11be EHT80_Nss1,(MCS0)_2TX	4.28
802.11be EHT80_Nss1,(MCS0)_4TX	4.18
802.11be EHT160_Nss1,(MCS0)_1TX	-0.72
802.11be EHT160_Nss1,(MCS0)_2TX	1.03
802.11be EHT160_Nss1,(MCS0)_4TX	0.91
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	8.88
802.11a_Nss1,(6Mbps)_2TX	9.02
802.11a_Nss1,(6Mbps)_4TX	7.83
802.11be EHT20_Nss1,(MCS0)_1TX	8.80
802.11be EHT20_Nss1,(MCS0)_2TX	8.89
802.11be EHT20_Nss1,(MCS0)_4TX	7.71
802.11be EHT40_Nss1,(MCS0)_1TX	5.66
802.11be EHT40_Nss1,(MCS0)_2TX	5.57
802.11be EHT40_Nss1,(MCS0)_4TX	5.54
802.11be EHT80_Nss1,(MCS0)_1TX	2.13
802.11be EHT80_Nss1,(MCS0)_2TX	1.77
802.11be EHT80_Nss1,(MCS0)_4TX	1.80

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5500MHz	Pass	4.72	7.62				7.62	11.00
5580MHz	Pass	4.72	10.53				10.53	11.00
5700MHz	Pass	4.72	8.39				8.39	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.72	10.59				10.59	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.10	8.88				8.88	30.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5500MHz	Pass	4.72	9.55				9.55	11.00
5580MHz	Pass	4.72	9.63				9.63	11.00
5700MHz	Pass	4.72	8.25				8.25	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.72	10.54				10.54	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.10	8.80				8.80	30.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5510MHz	Pass	4.72	6.43				6.43	11.00
5550MHz	Pass	4.72	6.80				6.80	11.00
5670MHz	Pass	4.72	4.51				4.51	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.72	7.70				7.70	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.10	5.66				5.66	30.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.72	3.77				3.77	11.00
5610MHz	Pass	4.72	3.94				3.94	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.72	4.43				4.43	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.10	2.13				2.13	30.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-0.72				-0.72	11.00
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5500MHz	Pass	4.72	7.53	7.95			10.74	11.00
5580MHz	Pass	4.72	7.12	7.55			10.27	11.00
5700MHz	Pass	4.72	7.24	7.34			10.30	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.72	7.75	7.80			10.72	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.40	6.15	6.05			9.02	30.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5500MHz	Pass	4.72	6.54	6.91			9.71	11.00
5580MHz	Pass	4.72	6.58	7.09			9.78	11.00
5700MHz	Pass	4.72	7.23	6.59			9.92	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.72	7.47	7.64			10.53	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.40	5.82	5.97			8.89	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5510MHz	Pass	4.72	4.11	3.27			6.54	11.00
5550MHz	Pass	4.72	3.59	3.71			6.63	11.00
5670MHz	Pass	4.72	3.96	3.69			6.77	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.72	4.94	4.71			7.82	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.40	2.83	2.44			5.57	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.72	1.59	0.59			4.02	11.00
5610MHz	Pass	4.72	0.67	0.76			3.64	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.72	1.24	1.37			4.28	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.40	-1.03	-1.33			1.77	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-1.52	-2.43			1.03	11.00
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5580MHz	Pass	7.38	2.95	3.49	3.37	3.24	9.21	9.62
5700MHz	Pass	7.38	3.68	3.77	3.64	3.37	9.60	9.62
5720MHz Straddle 5.47-5.725GHz	Pass	7.38	3.58	3.69	3.63	3.52	9.60	9.62
5720MHz Straddle 5.725-5.85GHz	Pass	7.46	1.96	1.98	1.82	1.74	7.83	28.54

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5500MHz	Pass	7.38	3.40	3.80	3.66	3.61	9.56	9.62
5580MHz	Pass	7.38	3.09	3.52	3.54	3.28	9.27	9.62
5700MHz	Pass	7.38	3.79	3.09	3.07	3.05	9.23	9.62
5720MHz Straddle 5.47-5.725GHz	Pass	7.38	3.45	3.61	3.70	3.72	9.59	9.62
5720MHz Straddle 5.725-5.85GHz	Pass	7.46	1.74	1.87	1.84	1.80	7.71	28.54
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5510MHz	Pass	7.38	0.97	0.30	0.40	0.79	6.50	9.62
5550MHz	Pass	7.38	0.55	0.70	0.71	0.69	6.51	9.62
5670MHz	Pass	7.38	1.09	0.81	0.73	0.81	6.78	9.62
5710MHz Straddle 5.47-5.725GHz	Pass	7.38	1.94	1.81	1.58	1.28	7.63	9.62
5710MHz Straddle 5.725-5.85GHz	Pass	7.46	-0.20	-0.63	-0.45	-0.47	5.54	28.54
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.38	-2.58	-3.38	-2.99	-2.99	2.82	9.62
5610MHz	Pass	7.38	-2.37	-2.35	-2.20	-2.24	3.56	9.62
5690MHz Straddle 5.47-5.725GHz	Pass	7.38	-1.66	-1.60	-1.81	-1.87	4.18	9.62
5690MHz Straddle 5.725-5.85GHz	Pass	7.46	-4.03	-4.32	-4.21	-3.96	1.80	28.54
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.38	-4.63	-5.32	-4.93	-5.18	0.91	9.62

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5500MHz

19/02/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.62	7.62	7.62

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5580MHz

19/02/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.53	10.53	10.53

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5700MHz

19/02/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.39	8.39	8.39

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

19/02/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.59	10.59	10.59

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

19/02/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.88	8.88	8.88

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5500MHz

11/06/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.55	9.55	9.55

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5580MHz

19/02/2026




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.63	9.63	9.63

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5700MHz

11/06/2026




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.25	8.25	8.25

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

19/02/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5720MHz Straddle 5.725-5.85GHz

19/02/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5510MHz

11/06/2026




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.43	6.43	6.43

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5550MHz

11/06/2026



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.80	6.80	6.80

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5670MHz

11/06/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.51	4.51	4.51

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

19/02/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.70	7.70	7.70

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

19/02/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5530MHz

11/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5610MHz

11/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

19/02/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

19/02/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

5570MHz

11/06/2026



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

19/02/2026

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.74	10.74	7.53	7.95

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

19/02/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.27	10.27	7.12	7.55

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

19/02/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
10.30	10.30	7.24	7.34

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

19/02/2026

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
10.72	10.72	7.75	7.80

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

19/02/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5500MHz

19/02/2026



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5580MHz

19/02/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
9.78	9.78	6.58	7.09

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5700MHz

11/06/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
9.92	9.92	7.23	6.59

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

19/02/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

19/02/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5510MHz

11/06/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.54	6.54	4.11	3.27

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5550MHz

19/02/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.63	6.63	3.59	3.71

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5670MHz

11/06/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.77	6.77	3.96	3.69

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

19/02/2026

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.82	7.82	4.94	4.71

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

19/02/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5530MHz

11/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5610MHz

19/02/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.64	3.64	0.67	0.76

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

19/02/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.28	4.28	1.24	1.37

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

19/02/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

11/06/2026



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

19/02/2026

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.21	9.21	2.95	3.49	3.37	3.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

19/02/2026

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.60	9.60	3.68	3.77	3.64	3.37

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

19/02/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

19/02/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5500MHz

19/02/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5580MHz

19/02/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5700MHz

11/06/2026




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.47-5.725GHz

19/02/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5720MHz Straddle 5.725-5.85GHz

19/02/2026




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5510MHz

11/06/2026



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5550MHz

19/02/2026

CF (Hz)
5.55G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.51	6.51	0.55	0.70	0.71	0.69

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5670MHz

11/06/2026

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.78	6.78	1.09	0.81	0.73	0.81

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

19/02/2026




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.725-5.85GHz

19/02/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5530MHz

11/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5610MHz

19/02/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

19/02/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

19/02/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

5570MHz

11/06/2026





Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	4.28
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	3.94
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	3.66
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX	-0.96
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	0.89
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	0.74

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.72	-1.45				-1.45	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.72	3.53				3.53	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-
5610MHz	Pass	4.72	3.92				3.92	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-
5610MHz	Pass	4.72	3.62				3.62	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	4.72	4.28				4.28	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	4.72	3.87				3.87	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-1.04				-1.04	11.00
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-0.96				-0.96	11.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-0.99				-0.99	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.72	-0.04	-0.51			2.68	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.72	1.23	0.61			3.94	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
5610MHz	Pass	4.72	0.64	0.36			3.21	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
5610MHz	Pass	4.72	0.70	0.49			3.37	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	4.72	0.71	1.15			3.81	11.00
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	4.72	0.26	0.79			3.36	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-1.84	-2.09			0.81	11.00
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-1.86	-2.26			0.89	11.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-2.23	-2.36			0.71	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.38	-2.97	-3.22	-3.36	-3.36	2.72	9.62
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.38	-2.93	-3.45	-3.56	-3.71	2.54	9.62
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	7.38	-2.53	-2.84	-2.30	-2.62	3.23	9.62
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	7.38	-2.43	-2.31	-2.29	-2.31	3.30	9.62
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	7.38	-2.40	-1.94	-2.12	-2.16	3.66	9.62
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	7.38	-2.35	-1.88	-2.44	-2.41	3.50	9.62
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.38	-4.90	-4.64	-5.31	-5.35	0.68	9.62
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.38	-4.87	-4.95	-5.34	-5.40	0.71	9.62
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.38	-4.63	-4.83	-4.90	-5.31	0.74	9.62


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5530MHz

12/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5530MHz

12/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5610MHz

12/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5610MHz

12/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

04/05/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

04/05/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

PSD

5570MHz

12/06/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

PSD

5570MHz

12/06/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

PSD

5570MHz

12/06/2026




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.99	-0.99	-0.99

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5530MHz

12/06/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.68	2.68	-0.04	-0.51

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5530MHz

12/06/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.94	3.94	1.23	0.61

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5610MHz

06/05/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.21	3.21	0.64	0.36

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5610MHz

06/05/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.37	3.37	0.70	0.49

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

06/05/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.81	3.81	0.71	1.15

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

06/05/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

PSD

5570MHz

12/06/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

PSD

5570MHz

12/06/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.89	0.89	-1.86	-2.26

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

PSD

5570MHz

12/06/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.71	0.71	-2.23	-2.36

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5530MHz

12/06/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.72	2.72	-2.97	-3.22	-3.36	-3.36

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5530MHz

12/06/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.54	2.54	-2.93	-3.45	-3.56	-3.71

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5610MHz

06/05/2026




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.23	3.23	-2.53	-2.84	-2.30	-2.62

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5610MHz

06/05/2026




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.30	3.30	-2.43	-2.31	-2.29	-2.31

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

06/05/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

06/05/2026



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

PSD

5570MHz

12/06/2026

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.68	0.68	-4.90	-4.64	-5.31	-5.35

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

PSD

5570MHz

12/06/2026

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.71	0.71	-4.87	-4.95	-5.34	-5.40

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

PSD

5570MHz

12/06/2026



Summary

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	3.34
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	3.57
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	4.04
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-4.81
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-2.48
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	0.84
5.725-5.85GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	0.90
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	1.39
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	1.78

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.72	0.46				0.46	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-
5530MHz	Pass	4.72	-0.61	-0.78			2.21	11.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	7.38	-3.67	-3.55	-3.87	-4.08	2.08	9.62
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX	-	-	-	-	-	-	-	-
5610MHz	Pass	4.72	1.67				1.67	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.72	3.34				3.34	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.10	0.9				0.90	30.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-
5610MHz	Pass	4.72	0.21	0.13			3.15	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.72	0.67	0.82			3.57	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.40	-1.66	-1.52			1.39	30.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-
5610MHz	Pass	7.38	-2.41	-2.82	-1.73	-2.56	3.36	9.62
5690MHz Straddle 5.47-5.725GHz	Pass	7.38	-1.85	-2.06	-1.47	-1.94	4.04	9.62
5690MHz Straddle 5.725-5.85GHz	Pass	7.46	-4.29	-4.44	-4.17	-3.72	1.78	28.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-5.35	-5.53			-2.53	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-4.81				-4.81	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-5.37				-5.37	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-
5570MHz	Pass	4.72	-5.36	-5.39			-2.48	11.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.38	-5.86	-6.01	-6.36	-6.45	-0.33	9.62
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
5570MHz	Pass	7.38	-4.72	-4.82	-5.11	-5.22	0.84	9.62


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

PSD

5530MHz

11/06/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX

PSD

5610MHz

23/04/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_2_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

01/05/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_2_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

01/05/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_1TX

PSD

5570MHz

11/06/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.81	-4.81	-4.81

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_3_1TX

PSD

5570MHz

11/06/2026



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.37	-5.37	-5.37

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

PSD

5530MHz

11/06/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.21	2.21	-0.61	-0.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

PSD

5610MHz

23/04/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.15	3.15	0.21	0.13

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/04/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/04/2026



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_2TX

PSD

5570MHz

11/06/2026

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.53	-2.53	-5.35	-5.53

Sum ☒

Port 1 ☒

Port 2 ☒

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_3_2TX

PSD

5570MHz

11/06/2026

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.48	-2.48	-5.36	-5.39

Sum ☒

Port 1 ☒

Port 2 ☒

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

PSD

5530MHz

11/06/2026

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.08	2.08	-3.67	-3.55	-3.87	-4.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

PSD

5610MHz

23/04/2026

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.36	3.36	-2.41	-2.82	-1.73	-2.56

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_2_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/04/2026




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_2_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

23/04/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

PSD

5570MHz

11/06/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.33	-0.33	-5.86	-6.01	-6.36	-6.45


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP_3_4TX

PSD

5570MHz

11/06/2026

CF (Hz)
5.57G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.84	0.84	-4.72	-4.82	-5.11	-5.22




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 10	Pass	PK	525.67M	41.94	46.00	-4.06	Vertical

Mode 10



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	356.41M	37.76	46.00	-8.24	-31.26	3	Vertical	132	2.00	-	69.02	20.33	2.34	53.93		
PK	379.2M	37.53	46.00	-8.47	-30.33	3	Vertical	155	2.00	-	67.86	21.12	2.43	53.88		
PK	405.39M	37.83	46.00	-8.17	-29.54	3	Vertical	41	1.00	-	67.37	21.77	2.50	53.81		
PK	430.13M	38.41	46.00	-7.59	-28.70	3	Vertical	238	1.00	-	67.11	22.49	2.48	53.67		
PK	520.34M	40.67	46.00	-5.33	-26.39	3	Vertical	222	1.00	-	67.06	23.99	2.91	53.29		
PK	525.67M	41.94	46.00	-4.06	-26.27	3	Vertical	45	1.00	"Worst"	68.21	24.05	2.94	53.26		
PK	539.25M	40.30	46.00	-5.70	-25.96	3	Vertical	138	1.00	-	66.26	24.19	3.01	53.16		

Mode 10



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	336.04M	30.41	46.00	-15.59	-31.40	3	Horizontal	89	3.00	-	61.81	20.18	2.28	53.86		
PK	365.14M	31.45	46.00	-14.55	-30.93	3	Horizontal	128	2.00	-	62.38	20.61	2.37	53.91		
PK	390.84M	31.05	46.00	-14.95	-29.93	3	Horizontal	77	2.00	-	60.98	21.46	2.47	53.86		
PK	435.95M	31.19	46.00	-14.81	-28.48	3	Horizontal	153	1.00	-	59.67	22.67	2.48	53.63		
PK	463.59M	29.56	46.00	-16.44	-27.81	3	Horizontal	92	1.00	-	57.37	23.15	2.56	53.52		
PK	531.01M	31.60	46.00	-14.40	-26.08	3	Horizontal	76	2.00	-	57.68	24.17	2.97	53.22		
PK	565.93M	33.57	46.00	-12.43	-25.18	3	Horizontal	149	2.00	"Worst"	58.75	24.70	3.17	53.05		
PK	632.37M	30.73	46.00	-15.27	-23.18	3	Horizontal	217	3.00	-	53.91	26.14	3.56	52.88		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.457G	53.94	54.00	-0.06	3	Vertical	38	1.80	19

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 22
17\23\20\21.5\22\25\23.5\22
6.43\ -0.01\6.44\6.12\4.31\ -4.56\ -0.53\3.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4518G	60.84	74.00	-13.16	54.48	3	Vertical	284	1.80	22	32.90	8.46	35.00			
AV	5.4577G	47.92	54.00	-6.08	41.54	3	Vertical	284	1.80	22	32.92	8.46	35.00			
PK	5.4683G	64.60	68.20	-3.60	58.18	3	Vertical	284	1.80	22	32.94	8.47	34.99			
PK	5.4976G	109.88	Inf	-Inf	103.37	3	Vertical	284	1.80	22	33.00	8.49	34.98			
AV	5.4979G	101.05	Inf	-Inf	94.54	3	Vertical	284	1.80	22	33.00	8.49	34.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_V_2TX
SET 20.5
22\16\21.5\19\20\20.5\21\20.5
-5.53\5.73\ -3.24\5.06\3.48\1.66\ -0.07\0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4566G	61.17	74.00	-12.83	54.80	3	Horizontal	293	1.80	20.5	32.91	8.46	35.00			
AV	5.46G	49.41	54.00	-4.59	43.02	3	Horizontal	293	1.80	20.5	32.92	8.46	34.99			
PK	5.47G	67.58	68.20	-0.62	61.16	3	Horizontal	293	1.80	20.5	32.94	8.47	34.99			
PK	5.5006G	118.67	Inf	-Inf	112.15	3	Horizontal	293	1.80	20.5	33.00	8.50	34.98			
AV	5.501G	109.96	Inf	-Inf	103.44	3	Horizontal	293	1.80	20.5	33.00	8.50	34.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_V_2TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99896G	58.43	74.00	-15.57	40.84	3	Vertical	283	2.50	20.5	38.90	12.13	33.44			
AV	10.9821G	46.95	54.00	-7.05	29.35	3	Vertical	283	2.50	20.5	38.94	12.12	33.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 20.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.98242G	59.59	74.00	-14.41	41.99	3	Horizontal	348	1.80	20.5	38.94	12.12	33.46			
AV	10.98142G	46.91	54.00	-7.09	29.31	3	Horizontal	348	1.80	20.5	38.94	12.12	33.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	60.15	74.00	-13.85	53.78	3	Vertical	34	2.42	29	32.91	8.46	35.00
AV	5.4447G	47.74	54.00	-6.26	41.39	3	Vertical	34	2.42	29	32.90	8.45	35.00
PK	5.4618G	59.30	68.20	-8.90	52.90	3	Vertical	34	2.42	29	32.92	8.47	34.99
PK	5.583G	118.86	Inf	-Inf	112.31	3	Vertical	34	2.42	29	32.93	8.56	34.94
AV	5.5827G	110.07	Inf	-Inf	103.52	3	Vertical	34	2.42	29	32.93	8.56	34.94
PK	5.727G	59.00	68.20	-9.20	51.64	3	Vertical	34	2.42	29	33.51	8.72	34.87

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.436G	60.03	74.00	-13.97	53.68	3	Horizontal	290	1.80	29	32.90	8.45	35.00				
AV	5.4426G	48.15	54.00	-5.85	41.80	3	Horizontal	290	1.80	29	32.90	8.45	35.00				
PK	5.466G	59.64	68.20	-8.56	53.23	3	Horizontal	290	1.80	29	32.93	8.47	34.99				
PK	5.5809G	123.97	Inf	-Inf	117.41	3	Horizontal	290	1.80	29	32.94	8.56	34.94				
AV	5.5809G	115.75	Inf	-Inf	109.19	3	Horizontal	290	1.80	29	32.94	8.56	34.94				
PK	5.7252G	59.73	68.20	-8.47	52.39	3	Horizontal	290	1.80	29	33.50	8.71	34.87				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15197G	59.59	74.00	-14.41	41.63	3	Vertical	309	2.47	29	39.00	12.24	33.28			
AV	11.14222G	47.36	54.00	-6.64	29.40	3	Vertical	309	2.47	29	39.02	12.23	33.29			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15596G	59.57	74.00	-14.43	41.60	3	Horizontal	1	1.80	29	39.00	12.24	33.27			
AV	11.14577G	47.31	54.00	-6.69	29.35	3	Horizontal	1	1.80	29	39.01	12.23	33.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 21
17\24\18\21
7.28\6.23\7.58\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6968G	114.63	Inf	-Inf	107.47	3	Vertical	339	2.94	21	33.37	8.68	34.89			
AV	5.6968G	105.00	Inf	-Inf	97.84	3	Vertical	339	2.94	21	33.37	8.68	34.89			
PK	5.726G	68.03	68.20	-0.17	60.69	3	Vertical	339	2.94	21	33.50	8.71	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 19.5
21\14.5\20.5\17.5\19\19.5\20\19.5
-6.05\7.33\ -3.67\6.59\5.36\2.86\ -0.20\2.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6966G	117.93	Inf	-Inf	110.77	3	Horizontal	286	1.80	19.5	33.37	8.68	34.89			
AV	5.7008G	109.88	Inf	-Inf	102.67	3	Horizontal	286	1.80	19.5	33.40	8.69	34.88			
PK	5.725G	66.03	68.20	-2.17	58.69	3	Horizontal	286	1.80	19.5	33.50	8.71	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_V_2TX
SET 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.4034G	59.96	74.00	-14.04	41.45	3	Vertical	286	1.80	19.5	39.10	12.41	33.00				
AV	11.40272G	47.66	54.00	-6.34	29.16	3	Vertical	286	1.80	19.5	39.10	12.41	33.01				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_V_2TX
SET 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38673G	59.73	74.00	-14.27	41.25	3	Horizontal	318	1.80	19.5	39.10	12.40	33.02			
AV	11.41962G	47.65	54.00	-6.35	29.12	3	Horizontal	318	1.80	19.5	39.10	12.42	32.99			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.4404G	58.97	74.00	-15.03	52.62	3	Vertical	332	2.91	29	32.90	8.45	35.00				
AV	5.4512G	47.66	54.00	-6.34	41.30	3	Vertical	332	2.91	29	32.90	8.46	35.00				
PK	5.4632G	58.87	68.20	-9.33	52.46	3	Vertical	332	2.91	29	32.93	8.47	34.99				
PK	5.7218G	118.34	Inf	-Inf	111.01	3	Vertical	332	2.91	29	33.49	8.71	34.87				
AV	5.7224G	109.29	Inf	-Inf	101.96	3	Vertical	332	2.91	29	33.49	8.71	34.87				
PK	5.9426G	60.89	68.20	-7.31	52.51	3	Vertical	332	2.91	29	34.19	8.96	34.77				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4236G	59.34	74.00	-14.66	53.01	3	Horizontal	286	1.80	29	32.90	8.44	35.01			
AV	5.4422G	47.88	54.00	-6.12	41.53	3	Horizontal	286	1.80	29	32.90	8.45	35.00			
PK	5.4656G	58.85	68.20	-9.35	52.44	3	Horizontal	286	1.80	29	32.93	8.47	34.99			
PK	5.7158G	124.55	Inf	-Inf	117.27	3	Horizontal	286	1.80	29	33.46	8.70	34.88			
AV	5.7152G	116.29	Inf	-Inf	109.01	3	Horizontal	286	1.80	29	33.46	8.70	34.88			
PK	5.9852G	62.03	68.20	-6.17	53.57	3	Horizontal	286	1.80	29	34.20	9.01	34.75			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.443G	59.65	74.00	-14.35	41.07	3	Vertical	76	1.80	29	39.10	12.44	32.96			
AV	11.44911G	48.07	54.00	-5.93	29.48	3	Vertical	76	1.80	29	39.10	12.44	32.95			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44452G	59.61	74.00	-14.39	41.03	3	Horizontal	332	2.80	29	39.10	12.44	32.96			
AV	11.44468G	48.03	54.00	-5.97	29.45	3	Horizontal	332	2.80	29	39.10	12.44	32.96			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 22
17\23.5\19\21\22\22.5\22
6.83\ -4.70\6.77\4.59\1.46\ -1.06\1.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4525G	59.81	74.00	-14.19	53.44	3	Vertical	282	1.80	22	32.91	8.46	35.00			
AV	5.4584G	47.62	54.00	-6.38	41.23	3	Vertical	282	1.80	22	32.92	8.46	34.99			
PK	5.466G	66.87	68.20	-1.33	60.46	3	Vertical	282	1.80	22	32.93	8.47	34.99			
PK	5.4955G	112.92	Inf	-Inf	106.42	3	Vertical	282	1.80	22	32.99	8.49	34.98			
AV	5.4957G	100.91	Inf	-Inf	94.41	3	Vertical	282	1.80	22	32.99	8.49	34.98			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
SET 19.5
22\12.5\19\21.5\20.5\20\19.5
-9.43\6.60\2.44\ -8.21\ -5.13\ -0.50\2.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.76	74.00	-13.24	54.37	3	Horizontal	291	1.80	19.5	32.92	8.46	34.99
AV	5.46G	49.40	54.00	-4.60	43.01	3	Horizontal	291	1.80	19.5	32.92	8.46	34.99
PK	5.4693G	65.91	68.20	-2.29	59.49	3	Horizontal	291	1.80	19.5	32.94	8.47	34.99
PK	5.5026G	121.18	Inf	-Inf	114.66	3	Horizontal	291	1.80	19.5	33.00	8.50	34.98
AV	5.5018G	109.02	Inf	-Inf	102.50	3	Horizontal	291	1.80	19.5	33.00	8.50	34.98

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
SET 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.98262G	59.29	74.00	-14.71	41.70	3	Vertical	262	1.82	19.5	38.93	12.12	33.46			
AV	10.98046G	46.42	54.00	-7.58	28.82	3	Vertical	262	1.82	19.5	38.94	12.12	33.46			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
SET 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.99588G	59.70	74.00	-14.30	42.10	3	Horizontal	301	1.80	19.5	38.91	12.13	33.44			
AV	10.98018G	46.50	54.00	-7.50	28.90	3	Horizontal	301	1.80	19.5	38.94	12.12	33.46			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.4384G	59.26	74.00	-14.74	52.91	3	Vertical	34	3.00	29	32.90	8.45	35.00				
AV	5.4357G	47.37	54.00	-6.63	41.02	3	Vertical	34	3.00	29	32.90	8.45	35.00				
PK	5.4648G	59.31	68.20	-8.89	52.90	3	Vertical	34	3.00	29	32.93	8.47	34.99				
PK	5.5815G	119.89	Inf	-Inf	113.33	3	Vertical	34	3.00	29	32.94	8.56	34.94				
AV	5.5815G	108.76	Inf	-Inf	102.20	3	Vertical	34	3.00	29	32.94	8.56	34.94				
PK	5.7267G	59.48	68.20	-8.72	52.12	3	Vertical	34	3.00	29	33.51	8.72	34.87				

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4567G	60.02	74.00	-13.98	53.65	3	Horizontal	293	1.80	29	32.91	8.46	35.00			
AV	5.4321G	47.72	54.00	-6.28	41.38	3	Horizontal	293	1.80	29	32.90	8.44	35.00			
PK	5.4618G	59.41	68.20	-8.79	53.01	3	Horizontal	293	1.80	29	32.92	8.47	34.99			
PK	5.5815G	126.90	Inf	-Inf	120.34	3	Horizontal	293	1.80	29	32.94	8.56	34.94			
AV	5.5812G	115.40	Inf	-Inf	108.84	3	Horizontal	293	1.80	29	32.94	8.56	34.94			
PK	5.7264G	60.25	68.20	-7.95	52.89	3	Horizontal	293	1.80	29	33.51	8.72	34.87			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16024G	59.55	74.00	-14.45	41.58	3	Vertical	45	1.80	29	39.00	12.24	33.27			
AV	11.14665G	46.76	54.00	-7.24	28.79	3	Vertical	45	1.80	29	39.01	12.24	33.28			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14821G	59.76	74.00	-14.24	41.80	3	Horizontal	2	2.93	29	39.00	12.24	33.28			
AV	11.14605G	46.85	54.00	-7.15	28.88	3	Horizontal	2	2.93	29	39.01	12.24	33.28			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 21
17\24.5\16.5\20.5\22.5\21.5\21
7.63\ -8.19\7.80\2.09\ -4.39\ -0.94\0.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6974G	112.87	Inf	-Inf	105.70	3	Vertical	330	1.80	21	33.38	8.68	34.89			
AV	5.6966G	101.36	Inf	-Inf	94.20	3	Vertical	330	1.80	21	33.37	8.68	34.89			
PK	5.7262G	67.62	68.20	-0.58	60.27	3	Vertical	330	1.80	21	33.50	8.72	34.87			

5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 19.5
21\17\20.5\19\19.5\20\19.5
-3.96\6.29\1.51\5.09\2.92\1.86

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7012G	121.78	Inf	-Inf	114.57	3	Horizontal	281	1.80	19.5	33.40	8.69	34.88				
AV	5.7012G	109.62	Inf	-Inf	102.41	3	Horizontal	281	1.80	19.5	33.40	8.69	34.88				
PK	5.7298G	66.34	68.20	-1.86	58.97	3	Horizontal	281	1.80	19.5	33.52	8.72	34.87				

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_V_2TX
SET 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38118G	59.38	74.00	-14.62	40.91	3	Vertical	197	1.09	19.5	39.10	12.40	33.03			
AV	11.41986G	47.17	54.00	-6.83	28.64	3	Vertical	197	1.09	19.5	39.10	12.42	32.99			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_V_2TX
SET 19.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39121G	60.23	74.00	-13.77	41.75	3	Horizontal	161	1.80	19.5	39.10	12.40	33.02			
AV	11.41994G	47.18	54.00	-6.82	28.65	3	Horizontal	161	1.80	19.5	39.10	12.42	32.99			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4434G	60.49	74.00	-13.51	54.14	3	Vertical	332	1.80	29	32.90	8.45	35.00			
AV	5.4518G	47.17	54.00	-6.83	40.81	3	Vertical	332	1.80	29	32.90	8.46	35.00			
PK	5.4656G	59.55	68.20	-8.65	53.14	3	Vertical	332	1.80	29	32.93	8.47	34.99			
PK	5.7176G	117.98	Inf	-Inf	110.68	3	Vertical	332	1.80	29	33.47	8.71	34.88			
AV	5.7176G	106.73	Inf	-Inf	99.43	3	Vertical	332	1.80	29	33.47	8.71	34.88			
PK	5.873G	61.20	68.20	-7.00	53.13	3	Vertical	332	1.80	29	33.99	8.88	34.80			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4542G	59.16	74.00	-14.84	52.79	3	Horizontal	60	1.80	29	32.91	8.46	35.00			
AV	5.4476G	47.41	54.00	-6.59	41.05	3	Horizontal	60	1.80	29	32.90	8.46	35.00			
PK	5.4626G	58.51	68.20	-9.69	52.10	3	Horizontal	60	1.80	29	32.93	8.47	34.99			
PK	5.7194G	127.87	Inf	-Inf	120.55	3	Horizontal	60	1.80	29	33.48	8.71	34.87			
AV	5.7188G	115.98	Inf	-Inf	108.66	3	Horizontal	60	1.80	29	33.48	8.71	34.87			
PK	5.9396G	61.92	68.20	-6.28	53.55	3	Horizontal	60	1.80	29	34.18	8.96	34.77			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43129G	60.20	74.00	-13.80	41.64	3	Vertical	101	1.80	29	39.10	12.43	32.97			
AV	11.44212G	47.47	54.00	-6.53	28.89	3	Vertical	101	1.80	29	39.10	12.44	32.96			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44252G	60.03	74.00	-13.97	41.45	3	Horizontal	282	2.22	29	39.10	12.44	32.96			
AV	11.44016G	47.64	54.00	-6.36	29.06	3	Horizontal	282	2.22	29	39.10	12.44	32.96			

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_V_2TX
SET 19.5
17\21.5\19.5
4.53\3.63\0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4574G	64.79	74.00	-9.21	58.42	3	Vertical	38	1.78	19.5	32.91	8.46	35.00				
AV	5.4574G	50.62	54.00	-3.38	44.25	3	Vertical	38	1.78	19.5	32.91	8.46	35.00				
PK	5.4668G	67.88	68.20	-0.32	61.47	3	Vertical	38	1.78	19.5	32.93	8.47	34.99				
PK	5.5058G	108.49	Inf	-Inf	101.97	3	Vertical	38	1.78	19.5	33.00	8.50	34.98				
AV	5.5062G	97.19	Inf	-Inf	90.67	3	Vertical	38	1.78	19.5	33.00	8.50	34.98				

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 15
19.5\11.5\16.5\14\15
-7.84\5.49\1.34\2.33\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	62.51	74.00	-11.49	56.12	3	Horizontal	292	1.80	15	32.92	8.46	34.99			
AV	5.46G	50.74	54.00	-3.26	44.35	3	Horizontal	292	1.80	15	32.92	8.46	34.99			
PK	5.4698G	67.81	68.20	-0.39	61.39	3	Horizontal	292	1.80	15	32.94	8.47	34.99			
PK	5.5108G	112.98	Inf	-Inf	106.45	3	Horizontal	292	1.80	15	33.00	8.50	34.97			
AV	5.5118G	102.04	Inf	-Inf	95.51	3	Horizontal	292	1.80	15	33.00	8.50	34.97			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.98212G	58.61	74.00	-15.39	41.01	3	Vertical	230	1.80	15	38.94	12.12	33.46			
AV	10.98012G	46.47	54.00	-7.53	28.87	3	Vertical	230	1.80	15	38.94	12.12	33.46			

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_V_2TX
SET 15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.99171G	58.36	74.00	-15.64	40.76	3	Horizontal	134	1.80	15	38.92	12.13	33.45			
AV	10.98052G	46.57	54.00	-7.43	28.97	3	Horizontal	134	1.80	15	38.94	12.12	33.46			

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 25
17\23.5\26.5\25\25.5\25
6.88\3.96\1.86\1.71\0.63\1.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4564G	64.36	74.00	-9.64	57.99	3	Vertical	40	1.78	25	32.91	8.46	35.00				
AV	5.4574G	50.72	54.00	-3.28	44.35	3	Vertical	40	1.78	25	32.91	8.46	35.00				
PK	5.4664G	67.11	68.20	-1.09	60.70	3	Vertical	40	1.78	25	32.93	8.47	34.99				
PK	5.5474G	111.23	Inf	-Inf	104.66	3	Vertical	40	1.78	25	33.00	8.53	34.96				
AV	5.547G	100.68	Inf	-Inf	94.11	3	Vertical	40	1.78	25	33.00	8.53	34.96				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 22
25\17\23\20\21.5\22\22.5\22
-7.82\6.42\2.11\5.62\3.68\1.64\0.96\2.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4582G	62.89	74.00	-11.11	56.51	3	Horizontal	288	1.80	22	32.92	8.46	35.00			
AV	5.4598G	50.05	54.00	-3.95	43.66	3	Horizontal	288	1.80	22	32.92	8.46	34.99			
PK	5.47G	66.14	68.20	-2.06	59.72	3	Horizontal	288	1.80	22	32.94	8.47	34.99			
PK	5.5512G	120.29	Inf	-Inf	113.72	3	Horizontal	288	1.80	22	33.00	8.53	34.96			
AV	5.5514G	108.92	Inf	-Inf	102.35	3	Horizontal	288	1.80	22	33.00	8.53	34.96			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10895G	59.03	74.00	-14.97	41.06	3	Vertical	257	1.80	22	39.08	12.21	33.32			
AV	11.12534G	46.87	54.00	-7.13	28.90	3	Vertical	257	1.80	22	39.05	12.22	33.30			

5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.08961G	59.32	74.00	-14.68	41.38	3	Horizontal	292	1.80	22	39.08	12.20	33.34				
AV	11.12334G	46.93	54.00	-7.07	28.97	3	Horizontal	292	1.80	22	39.05	12.22	33.31				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 22.5
17\23.5\20.5\22\22.5
6.88\1.21\6.50\1.36\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6628G	114.58	Inf	-Inf	107.74	3	Vertical	336	2.97	22.5	33.10	8.64	34.90
AV	5.6631G	103.12	Inf	-Inf	96.28	3	Vertical	336	2.97	22.5	33.10	8.64	34.90
PK	5.7276G	67.87	68.20	-0.33	60.51	3	Vertical	336	2.97	22.5	33.51	8.72	34.87

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
SET 20
22.5\15\22\18.5\20\20.5\20
-7.10\7.24\7.17\6.24\1.33\0.94\0.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.682G	118.58	Inf	-Inf	111.55	3	Horizontal	283	1.80	20	33.26	8.66	34.89			
AV	5.6712G	107.19	Inf	-Inf	100.27	3	Horizontal	283	1.80	20	33.17	8.65	34.90			
PK	5.7264G	67.32	68.20	-0.88	59.96	3	Horizontal	283	1.80	20	33.51	8.72	34.87			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_V_2TX
SET 20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.31586G	60.71	74.00	-13.29	42.36	3	Vertical	12	1.80	20	39.10	12.35	33.10			
AV	11.3615G	47.13	54.00	-6.87	28.70	3	Vertical	12	1.80	20	39.10	12.38	33.05			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
SET 20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.35031G	60.07	74.00	-13.93	41.66	3	Horizontal	114	1.44	20	39.10	12.37	33.06			
AV	11.3424G	47.13	54.00	-6.87	28.73	3	Horizontal	114	1.44	20	39.10	12.37	33.07			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4514G	60.17	74.00	-13.83	53.81	3	Vertical	330	1.62	29	32.90	8.46	35.00			
AV	5.44G	47.17	54.00	-6.83	40.82	3	Vertical	330	1.62	29	32.90	8.45	35.00			
PK	5.4664G	58.83	68.20	-9.37	52.42	3	Vertical	330	1.62	29	32.93	8.47	34.99			
PK	5.7076G	115.65	Inf	-Inf	108.41	3	Vertical	330	1.62	29	33.43	8.69	34.88			
AV	5.7076G	104.88	Inf	-Inf	97.64	3	Vertical	330	1.62	29	33.43	8.69	34.88			
PK	5.8972G	61.50	68.20	-6.70	53.29	3	Vertical	330	1.62	29	34.09	8.91	34.79			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.452G	59.31	74.00	-14.69	52.95	3	Horizontal	287	1.80	29	32.90	8.46	35.00				
AV	5.4412G	47.44	54.00	-6.56	41.09	3	Horizontal	287	1.80	29	32.90	8.45	35.00				
PK	5.4616G	59.14	68.20	-9.06	52.74	3	Horizontal	287	1.80	29	32.92	8.47	34.99				
PK	5.7112G	125.10	Inf	-Inf	117.84	3	Horizontal	287	1.80	29	33.44	8.70	34.88				
AV	5.7112G	112.63	Inf	-Inf	105.37	3	Horizontal	287	1.80	29	33.44	8.70	34.88				
PK	5.851G	66.18	68.20	-2.02	58.23	3	Horizontal	287	1.80	29	33.90	8.86	34.81				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44909G	60.09	74.00	-13.91	41.50	3	Vertical	360.1	1.80	29	39.10	12.44	32.95			
AV	11.4371G	47.50	54.00	-6.50	28.94	3	Vertical	360.1	1.80	29	39.10	12.43	32.97			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.45604G	59.77	74.00	-14.23	41.17	3	Horizontal	357	1.92	29	39.10	12.45	32.95			
AV	11.44262G	47.61	54.00	-6.39	29.03	3	Horizontal	357	1.92	29	39.10	12.44	32.96			

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 19
17\19.5\18.5\19
2.50\0.41\0.66\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3065G	60.28	68.20	-7.92	54.09	3	Vertical	38	1.80	19	32.90	8.34	35.05			
AV	5.35G	46.97	54.00	-7.03	40.72	3	Vertical	38	1.80	19	32.90	8.38	35.03			
PK	5.448G	65.19	74.00	-8.81	58.83	3	Vertical	38	1.80	19	32.90	8.46	35.00			
AV	5.457G	53.94	54.00	-0.06	47.57	3	Vertical	38	1.80	19	32.91	8.46	35.00			
PK	5.467G	66.95	68.20	-1.25	60.54	3	Vertical	38	1.80	19	32.93	8.47	34.99			
PK	5.5265G	104.59	Inf	-Inf	98.05	3	Vertical	38	1.80	19	33.00	8.51	34.97			
AV	5.527G	93.09	Inf	-Inf	86.54	3	Vertical	38	1.80	19	33.00	8.52	34.97			
PK	5.755G	59.87	68.20	-8.33	52.36	3	Vertical	38	1.80	19	33.62	8.75	34.86			

5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 12.5
19\9.5\13.5\11.5\12.5\13\12.5
-9.02\4.43\0.81\2.52\1.03\0.14\0.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3035G	59.63	68.20	-8.57	53.44	3	Horizontal	290	1.80	12.5	32.90	8.34	35.05
AV	5.35G	47.12	54.00	-6.88	40.87	3	Horizontal	290	1.80	12.5	32.90	8.38	35.03
PK	5.46G	64.65	74.00	-9.35	58.26	3	Horizontal	290	1.80	12.5	32.92	8.46	34.99
AV	5.46G	53.23	54.00	-0.77	46.84	3	Horizontal	290	1.80	12.5	32.92	8.46	34.99
PK	5.462G	65.75	68.20	-2.45	59.35	3	Horizontal	290	1.80	12.5	32.92	8.47	34.99
PK	5.5415G	108.69	Inf	-Inf	102.12	3	Horizontal	290	1.80	12.5	33.00	8.53	34.96
AV	5.5315G	96.68	Inf	-Inf	90.12	3	Horizontal	290	1.80	12.5	33.00	8.52	34.96
PK	5.7725G	60.63	68.20	-7.57	53.02	3	Horizontal	290	1.80	12.5	33.69	8.77	34.85

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 12.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07215G	59.22	74.00	-14.78	41.36	3	Vertical	294	2.08	12.5	39.04	12.18	33.36			
AV	11.06863G	46.88	54.00	-7.12	29.03	3	Vertical	294	2.08	12.5	39.04	12.18	33.37			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX



EUT_V_2TX
SET 12.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.12474G	59.42	74.00	-14.58	41.46	3	Horizontal	4	1.19	12.5	39.05	12.22	33.31			
AV	11.05648G	46.82	54.00	-7.18	29.02	3	Horizontal	4	1.19	12.5	39.01	12.17	33.38			