


5.47-5.725GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 22.5
17\23.5\20.5\22\22.5
6.59\ -1.92\4.97\1.88\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4545G	64.83	74.00	-9.17	58.46	3	Vertical	336	2.90	22.5	32.91	8.46	35.00			
AV	5.454G	51.96	54.00	-2.04	45.59	3	Vertical	336	2.90	22.5	32.91	8.46	35.00			
PK	5.4635G	66.93	68.20	-1.27	60.52	3	Vertical	336	2.90	22.5	32.93	8.47	34.99			
PK	5.614G	111.98	Inf	-Inf	105.39	3	Vertical	336	2.90	22.5	32.93	8.59	34.93			
AV	5.603G	100.55	Inf	-Inf	94.00	3	Vertical	336	2.90	22.5	32.91	8.57	34.93			
PK	5.733G	68.07	68.20	-0.13	60.69	3	Vertical	336	2.90	22.5	33.53	8.72	34.87			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 20.5
22.5\18\22\20\21\20.5
-4.45\5.61\2.25\2.73\0.42\2.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4525G	62.89	74.00	-11.11	56.52	3	Horizontal	286	1.80	20.5	32.91	8.46	35.00			
AV	5.46G	50.62	54.00	-3.38	44.23	3	Horizontal	286	1.80	20.5	32.92	8.46	34.99			
PK	5.47G	63.54	68.20	-4.66	57.12	3	Horizontal	286	1.80	20.5	32.94	8.47	34.99			
PK	5.591G	115.38	Inf	-Inf	108.84	3	Horizontal	286	1.80	20.5	32.92	8.56	34.94			
AV	5.6015G	104.09	Inf	-Inf	97.55	3	Horizontal	286	1.80	20.5	32.90	8.57	34.93			
PK	5.7325G	65.99	68.20	-2.21	58.61	3	Horizontal	286	1.80	20.5	33.53	8.72	34.87			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 20.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.21754G	60.37	74.00	-13.63	42.30	3	Vertical	23	1.93	-	39.00	12.28	33.21			
AV	11.20914G	47.21	54.00	-6.79	29.14	3	Vertical	23	1.93	-	39.00	12.28	33.21			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 20.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21598G	59.84	74.00	-14.16	41.77	3	Horizontal	17	1.55	-	39.00	12.28	33.21			
AV	11.20896G	47.26	54.00	-6.74	29.19	3	Horizontal	17	1.55	-	39.00	12.28	33.21			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 27
17\23.5\27
6.84\6.53\1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	62.22	74.00	-11.78	55.83	3	Vertical	331	1.51	29	32.92	8.46	34.99			
AV	5.459G	50.11	54.00	-3.89	43.72	3	Vertical	331	1.51	29	32.92	8.46	34.99			
PK	5.4692G	62.19	68.20	-6.01	55.77	3	Vertical	331	1.51	29	32.94	8.47	34.99			
PK	5.6876G	113.45	Inf	-Inf	106.37	3	Vertical	331	1.51	29	33.30	8.67	34.89			
AV	5.6876G	101.30	Inf	-Inf	94.22	3	Vertical	331	1.51	29	33.30	8.67	34.89			
PK	5.8592G	67.15	68.20	-1.05	59.15	3	Vertical	331	1.51	29	33.94	8.87	34.81			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 22.5
29\19.5\25.5\22.5\24\23.5\23\22.5
-9.47\6.35\7.31\1.63\3.49\2.67\1.62\1.78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4008G	60.44	74.00	-13.56	54.14	3	Horizontal	282	1.80	22.5	32.90	8.42	35.02			
PK	5.462G	60.19	68.20	-8.01	53.79	3	Horizontal	282	1.80	22.5	32.92	8.47	34.99			
AV	5.46G	48.37	54.00	-5.63	41.98	3	Horizontal	282	1.80	22.5	32.92	8.46	34.99			
PK	5.681G	117.86	Inf	-Inf	110.84	3	Horizontal	282	1.80	22.5	33.25	8.66	34.89			
AV	5.681G	106.92	Inf	-Inf	99.90	3	Horizontal	282	1.80	22.5	33.25	8.66	34.89			
PK	5.8508G	66.42	68.20	-1.78	58.47	3	Horizontal	282	1.80	22.5	33.90	8.86	34.81			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET22.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38738G	60.78	74.00	-13.22	42.30	3	Vertical	256	1.42	-	39.10	12.40	33.02			
AV	11.39416G	47.79	54.00	-6.21	29.30	3	Vertical	256	1.42	-	39.10	12.40	33.01			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET22.5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.36908G	60.52	74.00	-13.48	42.07	3	Horizontal	216	1.74	-	39.10	12.39	33.04			
AV	11.39362G	47.72	54.00	-6.28	29.23	3	Horizontal	216	1.74	-	39.10	12.40	33.01			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
SET 15.5
17\15.5\16\15.5
-1.23\0.68\0.26\0.62

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3054G	60.20	68.20	-8.00	54.01	3	Vertical	336	2.97	15.5	32.90	8.34	35.05				
PK	5.4032G	65.43	74.00	-8.57	59.12	3	Vertical	336	2.97	15.5	32.90	8.42	35.01				
AV	5.4236G	53.38	54.00	-0.62	47.05	3	Vertical	336	2.97	15.5	32.90	8.44	35.01				
PK	5.462G	64.99	68.20	-3.21	58.59	3	Vertical	336	2.97	15.5	32.92	8.47	34.99				
PK	5.5436G	103.49	Inf	-Inf	96.92	3	Vertical	336	2.97	15.5	33.00	8.53	34.96				
AV	5.5334G	91.68	Inf	-Inf	85.12	3	Vertical	336	2.97	15.5	33.00	8.52	34.96				
PK	5.7356G	60.91	68.20	-7.29	53.51	3	Vertical	336	2.97	15.5	33.54	8.73	34.87				

5.47-5.725GHz_802.11ax_HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
SET 12
15.5\9.5\12.5\11\11.5\12
-5.82\3.56\0.38\1.41\1.47\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3402G	59.86	68.20	-8.34	53.63	3	Horizontal	287	1.80	12	32.90	8.37	35.04				
PK	5.456G	65.45	74.00	-8.55	59.08	3	Horizontal	287	1.80	12	32.91	8.46	35.00				
PK	5.4614G	65.56	68.20	-2.64	59.16	3	Horizontal	287	1.80	12	32.92	8.47	34.99				
AV	5.46G	53.52	54.00	-0.48	47.13	3	Horizontal	287	1.80	12	32.92	8.46	34.99				
PK	5.5406G	104.73	Inf	-Inf	98.16	3	Horizontal	287	1.80	12	33.00	8.53	34.96				
AV	5.5814G	93.23	Inf	-Inf	86.67	3	Horizontal	287	1.80	12	32.94	8.56	34.94				
PK	5.7506G	62.34	68.20	-5.86	54.86	3	Horizontal	287	1.80	12	33.60	8.74	34.86				

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22408G	59.30	74.00	-14.70	41.21	3	Vertical	358	1.80	12	39.00	12.29	33.20			
AV	10.98112G	46.40	54.00	-7.60	28.80	3	Vertical	358	1.80	12	38.94	12.12	33.46			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX



EUT_V_2TX
SET 12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16366G	59.39	74.00	-14.61	41.40	3	Horizontal	5	1.05	12	39.00	12.25	33.26			
AV	10.98016G	46.40	54.00	-7.60	28.80	3	Horizontal	5	1.05	12	38.94	12.12	33.46			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	5.7266G	68.16	68.20	-0.04	3	Horizontal	45	2.77	15.5

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 22
17\23.5\20.5\22\22.5\22
6.99\ -3.81\6.96\1.16\ -0.64\0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4564G	59.13	74.00	-14.87	52.76	3	Vertical	355	2.44	22	32.91	8.46	35.00			
AV	5.4589G	47.15	54.00	-6.85	40.76	3	Vertical	355	2.44	22	32.92	8.46	34.99			
PK	5.4697G	67.91	68.20	-0.29	61.49	3	Vertical	355	2.44	22	32.94	8.47	34.99			
PK	5.5057G	111.04	Inf	-Inf	104.52	3	Vertical	355	2.44	22	33.00	8.50	34.98			
AV	5.5073G	102.37	Inf	-Inf	95.85	3	Vertical	355	2.44	22	33.00	8.50	34.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 20.5
22\16.5\21.5\19\20\20.5\21\20.5
-5.17\6.86\2.72\6.76\4.47\1.37\0.39\2.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4598G	60.32	74.00	-13.68	53.93	3	Horizontal	42	2.98	20.5	32.92	8.46	34.99				
AV	5.4582G	47.33	54.00	-6.67	40.95	3	Horizontal	42	2.98	20.5	32.92	8.46	35.00				
PK	5.4697G	65.96	68.20	-2.24	59.54	3	Horizontal	42	2.98	20.5	32.94	8.47	34.99				
PK	5.5069G	117.13	Inf	-Inf	110.61	3	Horizontal	42	2.98	20.5	33.00	8.50	34.98				
AV	5.507G	108.54	Inf	-Inf	102.02	3	Horizontal	42	2.98	20.5	33.00	8.50	34.98				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX
SET 28
17\23.5\28
6.96\6.92\6.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.433G	59.37	74.00	-14.63	53.03	3	Vertical	311	1.80	28	32.90	8.44	35.00				
AV	5.4432G	47.10	54.00	-6.90	40.75	3	Vertical	311	1.80	28	32.90	8.45	35.00				
PK	5.463G	58.72	68.20	-9.48	52.31	3	Vertical	311	1.80	28	32.93	8.47	34.99				
PK	5.5734G	114.07	Inf	-Inf	107.51	3	Vertical	311	1.80	28	32.95	8.55	34.94				
AV	5.5731G	104.98	Inf	-Inf	98.42	3	Vertical	311	1.80	28	32.95	8.55	34.94				
PK	5.7294G	59.50	68.20	-8.70	52.13	3	Vertical	311	1.80	28	33.52	8.72	34.87				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
SET 28
28
6.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4552G	59.28	74.00	-14.72	52.91	3	Horizontal	35	2.55	28	32.91	8.46	35.00			
AV	5.4585G	47.45	54.00	-6.55	41.06	3	Horizontal	35	2.55	28	32.92	8.46	34.99			
PK	5.4621G	60.19	68.20	-8.01	53.79	3	Horizontal	35	2.55	28	32.92	8.47	34.99			
PK	5.5875G	124.01	Inf	-Inf	117.47	3	Horizontal	35	2.55	28	32.92	8.56	34.94			
AV	5.583G	114.96	Inf	-Inf	108.41	3	Horizontal	35	2.55	28	32.93	8.56	34.94			
PK	5.7267G	61.50	68.20	-6.70	54.14	3	Horizontal	35	2.55	28	33.51	8.72	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
SET 20.5
17\23.5\16\19.5\21\20.5
6.94\ -9.02\7.35\4.19\ -0.75\0.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6968G	108.24	Inf	-Inf	101.08	3	Vertical	335	1.80	20.5	33.37	8.68	34.89				
AV	5.702G	99.45	Inf	-Inf	92.23	3	Vertical	335	1.80	20.5	33.41	8.69	34.88				
PK	5.7252G	67.82	68.20	-0.38	60.48	3	Vertical	335	1.80	20.5	33.50	8.71	34.87				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
SET 17.5
20.5\14.5\20\17.5\18.5\18\17.5
-5.84\6.65\5.30\0.55\0.95\0.98\1.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7044G	112.57	Inf	-Inf	105.34	3	Horizontal	20	1.80	17.5	33.42	8.69	34.88				
AV	5.7074G	103.53	Inf	-Inf	96.29	3	Horizontal	20	1.80	17.5	33.43	8.69	34.88				
PK	5.725G	66.62	68.20	-1.58	59.28	3	Horizontal	20	1.80	17.5	33.50	8.71	34.87				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 26
17\23.5\28\26\27\26.5\26
6.89\6.58\4.04\6.82\3.86\3.04\6.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.438G	59.62	74.00	-14.38	53.27	3	Vertical	360	1.60	26	32.90	8.45	35.00
AV	5.4266G	47.13	54.00	-6.87	40.80	3	Vertical	360	1.60	26	32.90	8.44	35.01
PK	5.4662G	59.87	68.20	-8.33	53.46	3	Vertical	360	1.60	26	32.93	8.47	34.99
PK	5.7266G	116.30	Inf	-Inf	108.94	3	Vertical	360	1.60	26	33.51	8.72	34.87
AV	5.7248G	107.33	Inf	-Inf	99.99	3	Vertical	360	1.60	26	33.50	8.71	34.87
PK	5.9492G	61.48	68.20	-6.72	53.07	3	Vertical	360	1.60	26	34.20	8.97	34.76

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
SET 26
26
5.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	59.52	74.00	-14.48	53.15	3	Horizontal	19	1.80	26	32.91	8.46	35.00			
AV	5.4548G	47.28	54.00	-6.72	40.91	3	Horizontal	19	1.80	26	32.91	8.46	35.00			
PK	5.4626G	59.28	68.20	-8.92	52.87	3	Horizontal	19	1.80	26	32.93	8.47	34.99			
PK	5.7134G	121.13	Inf	-Inf	113.86	3	Horizontal	19	1.80	26	33.45	8.70	34.88			
AV	5.7128G	112.10	Inf	-Inf	104.83	3	Horizontal	19	1.80	26	33.45	8.70	34.88			
PK	5.9516G	63.03	68.20	-5.17	54.62	3	Horizontal	19	1.80	26	34.20	8.97	34.76			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
SET 22
17\25.5\20\22.5\21.5\22
8.83\5.56\8.77\0.18\2.87\1.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4594G	60.44	74.00	-13.56	55.59	3	Vertical	328	2.31	22	31.54	7.11	33.80			
AV	5.4599G	45.98	54.00	-8.02	41.13	3	Vertical	328	2.31	22	31.54	7.11	33.80			
PK	5.4698G	66.38	68.20	-1.82	61.47	3	Vertical	328	2.31	22	31.58	7.13	33.80			
PK	5.5061G	111.88	Inf	-Inf	106.80	3	Vertical	328	2.31	22	31.70	7.19	33.81			
AV	5.5083G	99.63	Inf	-Inf	94.55	3	Vertical	328	2.31	22	31.70	7.19	33.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
SET 20.5
22\15\21.5\18.5\20\20.5
-6.54\8.72\4.37\8.47\1.58\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4588G	61.98	74.00	-12.02	57.13	3	Horizontal	39	2.38	20.5	31.54	7.11	33.80			
AV	5.46G	46.80	54.00	-7.20	41.95	3	Horizontal	39	2.38	20.5	31.54	7.11	33.80			
PK	5.468G	67.77	68.20	-0.43	62.88	3	Horizontal	39	2.38	20.5	31.57	7.12	33.80			
PK	5.5064G	117.56	Inf	-Inf	112.48	3	Horizontal	39	2.38	20.5	31.70	7.19	33.81			
AV	5.5086G	105.95	Inf	-Inf	100.87	3	Horizontal	39	2.38	20.5	31.70	7.19	33.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_V_1TX
SET 28
17\25.5\28
8.87\8.86\8.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.445G	57.52	74.00	-16.48	52.75	3	Vertical	7	2.92	28	31.49	7.08	33.80			
PK	5.4609G	57.31	68.20	-10.89	52.46	3	Vertical	7	2.92	28	31.54	7.11	33.80			
AV	5.4582G	45.20	54.00	-8.80	40.36	3	Vertical	7	2.92	28	31.53	7.11	33.80			
PK	5.5809G	115.74	Inf	-Inf	110.59	3	Vertical	7	2.92	28	31.64	7.31	33.80			
AV	5.5851G	104.17	Inf	-Inf	99.02	3	Vertical	7	2.92	28	31.63	7.32	33.80			
PK	5.7282G	58.09	68.20	-10.11	52.52	3	Vertical	7	2.92	28	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 28
28
8.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4543G	57.97	74.00	-16.03	53.15	3	Horizontal	40	2.43	28	31.52	7.10	33.80			
AV	5.4591G	45.57	54.00	-8.43	40.72	3	Horizontal	40	2.43	28	31.54	7.11	33.80			
PK	5.4663G	57.55	68.20	-10.65	52.66	3	Horizontal	40	2.43	28	31.57	7.12	33.80			
PK	5.5785G	123.40	Inf	-Inf	118.26	3	Horizontal	40	2.43	28	31.64	7.30	33.80			
AV	5.5884G	111.90	Inf	-Inf	106.76	3	Horizontal	40	2.43	28	31.62	7.32	33.80			
PK	5.7258G	60.12	68.20	-8.08	54.55	3	Horizontal	40	2.43	28	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
SET 14
17\14.5\13.5\14
-2.31\ -0.35\4.85\4.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.707G	105.44	Inf	-Inf	99.88	3	Vertical	20	1.58	14	32.00	7.35	33.79			
AV	5.7088G	93.97	Inf	-Inf	88.40	3	Vertical	20	1.58	14	32.00	7.35	33.78			
PK	5.7254G	64.10	68.20	-4.10	58.53	3	Vertical	20	1.58	14	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT Y_1TX
SET 13.5
14\13\13.5
-0.73\1.05\1.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.705G	110.37	Inf	-Inf	104.81	3	Horizontal	26	1.78	13.5	32.00	7.35	33.79			
AV	5.7086G	98.38	Inf	-Inf	92.81	3	Horizontal	26	1.78	13.5	32.00	7.35	33.78			
PK	5.7252G	67.03	68.20	-1.17	61.46	3	Horizontal	26	1.78	13.5	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 25.5
17\25.5\28\27\26.5\23.5\25\25.5
8.87\8.85\7.09\7.25\6.06\7.95\8.86\8.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4554G	57.51	74.00	-16.49	52.69	3	Vertical	22	1.47	25.5	31.52	7.10	33.80				
AV	5.4584G	45.18	54.00	-8.82	40.34	3	Vertical	22	1.47	25.5	31.53	7.11	33.80				
PK	5.4638G	57.15	68.20	-11.05	52.27	3	Vertical	22	1.47	25.5	31.56	7.12	33.80				
PK	5.7116G	117.05	Inf	-Inf	111.48	3	Vertical	22	1.47	25.5	32.00	7.35	33.78				
AV	5.7122G	104.89	Inf	-Inf	99.32	3	Vertical	22	1.47	25.5	32.00	7.35	33.78				
PK	5.897G	59.94	68.20	-8.26	53.99	3	Vertical	22	1.47	25.5	32.19	7.52	33.76				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 25.5
25.5
8.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.45G	57.06	74.00	-16.94	52.27	3	Horizontal	28	1.80	25.5	31.50	7.09	33.80				
PK	5.4668G	57.24	68.20	-10.96	52.35	3	Horizontal	28	1.80	25.5	31.57	7.12	33.80				
AV	5.4596G	45.28	54.00	-8.72	40.43	3	Horizontal	28	1.80	25.5	31.54	7.11	33.80				
PK	5.726G	121.82	Inf	-Inf	116.25	3	Horizontal	28	1.80	25.5	32.00	7.35	33.78				
AV	5.7278G	109.78	Inf	-Inf	104.21	3	Horizontal	28	1.80	25.5	32.00	7.35	33.78				
PK	5.8874G	60.00	68.20	-8.20	54.08	3	Horizontal	28	1.80	25.5	32.17	7.51	33.76				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 22.5
17\25\16\20.5\22.5
8.01\10.12\8.16\1.93\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.46G	65.25	74.00	-8.75	60.40	3	Vertical	339	2.10	22.5	31.54	7.11	33.80				
AV	5.46G	51.50	54.00	-2.50	46.65	3	Vertical	339	2.10	22.5	31.54	7.11	33.80				
PK	5.4696G	67.98	68.20	-0.22	63.08	3	Vertical	339	2.10	22.5	31.58	7.12	33.80				
PK	5.5156G	107.79	Inf	-Inf	102.70	3	Vertical	339	2.10	22.5	31.70	7.20	33.81				
AV	5.515G	96.17	Inf	-Inf	91.08	3	Vertical	339	2.10	22.5	31.70	7.20	33.81				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 16
22.5\14\19\16.5\17.5\17\16.5\16
-8.38\5.07\3.76\1.12\1.16\0.29\0.45\2.68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	64.08	74.00	-9.92	59.23	3	Horizontal	44	2.35	16	31.54	7.11	33.80			
AV	5.4598G	47.94	54.00	-6.06	43.09	3	Horizontal	44	2.35	16	31.54	7.11	33.80			
PK	5.469G	65.52	68.20	-2.68	60.62	3	Horizontal	44	2.35	16	31.58	7.12	33.80			
PK	5.5196G	110.97	Inf	-Inf	105.87	3	Horizontal	44	2.35	16	31.70	7.21	33.81			
AV	5.5268G	97.97	Inf	-Inf	92.86	3	Horizontal	44	2.35	16	31.70	7.22	33.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 24.5
17\25.5\21.5\23.5\24.5\25\24.5
8.90\0.14\8.72\5.68\1.28\1.53\2.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.46G	62.20	74.00	-11.80	57.35	3	Vertical	33	1.38	24.5	31.54	7.11	33.80				
AV	5.4596G	48.36	54.00	-5.64	43.51	3	Vertical	33	1.38	24.5	31.54	7.11	33.80				
PK	5.4648G	65.78	68.20	-2.42	60.90	3	Vertical	33	1.38	24.5	31.56	7.12	33.80				
PK	5.564G	110.78	Inf	-Inf	105.63	3	Vertical	33	1.38	24.5	31.67	7.28	33.80				
AV	5.5682G	98.83	Inf	-Inf	93.68	3	Vertical	33	1.38	24.5	31.66	7.29	33.80				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 23
24.5\20.5\24\22.5\23\23.5\23
-3.86\8.72\1.38\2.98\2.46\1.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4546G	59.19	74.00	-14.81	54.37	3	Horizontal	48	2.80	23	31.52	7.10	33.80			
AV	5.46G	46.28	54.00	-7.72	41.43	3	Horizontal	48	2.80	23	31.54	7.11	33.80			
PK	5.47G	66.40	68.20	-1.80	61.49	3	Horizontal	48	2.80	23	31.58	7.13	33.80			
PK	5.5604G	116.42	Inf	-Inf	111.27	3	Horizontal	48	2.80	23	31.68	7.27	33.80			
AV	5.532G	103.75	Inf	-Inf	98.63	3	Horizontal	48	2.80	23	31.70	7.23	33.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 20
17.25.5\16\20.5\18.5\19.5\20
8.68\14.08\8.92\1.60\5.59\3.97\0.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6874G	108.88	Inf	-Inf	103.41	3	Vertical	22	1.51	20	31.92	7.34	33.79				
AV	5.676G	96.15	Inf	-Inf	90.74	3	Vertical	22	1.51	20	31.86	7.34	33.79				
PK	5.7252G	67.38	68.20	-0.82	61.81	3	Vertical	22	1.51	20	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 19.5
20\16.5\19.5
-3.43\5.28\2.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.664G	112.07	Inf	-Inf	106.74	3	Horizontal	31	1.43	19.5	31.78	7.34	33.79			
AV	5.6766G	99.85	Inf	-Inf	94.44	3	Horizontal	31	1.43	19.5	31.86	7.34	33.79			
PK	5.7255G	65.91	68.20	-2.29	60.34	3	Horizontal	31	1.43	19.5	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 26
17\25.5\28\27\26.5\26
8.89\7.21\10.27\3.51\1.00\6.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4424G	57.56	74.00	-16.44	52.80	3	Vertical	26	1.35	26	31.48	7.08	33.80
PK	5.4604G	56.76	68.20	-11.44	51.91	3	Vertical	26	1.35	26	31.54	7.11	33.80
AV	5.4598G	45.14	54.00	-8.86	40.29	3	Vertical	26	1.35	26	31.54	7.11	33.80
PK	5.713G	114.83	Inf	-Inf	109.26	3	Vertical	26	1.35	26	32.00	7.35	33.78
AV	5.725G	102.59	Inf	-Inf	97.02	3	Vertical	26	1.35	26	32.00	7.35	33.78
PK	5.8582G	62.00	68.20	-6.20	56.20	3	Vertical	26	1.35	26	32.12	7.45	33.77

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 26
26
1.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4376G	57.36	74.00	-16.64	52.60	3	Horizontal	30	1.80	26	31.48	7.07	33.79			
PK	5.4652G	56.88	68.20	-11.32	52.00	3	Horizontal	30	1.80	26	31.56	7.12	33.80			
AV	5.4598G	45.50	54.00	-8.50	40.65	3	Horizontal	30	1.80	26	31.54	7.11	33.80			
PK	5.728G	120.09	Inf	-Inf	114.52	3	Horizontal	30	1.80	26	32.00	7.35	33.78			
AV	5.7274G	107.72	Inf	-Inf	102.15	3	Horizontal	30	1.80	26	32.00	7.35	33.78			
PK	5.8576G	67.00	68.20	-1.20	61.20	3	Horizontal	30	1.80	26	32.12	7.45	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_V_1TX
SET 23.5
17\24\20.5\22\22.5\23\23.5
7.22\1.40\3.40\2.25\1.62\1.97\0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3215G	56.53	68.20	-11.67	52.07	3	Vertical	330	2.31	23.5	31.24	6.98	33.76
AV	5.35G	44.59	54.00	-9.41	40.07	3	Vertical	330	2.31	23.5	31.30	6.99	33.77
PK	5.4595G	65.85	74.00	-8.15	61.00	3	Vertical	330	2.31	23.5	31.54	7.11	33.80
AV	5.46G	53.00	54.00	-1.00	48.15	3	Vertical	330	2.31	23.5	31.54	7.11	33.80
PK	5.4685G	67.67	68.20	-0.53	62.78	3	Vertical	330	2.31	23.5	31.57	7.12	33.80
PK	5.5075G	105.62	Inf	-Inf	100.54	3	Vertical	330	2.31	23.5	31.70	7.19	33.81
AV	5.5115G	93.48	Inf	-Inf	88.40	3	Vertical	330	2.31	23.5	31.70	7.19	33.81
PK	5.7275G	59.50	68.20	-8.70	53.93	3	Vertical	330	2.31	23.5	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Y_1TX
SET 19
23.5\17.5\20.5\19
-5.94\2.37\2.59\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.285G	57.28	68.20	-10.92	52.84	3	Horizontal	42	2.45	19	31.23	6.96	33.75
AV	5.35G	44.63	54.00	-9.37	40.11	3	Horizontal	42	2.45	19	31.30	6.99	33.77
PK	5.4565G	65.62	74.00	-8.38	60.79	3	Horizontal	42	2.45	19	31.53	7.10	33.80
AV	5.46G	53.93	54.00	-0.07	49.08	3	Horizontal	42	2.45	19	31.54	7.11	33.80
PK	5.467G	67.79	68.20	-0.41	62.90	3	Horizontal	42	2.45	19	31.57	7.12	33.80
PK	5.5465G	109.38	Inf	-Inf	104.23	3	Horizontal	42	2.45	19	31.70	7.25	33.80
AV	5.5135G	97.12	Inf	-Inf	92.03	3	Horizontal	42	2.45	19	31.70	7.20	33.81
PK	5.73G	58.31	68.20	-9.89	52.74	3	Horizontal	42	2.45	19	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
SET 23
17\25.5\19.5\22.5\24\23.5\23
8.90\ -6.26\8.86\3.22\ -4.19\ -1.76\0.98

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.46G	58.01	74.00	-15.99	53.16	3	Vertical	9	2.89	23	31.54	7.11	33.80					
AV	5.459G	45.77	54.00	-8.23	40.92	3	Vertical	9	2.89	23	31.54	7.11	33.80					
PK	5.467G	58.47	68.20	-9.73	53.58	3	Vertical	9	2.89	23	31.57	7.12	33.80					
PK	5.5965G	106.50	Inf	-Inf	101.36	3	Vertical	9	2.89	23	31.61	7.33	33.80					
AV	5.596G	94.29	Inf	-Inf	89.15	3	Vertical	9	2.89	23	31.61	7.33	33.80					
PK	5.725G	67.22	68.20	-0.98	61.65	3	Vertical	9	2.89	23	32.00	7.35	33.78					

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
SET 21.5
23\16\22.5\19.5\21\21.5\22\21.5
-7.00\8.81\ -3.53\7.44\3.85\1.96\ -0.86\1.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.452G	57.79	74.00	-16.21	52.98	3	Horizontal	43	2.42	21.5	31.51	7.10	33.80			
PK	5.467G	57.91	68.20	-10.29	53.02	3	Horizontal	43	2.42	21.5	31.57	7.12	33.80			
AV	5.46G	45.88	54.00	-8.12	41.03	3	Horizontal	43	2.42	21.5	31.54	7.11	33.80			
PK	5.5935G	112.10	Inf	-Inf	106.96	3	Horizontal	43	2.42	21.5	31.61	7.33	33.80			
AV	5.5865G	100.24	Inf	-Inf	95.09	3	Horizontal	43	2.42	21.5	31.63	7.32	33.80			
PK	5.725G	66.93	68.20	-1.27	61.36	3	Horizontal	43	2.42	21.5	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 24
17\25.5\21.5\23.5\24.5\24
8.91\ -2.46\8.47\3.37\ -0.42\1.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4062G	57.57	74.00	-16.43	52.93	3	Vertical	26	1.42	24	31.41	7.02	33.79			
PK	5.462G	57.13	68.20	-11.07	52.27	3	Vertical	26	1.42	24	31.55	7.11	33.80			
AV	5.4578G	45.28	54.00	-8.72	40.44	3	Vertical	26	1.42	24	31.53	7.11	33.80			
PK	5.6738G	110.15	Inf	-Inf	104.76	3	Vertical	26	1.42	24	31.84	7.34	33.79			
AV	5.72G	97.20	Inf	-Inf	91.63	3	Vertical	26	1.42	24	32.00	7.35	33.78			
PK	5.8514G	66.65	68.20	-1.55	60.88	3	Vertical	26	1.42	24	32.10	7.44	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 23
24\20\23.5\22\22.5\23
-3.60\8.53\1.48\4.19\1.88\1.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.456G	57.90	74.00	-16.10	53.08	3	Horizontal	32	1.78	23	31.52	7.10	33.80			
AV	5.4596G	45.50	54.00	-8.50	40.65	3	Horizontal	32	1.78	23	31.54	7.11	33.80			
PK	5.4644G	57.40	68.20	-10.80	52.52	3	Horizontal	32	1.78	23	31.56	7.12	33.80			
PK	5.684G	113.70	Inf	-Inf	108.25	3	Horizontal	32	1.78	23	31.90	7.34	33.79			
AV	5.726G	101.20	Inf	-Inf	95.63	3	Horizontal	32	1.78	23	32.00	7.35	33.78			
PK	5.8568G	66.81	68.20	-1.39	61.02	3	Horizontal	32	1.78	23	32.11	7.45	33.77			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
SET 17
17\19.5\16\17.5\17
2.81\ -4.97\5.34\ -0.17\2.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3318G	57.09	68.20	-11.11	52.62	3	Vertical	30	1.51	17	31.26	6.98	33.77			
PK	5.46G	59.55	74.00	-14.45	54.70	3	Vertical	30	1.51	17	31.54	7.11	33.80			
AV	5.46G	47.45	54.00	-6.55	42.60	3	Vertical	30	1.51	17	31.54	7.11	33.80			
PK	5.4698G	59.65	68.20	-8.55	54.74	3	Vertical	30	1.51	17	31.58	7.13	33.80			
PK	5.5862G	98.45	Inf	-Inf	93.30	3	Vertical	30	1.51	17	31.63	7.32	33.80			
AV	5.612G	86.37	Inf	-Inf	81.21	3	Vertical	30	1.51	17	31.62	7.34	33.80			
PK	5.7278G	65.81	68.20	-2.39	60.24	3	Vertical	30	1.51	17	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_V_1TX
SET 15.5
17\14.5\15.5
-2.28\1.47\0.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.2802G	56.75	68.20	-11.45	52.30	3	Horizontal	45	2.77	15.5	31.24	6.96	33.75					
PK	5.459G	60.07	74.00	-13.93	55.22	3	Horizontal	45	2.77	15.5	31.54	7.11	33.80					
AV	5.46G	48.91	54.00	-5.09	44.06	3	Horizontal	45	2.77	15.5	31.54	7.11	33.80					
PK	5.4662G	61.91	68.20	-6.29	57.03	3	Horizontal	45	2.77	15.5	31.56	7.12	33.80					
PK	5.597G	103.80	Inf	-Inf	98.65	3	Horizontal	45	2.77	15.5	31.61	7.34	33.80					
AV	5.591G	91.35	Inf	-Inf	86.20	3	Horizontal	45	2.77	15.5	31.62	7.33	33.80					
PK	5.7266G	68.16	68.20	-0.04	62.59	3	Horizontal	45	2.77	15.5	32.00	7.35	33.78					

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_V_2TX
SET 20.5
17\23.5\16\19.5\21\20.5
6.87\10.92\6.87\5.37\1.87\0.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4525G	59.42	74.00	-14.58	53.05	3	Vertical	338	1.80	20.5	32.91	8.46	35.00			
AV	5.4598G	47.41	54.00	-6.59	41.02	3	Vertical	338	1.80	20.5	32.92	8.46	34.99			
PK	5.4696G	67.61	68.20	-0.59	61.19	3	Vertical	338	1.80	20.5	32.94	8.47	34.99			
PK	5.5039G	115.18	Inf	-Inf	108.66	3	Vertical	338	1.80	20.5	33.00	8.50	34.98			
AV	5.5039G	106.70	Inf	-Inf	100.18	3	Vertical	338	1.80	20.5	33.00	8.50	34.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 19.5
20.5\14.5\20\17.5\18.5\19\19.5
-5.62\6.59\ -2.91\5.61\5.44\2.24\0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4535G	59.97	74.00	-14.03	53.60	3	Horizontal	349	1.80	19.5	32.91	8.46	35.00			
AV	5.46G	47.88	54.00	-6.12	41.49	3	Horizontal	349	1.80	19.5	32.92	8.46	34.99			
PK	5.4697G	68.11	68.20	-0.09	61.69	3	Horizontal	349	1.80	19.5	32.94	8.47	34.99			
PK	5.5046G	120.55	Inf	-Inf	114.03	3	Horizontal	349	1.80	19.5	33.00	8.50	34.98			
AV	5.5047G	111.95	Inf	-Inf	105.43	3	Horizontal	349	1.80	19.5	33.00	8.50	34.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 27
17\23.5\28\26\27\27.5\27
6.75\6.51\9.20\6.47\6.52\9.78\6.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4372G	60.18	74.00	-13.82	53.83	3	Vertical	8	3.00	27	32.90	8.45	35.00
PK	5.4666G	59.22	68.20	-8.98	52.81	3	Vertical	8	3.00	27	32.93	8.47	34.99
AV	5.4588G	47.51	54.00	-6.49	41.12	3	Vertical	8	3.00	27	32.92	8.46	34.99
PK	5.583G	122.06	Inf	-Inf	115.51	3	Vertical	8	3.00	27	32.93	8.56	34.94
AV	5.5731G	113.02	Inf	-Inf	106.46	3	Vertical	8	3.00	27	32.95	8.55	34.94
PK	5.7291G	60.09	68.20	-8.11	52.72	3	Vertical	8	3.00	27	33.52	8.72	34.87

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
SET 27
27
5.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.4588G	60.31	74.00	-13.69	53.92	3	Horizontal	353	1.80	27	32.92	8.46	34.99				
AV	5.46G	48.36	54.00	-5.64	41.97	3	Horizontal	353	1.80	27	32.92	8.46	34.99				
PK	5.4639G	62.27	68.20	-5.93	55.86	3	Horizontal	353	1.80	27	32.93	8.47	34.99				
PK	5.5848G	125.81	Inf	-Inf	119.26	3	Horizontal	353	1.80	27	32.93	8.56	34.94				
AV	5.5845G	117.37	Inf	-Inf	110.82	3	Horizontal	353	1.80	27	32.93	8.56	34.94				
PK	5.7261G	62.19	68.20	-6.01	54.84	3	Horizontal	353	1.80	27	33.50	8.72	34.87				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT Y_2TX
SET 19
17\22.5\16\19\20.5\20\19.5\19
5.51\12.58\5.55\3.49\1.56\1.56\2.59\2.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.703G	114.26	Inf	-Inf	107.04	3	Vertical	335	1.80	19	33.41	8.69	34.88				
AV	5.7032G	105.65	Inf	-Inf	98.43	3	Vertical	335	1.80	19	33.41	8.69	34.88				
PK	5.725G	65.85	68.20	-2.35	58.51	3	Vertical	335	1.80	19	33.50	8.71	34.87				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 17
19\13\10\11.5\12\15\16.5\17
-5.86\ -1.53\ 7.15\ 6.71\ 6.78\ 3.60\ 1.24\ 0.08

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6942G	117.75	Inf	-Inf	110.61	3	Horizontal	352	1.80	17	33.35	8.68	34.89				
AV	5.7042G	109.12	Inf	-Inf	101.89	3	Horizontal	352	1.80	17	33.42	8.69	34.88				
PK	5.725G	68.12	68.20	-0.08	60.78	3	Horizontal	352	1.80	17	33.50	8.71	34.87				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 26.5
17\23.5\28\26\27\26.5
6.82\6.53\11.38\6.73\2.20\0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.441G	59.58	74.00	-14.42	53.23	3	Vertical	347	1.80	26.5	32.90	8.45	35.00				
PK	5.465G	59.41	68.20	-8.79	53.00	3	Vertical	347	1.80	26.5	32.93	8.47	34.99				
AV	5.4554G	47.32	54.00	-6.68	40.95	3	Vertical	347	1.80	26.5	32.91	8.46	35.00				
PK	5.714G	123.01	Inf	-Inf	115.73	3	Vertical	347	1.80	26.5	33.46	8.70	34.88				
AV	5.7134G	113.48	Inf	-Inf	106.21	3	Vertical	347	1.80	26.5	33.45	8.70	34.88				
PK	5.8526G	68.10	68.20	-0.10	60.14	3	Vertical	347	1.80	26.5	33.91	8.86	34.81				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 26
26.5\21.5\26
-4.91\6.46\5.96

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.459G	59.56	74.00	-14.44	53.17	3	Horizontal	350	1.80	26	32.92	8.46	34.99				
AV	5.46G	47.53	54.00	-6.47	41.14	3	Horizontal	350	1.80	26	32.92	8.46	34.99				
PK	5.4686G	59.63	68.20	-8.57	53.21	3	Horizontal	350	1.80	26	32.94	8.47	34.99				
PK	5.7236G	125.87	Inf	-Inf	118.54	3	Horizontal	350	1.80	26	33.49	8.71	34.87				
AV	5.7242G	117.60	Inf	-Inf	110.26	3	Horizontal	350	1.80	26	33.50	8.71	34.87				
PK	5.8598G	62.24	68.20	-5.96	54.24	3	Horizontal	350	1.80	26	33.94	8.87	34.81				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 20
17.25.5\16.20.5\18.5\19.5\20
8.66\ -12.27\8.83\ -1.22\8.30\2.29\0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4594G	61.10	74.00	-12.90	56.25	3	Vertical	27	1.50	20	31.54	7.11	33.80			
AV	5.46G	46.12	54.00	-7.88	41.27	3	Vertical	27	1.50	20	31.54	7.11	33.80			
PK	5.4668G	67.96	68.20	-0.24	63.07	3	Vertical	27	1.50	20	31.57	7.12	33.80			
PK	5.5043G	117.34	Inf	-Inf	112.27	3	Vertical	27	1.50	20	31.70	7.18	33.81			
AV	5.5045G	104.81	Inf	-Inf	99.74	3	Vertical	27	1.50	20	31.70	7.18	33.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
SET 19.5
20\19\19.5
-0.56\3.85\1.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4588G	66.53	74.00	-7.47	61.68	3	Horizontal	2	2.02	19.5	31.54	7.11	33.80			
AV	5.46G	48.16	54.00	-5.84	43.31	3	Horizontal	2	2.02	19.5	31.54	7.11	33.80			
PK	5.4636G	67.09	68.20	-1.11	62.23	3	Horizontal	2	2.02	19.5	31.55	7.11	33.80			
PK	5.4986G	121.41	Inf	-Inf	116.36	3	Horizontal	2	2.02	19.5	31.69	7.17	33.81			
AV	5.4982G	109.48	Inf	-Inf	104.43	3	Horizontal	2	2.02	19.5	31.69	7.17	33.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
SET 27
17\25.5\28\27\27.5\27
8.74\8.53\7.03\8.33\6.75\8.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4432G	58.27	74.00	-15.73	53.50	3	Vertical	25	1.48	27	31.49	7.08	33.80			
PK	5.4639G	57.90	68.20	-10.30	53.02	3	Vertical	25	1.48	27	31.56	7.12	33.80			
AV	5.46G	45.67	54.00	-8.33	40.82	3	Vertical	25	1.48	27	31.54	7.11	33.80			
PK	5.5833G	122.44	Inf	-Inf	117.30	3	Vertical	25	1.48	27	31.63	7.31	33.80			
AV	5.5833G	111.07	Inf	-Inf	105.93	3	Vertical	25	1.48	27	31.63	7.31	33.80			
PK	5.7258G	58.78	68.20	-9.42	53.21	3	Vertical	25	1.48	27	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
SET 27
27
6.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4591G	59.01	74.00	-14.99	54.16	3	Horizontal	5	2.06	27	31.54	7.11	33.80			
AV	5.4588G	46.74	54.00	-7.26	41.89	3	Horizontal	5	2.06	27	31.54	7.11	33.80			
PK	5.4699G	61.49	68.20	-6.71	56.58	3	Horizontal	5	2.06	27	31.58	7.13	33.80			
PK	5.5761G	126.38	Inf	-Inf	121.23	3	Horizontal	5	2.06	27	31.65	7.30	33.80			
AV	5.5782G	115.48	Inf	-Inf	110.34	3	Horizontal	5	2.06	27	31.64	7.30	33.80			
PK	5.7255G	61.19	68.20	-7.01	55.62	3	Horizontal	5	2.06	27	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT Y_2TX
SET 14
17\8.5\18\13.5\15.5\14.5\14
-8.32\9.58\ -9.96\0.96\ -4.42\ -0.84\0.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6924G	111.38	Inf	-Inf	105.88	3	Vertical	3	2.45	14	31.95	7.34	33.79			
AV	5.6912G	100.40	Inf	-Inf	94.90	3	Vertical	3	2.45	14	31.95	7.34	33.79			
PK	5.7276G	67.50	68.20	-0.70	61.93	3	Vertical	3	2.45	14	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 12.5
14\11.5\12.5\13\12.5
-2.09\2.13\1.18\0.24\1.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6954G	114.80	Inf	-Inf	109.28	3	Horizontal	0	2.08	12.5	31.97	7.34	33.79			
AV	5.6952G	103.32	Inf	-Inf	97.80	3	Horizontal	0	2.08	12.5	31.97	7.34	33.79			
PK	5.7252G	66.97	68.20	-1.23	61.40	3	Horizontal	0	2.08	12.5	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 26
17\25.5\28\27\26.5\26
8.83\8.37\11.12\12.18\1.94\8.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.4404G	57.29	74.00	-16.71	52.52	3	Vertical	357	1.72	26	31.48	7.08	33.79					
PK	5.4644G	57.17	68.20	-11.03	52.29	3	Vertical	357	1.72	26	31.56	7.12	33.80					
AV	5.4572G	45.26	54.00	-8.74	40.43	3	Vertical	357	1.72	26	31.53	7.10	33.80					
PK	5.7152G	122.19	Inf	-Inf	116.62	3	Vertical	357	1.72	26	32.00	7.35	33.78					
AV	5.7158G	111.34	Inf	-Inf	105.77	3	Vertical	357	1.72	26	32.00	7.35	33.78					
PK	5.891G	60.06	68.20	-8.14	54.13	3	Vertical	357	1.72	26	32.18	7.51	33.76					

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 26
26
7.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4494G	57.53	74.00	-16.47	52.74	3	Horizontal	358	2.08	26	31.50	7.09	33.80			
PK	5.4674G	57.31	68.20	-10.89	52.42	3	Horizontal	358	2.08	26	31.57	7.12	33.80			
AV	5.46G	45.64	54.00	-8.36	40.79	3	Horizontal	358	2.08	26	31.54	7.11	33.80			
PK	5.7152G	126.59	Inf	-Inf	121.02	3	Horizontal	358	2.08	26	32.00	7.35	33.78			
AV	5.714G	115.28	Inf	-Inf	109.71	3	Horizontal	358	2.08	26	32.00	7.35	33.78			
PK	5.8508G	60.26	68.20	-7.94	54.49	3	Horizontal	358	2.08	26	32.10	7.44	33.77			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 16
17\16\16.5\16
-0.75\1.19\0.28\1.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.46G	58.93	74.00	-15.07	54.08	3	Vertical	28	2.86	16	31.54	7.11	33.80				
AV	5.46G	46.94	54.00	-7.06	42.09	3	Vertical	28	2.86	16	31.54	7.11	33.80				
PK	5.4678G	66.40	68.20	-1.80	61.51	3	Vertical	28	2.86	16	31.57	7.12	33.80				
PK	5.522G	109.66	Inf	-Inf	104.56	3	Vertical	28	2.86	16	31.70	7.21	33.81				
AV	5.5244G	97.93	Inf	-Inf	92.82	3	Vertical	28	2.86	16	31.70	7.22	33.81				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_V_2TX
SET 12.5
16\9\15\12\13.5\13\12.5
-6.66\6.36\4.12\1.85\1.50\0.32\0.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	58.73	74.00	-15.27	53.88	3	Horizontal	0	2.12	12.5	31.54	7.11	33.80			
AV	5.46G	46.52	54.00	-7.48	41.67	3	Horizontal	0	2.12	12.5	31.54	7.11	33.80			
PK	5.4676G	67.76	68.20	-0.44	62.87	3	Horizontal	0	2.12	12.5	31.57	7.12	33.80			
PK	5.5268G	112.11	Inf	-Inf	107.00	3	Horizontal	0	2.12	12.5	31.70	7.22	33.81			
AV	5.5274G	100.23	Inf	-Inf	95.12	3	Horizontal	0	2.12	12.5	31.70	7.22	33.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
SET 22.5
17\25.5\19\22\23.5\23\22.5
8.85\6.87\8.82\2.65\2.34\2.58\1.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4594G	60.77	74.00	-13.23	55.92	3	Vertical	28	1.61	22.5	31.54	7.11	33.80				
AV	5.4534G	46.27	54.00	-7.73	41.46	3	Vertical	28	1.61	22.5	31.51	7.10	33.80				
PK	5.4698G	67.14	68.20	-1.06	62.23	3	Vertical	28	1.61	22.5	31.58	7.13	33.80				
PK	5.5342G	115.84	Inf	-Inf	110.72	3	Vertical	28	1.61	22.5	31.70	7.23	33.81				
AV	5.533G	104.22	Inf	-Inf	99.10	3	Vertical	28	1.61	22.5	31.70	7.23	33.81				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 21
22.5\14.5\22\18.5\20\20.5\21\21.5\21
-7.55\8.67\4.05\8.43\7.16\2.82\1.23\1.80\0.81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4528G	58.44	74.00	-15.56	53.63	3	Horizontal	5	2.08	21	31.51	7.10	33.80			
AV	5.46G	46.81	54.00	-7.19	41.96	3	Horizontal	5	2.08	21	31.54	7.11	33.80			
PK	5.469G	67.39	68.20	-0.81	62.49	3	Horizontal	5	2.08	21	31.58	7.12	33.80			
PK	5.5684G	120.21	Inf	-Inf	115.06	3	Horizontal	5	2.08	21	31.66	7.29	33.80			
AV	5.5472G	107.87	Inf	-Inf	102.72	3	Horizontal	5	2.08	21	31.70	7.25	33.80			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
SET 16
17\16\18\16
-0.78\6.94\2.80\4.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6856G	109.49	Inf	-Inf	104.03	3	Vertical	5	2.18	16	31.91	7.34	33.79			
AV	5.6637G	98.09	Inf	-Inf	92.76	3	Vertical	5	2.18	16	31.78	7.34	33.79			
PK	5.7252G	63.41	68.20	-4.79	57.84	3	Vertical	5	2.18	16	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
SET 16
16
1.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6859G	115.47	Inf	-Inf	110.00	3	Horizontal	7	2.00	16	31.92	7.34	33.79				
AV	5.6664G	103.47	Inf	-Inf	98.12	3	Horizontal	7	2.00	16	31.80	7.34	33.79				
PK	5.7255G	67.19	68.20	-1.01	61.62	3	Horizontal	7	2.00	16	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 25.5
17\25.5\28\27\26.5\23.5\25\25.5
8.71\3.61\15.21\12.83\4.62\8.70\5.50\4.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4538G	56.67	74.00	-17.33	51.85	3	Vertical	356	1.55	25.5	31.52	7.10	33.80			
AV	5.458G	45.25	54.00	-8.75	40.41	3	Vertical	356	1.55	25.5	31.53	7.11	33.80			
PK	5.467G	56.69	68.20	-11.51	51.80	3	Vertical	356	1.55	25.5	31.57	7.12	33.80			
PK	5.728G	119.76	Inf	-Inf	114.19	3	Vertical	356	1.55	25.5	32.00	7.35	33.78			
AV	5.7268G	108.43	Inf	-Inf	102.86	3	Vertical	356	1.55	25.5	32.00	7.35	33.78			
PK	5.85G	63.81	68.20	-4.39	58.04	3	Vertical	356	1.55	25.5	32.10	7.44	33.77			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 25
25.5\24\25
-1.34\6.03\2.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4454G	57.70	74.00	-16.30	52.93	3	Horizontal	3	2.08	25	31.49	7.08	33.80			
PK	5.4622G	58.02	68.20	-10.18	53.16	3	Horizontal	3	2.08	25	31.55	7.11	33.80			
AV	5.4598G	45.77	54.00	-8.23	40.92	3	Horizontal	3	2.08	25	31.54	7.11	33.80			
PK	5.7232G	124.68	Inf	-Inf	119.11	3	Horizontal	3	2.08	25	32.00	7.35	33.78			
AV	5.725G	112.28	Inf	-Inf	106.71	3	Horizontal	3	2.08	25	32.00	7.35	33.78			
PK	5.8588G	65.92	68.20	-2.28	60.11	3	Horizontal	3	2.08	25	32.12	7.46	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 17.5
17\19.5\18.5\18\17.5
2.69\ -2.03\ -0.77\ -0.64\ 1.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3055G	56.76	68.20	-11.44	52.34	3	Vertical	28	2.74	17.5	31.21	6.97	33.76
AV	5.35G	44.62	54.00	-9.38	40.10	3	Vertical	28	2.74	17.5	31.30	6.99	33.77
PK	5.45G	62.45	74.00	-11.55	57.66	3	Vertical	28	2.74	17.5	31.50	7.09	33.80
PK	5.4675G	67.19	68.20	-1.01	62.30	3	Vertical	28	2.74	17.5	31.57	7.12	33.80
AV	5.46G	50.32	54.00	-3.68	45.47	3	Vertical	28	2.74	17.5	31.54	7.11	33.80
PK	5.527G	106.62	Inf	-Inf	101.51	3	Vertical	28	2.74	17.5	31.70	7.22	33.81
AV	5.525G	95.61	Inf	-Inf	90.50	3	Vertical	28	2.74	17.5	31.70	7.22	33.81
PK	5.7345G	59.07	68.20	-9.13	53.50	3	Vertical	28	2.74	17.5	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
SET 14.5
17.5\11.5\16.5\14\15\14.5
-5.62\5.15\3.48\2.12\0.62\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	57.23	68.20	-10.97	52.76	3	Horizontal	5	2.08	14.5	31.25	6.98	33.76
AV	5.35G	44.58	54.00	-9.42	40.06	3	Horizontal	5	2.08	14.5	31.30	6.99	33.77
PK	5.4505G	62.96	74.00	-11.04	58.17	3	Horizontal	5	2.08	14.5	31.50	7.09	33.80
AV	5.4505G	51.18	54.00	-2.82	46.39	3	Horizontal	5	2.08	14.5	31.50	7.09	33.80
PK	5.4695G	68.02	68.20	-0.18	63.12	3	Horizontal	5	2.08	14.5	31.58	7.12	33.80
PK	5.548G	110.31	Inf	-Inf	105.16	3	Horizontal	5	2.08	14.5	31.70	7.25	33.80
AV	5.528G	98.80	Inf	-Inf	93.69	3	Horizontal	5	2.08	14.5	31.70	7.22	33.81
PK	5.773G	58.68	68.20	-9.52	53.11	3	Horizontal	5	2.08	14.5	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 21
17\25.5\16\20.5\22.5\21.5\21
8.80\ -16.09\8.78\2.83\ -6.55\ -1.32\0.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3935G	57.78	74.00	-16.22	53.16	3	Vertical	0	1.41	21	31.39	7.01	33.78			
PK	5.469G	58.50	68.20	-9.70	53.60	3	Vertical	0	1.41	21	31.58	7.12	33.80			
AV	5.457G	45.69	54.00	-8.31	40.86	3	Vertical	0	1.41	21	31.53	7.10	33.80			
PK	5.648G	112.37	Inf	-Inf	107.12	3	Vertical	0	1.41	21	31.70	7.34	33.79			
AV	5.629G	100.39	Inf	-Inf	95.18	3	Vertical	0	1.41	21	31.66	7.34	33.79			
PK	5.725G	67.70	68.20	-0.50	62.13	3	Vertical	0	1.41	21	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
SET 20
21\17.5\20.5\19\19.5\20
-3.22\7.06\3.52\2.90\2.47\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.415G	57.58	74.00	-16.42	52.91	3	Horizontal	13	2.13	20	31.43	7.03	33.79
PK	5.4685G	59.31	68.20	-8.89	54.42	3	Horizontal	13	2.13	20	31.57	7.12	33.80
AV	5.4545G	45.93	54.00	-8.07	41.11	3	Horizontal	13	2.13	20	31.52	7.10	33.80
PK	5.629G	116.58	Inf	-Inf	111.37	3	Horizontal	13	2.13	20	31.66	7.34	33.79
AV	5.6275G	104.45	Inf	-Inf	99.24	3	Horizontal	13	2.13	20	31.66	7.34	33.79
PK	5.726G	67.70	68.20	-0.50	62.13	3	Horizontal	13	2.13	20	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 22
17\25.5\17.5\21.5\23.5\22.5\23\22.5\22
8.84\8.73\8.70\4.11\2.61\1.13\2.42\2.98\2.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.4314G	57.98	74.00	-16.02	53.25	3	Vertical	359	1.34	22	31.46	7.06	33.79
PK	5.4698G	57.00	68.20	-11.20	52.09	3	Vertical	359	1.34	22	31.58	7.13	33.80
AV	5.4596G	45.36	54.00	-8.64	40.51	3	Vertical	359	1.34	22	31.54	7.11	33.80
PK	5.7068G	113.62	Inf	-Inf	108.06	3	Vertical	359	1.34	22	32.00	7.35	33.79
AV	5.669G	101.89	Inf	-Inf	96.53	3	Vertical	359	1.34	22	31.81	7.34	33.79
PK	5.8508G	66.09	68.20	-2.11	60.32	3	Vertical	359	1.34	22	32.10	7.44	33.77

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 21.5
22\20.5\21.5
-1.20\4.56\1.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4578G	57.51	74.00	-16.49	52.67	3	Horizontal	11	2.01	21.5	31.53	7.11	33.80				
AV	5.459G	45.96	54.00	-8.04	41.11	3	Horizontal	11	2.01	21.5	31.54	7.11	33.80				
PK	5.4668G	57.66	68.20	-10.54	52.77	3	Horizontal	11	2.01	21.5	31.57	7.12	33.80				
PK	5.7266G	117.89	Inf	-Inf	112.32	3	Horizontal	11	2.01	21.5	32.00	7.35	33.78				
AV	5.6864G	106.20	Inf	-Inf	100.73	3	Horizontal	11	2.01	21.5	31.92	7.34	33.79				
PK	5.861G	66.64	68.20	-1.56	60.83	3	Horizontal	11	2.01	21.5	32.12	7.46	33.77				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
SET 15
17\12.5\17.5\15\16\15.5\15
-4.13\5.49\ -3.92\0.90\ -0.61\ -0.15\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3096G	56.70	68.20	-11.50	52.27	3	Vertical	360	1.41	15	31.22	6.97	33.76				
PK	5.4542G	62.25	74.00	-11.75	57.43	3	Vertical	360	1.41	15	31.52	7.10	33.80				
AV	5.4536G	49.77	54.00	-4.23	44.96	3	Vertical	360	1.41	15	31.51	7.10	33.80				
PK	5.4692G	62.95	68.20	-5.25	58.05	3	Vertical	360	1.41	15	31.58	7.12	33.80				
PK	5.63G	104.04	Inf	-Inf	98.83	3	Vertical	360	1.41	15	31.66	7.34	33.79				
AV	5.6294G	91.83	Inf	-Inf	86.62	3	Vertical	360	1.41	15	31.66	7.34	33.79				
PK	5.7446G	67.87	68.20	-0.33	62.30	3	Vertical	360	1.41	15	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
SET 13
15\11\14.5\13
-3.84\4.72\2.47\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3324G	56.87	68.20	-11.33	52.40	3	Horizontal	5	2.00	13	31.26	6.98	33.77			
PK	5.4488G	62.83	74.00	-11.17	58.04	3	Horizontal	5	2.00	13	31.50	7.09	33.80			
AV	5.4506G	50.61	54.00	-3.39	45.82	3	Horizontal	5	2.00	13	31.50	7.09	33.80			
PK	5.4698G	65.39	68.20	-2.81	60.48	3	Horizontal	5	2.00	13	31.58	7.13	33.80			
PK	5.645G	107.44	Inf	-Inf	102.20	3	Horizontal	5	2.00	13	31.69	7.34	33.79			
AV	5.6468G	95.06	Inf	-Inf	89.82	3	Horizontal	5	2.00	13	31.69	7.34	33.79			
PK	5.729G	68.02	68.20	-0.18	62.45	3	Horizontal	5	2.00	13	32.00	7.35	33.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 21
17.25.5\16\20.5\22.5\21.5\21
8.73\ -9.67\8.77\3.14\ -4.10\ -1.24\2.00

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.46G	58.20	74.00	-15.80	53.35	3	Vertical	27	1.80	21	31.54	7.11	33.80				
AV	5.46G	45.77	54.00	-8.23	40.92	3	Vertical	27	1.80	21	31.54	7.11	33.80				
PK	5.47G	66.20	68.20	-2.00	61.29	3	Vertical	27	1.80	21	31.58	7.13	33.80				
PK	5.5026G	116.91	Inf	-Inf	111.84	3	Vertical	27	1.80	21	31.70	7.18	33.81				
AV	5.5029G	108.18	Inf	-Inf	103.11	3	Vertical	27	1.80	21	31.70	7.18	33.81				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 19.5
21\13.5\20.5\17\18.5\19\19.5\20\19.5
-7.02\8.45\ -3.78\7.73\4.20\2.15\0.96\ -1.50\0.89

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4597G	59.25	74.00	-14.75	54.40	3	Horizontal	35	2.28	19.5	31.54	7.11	33.80			
AV	5.4595G	47.03	54.00	-6.97	42.18	3	Horizontal	35	2.28	19.5	31.54	7.11	33.80			
PK	5.4696G	67.31	68.20	-0.89	62.41	3	Horizontal	35	2.28	19.5	31.58	7.12	33.80			
PK	5.5026G	122.82	Inf	-Inf	117.75	3	Horizontal	35	2.28	19.5	31.70	7.18	33.81			
AV	5.5018G	114.55	Inf	-Inf	109.48	3	Horizontal	35	2.28	19.5	31.70	7.18	33.81			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27
17\25.5\28\27\27.5\27
8.63\8.16\5.38\8.13\4.70\8.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	57.63	74.00	-16.37	52.80	3	Vertical	30	2.94	27	31.53	7.10	33.80			
AV	5.46G	45.78	54.00	-8.22	40.93	3	Vertical	30	2.94	27	31.54	7.11	33.80			
PK	5.4654G	57.71	68.20	-10.49	52.83	3	Vertical	30	2.94	27	31.56	7.12	33.80			
PK	5.5725G	121.74	Inf	-Inf	116.59	3	Vertical	30	2.94	27	31.66	7.29	33.80			
AV	5.5728G	113.09	Inf	-Inf	107.94	3	Vertical	30	2.94	27	31.65	7.30	33.80			
PK	5.7297G	58.98	68.20	-9.22	53.41	3	Vertical	30	2.94	27	32.00	7.35	33.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27
27
6.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.4504G	59.49	74.00	-14.51	54.70	3	Horizontal	15	1.04	27	31.50	7.09	33.80				
PK	5.4624G	61.59	68.20	-6.61	56.73	3	Horizontal	15	1.04	27	31.55	7.11	33.80				
AV	5.46G	47.96	54.00	-6.04	43.11	3	Horizontal	15	1.04	27	31.54	7.11	33.80				
PK	5.5827G	127.95	Inf	-Inf	122.81	3	Horizontal	15	1.04	27	31.63	7.31	33.80				
AV	5.5833G	119.31	Inf	-Inf	114.17	3	Horizontal	15	1.04	27	31.63	7.31	33.80				
PK	5.7261G	61.51	68.20	-6.69	55.94	3	Horizontal	15	1.04	27	32.00	7.35	33.78				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 19.5
17.25\16\20.5\18.5\19.5\20\19.5
8.49\ -22.00\8.91\ -4.15\6.45\2.41\ -0.76\1.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6928G	117.23	Inf	-Inf	111.72	3	Vertical	0	2.42	19.5	31.96	7.34	33.79				
AV	5.6926G	108.69	Inf	-Inf	103.18	3	Vertical	0	2.42	19.5	31.96	7.34	33.79				
PK	5.7328G	66.60	68.20	-1.60	61.03	3	Vertical	0	2.42	19.5	32.00	7.35	33.78				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
SET 18.5
19.5\14.5\19\17\18\18.5
-4.52\6.76\1.72\3.99\2.15\0.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6926G	121.70	Inf	-Inf	116.19	3	Horizontal	360	2.94	18.5	31.96	7.34	33.79				
AV	5.6924G	113.41	Inf	-Inf	107.91	3	Horizontal	360	2.94	18.5	31.95	7.34	33.79				
PK	5.7326G	67.80	68.20	-0.40	62.23	3	Horizontal	360	2.94	18.5	32.00	7.35	33.78				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 26.5
17\25.5\28\27\26.5
8.77\7.81\8.85\8.72\0.74

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4584G	57.09	74.00	-16.91	52.25	3	Vertical	359	1.65	26.5	31.53	7.11	33.80				
AV	5.456G	45.30	54.00	-8.70	40.48	3	Vertical	359	1.65	26.5	31.52	7.10	33.80				
PK	5.465G	57.16	68.20	-11.04	52.28	3	Vertical	359	1.65	26.5	31.56	7.12	33.80				
PK	5.717G	124.22	Inf	-Inf	118.65	3	Vertical	359	1.65	26.5	32.00	7.35	33.78				
AV	5.717G	115.10	Inf	-Inf	109.53	3	Vertical	359	1.65	26.5	32.00	7.35	33.78				
PK	5.8532G	67.46	68.20	-0.74	61.67	3	Vertical	359	1.65	26.5	32.11	7.45	33.77				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 26.5
26.5
0.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4362G	57.88	74.00	-16.12	53.13	3	Horizontal	351	1.76	26.5	31.47	7.07	33.79			
PK	5.4674G	57.58	68.20	-10.62	52.69	3	Horizontal	351	1.76	26.5	31.57	7.12	33.80			
AV	5.4596G	45.89	54.00	-8.11	41.04	3	Horizontal	351	1.76	26.5	31.54	7.11	33.80			
PK	5.7128G	127.22	Inf	-Inf	121.65	3	Horizontal	351	1.76	26.5	32.00	7.35	33.78			
AV	5.7128G	118.54	Inf	-Inf	112.97	3	Horizontal	351	1.76	26.5	32.00	7.35	33.78			
PK	5.861G	67.98	68.20	-0.22	62.17	3	Horizontal	351	1.76	26.5	32.12	7.46	33.77			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
SET 20
17.25.5\16\20.5\18.5\19.5\20
8.72\14.81\8.77\3.13\7.29\3.13\0.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	60.39	74.00	-13.61	55.54	3	Vertical	29	1.80	20	31.54	7.11	33.80			
AV	5.46G	46.85	54.00	-7.15	42.00	3	Vertical	29	1.80	20	31.54	7.11	33.80			
PK	5.4618G	67.56	68.20	-0.64	62.70	3	Vertical	29	1.80	20	31.55	7.11	33.80			
PK	5.5038G	117.76	Inf	-Inf	112.69	3	Vertical	29	1.80	20	31.70	7.18	33.81			
AV	5.5027G	106.41	Inf	-Inf	101.34	3	Vertical	29	1.80	20	31.70	7.18	33.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
SET 18.5
20\11\19.5\15.5\17.5\18.5\19\18.5
-8.73\8.53\4.98\7.95\3.35\0.65\1.92\1.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4557G	58.71	74.00	-15.29	53.89	3	Horizontal	3	1.20	18.5	31.52	7.10	33.80			
AV	5.459G	46.54	54.00	-7.46	41.69	3	Horizontal	3	1.20	18.5	31.54	7.11	33.80			
PK	5.4652G	66.84	68.20	-1.36	61.96	3	Horizontal	3	1.20	18.5	31.56	7.12	33.80			
PK	5.504G	124.55	Inf	-Inf	119.48	3	Horizontal	3	1.20	18.5	31.70	7.18	33.81			
AV	5.5051G	112.96	Inf	-Inf	107.89	3	Horizontal	3	1.20	18.5	31.70	7.18	33.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27
17\25.5\28\27\27.5\27
8.62\8.11\6.10\7.80\6.63\6.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.4426G	58.13	74.00	-15.87	53.36	3	Vertical	27	2.81	27	31.49	7.08	33.80				
PK	5.4687G	61.55	68.20	-6.65	56.66	3	Vertical	27	2.81	27	31.57	7.12	33.80				
AV	5.46G	46.18	54.00	-7.82	41.33	3	Vertical	27	2.81	27	31.54	7.11	33.80				
PK	5.5728G	123.79	Inf	-Inf	118.64	3	Vertical	27	2.81	27	31.65	7.30	33.80				
AV	5.5719G	112.57	Inf	-Inf	107.42	3	Vertical	27	2.81	27	31.66	7.29	33.80				
PK	5.7267G	59.17	68.20	-9.03	53.60	3	Vertical	27	2.81	27	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET 27
27
1.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	64.11	74.00	-9.89	59.26	3	Horizontal	16	1.04	27	31.54	7.11	33.80			
AV	5.46G	49.50	54.00	-4.50	44.65	3	Horizontal	16	1.04	27	31.54	7.11	33.80			
PK	5.4621G	66.32	68.20	-1.88	61.46	3	Horizontal	16	1.04	27	31.55	7.11	33.80			
PK	5.5833G	128.05	Inf	-Inf	122.91	3	Horizontal	16	1.04	27	31.63	7.31	33.80			
AV	5.583G	118.74	Inf	-Inf	113.60	3	Horizontal	16	1.04	27	31.63	7.31	33.80			
PK	5.7258G	62.67	68.20	-5.53	57.10	3	Horizontal	16	1.04	27	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 15
15
0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6918G	115.66	Inf	-Inf	110.16	3	Vertical	5	2.33	15	31.95	7.34	33.79				
AV	5.6912G	104.13	Inf	-Inf	98.63	3	Vertical	5	2.33	15	31.95	7.34	33.79				
PK	5.725G	67.92	68.20	-0.28	62.35	3	Vertical	5	2.33	15	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 10.5
15\6.5\14.5\10.5\12.5\11.5\11\10.5
-8.18\8.85\4.75\1.67\2.72\0.27\1.01\1.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6916G	118.70	Inf	-Inf	113.20	3	Horizontal	358	2.78	10.5	31.95	7.34	33.79			
AV	5.6912G	106.27	Inf	-Inf	100.77	3	Horizontal	358	2.78	10.5	31.95	7.34	33.79			
PK	5.7254G	66.55	68.20	-1.65	60.98	3	Horizontal	358	2.78	10.5	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 26
17\25.5\28\27\26.5\26
8.76\8.48\10.04\11.44\2.25\7.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4578G	57.62	74.00	-16.38	52.78	3	Vertical	5	2.32	26	31.53	7.11	33.80			
AV	5.4542G	45.33	54.00	-8.67	40.51	3	Vertical	5	2.32	26	31.52	7.10	33.80			
PK	5.4698G	57.54	68.20	-10.66	52.63	3	Vertical	5	2.32	26	31.58	7.13	33.80			
PK	5.7122G	125.27	Inf	-Inf	119.70	3	Vertical	5	2.32	26	32.00	7.35	33.78			
AV	5.711G	114.53	Inf	-Inf	108.96	3	Vertical	5	2.32	26	32.00	7.35	33.78			
PK	5.8604G	60.87	68.20	-7.33	55.06	3	Vertical	5	2.32	26	32.12	7.46	33.77			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 25.5
26\22\25.5
-3.57\5.78\4.98

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4572G	57.95	74.00	-16.05	53.12	3	Horizontal	2	2.80	25.5	31.53	7.10	33.80				
AV	5.46G	46.32	54.00	-7.68	41.47	3	Horizontal	2	2.80	25.5	31.54	7.11	33.80				
PK	5.4698G	58.26	68.20	-9.94	53.35	3	Horizontal	2	2.80	25.5	31.58	7.13	33.80				
PK	5.711G	128.47	Inf	-Inf	122.90	3	Horizontal	2	2.80	25.5	32.00	7.35	33.78				
AV	5.711G	118.99	Inf	-Inf	113.42	3	Horizontal	2	2.80	25.5	32.00	7.35	33.78				
PK	5.8802G	63.22	68.20	-4.98	57.33	3	Horizontal	2	2.80	25.5	32.16	7.49	33.76				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 17
17\17.5\17
0.86\1.17\0.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4554G	60.75	74.00	-13.25	55.93	3	Vertical	29	1.85	17	31.52	7.10	33.80				
AV	5.46G	47.68	54.00	-6.32	42.83	3	Vertical	29	1.85	17	31.54	7.11	33.80				
PK	5.4698G	67.70	68.20	-0.50	62.79	3	Vertical	29	1.85	17	31.58	7.13	33.80				
PK	5.5126G	112.73	Inf	-Inf	107.64	3	Vertical	29	1.85	17	31.70	7.20	33.81				
AV	5.5128G	100.66	Inf	-Inf	95.57	3	Vertical	29	1.85	17	31.70	7.20	33.81				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 10.5
17\7\13\10\11.5\11\10.5
-14.63\6.26\4.55\0.59\0.91\0.97\1.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4584G	60.51	74.00	-13.49	55.67	3	Horizontal	13	2.12	10.5	31.53	7.11	33.80				
AV	5.4598G	46.64	54.00	-7.36	41.79	3	Horizontal	13	2.12	10.5	31.54	7.11	33.80				
PK	5.469G	67.16	68.20	-1.04	62.26	3	Horizontal	13	2.12	10.5	31.58	7.12	33.80				
PK	5.5108G	113.70	Inf	-Inf	108.62	3	Horizontal	13	2.12	10.5	31.70	7.19	33.81				
AV	5.5112G	102.68	Inf	-Inf	97.60	3	Horizontal	13	2.12	10.5	31.70	7.19	33.81				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 22
17\25.5\20\22.5\21.5\22
8.76\5.81\8.62\0.83\3.24\1.00

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4538G	58.69	74.00	-15.31	53.87	3	Vertical	30	1.85	22	31.52	7.10	33.80			
AV	5.4518G	46.36	54.00	-7.64	41.55	3	Vertical	30	1.85	22	31.51	7.10	33.80			
PK	5.4694G	67.20	68.20	-1.00	62.30	3	Vertical	30	1.85	22	31.58	7.12	33.80			
PK	5.5332G	117.13	Inf	-Inf	112.01	3	Vertical	30	1.85	22	31.70	7.23	33.81			
AV	5.5324G	105.53	Inf	-Inf	100.41	3	Vertical	30	1.85	22	31.70	7.23	33.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 20.5
22\13.5\21.5\17.5\19.5\20.5\21\20.5
-8.37\8.32\7.11\7.88\7.30\1.24\2.31\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4516G	59.62	74.00	-14.38	54.81	3	Horizontal	16	2.22	20.5	31.51	7.10	33.80			
AV	5.4518G	47.01	54.00	-6.99	42.20	3	Horizontal	16	2.22	20.5	31.51	7.10	33.80			
PK	5.4698G	67.89	68.20	-0.31	62.98	3	Horizontal	16	2.22	20.5	31.58	7.13	33.80			
PK	5.5314G	123.10	Inf	-Inf	117.98	3	Horizontal	16	2.22	20.5	31.70	7.23	33.81			
AV	5.5318G	111.70	Inf	-Inf	106.58	3	Horizontal	16	2.22	20.5	31.70	7.23	33.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 19.5
17\23\16\19.5\21\20.5\20\19.5
6.24\13.51\6.11\2.83\2.15\1.83\0.97\3.06

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6607G	116.05	Inf	-Inf	110.74	3	Vertical	0	2.24	19.5	31.76	7.34	33.79				
AV	5.6607G	104.35	Inf	-Inf	99.04	3	Vertical	0	2.24	19.5	31.76	7.34	33.79				
PK	5.7252G	65.14	68.20	-3.06	59.57	3	Vertical	0	2.24	19.5	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 19
19.5\16\19
-3.06\6.67\1.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6619G	121.65	Inf	-Inf	116.33	3	Horizontal	356	2.71	19	31.77	7.34	33.79			
AV	5.6604G	110.67	Inf	-Inf	105.36	3	Horizontal	356	2.71	19	31.76	7.34	33.79			
PK	5.7252G	66.36	68.20	-1.84	60.79	3	Horizontal	356	2.71	19	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 25.5
17\25.5\28\27\26.5\23.5\25\25.5
8.74\2.14\12.91\13.48\7.74\8.03\4.34\2.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4598G	57.16	74.00	-16.84	52.31	3	Vertical	360	2.32	25.5	31.54	7.11	33.80			
AV	5.4592G	45.42	54.00	-8.58	40.57	3	Vertical	360	2.32	25.5	31.54	7.11	33.80			
PK	5.4622G	57.09	68.20	-11.11	52.23	3	Vertical	360	2.32	25.5	31.55	7.11	33.80			
PK	5.7214G	121.08	Inf	-Inf	115.51	3	Vertical	360	2.32	25.5	32.00	7.35	33.78			
AV	5.701G	110.57	Inf	-Inf	105.01	3	Vertical	360	2.32	25.5	32.00	7.35	33.79			
PK	5.8804G	65.88	68.20	-2.32	59.99	3	Vertical	360	2.32	25.5	32.16	7.49	33.76			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 24
25.5\22\25\23.5\24
-3.23\6.00\1.80\4.12\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	57.63	74.00	-16.37	52.78	3	Horizontal	25	1.02	24	31.54	7.11	33.80			
AV	5.4586G	46.47	54.00	-7.53	41.63	3	Horizontal	25	1.02	24	31.53	7.11	33.80			
PK	5.4664G	58.60	68.20	-9.60	53.71	3	Horizontal	25	1.02	24	31.57	7.12	33.80			
PK	5.6938G	125.64	Inf	-Inf	120.13	3	Horizontal	25	1.02	24	31.96	7.34	33.79			
AV	5.6932G	114.40	Inf	-Inf	108.89	3	Horizontal	25	1.02	24	31.96	7.34	33.79			
PK	5.8516G	68.02	68.20	-0.18	62.25	3	Horizontal	25	1.02	24	32.10	7.44	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 17
17\17.5\17
0.71\0.25\0.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	57.55	68.20	-10.65	53.04	3	Vertical	30	1.88	17	31.29	6.99	33.77
AV	5.35G	44.59	54.00	-9.41	40.07	3	Vertical	30	1.88	17	31.30	6.99	33.77
PK	5.454G	65.17	74.00	-8.83	60.35	3	Vertical	30	1.88	17	31.52	7.10	33.80
AV	5.453G	53.18	54.00	-0.82	48.37	3	Vertical	30	1.88	17	31.51	7.10	33.80
PK	5.47G	66.22	68.20	-1.98	61.31	3	Vertical	30	1.88	17	31.58	7.13	33.80
PK	5.5135G	107.88	Inf	-Inf	102.79	3	Vertical	30	1.88	17	31.70	7.20	33.81
AV	5.5125G	96.74	Inf	-Inf	91.65	3	Vertical	30	1.88	17	31.70	7.20	33.81
PK	5.7435G	58.13	68.20	-10.07	52.56	3	Vertical	30	1.88	17	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 13
17\8.5\15.5\12\13.5\13
-8.39\7.07\5.22\1.43\1.89\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.306G	56.99	68.20	-11.21	52.57	3	Horizontal	15	2.21	13	31.21	6.97	33.76			
AV	5.35G	44.61	54.00	-9.39	40.09	3	Horizontal	15	2.21	13	31.30	6.99	33.77			
PK	5.4525G	65.02	74.00	-8.98	60.21	3	Horizontal	15	2.21	13	31.51	7.10	33.80			
AV	5.452G	53.67	54.00	-0.33	48.86	3	Horizontal	15	2.21	13	31.51	7.10	33.80			
PK	5.47G	67.57	68.20	-0.63	62.66	3	Horizontal	15	2.21	13	31.58	7.13	33.80			
PK	5.5105G	111.65	Inf	-Inf	106.57	3	Horizontal	15	2.21	13	31.70	7.19	33.81			
AV	5.5315G	101.20	Inf	-Inf	96.08	3	Horizontal	15	2.21	13	31.70	7.23	33.81			
PK	5.7505G	59.69	68.20	-8.51	54.12	3	Horizontal	15	2.21	13	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 21
17\25.5\16\20.5\22.5\21.5\21
8.77\ -14.88\8.83\3.04\ -6.39\ -0.92\1.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4585G	58.84	74.00	-15.16	54.00	3	Vertical	0	2.36	21	31.53	7.11	33.80			
AV	5.46G	46.84	54.00	-7.16	41.99	3	Vertical	0	2.36	21	31.54	7.11	33.80			
PK	5.462G	58.67	68.20	-9.53	53.81	3	Vertical	0	2.36	21	31.55	7.11	33.80			
PK	5.622G	113.84	Inf	-Inf	108.66	3	Vertical	0	2.36	21	31.64	7.34	33.80			
AV	5.6415G	102.61	Inf	-Inf	97.38	3	Vertical	0	2.36	21	31.68	7.34	33.79			
PK	5.7415G	66.82	68.20	-1.38	61.25	3	Vertical	0	2.36	21	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 20
21\15.5\20.5\18\19\19.5\20
-5.21\7.51\1.70\6.76\4.96\3.96\0.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4595G	59.54	74.00	-14.46	54.69	3	Horizontal	0	2.72	20	31.54	7.11	33.80				
AV	5.459G	47.97	54.00	-6.03	43.12	3	Horizontal	0	2.72	20	31.54	7.11	33.80				
PK	5.4685G	61.57	68.20	-6.63	56.68	3	Horizontal	0	2.72	20	31.57	7.12	33.80				
PK	5.641G	119.82	Inf	-Inf	114.59	3	Horizontal	0	2.72	20	31.68	7.34	33.79				
AV	5.64G	108.44	Inf	-Inf	103.21	3	Horizontal	0	2.72	20	31.68	7.34	33.79				
PK	5.7405G	67.37	68.20	-0.83	61.80	3	Horizontal	0	2.72	20	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 21.5
17\25.5\16\20.5\22.5\21.5\22\21.5
8.85\10.85\8.85\8.04\3.95\1.36\0.71\2.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	57.61	74.00	-16.39	52.78	3	Vertical	0	2.23	21.5	31.53	7.10	33.80
AV	5.459G	45.39	54.00	-8.61	40.54	3	Vertical	0	2.23	21.5	31.54	7.11	33.80
PK	5.4656G	56.97	68.20	-11.23	52.09	3	Vertical	0	2.23	21.5	31.56	7.12	33.80
PK	5.6588G	115.01	Inf	-Inf	109.71	3	Vertical	0	2.23	21.5	31.75	7.34	33.79
AV	5.6606G	103.60	Inf	-Inf	98.29	3	Vertical	0	2.23	21.5	31.76	7.34	33.79
PK	5.8592G	65.32	68.20	-2.88	59.51	3	Vertical	0	2.23	21.5	32.12	7.46	33.77

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 20.5
21.5\18\21\19.5\20\20.5
-3.09\6.53\1.03\5.58\1.84\1.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4524G	58.70	74.00	-15.30	53.89	3	Horizontal	360	2.68	20.5	31.51	7.10	33.80				
PK	5.4608G	59.48	68.20	-8.72	54.63	3	Horizontal	360	2.68	20.5	31.54	7.11	33.80				
AV	5.4596G	46.87	54.00	-7.13	42.02	3	Horizontal	360	2.68	20.5	31.54	7.11	33.80				
PK	5.6798G	120.69	Inf	-Inf	115.26	3	Horizontal	360	2.68	20.5	31.88	7.34	33.79				
AV	5.66G	109.57	Inf	-Inf	104.26	3	Horizontal	360	2.68	20.5	31.76	7.34	33.79				
PK	5.8598G	66.41	68.20	-1.79	60.60	3	Horizontal	360	2.68	20.5	32.12	7.46	33.77				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 15.5
17\13.5\15\15.5
-3.07\3.29\0.89\0.44

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.285G	57.15	68.20	-11.05	52.71	3	Vertical	345	2.37	15.5	31.23	6.96	33.75					
PK	5.4596G	64.35	74.00	-9.65	59.50	3	Vertical	345	2.37	15.5	31.54	7.11	33.80					
AV	5.46G	53.56	54.00	-0.44	48.71	3	Vertical	345	2.37	15.5	31.54	7.11	33.80					
PK	5.4632G	65.95	68.20	-2.25	61.09	3	Vertical	345	2.37	15.5	31.55	7.11	33.80					
PK	5.5232G	106.27	Inf	-Inf	101.17	3	Vertical	345	2.37	15.5	31.70	7.21	33.81					
AV	5.5424G	94.90	Inf	-Inf	89.76	3	Vertical	345	2.37	15.5	31.70	7.24	33.80					
PK	5.7422G	67.62	68.20	-0.58	62.05	3	Vertical	345	2.37	15.5	32.00	7.35	33.78					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 11.5
15.5\7.5\14\11\12.5\12\11.5
-7.70\6.82\5.56\2.00\1.45\1.16\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2736G	58.07	68.20	-10.13	53.61	3	Horizontal	355	2.68	11.5	31.25	6.96	33.75				
PK	5.4596G	64.83	74.00	-9.17	59.98	3	Horizontal	355	2.68	11.5	31.54	7.11	33.80				
AV	5.4596G	52.81	54.00	-1.19	47.96	3	Horizontal	355	2.68	11.5	31.54	7.11	33.80				
PK	5.468G	65.65	68.20	-2.55	60.76	3	Horizontal	355	2.68	11.5	31.57	7.12	33.80				
PK	5.6402G	109.50	Inf	-Inf	104.27	3	Horizontal	355	2.68	11.5	31.68	7.34	33.79				
AV	5.6402G	97.74	Inf	-Inf	92.51	3	Horizontal	355	2.68	11.5	31.68	7.34	33.79				
PK	5.7404G	68.01	68.20	-0.19	62.44	3	Horizontal	355	2.68	11.5	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Y_4TX
SET 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21481G	45.75	74.00	-28.25	61.62	3	Vertical	141	1.80	17	39.43	10.89	66.19			
AV	11.28162G	33.84	54.00	-20.16	49.57	3	Vertical	141	1.80	17	39.56	10.91	66.20			
PK	16.82956G	48.50	68.20	-19.70	57.55	3	Vertical	183.1	1.80	17	40.76	14.29	64.10			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX

EUT_Y_4TX
SET 11.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.05113G	46.39	74.00	-27.61	61.74	3	Horizontal	0	2.91	17	39.99	10.85	66.19				
AV	11.28865G	33.89	54.00	-20.11	49.60	3	Horizontal	0	2.91	17	39.58	10.91	66.20				
PK	16.86089G	47.85	68.20	-20.35	56.98	3	Horizontal	199.1	1.80	17	40.71	14.30	64.14				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	PK	5.8076G	68.19	68.20	-0.01	3	Horizontal	351	1.79	-

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5530MHz_TX

EUT_Y_1TX
Setting 3.5(19.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3225G	58.37	68.20	-9.83	48.38	3	Vertical	0	1.80	-	32.80	9.69	32.50			
AV	5.35G	45.75	54.00	-8.25	35.77	3	Vertical	0	1.80	-	32.80	9.68	32.50			
PK	5.445G	58.67	74.00	-15.33	48.70	3	Vertical	0	1.80	-	32.70	9.74	32.47			
PK	5.463G	59.30	68.20	-8.90	49.26	3	Vertical	0	1.80	-	32.73	9.78	32.47			
AV	5.459G	46.89	54.00	-7.11	36.87	3	Vertical	0	1.80	-	32.72	9.77	32.47			
PK	5.509G	103.39	Inf	-Inf	93.21	3	Vertical	0	1.80	-	32.78	9.86	32.46			
AV	5.507G	91.40	Inf	-Inf	81.21	3	Vertical	0	1.80	-	32.79	9.86	32.46			
PK	5.7475G	59.10	68.20	-9.10	48.15	3	Vertical	0	1.80	-	33.39	10.01	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5530MHz_TX

EUT_Y_1TX
Setting 3.5(19.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.315G	58.11	68.20	-10.09	48.12	3	Horizontal	32	1.80	-	32.80	9.69	32.50			
AV	5.35G	45.85	54.00	-8.15	35.87	3	Horizontal	32	1.80	-	32.80	9.68	32.50			
PK	5.46G	63.39	74.00	-10.61	53.37	3	Horizontal	32	1.80	-	32.72	9.77	32.47			
AV	5.46G	50.61	54.00	-3.39	40.59	3	Horizontal	32	1.80	-	32.72	9.77	32.47			
PK	5.4675G	67.51	68.20	-0.69	57.47	3	Horizontal	32	1.80	-	32.73	9.78	32.47			
PK	5.495G	112.20	Inf	-Inf	102.03	3	Horizontal	32	1.80	-	32.79	9.84	32.46			
AV	5.507G	99.97	Inf	-Inf	89.78	3	Horizontal	32	1.80	-	32.79	9.86	32.46			
PK	5.7475G	59.38	68.20	-8.82	48.43	3	Horizontal	32	1.80	-	33.39	10.01	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5530MHz_TX




EUT_Y_1TX
Setting 0.5(20.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.283G	57.81	68.20	-10.39	47.78	3	Vertical	360	1.80	-	32.83	9.71	32.51
AV	5.35G	45.90	54.00	-8.10	35.92	3	Vertical	360	1.80	-	32.80	9.68	32.50
PK	5.4425G	58.74	74.00	-15.26	48.77	3	Vertical	360	1.80	-	32.70	9.74	32.47
AV	5.4485G	47.34	54.00	-6.66	37.36	3	Vertical	360	1.80	-	32.70	9.75	32.47
PK	5.463G	57.34	68.20	-10.86	47.30	3	Vertical	360	1.80	-	32.73	9.78	32.47
PK	5.506G	103.62	Inf	-Inf	93.43	3	Vertical	360	1.80	-	32.79	9.86	32.46
AV	5.5075G	93.01	Inf	-Inf	82.83	3	Vertical	360	1.80	-	32.78	9.86	32.46
PK	5.78G	58.70	68.20	-9.50	47.57	3	Vertical	360	1.80	-	33.58	10.00	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5530MHz_TX




EUT_Y_1TX
Setting 0.5(20.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2845G	57.92	68.20	-10.28	47.89	3	Horizontal	36	1.80	-	32.83	9.71	32.51
AV	5.35G	45.86	54.00	-8.14	35.88	3	Horizontal	36	1.80	-	32.80	9.68	32.50
PK	5.4445G	68.93	74.00	-5.07	58.96	3	Horizontal	36	1.80	-	32.70	9.74	32.47
AV	5.443G	52.73	54.00	-1.27	42.76	3	Horizontal	36	1.80	-	32.70	9.74	32.47
PK	5.461G	67.23	68.20	-0.97	57.21	3	Horizontal	36	1.80	-	32.72	9.77	32.47
PK	5.4955G	113.38	Inf	-Inf	103.21	3	Horizontal	36	1.80	-	32.79	9.84	32.46
AV	5.502G	101.86	Inf	-Inf	91.67	3	Horizontal	36	1.80	-	32.80	9.85	32.46
PK	5.731G	61.06	68.20	-7.14	50.18	3	Horizontal	36	1.80	-	33.32	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 2.5(20.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4535G	57.64	74.00	-16.36	47.64	3	Vertical	16	1.80	-	32.71	9.76	32.47			
AV	5.3615G	46.50	54.00	-7.50	36.53	3	Vertical	16	1.80	-	32.78	9.68	32.49			
PK	5.4625G	57.47	68.20	-10.73	47.43	3	Vertical	16	1.80	-	32.73	9.78	32.47			
PK	5.6425G	104.48	Inf	-Inf	94.04	3	Vertical	16	1.80	-	32.87	10.02	32.45			
AV	5.6445G	92.07	Inf	-Inf	81.62	3	Vertical	16	1.80	-	32.88	10.02	32.45			
PK	5.7265G	60.14	68.20	-8.06	49.27	3	Vertical	16	1.80	-	33.31	10.01	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5610MHz_TX




EUT_Y_1TX
Setting 2.5(20.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4505G	58.52	74.00	-15.48	48.54	3	Horizontal	35	1.80	-	32.70	9.75	32.47
AV	5.46G	47.61	54.00	-6.39	37.59	3	Horizontal	35	1.80	-	32.72	9.77	32.47
PK	5.47G	59.98	68.20	-8.22	49.92	3	Horizontal	35	1.80	-	32.74	9.79	32.47
PK	5.6035G	112.32	Inf	-Inf	102.04	3	Horizontal	35	1.80	-	32.71	10.03	32.46
AV	5.608G	99.52	Inf	-Inf	89.22	3	Horizontal	35	1.80	-	32.73	10.03	32.46
PK	5.7255G	68.12	68.20	-0.08	57.26	3	Horizontal	35	1.80	-	33.30	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUT_Y_1TX
Setting 0.5(20.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.418G	58.98	74.00	-15.02	49.07	3	Vertical	14	1.80	-	32.70	9.69	32.48
PK	5.47G	58.26	68.20	-9.94	48.20	3	Vertical	14	1.80	-	32.74	9.79	32.47
AV	5.4565G	46.65	54.00	-7.35	36.65	3	Vertical	14	1.80	-	32.71	9.76	32.47
PK	5.6455G	105.46	Inf	-Inf	95.01	3	Vertical	14	1.80	-	32.88	10.02	32.45
AV	5.6455G	94.19	Inf	-Inf	83.74	3	Vertical	14	1.80	-	32.88	10.02	32.45
PK	5.772G	61.65	68.20	-6.55	50.57	3	Vertical	14	1.80	-	33.53	10.00	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5610MHz_TX




EUT_Y_1TX
Setting 0.5(20.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.85	74.00	-11.15	52.85	3	Horizontal	35	1.80	-	32.71	9.76	32.47
PK	5.463G	62.24	68.20	-5.96	52.20	3	Horizontal	35	1.80	-	32.73	9.78	32.47
AV	5.46G	48.65	54.00	-5.35	38.63	3	Horizontal	35	1.80	-	32.72	9.77	32.47
PK	5.572G	112.72	Inf	-Inf	102.50	3	Horizontal	35	1.80	-	32.70	9.98	32.46
AV	5.633G	101.22	Inf	-Inf	90.81	3	Horizontal	35	1.80	-	32.83	10.03	32.45
PK	5.7625G	68.00	68.20	-0.20	56.96	3	Horizontal	35	1.80	-	33.48	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 0.5(22.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	58.45	74.00	-15.55	48.48	3	Vertical	17	1.80	-	32.70	9.74	32.47
PK	5.4635G	58.55	68.20	-9.65	48.51	3	Vertical	17	1.80	-	32.73	9.78	32.47
AV	5.46G	46.33	54.00	-7.67	36.31	3	Vertical	17	1.80	-	32.72	9.77	32.47
PK	5.7255G	108.07	Inf	-Inf	97.21	3	Vertical	17	1.80	-	33.30	10.01	32.45
AV	5.7195G	95.56	Inf	-Inf	84.72	3	Vertical	17	1.80	-	33.28	10.01	32.45
PK	5.8645G	65.25	68.20	-2.95	53.68	3	Vertical	17	1.80	-	33.96	10.06	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 0.5(22.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	60.19	74.00	-13.81	50.20	3	Horizontal	36	1.80	-	32.70	9.76	32.47
AV	5.46G	47.96	54.00	-6.04	37.94	3	Horizontal	36	1.80	-	32.72	9.77	32.47
PK	5.47G	61.34	68.20	-6.86	51.28	3	Horizontal	36	1.80	-	32.74	9.79	32.47
PK	5.657G	114.64	Inf	-Inf	104.13	3	Horizontal	36	1.80	-	32.94	10.02	32.45
AV	5.655G	103.00	Inf	-Inf	92.50	3	Horizontal	36	1.80	-	32.93	10.02	32.45
PK	5.8565G	67.98	68.20	-0.22	56.45	3	Horizontal	36	1.80	-	33.93	10.05	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 0.5(20.5)
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.457G	58.84	74.00	-15.16	48.83	3	Vertical	17	1.79	-	32.71	9.77	32.47
AV	5.4595G	46.42	54.00	-7.58	36.40	3	Vertical	17	1.79	-	32.72	9.77	32.47
PK	5.466G	57.18	68.20	-11.02	47.14	3	Vertical	17	1.79	-	32.73	9.78	32.47
PK	5.7195G	106.67	Inf	-Inf	95.83	3	Vertical	17	1.79	-	33.28	10.01	32.45
AV	5.719G	96.13	Inf	-Inf	85.29	3	Vertical	17	1.79	-	33.28	10.01	32.45
PK	5.856G	63.70	68.20	-4.50	52.18	3	Vertical	17	1.79	-	33.92	10.05	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 0.5(20.5)
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.4575G	59.50	74.00	-14.50	49.48	3	Horizontal	34	1.80	-	32.72	9.77	32.47
AV	5.459G	47.59	54.00	-6.41	37.57	3	Horizontal	34	1.80	-	32.72	9.77	32.47
PK	5.4665G	61.86	68.20	-6.34	51.82	3	Horizontal	34	1.80	-	32.73	9.78	32.47
PK	5.659G	113.95	Inf	-Inf	103.43	3	Horizontal	34	1.80	-	32.95	10.02	32.45
AV	5.6565G	102.92	Inf	-Inf	92.41	3	Horizontal	34	1.80	-	32.94	10.02	32.45
PK	5.852G	67.72	68.20	-0.48	56.21	3	Horizontal	34	1.80	-	33.91	10.05	32.45

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5570MHz_TX




EUT_Y_1TX
Setting 3.5(19.5)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2156G	57.46	68.20	-10.74	47.29	3	Vertical	2	1.80	-	32.97	9.73	32.53
PK	5.4092G	58.38	74.00	-15.62	48.48	3	Vertical	2	1.80	-	32.70	9.68	32.48
PK	5.47G	58.08	68.20	-10.12	48.02	3	Vertical	2	1.80	-	32.74	9.79	32.47
AV	5.45G	46.28	54.00	-7.72	36.30	3	Vertical	2	1.80	-	32.70	9.75	32.47
AV	5.5116G	87.11	Inf	-Inf	76.92	3	Vertical	2	1.80	-	32.78	9.87	32.46
PK	5.634G	98.13	Inf	-Inf	87.72	3	Vertical	2	1.80	-	32.84	10.02	32.45
PK	5.742G	62.43	68.20	-5.77	51.50	3	Vertical	2	1.80	-	33.37	10.01	32.45

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX


5570MHz_TX

EUT_Y_1TX
Setting 3.5(19.5)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2828G	57.66	68.20	-10.54	47.63	3	Horizontal	34	1.80	-	32.83	9.71	32.51
PK	5.4356G	66.59	74.00	-7.41	56.64	3	Horizontal	34	1.80	-	32.70	9.73	32.48
PK	5.4676G	65.22	68.20	-2.98	55.16	3	Horizontal	34	1.80	-	32.74	9.79	32.47
AV	5.4572G	50.68	54.00	-3.32	40.67	3	Horizontal	34	1.80	-	32.71	9.77	32.47
PK	5.518G	108.49	Inf	-Inf	98.31	3	Horizontal	34	1.80	-	32.76	9.88	32.46
AV	5.5076G	96.94	Inf	-Inf	86.76	3	Horizontal	34	1.80	-	32.78	9.86	32.46
PK	5.7428G	67.88	68.20	-0.32	56.95	3	Horizontal	34	1.80	-	33.37	10.01	32.45

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 3.5(18.5)
01-E-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2644G	58.61	68.20	-9.59	48.55	3	Vertical	2	3.00	-	32.87	9.71	32.52			
PK	5.3756G	57.75	74.00	-16.25	47.82	3	Vertical	2	3.00	-	32.75	9.67	32.49			
AV	5.35G	45.62	54.00	-8.38	35.64	3	Vertical	2	3.00	-	32.80	9.68	32.50			
PK	5.4644G	57.46	68.20	-10.74	47.42	3	Vertical	2	3.00	-	32.73	9.78	32.47			
AV	5.4548G	46.51	54.00	-7.49	36.51	3	Vertical	2	3.00	-	32.71	9.76	32.47			
PK	5.5108G	99.25	Inf	-Inf	89.07	3	Vertical	2	3.00	-	32.78	9.86	32.46			
AV	5.5068G	88.48	Inf	-Inf	78.29	3	Vertical	2	3.00	-	32.79	9.86	32.46			
PK	5.7772G	61.62	68.20	-6.58	50.51	3	Vertical	2	3.00	-	33.56	10.00	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 3.5(18.5)
01-E-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2364G	58.35	68.20	-9.85	48.21	3	Horizontal	36	1.80	-	32.93	9.73	32.52			
PK	5.434G	65.52	74.00	-8.48	55.58	3	Horizontal	36	1.80	-	32.70	9.72	32.48			
AV	5.35G	45.61	54.00	-8.39	35.63	3	Horizontal	36	1.80	-	32.80	9.68	32.50			
PK	5.466G	64.76	68.20	-3.44	54.72	3	Horizontal	36	1.80	-	32.73	9.78	32.47			
AV	5.458G	49.52	54.00	-4.48	39.50	3	Horizontal	36	1.80	-	32.72	9.77	32.47			
PK	5.5436G	107.22	Inf	-Inf	97.04	3	Horizontal	36	1.80	-	32.71	9.93	32.46			
AV	5.5076G	96.49	Inf	-Inf	86.31	3	Horizontal	36	1.80	-	32.78	9.86	32.46			
PK	5.7604G	66.69	68.20	-1.51	55.67	3	Horizontal	36	1.80	-	33.46	10.01	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 2.5(18.5)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2796G	58.19	68.20	-10.01	48.15	3	Vertical	2	3.00	-	32.84	9.71	32.51			
PK	5.4572G	57.51	74.00	-16.49	47.50	3	Vertical	2	3.00	-	32.71	9.77	32.47			
AV	5.4556G	46.90	54.00	-7.10	36.90	3	Vertical	2	3.00	-	32.71	9.76	32.47			
PK	5.4684G	57.25	68.20	-10.95	47.19	3	Vertical	2	3.00	-	32.74	9.79	32.47			
PK	5.5068G	100.65	Inf	-Inf	90.46	3	Vertical	2	3.00	-	32.79	9.86	32.46			
AV	5.506G	89.94	Inf	-Inf	79.75	3	Vertical	2	3.00	-	32.79	9.86	32.46			
PK	5.8428G	62.63	68.20	-5.57	51.17	3	Vertical	2	3.00	-	33.87	10.04	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5570MHz_TX




EUT_Y_1TX
Setting 2.5(18.5)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3372G	58.46	68.20	-9.74	48.47	3	Horizontal	36	1.80	-	32.80	9.69	32.50
PK	5.4188G	58.94	74.00	-15.06	49.03	3	Horizontal	36	1.80	-	32.70	9.69	32.48
AV	5.4196G	47.91	54.00	-6.09	37.99	3	Horizontal	36	1.80	-	32.70	9.70	32.48
PK	5.4684G	61.35	68.20	-6.85	51.29	3	Horizontal	36	1.80	-	32.74	9.79	32.47
PK	5.5156G	107.95	Inf	-Inf	97.77	3	Horizontal	36	1.80	-	32.77	9.87	32.46
AV	5.5156G	97.43	Inf	-Inf	87.25	3	Horizontal	36	1.80	-	32.77	9.87	32.46
PK	5.7404G	67.61	68.20	-0.59	56.69	3	Horizontal	36	1.80	-	33.36	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 0.5(19.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.319G	57.39	68.20	-10.81	47.40	3	Vertical	11	2.99	-	32.80	9.69	32.50
AV	5.35G	45.87	54.00	-8.13	35.89	3	Vertical	11	2.99	-	32.80	9.68	32.50
PK	5.4475G	59.94	74.00	-14.06	49.96	3	Vertical	11	2.99	-	32.70	9.75	32.47
AV	5.4505G	47.39	54.00	-6.61	37.41	3	Vertical	11	2.99	-	32.70	9.75	32.47
PK	5.462G	62.94	68.20	-5.26	52.92	3	Vertical	11	2.99	-	32.72	9.77	32.47
PK	5.522G	110.00	Inf	-Inf	99.81	3	Vertical	11	2.99	-	32.76	9.89	32.46
AV	5.522G	99.23	Inf	-Inf	89.04	3	Vertical	11	2.99	-	32.76	9.89	32.46
PK	5.7745G	60.28	68.20	-7.92	49.18	3	Vertical	11	2.99	-	33.55	10.00	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 0.5(19.5)
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3385G	58.02	68.20	-10.18	48.04	3	Horizontal	343	1.80	-	32.80	9.68	32.50			
AV	5.35G	45.78	54.00	-8.22	35.80	3	Horizontal	343	1.80	-	32.80	9.68	32.50			
PK	5.451G	64.27	74.00	-9.73	54.29	3	Horizontal	343	1.80	-	32.70	9.75	32.47			
AV	5.4555G	50.82	54.00	-3.18	40.82	3	Horizontal	343	1.80	-	32.71	9.76	32.47			
PK	5.4675G	67.82	68.20	-0.38	57.78	3	Horizontal	343	1.80	-	32.73	9.78	32.47			
PK	5.568G	115.51	Inf	-Inf	105.30	3	Horizontal	343	1.80	-	32.70	9.97	32.46			
AV	5.5275G	104.63	Inf	-Inf	94.45	3	Horizontal	343	1.80	-	32.74	9.90	32.46			
PK	5.765G	60.70	68.20	-7.50	49.65	3	Horizontal	343	1.80	-	33.49	10.01	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Y_2TX
Setting 0.5(17.5)
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3195G	57.93	68.20	-10.27	47.94	3	Vertical	360	1.80	-	32.80	9.69	32.50			
AV	5.35G	45.66	54.00	-8.34	35.68	3	Vertical	360	1.80	-	32.80	9.68	32.50			
PK	5.3855G	58.70	74.00	-15.30	48.79	3	Vertical	360	1.80	-	32.73	9.67	32.49			
PK	5.4635G	57.27	68.20	-10.93	47.23	3	Vertical	360	1.80	-	32.73	9.78	32.47			
AV	5.4555G	46.20	54.00	-7.80	36.20	3	Vertical	360	1.80	-	32.71	9.76	32.47			
AV	5.508G	97.37	Inf	-Inf	87.19	3	Vertical	360	1.80	-	32.78	9.86	32.46			
PK	5.5665G	107.04	Inf	-Inf	96.83	3	Vertical	360	1.80	-	32.70	9.97	32.46			
PK	5.728G	58.78	68.20	-9.42	47.91	3	Vertical	360	1.80	-	33.31	10.01	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5530MHz_TX




EUT_Y_2TX
Setting 0.5(17.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.301G	57.82	68.20	-10.38	47.83	3	Horizontal	352	1.80	-	32.80	9.70	32.51
AV	5.35G	45.49	54.00	-8.51	35.51	3	Horizontal	352	1.80	-	32.80	9.68	32.50
PK	5.44G	62.76	74.00	-11.24	52.80	3	Horizontal	352	1.80	-	32.70	9.73	32.47
AV	5.4385G	48.75	54.00	-5.25	38.79	3	Horizontal	352	1.80	-	32.70	9.73	32.47
PK	5.4695G	59.05	68.20	-9.15	48.99	3	Horizontal	352	1.80	-	32.74	9.79	32.47
AV	5.5085G	104.83	Inf	-Inf	94.65	3	Horizontal	352	1.80	-	32.78	9.86	32.46
PK	5.551G	115.57	Inf	-Inf	105.39	3	Horizontal	352	1.80	-	32.70	9.94	32.46
PK	5.7265G	60.53	68.20	-7.67	49.66	3	Horizontal	352	1.80	-	33.31	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Y_2TX
Setting 0.5(19.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.361G	58.09	74.00	-15.91	48.12	3	Vertical	11	1.80	-	32.78	9.68	32.49
PK	5.461G	58.13	68.20	-10.07	48.11	3	Vertical	11	1.80	-	32.72	9.77	32.47
AV	5.4575G	46.53	54.00	-7.47	36.51	3	Vertical	11	1.80	-	32.72	9.77	32.47
PK	5.632G	110.75	Inf	-Inf	100.34	3	Vertical	11	1.80	-	32.83	10.03	32.45
AV	5.6315G	98.80	Inf	-Inf	88.39	3	Vertical	11	1.80	-	32.83	10.03	32.45
PK	5.734G	60.85	68.20	-7.35	49.95	3	Vertical	11	1.80	-	33.34	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5610MHz_TX




EUT_Y_2TX
Setting 0.5(19.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	59.32	74.00	-14.68	49.32	3	Horizontal	354	1.80	-	32.71	9.76	32.47
AV	5.4575G	47.02	54.00	-6.98	37.00	3	Horizontal	354	1.80	-	32.72	9.77	32.47
PK	5.4685G	57.87	68.20	-10.33	47.81	3	Horizontal	354	1.80	-	32.74	9.79	32.47
PK	5.588G	116.30	Inf	-Inf	106.05	3	Horizontal	354	1.80	-	32.70	10.01	32.46
AV	5.589G	105.57	Inf	-Inf	95.32	3	Horizontal	354	1.80	-	32.70	10.01	32.46
PK	5.727G	67.68	68.20	-0.52	56.81	3	Horizontal	354	1.80	-	33.31	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5610MHz_TX

EUT_Y_2TX
Setting 1(17)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	58.78	74.00	-15.22	48.81	3	Vertical	15	1.79	-	32.70	9.74	32.47
PK	5.467G	57.38	68.20	-10.82	47.34	3	Vertical	15	1.79	-	32.73	9.78	32.47
AV	5.46G	46.12	54.00	-7.88	36.10	3	Vertical	15	1.79	-	32.72	9.77	32.47
PK	5.588G	108.09	Inf	-Inf	97.84	3	Vertical	15	1.79	-	32.70	10.01	32.46
AV	5.6325G	97.94	Inf	-Inf	87.53	3	Vertical	15	1.79	-	32.83	10.03	32.45
PK	5.8085G	62.18	68.20	-6.02	50.89	3	Vertical	15	1.79	-	33.73	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5610MHz_TX

EUT_Y_2TX
Setting 1(17)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4465G	60.04	74.00	-13.96	50.06	3	Horizontal	349	1.80	-	32.70	9.75	32.47
AV	5.4565G	47.39	54.00	-6.61	37.39	3	Horizontal	349	1.80	-	32.71	9.76	32.47
PK	5.4695G	63.35	68.20	-4.85	53.29	3	Horizontal	349	1.80	-	32.74	9.79	32.47
PK	5.646G	116.60	Inf	-Inf	106.15	3	Horizontal	349	1.80	-	32.88	10.02	32.45
AV	5.5885G	104.01	Inf	-Inf	93.76	3	Horizontal	349	1.80	-	32.70	10.01	32.46
PK	5.771G	68.04	68.20	-0.16	56.96	3	Horizontal	349	1.80	-	33.53	10.00	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 0(21)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4475G	57.39	74.00	-16.61	47.41	3	Vertical	16	1.80	-	32.70	9.75	32.47
AV	5.4555G	46.53	54.00	-7.47	36.53	3	Vertical	16	1.80	-	32.71	9.76	32.47
PK	5.47G	57.80	68.20	-10.40	47.74	3	Vertical	16	1.80	-	32.74	9.79	32.47
PK	5.653G	112.51	Inf	-Inf	102.02	3	Vertical	16	1.80	-	32.92	10.02	32.45
AV	5.6715G	101.58	Inf	-Inf	90.98	3	Vertical	16	1.80	-	33.03	10.02	32.45
PK	5.8505G	64.24	68.20	-3.96	52.74	3	Vertical	16	1.80	-	33.90	10.05	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 0(21)
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.447G	58.80	74.00	-15.20	48.82	3	Horizontal	345	1.80	-	32.70	9.75	32.47
PK	5.467G	60.47	68.20	-7.73	50.43	3	Horizontal	345	1.80	-	32.73	9.78	32.47
AV	5.4595G	47.40	54.00	-6.60	37.38	3	Horizontal	345	1.80	-	32.72	9.77	32.47
PK	5.7265G	117.62	Inf	-Inf	106.75	3	Horizontal	345	1.80	-	33.31	10.01	32.45
AV	5.6675G	107.49	Inf	-Inf	96.91	3	Horizontal	345	1.80	-	33.01	10.02	32.45
PK	5.8515G	67.96	68.20	-0.24	56.45	3	Horizontal	345	1.80	-	33.91	10.05	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 0.5(17.5)
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.4575G	57.95	74.00	-16.05	47.93	3	Vertical	13	1.80	-	32.72	9.77	32.47					
AV	5.4565G	46.05	54.00	-7.95	36.05	3	Vertical	13	1.80	-	32.71	9.76	32.47					
PK	5.465G	56.28	68.20	-11.92	46.24	3	Vertical	13	1.80	-	32.73	9.78	32.47					
PK	5.653G	110.09	Inf	-Inf	99.60	3	Vertical	13	1.80	-	32.92	10.02	32.45					
AV	5.6515G	99.10	Inf	-Inf	88.62	3	Vertical	13	1.80	-	32.91	10.02	32.45					
PK	5.851G	61.67	68.20	-6.53	50.17	3	Vertical	13	1.80	-	33.90	10.05	32.45					

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 0.5(17.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	57.68	74.00	-16.32	47.66	3	Horizontal	340	1.80	-	32.72	9.77	32.47
AV	5.451G	46.12	54.00	-7.88	36.14	3	Horizontal	340	1.80	-	32.70	9.75	32.47
PK	5.47G	59.10	68.20	-9.10	49.04	3	Horizontal	340	1.80	-	32.74	9.79	32.47
PK	5.669G	116.39	Inf	-Inf	105.81	3	Horizontal	340	1.80	-	33.01	10.02	32.45
AV	5.668G	105.92	Inf	-Inf	95.34	3	Horizontal	340	1.80	-	33.01	10.02	32.45
PK	5.8855G	66.77	68.20	-1.43	55.09	3	Horizontal	340	1.80	-	34.04	10.08	32.44

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5570MHz_TX

EUT_Y_2TX
Setting 3(17)
01-E-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1716G	57.59	68.20	-10.61	47.34	3	Vertical	16	3.00	-	33.06	9.73	32.54			
PK	5.4556G	58.05	74.00	-15.95	48.05	3	Vertical	16	3.00	-	32.71	9.76	32.47			
AV	5.4572G	46.96	54.00	-7.04	36.95	3	Vertical	16	3.00	-	32.71	9.77	32.47			
PK	5.4612G	58.80	68.20	-9.40	48.78	3	Vertical	16	3.00	-	32.72	9.77	32.47			
PK	5.5284G	103.91	Inf	-Inf	93.73	3	Vertical	16	3.00	-	32.74	9.90	32.46			
AV	5.522G	93.92	Inf	-Inf	83.73	3	Vertical	16	3.00	-	32.76	9.89	32.46			
PK	5.7476G	62.73	68.20	-5.47	51.78	3	Vertical	16	3.00	-	33.39	10.01	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5570MHz_TX

EUT_Y_2TX
Setting 3(17)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2436G	57.49	68.20	-10.71	47.38	3	Horizontal	355	1.80	-	32.91	9.72	32.52			
PK	5.4548G	62.49	74.00	-11.51	52.49	3	Horizontal	355	1.80	-	32.71	9.76	32.47			
AV	5.4596G	48.77	54.00	-5.23	38.75	3	Horizontal	355	1.80	-	32.72	9.77	32.47			
PK	5.4676G	61.42	68.20	-6.78	51.36	3	Horizontal	355	1.80	-	32.74	9.79	32.47			
PK	5.626G	110.67	Inf	-Inf	100.29	3	Horizontal	355	1.80	-	32.80	10.03	32.45			
AV	5.6084G	99.51	Inf	-Inf	89.21	3	Horizontal	355	1.80	-	32.73	10.03	32.46			
PK	5.7452G	67.68	68.20	-0.52	56.74	3	Horizontal	355	1.80	-	33.38	10.01	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 2(17)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.202G	57.73	68.20	-10.47	47.52	3	Vertical	13	3.00	-	33.00	9.74	32.53			
PK	5.3644G	58.04	74.00	-15.96	48.09	3	Vertical	13	3.00	-	32.77	9.67	32.49			
PK	5.4644G	59.33	68.20	-8.87	49.29	3	Vertical	13	3.00	-	32.73	9.78	32.47			
AV	5.4588G	47.23	54.00	-6.77	37.21	3	Vertical	13	3.00	-	32.72	9.77	32.47			
PK	5.5204G	104.56	Inf	-Inf	94.38	3	Vertical	13	3.00	-	32.76	9.88	32.46			
AV	5.522G	94.40	Inf	-Inf	84.21	3	Vertical	13	3.00	-	32.76	9.89	32.46			
PK	5.7492G	63.76	68.20	-4.44	52.80	3	Vertical	13	3.00	-	33.40	10.01	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX


5570MHz_TX

EUT_Y_2TX
Setting 2(17)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1708G	57.65	68.20	-10.55	47.40	3	Horizontal	351	1.80	-	33.06	9.73	32.54
PK	5.4492G	64.25	74.00	-9.75	54.27	3	Horizontal	351	1.80	-	32.70	9.75	32.47
PK	5.4652G	62.56	68.20	-5.64	52.52	3	Horizontal	351	1.80	-	32.73	9.78	32.47
AV	5.4588G	49.15	54.00	-4.85	39.13	3	Horizontal	351	1.80	-	32.72	9.77	32.47
PK	5.5476G	111.88	Inf	-Inf	101.71	3	Horizontal	351	1.80	-	32.70	9.93	32.46
AV	5.5892G	100.63	Inf	-Inf	90.38	3	Horizontal	351	1.80	-	32.70	10.01	32.46
PK	5.8356G	67.19	68.20	-1.01	55.77	3	Horizontal	351	1.80	-	33.84	10.03	32.45

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 2(16)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3284G	57.91	68.20	-10.29	47.92	3	Vertical	14	3.00	-	32.80	9.69	32.50			
PK	5.4268G	57.54	74.00	-16.46	47.61	3	Vertical	14	3.00	-	32.70	9.71	32.48			
PK	5.4652G	57.95	68.20	-10.25	47.91	3	Vertical	14	3.00	-	32.73	9.78	32.47			
AV	5.4468G	46.79	54.00	-7.21	36.81	3	Vertical	14	3.00	-	32.70	9.75	32.47			
AV	5.5236G	95.56	Inf	-Inf	85.38	3	Vertical	14	3.00	-	32.75	9.89	32.46			
PK	5.6452G	104.95	Inf	-Inf	94.50	3	Vertical	14	3.00	-	32.88	10.02	32.45			
PK	5.7612G	63.30	68.20	-4.90	52.27	3	Vertical	14	3.00	-	33.47	10.01	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5570MHz_TX




EUT_Y_2TX
Setting 2(16)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1708G	58.80	68.20	-9.40	48.55	3	Horizontal	351	1.79	-	33.06	9.73	32.54
PK	5.4556G	57.98	74.00	-16.02	47.98	3	Horizontal	351	1.79	-	32.71	9.76	32.47
AV	5.4508G	47.56	54.00	-6.44	37.58	3	Horizontal	351	1.79	-	32.70	9.75	32.47
PK	5.4676G	58.26	68.20	-9.94	48.20	3	Horizontal	351	1.79	-	32.74	9.79	32.47
PK	5.6292G	111.64	Inf	-Inf	101.24	3	Horizontal	351	1.79	-	32.82	10.03	32.45
AV	5.6276G	100.95	Inf	-Inf	90.56	3	Horizontal	351	1.79	-	32.81	10.03	32.45
PK	5.7316G	67.79	68.20	-0.41	56.90	3	Horizontal	351	1.79	-	33.33	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 0.5(16.5)
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2945G	57.83	68.20	-10.37	47.83	3	Vertical	0	3.00	-	32.81	9.70	32.51			
AV	5.35G	45.33	54.00	-8.67	35.35	3	Vertical	0	3.00	-	32.80	9.68	32.50			
PK	5.4425G	59.53	74.00	-14.47	49.56	3	Vertical	0	3.00	-	32.70	9.74	32.47			
PK	5.463G	61.47	68.20	-6.73	51.43	3	Vertical	0	3.00	-	32.73	9.78	32.47			
AV	5.46G	47.25	54.00	-6.75	37.23	3	Vertical	0	3.00	-	32.72	9.77	32.47			
PK	5.523G	109.29	Inf	-Inf	99.11	3	Vertical	0	3.00	-	32.75	9.89	32.46			
AV	5.5235G	99.15	Inf	-Inf	88.97	3	Vertical	0	3.00	-	32.75	9.89	32.46			
PK	5.753G	60.01	68.20	-8.19	49.03	3	Vertical	0	3.00	-	33.42	10.01	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_V_4TX
Setting 0.5(16.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.308G	57.84	68.20	-10.36	47.85	3	Horizontal	352	3.00	-	32.80	9.70	32.51			
AV	5.35G	45.43	54.00	-8.57	35.45	3	Horizontal	352	3.00	-	32.80	9.68	32.50			
PK	5.4585G	67.40	74.00	-6.60	57.38	3	Horizontal	352	3.00	-	32.72	9.77	32.47			
AV	5.46G	52.57	54.00	-1.43	42.55	3	Horizontal	352	3.00	-	32.72	9.77	32.47			
PK	5.4685G	67.75	68.20	-0.45	57.69	3	Horizontal	352	3.00	-	32.74	9.79	32.47			
PK	5.5G	118.82	Inf	-Inf	108.64	3	Horizontal	352	3.00	-	32.80	9.84	32.46			
AV	5.521G	106.99	Inf	-Inf	96.81	3	Horizontal	352	3.00	-	32.76	9.88	32.46			
PK	5.74G	59.87	68.20	-8.33	48.95	3	Horizontal	352	3.00	-	33.36	10.01	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 0.5(16.5)
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06228G	47.61	74.00	-26.39	40.58	3	Vertical	156	1.42	-	38.72	14.50	46.19			
AV	11.05799G	35.08	54.00	-18.92	28.06	3	Vertical	156	1.42	-	38.72	14.50	46.20			
PK	16.59486G	52.80	68.20	-15.40	43.67	3	Vertical	49	1.45	-	38.21	15.54	44.62			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 0.5(16.5)
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05868G	46.62	74.00	-27.38	39.60	3	Horizontal	64	2.85	-	38.72	14.50	46.20			
AV	11.06987G	34.43	54.00	-19.57	27.37	3	Horizontal	64	2.85	-	38.74	14.51	46.19			
PK	16.58775G	53.22	68.20	-14.98	44.07	3	Horizontal	326	1.07	-	38.22	15.54	44.61			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5530MHz_TX

EUT_Y_4TX
Setting 0(18)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3105G	57.51	68.20	-10.69	47.52	3	Vertical	345	1.80	-	32.80	9.70	32.51
AV	5.35G	45.41	54.00	-8.59	35.43	3	Vertical	345	1.80	-	32.80	9.68	32.50
PK	5.4325G	58.98	74.00	-15.02	49.04	3	Vertical	345	1.80	-	32.70	9.72	32.48
PK	5.4635G	57.82	68.20	-10.38	47.78	3	Vertical	345	1.80	-	32.73	9.78	32.47
AV	5.4525G	47.08	54.00	-6.92	37.08	3	Vertical	345	1.80	-	32.71	9.76	32.47
PK	5.553G	109.96	Inf	-Inf	99.78	3	Vertical	345	1.80	-	32.70	9.94	32.46
AV	5.5525G	100.77	Inf	-Inf	90.59	3	Vertical	345	1.80	-	32.70	9.94	32.46
PK	5.749G	58.56	68.20	-9.64	47.60	3	Vertical	345	1.80	-	33.40	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5530MHz_TX

EUT_V_4TX
Setting 0(18)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.304G	58.30	68.20	-9.90	48.31	3	Horizontal	358	1.80	-	32.80	9.70	32.51			
AV	5.35G	45.45	54.00	-8.55	35.47	3	Horizontal	358	1.80	-	32.80	9.68	32.50			
PK	5.436G	66.38	74.00	-7.62	56.43	3	Horizontal	358	1.80	-	32.70	9.73	32.48			
AV	5.4365G	53.17	54.00	-0.83	43.22	3	Horizontal	358	1.80	-	32.70	9.73	32.48			
PK	5.466G	62.61	68.20	-5.59	52.57	3	Horizontal	358	1.80	-	32.73	9.78	32.47			
PK	5.5075G	119.98	Inf	-Inf	109.80	3	Horizontal	358	1.80	-	32.78	9.86	32.46			
AV	5.507G	109.87	Inf	-Inf	99.68	3	Horizontal	358	1.80	-	32.79	9.86	32.46			
PK	5.7645G	61.62	68.20	-6.58	50.57	3	Horizontal	358	1.80	-	33.49	10.01	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5530MHz_TX

EUT_Y_4TX
Setting 0(18)
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05856G	48.49	74.00	-25.51	41.47	3	Vertical	34	1.42	-	38.72	14.50	46.20			
AV	11.07257G	35.28	54.00	-18.72	28.20	3	Vertical	34	1.42	-	38.75	14.51	46.18			
PK	16.58382G	53.82	68.20	-14.38	44.67	3	Vertical	35	1.06	-	38.23	15.53	44.61			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5530MHz_TX

EUT_Y_4TX
Setting 0(18)
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0567G	46.85	74.00	-27.15	39.84	3	Horizontal	191	1.66	-	38.71	14.50	46.20			
AV	11.06666G	34.71	54.00	-19.29	27.66	3	Horizontal	191	1.66	-	38.73	14.51	46.19			
PK	16.57593G	53.97	68.20	-14.23	44.79	3	Horizontal	264	2.08	-	38.25	15.53	44.60			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 0.5(16.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4395G	58.08	74.00	-15.92	48.12	3	Vertical	14	1.80	-	32.70	9.73	32.47			
PK	5.4625G	57.09	68.20	-11.11	47.05	3	Vertical	14	1.80	-	32.73	9.78	32.47			
AV	5.4545G	45.99	54.00	-8.01	35.99	3	Vertical	14	1.80	-	32.71	9.76	32.47			
PK	5.6305G	108.92	Inf	-Inf	98.52	3	Vertical	14	1.80	-	32.82	10.03	32.45			
AV	5.6315G	98.90	Inf	-Inf	88.49	3	Vertical	14	1.80	-	32.83	10.03	32.45			
PK	5.7295G	60.72	68.20	-7.48	49.84	3	Vertical	14	1.80	-	33.32	10.01	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 0.5(16.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	58.92	74.00	-15.08	48.95	3	Horizontal	349	1.80	-	32.70	9.74	32.47
PK	5.4675G	63.34	68.20	-4.86	53.30	3	Horizontal	349	1.80	-	32.73	9.78	32.47
AV	5.457G	46.86	54.00	-7.14	36.85	3	Horizontal	349	1.80	-	32.71	9.77	32.47
PK	5.6485G	118.45	Inf	-Inf	107.99	3	Horizontal	349	1.80	-	32.89	10.02	32.45
AV	5.607G	107.22	Inf	-Inf	96.92	3	Horizontal	349	1.80	-	32.73	10.03	32.46
PK	5.7475G	67.55	68.20	-0.65	56.60	3	Horizontal	349	1.80	-	33.39	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 0.5(16.5)
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21538G	48.70	74.00	-25.30	41.11	3	Vertical	358	2.22	-	39.06	14.59	46.06			
AV	11.21751G	36.04	54.00	-17.96	28.43	3	Vertical	358	2.22	-	39.07	14.59	46.05			
PK	16.84074G	51.39	68.20	-16.81	42.19	3	Vertical	290	1.22	-	38.40	15.60	44.80			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5610MHz_TX




EUT_Y_4TX
Setting 0.5(16.5)
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.23431G	48.57	74.00	-25.43	40.87	3	Horizontal	68	2.02	-	39.14	14.60	46.04				
AV	11.22414G	35.80	54.00	-18.20	28.16	3	Horizontal	68	2.02	-	39.10	14.59	46.05				
PK	16.83825G	51.52	68.20	-16.68	42.31	3	Horizontal	191	2.82	-	38.40	15.60	44.79				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5610MHz_TX

EUT_Y_4TX
Setting 0(18)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3975G	57.78	74.00	-16.22	47.89	3	Vertical	17	1.80	-	32.71	9.66	32.48
PK	5.4695G	57.77	68.20	-10.43	47.71	3	Vertical	17	1.80	-	32.74	9.79	32.47
AV	5.4575G	46.01	54.00	-7.99	35.99	3	Vertical	17	1.80	-	32.72	9.77	32.47
PK	5.6315G	113.55	Inf	-Inf	103.14	3	Vertical	17	1.80	-	32.83	10.03	32.45
AV	5.6315G	101.97	Inf	-Inf	91.56	3	Vertical	17	1.80	-	32.83	10.03	32.45
PK	5.7455G	60.31	68.20	-7.89	49.37	3	Vertical	17	1.80	-	33.38	10.01	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_Y_4TX
Setting 0(18)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	61.53	74.00	-12.47	51.51	3	Horizontal	350	1.80	-	32.72	9.77	32.47			
AV	5.46G	48.05	54.00	-5.95	38.03	3	Horizontal	350	1.80	-	32.72	9.77	32.47			
PK	5.4675G	64.02	68.20	-4.18	53.98	3	Horizontal	350	1.80	-	32.73	9.78	32.47			
PK	5.587G	119.75	Inf	-Inf	109.50	3	Horizontal	350	1.80	-	32.70	10.01	32.46			
AV	5.5885G	109.05	Inf	-Inf	98.80	3	Horizontal	350	1.80	-	32.70	10.01	32.46			
PK	5.7675G	67.83	68.20	-0.37	56.77	3	Horizontal	350	1.80	-	33.51	10.00	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5610MHz_TX

EUT_Y_4TX
Setting 0(18)
01-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21565G	48.98	74.00	-25.02	41.39	3	Vertical	183	2.15	-	39.06	14.59	46.06			
AV	11.20818G	36.06	54.00	-17.94	28.51	3	Vertical	183	2.15	-	39.03	14.58	46.06			
PK	16.81965G	50.87	68.20	-17.33	41.65	3	Vertical	308	2.40	-	38.40	15.60	44.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5610MHz_TX




EUT_Y_4TX
Setting 0(18)
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.2233G	48.79	74.00	-25.21	41.16	3	Horizontal	9	1.92	-	39.09	14.59	46.05				
AV	11.21724G	35.90	54.00	-18.10	28.29	3	Horizontal	9	1.92	-	39.07	14.59	46.05				
PK	16.83342G	51.49	68.20	-16.71	42.28	3	Horizontal	327	1.74	-	38.40	15.60	44.79				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 0(18)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	57.42	74.00	-16.58	47.40	3	Vertical	14	3.00	-	32.72	9.77	32.47
AV	5.458G	45.86	54.00	-8.14	35.84	3	Vertical	14	3.00	-	32.72	9.77	32.47
PK	5.467G	57.24	68.20	-10.96	47.20	3	Vertical	14	3.00	-	32.73	9.78	32.47
PK	5.7225G	114.07	Inf	-Inf	103.22	3	Vertical	14	3.00	-	33.29	10.01	32.45
AV	5.722G	101.88	Inf	-Inf	91.03	3	Vertical	14	3.00	-	33.29	10.01	32.45
PK	5.862G	62.84	68.20	-5.36	51.28	3	Vertical	14	3.00	-	33.95	10.06	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 0(18)
01-E-S-2-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4555G	57.36	74.00	-16.64	47.36	3	Horizontal	352	3.00	-	32.71	9.76	32.47			
AV	5.457G	46.91	54.00	-7.09	36.90	3	Horizontal	352	3.00	-	32.71	9.77	32.47			
PK	5.467G	58.80	68.20	-9.40	48.76	3	Horizontal	352	3.00	-	32.73	9.78	32.47			
PK	5.7215G	120.44	Inf	-Inf	109.59	3	Horizontal	352	3.00	-	33.29	10.01	32.45			
AV	5.6615G	109.53	Inf	-Inf	98.99	3	Horizontal	352	3.00	-	32.97	10.02	32.45			
PK	5.86G	67.44	68.20	-0.76	55.89	3	Horizontal	352	3.00	-	33.94	10.06	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 0(18)
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.36647G	49.12	74.00	-24.88	41.10	3	Vertical	326	1.05	-	39.27	14.67	45.92				
AV	11.39278G	36.52	54.00	-17.48	28.52	3	Vertical	326	1.05	-	39.21	14.69	45.90				
PK	17.06796G	53.30	68.20	-14.90	44.04	3	Vertical	211	1.17	-	38.56	15.66	44.96				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 0(18)
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3917G	48.57	74.00	-25.43	40.56	3	Horizontal	152	1.00	-	39.22	14.69	45.90			
AV	11.3755G	36.18	54.00	-17.82	28.16	3	Horizontal	152	1.00	-	39.25	14.68	45.91			
PK	17.079G	52.76	68.20	-15.44	43.52	3	Horizontal	178	1.46	-	38.54	15.67	44.97			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 0.5(14.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	57.60	74.00	-16.40	47.60	3	Vertical	13	3.00	-	32.71	9.76	32.47
PK	5.4625G	57.02	68.20	-11.18	46.98	3	Vertical	13	3.00	-	32.73	9.78	32.47
AV	5.4595G	45.77	54.00	-8.23	35.75	3	Vertical	13	3.00	-	32.72	9.77	32.47
PK	5.723G	110.07	Inf	-Inf	99.22	3	Vertical	13	3.00	-	33.29	10.01	32.45
AV	5.722G	100.42	Inf	-Inf	89.57	3	Vertical	13	3.00	-	33.29	10.01	32.45
PK	5.8535G	58.73	68.20	-9.47	47.22	3	Vertical	13	3.00	-	33.91	10.05	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 0.5(14.5)
01-E-S-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4505G	57.50	74.00	-16.50	47.52	3	Horizontal	344	1.80	-	32.70	9.75	32.47
PK	5.461G	58.47	68.20	-9.73	48.45	3	Horizontal	344	1.80	-	32.72	9.77	32.47
AV	5.456G	46.29	54.00	-7.71	36.29	3	Horizontal	344	1.80	-	32.71	9.76	32.47
PK	5.6685G	118.51	Inf	-Inf	107.93	3	Horizontal	344	1.80	-	33.01	10.02	32.45
AV	5.6685G	107.11	Inf	-Inf	96.53	3	Horizontal	344	1.80	-	33.01	10.02	32.45
PK	5.8505G	60.90	68.20	-7.30	49.40	3	Horizontal	344	1.80	-	33.90	10.05	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 0.5(14.5)
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.36677G	49.10	74.00	-24.90	41.08	3	Vertical	57	2.43	-	39.27	14.67	45.92			
AV	11.38438G	36.58	54.00	-17.42	28.57	3	Vertical	57	2.43	-	39.23	14.68	45.90			
PK	17.06067G	53.14	68.20	-15.06	43.86	3	Vertical	199	1.04	-	38.58	15.66	44.96			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 0.5(14.5)
01-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.37754G	49.70	74.00	-24.30	41.69	3	Horizontal	155	1.48	-	39.24	14.68	45.91			
AV	11.38033G	36.39	54.00	-17.61	28.38	3	Horizontal	155	1.48	-	39.24	14.68	45.91			
PK	17.06472G	53.38	68.20	-14.82	44.11	3	Horizontal	274	1.98	-	38.57	15.66	44.96			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5570MHz_TX




EUT_Y_4TX
Setting 1(16)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	57.96	68.20	-10.24	47.97	3	Vertical	16	1.80	-	32.80	9.69	32.50
PK	5.4436G	57.97	74.00	-16.03	48.00	3	Vertical	16	1.80	-	32.70	9.74	32.47
PK	5.4652G	57.17	68.20	-11.03	47.13	3	Vertical	16	1.80	-	32.73	9.78	32.47
AV	5.4596G	46.63	54.00	-7.37	36.61	3	Vertical	16	1.80	-	32.72	9.77	32.47
PK	5.6308G	105.91	Inf	-Inf	95.51	3	Vertical	16	1.80	-	32.82	10.03	32.45
AV	5.6316G	95.49	Inf	-Inf	85.08	3	Vertical	16	1.80	-	32.83	10.03	32.45
PK	5.7332G	60.40	68.20	-7.80	49.51	3	Vertical	16	1.80	-	33.33	10.01	32.45

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5570MHz_TX

EUT_Y_4TX
Setting 1(16)
01-E-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1916G	57.81	68.20	-10.39	47.58	3	Horizontal	351	1.79	-	33.02	9.74	32.53			
PK	5.4484G	61.78	74.00	-12.22	51.80	3	Horizontal	351	1.79	-	32.70	9.75	32.47			
PK	5.4676G	63.64	68.20	-4.56	53.58	3	Horizontal	351	1.79	-	32.74	9.79	32.47			
AV	5.4596G	49.24	54.00	-4.76	39.22	3	Horizontal	351	1.79	-	32.72	9.77	32.47			
PK	5.6276G	115.49	Inf	-Inf	105.10	3	Horizontal	351	1.79	-	32.81	10.03	32.45			
AV	5.6276G	103.57	Inf	-Inf	93.18	3	Horizontal	351	1.79	-	32.81	10.03	32.45			
PK	5.8076G	68.19	68.20	-0.01	56.90	3	Horizontal	351	1.79	-	33.73	10.01	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

5570MHz_TX




EUT_Y_4TX
Setting 2.5(13.5)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2012G	57.37	68.20	-10.83	47.16	3	Vertical	13	1.80	-	33.00	9.74	32.53				
PK	5.4044G	57.76	74.00	-16.24	47.87	3	Vertical	13	1.80	-	32.70	9.67	32.48				
AV	5.35G	45.64	54.00	-8.36	35.66	3	Vertical	13	1.80	-	32.80	9.68	32.50				
PK	5.466G	57.43	68.20	-10.77	47.39	3	Vertical	13	1.80	-	32.73	9.78	32.47				
AV	5.45G	46.54	54.00	-7.46	36.56	3	Vertical	13	1.80	-	32.70	9.75	32.47				
PK	5.6308G	102.30	Inf	-Inf	91.90	3	Vertical	13	1.80	-	32.82	10.03	32.45				
AV	5.6316G	94.27	Inf	-Inf	83.86	3	Vertical	13	1.80	-	32.83	10.03	32.45				
PK	5.7364G	60.35	68.20	-7.85	49.44	3	Vertical	13	1.80	-	33.35	10.01	32.45				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

5570MHz_TX




EUT_Y_4TX
Setting 2.5(13.5)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3252G	57.37	68.20	-10.83	47.38	3	Horizontal	349	1.80	-	32.80	9.69	32.50			
AV	5.35G	45.60	54.00	-8.40	35.62	3	Horizontal	349	1.80	-	32.80	9.68	32.50			
PK	5.454G	66.49	74.00	-7.51	56.49	3	Horizontal	349	1.80	-	32.71	9.76	32.47			
AV	5.4452G	49.46	54.00	-4.54	39.49	3	Horizontal	349	1.80	-	32.70	9.74	32.47			
PK	5.47G	64.38	68.20	-3.82	54.32	3	Horizontal	349	1.80	-	32.74	9.79	32.47			
PK	5.5068G	112.28	Inf	-Inf	102.09	3	Horizontal	349	1.80	-	32.79	9.86	32.46			
AV	5.5276G	102.16	Inf	-Inf	91.98	3	Horizontal	349	1.80	-	32.74	9.90	32.46			
PK	5.746G	65.97	68.20	-2.23	55.03	3	Horizontal	349	1.80	-	33.38	10.01	32.45			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX


5570MHz_TX

EUT_Y_4TX
Setting 3(12)
01-E-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2644G	57.49	68.20	-10.71	47.43	3	Vertical	15	3.00	-	32.87	9.71	32.52				
PK	5.382G	57.84	74.00	-16.16	47.92	3	Vertical	15	3.00	-	32.74	9.67	32.49				
AV	5.39G	46.86	54.00	-7.14	36.97	3	Vertical	15	3.00	-	32.72	9.66	32.49				
PK	5.4628G	56.95	68.20	-11.25	46.91	3	Vertical	15	3.00	-	32.73	9.78	32.47				
PK	5.6228G	105.73	Inf	-Inf	95.37	3	Vertical	15	3.00	-	32.79	10.03	32.46				
AV	5.622G	94.66	Inf	-Inf	84.30	3	Vertical	15	3.00	-	32.79	10.03	32.46				
PK	5.7444G	63.60	68.20	-4.60	52.66	3	Vertical	15	3.00	-	33.38	10.01	32.45				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5570MHz_TX



EUT_Y_4TX
Setting 3(12)
01-E-I-1-6


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3004G	57.45	68.20	-10.75	47.46	3	Horizontal	351	1.80	-	32.80	9.70	32.51			
PK	5.4268G	58.66	74.00	-15.34	48.73	3	Horizontal	351	1.80	-	32.70	9.71	32.48			
PK	5.4676G	59.60	68.20	-8.60	49.54	3	Horizontal	351	1.80	-	32.74	9.79	32.47			
AV	5.454G	47.91	54.00	-6.09	37.91	3	Horizontal	351	1.80	-	32.71	9.76	32.47			
PK	5.5268G	111.59	Inf	-Inf	101.41	3	Horizontal	351	1.80	-	32.75	9.89	32.46			
AV	5.6268G	102.50	Inf	-Inf	92.11	3	Horizontal	351	1.80	-	32.81	10.03	32.45			
PK	5.7476G	67.53	68.20	-0.67	56.58	3	Horizontal	351	1.80	-	33.39	10.01	32.45			

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	Pass	PK	5.8604G	68.03	68.20	-0.17	3	Horizontal	25	1.52	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	PK	5.466G	67.74	68.20	-0.46	3	Horizontal	345	2.50	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	PK	5.8596G	67.98	68.20	-0.22	3	Horizontal	13	2.02	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX	Pass	PK	5.7252G	66.06	68.20	-2.14	3	Horizontal	16	1.57	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	Pass	PK	5.7428G	67.66	68.20	-0.54	3	Horizontal	351	2.56	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	Pass	PK	5.746G	67.52	68.20	-0.68	3	Horizontal	344	2.52	-

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 21
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3396G	55.79	68.20	-12.41	51.29	3	Vertical	19	1.36	-	31.28	6.99	33.77				
PK	5.4596G	60.85	74.00	-13.15	56.00	3	Vertical	19	1.36	-	31.54	7.11	33.80				
AV	5.4596G	46.54	54.00	-7.46	41.69	3	Vertical	19	1.36	-	31.54	7.11	33.80				
PK	5.4692G	62.43	68.20	-5.77	57.53	3	Vertical	19	1.36	-	31.58	7.12	33.80				
PK	5.5236G	104.37	Inf	-Inf	99.27	3	Vertical	19	1.36	-	31.70	7.21	33.81				
AV	5.5268G	92.76	Inf	-Inf	87.65	3	Vertical	19	1.36	-	31.70	7.22	33.81				
PK	5.73G	57.93	68.20	-10.27	52.36	3	Vertical	19	1.36	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 21
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3444G	56.77	68.20	-11.43	52.26	3	Horizontal	12	2.11	-	31.29	6.99	33.77			
PK	5.4548G	63.29	74.00	-10.71	58.47	3	Horizontal	12	2.11	-	31.52	7.10	33.80			
AV	5.4596G	49.18	54.00	-4.82	44.33	3	Horizontal	12	2.11	-	31.54	7.11	33.80			
PK	5.47G	66.29	68.20	-1.91	61.38	3	Horizontal	12	2.11	-	31.58	7.13	33.80			
PK	5.526G	109.11	Inf	-Inf	104.00	3	Horizontal	12	2.11	-	31.70	7.22	33.81			
AV	5.5276G	97.98	Inf	-Inf	92.87	3	Horizontal	12	2.11	-	31.70	7.22	33.81			
PK	5.7292G	59.42	68.20	-8.78	53.85	3	Horizontal	12	2.11	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX


5530MHz_TX

EUT_Y_1TX
Setting 21
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.075G	56.39	74.00	-17.61	40.13	3	Vertical	72	2.01	-	39.85	10.86	34.45			
AV	11.0723G	43.54	54.00	-10.46	27.26	3	Vertical	72	2.01	-	39.87	10.86	34.45			
PK	16.5825G	60.93	68.20	-7.27	41.35	3	Vertical	3	1.77	-	39.57	14.18	34.17			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX


5530MHz_TX

EUT_Y_1TX
Setting 21
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05052G	55.92	74.00	-18.08	39.51	3	Horizontal	29	1.40	-	40.00	10.85	34.44			
AV	11.07362G	43.59	54.00	-10.41	27.32	3	Horizontal	29	1.40	-	39.86	10.86	34.45			
PK	16.5903G	60.41	68.20	-7.79	40.85	3	Horizontal	294	1.66	-	39.54	14.18	34.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX


5610MHz_TX

EUT_Y_1TX
Setting 23
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.4484G	56.91	74.00	-17.09	52.12	3	Vertical	20	1.56	-	31.50	7.09	33.80				
AV	5.458G	45.15	54.00	-8.85	40.31	3	Vertical	20	1.56	-	31.53	7.11	33.80				
PK	5.4692G	56.35	68.20	-11.85	51.45	3	Vertical	20	1.56	-	31.58	7.12	33.80				
PK	5.6228G	107.98	Inf	-Inf	102.79	3	Vertical	20	1.56	-	31.65	7.34	33.80				
AV	5.6236G	95.88	Inf	-Inf	90.69	3	Vertical	20	1.56	-	31.65	7.34	33.80				
PK	5.7364G	64.17	68.20	-4.03	58.60	3	Vertical	20	1.56	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX

5610MHz_TX




EUT_Y_1TX
Setting 23
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4484G	58.02	74.00	-15.98	53.23	3	Horizontal	15	1.59	-	31.50	7.09	33.80			
PK	5.47G	57.90	68.20	-10.30	52.99	3	Horizontal	15	1.59	-	31.58	7.13	33.80			
AV	5.4596G	45.81	54.00	-8.19	40.96	3	Horizontal	15	1.59	-	31.54	7.11	33.80			
PK	5.5924G	113.20	Inf	-Inf	108.05	3	Horizontal	15	1.59	-	31.62	7.33	33.80			
AV	5.6044G	101.25	Inf	-Inf	96.10	3	Horizontal	15	1.59	-	31.61	7.34	33.80			
PK	5.7276G	67.61	68.20	-0.59	62.04	3	Horizontal	15	1.59	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX


5610MHz_TX

EUT_Y_1TX
Setting 23
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22078G	58.34	74.00	-15.66	42.52	3	Vertical	62	1.80	-	39.44	10.90	34.52			
AV	11.22528G	44.69	54.00	-9.31	28.86	3	Vertical	62	1.80	-	39.45	10.90	34.52			
PK	16.82586G	61.03	68.20	-7.17	39.99	3	Vertical	21	1.36	-	40.75	14.29	34.00			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_1TX

5610MHz_TX




EUT_Y_1TX
Setting 23
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22696G	56.82	74.00	-17.18	40.99	3	Horizontal	28	1.12	-	39.45	10.90	34.52			
AV	11.23362G	44.67	54.00	-9.33	28.83	3	Horizontal	28	1.12	-	39.47	10.90	34.53			
PK	16.8216G	61.71	68.20	-6.49	40.69	3	Horizontal	10	1.79	-	40.74	14.28	34.00			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 22
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.686G	108.01	Inf	-Inf	102.54	3	Vertical	21	1.52	-	31.92	7.34	33.79			
AV	5.6868G	96.33	Inf	-Inf	90.86	3	Vertical	21	1.52	-	31.92	7.34	33.79			
PK	5.8596G	65.01	68.20	-3.19	59.20	3	Vertical	21	1.52	-	32.12	7.46	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 22
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6884G	112.85	Inf	-Inf	107.37	3	Horizontal	25	1.52	-	31.93	7.34	33.79			
AV	5.6876G	101.80	Inf	-Inf	96.32	3	Horizontal	25	1.52	-	31.93	7.34	33.79			
PK	5.8604G	68.03	68.20	-0.17	62.22	3	Horizontal	25	1.52	-	32.12	7.46	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 22
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.38276G	57.81	74.00	-16.19	41.67	3	Vertical	133	1.70	-	39.80	10.94	34.60				
AV	11.38966G	44.24	54.00	-9.76	28.10	3	Vertical	133	1.70	-	39.80	10.94	34.60				
PK	17.08362G	60.15	68.20	-8.05	39.18	3	Vertical	289	1.59	-	40.37	14.40	33.80				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 22
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39266G	56.99	74.00	-17.01	40.85	3	Horizontal	223	1.80	-	39.80	10.94	34.60			
AV	11.38066G	44.25	54.00	-9.75	28.11	3	Horizontal	223	1.80	-	39.80	10.94	34.60			
PK	17.07348G	60.36	68.20	-7.84	39.37	3	Horizontal	137	2.48	-	40.41	14.39	33.81			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

5570MHz_TX




EUTY_1TX
Setting 18.5
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1764G	56.31	68.20	-11.89	51.38	3	Vertical	10	1.80	-	31.74	6.92	33.73					
PK	5.386G	56.88	74.00	-17.12	52.29	3	Vertical	10	1.80	-	31.37	7.00	33.78					
PK	5.4612G	56.31	68.20	-11.89	51.46	3	Vertical	10	1.80	-	31.54	7.11	33.80					
AV	5.4532G	45.20	54.00	-8.80	40.39	3	Vertical	10	1.80	-	31.51	7.10	33.80					
PK	5.5476G	99.72	Inf	-Inf	94.57	3	Vertical	10	1.80	-	31.70	7.25	33.80					
AV	5.5476G	87.81	Inf	-Inf	82.66	3	Vertical	10	1.80	-	31.70	7.25	33.80					
PK	5.7828G	61.10	68.20	-7.10	55.53	3	Vertical	10	1.80	-	32.00	7.35	33.78					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

5570MHz_TX




EUT_Y_1TX
Setting 18.5
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.2932G	56.90	68.20	-11.30	52.48	3	Horizontal	16	1.57	-	31.21	6.97	33.76					
PK	5.4452G	61.42	74.00	-12.58	56.65	3	Horizontal	16	1.57	-	31.49	7.08	33.80					
PK	5.4676G	57.25	68.20	-10.95	52.36	3	Horizontal	16	1.57	-	31.57	7.12	33.80					
AV	5.4596G	45.71	54.00	-8.29	40.86	3	Horizontal	16	1.57	-	31.54	7.11	33.80					
PK	5.6196G	105.35	Inf	-Inf	100.17	3	Horizontal	16	1.57	-	31.64	7.34	33.80					
AV	5.6132G	93.70	Inf	-Inf	88.53	3	Horizontal	16	1.57	-	31.63	7.34	33.80					
PK	5.7252G	66.06	68.20	-2.14	60.49	3	Horizontal	16	1.57	-	32.00	7.35	33.78					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

5570MHz_TX




EUT_Y_1TX
Setting 18.5
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14404G	56.73	74.00	-17.27	40.82	3	Vertical	157	1.81	-	39.52	10.88	34.49			
AV	11.1415G	44.35	54.00	-9.65	28.43	3	Vertical	157	1.81	-	39.53	10.88	34.49			
PK	16.71306G	61.11	68.20	-7.09	40.87	3	Vertical	38	1.43	-	40.08	14.24	34.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

5570MHz_TX




EUT_Y_1TX
Setting 18.5
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14016G	56.54	74.00	-17.46	40.60	3	Horizontal	265	1.18	-	39.54	10.88	34.48			
AV	11.14454G	44.42	54.00	-9.58	28.51	3	Horizontal	265	1.18	-	39.52	10.88	34.49			
PK	16.70508G	61.19	68.20	-7.01	41.01	3	Horizontal	102	1.06	-	40.03	14.23	34.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

5570MHz_TX




EUTY_1TX
Setting 18.5
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2628G	57.33	68.20	-10.87	52.85	3	Vertical	8	1.80	-	31.27	6.96	33.75			
PK	5.4372G	56.64	74.00	-17.36	51.89	3	Vertical	8	1.80	-	31.47	7.07	33.79			
PK	5.47G	57.17	68.20	-11.03	52.26	3	Vertical	8	1.80	-	31.58	7.13	33.80			
AV	5.4596G	45.21	54.00	-8.79	40.36	3	Vertical	8	1.80	-	31.54	7.11	33.80			
PK	5.5316G	98.27	Inf	-Inf	93.15	3	Vertical	8	1.80	-	31.70	7.23	33.81			
AV	5.546G	86.62	Inf	-Inf	81.47	3	Vertical	8	1.80	-	31.70	7.25	33.80			
PK	5.7268G	60.74	68.20	-7.46	55.17	3	Vertical	8	1.80	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX


5570MHz_TX

EUT_Y_1TX
Setting 18.5
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2452G	56.89	68.20	-11.31	52.35	3	Horizontal	14	1.62	-	31.33	6.95	33.74
PK	5.4484G	58.70	74.00	-15.30	53.91	3	Horizontal	14	1.62	-	31.50	7.09	33.80
PK	5.4644G	58.44	68.20	-9.76	53.56	3	Horizontal	14	1.62	-	31.56	7.12	33.80
AV	5.4596G	45.62	54.00	-8.38	40.77	3	Horizontal	14	1.62	-	31.54	7.11	33.80
PK	5.5268G	104.06	Inf	-Inf	98.95	3	Horizontal	14	1.62	-	31.70	7.22	33.81
AV	5.6132G	92.41	Inf	-Inf	87.24	3	Horizontal	14	1.62	-	31.63	7.34	33.80
PK	5.7876G	65.32	68.20	-2.88	59.75	3	Horizontal	14	1.62	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX


5570MHz_TX

EUT Y_1TX
Setting 18.5
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1384G	56.64	74.00	-17.36	40.70	3	Vertical	267	1.88	-	39.55	10.87	34.48			
AV	11.14168G	44.52	54.00	-9.48	28.60	3	Vertical	267	1.88	-	39.53	10.88	34.49			
PK	16.71194G	61.00	68.20	-7.20	40.77	3	Vertical	227	2.04	-	40.07	14.24	34.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX

5570MHz_TX




EUT_Y_1TX
Setting 18.5
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14022G	56.57	74.00	-17.43	40.63	3	Horizontal	3	2.30	-	39.54	10.88	34.48			
AV	11.14474G	44.35	54.00	-9.65	28.44	3	Horizontal	3	2.30	-	39.52	10.88	34.49			
PK	16.70962G	60.78	68.20	-7.42	40.56	3	Horizontal	99	1.48	-	40.06	14.24	34.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5530MHz_TX

EUT_Y_2TX
Setting 20
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.33G	56.41	68.20	-11.79	51.94	3	Vertical	11	1.80	-	31.26	6.98	33.77			
PK	5.455G	60.98	74.00	-13.02	56.16	3	Vertical	11	1.80	-	31.52	7.10	33.80			
AV	5.453G	47.88	54.00	-6.12	43.07	3	Vertical	11	1.80	-	31.51	7.10	33.80			
PK	5.469G	63.74	68.20	-4.46	58.84	3	Vertical	11	1.80	-	31.58	7.12	33.80			
PK	5.517G	109.54	Inf	-Inf	104.45	3	Vertical	11	1.80	-	31.70	7.20	33.81			
AV	5.514G	97.98	Inf	-Inf	92.89	3	Vertical	11	1.80	-	31.70	7.20	33.81			
PK	5.729G	62.97	68.20	-5.23	57.40	3	Vertical	11	1.80	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 20
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	55.87	68.20	-12.33	51.37	3	Horizontal	345	2.50	-	31.28	6.99	33.77
PK	5.447G	65.76	74.00	-8.24	60.98	3	Horizontal	345	2.50	-	31.49	7.09	33.80
PK	5.466G	67.74	68.20	-0.46	62.86	3	Horizontal	345	2.50	-	31.56	7.12	33.80
AV	5.46G	52.44	54.00	-1.56	47.59	3	Horizontal	345	2.50	-	31.54	7.11	33.80
PK	5.525G	115.81	Inf	-Inf	110.70	3	Horizontal	345	2.50	-	31.70	7.22	33.81
AV	5.527G	104.07	Inf	-Inf	98.96	3	Horizontal	345	2.50	-	31.70	7.22	33.81
PK	5.727G	66.74	68.20	-1.46	61.17	3	Horizontal	345	2.50	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5530MHz_TX

EUT_Y_2TX
Setting 20
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05764G	55.17	74.00	-18.83	38.82	3	Vertical	7	2.07	-	39.95	10.85	34.45			
AV	11.06394G	43.36	54.00	-10.64	27.03	3	Vertical	7	2.07	-	39.92	10.86	34.45			
PK	16.58836G	61.14	68.20	-7.06	41.58	3	Vertical	183	2.50	-	39.55	14.18	34.17			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5530MHz_TX




EUT_Y_2TX
Setting 20
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05988G	55.82	74.00	-18.18	39.48	3	Horizontal	304	1.83	-	39.94	10.85	34.45			
AV	11.06448G	43.41	54.00	-10.59	27.09	3	Horizontal	304	1.83	-	39.91	10.86	34.45			
PK	16.59076G	60.70	68.20	-7.50	41.14	3	Horizontal	293	1.82	-	39.54	14.18	34.16			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX

5610MHz_TX




EUT_Y_2TX
Setting 21
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	57.10	74.00	-16.90	52.31	3	Vertical	9	2.00	-	31.50	7.09	33.80
PK	5.461G	56.64	68.20	-11.56	51.79	3	Vertical	9	2.00	-	31.54	7.11	33.80
AV	5.459G	45.03	54.00	-8.97	40.18	3	Vertical	9	2.00	-	31.54	7.11	33.80
PK	5.634G	110.50	Inf	-Inf	105.28	3	Vertical	9	2.00	-	31.67	7.34	33.79
AV	5.631G	99.89	Inf	-Inf	94.68	3	Vertical	9	2.00	-	31.66	7.34	33.79
PK	5.725G	63.13	68.20	-5.07	57.56	3	Vertical	9	2.00	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX


5610MHz_TX

EUT_Y_2TX
Setting 21
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	57.14	74.00	-16.86	52.33	3	Horizontal	351	2.56	-	31.51	7.10	33.80			
AV	5.456G	45.74	54.00	-8.26	40.92	3	Horizontal	351	2.56	-	31.52	7.10	33.80			
PK	5.465G	57.55	68.20	-10.65	52.67	3	Horizontal	351	2.56	-	31.56	7.12	33.80			
PK	5.646G	117.19	Inf	-Inf	111.95	3	Horizontal	351	2.56	-	31.69	7.34	33.79			
AV	5.627G	105.90	Inf	-Inf	100.70	3	Horizontal	351	2.56	-	31.65	7.34	33.79			
PK	5.725G	67.60	68.20	-0.60	62.03	3	Horizontal	351	2.56	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX


5610MHz_TX

EUT_Y_2TX
Setting 21
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22462G	56.80	74.00	-17.20	40.97	3	Vertical	47	1.60	-	39.45	10.90	34.52			
AV	11.22332G	44.56	54.00	-9.44	28.73	3	Vertical	47	1.60	-	39.45	10.90	34.52			
PK	16.82648G	61.51	68.20	-6.69	40.46	3	Vertical	139	1.74	-	40.75	14.29	33.99			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX


5610MHz_TX

EUT_Y_2TX
Setting 21
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22106G	56.74	74.00	-17.26	40.92	3	Horizontal	266	1.09	-	39.44	10.90	34.52			
AV	11.22088G	44.57	54.00	-9.43	28.75	3	Horizontal	266	1.09	-	39.44	10.90	34.52			
PK	16.82716G	61.59	68.20	-6.61	40.54	3	Horizontal	299	1.67	-	40.75	14.29	33.99			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	56.52	74.00	-17.48	51.70	3	Vertical	10	1.65	-	31.52	7.10	33.80
AV	5.46G	45.11	54.00	-8.89	40.26	3	Vertical	10	1.65	-	31.54	7.11	33.80
PK	5.467G	56.57	68.20	-11.63	51.68	3	Vertical	10	1.65	-	31.57	7.12	33.80
PK	5.675G	112.25	Inf	-Inf	106.85	3	Vertical	10	1.65	-	31.85	7.34	33.79
AV	5.675G	100.49	Inf	-Inf	95.09	3	Vertical	10	1.65	-	31.85	7.34	33.79
PK	5.857G	62.89	68.20	-5.31	57.10	3	Vertical	10	1.65	-	32.11	7.45	33.77

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	57.88	74.00	-16.12	53.03	3	Horizontal	356	1.74	-	31.54	7.11	33.80
AV	5.456G	45.51	54.00	-8.49	40.69	3	Horizontal	356	1.74	-	31.52	7.10	33.80
PK	5.47G	58.62	68.20	-9.58	53.71	3	Horizontal	356	1.74	-	31.58	7.13	33.80
PK	5.668G	115.77	Inf	-Inf	110.41	3	Horizontal	356	1.74	-	31.81	7.34	33.79
AV	5.651G	104.84	Inf	-Inf	99.58	3	Horizontal	356	1.74	-	31.71	7.34	33.79
PK	5.866G	67.63	68.20	-0.57	61.80	3	Horizontal	356	1.74	-	32.13	7.47	33.77

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3808G	56.24	74.00	-17.76	40.10	3	Vertical	21	1.47	-	39.80	10.94	34.60			
AV	11.37714G	44.19	54.00	-9.81	28.05	3	Vertical	21	1.47	-	39.80	10.93	34.59			
PK	17.0681G	60.66	68.20	-7.54	39.65	3	Vertical	275	1.56	-	40.43	14.39	33.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37534G	56.64	74.00	-17.36	40.50	3	Horizontal	147	2.77	-	39.80	10.93	34.59			
AV	11.3771G	44.17	54.00	-9.83	28.03	3	Horizontal	147	2.77	-	39.80	10.93	34.59			
PK	17.06714G	60.39	68.20	-7.81	39.38	3	Horizontal	239	2.57	-	40.43	14.39	33.81			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX


5570MHz_TX

EUT_Y_2TX
Setting 17
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1972G	56.82	68.20	-11.38	52.00	3	Vertical	9	2.01	-	31.62	6.93	33.73
PK	5.4596G	59.47	74.00	-14.53	54.62	3	Vertical	9	2.01	-	31.54	7.11	33.80
AV	5.458G	45.47	54.00	-8.53	40.63	3	Vertical	9	2.01	-	31.53	7.11	33.80
PK	5.466G	58.78	68.20	-9.42	53.90	3	Vertical	9	2.01	-	31.56	7.12	33.80
PK	5.5124G	104.47	Inf	-Inf	99.38	3	Vertical	9	2.01	-	31.70	7.20	33.81
PK	5.7412G	62.99	68.20	-5.21	57.42	3	Vertical	9	2.01	-	32.00	7.35	33.78
AV	5.6308G	93.15	Inf	-Inf	87.94	3	Vertical	9	2.01	-	31.66	7.34	33.79

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX


5570MHz_TX

EUT_Y_2TX
Setting 17
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2852G	56.31	68.20	-11.89	51.87	3	Horizontal	351	2.56	-	31.23	6.96	33.75			
PK	5.4532G	62.39	74.00	-11.61	57.58	3	Horizontal	351	2.56	-	31.51	7.10	33.80			
PK	5.4644G	64.45	68.20	-3.75	59.57	3	Horizontal	351	2.56	-	31.56	7.12	33.80			
AV	5.4596G	47.19	54.00	-6.81	42.34	3	Horizontal	351	2.56	-	31.54	7.11	33.80			
PK	5.6228G	110.83	Inf	-Inf	105.64	3	Horizontal	351	2.56	-	31.65	7.34	33.80			
AV	5.626G	99.21	Inf	-Inf	94.01	3	Horizontal	351	2.56	-	31.65	7.34	33.79			
PK	5.7428G	67.66	68.20	-0.54	62.09	3	Horizontal	351	2.56	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5570MHz_TX




EUT_Y_2TX
Setting 17
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14098G	56.47	74.00	-17.53	40.53	3	Vertical	180	2.13	-	39.54	10.88	34.48			
AV	11.14352G	44.40	54.00	-9.60	28.48	3	Vertical	180	2.13	-	39.53	10.88	34.49			
PK	16.71398G	60.98	68.20	-7.22	40.74	3	Vertical	40	1.49	-	40.08	14.24	34.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5570MHz_TX




EUT_Y_2TX
Setting 17
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14066G	56.58	74.00	-17.42	40.64	3	Horizontal	331	2.57	-	39.54	10.88	34.48			
AV	11.1427G	44.32	54.00	-9.68	28.40	3	Horizontal	331	2.57	-	39.53	10.88	34.49			
PK	16.71294G	61.29	68.20	-6.91	41.05	3	Horizontal	254	2.31	-	40.08	14.24	34.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5570MHz_TX




EUT_Y_2TX
Setting 17
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2324G	56.48	68.20	-11.72	51.87	3	Vertical	8	1.94	-	31.41	6.94	33.74				
PK	5.442G	57.57	74.00	-16.43	52.80	3	Vertical	8	1.94	-	31.48	7.08	33.79				
PK	5.47G	57.24	68.20	-10.96	52.33	3	Vertical	8	1.94	-	31.58	7.13	33.80				
AV	5.458G	45.49	54.00	-8.51	40.65	3	Vertical	8	1.94	-	31.53	7.11	33.80				
PK	5.6308G	104.81	Inf	-Inf	99.60	3	Vertical	8	1.94	-	31.66	7.34	33.79				
AV	5.6308G	92.50	Inf	-Inf	87.29	3	Vertical	8	1.94	-	31.66	7.34	33.79				
PK	5.7556G	65.44	68.20	-2.76	59.87	3	Vertical	8	1.94	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX


5570MHz_TX

EUT_Y_2TX
Setting 17
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.322G	56.90	68.20	-11.30	52.44	3	Horizontal	352	2.56	-	31.24	6.98	33.76				
PK	5.4468G	60.73	74.00	-13.27	55.95	3	Horizontal	352	2.56	-	31.49	7.09	33.80				
PK	5.47G	62.45	68.20	-5.75	57.54	3	Horizontal	352	2.56	-	31.58	7.13	33.80				
AV	5.4596G	46.89	54.00	-7.11	42.04	3	Horizontal	352	2.56	-	31.54	7.11	33.80				
PK	5.626G	109.35	Inf	-Inf	104.15	3	Horizontal	352	2.56	-	31.65	7.34	33.79				
AV	5.626G	98.43	Inf	-Inf	93.23	3	Horizontal	352	2.56	-	31.65	7.34	33.79				
PK	5.7252G	67.53	68.20	-0.67	61.96	3	Horizontal	352	2.56	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX


5570MHz_TX

EUT_Y_2TX
Setting 17
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14284G	56.62	74.00	-17.38	40.70	3	Vertical	39	1.90	-	39.53	10.88	34.49			
AV	11.1447G	44.31	54.00	-9.69	28.40	3	Vertical	39	1.90	-	39.52	10.88	34.49			
PK	16.7103G	61.07	68.20	-7.13	40.85	3	Vertical	257	2.80	-	40.06	14.24	34.08			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX


5570MHz_TX

EUT_Y_2TX
Setting 17
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1435G	57.15	74.00	-16.85	41.23	3	Horizontal	65	1.31	-	39.53	10.88	34.49			
AV	11.14464G	44.35	54.00	-9.65	28.44	3	Horizontal	65	1.31	-	39.52	10.88	34.49			
PK	16.70726G	60.86	68.20	-7.34	40.67	3	Horizontal	99	2.14	-	40.04	14.23	34.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 17
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	58.67	74.00	-15.33	53.85	3	Vertical	314.9	2.66	-	31.52	7.10	33.80
AV	5.4596G	46.65	54.00	-7.35	41.80	3	Vertical	314.9	2.66	-	31.54	7.11	33.80
PK	5.4688G	58.83	68.20	-9.37	53.93	3	Vertical	314.9	2.66	-	31.58	7.12	33.80
PK	5.5212G	110.64	Inf	-Inf	105.54	3	Vertical	314.9	2.66	-	31.70	7.21	33.81
AV	5.5212G	98.69	Inf	-Inf	93.59	3	Vertical	314.9	2.66	-	31.70	7.21	33.81

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 17
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	66.47	74.00	-7.53	61.62	3	Horizontal	342	2.47	-	31.54	7.11	33.80			
AV	5.4592G	52.84	54.00	-1.16	47.99	3	Horizontal	342	2.47	-	31.54	7.11	33.80			
PK	5.4692G	67.50	68.20	-0.70	62.60	3	Horizontal	342	2.47	-	31.58	7.12	33.80			
PK	5.5648G	117.49	Inf	-Inf	112.34	3	Horizontal	342	2.47	-	31.67	7.28	33.80			
AV	5.5232G	106.20	Inf	-Inf	101.10	3	Horizontal	342	2.47	-	31.70	7.21	33.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 17
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.0609G	56.65	74.00	-17.35	40.31	3	Vertical	227	1.56	-	39.93	10.86	34.45				
AV	11.0846G	44.51	54.00	-9.49	28.32	3	Vertical	227	1.56	-	39.79	10.86	34.46				
PK	16.5863G	60.89	68.20	-7.31	41.33	3	Vertical	130	1.51	-	39.55	14.18	34.17				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 17
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0431G	57.19	74.00	-16.81	40.75	3	Horizontal	263	1.53	-	40.03	10.85	34.44			
AV	11.0769G	44.42	54.00	-9.58	28.18	3	Horizontal	263	1.53	-	39.84	10.86	34.46			
PK	16.613G	60.39	68.20	-7.81	40.77	3	Horizontal	255	2.49	-	39.58	14.19	34.15			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX


5610MHz_TX

EUT_Y_4TX
Setting 16.5
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4492G	57.27	74.00	-16.73	52.48	3	Vertical	360	1.80	-	31.50	7.09	33.80			
PK	5.4652G	57.42	68.20	-10.78	52.54	3	Vertical	360	1.80	-	31.56	7.12	33.80			
AV	5.4588G	45.20	54.00	-8.80	40.35	3	Vertical	360	1.80	-	31.54	7.11	33.80			
PK	5.6084G	107.21	Inf	-Inf	102.05	3	Vertical	360	1.80	-	31.62	7.34	33.80			
AV	5.6484G	97.09	Inf	-Inf	91.84	3	Vertical	360	1.80	-	31.70	7.34	33.79			
PK	5.7316G	59.94	68.20	-8.26	54.37	3	Vertical	360	1.80	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5610MHz_TX




EUT_Y_4TX
Setting 16.5
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.4476G	57.94	74.00	-16.06	53.15	3	Horizontal	342	2.48	-	31.50	7.09	33.80
PK	5.47G	59.19	68.20	-9.01	54.28	3	Horizontal	342	2.48	-	31.58	7.13	33.80
AV	5.4596G	46.59	54.00	-7.41	41.74	3	Horizontal	342	2.48	-	31.54	7.11	33.80
PK	5.6436G	118.72	Inf	-Inf	113.48	3	Horizontal	342	2.48	-	31.69	7.34	33.79
AV	5.6436G	106.97	Inf	-Inf	101.73	3	Horizontal	342	2.48	-	31.69	7.34	33.79
PK	5.7332G	66.93	68.20	-1.27	61.36	3	Horizontal	342	2.48	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5610MHz_TX




EUT_Y_4TX
Setting 16.5
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.2229G	58.44	74.00	-15.56	42.61	3	Vertical	336	1.65	-	39.45	10.90	34.52				
AV	11.2307G	45.09	54.00	-8.91	29.26	3	Vertical	336	1.65	-	39.46	10.90	34.53				
PK	16.8261G	61.81	68.20	-6.39	40.77	3	Vertical	145	2.31	-	40.75	14.29	34.00				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX

5610MHz_TX




EUT_Y_4TX
Setting 16.5
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.2369G	57.17	74.00	-16.83	41.33	3	Horizontal	10	1.23	-	39.47	10.90	34.53				
AV	11.2313G	45.09	54.00	-8.91	29.26	3	Horizontal	10	1.23	-	39.46	10.90	34.53				
PK	16.8128G	61.42	68.20	-6.78	40.41	3	Horizontal	216	1.71	-	40.73	14.28	34.00				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 20.5
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3108G	56.23	68.20	-11.97	51.80	3	Vertical	7	1.36	-	31.22	6.97	33.76					
PK	5.4564G	57.30	74.00	-16.70	52.47	3	Vertical	7	1.36	-	31.53	7.10	33.80					
AV	5.4596G	45.23	54.00	-8.77	40.38	3	Vertical	7	1.36	-	31.54	7.11	33.80					
PK	5.4676G	57.24	68.20	-10.96	52.35	3	Vertical	7	1.36	-	31.57	7.12	33.80					
PK	5.6756G	113.50	Inf	-Inf	108.10	3	Vertical	7	1.36	-	31.85	7.34	33.79					
AV	5.674G	102.65	Inf	-Inf	97.26	3	Vertical	7	1.36	-	31.84	7.34	33.79					
PK	5.8596G	59.67	68.20	-8.53	53.86	3	Vertical	7	1.36	-	32.12	7.46	33.77					

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 20.5
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3396G	56.34	68.20	-11.86	51.84	3	Horizontal	13	2.02	-	31.28	6.99	33.77			
PK	5.458G	57.93	74.00	-16.07	53.09	3	Horizontal	13	2.02	-	31.53	7.11	33.80			
AV	5.4532G	46.69	54.00	-7.31	41.88	3	Horizontal	13	2.02	-	31.51	7.10	33.80			
PK	5.4644G	58.20	68.20	-10.00	53.32	3	Horizontal	13	2.02	-	31.56	7.12	33.80			
PK	5.6756G	121.02	Inf	-Inf	115.62	3	Horizontal	13	2.02	-	31.85	7.34	33.79			
AV	5.6756G	110.50	Inf	-Inf	105.10	3	Horizontal	13	2.02	-	31.85	7.34	33.79			
PK	5.8596G	67.98	68.20	-0.22	62.17	3	Horizontal	13	2.02	-	32.12	7.46	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 20.5
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.374G	57.61	74.00	-16.39	41.47	3	Vertical	290	1.22	-	39.80	10.93	34.59				
AV	11.4045G	44.91	54.00	-9.09	28.78	3	Vertical	290	1.22	-	39.80	10.94	34.61				
PK	17.0795G	61.39	68.20	-6.81	40.42	3	Vertical	114	1.17	-	40.38	14.39	33.80				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 20.5
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3565G	57.57	74.00	-16.43	41.42	3	Horizontal	43	1.84	-	39.80	10.93	34.58			
AV	11.4047G	44.95	54.00	-9.05	28.82	3	Horizontal	43	1.84	-	39.80	10.94	34.61			
PK	17.0757G	60.28	68.20	-7.92	39.30	3	Horizontal	142	1.27	-	40.40	14.39	33.81			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

5570MHz_TX




EUT_Y_4TX
Setting 14.5
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3412G	57.30	68.20	-10.90	52.80	3	Vertical	358	2.12	-	31.28	6.99	33.77			
PK	5.4292G	56.98	74.00	-17.02	52.25	3	Vertical	358	2.12	-	31.46	7.06	33.79			
PK	5.47G	56.31	68.20	-11.89	51.40	3	Vertical	358	2.12	-	31.58	7.13	33.80			
AV	5.45G	46.10	54.00	-7.90	41.31	3	Vertical	358	2.12	-	31.50	7.09	33.80			
AV	5.5316G	92.82	Inf	-Inf	87.70	3	Vertical	358	2.12	-	31.70	7.23	33.81			
PK	5.6116G	103.10	Inf	-Inf	97.94	3	Vertical	358	2.12	-	31.62	7.34	33.80			
PK	5.7668G	60.83	68.20	-7.37	55.26	3	Vertical	358	2.12	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

5570MHz_TX




EUT_Y_4TX
Setting 14.5
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3156G	57.49	68.20	-10.71	53.04	3	Horizontal	343	2.51	-	31.23	6.98	33.76				
PK	5.45G	64.92	74.00	-9.08	60.13	3	Horizontal	343	2.51	-	31.50	7.09	33.80				
AV	5.4516G	50.62	54.00	-3.38	45.81	3	Horizontal	343	2.51	-	31.51	7.10	33.80				
PK	5.4628G	66.58	68.20	-1.62	61.72	3	Horizontal	343	2.51	-	31.55	7.11	33.80				
PK	5.6244G	113.10	Inf	-Inf	107.91	3	Horizontal	343	2.51	-	31.65	7.34	33.80				
AV	5.6436G	102.27	Inf	-Inf	97.03	3	Horizontal	343	2.51	-	31.69	7.34	33.79				
PK	5.7668G	67.26	68.20	-0.94	61.69	3	Horizontal	343	2.51	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

5570MHz_TX




EUT_Y_4TX
Setting 14.5
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1203G	56.89	74.00	-17.11	40.88	3	Vertical	135	1.80	-	39.62	10.87	34.48			
AV	11.1646G	45.28	54.00	-8.72	29.43	3	Vertical	135	1.80	-	39.47	10.88	34.50			
PK	16.6891G	61.34	68.20	-6.86	41.24	3	Vertical	192	2.95	-	39.96	14.23	34.09			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

5570MHz_TX




EUT_Y_4TX
Setting 14.5
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1423G	57.99	74.00	-16.01	42.07	3	Horizontal	235	1.96	-	39.53	10.88	34.49			
AV	11.1648G	45.34	54.00	-8.66	29.49	3	Horizontal	235	1.96	-	39.47	10.88	34.50			
PK	16.7329G	61.06	68.20	-7.14	40.67	3	Horizontal	96	1.80	-	40.20	14.25	34.06			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX


5570MHz_TX

EUT_Y_4TX
Setting 14
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.346G	56.80	68.20	-11.40	52.29	3	Vertical	358	2.11	-	31.29	6.99	33.77				
PK	5.4228G	57.41	74.00	-16.59	52.70	3	Vertical	358	2.11	-	31.45	7.05	33.79				
PK	5.4644G	56.88	68.20	-11.32	52.00	3	Vertical	358	2.11	-	31.56	7.12	33.80				
AV	5.4596G	45.46	54.00	-8.54	40.61	3	Vertical	358	2.11	-	31.54	7.11	33.80				
AV	5.5316G	91.19	Inf	-Inf	86.07	3	Vertical	358	2.11	-	31.70	7.23	33.81				
PK	5.6308G	102.96	Inf	-Inf	97.75	3	Vertical	358	2.11	-	31.66	7.34	33.79				
PK	5.7284G	62.46	68.20	-5.74	56.89	3	Vertical	358	2.11	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX


5570MHz_TX

EUT_Y_4TX
Setting 14
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2804G	56.55	68.20	-11.65	52.10	3	Horizontal	344	2.52	-	31.24	6.96	33.75				
PK	5.4516G	66.19	74.00	-7.81	61.38	3	Horizontal	344	2.52	-	31.51	7.10	33.80				
AV	5.4516G	49.06	54.00	-4.94	44.25	3	Horizontal	344	2.52	-	31.51	7.10	33.80				
PK	5.4676G	64.32	68.20	-3.88	59.43	3	Horizontal	344	2.52	-	31.57	7.12	33.80				
PK	5.6436G	113.13	Inf	-Inf	107.89	3	Horizontal	344	2.52	-	31.69	7.34	33.79				
AV	5.6436G	100.89	Inf	-Inf	95.65	3	Horizontal	344	2.52	-	31.69	7.34	33.79				
PK	5.746G	67.52	68.20	-0.68	61.95	3	Horizontal	344	2.52	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX




EUT_Y_4TX
Setting 14
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.1541G	56.88	74.00	-17.12	41.00	3	Vertical	2	2.43	-	39.49	10.88	34.49				
AV	11.1491G	44.76	54.00	-9.24	28.87	3	Vertical	2	2.43	-	39.50	10.88	34.49				
PK	16.7301G	60.97	68.20	-7.23	40.61	3	Vertical	75	1.66	-	40.18	14.24	34.06				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5570MHz_TX



EUT_Y_4TX
Setting 14
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1487G	57.19	74.00	-16.81	41.29	3	Horizontal	63	2.27	-	39.51	10.88	34.49			
AV	11.1513G	44.82	54.00	-9.18	28.93	3	Horizontal	63	2.27	-	39.50	10.88	34.49			
PK	16.7307G	60.42	68.20	-7.78	40.06	3	Horizontal	112	2.12	-	40.18	14.24	34.06			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_2TX	Pass	PK	5.4675G	68.19	68.20	-0.01	3	Vertical	75	2.96	25

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 21
22\17\23\20\21.5\21
-4.54\9.88\ -8.69\6.82\ -1.30\1.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4534G	57.83	74.00	-16.17	61.32	3	Vertical	310	3.00	21	31.71	8.55	43.75			
AV	5.4598G	44.87	54.00	-9.13	48.35	3	Vertical	310	3.00	21	31.72	8.55	43.75			
PK	5.4697G	67.07	68.20	-1.13	70.52	3	Vertical	310	3.00	21	31.74	8.56	43.75			
PK	5.4964G	110.57	Inf	-Inf	113.93	3	Vertical	310	3.00	21	31.79	8.59	43.74			
AV	5.4928G	100.86	Inf	-Inf	104.22	3	Vertical	310	3.00	21	31.79	8.59	43.74			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 19.5
21\19.5\22\19.5
-1.13\6.19\6.41\6.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4551G	57.07	74.00	-16.93	60.56	3	Horizontal	286	2.06	19.5	31.71	8.55	43.75			
AV	5.4542G	45.31	54.00	-8.69	48.80	3	Horizontal	286	2.06	19.5	31.71	8.55	43.75			
PK	5.4696G	62.13	68.20	-6.07	65.58	3	Horizontal	286	2.06	19.5	31.74	8.56	43.75			
PK	5.4966G	112.00	Inf	-Inf	115.36	3	Horizontal	286	2.06	19.5	31.79	8.59	43.74			
AV	5.4927G	102.58	Inf	-Inf	105.94	3	Horizontal	286	2.06	19.5	31.79	8.59	43.74			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
SET 24.5
19.5\27\19\23\25\26\25.5\25\24.5
9.82\8.26\9.91\9.46\8.82\8.27\8.77\8.71\9.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4543G	57.15	74.00	-16.85	60.64	3	Vertical	311	2.92	24.5	31.71	8.55	43.75
AV	5.4531G	44.76	54.00	-9.24	48.26	3	Vertical	311	2.92	24.5	31.71	8.55	43.76
PK	5.4642G	56.32	68.20	-11.88	59.78	3	Vertical	311	2.92	24.5	31.73	8.56	43.75
PK	5.5734G	113.26	Inf	-Inf	116.62	3	Vertical	311	2.92	24.5	31.65	8.67	43.68
AV	5.5734G	104.23	Inf	-Inf	107.59	3	Vertical	311	2.92	24.5	31.65	8.67	43.68
PK	5.7279G	56.43	68.20	-11.77	59.16	3	Vertical	311	2.92	24.5	32.00	8.83	43.56

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
SET 24.5
24.5\27\23.5\25\25.5\25\24.5
9.77\7.28\9.74\9.47\7.21\6.66\9.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4363G	56.97	74.00	-17.03	60.58	3	Horizontal	81	1.80	24.5	31.62	8.53	43.76
PK	5.4657G	55.70	68.20	-12.50	59.16	3	Horizontal	81	1.80	24.5	31.73	8.56	43.75
AV	5.4549G	44.47	54.00	-9.53	47.96	3	Horizontal	81	1.80	24.5	31.71	8.55	43.75
PK	5.5863G	113.92	Inf	-Inf	117.27	3	Horizontal	81	1.80	24.5	31.63	8.69	43.67
AV	5.5869G	105.26	Inf	-Inf	108.61	3	Horizontal	81	1.80	24.5	31.63	8.69	43.67
PK	5.7273G	57.96	68.20	-10.24	60.69	3	Horizontal	81	1.80	24.5	32.00	8.83	43.56

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX



EUT Y_1TX
SET 19.5
19.5\21\18.5\19.5
1.59\5.15\4.70\1.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7028G	109.58	Inf	-Inf	112.35	3	Vertical	325	2.93	19.5	32.00	8.81	43.58				
AV	5.693G	100.50	Inf	-Inf	103.32	3	Vertical	325	2.93	19.5	31.97	8.80	43.59				
PK	5.725G	66.83	68.20	-1.37	69.56	3	Vertical	325	2.93	19.5	32.00	8.83	43.56				