



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

EBW

6565MHz

25/03/2026





6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

EBW



6685MHz

25/03/2026





6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
6845MHz

25/03/2026


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
5985MHz

23/04/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

EBW

6225MHz

23/04/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

EBW



6385MHz

23/04/2026





6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6625MHz

23/04/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6705MHz

23/04/2026





6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6785MHz

23/04/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6025MHz

25/03/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6185MHz

25/03/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6345MHz

25/03/2026





6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6665MHz

25/03/2026


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX
EBW
6105MHz

25/03/2026



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.925-6.425GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	22.99M	19.122M	19M1D1D	21.67M	19.044M
802.11be EHT40-BF_Nss1,(MCS0)_2TX	88.55M	38.348M	38M3D1D	44.33M	38M
802.11be EHT80-BF_Nss1,(MCS0)_2TX	158.18M	79.988M	80M0D1D	84.92M	77.615M
802.11be EHT160-BF_Nss1,(MCS0)_2TX	311.96M	158.329M	158MD1D	169.4M	156.846M
802.11be EHT320-BF_Nss1,(MCS0)_2TX	433.84M	316.858M	317MD1D	416.24M	316.774M
6.525-6.875GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	22.715M	19.105M	19M1D1D	22.165M	19.063M
802.11be EHT40-BF_Nss1,(MCS0)_2TX	57.75M	38.225M	38M2D1D	44M	38.066M
802.11be EHT80-BF_Nss1,(MCS0)_2TX	97.9M	77.858M	77M9D1D	84.26M	77.655M
802.11be EHT160-BF_Nss1,(MCS0)_2TX	258.72M	157.193M	157MD1D	169.4M	156.7M

Max-N dB = Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5955MHz	Pass	320M	22.99M	19.058M	22.99M	19.109M
6195MHz	Pass	320M	22.385M	19.094M	22.165M	19.122M
6415MHz	Pass	320M	22.44M	19.044M	21.67M	19.086M
6535MHz	Pass	320M	22.66M	19.063M	22.33M	19.105M
6695MHz	Pass	320M	22.165M	19.079M	22.22M	19.08M
6855MHz	Pass	320M	22.275M	19.067M	22.715M	19.089M
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5965MHz	Pass	320M	76.89M	38.215M	88.55M	38.348M
6205MHz	Pass	320M	51.7M	38.082M	44.44M	38M
6405MHz	Pass	320M	44.33M	38.098M	44.44M	38.022M
6565MHz	Pass	320M	44.88M	38.105M	44.88M	38.066M
6685MHz	Pass	320M	57.75M	38.225M	44M	38.086M
6845MHz	Pass	320M	44M	38.113M	44.66M	38.104M
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5985MHz	Pass	320M	152.02M	78.656M	158.18M	79.988M
6225MHz	Pass	320M	87.56M	77.615M	84.92M	77.762M
6385MHz	Pass	320M	89.1M	77.861M	88.22M	77.636M
6625MHz	Pass	320M	87.34M	77.806M	88M	77.655M
6705MHz	Pass	320M	84.92M	77.858M	84.26M	77.768M
6785MHz	Pass	320M	97.9M	77.69M	86.24M	77.731M
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6025MHz	Pass	320M	172.04M	156.846M	169.4M	157.063M
6185MHz	Pass	320M	311.96M	157.633M	307.12M	158.329M
6345MHz	Pass	320M	297.44M	157.521M	294.36M	157.001M
6665MHz	Pass	320M	258.72M	157.193M	169.4M	156.7M
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
6105MHz	Pass	320M	433.84M	316.774M	416.24M	316.858M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
5955MHz

24/03/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6195MHz

04/04/2026





5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6415MHz

04/04/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6535MHz

04/04/2026





6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6695MHz

04/04/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX
EBW
6855MHz

04/04/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
5965MHz

25/03/2026


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6205MHz

04/04/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

EBW

6405MHz

04/04/2026





6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

EBW



6565MHz

04/04/2026





6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6685MHz

04/04/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX
EBW
6845MHz

04/04/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
5985MHz

25/03/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6225MHz

04/04/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6385MHz

04/04/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6625MHz

04/04/2026





6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6705MHz

04/04/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX
EBW
6785MHz

04/04/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6025MHz

04/04/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6185MHz

25/03/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6345MHz

25/03/2026


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX
EBW
6665MHz

04/04/2026





5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

EBW

6105MHz

04/04/2026



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.925-6.425GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	23.21M	19.107M	19M1D1D	22.11M	19.058M
802.11be EHT40-BF_Nss1,(MCS0)_4TX	44.88M	38.157M	38M2D1D	41.69M	38.004M
802.11be EHT80-BF_Nss1,(MCS0)_4TX	90.2M	77.961M	78M0D1D	86.46M	77.661M
802.11be EHT160-BF_Nss1,(MCS0)_4TX	174.68M	157.53M	158MD1D	169.84M	156.642M
802.11be EHT320-BF_Nss1,(MCS0)_4TX	460.24M	317.261M	317MD1D	338.8M	316.016M
6.525-6.875GHz	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	23.43M	19.124M	19M1D1D	22.055M	19.065M
802.11be EHT40-BF_Nss1,(MCS0)_4TX	45.54M	38.157M	38M2D1D	43.45M	38.057M
802.11be EHT80-BF_Nss1,(MCS0)_4TX	90.2M	77.961M	78M0D1D	86.9M	77.661M
802.11be EHT160-BF_Nss1,(MCS0)_4TX	173.36M	157.178M	157MD1D	171.16M	156.961M

Max-N dB = Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	320M	22.22M	19.097M	22.55M	19.092M	22.55M	19.085M	22.495M	19.088M
6195MHz	Pass	320M	22.33M	19.073M	22.11M	19.106M	22.44M	19.058M	22.605M	19.086M
6415MHz	Pass	320M	22.495M	19.065M	23.21M	19.093M	22.275M	19.107M	22.825M	19.088M
6535MHz	Pass	320M	22.605M	19.084M	22.385M	19.111M	22.385M	19.084M	22.55M	19.094M
6695MHz	Pass	320M	23.43M	19.101M	22.11M	19.092M	22.055M	19.065M	22.825M	19.067M
6855MHz	Pass	320M	22.385M	19.084M	22.55M	19.124M	22.88M	19.091M	22.605M	19.07M
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	320M	41.69M	38.093M	44.88M	38.114M	44M	38.087M	43.89M	38.035M
6205MHz	Pass	320M	43.56M	38.062M	43.78M	38.043M	43.67M	38.098M	43.89M	38.048M
6405MHz	Pass	320M	44.22M	38.128M	43.78M	38.004M	43.45M	38.157M	44.22M	38.056M
6565MHz	Pass	320M	44.55M	38.157M	43.45M	38.092M	44.11M	38.117M	44M	38.062M
6685MHz	Pass	320M	45.54M	38.12M	43.78M	38.085M	43.56M	38.071M	43.56M	38.057M
6845MHz	Pass	320M	43.78M	38.073M	45.1M	38.085M	43.56M	38.1M	43.67M	38.103M
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	320M	88.88M	77.861M	90.2M	77.961M	89.98M	77.861M	88.22M	77.661M
6225MHz	Pass	320M	86.46M	77.961M	88.88M	77.861M	88.88M	77.861M	87.12M	77.661M
6385MHz	Pass	320M	89.1M	77.961M	89.1M	77.761M	86.46M	77.761M	86.68M	77.961M
6625MHz	Pass	320M	88M	77.961M	89.98M	77.861M	88.44M	77.861M	88.22M	77.861M
6705MHz	Pass	320M	88.66M	77.961M	90.2M	77.661M	86.9M	77.861M	90.2M	77.961M
6785MHz	Pass	320M	88.88M	77.661M	87.34M	77.661M	89.1M	77.861M	87.56M	77.861M
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	320M	171.6M	156.786M	169.84M	156.713M	172.04M	156.642M	171.16M	157.254M
6185MHz	Pass	320M	170.72M	157.53M	173.8M	157.288M	173.36M	157.414M	172.48M	157.25M
6345MHz	Pass	320M	174.68M	157.426M	170.28M	156.949M	172.48M	156.909M	174.24M	157.394M
6665MHz	Pass	320M	172.48M	157.122M	173.36M	157.019M	171.16M	156.961M	172.92M	157.178M
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	320M	414.48M	316.481M	460.24M	317.261M	441.76M	316.472M	338.8M	316.016M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
5955MHz

04/04/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6195MHz

04/04/2026





5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6415MHz

04/04/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6535MHz

04/04/2026





6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6695MHz

04/04/2026


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX
EBW
6855MHz

04/04/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

EBW

5965MHz

04/04/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

EBW



6205MHz

04/04/2026





5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
6405MHz

04/04/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX
EBW
6565MHz

04/04/2026





6.525-6.875GHz_802.11be EHT40-BF_Nss1.(MCS0)_4TX
EBW
6685MHz

04/04/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1.(MCS0)_4TX
EBW
6845MHz

04/04/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
5985MHz

23/04/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6225MHz

23/04/2026





5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6385MHz

23/04/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6625MHz

23/04/2026





6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6705MHz

23/04/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX
EBW
6785MHz

23/04/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6025MHz

04/04/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6185MHz

04/04/2026





5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6345MHz

04/04/2026


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX
EBW
6665MHz

04/04/2026





5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

EBW

6105MHz

04/04/2026



Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	24.41	0.27606	30.98	1.25314
802.11ax HEW40_Nss1,(MCS0)_2TX	24.23	0.26485	30.80	1.20226
802.11ax HEW80_Nss1,(MCS0)_2TX	24.33	0.27102	30.90	1.23027
802.11ax HEW160_Nss1,(MCS0)_2TX	24.35	0.27227	30.92	1.23595
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	24.26	0.26669	29.76	0.94624
802.11ax HEW40_Nss1,(MCS0)_2TX	24.33	0.27102	29.83	0.96161
802.11ax HEW80_Nss1,(MCS0)_2TX	24.39	0.27479	29.89	0.97499
802.11ax HEW160_Nss1,(MCS0)_2TX	24.33	0.27102	29.83	0.96161

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	6.57	21.31	21.49	24.41	30.98	36.00
6195MHz	Pass	6.57	21.12	21.50	24.32	30.89	36.00
6415MHz	Pass	6.57	21.06	21.21	24.15	30.72	36.00
6535MHz	Pass	5.50	21.08	21.09	24.10	29.60	36.00
6695MHz	Pass	5.50	21.14	21.36	24.26	29.76	36.00
6855MHz	Pass	5.50	20.79	21.06	23.94	29.44	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	6.57	21.01	21.25	24.14	30.71	36.00
6205MHz	Pass	6.57	20.91	21.24	24.09	30.66	36.00
6405MHz	Pass	6.57	21.06	21.38	24.23	30.80	36.00
6565MHz	Pass	5.50	21.15	21.27	24.22	29.72	36.00
6685MHz	Pass	5.50	21.18	21.46	24.33	29.83	36.00
6845MHz	Pass	5.50	20.93	21.20	24.08	29.58	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	6.57	21.22	21.41	24.33	30.90	36.00
6225MHz	Pass	6.57	20.82	21.40	24.13	30.70	36.00
6385MHz	Pass	6.57	20.98	21.12	24.06	30.63	36.00
6625MHz	Pass	5.50	21.30	21.45	24.39	29.89	36.00
6705MHz	Pass	5.50	21.06	21.28	24.18	29.68	36.00
6785MHz	Pass	5.50	20.79	21.02	23.92	29.42	36.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	6.57	21.01	21.20	24.12	30.69	36.00
6185MHz	Pass	6.57	21.21	21.47	24.35	30.92	36.00
6345MHz	Pass	6.57	20.99	21.05	24.03	30.60	36.00
6665MHz	Pass	5.50	21.43	21.21	24.33	29.83	36.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	23.01	0.19999	29.58/20.91	0.90782/0.123310
802.11ax HEW40_Nss1,(MCS0)_2TX	23.07	0.20277	29.64/20.97	0.92045/0.125026
802.11ax HEW80_Nss1,(MCS0)_2TX	22.97	0.19815	29.54/20.87	0.89950/0.122180
802.11ax HEW160_Nss1,(MCS0)_2TX	22.97	0.19815	29.54/20.87	0.89950/0.122180
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	23.09	0.20370	28.59/20.79	0.72277/0.119950
802.11ax HEW40_Nss1,(MCS0)_2TX	23.24	0.21086	28.74/20.94	0.74817/0.124165
802.11ax HEW80_Nss1,(MCS0)_2TX	23.22	0.20989	28.72/20.92	0.74473/0.123595
802.11ax HEW160_Nss1,(MCS0)_2TX	22.85	0.19275	28.35/20.55	0.68391/0.113501

Result

Mode	Result	DG/Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	6.57/-2.10	19.95	20.04	23.01	29.58/20.91	36.00/21.00
6195MHz	Pass	6.57/-2.10	19.84	19.41	22.64	29.21/20.54	36.00/21.00
6415MHz	Pass	6.57/-2.10	20.26	19.54	22.93	29.50/20.83	36.00/21.00
6535MHz	Pass	5.50/-2.30	20.11	20.02	23.08	28.58/20.78	36.00/21.00
6695MHz	Pass	5.50/-2.30	20.47	19.66	23.09	28.59/20.79	36.00/21.00
6855MHz	Pass	5.50/-2.30	20.25	19.75	23.02	28.52/20.72	36.00/21.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	6.57/-2.10	20.20	19.92	23.07	29.64/20.97	36.00/21.00
6205MHz	Pass	6.57/-2.10	20.04	19.67	22.87	29.44/20.77	36.00/21.00
6405MHz	Pass	6.57/-2.10	20.08	19.49	22.81	29.38/20.71	36.00/21.00
6565MHz	Pass	5.50/-2.30	20.68	19.73	23.24	28.74/20.94	36.00/21.00
6685MHz	Pass	5.50/-2.30	20.34	19.64	23.01	28.51/20.71	36.00/21.00
6845MHz	Pass	5.50/-2.30	20.36	19.79	23.09	28.59/20.79	36.00/21.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	6.57/-2.10	20.00	19.82	22.92	29.49/20.82	36.00/21.00
6225MHz	Pass	6.57/-2.10	20.21	19.70	22.97	29.54/20.87	36.00/21.00
6385MHz	Pass	6.57/-2.10	20.01	19.27	22.67	29.24/20.57	36.00/21.00
6625MHz	Pass	5.50/-2.30	20.09	19.49	22.81	28.31/20.51	36.00/21.00
6705MHz	Pass	5.50/-2.30	20.48	19.93	23.22	28.72/20.92	36.00/21.00
6785MHz	Pass	5.50/-2.30	19.96	19.74	22.86	28.36/20.56	36.00/21.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	6.57/-2.10	19.80	19.61	22.72	29.29/20.62	36.00/21.00
6185MHz	Pass	6.57/-2.10	20.13	19.78	22.97	29.54/20.87	36.00/21.00
6345MHz	Pass	6.57/-2.10	20.11	19.40	22.78	29.35/20.68	36.00/21.00
6665MHz	Pass	5.50/-2.30	20.19	19.46	22.85	28.35/20.55	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	27.44	0.55463
802.11be EHT20_Nss1,(MCS0)_2TX	30.13	1.03039
802.11be EHT20_Nss1,(MCS0)_4TX	29.49	0.88920
802.11be EHT40_Nss1,(MCS0)_1TX	27.67	0.58479
802.11be EHT40_Nss1,(MCS0)_2TX	29.72	0.93756
802.11be EHT40_Nss1,(MCS0)_4TX	32.18	1.65196
802.11be EHT80_Nss1,(MCS0)_1TX	25.56	0.35975
802.11be EHT80_Nss1,(MCS0)_2TX	29.06	0.80538
802.11be EHT80_Nss1,(MCS0)_4TX	31.03	1.26765
802.11be EHT160_Nss1,(MCS0)_1TX	26.46	0.44259
802.11be EHT160_Nss1,(MCS0)_2TX	29.81	0.95719
802.11be EHT160_Nss1,(MCS0)_4TX	30.77	1.19399
802.11be EHT320_Nss1,(MCS0)_1TX	24.83	0.30409
802.11be EHT320_Nss1,(MCS0)_2TX	28.27	0.67143
802.11be EHT320_Nss1,(MCS0)_4TX	29.45	0.88105
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	29.17	0.82604
802.11be EHT20_Nss1,(MCS0)_2TX	30.13	1.03039
802.11be EHT20_Nss1,(MCS0)_4TX	30.84	1.21339
802.11be EHT40_Nss1,(MCS0)_1TX	26.89	0.48865
802.11be EHT40_Nss1,(MCS0)_2TX	29.97	0.99312
802.11be EHT40_Nss1,(MCS0)_4TX	31.59	1.44212
802.11be EHT80_Nss1,(MCS0)_1TX	26.58	0.45499
802.11be EHT80_Nss1,(MCS0)_2TX	30.30	1.07152
802.11be EHT80_Nss1,(MCS0)_4TX	30.39	1.09396
802.11be EHT160_Nss1,(MCS0)_1TX	25.25	0.33497
802.11be EHT160_Nss1,(MCS0)_2TX	27.14	0.51761
802.11be EHT160_Nss1,(MCS0)_4TX	28.91	0.77804

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	26.22	36.00
6195MHz	Pass	27.44	36.00
6415MHz	Pass	26.96	36.00
6535MHz	Pass	26.88	36.00
6695MHz	Pass	27.56	36.00
6855MHz	Pass	29.17	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	23.61	36.00
6205MHz	Pass	27.67	36.00
6405MHz	Pass	26.94	36.00
6565MHz	Pass	26.89	36.00
6685MHz	Pass	26.60	36.00
6845MHz	Pass	26.80	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	22.84	36.00
6225MHz	Pass	25.56	36.00
6385MHz	Pass	24.74	36.00
6625MHz	Pass	26.58	36.00
6705MHz	Pass	26.11	36.00
6785MHz	Pass	26.26	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	25.80	36.00
6185MHz	Pass	26.36	36.00
6345MHz	Pass	26.46	36.00
6665MHz	Pass	25.25	36.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	24.83	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	26.26	36.00
6195MHz	Pass	29.08	36.00
6415MHz	Pass	30.13	36.00
6535MHz	Pass	29.52	36.00
6695MHz	Pass	29.32	36.00
6855MHz	Pass	30.13	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	26.46	36.00
6205MHz	Pass	29.23	36.00
6405MHz	Pass	29.72	36.00
6565MHz	Pass	29.97	36.00
6685MHz	Pass	29.40	36.00
6845MHz	Pass	29.55	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	25.61	36.00
6225MHz	Pass	29.06	36.00
6385MHz	Pass	28.33	36.00
6625MHz	Pass	30.30	36.00
6705MHz	Pass	27.98	36.00
6785MHz	Pass	29.10	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	26.70	36.00
6185MHz	Pass	29.81	36.00
6345MHz	Pass	29.57	36.00
6665MHz	Pass	27.14	36.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	28.27	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	27.79	36.00
6195MHz	Pass	29.49	36.00
6415MHz	Pass	29.36	36.00
6535MHz	Pass	30.84	36.00
6695MHz	Pass	30.79	36.00
6855MHz	Pass	30.05	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	27.79	36.00
6205MHz	Pass	32.18	36.00
6405MHz	Pass	31.37	36.00
6565MHz	Pass	31.53	36.00
6685MHz	Pass	31.59	36.00
6845MHz	Pass	31.51	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	26.01	36.00
6225MHz	Pass	31.03	36.00
6385MHz	Pass	29.90	36.00
6625MHz	Pass	29.82	36.00
6705MHz	Pass	29.37	36.00
6785MHz	Pass	30.39	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	28.17	36.00
6185MHz	Pass	30.77	36.00
6345MHz	Pass	29.36	36.00
6665MHz	Pass	28.91	36.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	29.45	36.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

31/01/2026

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
26.22		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.19	11.50	8.14	30.15	57.54

31/01/2026

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
27.44		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.25	11.49	8.01	30.21	57.88


31/01/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6415MHz;TX




31/01/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6535MHz;TX




31/01/2026

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6695MHz;TX




31/01/2026

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6855MHz;TX




07/04/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:5965MHz;TX




31/01/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6205MHz;TX




31/01/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6405MHz;TX




31/01/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6565MHz;TX




07/04/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX




20/04/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6845MHz;TX




07/04/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:5985MHz;TX




07/04/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6225MHz;TX




07/04/2026

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6385MHz;TX




31/01/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX




07/04/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX




07/04/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX




03/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6025MHz;TX




07/04/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6185MHz;TX




07/04/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6345MHz;TX




07/04/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX




03/02/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6105MHz;TX




07/04/2026

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




07/04/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




01/02/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




03/02/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




07/04/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




03/02/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




03/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




07/04/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




07/04/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




07/04/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




07/04/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




07/04/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




03/02/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




07/04/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




07/04/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




03/02/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




07/04/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




07/04/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




07/04/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




07/04/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




07/04/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




07/04/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




29/01/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




03/02/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




08/04/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




01/02/2026

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



03/02/2026


EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



03/02/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
30.79				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.55	11.61	8.84	30.55	58.56

03/02/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX

CF Freq
6.855GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
30.05				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.52	11.52	9.02	30.73	58.76


03/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




07/04/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




08/04/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




03/02/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




08/04/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



08/04/2026


EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX



03/02/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
26.01				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.94	11.50	8.13	30.14	57.58

08/04/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
31.03				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.77	11.50	8.05	30.22	57.93


08/04/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




08/04/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




08/04/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




08/04/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




03/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




08/04/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




08/04/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




08/04/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



29/01/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	26.55	0.45186
802.11be EHT20_Nss1,(MCS0)_2TX	27.11	0.51404
802.11be EHT20_Nss1,(MCS0)_4TX	26.43	0.43954
802.11be EHT40_Nss1,(MCS0)_1TX	25.76	0.37670
802.11be EHT40_Nss1,(MCS0)_2TX	27.10	0.51286
802.11be EHT40_Nss1,(MCS0)_4TX	26.40	0.43652
802.11be EHT80_Nss1,(MCS0)_1TX	25.56	0.35975
802.11be EHT80_Nss1,(MCS0)_2TX	26.23	0.41976
802.11be EHT80_Nss1,(MCS0)_4TX	25.78	0.37844
802.11be EHT160_Nss1,(MCS0)_1TX	26.36	0.43251
802.11be EHT160_Nss1,(MCS0)_2TX	26.70	0.46774
802.11be EHT160_Nss1,(MCS0)_4TX	26.70	0.46774
802.11be EHT320_Nss1,(MCS0)_1TX	24.27	0.26730
802.11be EHT320_Nss1,(MCS0)_2TX	25.66	0.36813
802.11be EHT320_Nss1,(MCS0)_4TX	25.83	0.38282
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	29.17	0.82604
802.11be EHT20_Nss1,(MCS0)_2TX	25.72	0.37325
802.11be EHT20_Nss1,(MCS0)_4TX	25.75	0.37584
802.11be EHT40_Nss1,(MCS0)_1TX	26.89	0.48865
802.11be EHT40_Nss1,(MCS0)_2TX	26.85	0.48417
802.11be EHT40_Nss1,(MCS0)_4TX	25.76	0.37670
802.11be EHT80_Nss1,(MCS0)_1TX	26.58	0.45499
802.11be EHT80_Nss1,(MCS0)_2TX	27.24	0.52966
802.11be EHT80_Nss1,(MCS0)_4TX	25.94	0.39264
802.11be EHT160_Nss1,(MCS0)_1TX	25.25	0.33497
802.11be EHT160_Nss1,(MCS0)_2TX	27.14	0.51761
802.11be EHT160_Nss1,(MCS0)_4TX	25.75	0.37584

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	26.22	36.00
6195MHz	Pass	26.55	36.00
6415MHz	Pass	26.15	36.00
6535MHz	Pass	26.88	36.00
6695MHz	Pass	27.56	36.00
6855MHz	Pass	29.17	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	23.61	36.00
6205MHz	Pass	24.33	36.00
6405MHz	Pass	25.76	36.00
6565MHz	Pass	26.89	36.00
6685MHz	Pass	26.60	36.00
6845MHz	Pass	26.80	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	22.84	36.00
6225MHz	Pass	25.56	36.00
6385MHz	Pass	24.74	36.00
6625MHz	Pass	26.58	36.00
6705MHz	Pass	26.11	36.00
6785MHz	Pass	26.26	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	25.80	36.00
6185MHz	Pass	26.36	36.00
6345MHz	Pass	22.98	36.00
6665MHz	Pass	25.25	36.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	24.27	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	25.75	36.00
6195MHz	Pass	27.11	36.00
6415MHz	Pass	25.85	36.00
6535MHz	Pass	25.72	36.00
6695MHz	Pass	25.57	36.00
6855MHz	Pass	25.60	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	26.46	36.00
6205MHz	Pass	27.10	36.00
6405MHz	Pass	25.71	36.00
6565MHz	Pass	25.65	36.00
6685MHz	Pass	26.85	36.00
6845MHz	Pass	25.75	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	25.61	36.00
6225MHz	Pass	26.23	36.00
6385MHz	Pass	25.98	36.00
6625MHz	Pass	26.39	36.00
6705MHz	Pass	26.80	36.00
6785MHz	Pass	27.24	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	26.70	36.00
6185MHz	Pass	26.36	36.00
6345MHz	Pass	25.10	36.00
6665MHz	Pass	27.14	36.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	25.66	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	25.88	36.00
6195MHz	Pass	26.43	36.00
6415MHz	Pass	25.39	36.00
6535MHz	Pass	24.07	36.00
6695MHz	Pass	25.75	36.00
6855MHz	Pass	25.37	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	26.40	36.00
6205MHz	Pass	26.01	36.00
6405MHz	Pass	25.50	36.00
6565MHz	Pass	24.86	36.00
6685MHz	Pass	25.61	36.00
6845MHz	Pass	25.76	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	25.55	36.00
6225MHz	Pass	25.78	36.00
6385MHz	Pass	25.68	36.00
6625MHz	Pass	25.82	36.00
6705MHz	Pass	25.94	36.00
6785MHz	Pass	23.97	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	26.06	36.00
6185MHz	Pass	26.70	36.00
6345MHz	Pass	25.41	36.00
6665MHz	Pass	25.75	36.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	25.83	36.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

24/04/2026

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 10

Horizontal

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
26.22				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.19	11.50	8.14	30.15	57.54

24/04/2026

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 10

Horizontal

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
26.55				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.98	11.00	7.74	35.05	57.88


24/04/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6415MHz;TX




31/01/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6535MHz;TX




31/01/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6695MHz;TX




31/01/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6855MHz;TX




09/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:5965MHz;TX




09/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6205MHz;TX




09/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6405MHz;TX




31/01/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6565MHz;TX




09/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX




09/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6845MHz;TX




09/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:5985MHz;TX




09/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6225MHz;TX




09/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6385MHz;TX




31/01/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX




09/03/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX




09/03/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX




03/02/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6025MHz;TX




09/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6185MHz;TX




09/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6345MHz;TX




09/03/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX




03/02/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6105MHz;TX



09/03/2026

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX



09/03/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
27.11				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.54	11.00	7.74	35.05	57.88

09/03/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX

CF Freq
6.415GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
25.85				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.35	11.53	7.94	35.10	58.19

10/03/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX

CF Freq
6.535GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 10

Horizontal

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
25.72				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.07	11.60	8.02	35.12	58.35

10/03/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX

CF Freq
6.695GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 10

Horizontal

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
25.57				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.20	11.21	8.14	35.12	58.56


10/03/2026

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




03/02/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




09/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




09/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




10/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX



10/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX



10/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX

CF Freq
6.845GHz

Span
100MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 10

Horizontal

EIRP (dBm)	25.75	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.96	11.10	8.25	35.11	58.75

29/01/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
200MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 10

Horizontal

EIRP (dBm)	25.61	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.54	11.50	8.13	30.14	57.58


09/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




09/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




10/03/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




10/03/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




10/03/2026

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




09/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




09/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




09/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




10/03/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




03/02/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




10/03/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




10/03/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




10/03/2026

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



11/03/2026


EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



11/03/2026

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
25.75				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.38	11.21	8.14	35.12	58.56

11/03/2026

EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX

CF Freq
6.855GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
25.37				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.58	11.11	8.25	35.11	58.76


17/04/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




10/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




10/03/2026

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX



11/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



11/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX

CF Freq
6.685GHz

Span
100MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 10

Horizontal

EIRP (dBm)	25.61	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.29	11.23	8.13	35.12	58.54

11/03/2026

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX

CF Freq
6.845GHz

Span
100MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 10


Horizontal

EIRP (dBm)	25.76	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.97	11.10	8.25	35.11	58.75

10/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
25.55				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.38	10.93	7.53	35.01	57.58

10/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
25.78				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
6.19	11.05	7.77	35.06	57.93


10/03/2026

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



11/03/2026


EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX



11/03/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
25.94				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.54	11.20	8.15	35.12	58.57

11/03/2026

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
23.97				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.33	11.13	8.21	35.11	58.67


10/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




10/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




10/03/2026

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




11/03/2026

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



03/02/2026

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX





Average Power-E.I.R.P. at any elevation angle above 30 degrees
_Mode 4 (1TX)

Appendix C.5

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP [Phi 30°] (dBm)	EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	24.79	0.30130	20.99	0.125603
802.11be EHT40_Nss1,(MCS0)_1TX	24.66	0.29242	20.86	0.121899
802.11be EHT80_Nss1,(MCS0)_1TX	24.74	0.29785	20.94	0.124165
802.11be EHT160_Nss1,(MCS0)_1TX	24.74	0.29785	20.94	0.124165
802.11be EHT320_Nss1,(MCS0)_1TX	24.02	0.25235	20.22	0.105196
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	24.64	0.29107	20.94	0.124165
802.11be EHT40_Nss1,(MCS0)_1TX	24.39	0.27479	20.69	0.117220
802.11be EHT80_Nss1,(MCS0)_1TX	23.96	0.24889	20.26	0.106170
802.11be EHT160_Nss1,(MCS0)_1TX	21.96	0.15704	18.26	0.066988



Average Power-E.I.R.P. at any elevation angle above 30 degrees
Mode 4 (1TX)

Appendix C.5

Result

Mode	Result	Gain [Phi 30°] (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP [Phi 30°] (dBm)	EIRP [Phi 30°] Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	-3.80	24.41	24.41	20.61	21.00
6195MHz	Pass	-3.80	24.79	24.79	20.99	21.00
6415MHz	Pass	-3.80	24.46	24.46	20.66	21.00
6535MHz	Pass	-3.70	24.64	24.64	20.94	21.00
6695MHz	Pass	-3.70	24.09	24.09	20.39	21.00
6855MHz	Pass	-3.70	23.91	23.91	20.21	21.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	-3.80	22.42	22.42	18.62	21.00
6205MHz	Pass	-3.80	24.43	24.43	20.63	21.00
6405MHz	Pass	-3.80	24.66	24.66	20.86	21.00
6565MHz	Pass	-3.70	24.39	24.39	20.69	21.00
6685MHz	Pass	-3.70	23.62	23.62	19.92	21.00
6845MHz	Pass	-3.70	23.69	23.69	19.99	21.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	-3.80	23.23	23.23	19.43	21.00
6225MHz	Pass	-3.80	24.74	24.74	20.94	21.00
6385MHz	Pass	-3.80	23.93	23.93	20.13	21.00
6625MHz	Pass	-3.70	23.96	23.96	20.26	21.00
6705MHz	Pass	-3.70	22.99	22.99	19.29	21.00
6785MHz	Pass	-3.70	22.91	22.91	19.21	21.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	-3.80	23.71	23.71	19.91	21.00
6185MHz	Pass	-3.80	24.74	24.74	20.94	21.00
6345MHz	Pass	-3.80	22.62	22.62	18.82	21.00
6665MHz	Pass	-3.70	21.96	21.96	18.26	21.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6105MHz	Pass	-3.80	24.02	24.02	20.22	21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Average Power-E.I.R.P. at any elevation angle above 30 degrees
_Mode 4 (2TX)

Appendix C.6

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP [Phi 30°] (dBm)	EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	24.76	0.29923	20.96	0.124738
802.11be EHT40_Nss1,(MCS0)_2TX	24.59	0.28774	20.79	0.119950
802.11be EHT80_Nss1,(MCS0)_2TX	24.75	0.29854	20.95	0.124451
802.11be EHT160_Nss1,(MCS0)_2TX	24.67	0.29309	20.87	0.122180
802.11be EHT320_Nss1,(MCS0)_2TX	24.52	0.28314	20.72	0.118032
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	24.66	0.29242	20.96	0.124738
802.11be EHT40_Nss1,(MCS0)_2TX	24.57	0.28642	20.87	0.122180
802.11be EHT80_Nss1,(MCS0)_2TX	24.48	0.28054	20.78	0.119674
802.11be EHT160_Nss1,(MCS0)_2TX	23.69	0.23388	19.99	0.099770



Average Power-E.I.R.P. at any elevation angle above 30 degrees
Mode 4 (2TX)

Appendix C.6

Result

Mode	Result	Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP [Phi 30°] (dBm)	EIRP [Phi 30°] Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	-3.80	21.78	21.52	24.66	20.86	21.00
6195MHz	Pass	-3.80	21.40	22.07	24.76	20.96	21.00
6415MHz	Pass	-3.80	21.21	21.46	24.35	20.55	21.00
6535MHz	Pass	-3.70	21.08	21.94	24.54	20.84	21.00
6695MHz	Pass	-3.70	21.21	21.33	24.28	20.58	21.00
6855MHz	Pass	-3.70	21.59	21.70	24.66	20.96	21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	-3.80	21.11	21.69	24.42	20.62	21.00
6205MHz	Pass	-3.80	21.40	21.76	24.59	20.79	21.00
6405MHz	Pass	-3.80	21.04	21.69	24.39	20.59	21.00
6565MHz	Pass	-3.70	21.30	21.16	24.24	20.54	21.00
6685MHz	Pass	-3.70	20.98	22.07	24.57	20.87	21.00
6845MHz	Pass	-3.70	21.18	21.66	24.44	20.74	21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	-3.80	20.95	21.50	24.24	20.44	21.00
6225MHz	Pass	-3.80	21.62	21.86	24.75	20.95	21.00
6385MHz	Pass	-3.80	21.52	21.88	24.71	20.91	21.00
6625MHz	Pass	-3.70	21.21	21.41	24.32	20.62	21.00
6705MHz	Pass	-3.70	21.17	21.53	24.36	20.66	21.00
6785MHz	Pass	-3.70	21.36	21.57	24.48	20.78	21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	-3.80	21.00	21.72	24.39	20.59	21.00
6185MHz	Pass	-3.80	21.54	21.77	24.67	20.87	21.00
6345MHz	Pass	-3.80	21.88	21.17	24.55	20.75	21.00
6665MHz	Pass	-3.70	20.35	20.99	23.69	19.99	21.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	-3.80	21.41	21.61	24.52	20.72	21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Average Power-E.I.R.P. at any elevation angle above 30 degrees
_Mode 4 (4TX)

Appendix C.7

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP [Phi 30°] (dBm)	EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	24.69	0.29444	20.89	0.122744
802.11be EHT40_Nss1,(MCS0)_4TX	24.61	0.28907	20.81	0.120504
802.11be EHT80_Nss1,(MCS0)_4TX	24.66	0.29242	20.86	0.121899
802.11be EHT160_Nss1,(MCS0)_4TX	24.71	0.29580	20.91	0.123310
802.11be EHT320_Nss1,(MCS0)_4TX	24.56	0.28576	20.76	0.119124
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	23.84	0.24210	20.84	0.121339
802.11be EHT40_Nss1,(MCS0)_4TX	23.93	0.24717	20.93	0.123880
802.11be EHT80_Nss1,(MCS0)_4TX	23.94	0.24774	20.94	0.124165
802.11be EHT160_Nss1,(MCS0)_4TX	23.94	0.24774	20.94	0.124165



Average Power-E.I.R.P. at any elevation angle above 30 degrees
Mode 4 (4TX)

Appendix C.7

Result

Mode	Result	Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	-3.80	18.22	18.37	18.29	18.38	24.34	20.50	21.00
6195MHz	Pass	-3.80	18.13	18.78	17.89	18.65	24.40	20.60	21.00
6415MHz	Pass	-3.80	18.73	18.1	18.48	19.29	24.69	20.89	21.00
6535MHz	Pass	-3.00	17.62	17.91	17.52	17.88	23.76	20.76	21.00
6695MHz	Pass	-3.00	17.81	17.94	18.12	17.36	23.84	20.84	21.00
6855MHz	Pass	-3.00	17.52	17.33	17.77	17.93	23.66	20.66	21.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	-3.80	18.49	18.42	18.22	18.67	24.47	20.67	21.00
6205MHz	Pass	-3.80	18.24	18.46	17.83	18.96	24.41	20.61	21.00
6405MHz	Pass	-3.80	18.55	18.3	18.56	18.92	24.61	20.81	21.00
6565MHz	Pass	-3.00	17.09	17.5	18.16	18.71	23.93	20.93	21.00
6685MHz	Pass	-3.00	17.64	17.99	17.43	17.25	23.61	20.61	21.00
6845MHz	Pass	-3.00	17.6	17.84	17.66	17.59	23.69	20.69	21.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	-3.80	18.54	18.58	18.48	18.96	24.66	20.86	21.00
6225MHz	Pass	-3.80	18.29	18.45	18.11	18.93	24.48	20.68	21.00
6385MHz	Pass	-3.80	18.93	18.38	18.32	18.59	24.58	20.78	21.00
6625MHz	Pass	-3.00	17.72	17.53	16.77	18.47	23.69	20.69	21.00
6705MHz	Pass	-3.00	17.93	17.83	17.91	17.99	23.94	20.94	21.00
6785MHz	Pass	-3.00	17.67	17.51	17.78	17.88	23.73	20.73	21.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	-3.80	18.62	18.73	18.28	18.98	24.68	20.88	21.00
6185MHz	Pass	-3.80	18.6	18.75	18.41	18.96	24.71	20.91	21.00
6345MHz	Pass	-3.80	18.92	18.62	18.33	18.56	24.63	20.83	21.00
6665MHz	Pass	-3.00	18.2	17.94	17.8	17.72	23.94	20.94	21.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	-3.80	18.42	18.21	18.64	18.85	24.56	20.76	21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	29.25	0.84140	34.75	2.98538
802.11be EHT20-BF_Nss1,(MCS0)_4TX	27.34	0.54200	35.60	3.63078
802.11be EHT40-BF_Nss1,(MCS0)_2TX	30.27	1.06414	35.77	3.77572
802.11be EHT40-BF_Nss1,(MCS0)_4TX	27.26	0.53211	35.52	3.56451
802.11be EHT80-BF_Nss1,(MCS0)_2TX	29.13	0.81846	34.63	2.90402
802.11be EHT80-BF_Nss1,(MCS0)_4TX	27.54	0.56754	35.80	3.80189
802.11be EHT160-BF_Nss1,(MCS0)_2TX	26.17	0.41400	31.67	1.46893
802.11be EHT160-BF_Nss1,(MCS0)_4TX	26.17	0.41400	34.43	2.77332
802.11be EHT320-BF_Nss1,(MCS0)_2TX	24.98	0.31477	30.48	1.11686
802.11be EHT320-BF_Nss1,(MCS0)_4TX	23.92	0.24660	32.18	1.65196
6.525-6.875GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	29.50	0.89125	35.97	3.95367
802.11be EHT20-BF_Nss1,(MCS0)_4TX	26.65	0.46238	35.47	3.52371
802.11be EHT40-BF_Nss1,(MCS0)_2TX	29.28	0.84723	35.75	3.75837
802.11be EHT40-BF_Nss1,(MCS0)_4TX	27.08	0.51050	35.90	3.89045
802.11be EHT80-BF_Nss1,(MCS0)_2TX	28.90	0.77625	35.37	3.44350
802.11be EHT80-BF_Nss1,(MCS0)_4TX	26.97	0.49774	35.79	3.79315
802.11be EHT160-BF_Nss1,(MCS0)_2TX	25.89	0.38815	32.36	1.72187
802.11be EHT160-BF_Nss1,(MCS0)_4TX	26.54	0.45082	35.36	3.43558

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	5.50	21.16	20.86			24.02	29.52	36.00
6195MHz	Pass	5.50	26.36	26.12			29.25	34.75	36.00
6415MHz	Pass	5.50	24.46	24.58			27.53	33.03	36.00
6535MHz	Pass	6.47	26.19	25.86			29.04	35.51	36.00
6695MHz	Pass	6.47	26.51	26.47			29.50	35.97	36.00
6855MHz	Pass	6.47	26.61	26.37			29.50	35.97	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	5.50	21.36	20.95			24.17	29.67	36.00
6205MHz	Pass	5.50	27.47	27.03			30.27	35.77	36.00
6405MHz	Pass	5.50	23.43	23.95			26.71	32.21	36.00
6565MHz	Pass	6.47	26.37	26.16			29.28	35.75	36.00
6685MHz	Pass	6.47	25.64	25.65			28.66	35.13	36.00
6845MHz	Pass	6.47	25.77	25.32			28.56	35.03	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	5.50	21.74	21.26			24.52	30.02	36.00
6225MHz	Pass	5.50	26.32	25.92			29.13	34.63	36.00
6385MHz	Pass	5.50	24.78	24.37			27.59	33.09	36.00
6625MHz	Pass	6.47	26.05	25.73			28.90	35.37	36.00
6705MHz	Pass	6.47	25.4	25.49			28.46	34.93	36.00
6785MHz	Pass	6.47	25.35	25.19			28.28	34.75	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	5.50	23.34	22.97			26.17	31.67	36.00
6185MHz	Pass	5.50	21.48	21.22			24.36	29.86	36.00
6345MHz	Pass	5.50	18.56	18.66			21.62	27.12	36.00
6665MHz	Pass	6.47	22.71	23.05			25.89	32.36	36.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	5.50	22.09	21.84			24.98	30.48	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	8.26	18.52	18.54	18.81	18.36	24.58	32.84	36.00
6195MHz	Pass	8.26	21.34	21.25	21.37	21.32	27.34	35.60	36.00
6415MHz	Pass	8.26	20.95	21.33	20.96	20.9	27.06	35.32	36.00
6535MHz	Pass	8.82	20.35	20.84	20.78	20.55	26.65	35.47	36.00
6695MHz	Pass	8.82	20.24	20.34	20.51	20.44	26.40	35.22	36.00
6855MHz	Pass	8.82	20.56	20.4	20.78	20.59	26.61	35.43	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	8.26	18.06	17.81	18.28	17.95	24.05	32.31	36.00
6205MHz	Pass	8.26	21.01	21.22	21.31	21.39	27.26	35.52	36.00
6405MHz	Pass	8.26	20.89	21.24	21.09	20.96	27.07	35.33	36.00
6565MHz	Pass	8.82	20.8	21.16	21.17	21.08	27.08	35.90	36.00
6685MHz	Pass	8.82	20.88	20.99	20.72	21.15	26.96	35.78	36.00
6845MHz	Pass	8.82	20.66	20.59	20.71	20.5	26.64	35.46	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	8.26	20.5	20.32	20.84	21.29	26.77	35.03	36.00
6225MHz	Pass	8.26	21.03	21.62	21.65	21.73	27.54	35.80	36.00
6385MHz	Pass	8.26	20.76	20.88	20.78	21.34	26.97	35.23	36.00
6625MHz	Pass	8.82	20.29	21.17	20.72	21.51	26.97	35.79	36.00
6705MHz	Pass	8.82	20.64	20.94	20.26	20.86	26.70	35.52	36.00
6785MHz	Pass	8.82	20.41	21	20.16	21.09	26.70	35.52	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	8.26	20.02	19.8	19.87	19.62	25.85	34.11	36.00
6185MHz	Pass	8.26	20.02	20.22	20.29	20.07	26.17	34.43	36.00
6345MHz	Pass	8.26	19.71	19.48	19.93	19.68	25.72	33.98	36.00
6665MHz	Pass	8.82	20.38	20.55	20.62	20.51	26.54	35.36	36.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-



Average Power_Mode 5

Appendix C.8

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	8.26	17.85	17.91	17.93	17.91	23.92	32.18	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	24.78	0.30061	30.28/20.98	1.06660/0.125314
802.11be EHT40-BF_Nss1,(MCS0)_2TX	24.77	0.29992	30.27/20.97	1.06414/0.125026
802.11be EHT80-BF_Nss1,(MCS0)_2TX	24.52	0.28314	30.02/20.72	1.00462/0.118032
802.11be EHT160-BF_Nss1,(MCS0)_2TX	24.77	0.29992	30.27/20.97	1.06414/0.125026
802.11be EHT320-BF_Nss1,(MCS0)_2TX	24.02	0.25235	29.52/20.22	0.89536/0.105196
6.525-6.875GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	24.17	0.26122	30.64/20.47	1.15878/0.111429
802.11be EHT40-BF_Nss1,(MCS0)_2TX	24.68	0.29376	31.15/20.98	1.30317/0.125314
802.11be EHT80-BF_Nss1,(MCS0)_2TX	24.66	0.29242	31.13/20.96	1.29718/0.124738
802.11be EHT160-BF_Nss1,(MCS0)_2TX	24.11	0.25763	30.58/20.41	1.14288/0.109901

Result

Mode	Result	DG/Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.50/-3.80	21.16	20.86	24.02	29.52/20.22	36.00/21.00
6195MHz	Pass	5.50/-3.80	21.84	21.56	24.71	30.21/20.91	36.00/21.00
6415MHz	Pass	5.50/-3.80	21.81	21.72	24.78	30.28/20.98	36.00/21.00
6535MHz	Pass	6.47/-3.70	20.87	20.98	23.94	30.41/20.24	36.00/21.00
6695MHz	Pass	6.47/-3.70	20.91	20.82	23.88	30.35/20.18	36.00/21.00
6855MHz	Pass	6.47/-3.70	21.13	21.18	24.17	30.64/20.47	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.50/-3.80	21.36	20.95	24.17	29.67/20.37	36.00/21.00
6205MHz	Pass	5.50/-3.80	22.05	21.44	24.77	30.27/20.97	36.00/21.00
6405MHz	Pass	5.50/-3.80	21.56	21.42	24.50	30.00/20.70	36.00/21.00
6565MHz	Pass	6.47/-3.70	20.86	20.92	23.90	30.37/20.20	36.00/21.00
6685MHz	Pass	6.47/-3.70	21.57	21.76	24.68	31.15/20.98	36.00/21.00
6845MHz	Pass	6.47/-3.70	21.38	21.21	24.31	30.78/20.61	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.50/-3.80	21.74	21.26	24.52	30.02/20.72	36.00/21.00
6225MHz	Pass	5.50/-3.80	21.45	20.78	24.14	29.64/20.34	36.00/21.00
6385MHz	Pass	5.50/-3.80	21.62	21.23	24.44	29.94/20.64	36.00/21.00
6625MHz	Pass	6.47/-3.70	21.73	21.57	24.66	31.13/20.96	36.00/21.00
6705MHz	Pass	6.47/-3.70	21.11	21.08	24.11	30.58/20.41	36.00/21.00
6785MHz	Pass	6.47/-3.70	21.46	21.55	24.52	30.99/20.82	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.50/-3.80	21.85	21.67	24.77	30.27/20.97	36.00/21.00
6185MHz	Pass	5.50/-3.80	21.48	21.22	24.36	29.86/20.56	36.00/21.00
6345MHz	Pass	5.50/-3.80	18.56	18.66	21.62	27.12/17.82	36.00/21.00
6665MHz	Pass	6.47/-3.70	21.12	21.07	24.11	30.58/20.41	36.00/21.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.50/-3.80	21.15	20.86	24.02	29.52/20.22	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

**Summary**

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	23.67	0.23281	31.93/20.91	1.55955/0.123310
802.11be EHT40-BF_Nss1,(MCS0)_4TX	23.06	0.20230	31.32/20.30	1.35519/0.107152
802.11be EHT80-BF_Nss1,(MCS0)_4TX	23.36	0.21677	31.62/20.60	1.45211/0.114815
802.11be EHT160-BF_Nss1,(MCS0)_4TX	23.74	0.23659	32.00/20.98	1.58489/0.125314
802.11be EHT320-BF_Nss1,(MCS0)_4TX	23.01	0.19999	31.27/20.25	1.33968/0.105925
6.525-6.875GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.14	0.16368	30.96/20.77	1.24738/0.119399
802.11be EHT40-BF_Nss1,(MCS0)_4TX	22.33	0.17100	31.15/20.96	1.30317/0.124738
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.32	0.17061	31.14/20.95	1.30017/0.124451
802.11be EHT160-BF_Nss1,(MCS0)_4TX	21.64	0.14588	30.46/20.27	1.11173/0.106414

Result

Mode	Result	DG/Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	8.26/-2.76	17.29	17.16	17.43	17.02	23.25	31.51/20.49	36.00/21.00
6195MHz	Pass	8.26/-2.76	17.92	17.57	17.39	17.71	23.67	31.93/20.91	36.00/21.00
6415MHz	Pass	8.26/-2.76	17.66	17.75	17.62	17.33	23.61	31.87/20.85	36.00/21.00
6535MHz	Pass	8.82/-1.37	15.83	15.61	15.84	15.25	21.66	30.48/20.29	36.00/21.00
6695MHz	Pass	8.82/-1.37	16.32	16.06	16.12	15.96	22.14	30.96/20.77	36.00/21.00
6855MHz	Pass	8.82/-1.37	15.72	15.34	15.86	15.23	21.57	30.39/20.20	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	8.26/-2.76	17.07	16.87	17.24	16.97	23.06	31.32/20.30	36.00/21.00
6205MHz	Pass	8.26/-2.76	17.19	16.85	16.92	17.02	23.02	31.28/20.26	36.00/21.00
6405MHz	Pass	8.26/-2.76	16.93	16.88	17.07	16.79	22.94	31.20/20.18	36.00/21.00
6565MHz	Pass	8.82/-1.37	16.48	16.13	16.53	16.08	22.33	31.15/20.96	36.00/21.00
6685MHz	Pass	8.82/-1.37	16.13	16.18	16.17	16.05	22.15	30.97/20.78	36.00/21.00
6845MHz	Pass	8.82/-1.37	15.62	15.49	15.78	15.33	21.58	30.40/20.21	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	8.26/-2.76	16.75	17.31	16.93	17.3	23.10	31.36/20.34	36.00/21.00
6225MHz	Pass	8.26/-2.76	17.02	16.86	17.06	17.45	23.12	31.38/20.36	36.00/21.00
6385MHz	Pass	8.26/-2.76	17.26	17.57	16.85	17.63	23.36	31.62/20.60	36.00/21.00
6625MHz	Pass	8.82/-1.37	16.16	16.28	16.17	16.59	22.32	31.14/20.95	36.00/21.00
6705MHz	Pass	8.82/-1.37	16	16.18	15.68	16.03	22.00	30.82/20.63	36.00/21.00
6785MHz	Pass	8.82/-1.37	16.08	16.26	15.31	16.86	22.18	31.00/20.81	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	8.26/-2.76	18.05	17.42	17.71	17.59	23.72	31.98/20.96	36.00/21.00
6185MHz	Pass	8.26/-2.76	17.55	17.06	17.68	17.02	23.36	31.62/20.60	36.00/21.00
6345MHz	Pass	8.26/-2.76	17.98	17.21	18.03	17.59	23.74	32.00/20.98	36.00/21.00
6665MHz	Pass	8.82/-1.37	15.67	15.59	15.85	15.34	21.64	30.46/20.27	36.00/21.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	8.26/-2.76	17.05	16.96	17.14	16.82	23.01	31.27/20.25	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	11.07	20.65
802.11ax HEW40_Nss1,(MCS0)_2TX	8.10	17.68
802.11ax HEW80_Nss1,(MCS0)_2TX	5.25	14.83
802.11ax HEW160_Nss1,(MCS0)_2TX	2.93	12.51
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	10.94	19.45
802.11ax HEW40_Nss1,(MCS0)_2TX	8.30	16.81
802.11ax HEW80_Nss1,(MCS0)_2TX	5.17	13.68
802.11ax HEW160_Nss1,(MCS0)_2TX	2.55	11.06

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	9.58	8.06	8.25	11.07	20.65	23.00
6195MHz	Pass	9.58	7.90	8.31	11.04	20.62	23.00
6415MHz	Pass	9.58	7.81	7.97	10.88	20.46	23.00
6535MHz	Pass	8.51	7.77	7.95	10.80	19.31	23.00
6695MHz	Pass	8.51	7.94	8.12	10.94	19.45	23.00
6855MHz	Pass	8.51	7.59	7.87	10.70	19.21	23.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	9.58	4.87	5.05	7.91	17.49	23.00
6205MHz	Pass	9.58	4.86	5.26	7.99	17.57	23.00
6405MHz	Pass	9.58	4.97	5.34	8.10	17.68	23.00
6565MHz	Pass	8.51	5.04	5.10	8.04	16.55	23.00
6685MHz	Pass	8.51	5.23	5.46	8.30	16.81	23.00
6845MHz	Pass	8.51	4.95	5.12	7.99	16.50	23.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	9.58	2.09	2.26	5.14	14.72	23.00
6225MHz	Pass	9.58	2.18	2.42	5.25	14.83	23.00
6385MHz	Pass	9.58	1.78	2.12	4.85	14.43	23.00
6625MHz	Pass	8.51	2.24	2.28	5.17	13.68	23.00
6705MHz	Pass	8.51	2.20	2.04	5.07	13.58	23.00
6785MHz	Pass	8.51	1.78	2.09	4.90	13.41	23.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	9.58	-0.96	-0.68	2.13	11.71	23.00
6185MHz	Pass	9.58	-0.30	0.25	2.93	12.51	23.00
6345MHz	Pass	9.58	-0.72	-0.79	2.25	11.83	23.00
6665MHz	Pass	8.51	-0.55	-0.31	2.55	11.06	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5955MHz

21/03/2026




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6195MHz

21/03/2026



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6415MHz

21/03/2026

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.88	10.88	7.81	7.97

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6535MHz

21/03/2026

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.80	10.80	7.77	7.95

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6695MHz

21/03/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.94	10.94	7.94	8.12

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6855MHz

21/03/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.70	10.70	7.59	7.87

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5965MHz

21/03/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.91	7.91	4.87	5.05

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6205MHz

21/03/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.99	7.99	4.86	5.26

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6405MHz

21/03/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.10	8.10	4.97	5.34

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6565MHz

21/03/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.04	8.04	5.04	5.10

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6685MHz

21/03/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.30	8.30	5.23	5.46

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6845MHz

21/03/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.99	7.99	4.95	5.12

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5985MHz

21/03/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.14	5.14	2.09	2.26

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6225MHz

21/03/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.25	5.25	2.18	2.42

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6385MHz

21/03/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.85	4.85	1.78	2.12

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6625MHz

21/03/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.17	5.17	2.24	2.28

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6705MHz

21/03/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.07	5.07	2.20	2.04

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6785MHz

21/03/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.90	4.90	1.78	2.09

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6025MHz

21/03/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.13	2.13	-0.96	-0.68

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6185MHz

21/03/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.93	2.93	-0.30	0.25

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6345MHz

21/03/2026

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.25	2.25	-0.72	-0.79

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6665MHz

21/03/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.55	2.55	-0.55	-0.31

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	8.96	18.54
802.11ax HEW40_Nss1,(MCS0)_2TX	6.22	15.80
802.11ax HEW80_Nss1,(MCS0)_2TX	3.35	12.93
802.11ax HEW160_Nss1,(MCS0)_2TX	0.32	9.90
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	9.08	17.59
802.11ax HEW40_Nss1,(MCS0)_2TX	6.26	14.77
802.11ax HEW80_Nss1,(MCS0)_2TX	3.59	12.10
802.11ax HEW160_Nss1,(MCS0)_2TX	0.15	8.66

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Resul

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	9.58	5.95	6.04	8.96	18.54	23.00
6195MHz	Pass	9.58	5.90	5.41	8.60	18.18	23.00
6415MHz	Pass	9.58	6.25	5.62	8.88	18.46	23.00
6535MHz	Pass	8.51	6.35	5.88	9.08	17.59	23.00
6695MHz	Pass	8.51	6.46	5.61	8.97	17.48	23.00
6855MHz	Pass	8.51	6.24	5.81	8.99	17.50	23.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	9.58	3.26	3.37	6.22	15.80	23.00
6205MHz	Pass	9.58	3.13	2.76	5.91	15.49	23.00
6405MHz	Pass	9.58	3.15	2.47	5.78	15.36	23.00
6565MHz	Pass	8.51	3.74	2.76	6.26	14.77	23.00
6685MHz	Pass	8.51	3.51	2.82	6.18	14.69	23.00
6845MHz	Pass	8.51	3.51	2.97	6.21	14.72	23.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	9.58	0.06	-0.05	2.93	12.51	23.00
6225MHz	Pass	9.58	0.90	-0.15	3.35	12.93	23.00
6385MHz	Pass	9.58	0.50	-0.46	2.92	12.50	23.00
6625MHz	Pass	8.51	0.42	-0.28	3.00	11.51	23.00
6705MHz	Pass	8.51	1.28	0.35	3.59	12.10	23.00
6785MHz	Pass	8.51	0.26	-0.02	3.03	11.54	23.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	9.58	-2.77	-3.04	-0.08	9.50	23.00
6185MHz	Pass	9.58	-2.36	-2.58	0.32	9.90	23.00
6345MHz	Pass	9.58	-2.48	-3.32	0.05	9.63	23.00
6665MHz	Pass	8.51	-2.23	-3.22	0.15	8.66	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5955MHz

01/04/2026




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6195MHz

01/04/2026



5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6415MHz

01/04/2026

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.88	8.88	6.25	5.62

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

6535MHz

01/04/2026

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.08	9.08	6.35	5.88

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6695MHz

01/04/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.97	8.97	6.46	5.61

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

6855MHz

01/04/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.99	8.99	6.24	5.81

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

5965MHz

01/04/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.22	6.22	3.26	3.37

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6205MHz

01/04/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.91	5.91	3.13	2.76

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6405MHz

01/04/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.78	5.78	3.15	2.47

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

6565MHz

01/04/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.26	6.26	3.74	2.76

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6685MHz

01/04/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.18	6.18	3.51	2.82

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

6845MHz

01/04/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.21	6.21	3.51	2.97

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

5985MHz

01/04/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.93	2.93	0.06	-0.05

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

PSD

6225MHz

01/04/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.35	3.35	0.90	-0.15

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6385MHz

01/04/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.92	2.92	0.50	-0.46

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6625MHz

01/04/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.00	3.00	0.42	-0.28

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6705MHz

01/04/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.59	3.59	1.28	0.35

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

6785MHz

01/04/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.03	3.03	0.26	-0.02

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6025MHz

01/04/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.08	-0.08	-2.77	-3.04

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6185MHz

01/04/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.32	0.32	-2.36	-2.58

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6345MHz

01/04/2026

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
0.05	0.05	-2.48	-3.32

Sum ☒

Port 1 ☒

Port 2 ☒

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

6665MHz

01/04/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
0.15	0.15	-2.23	-3.22

Sum ☒

Port 1 ☒

Port 2 ☒

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	13.60
802.11be EHT20_Nss1,(MCS0)_2TX	20.63
802.11be EHT20_Nss1,(MCS0)_4TX	22.94
802.11be EHT40_Nss1,(MCS0)_1TX	11.40
802.11be EHT40_Nss1,(MCS0)_2TX	18.04
802.11be EHT40_Nss1,(MCS0)_4TX	21.50
802.11be EHT80_Nss1,(MCS0)_1TX	8.16
802.11be EHT80_Nss1,(MCS0)_2TX	14.65
802.11be EHT80_Nss1,(MCS0)_4TX	18.51
802.11be EHT160_Nss1,(MCS0)_1TX	6.95
802.11be EHT160_Nss1,(MCS0)_2TX	12.43
802.11be EHT160_Nss1,(MCS0)_4TX	13.90
802.11be EHT320_Nss1,(MCS0)_1TX	2.70
802.11be EHT320_Nss1,(MCS0)_2TX	8.03
802.11be EHT320_Nss1,(MCS0)_4TX	10.96
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	15.55
802.11be EHT20_Nss1,(MCS0)_2TX	20.37
802.11be EHT20_Nss1,(MCS0)_4TX	22.79
802.11be EHT40_Nss1,(MCS0)_1TX	10.85
802.11be EHT40_Nss1,(MCS0)_2TX	18.23
802.11be EHT40_Nss1,(MCS0)_4TX	21.77
802.11be EHT80_Nss1,(MCS0)_1TX	9.23
802.11be EHT80_Nss1,(MCS0)_2TX	15.28
802.11be EHT80_Nss1,(MCS0)_4TX	17.83
802.11be EHT160_Nss1,(MCS0)_1TX	5.87
802.11be EHT160_Nss1,(MCS0)_2TX	10.24
802.11be EHT160_Nss1,(MCS0)_4TX	12.87

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	13.60	23.00
6195MHz	Pass	13.43	23.00
6415MHz	Pass	13.03	23.00
6535MHz	Pass	13.26	23.00
6695MHz	Pass	14.12	23.00
6855MHz	Pass	15.55	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	9.54	23.00
6205MHz	Pass	11.40	23.00
6405MHz	Pass	10.69	23.00
6565MHz	Pass	10.62	23.00
6685MHz	Pass	10.83	23.00
6845MHz	Pass	10.85	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	7.05	23.00
6225MHz	Pass	7.99	23.00
6385MHz	Pass	8.16	23.00
6625MHz	Pass	9.23	23.00
6705MHz	Pass	8.24	23.00
6785MHz	Pass	7.91	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	6.08	23.00
6185MHz	Pass	6.74	23.00
6345MHz	Pass	6.95	23.00
6665MHz	Pass	5.87	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	2.70	23.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	16.92	23.00
6195MHz	Pass	19.87	23.00
6415MHz	Pass	20.63	23.00
6535MHz	Pass	20.37	23.00
6695MHz	Pass	19.74	23.00
6855MHz	Pass	20.15	23.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	14.49	23.00
6205MHz	Pass	17.67	23.00
6405MHz	Pass	18.04	23.00
6565MHz	Pass	18.23	23.00
6685MHz	Pass	17.88	23.00
6845MHz	Pass	17.87	23.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	11.99	23.00
6225MHz	Pass	14.65	23.00
6385MHz	Pass	13.62	23.00
6625MHz	Pass	15.28	23.00
6705MHz	Pass	12.76	23.00
6785MHz	Pass	13.78	23.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	9.65	23.00
6185MHz	Pass	12.18	23.00
6345MHz	Pass	12.43	23.00
6665MHz	Pass	10.24	23.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6105MHz	Pass	8.03	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	20.70	23.00
6195MHz	Pass	22.94	23.00
6415MHz	Pass	22.86	23.00
6535MHz	Pass	22.79	23.00
6695MHz	Pass	22.58	23.00
6855MHz	Pass	22.63	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	17.44	23.00
6205MHz	Pass	21.50	23.00
6405MHz	Pass	20.82	23.00
6565MHz	Pass	21.56	23.00
6685MHz	Pass	21.47	23.00
6845MHz	Pass	21.77	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	13.81	23.00
6225MHz	Pass	18.51	23.00
6385MHz	Pass	17.49	23.00
6625MHz	Pass	17.14	23.00
6705MHz	Pass	16.74	23.00
6785MHz	Pass	17.83	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	12.53	23.00
6185MHz	Pass	13.90	23.00
6345MHz	Pass	13.49	23.00
6665MHz	Pass	12.87	23.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	10.96	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

31/01/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
13.6		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.43	11.50	8.14	30.15	57.54

31/01/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
13.43		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.79	11.47	8.02	30.20	57.87


31/01/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6415MHz;TX




31/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6535MHz;TX




31/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6695MHz;TX




31/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6855MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:5965MHz;TX




31/01/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6205MHz;TX




31/01/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6405MHz;TX




31/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6565MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6845MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:5985MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6225MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6385MHz;TX




31/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX




03/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6025MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6185MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6345MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX




03/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6105MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




01/02/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




03/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




03/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




03/02/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




03/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




16/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




03/02/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




07/04/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




29/01/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




03/02/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




01/02/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




01/02/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




03/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




03/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




03/02/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




03/02/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




07/04/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




08/04/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




03/02/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




03/02/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




03/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




08/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




08/04/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX



08/04/2026


EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX



08/04/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
16.74				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.53	11.60	8.86	30.56	58.57

08/04/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
17.83				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.62	11.57	8.99	30.62	58.65


03/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




08/04/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




08/04/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




08/04/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



29/01/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	13.89
802.11be EHT20_Nss1,(MCS0)_2TX	17.42
802.11be EHT20_Nss1,(MCS0)_4TX	20.14
802.11be EHT40_Nss1,(MCS0)_1TX	11.07
802.11be EHT40_Nss1,(MCS0)_2TX	14.73
802.11be EHT40_Nss1,(MCS0)_4TX	16.54
802.11be EHT80_Nss1,(MCS0)_1TX	8.16
802.11be EHT80_Nss1,(MCS0)_2TX	11.99
802.11be EHT80_Nss1,(MCS0)_4TX	13.20
802.11be EHT160_Nss1,(MCS0)_1TX	6.74
802.11be EHT160_Nss1,(MCS0)_2TX	9.65
802.11be EHT160_Nss1,(MCS0)_4TX	11.13
802.11be EHT320_Nss1,(MCS0)_1TX	2.96
802.11be EHT320_Nss1,(MCS0)_2TX	5.74
802.11be EHT320_Nss1,(MCS0)_4TX	7.81
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	15.55
802.11be EHT20_Nss1,(MCS0)_2TX	16.71
802.11be EHT20_Nss1,(MCS0)_4TX	18.36
802.11be EHT40_Nss1,(MCS0)_1TX	10.85
802.11be EHT40_Nss1,(MCS0)_2TX	14.12
802.11be EHT40_Nss1,(MCS0)_4TX	15.66
802.11be EHT80_Nss1,(MCS0)_1TX	9.23
802.11be EHT80_Nss1,(MCS0)_2TX	12.19
802.11be EHT80_Nss1,(MCS0)_4TX	13.15
802.11be EHT160_Nss1,(MCS0)_1TX	5.87
802.11be EHT160_Nss1,(MCS0)_2TX	10.24
802.11be EHT160_Nss1,(MCS0)_4TX	10.08

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;