


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX


6025MHz_TX

EUT_Y_4TX
Setting 20
04-C-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.911G	73.04	88.20	-15.16	75.19	3	Vertical	356	2.99	-	32.40	8.86	43.41			
RMS	5.9145G	57.89	68.20	-10.31	60.03	3	Vertical	356	2.99	-	32.40	8.87	43.41			
PK	6.069G	107.46	Inf	-Inf	109.13	3	Vertical	356	2.99	-	32.50	9.13	43.30			
RMS	6.0895G	99.06	Inf	-Inf	100.70	3	Vertical	356	2.99	-	32.50	9.15	43.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX


6025MHz_TX

EUT_Y_4TX
Setting 20
04-C-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.914G	79.09	88.20	-9.11	81.23	3	Horizontal	339	1.80	-	32.40	8.87	43.41
RMS	5.9145G	66.71	68.20	-1.49	68.85	3	Horizontal	339	1.80	-	32.40	8.87	43.41
PK	6.075G	115.36	Inf	-Inf	117.03	3	Horizontal	339	1.80	-	32.50	9.13	43.30
RMS	6.075G	105.12	Inf	-Inf	106.79	3	Horizontal	339	1.80	-	32.50	9.13	43.30

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	72.98	88.20	-15.22	64.68	3	Vertical	358	1.80	-	34.14	8.94	34.78			
RMS	5.9154G	59.90	68.20	-8.30	51.62	3	Vertical	358	1.80	-	34.13	8.93	34.78			
PK	6.237G	109.42	Inf	-Inf	100.43	3	Vertical	358	1.80	-	34.37	9.19	34.57			
RMS	6.237G	99.10	Inf	-Inf	90.11	3	Vertical	358	1.80	-	34.37	9.19	34.57			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 20.5
05-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	79.16	88.20	-9.04	70.88	3	Horizontal	341	1.80	-	34.13	8.93	34.78			
RMS	5.9154G	66.25	68.20	-1.95	57.97	3	Horizontal	341	1.80	-	34.13	8.93	34.78			
PK	6.255G	116.52	Inf	-Inf	107.46	3	Horizontal	341	1.80	-	34.40	9.22	34.56			
RMS	6.255G	105.87	Inf	-Inf	96.81	3	Horizontal	341	1.80	-	34.40	9.22	34.56			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 20.5
05-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20166G	58.05	74.00	-15.95	39.67	3	Vertical	353	2.68	-	39.10	12.91	33.63			
AV	12.2185G	46.25	54.00	-7.75	27.86	3	Vertical	353	2.68	-	39.10	12.92	33.63			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 20.5
05-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20294G	57.98	74.00	-16.02	39.60	3	Horizontal	290	2.68	-	39.10	12.91	33.63			
AV	12.20694G	46.29	54.00	-7.71	27.90	3	Horizontal	290	2.68	-	39.10	12.92	33.63			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 20.5
05-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32434G	50.48	83.54	-33.06	45.99	1	Vertical	233	1.33	-	37.40	15.62	48.53			
AV	18.3228G	36.09	63.54	-27.45	31.62	1	Vertical	233	1.33	-	37.39	15.61	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6105MHz_TX




EUT Y_4TX
Setting 20.5
05-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31844G	50.24	83.54	-33.30	45.79	1	Horizontal	346	1.93	-	37.37	15.61	48.53			
AV	18.31092G	36.77	63.54	-26.77	32.34	1	Horizontal	346	1.93	-	37.34	15.61	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 20.5
05-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9166G	75.14	88.20	-13.06	66.86	3	Vertical	340	1.80	-	34.13	8.93	34.78			
RMS	5.9178G	60.61	68.20	-7.59	52.31	3	Vertical	340	1.80	-	34.14	8.94	34.78			
PK	6.0378G	109.91	Inf	-Inf	101.37	3	Vertical	340	1.80	-	34.20	9.05	34.71			
RMS	6.0378G	99.27	Inf	-Inf	90.73	3	Vertical	340	1.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

6105MHz_TX




EUT_Y_4TX
Setting 20.5
05-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	82.95	88.20	-5.25	74.64	3	Horizontal	339	1.80	-	34.15	8.94	34.78			
RMS	5.9142G	66.90	68.20	-1.30	58.62	3	Horizontal	339	1.80	-	34.13	8.93	34.78			
PK	6.0126G	116.99	Inf	-Inf	108.48	3	Horizontal	339	1.80	-	34.20	9.04	34.73			
RMS	6.2358G	106.72	Inf	-Inf	97.73	3	Horizontal	339	1.80	-	34.37	9.19	34.57			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX


6105MHz_TX

EUT_Y_4TX
Setting 20.5
05-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	79.88	88.20	-8.32	71.58	3	Vertical	341	1.80	-	34.14	8.94	34.78			
RMS	5.9178G	61.65	68.20	-6.55	53.35	3	Vertical	341	1.80	-	34.14	8.94	34.78			
PK	6.0174G	109.15	Inf	-Inf	100.64	3	Vertical	341	1.80	-	34.20	9.04	34.73			
RMS	6.0174G	99.38	Inf	-Inf	90.87	3	Vertical	341	1.80	-	34.20	9.04	34.73			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

6105MHz_TX

EUT_Y_4TX
Setting 20.5
05-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9118G	85.77	88.20	-2.43	77.50	3	Horizontal	337	1.80	-	34.12	8.93	34.78			
RMS	5.9142G	67.93	68.20	-0.27	59.65	3	Horizontal	337	1.80	-	34.13	8.93	34.78			
PK	5.9958G	116.80	Inf	-Inf	108.31	3	Horizontal	337	1.80	-	34.20	9.03	34.74			
RMS	6.015G	106.81	Inf	-Inf	98.30	3	Horizontal	337	1.80	-	34.20	9.04	34.73			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

21/03/2026

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95305G	3.02	5.90685G	-41.34	-36.98	-4.36	1
5.951751G	3.41	5.9236G	-41.35	-36.59	-4.76	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

21/03/2026

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.199724G	3.03	6.15975G	-41.81	-36.97	-4.84	1
6.198399G	3.38	6.1637G	-41.79	-36.62	-5.17	2


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

21/03/2026

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41665G	2.86	6.445G	-41.94	-37.10	-4.84	1
6.416775G	3.36	6.383875G	-42.12	-36.64	-5.48	2


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

21/03/2026

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5369G	3.01	6.50365G	-41.58	-36.99	-4.59	1
6.53775G	3.38	6.5665G	-41.72	-36.62	-5.10	2

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

21/03/2026




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

21/03/2026



5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

21/03/2026




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

21/03/2026



5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

21/03/2026

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40315G	1.95	6.4655G	-39.91	-38.05	-1.86	1
6.402701G	2.36	6.46625G	-39.91	-37.64	-2.27	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

21/03/2026

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56385G	2.05	6.505G	-39.51	-37.95	-1.56	1
6.563G	2.17	6.6254G	-39.44	-37.83	-1.61	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

21/03/2026




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

21/03/2026




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

21/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9872G	4.29	6.1058G	-44.41	-35.62	-8.79	1
5.9914G	4.64	6.1077G	-44.87	-35.36	-9.51	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

21/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2231G	4.29	6.348G	-43.06	-35.71	-7.35	1
6.2204G	4.59	6.3419G	-42.25	-34.35	-7.90	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

21/03/2026

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3764G	3.84	6.505G	-43.32	-35.45	-7.87	1
6.3788G	3.94	6.507G	-43.52	-35.93	-7.59	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

21/03/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6299G	4.39	6.7479G	-41.90	-35.36	-6.54	1
6.6262G	4.20	6.7479G	-41.24	-35.74	-5.50	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

21/03/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7139G	4.04	6.8273G	-42.15	-35.92	-6.23	1
6.6954G	4.21	6.827G	-41.69	-35.76	-5.93	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

21/03/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7962G	4.05	6.9079G	-42.07	-35.42	-6.65	1
6.7924G	4.16	6.9071G	-41.01	-35.74	-5.27	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

21/03/2026




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

21/03/2026



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

21/03/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32281G	3.89	6.0984G	-41.96	-36.11	-5.85	1
6.31441G	4.12	6.099G	-41.44	-35.88	-5.56	2

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

21/03/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68899G	4.36	6.9084G	-39.18	-35.14	-4.04	1
6.69059G	4.62	6.9078G	-38.98	-35.08	-3.90	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

01/04/2026




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

01/04/2026




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

01/04/2026

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409901G	1.31	6.38405G	-52.30	-38.69	-13.61	1
6.418524G	0.93	6.3833G	-53.09	-39.07	-14.02	2


6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

01/04/2026

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53635G	2.03	6.565925G	-51.91	-37.97	-13.94	1
6.53615G	1.31	6.546525G	-31.69	-18.73	-12.96	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

01/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.696225G	1.82	6.725725G	-50.90	-37.84	-13.06	1
6.691826G	0.64	6.7184G	-42.80	-30.81	-11.99	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

01/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8535G	1.56	6.883775G	-45.49	-36.19	-9.30	1
6.857649G	1.02	6.88605G	-50.32	-38.98	-11.34	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

01/04/2026




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

01/04/2026




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

01/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.402401G	0.33	6.46235G	-50.36	-38.24	-12.12	1
6.407449G	-0.08	6.46485G	-52.25	-39.95	-12.30	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

01/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5669G	0.89	6.6258G	-49.78	-39.11	-10.67	1
6.560501G	0.36	6.62345G	-49.30	-38.87	-10.43	2

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

01/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688249G	0.81	6.74435G	-48.44	-39.06	-9.38	1
6.688349G	0.29	6.742G	-47.79	-38.35	-9.44	2

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

01/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.842501G	0.75	6.90455G	-45.53	-39.25	-6.28	1
6.841301G	0.31	6.90495G	-48.46	-39.69	-8.77	2

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

01/04/2026




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

01/04/2026




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

01/04/2026




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

01/04/2026



6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

01/04/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6999G	2.89	6.8277G	-43.35	-37.11	-6.24	1
6.7083G	2.44	6.826G	-42.99	-37.14	-5.85	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

01/04/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7936G	2.34	6.9066G	-43.26	-37.61	-5.65	1
6.7903G	1.92	6.9067G	-43.55	-37.48	-6.07	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

01/04/2026




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

01/04/2026



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

01/04/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.351G	2.54	6.1024G	-45.88	-37.46	-8.42	1
6.3628G	1.58	6.0974G	-46.76	-38.42	-8.34	2

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

01/04/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69959G	2.49	6.9118G	-43.88	-37.51	-6.37	1
6.69119G	1.61	6.9054G	-43.32	-37.93	-5.39	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

17/02/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

17/02/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

17/02/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

17/02/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

17/02/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

17/02/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01869G	5.34	6.1184G	-35.62	-34.66	-0.96	1

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24989G	6.54	6.3608G	-34.14	-33.33	-0.81	1

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

17/02/2026



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

17/02/2026

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.201098G	5.91	6.2291G	-37.82	-34.09	-3.73	1
6.203123G	6.70	6.228975G	-33.27	-32.77	-0.50	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

17/02/2026

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.406502G	5.45	6.4499G	-37.78	-34.55	-3.23	1
6.423723G	6.47	6.378025G	-34.12	-33.53	-0.59	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

17/02/2026

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.539549G	5.68	6.56885G	-36.77	-33.92	-2.85	1
6.543873G	6.63	6.4988G	-34.19	-33.37	-0.82	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

17/02/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691726G	4.61	6.6596G	-35.41	-35.39	-0.02	1
6.702773G	5.09	6.671275G	-23.97	-15.18	-8.79	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

17/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.845952G	4.56	6.82045G	-35.54	-35.41	-0.13	1
6.846627G	5.57	6.820075G	-34.22	-33.46	-0.76	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.967499G	3.50	6.03105G	-44.58	-36.17	-8.41	1
5.983395G	3.68	6.03285G	-38.52	-36.32	-2.20	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.223545G	6.29	6.27125G	-40.87	-33.58	-7.29	1
6.221146G	7.23	6.2726G	-34.56	-32.77	-1.79	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

18/02/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.407899G	6.06	6.4719G	-37.79	-33.89	-3.90	1
6.393653G	6.85	6.33765G	-34.25	-33.15	-1.10	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

18/02/2026

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.570099G	6.26	6.63195G	-35.73	-33.74	-1.99	1
6.547604G	7.26	6.4651G	-34.41	-26.48	-7.93	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

18/02/2026

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.666505G	5.58	6.61715G	-35.11	-34.42	-0.69	1
6.676552G	7.02	6.58575G	-28.84	-20.63	-8.21	2


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

18/02/2026

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.826405G	5.26	6.7794G	-35.40	-34.70	-0.70	1
6.857597G	5.84	6.91285G	-35.30	-34.16	-1.14	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

18/02/2026

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02169G	3.14	6.117G	-46.79	-36.77	-10.02	1
6.02249G	4.01	6.1214G	-42.13	-35.99	-6.14	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24599G	5.82	6.3601G	-37.14	-34.18	-2.96	1
6.25359G	6.86	6.3596G	-33.56	-33.14	-0.42	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.34751G	5.81	6.5182G	-36.50	-33.98	-2.52	1
6.35341G	6.03	6.524G	-37.56	-33.97	-3.59	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

18/02/2026



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

18/02/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74961G	4.20	6.6528G	-41.15	-35.59	-5.56	1
6.75281G	4.52	6.6478G	-36.48	-35.37	-1.11	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

18/02/2026

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04G	3.29	6.2856G	-40.76	-36.71	-4.05	1
6.05759G	4.34	6.2968G	-36.85	-35.66	-1.19	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24479G	8.39	6.347G	-18.58	-11.67	-6.91	1
6.23819G	9.31	6.3436G	-15.47	-11.58	-3.89	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

18/02/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27162G	7.13	6.0668G	-23.36	-19.01	-4.35	1
6.28102G	6.81	6.7126G	-33.53	-33.19	-0.34	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

18/02/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6618G	2.10	6.934G	-46.72	-37.90	-8.82	1
6.58802G	3.14	6.4096G	-38.10	-36.86	-1.24	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

18/02/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.03822G	5.58	6.6578G	-30.76	-26.71	-4.05	1
6.07341G	6.58	6.6374G	-30.20	-23.82	-6.38	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

17/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961848G	1.95	5.990125G	-46.58	-38.05	-8.53	1
5.963473G	2.62	5.99005G	-40.89	-37.38	-3.51	2
5.964098G	1.83	5.990175G	-51.60	-38.03	-13.57	3
5.964148G	2.24	5.99065G	-45.18	-37.76	-7.42	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

17/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202573G	5.35	6.228925G	-40.02	-34.65	-5.37	1
6.201223G	6.30	6.22875G	-35.61	-33.45	-2.16	2
6.201448G	5.31	6.230225G	-42.19	-34.69	-7.50	3
6.204073G	5.78	6.2319G	-34.79	-34.22	-0.57	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

17/02/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

17/02/2026



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

17/02/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697524G	4.02	6.660875G	-38.71	-35.87	-2.84	1
6.686052G	4.76	6.645G	-37.62	-28.93	-8.69	2
6.686102G	3.84	6.65785G	-40.25	-36.16	-4.09	3
6.687752G	4.80	6.65785G	-35.28	-35.20	-0.08	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

17/02/2026

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.846277G	4.68	6.8202G	-37.46	-35.32	-2.14	1
6.849351G	4.98	6.82025G	-37.18	-35.02	-2.16	2
6.849651G	4.45	6.891275G	-37.21	-35.55	-1.66	3
6.863723G	4.90	6.818775G	-36.05	-34.30	-1.75	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

18/02/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.971298G	2.90	6.03145G	-47.19	-37.10	-10.09	1
5.983295G	3.13	6.0301G	-42.26	-36.47	-5.79	2
5.981546G	1.97	5.98785G	-31.37	-18.04	-13.33	3
5.973398G	2.53	6.03105G	-47.57	-37.47	-10.10	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

18/02/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.221846G	6.20	6.2712G	-39.36	-33.80	-5.56	1
6.222346G	7.11	6.271G	-34.96	-32.71	-2.25	2
6.223595G	6.14	6.2737G	-41.71	-33.86	-7.85	3
6.209999G	6.54	6.27275G	-33.47	-33.16	-0.31	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

18/02/2026

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.666905G	5.13	6.7504G	-38.71	-34.63	-4.08	1
6.672603G	6.56	6.635G	-23.83	-13.52	-10.31	2
6.682051G	4.67	6.6168G	-37.22	-35.33	-1.89	3
6.674803G	5.88	6.58615G	-35.69	-34.12	-1.57	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

18/02/2026

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.828604G	4.73	6.77635G	-42.14	-35.27	-6.87	1
6.854098G	5.32	6.911G	-37.53	-34.68	-2.85	2
6.862246G	4.49	6.7796G	-40.03	-35.01	-5.02	3
6.831203G	5.17	6.7771G	-36.33	-34.83	-1.50	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

18/02/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01739G	1.25	6.0309G	-30.16	-18.75	-11.41	1
6.02299G	1.96	6.0313G	-29.97	-18.08	-11.89	2
6.01889G	0.87	6.031G	-30.11	-19.19	-10.92	3
6.01489G	1.49	6.0311G	-29.89	-18.51	-11.38	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

18/02/2026

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26009G	6.06	6.3612G	-36.70	-33.92	-2.78	1
6.25429G	6.70	6.3592G	-34.47	-33.27	-1.20	2
6.24549G	5.90	6.358G	-35.65	-33.84	-1.81	3
6.2309G	6.30	6.3607G	-34.74	-33.70	-1.04	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36441G	4.87	6.247G	-43.79	-35.13	-8.66	1
6.35181G	4.96	6.2523G	-44.04	-35.04	-9.00	2
6.36081G	3.96	6.5174G	-44.16	-35.70	-8.46	3
6.34811G	4.82	6.517G	-38.75	-35.09	-3.66	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6215G	3.73	6.6716G	-28.13	-16.34	-11.79	1
6.59311G	4.90	6.4879G	-36.04	-35.10	-0.94	2
6.66209G	3.31	6.487G	-48.33	-36.69	-11.64	3
6.6228G	4.53	6.7627G	-41.17	-35.47	-5.70	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0396G	3.39	6.287G	-40.78	-36.61	-4.17	1
6.07219G	4.37	6.2966G	-37.90	-35.63	-2.27	2
6.0306G	2.77	6.2958G	-42.82	-37.23	-5.59	3
6.033G	3.35	6.2816G	-37.27	-36.65	-0.62	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

18/02/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25498G	4.63	6.456G	-36.76	-35.37	-1.39	1
6.25658G	5.50	6.4478G	-35.38	-34.50	-0.88	2
6.26058G	4.89	6.4432G	-36.42	-35.11	-1.31	3
6.24898G	4.80	6.4454G	-35.46	-35.20	-0.26	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

18/02/2026

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26862G	4.48	6.61G	-38.92	-35.52	-3.40	1
6.27462G	4.11	6.0924G	-40.42	-35.68	-4.74	2
6.28601G	3.13	6.6032G	-42.97	-36.71	-6.26	3
6.26942G	3.74	6.0874G	-38.02	-36.20	-1.82	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK


6665MHz_TX

18/02/2026

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.682G	2.05	6.9346G	-46.78	-37.95	-8.83	1
6.58842G	3.01	6.407G	-39.73	-36.98	-2.75	2
6.60102G	1.51	6.9568G	-46.44	-38.49	-7.95	3
6.64281G	1.32	6.954G	-46.98	-38.68	-8.30	4




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

17/02/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

02/03/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

17/02/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

17/02/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

17/02/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

17/02/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

02/03/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

02/03/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

02/03/2026





6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

18/02/2026






5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

17/02/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

17/02/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

17/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.406502G	5.45	6.4499G	-37.78	-34.55	-3.23	1
6.423723G	6.47	6.378025G	-34.12	-33.53	-0.59	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

17/02/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.539549G	5.68	6.56885G	-36.77	-33.92	-2.85	1
6.543873G	6.63	6.4988G	-34.19	-33.37	-0.82	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

17/02/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691726G	4.61	6.6596G	-35.41	-35.39	-0.02	1
6.702773G	5.09	6.671275G	-23.97	-15.18	-8.79	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

17/02/2026

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.845952G	4.56	6.82045G	-35.54	-35.41	-0.13	1
6.846627G	5.57	6.820075G	-34.22	-33.46	-0.76	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.967499G	3.50	6.03105G	-44.58	-36.17	-8.41	1
5.983395G	3.68	6.03285G	-38.52	-36.32	-2.20	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.223545G	6.29	6.27125G	-40.87	-33.58	-7.29	1
6.221146G	7.23	6.2726G	-34.56	-32.77	-1.79	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.407899G	6.06	6.4719G	-37.79	-33.89	-3.90	1
6.393653G	6.85	6.33765G	-34.25	-33.15	-1.10	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.570099G	6.26	6.63195G	-35.73	-33.74	-1.99	1
6.547604G	7.26	6.4651G	-34.41	-26.48	-7.93	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02169G	3.14	6.117G	-46.79	-36.77	-10.02	1
6.02249G	4.01	6.1214G	-42.13	-35.99	-6.14	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24599G	5.82	6.3601G	-37.14	-34.18	-2.96	1
6.25359G	6.86	6.3596G	-33.56	-33.14	-0.42	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.34751G	5.81	6.5182G	-36.50	-33.98	-2.52	1
6.35341G	6.03	6.524G	-37.56	-33.97	-3.59	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6221G	5.64	6.7606G	-35.01	-34.36	-0.65	1
6.59171G	7.01	6.5217G	-22.77	-13.00	-9.77	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.66851G	3.32	6.6594G	-27.44	-16.69	-10.75	1
6.67061G	4.26	6.5695G	-37.97	-35.74	-2.23	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74961G	4.20	6.6528G	-41.15	-35.59	-5.56	1
6.75281G	4.52	6.6478G	-36.48	-35.37	-1.11	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

18/02/2026

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27162G	7.13	6.0668G	-23.36	-19.01	-4.35	1
6.28102G	6.81	6.7126G	-33.53	-33.19	-0.34	2


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK


6665MHz_TX

18/02/2026

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6618G	2.10	6.934G	-46.72	-37.90	-8.82	1
6.58802G	3.14	6.4096G	-38.10	-36.86	-1.24	2




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

17/02/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

17/02/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

17/02/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

17/02/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

17/02/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

17/02/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

18/02/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.971298G	2.90	6.03145G	-47.19	-37.10	-10.09	1
5.983295G	3.13	6.0301G	-42.26	-36.47	-5.79	2
5.981546G	1.97	5.98785G	-31.37	-18.04	-13.33	3
5.973398G	2.53	6.03105G	-47.57	-37.47	-10.10	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

18/02/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.221846G	6.20	6.2712G	-39.36	-33.80	-5.56	1
6.222346G	7.11	6.271G	-34.96	-32.71	-2.25	2
6.223595G	6.14	6.2737G	-41.71	-33.86	-7.85	3
6.209999G	6.54	6.27275G	-33.47	-33.16	-0.31	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

18/02/2026

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.388554G	5.02	6.4713G	-46.88	-34.98	-11.90	1
6.389504G	5.69	6.3386G	-44.59	-34.31	-10.28	2
6.387554G	4.82	6.4713G	-45.10	-34.99	-10.11	3
6.387554G	5.44	6.4708G	-35.77	-34.36	-1.41	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

18/02/2026

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.580146G	5.24	6.63385G	-44.96	-34.76	-10.20	1
6.569849G	5.99	6.6313G	-34.97	-33.99	-0.98	2
6.581796G	4.94	6.63165G	-46.61	-35.05	-11.56	3
6.581746G	5.71	6.6334G	-38.20	-34.29	-3.91	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

18/02/2026

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.666905G	5.13	6.7504G	-38.71	-34.63	-4.08	1
6.672603G	6.56	6.635G	-23.83	-13.52	-10.31	2
6.682051G	4.67	6.6168G	-37.22	-35.33	-1.89	3
6.674803G	5.88	6.58615G	-35.69	-34.12	-1.57	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

18/02/2026

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.828604G	4.73	6.77635G	-42.14	-35.27	-6.87	1
6.854098G	5.32	6.911G	-37.53	-34.68	-2.85	2
6.862246G	4.49	6.7796G	-40.03	-35.01	-5.02	3
6.831203G	5.17	6.7771G	-36.33	-34.83	-1.50	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

18/02/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01739G	1.25	6.0309G	-30.16	-18.75	-11.41	1
6.02299G	1.96	6.0313G	-29.97	-18.08	-11.89	2
6.01889G	0.87	6.031G	-30.11	-19.19	-10.92	3
6.01489G	1.49	6.0311G	-29.89	-18.51	-11.38	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

18/02/2026

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26009G	6.06	6.3612G	-36.70	-33.92	-2.78	1
6.25429G	6.70	6.3592G	-34.47	-33.27	-1.20	2
6.24549G	5.90	6.358G	-35.65	-33.84	-1.81	3
6.2309G	6.30	6.3607G	-34.74	-33.70	-1.04	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36441G	4.87	6.247G	-43.79	-35.13	-8.66	1
6.35181G	4.96	6.2523G	-44.04	-35.04	-9.00	2
6.36081G	3.96	6.5174G	-44.16	-35.70	-8.46	3
6.34811G	4.82	6.517G	-38.75	-35.09	-3.66	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6215G	3.73	6.6716G	-28.13	-16.34	-11.79	1
6.59311G	4.90	6.4879G	-36.04	-35.10	-0.94	2
6.66209G	3.31	6.487G	-48.33	-36.69	-11.64	3
6.6228G	4.53	6.7627G	-41.17	-35.47	-5.70	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

18/02/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26862G	4.48	6.61G	-38.92	-35.52	-3.40	1
6.27462G	4.11	6.0924G	-40.42	-35.68	-4.74	2
6.28601G	3.13	6.6032G	-42.97	-36.71	-6.26	3
6.26942G	3.74	6.0874G	-38.02	-36.20	-1.82	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

18/02/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.682G	2.05	6.9346G	-46.78	-37.95	-8.83	1
6.58842G	3.01	6.407G	-39.73	-36.98	-2.75	2
6.60102G	1.51	6.9568G	-46.44	-38.49	-7.95	3
6.64281G	1.32	6.954G	-46.98	-38.68	-8.30	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

18/02/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

24/03/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

24/03/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

28/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.420574G	5.39	6.44955G	-36.74	-34.61	-2.13	1
6.422448G	5.34	6.39585G	-21.83	-14.91	-6.92	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

24/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.540049G	8.95	6.558725G	-20.58	-11.18	-9.40	1
6.542448G	8.26	6.55465G	-19.04	-12.15	-6.89	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

24/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.699949G	10.96	6.6669G	-18.56	-9.05	-9.51	1
6.698449G	11.09	6.664875G	-18.64	-9.33	-9.31	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

24/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.862648G	11.05	6.882825G	-19.11	-8.98	-10.13	1
6.862673G	10.86	6.883525G	-21.31	-9.22	-12.09	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

25/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.948954G	6.63	6.065G	-35.86	-28.58	-7.28	1
5.949354G	5.88	6.0639G	-36.52	-24.93	-11.59	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

25/03/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.212148G	12.32	6.25845G	-16.52	-7.69	-8.83	1
6.213698G	11.69	6.2523G	-15.90	-8.39	-7.51	2


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

28/03/2026

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.421846G	5.18	6.49675G	-46.20	-34.82	-11.38	1
6.412498G	5.65	6.3072G	-36.32	-34.35	-1.97	2


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

25/03/2026

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.580446G	11.24	6.6164G	-19.40	-8.79	-10.61	1
6.582046G	10.60	6.61355G	-18.62	-9.49	-9.13	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

25/03/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

25/03/2026



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

25/03/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01919G	8.36	6.0707G	-20.18	-12.57	-7.61	1
6.02099G	7.93	6.0674G	-19.45	-12.31	-7.14	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

25/03/2026

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2162G	10.98	6.3257G	-18.87	-9.05	-9.82	1
6.26179G	11.15	6.3265G	-17.55	-8.86	-8.69	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

28/03/2026

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.34751G	6.51	6.5522G	-36.23	-32.57	-3.66	1
6.3906G	6.01	6.4612G	-21.30	-14.07	-7.23	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

25/03/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6082G	10.58	6.7327G	-20.51	-9.50	-11.01	1
6.58891G	10.18	6.7246G	-18.81	-9.85	-8.96	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

25/03/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67341G	10.22	6.599G	-19.52	-9.81	-9.71	1
6.66881G	10.11	6.5951G	-20.51	-9.93	-10.58	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

25/03/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75021G	10.30	6.6758G	-19.06	-9.77	-9.29	1
6.76011G	9.14	6.6768G	-21.27	-10.88	-10.39	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

25/03/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

25/03/2026



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

25/03/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.27662G	2.32	6.7442G	-46.06	-33.89	-12.17	1
6.3328G	2.18	6.745G	-46.55	-34.43	-12.12	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

25/03/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.673G	6.56	6.265G	-38.77	-31.53	-7.24	1
6.59082G	6.73	6.265G	-34.08	-31.20	-2.88	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

25/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05981G	5.61	6.6546G	-30.63	-25.74	-4.89	1
6.25696G	5.57	6.6618G	-32.31	-26.04	-6.27	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

25/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.950176G	0.46	5.987775G	-47.38	-39.54	-7.84	1
5.948202G	0.33	5.987425G	-44.69	-39.22	-5.47	2
5.960349G	0.57	5.9875G	-49.28	-39.43	-9.85	3
5.949526G	-0.49	5.98765G	-52.98	-40.49	-12.49	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

25/03/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

25/03/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

25/03/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

25/03/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

25/03/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.863123G	2.47	6.8889G	-44.75	-37.53	-7.22	1
6.862548G	1.71	6.88695G	-46.56	-38.04	-8.52	2
6.847477G	2.30	6.8221G	-44.50	-37.51	-6.99	3
6.846552G	1.51	6.88765G	-45.79	-38.19	-7.60	4


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

25/03/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.947254G	0.61	6.03335G	-47.78	-39.39	-8.39	1
5.950204G	-0.00	6.03G	-46.25	-39.28	-6.97	2
5.953103G	0.74	6.03135G	-47.26	-39.26	-8.00	3
5.950204G	-0.10	6.03425G	-51.71	-40.10	-11.61	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

25/03/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

25/03/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

25/03/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

25/03/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

25/03/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

23/04/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

23/04/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

23/04/2026



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

23/04/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6423G	1.85	6.5508G	-31.63	-23.45	-8.18	1
6.6275G	2.71	6.4888G	-46.91	-37.29	-9.62	2
6.58861G	2.64	6.4932G	-44.86	-37.13	-7.73	3
6.60091G	3.47	6.4903G	-42.63	-36.53	-6.10	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

23/04/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.66741G	2.72	6.6366G	-31.42	-21.42	-10.00	1
6.7219G	2.73	6.5744G	-45.86	-37.07	-8.79	2
6.6884G	2.84	6.6602G	-26.28	-17.25	-9.03	3
6.66711G	3.20	6.5686G	-43.86	-36.80	-7.06	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

23/04/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

25/03/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

25/03/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

25/03/2026




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

25/03/2026




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

25/03/2026



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

24/03/2026

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.946202G	2.38	5.989025G	-45.10	-37.14	-7.96	1
5.961123G	1.60	5.98955G	-41.58	-38.40	-3.18	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

04/04/2026

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.203798G	2.38	6.20715G	-30.91	-16.72	-14.19	1
6.202598G	1.92	6.207075G	-31.32	-17.98	-13.34	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.423873G	2.84	6.447275G	-40.00	-35.68	-4.32	1
6.407427G	3.54	6.4476G	-39.52	-36.46	-3.06	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.543673G	1.84	6.522575G	-33.10	-18.23	-14.87	1
6.541648G	1.92	6.52285G	-31.55	-17.78	-13.77	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

04/04/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

04/04/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

25/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.948954G	6.63	6.065G	-35.86	-28.58	-7.28	1
5.949354G	5.88	6.0639G	-36.52	-24.93	-11.59	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.220846G	3.91	6.1299G	-46.08	-34.95	-11.13	1
6.221346G	3.08	6.2722G	-50.14	-36.92	-13.22	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.423495G	3.18	6.46235G	-38.14	-31.87	-6.27	1
6.408699G	2.93	6.4726G	-48.11	-37.07	-11.04	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.582596G	2.77	6.6488G	-48.71	-37.23	-11.48	1
6.548304G	2.45	6.4963G	-51.36	-37.55	-13.81	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.667804G	3.63	6.5996G	-45.47	-35.86	-9.61	1
6.666755G	3.19	6.74845G	-45.59	-35.42	-10.17	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

04/04/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.828154G	2.35	6.9111G	-48.59	-37.65	-10.94	1
6.860196G	2.31	6.91325G	-48.25	-37.69	-10.56	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

25/03/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01919G	8.36	6.0707G	-20.18	-12.57	-7.61	1
6.02099G	7.93	6.0674G	-19.45	-12.31	-7.14	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

04/04/2026

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2223G	2.94	6.27G	-26.35	-17.10	-9.25	1
6.26139G	2.02	6.2685G	-24.61	-17.99	-6.62	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35041G	3.54	6.251G	-46.24	-36.46	-9.78	1
6.3904G	2.69	6.2511G	-44.94	-37.31	-7.63	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6198G	3.15	6.4936G	-46.06	-36.85	-9.21	1
6.6226G	3.41	6.492G	-45.65	-36.59	-9.06	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

04/04/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

04/04/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05359G	3.48	6.2568G	-34.63	-32.86	-1.77	1
6.05839G	2.70	6.2796G	-40.29	-37.30	-2.99	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

25/03/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23319G	5.09	6.3438G	-27.83	-15.00	-12.83	1
6.25678G	5.50	6.3398G	-25.92	-14.51	-11.41	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

25/03/2026





6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

04/04/2026






5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

04/04/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

04/04/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412926G	-1.29	6.451675G	-55.63	-41.29	-14.34	1
6.406052G	-1.03	6.37565G	-55.51	-41.03	-14.48	2
6.4169G	-1.25	6.42715G	-35.03	-21.26	-13.77	3
6.417999G	-1.39	6.451275G	-55.78	-41.39	-14.39	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.537224G	-2.92	6.5006G	-55.86	-42.92	-12.94	1
6.529001G	-3.63	6.48875G	-55.81	-43.63	-12.18	2
6.527552G	-2.95	6.498G	-55.49	-42.95	-12.54	3
6.526927G	-3.64	6.491075G	-55.91	-43.64	-12.27	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

04/04/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

04/04/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

04/04/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

04/04/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

04/04/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

04/04/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

04/04/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

04/04/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

23/04/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

23/04/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

23/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35641G	-0.84	6.3391G	-31.85	-20.90	-10.95	1
6.4007G	-1.06	6.3394G	-31.34	-21.07	-10.27	2
6.35771G	-1.26	6.3407G	-29.95	-21.27	-8.68	3
6.34871G	-0.04	6.3406G	-29.99	-20.05	-9.94	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

23/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.66249G	-1.78	6.67G	-31.40	-21.78	-9.62	1
6.6338G	-2.22	6.5786G	-33.29	-22.29	-11.00	2
6.59621G	-2.08	6.5796G	-31.22	-22.11	-9.11	3
6.6436G	-1.00	6.5797G	-30.33	-21.04	-9.29	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

23/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.66861G	-2.05	6.6594G	-32.39	-22.10	-10.29	1
6.7208G	-2.44	6.8778G	-53.02	-42.44	-10.58	2
6.6875G	-2.33	6.6605G	-30.70	-22.34	-8.36	3
6.66741G	-1.43	6.6589G	-31.67	-21.43	-10.24	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

23/04/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76381G	-2.24	6.6187G	-52.18	-42.24	-9.94	1
6.7927G	-2.08	6.7398G	-32.23	-22.18	-10.05	2
6.7755G	-4.64	6.977G	-53.11	-44.64	-8.47	3
6.769G	-1.88	6.7402G	-30.86	-21.88	-8.98	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

04/04/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05479G	0.76	6.293G	-47.45	-39.24	-8.21	1
6.04759G	0.24	6.3048G	-47.25	-39.76	-7.49	2
6.0328G	0.47	6.2886G	-44.74	-39.53	-5.21	3
6.07019G	0.13	6.2962G	-46.45	-39.87	-6.58	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

04/04/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26038G	-0.26	6.4534G	-48.31	-40.26	-8.05	1
6.25718G	0.09	6.454G	-47.70	-39.91	-7.79	2
6.25978G	0.60	6.4484G	-45.56	-39.40	-6.16	3
6.26038G	-1.52	6.4576G	-48.13	-41.52	-6.61	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.28022G	0.54	6.1328G	-39.95	-32.62	-7.33	1
6.39999G	-0.29	6.0626G	-49.33	-40.29	-9.04	2
6.29801G	-0.18	6.629G	-46.95	-40.18	-6.77	3
6.27242G	-0.19	6.073G	-47.83	-40.19	-7.64	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

04/04/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6506G	-2.32	6.9796G	-47.71	-42.32	-5.39	1
6.71979G	-2.31	6.9644G	-48.18	-42.31	-5.87	2
6.69599G	-2.66	6.9984G	-47.40	-42.66	-4.74	3
6.61301G	-3.39	6.9624G	-48.24	-43.39	-4.85	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

04/04/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

MASK

5985MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

MASK

5985MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

MASK

6025MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

MASK

6025MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

MASK

6025MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

MASK

6105MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_1TX

MASK

6105MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_1TX

MASK

6105MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

MASK

5985MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01159G	4.03	6.1191G	-44.14	-35.97	-8.17	1
6.01509G	5.35	6.1218G	-42.51	-34.65	-7.86	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

MASK

5985MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02239G	5.02	6.1349G	-38.99	-34.98	-4.01	1
6.02039G	5.98	6.1359G	-40.96	-34.02	-6.94	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

MASK

6025MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0302G	2.97	6.2914G	-38.37	-37.03	-1.34	1
6.04979G	3.96	6.279G	-35.96	-35.56	-0.40	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

MASK

6025MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0294G	4.88	6.2868G	-38.89	-35.12	-3.77	1
6.0356G	5.90	6.2816G	-35.93	-33.99	-1.94	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

MASK

6025MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06979G	4.26	6.3088G	-38.38	-35.74	-2.64	1
6.07139G	4.68	6.315G	-35.55	-35.32	-0.23	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_2TX

MASK

6105MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05181G	5.45	6.8926G	-46.11	-34.55	-11.56	1
6.05621G	6.52	6.8342G	-43.55	-33.48	-10.07	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_2TX

MASK

6105MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_2TX

MASK

6105MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

5985MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

MASK

5985MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6025MHz_TX

20/05/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05339G	2.50	6.29G	-40.53	-37.50	-3.03	1
6.05699G	3.51	6.2756G	-37.81	-35.81	-2.00	2
6.04G	3.17	6.2946G	-40.33	-36.83	-3.50	3
6.0414G	4.11	6.28G	-37.43	-35.74	-1.69	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

MASK

6025MHz_TX

20/05/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.029G	2.68	6.3016G	-43.91	-37.32	-6.59	1
6.0418G	3.43	6.2778G	-41.42	-36.20	-5.22	2
6.0404G	3.03	6.2928G	-42.94	-36.97	-5.97	3
6.0366G	3.99	6.2818G	-40.27	-36.01	-4.26	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

MASK

6025MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

23/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX

MASK

6105MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

MASK

6105MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_1TX

MASK

5985MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_1TX

MASK

6025MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

MASK

6025MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_1TX

MASK

6105MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_1TX

MASK

6105MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21977G	6.10	6.491G	-24.37	-16.92	-7.45	1

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_1TX

MASK

6105MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17938G	7.28	6.9002G	-44.13	-30.82	-13.31	1

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_2TX

MASK

5985MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0021G	2.98	6.1182G	-51.68	-37.02	-14.66	1
6.0014G	3.66	6.1213G	-50.41	-36.34	-14.07	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX

MASK

6025MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05179G	1.22	6.2988G	-44.20	-38.78	-5.42	1
6.04859G	2.29	6.2838G	-43.57	-37.71	-5.86	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

MASK

6025MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_2TX

MASK

6105MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_2TX

MASK

6105MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21297G	5.63	6.7374G	-36.97	-30.73	-6.24	1
6.03142G	6.33	6.8326G	-38.43	-33.67	-4.76	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_2TX

MASK

6105MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.17298G	6.01	6.819G	-45.93	-33.99	-11.94	1
6.01822G	6.99	6.8302G	-43.83	-32.97	-10.86	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

MASK

5985MHz_TX

20/05/2026



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

MASK

6025MHz_TX

20/05/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

MASK

6025MHz_TX

20/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0098G	1.62	6.293G	-43.98	-38.38	-5.60	1
6.019G	2.49	6.283G	-42.25	-37.51	-4.74	2
6.06879G	1.90	6.2822G	-42.77	-38.10	-4.67	3
6.07219G	3.19	6.2894G	-40.19	-36.81	-3.38	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

MASK

6105MHz_TX

20/05/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23697G	4.60	6.399G	-25.10	-17.82	-7.28	1
6.23577G	5.25	6.7806G	-39.93	-33.65	-6.28	2
6.24576G	5.27	6.3894G	-23.12	-16.44	-6.68	3
6.25056G	5.43	6.799G	-40.26	-34.08	-6.18	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

MASK

6105MHz_TX

20/05/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19058G	3.84	6.777G	-46.05	-35.96	-10.09	1
6.03822G	4.61	6.8794G	-45.23	-35.39	-9.84	2
6.24177G	4.56	6.8122G	-46.25	-35.44	-10.81	3
6.25536G	4.92	6.8286G	-45.98	-35.08	-10.90	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

MASK

6105MHz_TX

20/05/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01222G	4.43	6.9006G	-46.80	-35.57	-11.23	1
6.01262G	5.22	6.9014G	-46.72	-34.78	-11.94	2
6.17978G	4.73	6.9042G	-46.78	-35.27	-11.51	3
6.07221G	5.27	6.8794G	-46.76	-34.73	-12.03	4