


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 23.5
23.5
1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1248G	62.32	74.00	-11.68	65.85	3	Horizontal	28	2.70	23.5	31.95	8.38	43.86			
AV	5.1128G	50.70	54.00	-3.30	54.31	3	Horizontal	28	2.70	23.5	31.88	8.37	43.86			
PK	5.2478G	122.49	Inf	-Inf	126.36	3	Horizontal	28	2.70	23.5	31.51	8.44	43.82			
AV	5.2475G	115.40	Inf	-Inf	119.26	3	Horizontal	28	2.70	23.5	31.52	8.44	43.82			
PK	5.3867G	64.51	74.00	-9.49	68.40	3	Horizontal	28	2.70	23.5	31.40	8.49	43.78			
AV	5.3867G	52.50	54.00	-1.50	56.39	3	Horizontal	28	2.70	23.5	31.40	8.49	43.78			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 19
17\21\16\18.5\19.5\19
4.31\6.18\5.55\1.83\0.72\0.71

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1428G	70.91	74.00	-3.09	74.31	3	Vertical	10	1.80	19	32.06	8.39	43.85			
AV	5.1436G	53.29	54.00	-0.71	56.69	3	Vertical	10	1.80	19	32.06	8.39	43.85			
PK	5.1822G	119.88	Inf	-Inf	123.40	3	Vertical	10	1.80	19	31.91	8.41	43.84			
AV	5.1827G	109.44	Inf	-Inf	112.97	3	Vertical	10	1.80	19	31.90	8.41	43.84			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 19
19
0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	70.36	74.00	-3.64	73.77	3	Horizontal	12	1.80	19	32.05	8.39	43.85			
AV	5.1437G	53.46	54.00	-0.54	56.86	3	Horizontal	12	1.80	19	32.06	8.39	43.85			
PK	5.1826G	119.79	Inf	-Inf	123.32	3	Horizontal	12	1.80	19	31.90	8.41	43.84			
AV	5.1828G	109.32	Inf	-Inf	112.85	3	Horizontal	12	1.80	19	31.90	8.41	43.84			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35832G	49.60	68.20	-18.60	42.42	3	Vertical	64	1.80	19	38.90	11.70	43.42			
PK	15.53097G	52.71	74.00	-21.29	42.85	3	Vertical	164	1.80	19	38.50	14.43	43.07			
AV	15.5209G	40.22	54.00	-13.78	30.36	3	Vertical	164	1.80	19	38.50	14.43	43.07			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35413G	49.66	68.20	-18.54	42.48	3	Horizontal	23	1.80	19	38.90	11.69	43.41			
PK	15.54272G	52.15	74.00	-21.85	42.29	3	Horizontal	123	1.87	19	38.50	14.44	43.08			
AV	15.52669G	39.67	54.00	-14.33	29.81	3	Horizontal	123	1.87	19	38.50	14.43	43.07			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 23
17\24.5\21\22.5\23\26\23
7.51\ -2.21\4.75\4.23\3.95\ -29.38\3.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1456G	63.21	74.00	-10.79	66.60	3	Vertical	10	1.80	23	32.07	8.39	43.85				
AV	5.1428G	50.39	54.00	-3.61	53.79	3	Vertical	10	1.80	23	32.06	8.39	43.85				
PK	5.2026G	122.05	Inf	-Inf	125.69	3	Vertical	10	1.80	23	31.78	8.42	43.84				
AV	5.2026G	111.72	Inf	-Inf	115.36	3	Vertical	10	1.80	23	31.78	8.42	43.84				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 23
23
2.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1496G	63.53	74.00	-10.47	66.89	3	Horizontal	24	1.80	23	32.10	8.39	43.85				
AV	5.15G	51.21	54.00	-2.79	54.57	3	Horizontal	24	1.80	23	32.10	8.39	43.85				
PK	5.193G	122.90	Inf	-Inf	126.48	3	Horizontal	24	1.80	23	31.84	8.42	43.84				
AV	5.1932G	113.16	Inf	-Inf	116.74	3	Horizontal	24	1.80	23	31.84	8.42	43.84				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5200MHz_TX

EUT_Y_4TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.38186G	48.64	68.20	-19.56	41.48	3	Vertical	250	1.80	23	38.90	11.71	43.45				
PK	15.60747G	53.07	74.00	-20.93	43.46	3	Vertical	73	1.80	23	38.24	14.47	43.10				
AV	15.6022G	40.67	54.00	-13.33	31.03	3	Vertical	73	1.80	23	38.28	14.46	43.10				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5200MHz_TX

EUT_Y_4TX
SET 23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.39161G	48.72	68.20	-19.48	41.56	3	Horizontal	0	2.08	23	38.90	11.72	43.46				
PK	15.59257G	53.02	74.00	-20.98	43.32	3	Horizontal	0	1.80	23	38.33	14.46	43.09				
AV	15.60004G	40.36	54.00	-13.64	30.70	3	Horizontal	0	1.80	23	38.30	14.46	43.10				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 23.5
17\23.5\26\25\24.5\21.5\23\23.5
6.92\3.92\23.09\21.11\15.82\4.43\3.85\3.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1263G	61.58	74.00	-12.42	65.10	3	Vertical	12	1.80	23.5	31.96	8.38	43.86
AV	5.1263G	50.48	54.00	-3.52	54.00	3	Vertical	12	1.80	23.5	31.96	8.38	43.86
PK	5.2445G	122.20	Inf	-Inf	126.05	3	Vertical	12	1.80	23.5	31.53	8.44	43.82
AV	5.243G	112.55	Inf	-Inf	116.39	3	Vertical	12	1.80	23.5	31.54	8.44	43.82
PK	5.39G	61.80	74.00	-12.20	65.69	3	Vertical	12	1.80	23.5	31.40	8.49	43.78
AV	5.363G	50.24	54.00	-3.76	54.14	3	Vertical	12	1.80	23.5	31.40	8.48	43.78

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
SET 23.5
23.5
0.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1479G	61.90	74.00	-12.10	65.27	3	Horizontal	4	1.80	23.5	32.09	8.39	43.85			
AV	5.1152G	50.34	54.00	-3.66	53.94	3	Horizontal	4	1.80	23.5	31.89	8.37	43.86			
PK	5.2331G	122.68	Inf	-Inf	126.48	3	Horizontal	4	1.80	23.5	31.60	8.43	43.83			
AV	5.2319G	113.52	Inf	-Inf	117.31	3	Horizontal	4	1.80	23.5	31.61	8.43	43.83			
PK	5.3552G	64.74	74.00	-9.26	68.66	3	Horizontal	4	1.80	23.5	31.40	8.47	43.79			
AV	5.3537G	53.35	54.00	-0.65	57.27	3	Horizontal	4	1.80	23.5	31.40	8.47	43.79			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.47736G	49.33	68.20	-18.87	42.25	3	Vertical	331	1.80	23.5	38.85	11.78	43.55				
PK	15.70813G	52.83	74.00	-21.17	43.43	3	Vertical	74	1.80	23.5	38.02	14.51	43.13				
AV	15.72184G	40.20	54.00	-13.80	30.78	3	Vertical	74	1.80	23.5	38.04	14.52	43.14				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 23.5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4979G	49.39	68.20	-18.81	42.38	3	Horizontal	341	1.70	23.5	38.80	11.79	43.58			
PK	15.71165G	52.60	74.00	-21.40	43.21	3	Horizontal	50	2.19	23.5	38.02	14.51	43.14			
AV	15.73299G	40.13	54.00	-13.87	30.68	3	Horizontal	50	2.19	23.5	38.07	14.52	43.14			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 19
9\17\21\19\20\19.5\19
8.10\1.42\1.82\1.08\1.01\1.09\0.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	66.66	74.00	-7.34	60.64	3	Vertical	348	1.80	19	32.90	8.23	35.11			
AV	5.15G	53.44	54.00	-0.56	47.42	3	Vertical	348	1.80	19	32.90	8.23	35.11			
PK	5.1716G	121.19	Inf	-Inf	115.15	3	Vertical	348	1.80	19	32.90	8.24	35.10			
AV	5.1716G	108.39	Inf	-Inf	102.35	3	Vertical	348	1.80	19	32.90	8.24	35.10			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 17.5
19\17\18\17.5
-1.88\0.71\0.56\0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1436G	67.58	74.00	-6.42	61.57	3	Horizontal	360	1.80	17.5	32.89	8.23	35.11				
AV	5.1434G	53.55	54.00	-0.45	47.54	3	Horizontal	360	1.80	17.5	32.89	8.23	35.11				
PK	5.1818G	122.98	Inf	-Inf	116.93	3	Horizontal	360	1.80	17.5	32.90	8.24	35.09				
AV	5.1824G	109.62	Inf	-Inf	103.57	3	Horizontal	360	1.80	17.5	32.90	8.24	35.09				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 21.5
17\24\16\20\22\21\21.5
7.15\ -9.96\7.62\4.02\ -2.04\1.86\0.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1474G	71.32	74.00	-2.68	74.70	3	Vertical	15	2.95	21.5	32.08	8.39	43.85				
AV	5.1482G	53.47	54.00	-0.53	56.84	3	Vertical	15	2.95	21.5	32.09	8.39	43.85				
PK	5.2478G	119.95	Inf	-Inf	123.82	3	Vertical	15	2.95	21.5	31.51	8.44	43.82				
AV	5.2474G	108.93	Inf	-Inf	112.79	3	Vertical	15	2.95	21.5	31.52	8.44	43.82				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 21.5
21.5
0.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1452G	71.14	74.00	-2.86	74.53	3	Horizontal	14	1.80	21.5	32.07	8.39	43.85				
AV	5.1498G	53.41	54.00	-0.59	56.77	3	Horizontal	14	1.80	21.5	32.10	8.39	43.85				
PK	5.2434G	120.63	Inf	-Inf	124.47	3	Horizontal	14	1.80	21.5	31.54	8.44	43.82				
AV	5.2426G	109.82	Inf	-Inf	113.67	3	Horizontal	14	1.80	21.5	31.54	8.43	43.82				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 18
6.5\13.5\18.5\16\17\17.5\18
7.01\5.23\0.12\0.80\1.92\1.34\0.62

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.133G	66.67	74.00	-7.33	60.69	3	Vertical	356	1.80	18	32.87	8.22	35.11			
AV	5.15G	53.38	54.00	-0.62	47.36	3	Vertical	356	1.80	18	32.90	8.23	35.11			
PK	5.1925G	116.27	Inf	-Inf	110.21	3	Vertical	356	1.80	18	32.90	8.25	35.09			
AV	5.172G	103.80	Inf	-Inf	97.76	3	Vertical	356	1.80	18	32.90	8.24	35.10			
PK	5.423G	61.99	74.00	-12.01	55.07	3	Vertical	356	1.80	18	33.49	8.44	35.01			
AV	5.3645G	48.72	54.00	-5.28	42.03	3	Vertical	356	1.80	18	33.33	8.39	35.03			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX



EUT_Y_4TX
SET 13.5
18\12.5\15\14\13.5
-5.34\1.57\1.99\0.31\0.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	65.89	74.00	-8.11	59.89	3	Horizontal	1	1.80	13.5	32.88	8.23	35.11			
AV	5.1425G	53.45	54.00	-0.55	47.45	3	Horizontal	1	1.80	13.5	32.88	8.23	35.11			
PK	5.2025G	115.53	Inf	-Inf	109.46	3	Horizontal	1	1.80	13.5	32.91	8.25	35.09			
AV	5.1825G	102.83	Inf	-Inf	96.78	3	Horizontal	1	1.80	13.5	32.90	8.24	35.09			
PK	5.4275G	62.95	74.00	-11.05	56.01	3	Horizontal	1	1.80	13.5	33.51	8.44	35.01			
AV	5.3935G	48.78	54.00	-5.22	42.00	3	Horizontal	1	1.80	13.5	33.39	8.41	35.02			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.146G	53.95	54.00	-0.05	3	Horizontal	360	1.80	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 10.5/18.5
01-E-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.128G	60.02	74.00	-13.98	49.86	3	Vertical	28	1.80	-	33.01	9.70	32.55			
AV	5.149G	47.72	54.00	-6.28	37.45	3	Vertical	28	1.80	-	33.10	9.71	32.54			
PK	5.2375G	105.02	Inf	-Inf	94.90	3	Vertical	28	1.80	-	32.92	9.72	32.52			
AV	5.173G	92.54	Inf	-Inf	82.30	3	Vertical	28	1.80	-	33.05	9.73	32.54			
PK	5.4375G	58.64	74.00	-15.36	48.69	3	Vertical	28	1.80	-	32.70	9.73	32.48			
AV	5.352G	46.29	54.00	-7.71	36.31	3	Vertical	28	1.80	-	32.80	9.68	32.50			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 10.5/18.5
01-E-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	66.03	74.00	-7.97	55.77	3	Horizontal	26	1.80	-	33.09	9.71	32.54
AV	5.1495G	53.67	54.00	-0.33	43.40	3	Horizontal	26	1.80	-	33.10	9.71	32.54
PK	5.1835G	114.56	Inf	-Inf	104.34	3	Horizontal	26	1.80	-	33.03	9.73	32.54
AV	5.1725G	102.28	Inf	-Inf	92.04	3	Horizontal	26	1.80	-	33.05	9.73	32.54
PK	5.362G	61.66	74.00	-12.34	51.69	3	Horizontal	26	1.80	-	32.78	9.68	32.49
AV	5.368G	49.69	54.00	-4.31	39.75	3	Horizontal	26	1.80	-	32.76	9.67	32.49

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUT_Y_1TX
Setting 10.5/16.5
01-E-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.121G	63.08	74.00	-10.92	52.95	3	Vertical	30	1.80	-	32.98	9.70	32.55			
AV	5.1225G	47.39	54.00	-6.61	37.25	3	Vertical	30	1.80	-	32.99	9.70	32.55			
PK	5.1725G	103.95	Inf	-Inf	93.71	3	Vertical	30	1.80	-	33.05	9.73	32.54			
AV	5.1775G	91.57	Inf	-Inf	81.33	3	Vertical	30	1.80	-	33.05	9.73	32.54			
PK	5.364G	58.49	74.00	-15.51	48.54	3	Vertical	30	1.80	-	32.77	9.67	32.49			
AV	5.357G	45.75	54.00	-8.25	35.77	3	Vertical	30	1.80	-	32.79	9.68	32.49			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5210MHz_TX




EUTY_1TX
Setting 10.5/16.5
01-E-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.133G	72.87	74.00	-1.13	62.68	3	Horizontal	29	1.80	-	33.03	9.71	32.55
AV	5.123G	53.06	54.00	-0.94	42.92	3	Horizontal	29	1.80	-	32.99	9.70	32.55
PK	5.172G	114.79	Inf	-Inf	104.54	3	Horizontal	29	1.80	-	33.06	9.73	32.54
AV	5.175G	101.54	Inf	-Inf	91.30	3	Horizontal	29	1.80	-	33.05	9.73	32.54
PK	5.3645G	65.37	74.00	-8.63	55.42	3	Horizontal	29	1.80	-	32.77	9.67	32.49
AV	5.3535G	48.98	54.00	-5.02	39.01	3	Horizontal	29	1.80	-	32.79	9.68	32.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Y_2TX
Setting 11/15
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.135G	63.67	74.00	-10.33	53.47	3	Vertical	5	1.80	-	33.04	9.71	32.55			
AV	5.15G	50.27	54.00	-3.73	40.00	3	Vertical	5	1.80	-	33.10	9.71	32.54			
PK	5.175G	109.72	Inf	-Inf	99.48	3	Vertical	5	1.80	-	33.05	9.73	32.54			
AV	5.1725G	98.55	Inf	-Inf	88.31	3	Vertical	5	1.80	-	33.05	9.73	32.54			
PK	5.4305G	60.19	74.00	-13.81	50.25	3	Vertical	5	1.80	-	32.70	9.72	32.48			
AV	5.355G	47.02	54.00	-6.98	37.04	3	Vertical	5	1.80	-	32.79	9.68	32.49			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Y_2TX
Setting 11/15
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1445G	70.50	74.00	-3.50	60.26	3	Horizontal	360	1.80	-	33.08	9.71	32.55
AV	5.146G	53.95	54.00	-0.05	43.70	3	Horizontal	360	1.80	-	33.08	9.71	32.54
PK	5.184G	112.95	Inf	-Inf	102.73	3	Horizontal	360	1.80	-	33.03	9.73	32.54
AV	5.1855G	101.83	Inf	-Inf	91.61	3	Horizontal	360	1.80	-	33.03	9.73	32.54
PK	5.3635G	61.51	74.00	-12.49	51.56	3	Horizontal	360	1.80	-	32.77	9.67	32.49
AV	5.357G	48.37	54.00	-5.63	38.39	3	Horizontal	360	1.80	-	32.79	9.68	32.49

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5210MHz_TX

EUT Y_2TX
Setting 11.5/12.5
01-E-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1095G	65.13	74.00	-8.87	55.05	3	Vertical	6	1.80	-	32.94	9.69	32.55			
AV	5.1315G	49.16	54.00	-4.84	38.97	3	Vertical	6	1.80	-	33.03	9.71	32.55			
PK	5.2335G	109.80	Inf	-Inf	99.66	3	Vertical	6	1.80	-	32.93	9.73	32.52			
AV	5.174G	98.03	Inf	-Inf	87.79	3	Vertical	6	1.80	-	33.05	9.73	32.54			
PK	5.3525G	59.93	74.00	-14.07	49.96	3	Vertical	6	1.80	-	32.79	9.68	32.50			
AV	5.3535G	46.86	54.00	-7.14	36.89	3	Vertical	6	1.80	-	32.79	9.68	32.50			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




EUT_Y_2TX
Setting 11.5/12.5
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1245G	71.44	74.00	-2.56	61.29	3	Horizontal	360	1.80	-	33.00	9.70	32.55			
AV	5.1245G	53.26	54.00	-0.74	43.11	3	Horizontal	360	1.80	-	33.00	9.70	32.55			
PK	5.187G	113.35	Inf	-Inf	103.13	3	Horizontal	360	1.80	-	33.03	9.73	32.54			
AV	5.185G	101.03	Inf	-Inf	90.81	3	Horizontal	360	1.80	-	33.03	9.73	32.54			
PK	5.429G	63.85	74.00	-10.15	53.92	3	Horizontal	360	1.80	-	32.70	9.71	32.48			
AV	5.363G	48.26	54.00	-5.74	38.31	3	Horizontal	360	1.80	-	32.77	9.67	32.49			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 12.5/10.5
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	64.70	74.00	-9.30	54.50	3	Vertical	13	1.80	-	33.04	9.71	32.55
AV	5.133G	49.92	54.00	-4.08	39.73	3	Vertical	13	1.80	-	33.03	9.71	32.55
PK	5.173G	110.74	Inf	-Inf	100.50	3	Vertical	13	1.80	-	33.05	9.73	32.54
AV	5.173G	99.35	Inf	-Inf	89.11	3	Vertical	13	1.80	-	33.05	9.73	32.54
PK	5.3915G	59.44	74.00	-14.56	49.55	3	Vertical	13	1.80	-	32.72	9.66	32.49
AV	5.362G	47.17	54.00	-6.83	37.20	3	Vertical	13	1.80	-	32.78	9.68	32.49

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 12.5/10.5
01-E-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.1445G	69.15	74.00	-4.85	58.91	3	Horizontal	25	1.80	-	33.08	9.71	32.55
AV	5.1435G	53.32	54.00	-0.68	43.09	3	Horizontal	25	1.80	-	33.07	9.71	32.55
PK	5.1835G	113.23	Inf	-Inf	103.01	3	Horizontal	25	1.80	-	33.03	9.73	32.54
AV	5.1835G	102.07	Inf	-Inf	91.85	3	Horizontal	25	1.80	-	33.03	9.73	32.54
PK	5.3605G	60.12	74.00	-13.88	50.15	3	Horizontal	25	1.80	-	32.78	9.68	32.49
AV	5.395G	48.65	54.00	-5.35	38.77	3	Horizontal	25	1.80	-	32.71	9.66	32.49

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT Y_4TX
Setting 12.5/10.5
05-X-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42227G	55.40	68.20	-12.80	71.54	3	Vertical	205	2.05	-	38.90	11.74	66.78			
PK	15.63129G	55.32	74.00	-18.68	66.73	3	Vertical	157	2.03	-	38.05	14.48	63.94			
AV	15.62922G	44.17	54.00	-9.83	55.56	3	Vertical	157	2.03	-	38.07	14.48	63.94			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 12.5/10.5
05-X-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41814G	55.08	68.20	-13.12	71.22	3	Horizontal	217	1.29	-	38.90	11.74	66.78			
PK	15.63139G	56.26	74.00	-17.74	67.67	3	Horizontal	136	1.42	-	38.05	14.48	63.94			
AV	15.63055G	44.27	54.00	-9.73	55.67	3	Horizontal	136	1.42	-	38.06	14.48	63.94			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX




EUT_Y_4TX
Setting 10/11
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	67.65	74.00	-6.35	57.47	3	Vertical	10	1.80	-	33.02	9.71	32.55			
AV	5.1315G	50.71	54.00	-3.29	40.52	3	Vertical	10	1.80	-	33.03	9.71	32.55			
PK	5.1715G	115.10	Inf	-Inf	104.85	3	Vertical	10	1.80	-	33.06	9.73	32.54			
AV	5.173G	101.18	Inf	-Inf	90.94	3	Vertical	10	1.80	-	33.05	9.73	32.54			
PK	5.3525G	59.67	74.00	-14.33	49.70	3	Vertical	10	1.80	-	32.79	9.68	32.50			
AV	5.4025G	47.09	54.00	-6.91	37.21	3	Vertical	10	1.80	-	32.70	9.66	32.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5210MHz_TX

EUT_Y_4TX
Setting 10/11
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	70.23	74.00	-3.77	60.09	3	Horizontal	359	1.80	-	32.99	9.70	32.55
AV	5.121G	53.29	54.00	-0.71	43.16	3	Horizontal	359	1.80	-	32.98	9.70	32.55
PK	5.1815G	116.01	Inf	-Inf	105.78	3	Horizontal	359	1.80	-	33.04	9.73	32.54
AV	5.1815G	103.73	Inf	-Inf	93.50	3	Horizontal	359	1.80	-	33.04	9.73	32.54
PK	5.363G	61.70	74.00	-12.30	51.75	3	Horizontal	359	1.80	-	32.77	9.67	32.49
AV	5.391G	49.36	54.00	-4.64	39.47	3	Horizontal	359	1.80	-	32.72	9.66	32.49

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5210MHz_TX

EUT_Y_4TX
Setting 10/11
05-X-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41948G	55.85	68.20	-12.35	71.99	3	Vertical	115	2.04	-	38.90	11.74	66.78			
PK	15.63105G	55.87	74.00	-18.13	67.28	3	Vertical	250	1.73	-	38.05	14.48	63.94			
AV	15.6281G	44.01	54.00	-9.99	55.40	3	Vertical	250	1.73	-	38.08	14.47	63.94			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5210MHz_TX



EUT Y_4TX
Setting 10/11
05-X-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41962G	55.65	68.20	-12.55	71.79	3	Horizontal	71	1.87	-	38.90	11.74	66.78			
PK	15.6283G	55.91	74.00	-18.09	67.31	3	Horizontal	324	1.78	-	38.07	14.47	63.94			
AV	15.63131G	43.87	54.00	-10.13	55.28	3	Horizontal	324	1.78	-	38.05	14.48	63.94			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX	Pass	AV	5.15G	53.13	54.00	-0.87	3	Horizontal	22	1.80	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX

5210MHz_TX




EUT_Y_1TX
Setting 19.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1228G	57.86	74.00	-16.14	47.72	3	Vertical	25	1.80	-	32.99	9.70	32.55			
AV	5.1488G	46.44	54.00	-7.56	36.17	3	Vertical	25	1.80	-	33.10	9.71	32.54			
PK	5.1736G	100.09	Inf	-Inf	89.85	3	Vertical	25	1.80	-	33.05	9.73	32.54			
AV	5.1748G	88.92	Inf	-Inf	78.68	3	Vertical	25	1.80	-	33.05	9.73	32.54			
PK	5.3932G	57.17	74.00	-16.83	47.29	3	Vertical	25	1.80	-	32.71	9.66	32.49			
AV	5.3868G	45.16	54.00	-8.84	35.25	3	Vertical	25	1.80	-	32.73	9.67	32.49			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_1TX


5210MHz_TX

EUT_Y_1TX
Setting 19.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	70.70	74.00	-3.30	60.49	3	Horizontal	22	1.80	-	33.05	9.71	32.55
AV	5.15G	53.13	54.00	-0.87	42.86	3	Horizontal	22	1.80	-	33.10	9.71	32.54
PK	5.1736G	112.28	Inf	-Inf	102.04	3	Horizontal	22	1.80	-	33.05	9.73	32.54
AV	5.1764G	100.59	Inf	-Inf	90.35	3	Horizontal	22	1.80	-	33.05	9.73	32.54
PK	5.3592G	61.68	74.00	-12.32	51.71	3	Horizontal	22	1.80	-	32.78	9.68	32.49
AV	5.3528G	48.40	54.00	-5.60	38.43	3	Horizontal	22	1.80	-	32.79	9.68	32.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5210MHz_TX

EUT_Y_2TX
Setting 15.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	67.46	74.00	-6.54	57.26	3	Vertical	6	1.79	-	33.04	9.71	32.55
AV	5.15G	49.17	54.00	-4.83	38.90	3	Vertical	6	1.79	-	33.10	9.71	32.54
PK	5.1968G	110.02	Inf	-Inf	99.80	3	Vertical	6	1.79	-	33.01	9.74	32.53
AV	5.1736G	98.44	Inf	-Inf	88.20	3	Vertical	6	1.79	-	33.05	9.73	32.54
PK	5.386G	56.89	74.00	-17.11	46.98	3	Vertical	6	1.79	-	32.73	9.67	32.49
AV	5.35G	44.50	54.00	-9.50	34.52	3	Vertical	6	1.79	-	32.80	9.68	32.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5210MHz_TX

EUT_Y_2TX
Setting 15.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	69.49	74.00	-4.51	59.25	3	Horizontal	355	1.80	-	33.08	9.71	32.55			
AV	5.1476G	53.01	54.00	-0.99	42.75	3	Horizontal	355	1.80	-	33.09	9.71	32.54			
PK	5.1876G	113.29	Inf	-Inf	103.07	3	Horizontal	355	1.80	-	33.02	9.73	32.53			
AV	5.186G	100.76	Inf	-Inf	90.54	3	Horizontal	355	1.80	-	33.03	9.73	32.54			
PK	5.384G	57.98	74.00	-16.02	48.07	3	Horizontal	355	1.80	-	32.73	9.67	32.49			
AV	5.3636G	45.58	54.00	-8.42	35.63	3	Horizontal	355	1.80	-	32.77	9.67	32.49			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 11
01-R-G-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1325G	64.44	74.00	-9.56	54.25	3	Vertical	11	1.80	-	33.03	9.71	32.55
AV	5.1325G	48.17	54.00	-5.83	37.98	3	Vertical	11	1.80	-	33.03	9.71	32.55
PK	5.174G	110.38	Inf	-Inf	100.14	3	Vertical	11	1.80	-	33.05	9.73	32.54
AV	5.1735G	98.27	Inf	-Inf	88.03	3	Vertical	11	1.80	-	33.05	9.73	32.54
PK	5.3905G	56.76	74.00	-17.24	46.87	3	Vertical	11	1.80	-	32.72	9.66	32.49
AV	5.362G	44.48	54.00	-9.52	34.51	3	Vertical	11	1.80	-	32.78	9.68	32.49

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5210MHz_TX

EUT_Y_4TX
Setting 11
01-R-G-4-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	69.37	74.00	-4.63	59.14	3	Horizontal	20	1.80	-	33.07	9.71	32.55
AV	5.144G	52.97	54.00	-1.03	42.73	3	Horizontal	20	1.80	-	33.08	9.71	32.55
PK	5.1845G	115.99	Inf	-Inf	105.77	3	Horizontal	20	1.80	-	33.03	9.73	32.54
AV	5.1835G	102.29	Inf	-Inf	92.07	3	Horizontal	20	1.80	-	33.03	9.73	32.54
PK	5.352G	59.38	74.00	-14.62	49.40	3	Horizontal	20	1.80	-	32.80	9.68	32.50
AV	5.396G	47.06	54.00	-6.94	37.17	3	Horizontal	20	1.80	-	32.71	9.66	32.48



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.96617G	24.05	54.00	-29.95	Vertical

Mode 1



Mode 1

