


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.63485G	49.50	74.00	-24.50	43.91	3	Horizontal	186	1.63	-	39.27	11.88	45.56				
AV	10.62821G	36.61	54.00	-17.39	31.02	3	Horizontal	186	1.63	-	39.26	11.88	45.55				
PK	15.95273G	53.17	74.00	-20.83	43.78	3	Horizontal	35	2.05	-	38.58	14.62	43.81				
AV	15.94534G	40.06	54.00	-13.94	30.62	3	Horizontal	35	2.05	-	38.62	14.62	43.80				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 22.5
17\24\16\20\22\23\22.5
7.37\ -8.62\7.88\5.96\3.55\ -1.40\2.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2716G	122.68	Inf	-Inf	118.21	3	Vertical	1	1.80	22.5	31.26	6.96	33.75				
AV	5.272G	110.15	Inf	-Inf	105.68	3	Vertical	1	1.80	22.5	31.26	6.96	33.75				
PK	5.355G	69.46	74.00	-4.54	64.93	3	Vertical	1	1.80	22.5	31.31	6.99	33.77				
AV	5.3506G	51.27	54.00	-2.73	46.75	3	Vertical	1	1.80	22.5	31.30	6.99	33.77				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
SET 22.5
22.5
0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2814G	127.55	Inf	-Inf	123.10	3	Horizontal	6	1.69	22.5	31.24	6.96	33.75				
AV	5.2828G	114.03	Inf	-Inf	109.59	3	Horizontal	6	1.69	22.5	31.23	6.96	33.75				
PK	5.3636G	72.46	74.00	-1.54	67.90	3	Horizontal	6	1.69	22.5	31.33	7.00	33.77				
AV	5.3632G	53.68	54.00	-0.32	49.12	3	Horizontal	6	1.69	22.5	31.33	7.00	33.77				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 16.5
17\16.5
-0.44\2.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.311G	116.78	Inf	-Inf	112.35	3	Vertical	0	1.84	16.5	31.22	6.97	33.76				
AV	5.3112G	104.10	Inf	-Inf	99.67	3	Vertical	0	1.84	16.5	31.22	6.97	33.76				
PK	5.3518G	66.79	74.00	-7.21	62.27	3	Vertical	0	1.84	16.5	31.30	6.99	33.77				
AV	5.351G	51.55	54.00	-2.45	47.03	3	Vertical	0	1.84	16.5	31.30	6.99	33.77				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 17
16.5\17.5\17
1.01\~1.02\0.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3006G	121.11	Inf	-Inf	116.70	3	Horizontal	355	1.80	17	31.20	6.97	33.76			
AV	5.3018G	109.14	Inf	-Inf	104.73	3	Horizontal	355	1.80	17	31.20	6.97	33.76			
PK	5.3516G	66.93	74.00	-7.07	62.41	3	Horizontal	355	1.80	17	31.30	6.99	33.77			
AV	5.35G	53.30	54.00	-0.70	48.78	3	Horizontal	355	1.80	17	31.30	6.99	33.77			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 18.5
17\20\18.5
3.26\~3.32\0.25

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1345G	60.52	74.00	-13.48	55.49	3	Vertical	359	1.64	18.5	31.84	6.90	33.71					
AV	5.141G	47.45	54.00	-6.55	42.41	3	Vertical	359	1.64	18.5	31.86	6.90	33.72					
PK	5.2925G	115.92	Inf	-Inf	111.50	3	Vertical	359	1.64	18.5	31.21	6.97	33.76					
AV	5.3125G	103.26	Inf	-Inf	98.82	3	Vertical	359	1.64	18.5	31.23	6.97	33.76					
PK	5.353G	66.85	74.00	-7.15	62.32	3	Vertical	359	1.64	18.5	31.31	6.99	33.77					
AV	5.351G	53.75	54.00	-0.25	49.23	3	Vertical	359	1.64	18.5	31.30	6.99	33.77					
PK	5.4795G	59.68	68.20	-8.52	54.72	3	Vertical	359	1.64	18.5	31.62	7.14	33.80					

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 16.5
18.5\14.5\16.5\17.5\17\16.5
-3.73\3.51\0.85\1.09\0.02\0.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1455G	61.60	74.00	-12.40	56.53	3	Horizontal	357	1.80	16.5	31.88	6.91	33.72				
AV	5.15G	48.88	54.00	-5.12	43.79	3	Horizontal	357	1.80	16.5	31.90	6.91	33.72				
PK	5.2625G	117.07	Inf	-Inf	112.59	3	Horizontal	357	1.80	16.5	31.27	6.96	33.75				
AV	5.3015G	105.35	Inf	-Inf	100.94	3	Horizontal	357	1.80	16.5	31.20	6.97	33.76				
PK	5.3625G	66.90	74.00	-7.10	62.35	3	Horizontal	357	1.80	16.5	31.32	7.00	33.77				
AV	5.359G	53.36	54.00	-0.64	48.82	3	Horizontal	357	1.80	16.5	31.32	6.99	33.77				
PK	5.509G	61.21	68.20	-6.99	56.13	3	Horizontal	357	1.80	16.5	31.70	7.19	33.81				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
SET 14.5
6.5\13\16\14.5
6.63\2.41\2.04\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.11308G	66.93	74.00	-7.07	61.00	3	Vertical	0	1.80	14.5	32.83	8.22	35.12			
AV	5.1324G	52.45	54.00	-1.55	46.48	3	Vertical	0	1.80	14.5	32.86	8.22	35.11			
PK	5.27268G	111.85	Inf	-Inf	105.45	3	Vertical	0	1.80	14.5	33.15	8.31	35.06			
AV	5.313G	99.02	Inf	-Inf	92.49	3	Vertical	0	1.80	14.5	33.23	8.35	35.05			
PK	5.35332G	66.29	74.00	-7.71	59.63	3	Vertical	0	1.80	14.5	33.31	8.38	35.03			
AV	5.35164G	53.62	54.00	-0.38	46.97	3	Vertical	0	1.80	14.5	33.30	8.38	35.03			
PK	5.51376G	66.91	68.20	-1.29	59.44	3	Vertical	0	1.80	14.5	33.93	8.51	34.97			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
SET 11
14.5\11\12.5\12\11.5\11
-3.49\1.02\0.63\0.32\0.28\0.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.14164G	65.15	74.00	-8.85	59.15	3	Horizontal	360	1.80	11	32.88	8.23	35.11					
AV	5.14164G	53.09	54.00	-0.91	47.09	3	Horizontal	360	1.80	11	32.88	8.23	35.11					
PK	5.30208G	111.98	Inf	-Inf	105.49	3	Horizontal	360	1.80	11	33.20	8.34	35.05					
AV	5.32224G	100.21	Inf	-Inf	93.66	3	Horizontal	360	1.80	11	33.24	8.35	35.04					
PK	5.38356G	65.76	74.00	-8.24	59.00	3	Horizontal	360	1.80	11	33.37	8.41	35.02					
AV	5.36256G	53.09	54.00	-0.91	46.40	3	Horizontal	360	1.80	11	33.33	8.39	35.03					
PK	5.46336G	64.61	68.20	-3.59	57.45	3	Horizontal	360	1.80	11	33.68	8.47	34.99					

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
SET 16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.50699G	47.61	68.20	-20.59	26.85	3	Vertical	208	1.67	-	38.60	14.20	32.04			
PK	15.74244G	47.14	74.00	-26.86	26.41	3	Vertical	35	3.00	-	37.88	15.37	32.52			
AV	15.74604G	35.94	54.00	-18.06	15.20	3	Vertical	35	3.00	-	37.89	15.37	32.52			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX



EUT_Y_4TX
SET 16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.49577G	46.95	68.20	-21.25	26.20	3	Horizontal	159	1.84	-	38.60	14.19	32.04			
PK	15.74391G	46.66	74.00	-27.34	25.92	3	Horizontal	25	1.99	-	37.89	15.37	32.52			
AV	15.74814G	35.90	54.00	-18.10	15.15	3	Horizontal	25	1.99	-	37.90	15.37	32.52			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX	Pass	AV	5.378G	53.92	54.00	-0.08	3	Horizontal	28	1.80	-

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 6/17
01-E-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1315G	57.89	74.00	-16.11	47.70	3	Vertical	18	1.80	-	33.03	9.71	32.55
AV	5.1455G	46.52	54.00	-7.48	36.28	3	Vertical	18	1.80	-	33.08	9.71	32.55
PK	5.2575G	103.30	Inf	-Inf	93.22	3	Vertical	18	1.80	-	32.88	9.72	32.52
PK	5.3535G	64.04	74.00	-9.96	54.07	3	Vertical	18	1.80	-	32.79	9.68	32.50
AV	5.312G	90.97	Inf	-Inf	80.98	3	Vertical	18	1.80	-	32.80	9.70	32.51
AV	5.352G	48.07	54.00	-5.93	38.09	3	Vertical	18	1.80	-	32.80	9.68	32.50
PK	5.5235G	58.48	68.20	-9.72	48.30	3	Vertical	18	1.80	-	32.75	9.89	32.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 6/17
01-E-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1355G	64.47	74.00	-9.53	54.27	3	Horizontal	360	1.80	-	33.04	9.71	32.55
AV	5.148G	49.28	54.00	-4.72	39.02	3	Horizontal	360	1.80	-	33.09	9.71	32.54
PK	5.3275G	112.65	Inf	-Inf	102.66	3	Horizontal	360	1.80	-	32.80	9.69	32.50
AV	5.327G	100.33	Inf	-Inf	90.34	3	Horizontal	360	1.80	-	32.80	9.69	32.50
PK	5.367G	69.83	74.00	-4.17	59.88	3	Horizontal	360	1.80	-	32.77	9.67	32.49
AV	5.351G	53.89	54.00	-0.11	43.91	3	Horizontal	360	1.80	-	32.80	9.68	32.50
PK	5.473G	63.67	68.20	-4.53	53.59	3	Horizontal	360	1.80	-	32.75	9.80	32.47

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX


5290MHz_TX

EUT_Y_1TX
Setting 3/18
01-E-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0805G	58.35	74.00	-15.65	48.33	3	Vertical	16	1.80	-	32.90	9.68	32.56
AV	5.145G	46.22	54.00	-7.78	35.98	3	Vertical	16	1.80	-	33.08	9.71	32.55
PK	5.3265G	105.81	Inf	-Inf	95.82	3	Vertical	16	1.80	-	32.80	9.69	32.50
AV	5.3235G	93.68	Inf	-Inf	83.69	3	Vertical	16	1.80	-	32.80	9.69	32.50
PK	5.3825G	62.22	74.00	-11.78	52.31	3	Vertical	16	1.80	-	32.73	9.67	32.49
AV	5.383G	47.43	54.00	-6.57	37.52	3	Vertical	16	1.80	-	32.73	9.67	32.49
PK	5.491G	58.69	68.20	-9.51	48.54	3	Vertical	16	1.80	-	32.78	9.83	32.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_1TX

5290MHz_TX




EUT_Y_1TX
Setting 3/18
01-E-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1345G	63.20	74.00	-10.80	53.00	3	Horizontal	28	1.80	-	33.04	9.71	32.55			
AV	5.142G	49.86	54.00	-4.14	39.63	3	Horizontal	28	1.80	-	33.07	9.71	32.55			
PK	5.2615G	115.43	Inf	-Inf	105.35	3	Horizontal	28	1.80	-	32.88	9.72	32.52			
PK	5.3815G	71.75	74.00	-2.25	61.83	3	Horizontal	28	1.80	-	32.74	9.67	32.49			
AV	5.328G	103.60	Inf	-Inf	93.61	3	Horizontal	28	1.80	-	32.80	9.69	32.50			
AV	5.378G	53.92	54.00	-0.08	44.00	3	Horizontal	28	1.80	-	32.74	9.67	32.49			
PK	5.4645G	64.22	68.20	-3.98	54.18	3	Horizontal	28	1.80	-	32.73	9.78	32.47			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 5.5/17.5
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1012G	62.47	74.00	-11.53	52.44	3	Vertical	16	1.80	-	32.90	9.69	32.56
AV	5.1492G	47.60	54.00	-6.40	37.33	3	Vertical	16	1.80	-	33.10	9.71	32.54
PK	5.3044G	101.96	Inf	-Inf	91.97	3	Vertical	16	1.80	-	32.80	9.70	32.51
AV	5.3076G	89.74	Inf	-Inf	79.75	3	Vertical	16	1.80	-	32.80	9.70	32.51
AV	5.3524G	47.84	54.00	-6.16	37.86	3	Vertical	16	1.80	-	32.80	9.68	32.50
PK	5.4364G	67.71	74.00	-6.29	57.76	3	Vertical	16	1.80	-	32.70	9.73	32.48
PK	5.5004G	60.51	68.20	-7.69	50.32	3	Vertical	16	1.80	-	32.80	9.85	32.46

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 5.5/17.5
01-E-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1268G	70.49	74.00	-3.51	60.33	3	Horizontal	360	1.80	-	33.01	9.70	32.55			
AV	5.1452G	51.87	54.00	-2.13	41.63	3	Horizontal	360	1.80	-	33.08	9.71	32.55			
AV	5.1796G	98.38	Inf	-Inf	88.15	3	Horizontal	360	1.80	-	33.04	9.73	32.54			
PK	5.302G	111.23	Inf	-Inf	101.24	3	Horizontal	360	1.80	-	32.80	9.70	32.51			
AV	5.35G	52.41	54.00	-1.59	42.43	3	Horizontal	360	1.80	-	32.80	9.68	32.50			
PK	5.426G	71.15	74.00	-2.85	61.22	3	Horizontal	360	1.80	-	32.70	9.71	32.48			
PK	5.47G	67.52	68.20	-0.68	57.46	3	Horizontal	360	1.80	-	32.74	9.79	32.47			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 6.5/15.5
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1356G	62.86	74.00	-11.14	52.66	3	Vertical	21	1.80	-	33.04	9.71	32.55			
AV	5.1484G	47.14	54.00	-6.86	36.88	3	Vertical	21	1.80	-	33.09	9.71	32.54			
PK	5.3116G	99.99	Inf	-Inf	90.00	3	Vertical	21	1.80	-	32.80	9.70	32.51			
AV	5.3268G	87.65	Inf	-Inf	77.66	3	Vertical	21	1.80	-	32.80	9.69	32.50			
PK	5.3756G	59.32	74.00	-14.68	49.39	3	Vertical	21	1.80	-	32.75	9.67	32.49			
AV	5.4356G	46.50	54.00	-7.50	36.55	3	Vertical	21	1.80	-	32.70	9.73	32.48			
PK	5.5204G	59.64	68.20	-8.56	49.46	3	Vertical	21	1.80	-	32.76	9.88	32.46			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_1TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_1TX
Setting 6.5/15.5
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	71.70	74.00	-2.30	61.49	3	Horizontal	30	1.80	-	33.05	9.71	32.55
AV	5.15G	51.69	54.00	-2.31	41.42	3	Horizontal	30	1.80	-	33.10	9.71	32.54
PK	5.3212G	108.88	Inf	-Inf	98.89	3	Horizontal	30	1.80	-	32.80	9.69	32.50
AV	5.3244G	97.32	Inf	-Inf	87.33	3	Horizontal	30	1.80	-	32.80	9.69	32.50
PK	5.3564G	68.16	74.00	-5.84	58.18	3	Horizontal	30	1.80	-	32.79	9.68	32.49
PK	5.5204G	67.73	68.20	-0.47	57.55	3	Horizontal	30	1.80	-	32.76	9.88	32.46
AV	5.4548G	50.74	54.00	-3.26	40.74	3	Horizontal	30	1.80	-	32.71	9.76	32.47

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 5/16
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.018G	58.41	74.00	-15.59	48.31	3	Vertical	15	1.80	-	33.03	9.65	32.58
AV	5.1492G	46.87	54.00	-7.13	36.60	3	Vertical	15	1.80	-	33.10	9.71	32.54
PK	5.2932G	100.76	Inf	-Inf	90.76	3	Vertical	15	1.80	-	32.81	9.70	32.51
AV	5.3052G	89.45	Inf	-Inf	79.46	3	Vertical	15	1.80	-	32.80	9.70	32.51
PK	5.426G	60.70	74.00	-13.30	50.77	3	Vertical	15	1.80	-	32.70	9.71	32.48
AV	5.4156G	47.84	54.00	-6.16	37.93	3	Vertical	15	1.80	-	32.70	9.69	32.48
PK	5.526G	60.33	68.20	-7.87	50.15	3	Vertical	15	1.80	-	32.75	9.89	32.46

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 5/16
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	62.88	74.00	-11.12	52.64	3	Horizontal	357	1.80	-	33.08	9.71	32.55
AV	5.0892G	49.99	54.00	-4.01	39.97	3	Horizontal	357	1.80	-	32.90	9.68	32.56
PK	5.3276G	110.33	Inf	-Inf	100.34	3	Horizontal	357	1.80	-	32.80	9.69	32.50
AV	5.326G	98.13	Inf	-Inf	88.14	3	Horizontal	357	1.80	-	32.80	9.69	32.50
PK	5.4196G	67.49	74.00	-6.51	57.57	3	Horizontal	357	1.80	-	32.70	9.70	32.48
AV	5.4308G	53.24	54.00	-0.76	43.30	3	Horizontal	357	1.80	-	32.70	9.72	32.48
PK	5.514G	68.10	68.20	-0.10	57.92	3	Horizontal	357	1.80	-	32.77	9.87	32.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5290MHz_TX

EUT_Y_2TX
Setting 7/13
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1355G	60.31	74.00	-13.69	50.11	3	Vertical	4	1.80	-	33.04	9.71	32.55			
AV	5.1495G	46.85	54.00	-7.15	36.58	3	Vertical	4	1.80	-	33.10	9.71	32.54			
PK	5.314G	108.49	Inf	-Inf	98.50	3	Vertical	4	1.80	-	32.80	9.69	32.50			
AV	5.3125G	96.55	Inf	-Inf	86.56	3	Vertical	4	1.80	-	32.80	9.70	32.51			
PK	5.3745G	67.88	74.00	-6.12	57.95	3	Vertical	4	1.80	-	32.75	9.67	32.49			
AV	5.3525G	50.46	54.00	-3.54	40.49	3	Vertical	4	1.80	-	32.79	9.68	32.50			
PK	5.462G	59.13	68.20	-9.07	49.11	3	Vertical	4	1.80	-	32.72	9.77	32.47			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5290MHz_TX

EUT_Y_2TX
Setting 7/13
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.145G	64.06	74.00	-9.94	53.82	3	Horizontal	359	1.80	-	33.08	9.71	32.55				
AV	5.148G	48.18	54.00	-5.82	37.92	3	Horizontal	359	1.80	-	33.09	9.71	32.54				
PK	5.323G	113.25	Inf	-Inf	103.26	3	Horizontal	359	1.80	-	32.80	9.69	32.50				
AV	5.324G	100.99	Inf	-Inf	91.00	3	Horizontal	359	1.80	-	32.80	9.69	32.50				
PK	5.354G	70.28	74.00	-3.72	60.31	3	Horizontal	359	1.80	-	32.79	9.68	32.50				
AV	5.3635G	53.23	54.00	-0.77	43.28	3	Horizontal	359	1.80	-	32.77	9.67	32.49				
PK	5.4655G	62.27	68.20	-5.93	52.23	3	Horizontal	359	1.80	-	32.73	9.78	32.47				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5290MHz_TX

EUT_Y_2TX
Setting 2/16
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	60.90	74.00	-13.10	50.70	3	Vertical	3	1.80	-	33.04	9.71	32.55
AV	5.1355G	47.14	54.00	-6.86	36.94	3	Vertical	3	1.80	-	33.04	9.71	32.55
PK	5.311G	112.68	Inf	-Inf	102.69	3	Vertical	3	1.80	-	32.80	9.70	32.51
AV	5.3135G	100.70	Inf	-Inf	90.71	3	Vertical	3	1.80	-	32.80	9.69	32.50
PK	5.3735G	69.51	74.00	-4.49	59.58	3	Vertical	3	1.80	-	32.75	9.67	32.49
AV	5.3735G	50.19	54.00	-3.81	40.26	3	Vertical	3	1.80	-	32.75	9.67	32.49
PK	5.5065G	59.66	68.20	-8.54	49.47	3	Vertical	3	1.80	-	32.79	9.86	32.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5290MHz_TX

EUT_Y_2TX
Setting 2/16
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1435G	63.12	74.00	-10.88	52.89	3	Horizontal	360	1.80	-	33.07	9.71	32.55
AV	5.1465G	49.61	54.00	-4.39	39.35	3	Horizontal	360	1.80	-	33.09	9.71	32.54
PK	5.3235G	116.11	Inf	-Inf	106.12	3	Horizontal	360	1.80	-	32.80	9.69	32.50
AV	5.3255G	104.88	Inf	-Inf	94.89	3	Horizontal	360	1.80	-	32.80	9.69	32.50
PK	5.3875G	72.47	74.00	-1.53	62.56	3	Horizontal	360	1.80	-	32.73	9.67	32.49
AV	5.3815G	53.58	54.00	-0.42	43.66	3	Horizontal	360	1.80	-	32.74	9.67	32.49
PK	5.466G	61.72	68.20	-6.48	51.68	3	Horizontal	360	1.80	-	32.73	9.78	32.47

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_2TX
Setting 4/16
01-E-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1404G	66.83	74.00	-7.17	56.61	3	Vertical	7	1.80	-	33.06	9.71	32.55				
AV	5.15G	50.70	54.00	-3.30	40.43	3	Vertical	7	1.80	-	33.10	9.71	32.54				
PK	5.1932G	107.90	Inf	-Inf	97.68	3	Vertical	7	1.80	-	33.01	9.74	32.53				
AV	5.1732G	95.93	Inf	-Inf	85.69	3	Vertical	7	1.80	-	33.05	9.73	32.54				
PK	5.3804G	63.69	74.00	-10.31	53.77	3	Vertical	7	1.80	-	32.74	9.67	32.49				
AV	5.374G	50.65	54.00	-3.35	40.72	3	Vertical	7	1.80	-	32.75	9.67	32.49				
PK	5.4612G	63.16	68.20	-5.04	53.14	3	Vertical	7	1.80	-	32.72	9.77	32.47				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_2TX
Setting 4/16
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	69.11	74.00	-4.89	58.91	3	Horizontal	1	1.80	-	33.04	9.71	32.55
AV	5.1444G	53.39	54.00	-0.61	43.15	3	Horizontal	1	1.80	-	33.08	9.71	32.55
PK	5.3244G	110.87	Inf	-Inf	100.88	3	Horizontal	1	1.80	-	32.80	9.69	32.50
AV	5.3244G	99.91	Inf	-Inf	89.92	3	Horizontal	1	1.80	-	32.80	9.69	32.50
AV	5.3636G	53.35	54.00	-0.65	43.40	3	Horizontal	1	1.80	-	32.77	9.67	32.49
PK	5.454G	67.73	74.00	-6.27	57.73	3	Horizontal	1	1.80	-	32.71	9.76	32.47
PK	5.482G	66.92	68.20	-1.28	56.81	3	Horizontal	1	1.80	-	32.76	9.81	32.46

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_2TX
Setting 4/15
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	66.32	74.00	-7.68	56.18	3	Vertical	5	1.80	-	32.99	9.70	32.55
AV	5.15G	50.09	54.00	-3.91	39.82	3	Vertical	5	1.80	-	33.10	9.71	32.54
AV	5.174G	95.79	Inf	-Inf	85.55	3	Vertical	5	1.80	-	33.05	9.73	32.54
PK	5.314G	107.34	Inf	-Inf	97.35	3	Vertical	5	1.80	-	32.80	9.69	32.50
PK	5.3556G	65.41	74.00	-8.59	55.43	3	Vertical	5	1.80	-	32.79	9.68	32.49
AV	5.3524G	49.12	54.00	-4.88	39.14	3	Vertical	5	1.80	-	32.80	9.68	32.50
PK	5.4716G	63.78	68.20	-4.42	53.72	3	Vertical	5	1.80	-	32.74	9.79	32.47

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_V_2TX
Setting 4/15
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	73.24	74.00	-0.76	63.03	3	Horizontal	358	1.80	-	33.05	9.71	32.55
AV	5.1468G	52.95	54.00	-1.05	42.69	3	Horizontal	358	1.80	-	33.09	9.71	32.54
PK	5.3228G	111.67	Inf	-Inf	101.68	3	Horizontal	358	1.80	-	32.80	9.69	32.50
AV	5.326G	99.46	Inf	-Inf	89.47	3	Horizontal	358	1.80	-	32.80	9.69	32.50
PK	5.374G	69.39	74.00	-4.61	59.46	3	Horizontal	358	1.80	-	32.75	9.67	32.49
AV	5.3628G	50.84	54.00	-3.16	40.89	3	Horizontal	358	1.80	-	32.77	9.67	32.49
PK	5.474G	66.90	68.20	-1.30	56.82	3	Horizontal	358	1.80	-	32.75	9.80	32.47

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 4/14
01-E-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.0892G	58.85	74.00	-15.15	48.83	3	Vertical	3	1.80	-	32.90	9.68	32.56			
AV	5.15G	47.85	54.00	-6.15	37.58	3	Vertical	3	1.80	-	33.10	9.71	32.54			
PK	5.3124G	107.19	Inf	-Inf	97.20	3	Vertical	3	1.80	-	32.80	9.70	32.51			
AV	5.3124G	95.81	Inf	-Inf	85.82	3	Vertical	3	1.80	-	32.80	9.70	32.51			
PK	5.4332G	65.04	74.00	-8.96	55.10	3	Vertical	3	1.80	-	32.70	9.72	32.48			
AV	5.4132G	49.81	54.00	-4.19	39.91	3	Vertical	3	1.80	-	32.70	9.68	32.48			
PK	5.5092G	63.00	68.20	-5.20	52.82	3	Vertical	3	1.80	-	32.78	9.86	32.46			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_2TX
Setting 4/14
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1236G	61.40	74.00	-12.60	51.26	3	Horizontal	360	1.80	-	32.99	9.70	32.55
AV	5.146G	49.58	54.00	-4.42	39.33	3	Horizontal	360	1.80	-	33.08	9.71	32.54
PK	5.302G	110.68	Inf	-Inf	100.69	3	Horizontal	360	1.80	-	32.80	9.70	32.51
AV	5.3236G	99.40	Inf	-Inf	89.41	3	Horizontal	360	1.80	-	32.80	9.69	32.50
PK	5.426G	65.58	74.00	-8.42	55.65	3	Horizontal	360	1.80	-	32.70	9.71	32.48
AV	5.426G	52.79	54.00	-1.21	42.86	3	Horizontal	360	1.80	-	32.70	9.71	32.48
PK	5.5228G	67.62	68.20	-0.58	57.44	3	Horizontal	360	1.80	-	32.75	9.89	32.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 5.5/11.5
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1315G	58.97	74.00	-15.03	48.78	3	Vertical	5	1.80	-	33.03	9.71	32.55
AV	5.1495G	47.33	54.00	-6.67	37.06	3	Vertical	5	1.80	-	33.10	9.71	32.54
PK	5.312G	111.23	Inf	-Inf	101.24	3	Vertical	5	1.80	-	32.80	9.70	32.51
AV	5.312G	100.46	Inf	-Inf	90.47	3	Vertical	5	1.80	-	32.80	9.70	32.51
PK	5.3515G	69.50	74.00	-4.50	59.52	3	Vertical	5	1.80	-	32.80	9.68	32.50
AV	5.352G	50.87	54.00	-3.13	40.89	3	Vertical	5	1.80	-	32.80	9.68	32.50
PK	5.4795G	60.12	68.20	-8.08	50.01	3	Vertical	5	1.80	-	32.76	9.81	32.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 5.5/11.5
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.129G	60.75	74.00	-13.25	50.58	3	Horizontal	360	1.80	-	33.02	9.70	32.55			
AV	5.1305G	48.87	54.00	-5.13	38.69	3	Horizontal	360	1.80	-	33.02	9.71	32.55			
PK	5.321G	116.07	Inf	-Inf	106.08	3	Horizontal	360	1.80	-	32.80	9.69	32.50			
AV	5.3225G	104.19	Inf	-Inf	94.20	3	Horizontal	360	1.80	-	32.80	9.69	32.50			
PK	5.364G	70.60	74.00	-3.40	60.65	3	Horizontal	360	1.80	-	32.77	9.67	32.49			
AV	5.362G	53.46	54.00	-0.54	43.49	3	Horizontal	360	1.80	-	32.78	9.68	32.49			
PK	5.5005G	62.29	68.20	-5.91	52.10	3	Horizontal	360	1.80	-	32.80	9.85	32.46			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT Y_4TX
Setting 5.5/11.5
05-X-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57967G	55.45	68.20	-12.75	71.10	3	Vertical	259	1.33	-	39.08	11.85	66.58			
PK	15.87148G	57.32	74.00	-16.68	68.81	3	Vertical	33	2.00	-	37.89	14.58	63.96			
AV	15.87229G	45.21	54.00	-8.79	56.70	3	Vertical	33	2.00	-	37.89	14.58	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 5.5/11.5
05-X-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57869G	55.32	68.20	-12.88	70.98	3	Horizontal	201	1.28	-	39.07	11.85	66.58			
PK	15.86846G	57.47	74.00	-16.53	68.98	3	Horizontal	120	1.95	-	37.87	14.58	63.96			
AV	15.87095G	45.33	54.00	-8.67	56.83	3	Horizontal	120	1.95	-	37.88	14.58	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 4/11
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.133G	58.63	74.00	-15.37	48.44	3	Vertical	5	1.80	-	33.03	9.71	32.55			
AV	5.149G	46.66	54.00	-7.34	36.39	3	Vertical	5	1.80	-	33.10	9.71	32.54			
PK	5.2525G	112.58	Inf	-Inf	102.49	3	Vertical	5	1.80	-	32.89	9.72	32.52			
AV	5.312G	101.09	Inf	-Inf	91.10	3	Vertical	5	1.80	-	32.80	9.70	32.51			
PK	5.3715G	67.52	74.00	-6.48	57.58	3	Vertical	5	1.80	-	32.76	9.67	32.49			
AV	5.3735G	49.24	54.00	-4.76	39.31	3	Vertical	5	1.80	-	32.75	9.67	32.49			
PK	5.461G	59.11	68.20	-9.09	49.09	3	Vertical	5	1.80	-	32.72	9.77	32.47			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 4/11
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1405G	62.15	74.00	-11.85	51.93	3	Horizontal	359	1.80	-	33.06	9.71	32.55			
AV	5.1425G	48.26	54.00	-5.74	38.03	3	Horizontal	359	1.80	-	33.07	9.71	32.55			
PK	5.3225G	117.89	Inf	-Inf	107.90	3	Horizontal	359	1.80	-	32.80	9.69	32.50			
AV	5.322G	105.42	Inf	-Inf	95.43	3	Horizontal	359	1.80	-	32.80	9.69	32.50			
PK	5.382G	73.24	74.00	-0.76	63.32	3	Horizontal	359	1.80	-	32.74	9.67	32.49			
AV	5.382G	52.96	54.00	-1.04	43.04	3	Horizontal	359	1.80	-	32.74	9.67	32.49			
PK	5.4735G	61.51	68.20	-6.69	51.43	3	Horizontal	359	1.80	-	32.75	9.80	32.47			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5290MHz_TX




EUT Y_4TX
Setting 4/11
05-X-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57777G	58.54	68.20	-9.66	74.21	3	Vertical	224	1.60	-	39.07	11.85	66.59			
PK	15.86776G	57.39	74.00	-16.61	68.90	3	Vertical	132	1.95	-	37.87	14.58	63.96			
AV	15.8696G	45.00	54.00	-9.00	56.50	3	Vertical	132	1.95	-	37.88	14.58	63.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5290MHz_TX

EUT_Y_4TX
Setting 4/11
05-X-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57798G	57.42	68.20	-10.78	73.09	3	Horizontal	214	1.95	-	39.07	11.85	66.59			
PK	15.87223G	56.95	74.00	-17.05	68.44	3	Horizontal	318	1.58	-	37.89	14.58	63.96			
AV	15.87061G	45.17	54.00	-8.83	56.67	3	Horizontal	318	1.58	-	37.88	14.58	63.96			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 6.5/10.5
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1308G	65.41	74.00	-8.59	55.23	3	Vertical	6	1.80	-	33.02	9.71	32.55			
AV	5.1316G	49.66	54.00	-4.34	39.47	3	Vertical	6	1.80	-	33.03	9.71	32.55			
PK	5.3124G	106.57	Inf	-Inf	96.58	3	Vertical	6	1.80	-	32.80	9.70	32.51			
AV	5.3116G	95.59	Inf	-Inf	85.60	3	Vertical	6	1.80	-	32.80	9.70	32.51			
PK	5.3524G	66.95	74.00	-7.05	56.97	3	Vertical	6	1.80	-	32.80	9.68	32.50			
AV	5.3924G	49.93	54.00	-4.07	40.04	3	Vertical	6	1.80	-	32.72	9.66	32.49			
PK	5.4724G	61.78	68.20	-6.42	51.72	3	Vertical	6	1.80	-	32.74	9.79	32.47			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 6.5/10.5
01-E-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1436G	67.83	74.00	-6.17	57.60	3	Horizontal	360	1.80	-	33.07	9.71	32.55			
AV	5.142G	52.31	54.00	-1.69	42.08	3	Horizontal	360	1.80	-	33.07	9.71	32.55			
PK	5.302G	111.59	Inf	-Inf	101.60	3	Horizontal	360	1.80	-	32.80	9.70	32.51			
AV	5.322G	100.18	Inf	-Inf	90.19	3	Horizontal	360	1.80	-	32.80	9.69	32.50			
PK	5.4036G	67.28	74.00	-6.72	57.39	3	Horizontal	360	1.80	-	32.70	9.67	32.48			
AV	5.3812G	52.75	54.00	-1.25	42.83	3	Horizontal	360	1.80	-	32.74	9.67	32.49			
PK	5.502G	67.44	68.20	-0.76	57.25	3	Horizontal	360	1.80	-	32.80	9.85	32.46			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_4TX
Setting 6/10
01-E-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1124G	70.75	74.00	-3.25	60.65	3	Vertical	6	1.80	-	32.95	9.70	32.55			
AV	5.1316G	50.22	54.00	-3.78	40.03	3	Vertical	6	1.80	-	33.03	9.71	32.55			
PK	5.3116G	107.20	Inf	-Inf	97.21	3	Vertical	6	1.80	-	32.80	9.70	32.51			
AV	5.3116G	96.07	Inf	-Inf	86.08	3	Vertical	6	1.80	-	32.80	9.70	32.51			
PK	5.3732G	65.64	74.00	-8.36	55.71	3	Vertical	6	1.80	-	32.75	9.67	32.49			
AV	5.3932G	48.61	54.00	-5.39	38.73	3	Vertical	6	1.80	-	32.71	9.66	32.49			
PK	5.5252G	59.73	68.20	-8.47	49.55	3	Vertical	6	1.80	-	32.75	9.89	32.46			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_4TX
Setting 6/10
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1212G	72.83	74.00	-1.17	62.70	3	Horizontal	360	1.80	-	32.98	9.70	32.55			
AV	5.142G	53.29	54.00	-0.71	43.06	3	Horizontal	360	1.80	-	33.07	9.71	32.55			
PK	5.3212G	111.94	Inf	-Inf	101.95	3	Horizontal	360	1.80	-	32.80	9.69	32.50			
AV	5.3228G	100.55	Inf	-Inf	90.56	3	Horizontal	360	1.80	-	32.80	9.69	32.50			
PK	5.422G	69.78	74.00	-4.22	59.86	3	Horizontal	360	1.80	-	32.70	9.70	32.48			
AV	5.3812G	51.59	54.00	-2.41	41.67	3	Horizontal	360	1.80	-	32.74	9.67	32.49			
PK	5.502G	64.78	68.20	-3.42	54.59	3	Horizontal	360	1.80	-	32.80	9.85	32.46			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 5/10
01-E-V-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.0884G	60.01	74.00	-13.99	49.99	3	Vertical	6	1.80	-	32.90	9.68	32.56			
AV	5.15G	48.25	54.00	-5.75	37.98	3	Vertical	6	1.80	-	33.10	9.71	32.54			
PK	5.3124G	108.96	Inf	-Inf	98.97	3	Vertical	6	1.80	-	32.80	9.70	32.51			
AV	5.3124G	97.01	Inf	-Inf	87.02	3	Vertical	6	1.80	-	32.80	9.70	32.51			
PK	5.4324G	60.97	74.00	-13.03	51.03	3	Vertical	6	1.80	-	32.70	9.72	32.48			
AV	5.4324G	49.84	54.00	-4.16	39.90	3	Vertical	6	1.80	-	32.70	9.72	32.48			
PK	5.5132G	61.76	68.20	-6.44	51.58	3	Vertical	6	1.80	-	32.77	9.87	32.46			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

5250MHz Straddle 5.15-5.25GHz_TX



EUT_Y_4TX
Setting 5/10
01-E-V-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0828G	61.86	74.00	-12.14	51.84	3	Horizontal	360	1.80	-	32.90	9.68	32.56
AV	5.142G	50.39	54.00	-3.61	40.16	3	Horizontal	360	1.80	-	33.07	9.71	32.55
PK	5.3212G	113.40	Inf	-Inf	103.41	3	Horizontal	360	1.80	-	32.80	9.69	32.50
AV	5.322G	101.05	Inf	-Inf	91.06	3	Horizontal	360	1.80	-	32.80	9.69	32.50
PK	5.4428G	67.47	74.00	-6.53	57.50	3	Horizontal	360	1.80	-	32.70	9.74	32.47
AV	5.422G	53.16	54.00	-0.84	43.24	3	Horizontal	360	1.80	-	32.70	9.70	32.48
PK	5.5212G	65.07	68.20	-3.13	54.89	3	Horizontal	360	1.80	-	32.76	9.88	32.46




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_1TX	Pass	PK	5.1476G	73.88	74.00	-0.12	3	Horizontal	23	1.80	-

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX


5290MHz_TX

EUT_Y_4TX
Setting 18.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1428G	58.30	74.00	-15.70	48.07	3	Vertical	52	3.00	-	33.07	9.71	32.55			
AV	5.15G	46.04	54.00	-7.96	35.77	3	Vertical	52	3.00	-	33.10	9.71	32.54			
PK	5.302G	102.04	Inf	-Inf	92.05	3	Vertical	52	3.00	-	32.80	9.70	32.51			
AV	5.3016G	91.23	Inf	-Inf	81.24	3	Vertical	52	3.00	-	32.80	9.70	32.51			
PK	5.3716G	60.41	74.00	-13.59	50.47	3	Vertical	52	3.00	-	32.76	9.67	32.49			
AV	5.3544G	46.45	54.00	-7.55	36.47	3	Vertical	52	3.00	-	32.79	9.68	32.49			
PK	5.4656G	57.20	68.20	-11.00	47.16	3	Vertical	52	3.00	-	32.73	9.78	32.47			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_1TX


5290MHz_TX

EUT_Y_4TX
Setting 18.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1408G	60.16	74.00	-13.84	49.94	3	Horizontal	360	1.79	-	33.06	9.71	32.55			
AV	5.1468G	48.37	54.00	-5.63	38.11	3	Horizontal	360	1.79	-	33.09	9.71	32.54			
PK	5.2952G	111.54	Inf	-Inf	101.54	3	Horizontal	360	1.79	-	32.81	9.70	32.51			
PK	5.3548G	67.73	74.00	-6.27	57.75	3	Horizontal	360	1.79	-	32.79	9.68	32.49			
AV	5.3276G	99.23	Inf	-Inf	89.24	3	Horizontal	360	1.79	-	32.80	9.69	32.50			
AV	5.3604G	51.72	54.00	-2.28	41.75	3	Horizontal	360	1.79	-	32.78	9.68	32.49			
PK	5.4776G	59.71	68.20	-8.49	49.62	3	Horizontal	360	1.79	-	32.76	9.80	32.47			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 17.5
01-R-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1476G	66.09	74.00	-7.91	55.83	3	Vertical	51	3.00	-	33.09	9.71	32.54					
AV	5.1492G	47.02	54.00	-6.98	36.75	3	Vertical	51	3.00	-	33.10	9.71	32.54					
PK	5.2252G	97.56	Inf	-Inf	87.41	3	Vertical	51	3.00	-	32.95	9.73	32.53					
PK	5.3676G	64.48	74.00	-9.52	54.54	3	Vertical	51	3.00	-	32.76	9.67	32.49					
AV	5.2988G	86.81	Inf	-Inf	76.82	3	Vertical	51	3.00	-	32.80	9.70	32.51					
PK	5.4716G	60.54	68.20	-7.66	50.48	3	Vertical	51	3.00	-	32.74	9.79	32.47					
AV	5.4476G	46.32	54.00	-7.68	36.34	3	Vertical	51	3.00	-	32.70	9.75	32.47					

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_1TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_1TX
Setting 17.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	73.88	74.00	-0.12	63.62	3	Horizontal	23	1.80	-	33.09	9.71	32.54			
AV	5.1492G	50.96	54.00	-3.04	40.69	3	Horizontal	23	1.80	-	33.10	9.71	32.54			
PK	5.1876G	107.56	Inf	-Inf	97.34	3	Horizontal	23	1.80	-	33.02	9.73	32.53			
PK	5.3716G	73.40	74.00	-0.60	63.46	3	Horizontal	23	1.80	-	32.76	9.67	32.49			
AV	5.3028G	94.98	Inf	-Inf	84.99	3	Horizontal	23	1.80	-	32.80	9.70	32.51			
AV	5.35G	50.48	54.00	-3.52	40.50	3	Horizontal	23	1.80	-	32.80	9.68	32.50			
PK	5.4692G	67.97	68.20	-0.23	57.91	3	Horizontal	23	1.80	-	32.74	9.79	32.47			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 17.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	63.49	74.00	-10.51	53.23	3	Vertical	51	3.00	-	33.09	9.71	32.54			
AV	5.1492G	46.83	54.00	-7.17	36.56	3	Vertical	51	3.00	-	33.10	9.71	32.54			
PK	5.294G	98.62	Inf	-Inf	88.62	3	Vertical	51	3.00	-	32.81	9.70	32.51			
AV	5.2996G	87.38	Inf	-Inf	77.39	3	Vertical	51	3.00	-	32.80	9.70	32.51			
PK	5.4052G	62.33	74.00	-11.67	52.44	3	Vertical	51	3.00	-	32.70	9.67	32.48			
PK	5.4636G	59.66	68.20	-8.54	49.62	3	Vertical	51	3.00	-	32.73	9.78	32.47			
AV	5.4596G	46.40	54.00	-7.60	36.38	3	Vertical	51	3.00	-	32.72	9.77	32.47			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_1TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_1TX
Setting 17.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	70.45	74.00	-3.55	60.18	3	Horizontal	359	1.80	-	33.10	9.71	32.54			
AV	5.142G	50.79	54.00	-3.21	40.56	3	Horizontal	359	1.80	-	33.07	9.71	32.55			
PK	5.306G	107.11	Inf	-Inf	97.12	3	Horizontal	359	1.80	-	32.80	9.70	32.51			
AV	5.3036G	95.37	Inf	-Inf	85.38	3	Horizontal	359	1.80	-	32.80	9.70	32.51			
PK	5.4052G	70.05	74.00	-3.95	60.16	3	Horizontal	359	1.80	-	32.70	9.67	32.48			
PK	5.462G	67.40	68.20	-0.80	57.38	3	Horizontal	359	1.80	-	32.72	9.77	32.47			
AV	5.4548G	49.96	54.00	-4.04	39.96	3	Horizontal	359	1.80	-	32.71	9.76	32.47			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX


5290MHz_TX

EUT_Y_2TX
Setting 17.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1392G	58.70	74.00	-15.30	48.48	3	Vertical	6	1.79	-	33.06	9.71	32.55			
AV	5.15G	45.18	54.00	-8.82	34.91	3	Vertical	6	1.79	-	33.10	9.71	32.54			
PK	5.2948G	112.38	Inf	-Inf	102.38	3	Vertical	6	1.79	-	32.81	9.70	32.51			
AV	5.314G	99.94	Inf	-Inf	89.95	3	Vertical	6	1.79	-	32.80	9.69	32.50			
PK	5.4176G	65.48	74.00	-8.52	55.57	3	Vertical	6	1.79	-	32.70	9.69	32.48			
AV	5.3744G	49.42	54.00	-4.58	39.49	3	Vertical	6	1.79	-	32.75	9.67	32.49			
PK	5.486G	57.14	68.20	-11.06	47.01	3	Vertical	6	1.79	-	32.77	9.82	32.46			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




EUT_Y_2TX
Setting 17.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.09	74.00	-8.91	54.82	3	Horizontal	359	1.80	-	33.10	9.71	32.54
AV	5.1456G	47.74	54.00	-6.26	37.50	3	Horizontal	359	1.80	-	33.08	9.71	32.55
PK	5.3232G	115.90	Inf	-Inf	105.91	3	Horizontal	359	1.80	-	32.80	9.69	32.50
AV	5.3244G	103.81	Inf	-Inf	93.82	3	Horizontal	359	1.80	-	32.80	9.69	32.50
PK	5.3592G	72.89	74.00	-1.11	62.92	3	Horizontal	359	1.80	-	32.78	9.68	32.49
AV	5.35G	53.24	54.00	-0.76	43.26	3	Horizontal	359	1.80	-	32.80	9.68	32.50
PK	5.4652G	64.05	68.20	-4.15	54.01	3	Horizontal	359	1.80	-	32.73	9.78	32.47

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 15.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	62.55	74.00	-11.45	52.30	3	Vertical	7	1.80	-	33.08	9.71	32.54
AV	5.1332G	48.87	54.00	-5.13	38.68	3	Vertical	7	1.80	-	33.03	9.71	32.55
AV	5.174G	94.91	Inf	-Inf	84.67	3	Vertical	7	1.80	-	33.05	9.73	32.54
PK	5.3164G	106.03	Inf	-Inf	96.04	3	Vertical	7	1.80	-	32.80	9.69	32.50
PK	5.354G	60.39	74.00	-13.61	50.42	3	Vertical	7	1.80	-	32.79	9.68	32.50
AV	5.3532G	48.02	54.00	-5.98	38.05	3	Vertical	7	1.80	-	32.79	9.68	32.50
PK	5.53G	59.14	68.20	-9.06	48.96	3	Vertical	7	1.80	-	32.74	9.90	32.46

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 15.5
01-R-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1468G	65.80	74.00	-8.20	55.54	3	Horizontal	360	1.80	-	33.09	9.71	32.54					
AV	5.1468G	53.53	54.00	-0.47	43.27	3	Horizontal	360	1.80	-	33.09	9.71	32.54					
PK	5.3268G	110.71	Inf	-Inf	100.72	3	Horizontal	360	1.80	-	32.80	9.69	32.50					
AV	5.3244G	99.19	Inf	-Inf	89.20	3	Horizontal	360	1.80	-	32.80	9.69	32.50					
AV	5.3644G	51.66	54.00	-2.34	41.71	3	Horizontal	360	1.80	-	32.77	9.67	32.49					
PK	5.4244G	66.19	74.00	-7.81	56.26	3	Horizontal	360	1.80	-	32.70	9.71	32.48					
PK	5.5036G	67.40	68.20	-0.80	57.22	3	Horizontal	360	1.80	-	32.79	9.85	32.46					

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
Setting 15.5
01-R-J-11-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.1452G	59.59	74.00	-14.41	49.35	3	Vertical	7	1.80	-	33.08	9.71	32.55
AV	5.1348G	48.48	54.00	-5.52	38.28	3	Vertical	7	1.80	-	33.04	9.71	32.55
AV	5.1732G	94.92	Inf	-Inf	84.68	3	Vertical	7	1.80	-	33.05	9.73	32.54
PK	5.2332G	106.79	Inf	-Inf	96.65	3	Vertical	7	1.80	-	32.93	9.73	32.52
PK	5.3516G	59.73	74.00	-14.27	49.75	3	Vertical	7	1.80	-	32.80	9.68	32.50
AV	5.354G	47.78	54.00	-6.22	37.81	3	Vertical	7	1.80	-	32.79	9.68	32.50
PK	5.5316G	61.06	68.20	-7.14	50.88	3	Vertical	7	1.80	-	32.74	9.90	32.46

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_V_2TX
Setting 15.5
01-R-J-11-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1252G	63.42	74.00	-10.58	53.27	3	Horizontal	0	1.80	-	33.00	9.70	32.55
AV	5.1452G	51.75	54.00	-2.25	41.51	3	Horizontal	0	1.80	-	33.08	9.71	32.55
PK	5.3236G	112.06	Inf	-Inf	102.07	3	Horizontal	0	1.80	-	32.80	9.69	32.50
AV	5.3244G	98.42	Inf	-Inf	88.43	3	Horizontal	0	1.80	-	32.80	9.69	32.50
PK	5.3988G	64.73	74.00	-9.27	54.85	3	Horizontal	0	1.80	-	32.70	9.66	32.48
AV	5.3636G	50.39	54.00	-3.61	40.44	3	Horizontal	0	1.80	-	32.77	9.67	32.49
PK	5.474G	67.84	68.20	-0.36	57.76	3	Horizontal	0	1.80	-	32.75	9.80	32.47

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX


5290MHz_TX

EUT_Y_4TX
Setting 12
01-R-G-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1425G	56.74	74.00	-17.26	46.51	3	Vertical	5	1.80	-	33.07	9.71	32.55
AV	5.142G	45.14	54.00	-8.86	34.91	3	Vertical	5	1.80	-	33.07	9.71	32.55
PK	5.3135G	112.34	Inf	-Inf	102.35	3	Vertical	5	1.80	-	32.80	9.69	32.50
AV	5.313G	99.63	Inf	-Inf	89.64	3	Vertical	5	1.80	-	32.80	9.69	32.50
PK	5.353G	69.74	74.00	-4.26	59.77	3	Vertical	5	1.80	-	32.79	9.68	32.50
AV	5.353G	49.62	54.00	-4.38	39.65	3	Vertical	5	1.80	-	32.79	9.68	32.50
PK	5.5395G	58.02	68.20	-10.18	47.84	3	Vertical	5	1.80	-	32.72	9.92	32.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX

5290MHz_TX




EUT_Y_4TX
Setting 12
01-R-G-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.1435G	62.37	74.00	-11.63	52.14	3	Horizontal	359	1.80	-	33.07	9.71	32.55
AV	5.15G	47.95	54.00	-6.05	37.68	3	Horizontal	359	1.80	-	33.10	9.71	32.54
PK	5.324G	115.74	Inf	-Inf	105.75	3	Horizontal	359	1.80	-	32.80	9.69	32.50
AV	5.323G	104.61	Inf	-Inf	94.62	3	Horizontal	359	1.80	-	32.80	9.69	32.50
PK	5.362G	72.38	74.00	-1.62	62.41	3	Horizontal	359	1.80	-	32.78	9.68	32.49
AV	5.363G	53.46	54.00	-0.54	43.51	3	Horizontal	359	1.80	-	32.77	9.67	32.49
PK	5.503G	61.50	68.20	-6.70	51.32	3	Horizontal	359	1.80	-	32.79	9.85	32.46

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_4TX
Setting 11
01-R-G-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1484G	71.35	74.00	-2.65	61.09	3	Vertical	11	3.00	-	33.09	9.71	32.54				
AV	5.1476G	51.95	54.00	-2.05	41.69	3	Vertical	11	3.00	-	33.09	9.71	32.54				
PK	5.3276G	109.77	Inf	-Inf	99.78	3	Vertical	11	3.00	-	32.80	9.69	32.50				
AV	5.3276G	97.57	Inf	-Inf	87.58	3	Vertical	11	3.00	-	32.80	9.69	32.50				
AV	5.3676G	49.62	54.00	-4.38	39.68	3	Vertical	11	3.00	-	32.76	9.67	32.49				
PK	5.426G	66.41	74.00	-7.59	56.48	3	Vertical	11	3.00	-	32.70	9.71	32.48				
PK	5.4676G	64.46	68.20	-3.74	54.40	3	Vertical	11	3.00	-	32.74	9.79	32.47				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP_6_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_V_4TX
Setting 11
01-R-G-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1228G	73.98	74.00	-0.02	63.84	3	Horizontal	360	1.80	-	32.99	9.70	32.55			
AV	5.142G	53.89	54.00	-0.11	43.66	3	Horizontal	360	1.80	-	33.07	9.71	32.55			
PK	5.3044G	110.88	Inf	-Inf	100.89	3	Horizontal	360	1.80	-	32.80	9.70	32.51			
AV	5.3228G	99.58	Inf	-Inf	89.59	3	Horizontal	360	1.80	-	32.80	9.69	32.50			
PK	5.402G	67.20	74.00	-6.80	57.32	3	Horizontal	360	1.80	-	32.70	9.66	32.48			
AV	5.3628G	51.22	54.00	-2.78	41.27	3	Horizontal	360	1.80	-	32.77	9.67	32.49			
PK	5.5252G	61.98	68.20	-6.22	51.80	3	Horizontal	360	1.80	-	32.75	9.89	32.46			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 11
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4631G	45.54	68.20	-22.66	60.43	3	Vertical	26	2.42	-	39.40	12.43	66.72			
PK	15.7199G	46.41	74.00	-27.59	56.86	3	Vertical	273	1.42	-	37.64	15.86	63.95			
AV	15.7395G	32.96	54.00	-21.04	43.36	3	Vertical	273	1.42	-	37.68	15.87	63.95			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 11
04-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.487G	45.77	68.20	-22.43	60.60	3	Horizontal	307	2.77	-	39.40	12.45	66.68			
PK	15.75245G	45.93	74.00	-28.07	56.32	3	Horizontal	102	2.11	-	37.69	15.87	63.95			
AV	15.72535G	33.17	54.00	-20.83	43.61	3	Horizontal	102	2.11	-	37.65	15.86	63.95			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 11
01-R-G-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1148G	65.36	74.00	-8.64	55.25	3	Vertical	9	1.80	-	32.96	9.70	32.55					
AV	5.1324G	50.54	54.00	-3.46	40.35	3	Vertical	9	1.80	-	33.03	9.71	32.55					
PK	5.1732G	109.11	Inf	-Inf	98.87	3	Vertical	9	1.80	-	33.05	9.73	32.54					
PK	5.394G	61.77	74.00	-12.23	51.89	3	Vertical	9	1.80	-	32.71	9.66	32.49					
AV	5.3132G	96.32	Inf	-Inf	86.33	3	Vertical	9	1.80	-	32.80	9.69	32.50					
AV	5.3732G	48.38	54.00	-5.62	38.45	3	Vertical	9	1.80	-	32.75	9.67	32.49					
PK	5.4948G	59.24	68.20	-8.96	49.07	3	Vertical	9	1.80	-	32.79	9.84	32.46					

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_4TX
Setting 11
01-R-G-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	66.32	74.00	-7.68	56.07	3	Horizontal	359	1.80	-	33.08	9.71	32.54			
AV	5.142G	53.17	54.00	-0.83	42.94	3	Horizontal	359	1.80	-	33.07	9.71	32.55			
PK	5.3244G	110.57	Inf	-Inf	100.58	3	Horizontal	359	1.80	-	32.80	9.69	32.50			
AV	5.3228G	99.41	Inf	-Inf	89.42	3	Horizontal	359	1.80	-	32.80	9.69	32.50			
PK	5.382G	66.89	74.00	-7.11	56.97	3	Horizontal	359	1.80	-	32.74	9.67	32.49			
AV	5.3628G	51.02	54.00	-2.98	41.07	3	Horizontal	359	1.80	-	32.77	9.67	32.49			
PK	5.4652G	62.18	68.20	-6.02	52.14	3	Horizontal	359	1.80	-	32.73	9.78	32.47			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 11
04-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48368G	44.40	68.20	-23.80	59.23	3	Vertical	198	1.53	-	39.40	12.45	66.68			
PK	15.7378G	46.49	74.00	-27.51	56.89	3	Vertical	220	2.29	-	37.68	15.87	63.95			
AV	15.73524G	33.18	54.00	-20.82	43.59	3	Vertical	220	2.29	-	37.67	15.87	63.95			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_4TX
Setting 11
04-C-G-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50824G	45.24	68.20	-22.96	60.04	3	Horizontal	56	2.82	-	39.38	12.47	66.65			
PK	15.73076G	46.62	74.00	-27.38	57.05	3	Horizontal	176	2.85	-	37.66	15.86	63.95			
AV	15.73176G	33.23	54.00	-20.77	43.65	3	Horizontal	176	2.85	-	37.66	15.87	63.95			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.96617G	24.05	54.00	-29.95	Vertical

Mode 1



Mode 1

