







EIRP;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




EIRP;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7115MHz;TX





EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX





EIRP;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6165MHz;TX

















EIRP;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX





EIRP;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX















EIRP;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX





EIRP;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




















**Summary**

| Mode                            | EIRP PD<br>(dBm/RBW) |
|---------------------------------|----------------------|
| 5.925-6.425GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.92                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.84                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.74                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.90                 |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.91                 |
| 6.425-6.525GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.99                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.97                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.77                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.94                 |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.95                 |
| 6.525-6.875GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.96                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.90                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.94                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.66                 |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.69                 |
| 6.875-7.125GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.99                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.92                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.65                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.59                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                            | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5955MHz                         | Pass   | 4.77                 | 5.00                       |
| 6175MHz                         | Pass   | 4.92                 | 5.00                       |
| 6415MHz                         | Pass   | 4.81                 | 5.00                       |
| 6435MHz                         | Pass   | 4.78                 | 5.00                       |
| 6475MHz                         | Pass   | 4.99                 | 5.00                       |
| 6515MHz                         | Pass   | 4.72                 | 5.00                       |
| 6535MHz                         | Pass   | 4.76                 | 5.00                       |
| 6695MHz                         | Pass   | 4.83                 | 5.00                       |
| 6855MHz                         | Pass   | 4.62                 | 5.00                       |
| 6875MHz Straddle 6.525-6.875GHz | Pass   | 4.96                 | 5.00                       |
| 6895MHz                         | Pass   | 4.91                 | 5.00                       |
| 6995MHz                         | Pass   | 4.81                 | 5.00                       |
| 7095MHz                         | Pass   | 4.92                 | 5.00                       |
| 7115MHz Straddle 6.875-7.125GHz | Pass   | 4.99                 | 5.00                       |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5965MHz                         | Pass   | 4.77                 | 5.00                       |
| 6165MHz                         | Pass   | 4.76                 | 5.00                       |
| 6405MHz                         | Pass   | 4.84                 | 5.00                       |
| 6445MHz                         | Pass   | 4.60                 | 5.00                       |
| 6485MHz                         | Pass   | 4.97                 | 5.00                       |
| 6525MHz Straddle 6.425-6.525GHz | Pass   | 4.83                 | 5.00                       |
| 6525MHz Straddle 6.525-6.875GHz | Pass   | -Inf                 | 5.00                       |
| 6685MHz                         | Pass   | 4.87                 | 5.00                       |
| 6845MHz                         | Pass   | 4.66                 | 5.00                       |
| 6885MHz Straddle 6.525-6.875GHz | Pass   | 4.90                 | 5.00                       |
| 6925MHz                         | Pass   | 4.64                 | 5.00                       |
| 7005MHz                         | Pass   | 4.92                 | 5.00                       |
| 7085MHz                         | Pass   | 4.68                 | 5.00                       |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5985MHz                         | Pass   | 4.74                 | 5.00                       |
| 6145MHz                         | Pass   | 4.71                 | 5.00                       |
| 6385MHz                         | Pass   | 4.64                 | 5.00                       |
| 6465MHz                         | Pass   | 4.77                 | 5.00                       |
| 6545MHz Straddle 6.425-6.525GHz | Pass   | 4.68                 | 5.00                       |
| 6625MHz                         | Pass   | 4.92                 | 5.00                       |
| 6705MHz                         | Pass   | 4.61                 | 5.00                       |
| 6785MHz                         | Pass   | 4.94                 | 5.00                       |
| 6865MHz Straddle 6.525-6.875GHz | Pass   | 4.60                 | 5.00                       |
| 6945MHz                         | Pass   | 4.65                 | 5.00                       |
| 7025MHz                         | Pass   | 4.55                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6025MHz                         | Pass   | 4.78                 | 5.00                       |
| 6185MHz                         | Pass   | 4.90                 | 5.00                       |
| 6345MHz                         | Pass   | 4.60                 | 5.00                       |
| 6505MHz Straddle 6.425-6.525GHz | Pass   | 4.94                 | 5.00                       |
| 6665MHz                         | Pass   | 4.66                 | 5.00                       |
| 6825MHz Straddle 6.525-6.875GHz | Pass   | 4.44                 | 5.00                       |
| 6985MHz                         | Pass   | 4.59                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6105MHz                         | Pass   | 4.51                 | 5.00                       |
| 6265MHz                         | Pass   | 4.91                 | 5.00                       |
| 6425MHz                         | Pass   | 4.95                 | 5.00                       |
| 6585MHz                         | Pass   | 4.76                 | 5.00                       |
| 6745MHz                         | Pass   | 4.69                 | 5.00                       |





## PSD\_Non-beamforming mode


## Appendix D.1


| Mode    | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------|--------|----------------------|----------------------------|
| 6905MHz | Pass   | 4.69                 | 5.00                       |


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;






















CF Freq  
6.165GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
50ms  
Detector Type  
RMS  
CP BW  
40MHz


Page 2


EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1.(M0);Nant:4;Ch:6165MHz;TX





|                |      |
|----------------|------|
| EIRP PSD (dBm) | 4.76 |
|----------------|------|


















































**Summary**

| Mode                               | EIRP PD<br>(dBm/RBW) |
|------------------------------------|----------------------|
| 5.925-6.425GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.99                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.86                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.95                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.89                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_1TX | 3.80                 |
| 6.425-6.525GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.68                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.86                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.97                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.95                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_1TX | 3.24                 |
| 6.525-6.875GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.88                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.83                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.83                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.96                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_1TX | 2.84                 |
| 6.875-7.125GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 4.79                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 4.92                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 4.35                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 4.72                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                               | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5955MHz                            | Pass   | 4.59                 | 5.00                       |
| 6175MHz                            | Pass   | 4.55                 | 5.00                       |
| 6415MHz                            | Pass   | 4.99                 | 5.00                       |
| 6435MHz                            | Pass   | 4.68                 | 5.00                       |
| 6475MHz                            | Pass   | 4.27                 | 5.00                       |
| 6515MHz                            | Pass   | 4.27                 | 5.00                       |
| 6535MHz                            | Pass   | 4.69                 | 5.00                       |
| 6695MHz                            | Pass   | 4.88                 | 5.00                       |
| 6855MHz                            | Pass   | 4.68                 | 5.00                       |
| 6875MHz Straddle 6.525-6.875GHz    | Pass   | 4.40                 | 5.00                       |
| 6895MHz                            | Pass   | 4.79                 | 5.00                       |
| 6995MHz                            | Pass   | 4.69                 | 5.00                       |
| 7095MHz                            | Pass   | 4.75                 | 5.00                       |
| 7115MHz Straddle 6.875-7.125GHz    | Pass   | 1.70                 | 5.00                       |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5965MHz                            | Pass   | 4.86                 | 5.00                       |
| 6165MHz                            | Pass   | 4.62                 | 5.00                       |
| 6405MHz                            | Pass   | 4.81                 | 5.00                       |
| 6445MHz                            | Pass   | 4.86                 | 5.00                       |
| 6485MHz                            | Pass   | 4.20                 | 5.00                       |
| 6525MHz Straddle 6.425-6.525GHz    | Pass   | 4.86                 | 5.00                       |
| 6565MHz                            | Pass   | 4.76                 | 5.00                       |
| 6685MHz                            | Pass   | 4.83                 | 5.00                       |
| 6845MHz                            | Pass   | 4.50                 | 5.00                       |
| 6885MHz Straddle 6.525-6.875GHz    | Pass   | 4.75                 | 5.00                       |
| 6925MHz                            | Pass   | 4.92                 | 5.00                       |
| 7005MHz                            | Pass   | 4.69                 | 5.00                       |
| 7085MHz                            | Pass   | 4.82                 | 5.00                       |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5985MHz                            | Pass   | 4.71                 | 5.00                       |
| 6145MHz                            | Pass   | 4.49                 | 5.00                       |
| 6385MHz                            | Pass   | 4.95                 | 5.00                       |
| 6465MHz                            | Pass   | 4.97                 | 5.00                       |
| 6545MHz Straddle 6.425-6.525GHz    | Pass   | 4.30                 | 5.00                       |
| 6625MHz                            | Pass   | 4.69                 | 5.00                       |
| 6705MHz                            | Pass   | 4.83                 | 5.00                       |
| 6785MHz                            | Pass   | 4.38                 | 5.00                       |
| 6865MHz Straddle 6.525-6.875GHz    | Pass   | 4.60                 | 5.00                       |
| 6945MHz                            | Pass   | 4.35                 | 5.00                       |
| 7025MHz                            | Pass   | 4.24                 | 5.00                       |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6025MHz                            | Pass   | 4.41                 | 5.00                       |
| 6185MHz                            | Pass   | 4.89                 | 5.00                       |
| 6345MHz                            | Pass   | 4.41                 | 5.00                       |
| 6505MHz Straddle 6.425-6.525GHz    | Pass   | 4.95                 | 5.00                       |
| 6665MHz                            | Pass   | 4.88                 | 5.00                       |
| 6825MHz Straddle 6.525-6.875GHz    | Pass   | 4.96                 | 5.00                       |
| 6985MHz                            | Pass   | 4.72                 | 5.00                       |
| 802.11be EHT320-BF_Nss1,(MCS0)_1TX | -      | -                    | -                          |
| 6105MHz                            | Pass   | 3.80                 | 5.00                       |
| 6265MHz                            | Pass   | 2.45                 | 5.00                       |
| 6425MHz                            | Pass   | 2.60                 | 5.00                       |
| 6585MHz                            | Pass   | 3.24                 | 5.00                       |
| 6745MHz                            | Pass   | 2.84                 | 5.00                       |




## PSD\_Beamforming mode


## Appendix D.2


| Mode    | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------|--------|----------------------|----------------------------|
| 6905MHz | Pass   | 2.16                 | 5.00                       |


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;












































































## ***Radiated Emissions below 1GHz***

## ***Appendix E.1***

### **Summary**


| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 1 | Pass   | QP   | 34.85M       | 36.61             | 40.00             | -3.39          | Vertical  |

### Mode 1



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|--|--|
| QP   | 34.85M       | 36.61             | 40.00             | -3.39          | -5.39            | 3           | Vertical  | 97             | 1.00          | "Worst" | 42.00           | 22.35        | 0.79       | 28.53      |  |  |
| QP   | 49.4M        | 36.15             | 40.00             | -3.85          | -13.25           | 3           | Vertical  | 354            | 1.25          | -       | 49.40           | 14.47        | 0.92       | 28.64      |  |  |
| PK   | 86.26M       | 34.86             | 40.00             | -5.14          | -13.29           | 3           | Vertical  | 305            | 1.50          | -       | 48.15           | 14.09        | 1.20       | 28.58      |  |  |
| PK   | 125.06M      | 39.75             | 43.50             | -3.75          | -9.05            | 3           | Vertical  | 176            | 1.00          | -       | 48.80           | 17.91        | 1.45       | 28.41      |  |  |
| PK   | 187.14M      | 37.72             | 43.50             | -5.78          | -11.52           | 3           | Vertical  | 12             | 1.00          | -       | 49.24           | 14.84        | 1.77       | 28.13      |  |  |
| PK   | 571.26M      | 34.34             | 46.00             | -11.66         | -1.39            | 3           | Vertical  | 180            | 1.00          | -       | 35.73           | 24.80        | 3.17       | 29.36      |  |  |

### Mode 1



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV/m) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|--|--|
| PK   | 30M          | 36.46             | 40.00             | -3.54          | -2.47            | 3           | Horizontal | 193            | 1.25          | "Worst" | 38.93           | 25.28        | 0.74       | 28.49      |  |  |
| PK   | 65.89M       | 33.44             | 40.00             | -6.56          | -15.33           | 3           | Horizontal | 299            | 3.00          | -       | 48.77           | 12.10        | 1.07       | 28.50      |  |  |
| PK   | 125.06M      | 39.72             | 43.50             | -3.78          | -9.05            | 3           | Horizontal | 255            | 3.00          | -       | 48.77           | 17.91        | 1.45       | 28.41      |  |  |
| PK   | 178.41M      | 31.99             | 43.50             | -11.51         | -11.38           | 3           | Horizontal | 200            | 1.50          | -       | 43.37           | 15.08        | 1.72       | 28.18      |  |  |
| PK   | 188.11M      | 35.60             | 43.50             | -7.90          | -11.54           | 3           | Horizontal | 234            | 1.25          | -       | 47.14           | 14.82        | 1.77       | 28.13      |  |  |
| PK   | 577.08M      | 34.44             | 46.00             | -11.56         | -1.46            | 3           | Horizontal | 262            | 1.50          | -       | 35.90           | 24.71        | 3.18       | 29.35      |  |  |




**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 6.875-7.125GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11be EHT20_Nss1,(MCS0)_4TX | Pass   | RMS  | 7.1255G      | 67.94             | 68.20             | -0.26          | 3           | Vertical  | 34             | 1.80          | BP 1MHz  |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 5955MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9186G      | 60.47             | 88.20             | -27.73         | 51.55         | 3           | Vertical  | 11             | 1.80          | -       | 35.37      | 6.36       | 32.81      |
| RMS  | 5.9246G      | 51.11             | 68.20             | -17.09         | 42.16         | 3           | Vertical  | 11             | 1.80          | -       | 35.40      | 6.36       | 32.81      |
| PK   | 5.9586G      | 113.51            | Inf               | -Inf           | 104.45        | 3           | Vertical  | 11             | 1.80          | -       | 35.50      | 6.38       | 32.82      |
| RMS  | 5.9586G      | 104.19            | Inf               | -Inf           | 95.13         | 3           | Vertical  | 11             | 1.80          | -       | 35.50      | 6.38       | 32.82      |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 5955MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9238G      | 65.87             | 88.20             | -22.33         | 56.92         | 3           | Horizontal | 43             | 1.64          | -       | 35.40      | 6.36       | 32.81      |
| RMS  | 5.9238G      | 55.31             | 68.20             | -12.89         | 46.36         | 3           | Horizontal | 43             | 1.64          | -       | 35.40      | 6.36       | 32.81      |
| PK   | 5.9626G      | 120.59            | Inf               | -Inf           | 111.54        | 3           | Horizontal | 43             | 1.64          | -       | 35.50      | 6.38       | 32.83      |
| RMS  | 5.9638G      | 111.14            | Inf               | -Inf           | 102.09        | 3           | Horizontal | 43             | 1.64          | -       | 35.50      | 6.38       | 32.83      |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 5955MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.90998G    | 55.98             | 74.00             | -18.02         | 51.34         | 3           | Vertical  | 131            | 1.80          | -       | 38.81      | 9.06       | 43.23      |
| AV   | 11.90994G    | 46.89             | 54.00             | -7.11          | 42.25         | 3           | Vertical  | 131            | 1.80          | -       | 38.81      | 9.06       | 43.23      |
| PK   | 17.86562G    | 61.20             | 74.00             | -12.80         | 48.45         | 3           | Vertical  | 127            | 1.25          | -       | 42.70      | 11.45      | 41.40      |
| AV   | 17.86661G    | 47.53             | 54.00             | -6.47          | 34.78         | 3           | Vertical  | 127            | 1.25          | -       | 42.70      | 11.45      | 41.40      |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 5955MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.90996G    | 56.84             | 74.00             | -17.16         | 52.20         | 3           | Horizontal | 18             | 1.60          | -       | 38.81      | 9.06       | 43.23      |
| AV   | 11.90993G    | 50.00             | 54.00             | -4.00          | 45.36         | 3           | Horizontal | 18             | 1.60          | -       | 38.81      | 9.06       | 43.23      |
| PK   | 17.86292G    | 61.32             | 74.00             | -12.68         | 48.58         | 3           | Horizontal | 268            | 1.80          | -       | 42.69      | 11.45      | 41.40      |
| AV   | 17.86278G    | 47.68             | 54.00             | -6.32          | 34.94         | 3           | Horizontal | 268            | 1.80          | -       | 42.69      | 11.45      | 41.40      |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.34995G    | 55.63             | 74.00             | -18.37         | 50.66         | 3           | Vertical  | 26             | 1.75          | -       | 38.90      | 9.24       | 43.17      |
| AV   | 12.34993G    | 46.91             | 54.00             | -7.09          | 41.94         | 3           | Vertical  | 26             | 1.75          | -       | 38.90      | 9.24       | 43.17      |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.35001G    | 57.54             | 74.00             | -16.46         | 52.57         | 3           | Horizontal | 41             | 1.79          | -       | 38.90      | 9.24       | 43.17      |
| AV   | 12.34997G    | 50.94             | 54.00             | -3.06          | 45.97         | 3           | Horizontal | 41             | 1.79          | -       | 38.90      | 9.24       | 43.17      |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 18.52974G | 50.66    | 83.54    | -32.88 | 46.72  | 1    | Vertical  | 285     | 1.54   | -       | 37.61 | 16.66 | 50.33 |
| AV   | 18.5277G  | 37.64    | 63.54    | -25.90 | 33.70  | 1    | Vertical  | 285     | 1.54   | -       | 37.61 | 16.66 | 50.33 |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6175MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.53232G    | 54.81             | 83.54             | -28.73         | 50.87         | 1           | Horizontal | 255            | 1.60          | -       | 37.61      | 16.66      | 50.33      |
| AV   | 18.53328G    | 40.38             | 63.54             | -23.16         | 36.44         | 1           | Horizontal | 255            | 1.60          | -       | 37.61      | 16.66      | 50.33      |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.83009G    | 58.09             | 88.20             | -30.11         | 51.85         | 3           | Vertical  | 138            | 1.63          | -       | 39.63      | 9.43       | 42.82      |
| RMS  | 12.82996G    | 51.85             | 68.20             | -16.35         | 45.61         | 3           | Vertical  | 138            | 1.63          | -       | 39.63      | 9.43       | 42.82      |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.82991G    | 62.42             | 88.20             | -25.78         | 56.18         | 3           | Horizontal | 28             | 1.80          | -       | 39.63      | 9.43       | 42.82      |
| RMS  | 12.82996G    | 58.26             | 68.20             | -9.94          | 52.02         | 3           | Horizontal | 28             | 1.80          | -       | 39.63      | 9.43       | 42.82      |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.25358G    | 64.31             | 83.54             | -19.23         | 60.86         | 1           | Vertical  | 297            | 1.57          | -       | 37.60      | 16.95      | 51.10      |
| AV   | 19.25352G    | 48.81             | 63.54             | -14.73         | 45.36         | 1           | Vertical  | 297            | 1.57          | -       | 37.60      | 16.95      | 51.10      |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.236G   | 63.45    | 83.54    | -20.09 | 59.99  | 1    | Horizontal | 277     | 1.54   | -       | 37.59 | 16.95 | 51.08 |
| AV   | 19.23522G | 48.08    | 63.54    | -15.46 | 44.62  | 1    | Horizontal | 277     | 1.54   | -       | 37.59 | 16.95 | 51.08 |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.869999G   | 58.22             | 88.20             | -29.98         | 51.88         | 3           | Vertical  | 136            | 1.66          | -       | 39.67      | 9.45       | 42.78      |
| RMS  | 12.869996G   | 51.62             | 68.20             | -16.58         | 45.28         | 3           | Vertical  | 136            | 1.66          | -       | 39.67      | 9.45       | 42.78      |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.86993G    | 61.77             | 88.20             | -26.43         | 55.43         | 3           | Horizontal | 28             | 1.79          | -       | 39.67      | 9.45       | 42.78      |
| RMS  | 12.86996G    | 57.37             | 68.20             | -10.83         | 51.03         | 3           | Horizontal | 28             | 1.79          | -       | 39.67      | 9.45       | 42.78      |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.3146G     | 60.25             | 83.54             | -23.29         | 56.82         | 1           | Vertical  | 298            | 1.57          | -       | 37.63      | 16.98      | 51.18      |
| AV   | 19.31346G    | 46.14             | 63.54             | -17.40         | 42.71         | 1           | Vertical  | 298            | 1.57          | -       | 37.63      | 16.98      | 51.18      |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6435MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.29558G    | 60.14             | 83.54             | -23.40         | 56.70         | 1           | Horizontal | 251            | 1.51          | -       | 37.62      | 16.97      | 51.15      |
| AV   | 19.29576G    | 46.57             | 63.54             | -16.97         | 43.13         | 1           | Horizontal | 251            | 1.51          | -       | 37.62      | 16.97      | 51.15      |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.94992G    | 57.82             | 88.20             | -30.38         | 51.24         | 3           | Vertical  | 136            | 1.76          | -       | 39.80      | 9.48       | 42.70      |
| RMS  | 12.94994G    | 50.57             | 68.20             | -17.63         | 43.99         | 3           | Vertical  | 136            | 1.76          | -       | 39.80      | 9.48       | 42.70      |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95001G    | 60.86             | 88.20             | -27.34         | 54.28         | 3           | Horizontal | 28             | 1.78          | -       | 39.80      | 9.48       | 42.70      |
| RMS  | 12.94993G    | 55.76             | 68.20             | -12.44         | 49.18         | 3           | Horizontal | 28             | 1.78          | -       | 39.80      | 9.48       | 42.70      |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.41468G    | 58.28             | 83.54             | -25.26         | 54.89         | 1           | Vertical  | 297            | 1.58          | -       | 37.67      | 17.02      | 51.30      |
| AV   | 19.43412G    | 43.42             | 63.54             | -20.12         | 40.04         | 1           | Vertical  | 297            | 1.58          | -       | 37.67      | 17.03      | 51.32      |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6475MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.43676G    | 60.41             | 83.54             | -23.13         | 57.03         | 1           | Horizontal | 246            | 1.54          | -       | 37.67      | 17.03      | 51.32      |
| AV   | 19.41606G    | 45.67             | 63.54             | -17.87         | 42.28         | 1           | Horizontal | 246            | 1.54          | -       | 37.67      | 17.02      | 51.30      |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.02992G    | 58.20             | 88.20             | -30.00         | 51.42         | 3           | Vertical  | 114            | 1.80          | -       | 39.93      | 9.51       | 42.66      |
| RMS  | 13.02988G    | 50.36             | 68.20             | -17.84         | 43.58         | 3           | Vertical  | 114            | 1.80          | -       | 39.93      | 9.51       | 42.66      |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.02988G    | 60.53             | 88.20             | -27.67         | 53.75         | 3           | Horizontal | 31             | 1.79          | -       | 39.93      | 9.51       | 42.66      |
| RMS  | 13.02992G    | 55.23             | 68.20             | -12.97         | 48.45         | 3           | Horizontal | 31             | 1.79          | -       | 39.93      | 9.51       | 42.66      |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.54422G    | 59.38             | 83.54             | -24.16         | 56.07         | 1           | Vertical  | 288            | 1.55          | -       | 37.68      | 17.07      | 51.44      |
| AV   | 19.54434G    | 44.38             | 63.54             | -19.16         | 41.07         | 1           | Vertical  | 288            | 1.55          | -       | 37.68      | 17.07      | 51.44      |

## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6515MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.55598G    | 60.63             | 83.54             | -22.91         | 57.33         | 1           | Horizontal | 280            | 1.55          | -       | 37.68      | 17.08      | 51.46      |
| AV   | 19.53618G    | 46.23             | 63.54             | -17.31         | 42.91         | 1           | Horizontal | 280            | 1.55          | -       | 37.69      | 17.07      | 51.44      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.06996G    | 58.13             | 88.20             | -30.07         | 51.30         | 3           | Vertical  | 115            | 1.80          | -       | 39.97      | 9.53       | 42.67      |
| RMS  | 13.06996G    | 50.42             | 68.20             | -17.78         | 43.59         | 3           | Vertical  | 115            | 1.80          | -       | 39.97      | 9.53       | 42.67      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.07G       | 60.47             | 88.20             | -27.73         | 53.64         | 3           | Horizontal | 32             | 1.78          | -       | 39.97      | 9.53       | 42.67      |
| RMS  | 13.06992G    | 54.57             | 68.20             | -13.63         | 47.74         | 3           | Horizontal | 32             | 1.78          | -       | 39.97      | 9.53       | 42.67      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.6041G     | 62.15             | 83.54             | -21.39         | 58.89         | 1           | Vertical  | 287            | 1.55          | -       | 37.66      | 17.10      | 51.50      |
| AV   | 19.60464G    | 47.48             | 63.54             | -16.06         | 44.22         | 1           | Vertical  | 287            | 1.55          | -       | 37.66      | 17.10      | 51.50      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.59516G    | 61.41             | 83.54             | -22.13         | 58.16         | 1           | Horizontal | 281            | 1.56          | -       | 37.66      | 17.09      | 51.50      |
| AV   | 19.59702G    | 46.72             | 63.54             | -16.82         | 43.47         | 1           | Horizontal | 281            | 1.56          | -       | 37.66      | 17.09      | 51.50      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.39248G    | 55.34             | 74.00             | -18.66         | 48.03         | 3           | Vertical  | 320            | 1.59          | -       | 40.39      | 9.66       | 42.74      |
| AV   | 13.38991G    | 42.30             | 54.00             | -11.70         | 34.99         | 3           | Vertical  | 320            | 1.59          | -       | 40.39      | 9.66       | 42.74      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.39008G    | 56.51             | 74.00             | -17.49         | 49.20         | 3           | Horizontal | 191            | 1.80          | -       | 40.39      | 9.66       | 42.74      |
| AV   | 13.38985G    | 44.09             | 54.00             | -9.91          | 36.78         | 3           | Horizontal | 191            | 1.80          | -       | 40.39      | 9.66       | 42.74      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.0818G     | 67.27             | 83.54             | -16.27         | 64.42         | 1           | Vertical  | 265            | 1.49          | -       | 37.47      | 17.30      | 51.92      |
| AV   | 20.08276G    | 53.15             | 63.54             | -10.39         | 50.30         | 1           | Vertical  | 265            | 1.49          | -       | 37.47      | 17.30      | 51.92      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.0836G     | 67.19             | 83.54             | -16.35         | 64.34         | 1           | Horizontal | 278            | 1.50          | -       | 37.47      | 17.30      | 51.92      |
| AV   | 20.0824G     | 53.82             | 63.54             | -9.72          | 50.97         | 1           | Horizontal | 278            | 1.50          | -       | 37.47      | 17.30      | 51.92      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.71015G    | 56.63             | 88.20             | -31.57         | 49.05         | 3           | Vertical  | 53             | 1.80          | -       | 40.43      | 9.78       | 42.63      |
| RMS  | 13.70991G    | 43.75             | 68.20             | -24.45         | 36.17         | 3           | Vertical  | 53             | 1.80          | -       | 40.43      | 9.78       | 42.63      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.71001G    | 58.75             | 88.20             | -29.45         | 51.17         | 3           | Horizontal | 106            | 1.28          | -       | 40.43      | 9.78       | 42.63      |
| RMS  | 13.70991G    | 48.27             | 68.20             | -19.93         | 40.69         | 3           | Horizontal | 106            | 1.28          | -       | 40.43      | 9.78       | 42.63      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.5626G     | 58.93             | 83.54             | -24.61         | 55.71         | 1           | Vertical  | 297            | 1.50          | -       | 37.73      | 17.50      | 52.01      |
| AV   | 20.56164G    | 46.23             | 63.54             | -17.31         | 43.02         | 1           | Vertical  | 297            | 1.50          | -       | 37.72      | 17.50      | 52.01      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.55976G    | 64.60             | 83.54             | -18.94         | 61.39         | 1           | Horizontal | 207            | 1.50          | -       | 37.72      | 17.50      | 52.01      |
| AV   | 20.56024G    | 50.65             | 63.54             | -12.89         | 47.44         | 1           | Horizontal | 207            | 1.50          | -       | 37.72      | 17.50      | 52.01      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.74926G    | 56.87             | 88.20             | -31.33         | 49.13         | 3           | Vertical  | 250            | 1.80          | -       | 40.55      | 9.80       | 42.61      |
| RMS  | 13.74986G    | 43.81             | 68.20             | -24.39         | 36.07         | 3           | Vertical  | 250            | 1.80          | -       | 40.55      | 9.80       | 42.61      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.74983G    | 58.97             | 88.20             | -29.23         | 51.23         | 3           | Horizontal | 105            | 1.29          | -       | 40.55      | 9.80       | 42.61      |
| RMS  | 13.74991G    | 48.76             | 68.20             | -19.44         | 41.02         | 3           | Horizontal | 105            | 1.29          | -       | 40.55      | 9.80       | 42.61      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.62148G    | 56.83             | 83.54             | -26.71         | 53.57         | 1           | Vertical  | 295            | 1.50          | -       | 37.75      | 17.53      | 52.02      |
| AV   | 20.6218G     | 44.13             | 63.54             | -19.41         | 40.87         | 1           | Vertical  | 295            | 1.50          | -       | 37.75      | 17.53      | 52.02      |

## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.6194G     | 63.51             | 83.54             | -20.03         | 60.25         | 1           | Horizontal | 206            | 1.44          | -       | 37.75      | 17.53      | 52.02      |
| AV   | 20.62004G    | 50.02             | 63.54             | -13.52         | 46.76         | 1           | Horizontal | 206            | 1.44          | -       | 37.75      | 17.53      | 52.02      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6895MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.7896G     | 56.36             | 88.20             | -31.84         | 48.46         | 3           | Vertical  | 52             | 1.80          | -       | 40.67      | 9.82       | 42.59      |
| RMS  | 13.78986G    | 43.12             | 68.20             | -25.08         | 35.22         | 3           | Vertical  | 52             | 1.80          | -       | 40.67      | 9.82       | 42.59      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6895MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.78876G    | 57.86             | 88.20             | -30.34         | 49.96         | 3           | Horizontal | 104            | 1.37          | -       | 40.67      | 9.82       | 42.59      |
| RMS  | 13.78987G    | 47.77             | 68.20             | -20.43         | 39.87         | 3           | Horizontal | 104            | 1.37          | -       | 40.67      | 9.82       | 42.59      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6895MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.68212G    | 58.03             | 83.54             | -25.51         | 54.74         | 1           | Vertical  | 296            | 1.49          | -       | 37.77      | 17.56      | 52.04      |
| AV   | 20.68132G    | 45.48             | 63.54             | -18.06         | 42.19         | 1           | Vertical  | 296            | 1.49          | -       | 37.77      | 17.56      | 52.04      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6895MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.68036G    | 64.63             | 83.54             | -18.91         | 61.34         | 1           | Horizontal | 207            | 1.47          | -       | 37.77      | 17.56      | 52.04      |
| AV   | 20.6802G     | 50.87             | 63.54             | -12.67         | 47.58         | 1           | Horizontal | 207            | 1.47          | -       | 37.77      | 17.56      | 52.04      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6995MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.9899G     | 56.61             | 88.20             | -31.59         | 48.19         | 3           | Vertical  | 247            | 1.79          | -       | 40.99      | 9.90       | 42.47      |
| RMS  | 13.98991G    | 43.29             | 68.20             | -24.91         | 34.87         | 3           | Vertical  | 247            | 1.79          | -       | 40.99      | 9.90       | 42.47      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6995MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.98989G    | 58.18             | 88.20             | -30.02         | 49.76         | 3           | Horizontal | 113            | 1.46          | -       | 40.99      | 9.90       | 42.47      |
| RMS  | 13.98984G    | 46.95             | 68.20             | -21.25         | 38.53         | 3           | Horizontal | 113            | 1.46          | -       | 40.99      | 9.90       | 42.47      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6995MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.98004G    | 58.97             | 83.54             | -24.57         | 55.12         | 1           | Vertical  | 211            | 1.49          | -       | 38.26      | 17.69      | 52.10      |
| AV   | 20.97876G    | 45.40             | 63.54             | -18.14         | 41.55         | 1           | Vertical  | 211            | 1.49          | -       | 38.26      | 17.69      | 52.10      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6995MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.98068G    | 63.35             | 83.54             | -20.19         | 59.50         | 1           | Horizontal | 202            | 1.48          | -       | 38.26      | 17.69      | 52.10      |
| AV   | 20.98068G    | 50.10             | 63.54             | -13.44         | 46.25         | 1           | Horizontal | 202            | 1.48          | -       | 38.26      | 17.69      | 52.10      |

# 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 7095MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.1006G      | 117.51            | Inf               | -Inf           | 106.68        | 3           | Vertical  | 32             | 1.80          | -       | 36.90      | 7.00       | 33.07      |
| RMS  | 7.1014G      | 108.35            | Inf               | -Inf           | 97.51         | 3           | Vertical  | 32             | 1.80          | -       | 36.91      | 7.00       | 33.07      |
| PK   | 7.1282G      | 64.63             | 88.20             | -23.57         | 53.68         | 3           | Vertical  | 32             | 1.80          | -       | 37.01      | 7.03       | 33.09      |
| RMS  | 7.1278G      | 55.32             | 68.20             | -12.88         | 44.37         | 3           | Vertical  | 32             | 1.80          | -       | 37.01      | 7.03       | 33.09      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 7095MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.1018G      | 119.42            | Inf               | -Inf           | 108.58        | 3           | Horizontal | 49             | 2.00          | -       | 36.91      | 7.00       | 33.07      |
| RMS  | 7.1014G      | 110.04            | Inf               | -Inf           | 99.20         | 3           | Horizontal | 49             | 2.00          | -       | 36.91      | 7.00       | 33.07      |
| PK   | 7.1282G      | 65.63             | 88.20             | -22.57         | 54.68         | 3           | Horizontal | 49             | 2.00          | -       | 37.01      | 7.03       | 33.09      |
| RMS  | 7.129G       | 55.48             | 68.20             | -12.72         | 44.52         | 3           | Horizontal | 49             | 2.00          | -       | 37.02      | 7.03       | 33.09      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 7095MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.19012G    | 57.23             | 88.20             | -30.97         | 48.65         | 3           | Vertical  | 248            | 1.80          | -       | 41.01      | 9.98       | 42.41      |
| RMS  | 14.18997G    | 43.89             | 68.20             | -24.31         | 35.31         | 3           | Vertical  | 248            | 1.80          | -       | 41.01      | 9.98       | 42.41      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 7095MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.1898G     | 58.37             | 88.20             | -29.83         | 49.79         | 3           | Horizontal | 111            | 1.47          | -       | 41.01      | 9.98       | 42.41      |
| RMS  | 14.18987G    | 46.99             | 68.20             | -21.21         | 38.41         | 3           | Horizontal | 111            | 1.47          | -       | 41.01      | 9.98       | 42.41      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 7095MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.28868G    | 59.41             | 83.54             | -24.13         | 55.62         | 1           | Vertical  | 292            | 1.50          | -       | 38.07      | 17.82      | 52.10      |
| AV   | 21.28868G    | 45.62             | 63.54             | -17.92         | 41.83         | 1           | Vertical  | 292            | 1.50          | -       | 38.07      | 17.82      | 52.10      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 7095MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.28676G    | 62.00             | 83.54             | -21.54         | 58.21         | 1           | Horizontal | 236            | 1.50          | -       | 38.07      | 17.82      | 52.10      |
| AV   | 21.28708G    | 48.78             | 63.54             | -14.76         | 44.99         | 1           | Horizontal | 236            | 1.50          | -       | 38.07      | 17.82      | 52.10      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 7115MHz\_TX




EUT X\_4TX  
Setting 7.5  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.12245G     | 98.31             | Inf               | -Inf           | 87.38         | 3           | Vertical  | 34             | 1.80          | -       | 36.99      | 7.02       | 33.08      |
| RMS  | 7.1211G      | 87.41             | Inf               | -Inf           | 76.49         | 3           | Vertical  | 34             | 1.80          | -       | 36.98      | 7.02       | 33.08      |
| PK   | 7.1255G      | 80.89             | 88.20             | -7.31          | 69.95         | 3           | Vertical  | 34             | 1.80          | BP 1MHz | 37.00      | 7.03       | 33.09      |
| RMS  | 7.1255G      | 67.94             | 68.20             | -0.26          | 57.00         | 3           | Vertical  | 34             | 1.80          | BP 1MHz | 37.00      | 7.03       | 33.09      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 7115MHz\_TX




EUT X\_4TX  
Setting 7.5  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.12245G     | 100.47            | Inf               | -Inf           | 89.54         | 3           | Horizontal | 51             | 2.03          | -       | 36.99      | 7.02       | 33.08      |
| RMS  | 7.12153G     | 89.29             | Inf               | -Inf           | 78.36         | 3           | Horizontal | 51             | 2.03          | -       | 36.99      | 7.02       | 33.08      |
| PK   | 7.1255G      | 81.24             | 88.20             | -6.96          | 70.30         | 3           | Horizontal | 51             | 2.03          | BP 1MHz | 37.00      | 7.03       | 33.09      |
| RMS  | 7.1255G      | 67.76             | 68.20             | -0.44          | 56.82         | 3           | Horizontal | 51             | 2.03          | BP 1MHz | 37.00      | 7.03       | 33.09      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 7115MHz\_TX




EUT\_X\_4TX  
Setting 7.5  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.2299G     | 58.29             | 88.20             | -29.91         | 49.73         | 3           | Vertical  | 248            | 1.80          | -       | 40.97      | 9.99       | 42.40      |
| RMS  | 14.22995G    | 44.13             | 68.20             | -24.07         | 35.57         | 3           | Vertical  | 248            | 1.80          | -       | 40.97      | 9.99       | 42.40      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 7115MHz\_TX




EUT\_X\_4TX  
Setting 7.5  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.22982G    | 58.38             | 88.20             | -29.82         | 49.82         | 3           | Horizontal | 114            | 1.53          | -       | 40.97      | 9.99       | 42.40      |
| RMS  | 14.22997G    | 46.70             | 68.20             | -21.50         | 38.14         | 3           | Horizontal | 114            | 1.53          | -       | 40.97      | 9.99       | 42.40      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 7115MHz\_TX




EUT X\_4TX  
Setting 7.5  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.34548G    | 48.45             | 83.54             | -35.09         | 44.68         | 1           | Vertical  | 292            | 1.30          | -       | 38.02      | 17.85      | 52.10      |
| AV   | 21.34468G    | 35.96             | 63.54             | -27.58         | 32.20         | 1           | Vertical  | 292            | 1.30          | -       | 38.02      | 17.84      | 52.10      |

## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 7115MHz\_TX




EUT X\_4TX  
Setting 7.5  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.3618G     | 48.25             | 83.54             | -35.29         | 44.49         | 1           | Horizontal | 285            | 1.50          | -       | 38.01      | 17.85      | 52.10      |
| AV   | 21.34468G    | 36.98             | 63.54             | -26.56         | 33.22         | 1           | Horizontal | 285            | 1.50          | -       | 38.02      | 17.84      | 52.10      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 5965MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9178G      | 66.21             | 88.20             | -21.99         | 57.29         | 3           | Vertical  | 129            | 1.79          | -       | 35.37      | 6.36       | 32.81      |
| RMS  | 5.9242G      | 54.49             | 68.20             | -13.71         | 45.54         | 3           | Vertical  | 129            | 1.79          | -       | 35.40      | 6.36       | 32.81      |
| PK   | 5.9566G      | 112.00            | Inf               | -Inf           | 102.94        | 3           | Vertical  | 129            | 1.79          | -       | 35.50      | 6.38       | 32.82      |
| RMS  | 5.9778G      | 101.80            | Inf               | -Inf           | 92.74         | 3           | Vertical  | 129            | 1.79          | -       | 35.50      | 6.39       | 32.83      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 5965MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.913G       | 69.59             | 88.20             | -18.61         | 60.69         | 3           | Horizontal | 44             | 1.80          | -       | 35.35      | 6.36       | 32.81      |
| RMS  | 5.9134G      | 55.96             | 68.20             | -12.24         | 47.06         | 3           | Horizontal | 44             | 1.80          | -       | 35.35      | 6.36       | 32.81      |
| PK   | 5.9734G      | 117.88            | Inf               | -Inf           | 108.82        | 3           | Horizontal | 44             | 1.80          | -       | 35.50      | 6.39       | 32.83      |
| RMS  | 5.973G       | 107.17            | Inf               | -Inf           | 98.11         | 3           | Horizontal | 44             | 1.80          | -       | 35.50      | 6.39       | 32.83      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 5965MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.93003G    | 53.35             | 74.00             | -20.65         | 48.68         | 3           | Vertical  | 309            | 1.79          | -       | 38.83      | 9.07       | 43.23      |
| AV   | 11.9299G     | 42.31             | 54.00             | -11.69         | 37.64         | 3           | Vertical  | 309            | 1.79          | -       | 38.83      | 9.07       | 43.23      |
| PK   | 17.89504G    | 60.54             | 74.00             | -13.46         | 47.64         | 3           | Vertical  | 228            | 2.94          | -       | 42.79      | 11.46      | 41.35      |
| AV   | 17.894G      | 46.22             | 54.00             | -7.78          | 33.34         | 3           | Vertical  | 228            | 2.94          | -       | 42.78      | 11.46      | 41.36      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 5965MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.92967G    | 55.60             | 74.00             | -18.40         | 50.93         | 3           | Horizontal | 194            | 1.64          | -       | 38.83      | 9.07       | 43.23      |
| AV   | 11.92993G    | 44.76             | 54.00             | -9.24          | 40.09         | 3           | Horizontal | 194            | 1.64          | -       | 38.83      | 9.07       | 43.23      |
| PK   | 17.89577G    | 60.26             | 74.00             | -13.74         | 47.36         | 3           | Horizontal | 342            | 1.80          | -       | 42.79      | 11.46      | 41.35      |
| AV   | 17.89704G    | 46.35             | 54.00             | -7.65          | 33.45         | 3           | Horizontal | 342            | 1.80          | -       | 42.79      | 11.46      | 41.35      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6165MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.32996G    | 54.87             | 74.00             | -19.13         | 49.95         | 3           | Vertical  | 304            | 1.74          | -       | 38.86      | 9.23       | 43.17      |
| AV   | 12.32992G    | 44.40             | 54.00             | -9.60          | 39.48         | 3           | Vertical  | 304            | 1.74          | -       | 38.86      | 9.23       | 43.17      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6165MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.32998G    | 54.46             | 74.00             | -19.54         | 49.54         | 3           | Horizontal | 219            | 1.78          | -       | 38.86      | 9.23       | 43.17      |
| AV   | 12.32993G    | 43.23             | 54.00             | -10.77         | 38.31         | 3           | Horizontal | 219            | 1.78          | -       | 38.86      | 9.23       | 43.17      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6165MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.52076G    | 48.16             | 83.54             | -35.38         | 44.22         | 1           | Vertical  | 275            | 1.50          | -       | 37.61      | 16.65      | 50.32      |
| AV   | 18.48748G    | 35.84             | 63.54             | -27.70         | 31.89         | 1           | Vertical  | 275            | 1.50          | -       | 37.59      | 16.64      | 50.28      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6165MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.50364G    | 51.18             | 83.54             | -32.36         | 47.23         | 1           | Horizontal | 211            | 1.63          | -       | 37.60      | 16.65      | 50.30      |
| AV   | 18.50284G    | 37.84             | 63.54             | -25.70         | 33.89         | 1           | Horizontal | 211            | 1.63          | -       | 37.60      | 16.65      | 50.30      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6405MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.80972G    | 56.37             | 88.20             | -31.83         | 50.18         | 3           | Vertical  | 318            | 1.87          | -       | 39.61      | 9.42       | 42.84      |
| RMS  | 12.8099G     | 46.54             | 68.20             | -21.66         | 40.35         | 3           | Vertical  | 318            | 1.87          | -       | 39.61      | 9.42       | 42.84      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6405MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.80989G    | 58.42             | 88.20             | -29.78         | 52.23         | 3           | Horizontal | 205            | 1.80          | -       | 39.61      | 9.42       | 42.84      |
| RMS  | 12.8099G     | 51.93             | 68.20             | -16.27         | 45.74         | 3           | Horizontal | 205            | 1.80          | -       | 39.61      | 9.42       | 42.84      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6405MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.22412G    | 57.27             | 83.54             | -26.27         | 53.81         | 1           | Vertical  | 297            | 1.57          | -       | 37.59      | 16.94      | 51.07      |
| AV   | 19.22316G    | 44.16             | 63.54             | -19.38         | 40.70         | 1           | Vertical  | 297            | 1.57          | -       | 37.59      | 16.94      | 51.07      |

## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6405MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.22484G    | 59.13             | 83.54             | -24.41         | 55.67         | 1           | Horizontal | 244            | 1.50          | -       | 37.59      | 16.94      | 51.07      |
| AV   | 19.22532G    | 45.47             | 63.54             | -18.07         | 42.01         | 1           | Horizontal | 244            | 1.50          | -       | 37.59      | 16.94      | 51.07      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6445MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.88988G    | 56.15             | 88.20             | -32.05         | 49.76         | 3           | Vertical  | 320            | 1.80          | -       | 39.69      | 9.46       | 42.76      |
| RMS  | 12.88993G    | 45.94             | 68.20             | -22.26         | 39.55         | 3           | Vertical  | 320            | 1.80          | -       | 39.69      | 9.46       | 42.76      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6445MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.88999G    | 58.58             | 88.20             | -29.62         | 52.19         | 3           | Horizontal | 206            | 1.80          | -       | 39.69      | 9.46       | 42.76      |
| RMS  | 12.88994G    | 50.73             | 68.20             | -17.47         | 44.34         | 3           | Horizontal | 206            | 1.80          | -       | 39.69      | 9.46       | 42.76      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6445MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.29564G    | 50.24             | 83.54             | -33.30         | 46.80         | 1           | Vertical  | 262            | 1.77          | -       | 37.62      | 16.97      | 51.15      |
| AV   | 19.29588G    | 43.81             | 63.54             | -19.73         | 40.38         | 1           | Vertical  | 262            | 1.77          | -       | 37.62      | 16.97      | 51.16      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6445MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.3446G     | 56.97             | 83.54             | -26.57         | 53.55         | 1           | Horizontal | 245            | 1.50          | -       | 37.64      | 16.99      | 51.21      |
| AV   | 19.34484G    | 43.83             | 63.54             | -19.71         | 40.41         | 1           | Horizontal | 245            | 1.50          | -       | 37.64      | 16.99      | 51.21      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6485MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.96995G    | 56.75             | 88.20             | -31.45         | 50.10         | 3           | Vertical  | 319            | 2.70          | -       | 39.84      | 9.49       | 42.68      |
| RMS  | 12.9699G     | 45.63             | 68.20             | -22.57         | 38.98         | 3           | Vertical  | 319            | 2.70          | -       | 39.84      | 9.49       | 42.68      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6485MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.96992G    | 57.22             | 88.20             | -30.98         | 50.57         | 3           | Horizontal | 208            | 1.80          | -       | 39.84      | 9.49       | 42.68      |
| RMS  | 12.96985G    | 48.62             | 68.20             | -19.58         | 41.97         | 3           | Horizontal | 208            | 1.80          | -       | 39.84      | 9.49       | 42.68      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6485MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.46412G    | 54.15             | 83.54             | -29.39         | 50.78         | 1           | Vertical  | 297            | 1.54          | -       | 37.69      | 17.04      | 51.36      |
| AV   | 19.44396G    | 40.81             | 63.54             | -22.73         | 37.43         | 1           | Vertical  | 297            | 1.54          | -       | 37.68      | 17.03      | 51.33      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6485MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.4658G     | 55.29             | 83.54             | -28.25         | 51.92         | 1           | Horizontal | 246            | 1.50          | -       | 37.69      | 17.04      | 51.36      |
| AV   | 19.4454G     | 43.05             | 63.54             | -20.49         | 39.67         | 1           | Horizontal | 246            | 1.50          | -       | 37.68      | 17.03      | 51.33      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6525MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.04978G    | 56.34             | 88.20             | -31.86         | 49.53         | 3           | Vertical  | 318            | 2.67          | -       | 39.95      | 9.52       | 42.66      |
| RMS  | 13.04993G    | 45.59             | 68.20             | -22.61         | 38.78         | 3           | Vertical  | 318            | 2.67          | -       | 39.95      | 9.52       | 42.66      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6525MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.04976G    | 58.19             | 88.20             | -30.01         | 51.38         | 3           | Horizontal | 192            | 1.80          | -       | 39.95      | 9.52       | 42.66      |
| RMS  | 13.04989G    | 48.80             | 68.20             | -19.40         | 41.99         | 3           | Horizontal | 192            | 1.80          | -       | 39.95      | 9.52       | 42.66      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6525MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.59444G    | 53.40             | 83.54             | -30.14         | 50.14         | 1           | Vertical  | 287            | 1.52          | -       | 37.66      | 17.09      | 51.49      |
| AV   | 19.57404G    | 40.81             | 63.54             | -22.73         | 37.52         | 1           | Vertical  | 287            | 1.52          | -       | 37.67      | 17.09      | 51.47      |

## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6525MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.56492G    | 58.18             | 83.54             | -25.36         | 54.89         | 1           | Horizontal | 280            | 1.50          | -       | 37.67      | 17.08      | 51.46      |
| AV   | 19.58604G    | 45.41             | 63.54             | -18.13         | 42.14         | 1           | Horizontal | 280            | 1.50          | -       | 37.67      | 17.09      | 51.49      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6565MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.12989G    | 56.76             | 88.20             | -31.44         | 49.83         | 3           | Vertical  | 320            | 2.68          | -       | 40.06      | 9.55       | 42.68      |
| RMS  | 13.12991G    | 44.15             | 68.20             | -24.05         | 37.22         | 3           | Vertical  | 320            | 2.68          | -       | 40.06      | 9.55       | 42.68      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6565MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.13005G    | 58.14             | 88.20             | -30.06         | 51.21         | 3           | Horizontal | 196            | 1.80          | -       | 40.06      | 9.55       | 42.68      |
| RMS  | 13.12989G    | 48.54             | 68.20             | -19.66         | 41.61         | 3           | Horizontal | 196            | 1.80          | -       | 40.06      | 9.55       | 42.68      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6565MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.69284G    | 58.80             | 83.54             | -24.74         | 55.64         | 1           | Vertical  | 306            | 1.57          | -       | 37.62      | 17.13      | 51.59      |
| AV   | 19.69476G    | 45.69             | 63.54             | -17.85         | 42.53         | 1           | Vertical  | 306            | 1.57          | -       | 37.62      | 17.13      | 51.59      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6565MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.68636G    | 59.07             | 83.54             | -24.47         | 55.90         | 1           | Horizontal | 281            | 1.49          | -       | 37.63      | 17.13      | 51.59      |
| AV   | 19.69308G    | 45.93             | 63.54             | -17.61         | 42.77         | 1           | Horizontal | 281            | 1.49          | -       | 37.62      | 17.13      | 51.59      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6685MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.36952G    | 55.94             | 74.00             | -18.06         | 48.65         | 3           | Vertical  | 197            | 1.73          | -       | 40.37      | 9.65       | 42.73      |
| AV   | 13.36989G    | 42.53             | 54.00             | -11.47         | 35.24         | 3           | Vertical  | 197            | 1.73          | -       | 40.37      | 9.65       | 42.73      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6685MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.37034G    | 56.32             | 74.00             | -17.68         | 49.03         | 3           | Horizontal | 192            | 1.80          | -       | 40.37      | 9.65       | 42.73      |
| AV   | 13.36992G    | 44.60             | 54.00             | -9.40          | 37.31         | 3           | Horizontal | 192            | 1.80          | -       | 40.37      | 9.65       | 42.73      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6685MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.07276G    | 58.38             | 83.54             | -25.16         | 55.54         | 1           | Vertical  | 267            | 1.50          | -       | 37.46      | 17.29      | 51.91      |
| AV   | 20.05284G    | 45.69             | 63.54             | -17.85         | 42.88         | 1           | Vertical  | 267            | 1.50          | -       | 37.44      | 17.28      | 51.91      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6685MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.05212G    | 63.40             | 83.54             | -20.14         | 60.59         | 1           | Horizontal | 277            | 1.50          | -       | 37.44      | 17.28      | 51.91      |
| AV   | 20.05284G    | 49.79             | 63.54             | -13.75         | 46.98         | 1           | Horizontal | 277            | 1.50          | -       | 37.44      | 17.28      | 51.91      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.68961G    | 56.16             | 88.20             | -32.04         | 48.63         | 3           | Vertical  | 54             | 1.79          | -       | 40.40      | 9.78       | 42.65      |
| RMS  | 13.68995G    | 43.21             | 68.20             | -24.99         | 35.68         | 3           | Vertical  | 54             | 1.79          | -       | 40.40      | 9.78       | 42.65      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.68987G    | 57.99             | 88.20             | -30.21         | 50.46         | 3           | Horizontal | 107            | 1.39          | -       | 40.40      | 9.78       | 42.65      |
| RMS  | 13.68987G    | 47.22             | 68.20             | -20.98         | 39.69         | 3           | Horizontal | 107            | 1.39          | -       | 40.40      | 9.78       | 42.65      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.55012G    | 57.14             | 83.54             | -26.40         | 53.93         | 1           | Vertical  | 282            | 1.65          | -       | 37.72      | 17.50      | 52.01      |
| AV   | 20.52876G    | 44.18             | 63.54             | -19.36         | 40.99         | 1           | Vertical  | 282            | 1.65          | -       | 37.71      | 17.49      | 52.01      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.5302G     | 63.22             | 83.54             | -20.32         | 60.03         | 1           | Horizontal | 206            | 1.48          | -       | 37.71      | 17.49      | 52.01      |
| AV   | 20.52924G    | 48.42             | 63.54             | -15.12         | 45.23         | 1           | Horizontal | 206            | 1.48          | -       | 37.71      | 17.49      | 52.01      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6885MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.76988G    | 56.83             | 88.20             | -31.37         | 49.01         | 3           | Vertical  | 87             | 1.50          | -       | 40.61      | 9.81       | 42.60      |
| RMS  | 13.76993G    | 44.06             | 68.20             | -24.14         | 36.24         | 3           | Vertical  | 87             | 1.50          | -       | 40.61      | 9.81       | 42.60      |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6885MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.76996G    | 58.41             | 88.20             | -29.79         | 50.59         | 3           | Horizontal | 106            | 1.39          | -       | 40.61      | 9.81       | 42.60      |
| RMS  | 13.76992G    | 48.44             | 68.20             | -19.76         | 40.62         | 3           | Horizontal | 106            | 1.39          | -       | 40.61      | 9.81       | 42.60      |

# 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

## 6885MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.6514G     | 55.41             | 83.54             | -28.13         | 52.14         | 1           | Vertical  | 296            | 1.48          | -       | 37.76      | 17.54      | 52.03      |
| AV   | 20.65164G    | 42.18             | 63.54             | -21.36         | 38.91         | 1           | Vertical  | 296            | 1.48          | -       | 37.76      | 17.54      | 52.03      |

# 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

## 6885MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.67084G    | 60.92             | 83.54             | -22.62         | 57.63         | 1           | Horizontal | 207            | 1.47          | -       | 37.77      | 17.55      | 52.03      |
| AV   | 20.64972G    | 48.22             | 63.54             | -15.32         | 44.95         | 1           | Horizontal | 207            | 1.47          | -       | 37.76      | 17.54      | 52.03      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6925MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.84997G    | 57.33             | 88.20             | -30.87         | 49.24         | 3           | Vertical  | 251            | 1.80          | -       | 40.80      | 9.84       | 42.55      |
| RMS  | 13.84994G    | 43.83             | 68.20             | -24.37         | 35.74         | 3           | Vertical  | 251            | 1.80          | -       | 40.80      | 9.84       | 42.55      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6925MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.85008G    | 58.46             | 88.20             | -29.74         | 50.37         | 3           | Horizontal | 107            | 1.30          | -       | 40.80      | 9.84       | 42.55      |
| RMS  | 13.84999G    | 48.27             | 68.20             | -19.93         | 40.18         | 3           | Horizontal | 107            | 1.30          | -       | 40.80      | 9.84       | 42.55      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6925MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.7702G     | 56.31             | 83.54             | -27.23         | 52.92         | 1           | Vertical  | 283            | 1.34          | -       | 37.84      | 17.60      | 52.05      |
| AV   | 20.76972G    | 43.14             | 63.54             | -20.40         | 39.76         | 1           | Vertical  | 283            | 1.34          | -       | 37.84      | 17.59      | 52.05      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 6925MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.76972G    | 61.03             | 83.54             | -22.51         | 57.65         | 1           | Horizontal | 209            | 1.45          | -       | 37.84      | 17.59      | 52.05      |
| AV   | 20.76996G    | 47.79             | 63.54             | -15.75         | 44.41         | 1           | Horizontal | 209            | 1.45          | -       | 37.84      | 17.59      | 52.05      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 7005MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.00978G    | 57.44             | 88.20             | -30.76         | 48.99         | 3           | Vertical  | 34             | 1.67          | -       | 41.01      | 9.90       | 42.46      |
| RMS  | 14.00995G    | 44.74             | 68.20             | -23.46         | 36.29         | 3           | Vertical  | 34             | 1.67          | -       | 41.01      | 9.90       | 42.46      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 7005MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.00986G    | 58.66             | 88.20             | -29.54         | 50.21         | 3           | Horizontal | 113            | 1.35          | -       | 41.01      | 9.90       | 42.46      |
| RMS  | 14.00993G    | 47.84             | 68.20             | -20.36         | 39.39         | 3           | Horizontal | 113            | 1.35          | -       | 41.01      | 9.90       | 42.46      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 7005MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.99028G    | 54.39             | 83.54             | -29.15         | 50.52         | 1           | Vertical  | 211            | 1.49          | -       | 38.28      | 17.69      | 52.10      |
| AV   | 21.009G      | 40.69             | 63.54             | -22.85         | 36.80         | 1           | Vertical  | 211            | 1.49          | -       | 38.29      | 17.70      | 52.10      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 7005MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.01044G    | 60.06             | 83.54             | -23.48         | 56.17         | 1           | Horizontal | 204            | 1.45          | -       | 38.29      | 17.70      | 52.10      |
| AV   | 21.0102G     | 46.56             | 63.54             | -16.98         | 42.67         | 1           | Horizontal | 204            | 1.45          | -       | 38.29      | 17.70      | 52.10      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 7085MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0922G      | 115.12            | Inf               | -Inf           | 104.32        | 3           | Vertical  | 32             | 1.80          | -       | 36.88      | 6.99       | 33.07      |
| RMS  | 7.0918G      | 104.82            | Inf               | -Inf           | 94.02         | 3           | Vertical  | 32             | 1.80          | -       | 36.88      | 6.99       | 33.07      |
| PK   | 7.1326G      | 69.44             | 88.20             | -18.76         | 58.47         | 3           | Vertical  | 32             | 1.80          | -       | 37.03      | 7.03       | 33.09      |
| RMS  | 7.131G       | 58.75             | 68.20             | -9.45          | 47.79         | 3           | Vertical  | 32             | 1.80          | -       | 37.02      | 7.03       | 33.09      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 7085MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0834G      | 117.34            | Inf               | -Inf           | 106.55        | 3           | Horizontal | 46             | 2.52          | -       | 36.87      | 6.98       | 33.06      |
| RMS  | 7.0838G      | 107.35            | Inf               | -Inf           | 96.56         | 3           | Horizontal | 46             | 2.52          | -       | 36.87      | 6.98       | 33.06      |
| PK   | 7.125G       | 69.39             | 88.20             | -18.81         | 58.45         | 3           | Horizontal | 46             | 2.52          | -       | 37.00      | 7.03       | 33.09      |
| RMS  | 7.125G       | 59.85             | 68.20             | -8.35          | 48.91         | 3           | Horizontal | 46             | 2.52          | -       | 37.00      | 7.03       | 33.09      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 7085MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.16997G    | 57.64             | 88.20             | -30.56         | 49.06         | 3           | Vertical  | 247            | 1.80          | -       | 41.03      | 9.97       | 42.42      |
| RMS  | 14.16983G    | 44.34             | 68.20             | -23.86         | 35.76         | 3           | Vertical  | 247            | 1.80          | -       | 41.03      | 9.97       | 42.42      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 7085MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.17005G    | 58.67             | 88.20             | -29.53         | 50.09         | 3           | Horizontal | 114            | 1.45          | -       | 41.03      | 9.97       | 42.42      |
| RMS  | 14.16988G    | 47.43             | 68.20             | -20.77         | 38.85         | 3           | Horizontal | 114            | 1.45          | -       | 41.03      | 9.97       | 42.42      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 7085MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.25884G    | 54.51             | 83.54             | -29.03         | 50.71         | 1           | Vertical  | 291            | 1.50          | -       | 38.09      | 17.81      | 52.10      |
| AV   | 21.2586G     | 42.15             | 63.54             | -21.39         | 38.35         | 1           | Vertical  | 291            | 1.50          | -       | 38.09      | 17.81      | 52.10      |

## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

### 7085MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.25812G    | 60.49             | 83.54             | -23.05         | 56.69         | 1           | Horizontal | 208            | 1.72          | -       | 38.09      | 17.81      | 52.10      |
| AV   | 21.25884G    | 47.52             | 63.54             | -16.02         | 43.72         | 1           | Horizontal | 208            | 1.72          | -       | 38.09      | 17.81      | 52.10      |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 5985MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9186G      | 64.28             | 88.20             | -23.92         | 55.36         | 3           | Vertical  | 134            | 1.80          | -       | 35.37      | 6.36       | 32.81      |
| RMS  | 5.9186G      | 53.93             | 68.20             | -14.27         | 45.01         | 3           | Vertical  | 134            | 1.80          | -       | 35.37      | 6.36       | 32.81      |
| PK   | 5.9994G      | 111.12            | Inf               | -Inf           | 102.06        | 3           | Vertical  | 134            | 1.80          | -       | 35.50      | 6.40       | 32.84      |
| RMS  | 5.9586G      | 99.84             | Inf               | -Inf           | 90.78         | 3           | Vertical  | 134            | 1.80          | -       | 35.50      | 6.38       | 32.82      |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 5985MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9154G      | 69.96             | 88.20             | -18.24         | 61.05         | 3           | Horizontal | 46             | 1.80          | -       | 35.36      | 6.36       | 32.81      |
| RMS  | 5.9146G      | 58.25             | 68.20             | -9.95          | 49.34         | 3           | Horizontal | 46             | 1.80          | -       | 35.36      | 6.36       | 32.81      |
| PK   | 5.9938G      | 116.84            | Inf               | -Inf           | 107.78        | 3           | Horizontal | 46             | 1.80          | -       | 35.50      | 6.40       | 32.84      |
| RMS  | 6.0146G      | 106.43            | Inf               | -Inf           | 97.33         | 3           | Horizontal | 46             | 1.80          | -       | 35.53      | 6.41       | 32.84      |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 5985MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.97G       | 56.10             | 74.00             | -17.90         | 51.36         | 3           | Vertical  | 127            | 1.75          | -       | 38.87      | 9.09       | 43.22      |
| AV   | 11.96996G    | 47.55             | 54.00             | -6.45          | 42.81         | 3           | Vertical  | 127            | 1.75          | -       | 38.87      | 9.09       | 43.22      |
| PK   | 17.94828G    | 61.15             | 74.00             | -12.85         | 47.90         | 3           | Vertical  | 330            | 1.80          | -       | 43.04      | 11.48      | 41.27      |
| AV   | 17.99468G    | 47.15             | 54.00             | -6.85          | 33.58         | 3           | Vertical  | 330            | 1.80          | -       | 43.27      | 11.50      | 41.20      |

# 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

## 5985MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.96988G    | 57.00             | 74.00             | -17.00         | 52.26         | 3           | Horizontal | 21             | 1.80          | -       | 38.87      | 9.09       | 43.22      |
| AV   | 11.96996G    | 50.66             | 54.00             | -3.34          | 45.92         | 3           | Horizontal | 21             | 1.80          | -       | 38.87      | 9.09       | 43.22      |
| PK   | 17.9634G     | 60.96             | 74.00             | -13.04         | 47.60         | 3           | Horizontal | 59             | 1.80          | -       | 43.12      | 11.49      | 41.25      |
| AV   | 17.94712G    | 47.23             | 54.00             | -6.77          | 33.98         | 3           | Horizontal | 59             | 1.80          | -       | 43.04      | 11.48      | 41.27      |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6145MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.29014G    | 54.16             | 74.00             | -19.84         | 49.31         | 3           | Vertical  | 305            | 1.73          | -       | 38.81      | 9.22       | 43.18      |
| AV   | 12.2899G     | 43.91             | 54.00             | -10.09         | 39.06         | 3           | Vertical  | 305            | 1.73          | -       | 38.81      | 9.22       | 43.18      |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6145MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.28995G    | 55.41             | 74.00             | -18.59         | 50.56         | 3           | Horizontal | 196            | 2.22          | -       | 38.81      | 9.22       | 43.18      |
| AV   | 12.28989G    | 45.98             | 54.00             | -8.02          | 41.13         | 3           | Horizontal | 196            | 2.22          | -       | 38.81      | 9.22       | 43.18      |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6145MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.38388G    | 50.08             | 83.54             | -33.46         | 46.07         | 1           | Vertical  | 246            | 1.50          | -       | 37.55      | 16.60      | 50.14      |
| AV   | 18.38388G    | 44.19             | 63.54             | -19.35         | 40.18         | 1           | Vertical  | 246            | 1.50          | -       | 37.55      | 16.60      | 50.14      |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6145MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-M-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.38388G    | 55.56             | 83.54             | -27.98         | 51.55         | 1           | Horizontal | 146            | 1.50          | -       | 37.55      | 16.60      | 50.14      |
| AV   | 18.38388G    | 52.60             | 63.54             | -10.94         | 48.59         | 1           | Horizontal | 146            | 1.50          | -       | 37.55      | 16.60      | 50.14      |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6385MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.77001G    | 56.24             | 88.20             | -31.96         | 50.17         | 3           | Vertical  | 318            | 2.20          | -       | 39.54      | 9.41       | 42.88      |
| RMS  | 12.76999G    | 46.62             | 68.20             | -21.58         | 40.55         | 3           | Vertical  | 318            | 2.20          | -       | 39.54      | 9.41       | 42.88      |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6385MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.7699G     | 58.18             | 88.20             | -30.02         | 52.11         | 3           | Horizontal | 204            | 1.80          | -       | 39.54      | 9.41       | 42.88      |
| RMS  | 12.76989G    | 51.58             | 68.20             | -16.62         | 45.51         | 3           | Horizontal | 204            | 1.80          | -       | 39.54      | 9.41       | 42.88      |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6385MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.14412G    | 56.31             | 83.54             | -27.23         | 52.81         | 1           | Vertical  | 299            | 1.58          | -       | 37.56      | 16.91      | 50.97      |
| AV   | 19.143G      | 41.97             | 63.54             | -21.57         | 38.47         | 1           | Vertical  | 299            | 1.58          | -       | 37.56      | 16.91      | 50.97      |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6385MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.1436G     | 58.55             | 83.54             | -24.99         | 55.05         | 1           | Horizontal | 252            | 1.50          | -       | 37.56      | 16.91      | 50.97      |
| AV   | 19.1442G     | 43.96             | 63.54             | -19.58         | 40.46         | 1           | Horizontal | 252            | 1.50          | -       | 37.56      | 16.91      | 50.97      |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6465MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.93003G    | 56.18             | 88.20             | -32.02         | 49.67         | 3           | Vertical  | 314            | 2.23          | -       | 39.76      | 9.47       | 42.72      |
| RMS  | 12.92986G    | 45.80             | 68.20             | -22.40         | 39.29         | 3           | Vertical  | 314            | 2.23          | -       | 39.76      | 9.47       | 42.72      |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6465MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.92981G    | 57.33             | 88.20             | -30.87         | 50.82         | 3           | Horizontal | 206            | 1.80          | -       | 39.76      | 9.47       | 42.72      |
| RMS  | 12.92991G    | 49.04             | 68.20             | -19.16         | 42.53         | 3           | Horizontal | 206            | 1.80          | -       | 39.76      | 9.47       | 42.72      |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6465MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.3842G  | 54.49    | 83.54    | -29.05 | 51.09  | 1    | Vertical  | 298     | 1.56   | -       | 37.65 | 17.01 | 51.26 |
| AV   | 19.38384G | 40.36    | 63.54    | -23.18 | 36.96  | 1    | Vertical  | 298     | 1.56   | -       | 37.65 | 17.01 | 51.26 |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6465MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.38408G | 53.70    | 83.54    | -29.84 | 50.30  | 1    | Horizontal | 248     | 1.50   | -       | 37.65 | 17.01 | 51.26 |
| AV   | 19.38576G | 40.03    | 63.54    | -23.51 | 36.63  | 1    | Horizontal | 248     | 1.50   | -       | 37.65 | 17.01 | 51.26 |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.08976G    | 57.16             | 88.20             | -31.04         | 50.30         | 3           | Vertical  | 316            | 2.66          | -       | 39.99      | 9.54       | 42.67      |
| RMS  | 13.08986G    | 44.75             | 68.20             | -23.45         | 37.89         | 3           | Vertical  | 316            | 2.66          | -       | 39.99      | 9.54       | 42.67      |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.08963G    | 58.00             | 88.20             | -30.20         | 51.14         | 3           | Horizontal | 193            | 1.80          | -       | 39.99      | 9.54       | 42.67      |
| RMS  | 13.08992G    | 49.08             | 68.20             | -19.12         | 42.22         | 3           | Horizontal | 193            | 1.80          | -       | 39.99      | 9.54       | 42.67      |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.65432G    | 54.62             | 83.54             | -28.92         | 51.41         | 1           | Vertical  | 308            | 1.57          | -       | 37.64      | 17.12      | 51.55      |
| AV   | 19.6548G     | 40.91             | 63.54             | -22.63         | 37.70         | 1           | Vertical  | 308            | 1.57          | -       | 37.64      | 17.12      | 51.55      |

## 6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.64568G    | 55.71             | 83.54             | -27.83         | 52.51         | 1           | Horizontal | 283            | 1.50          | -       | 37.64      | 17.11      | 51.55      |
| AV   | 19.62552G    | 42.51             | 63.54             | -21.03         | 39.28         | 1           | Horizontal | 283            | 1.50          | -       | 37.65      | 17.11      | 51.53      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6625MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.24977G    | 56.52             | 88.20             | -31.68         | 49.37         | 3           | Vertical  | 198            | 1.80          | -       | 40.25      | 9.60       | 42.70      |
| RMS  | 13.24986G    | 43.11             | 68.20             | -25.09         | 35.96         | 3           | Vertical  | 198            | 1.80          | -       | 40.25      | 9.60       | 42.70      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6625MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.24987G    | 57.70             | 88.20             | -30.50         | 50.55         | 3           | Horizontal | 199            | 1.54          | -       | 40.25      | 9.60       | 42.70      |
| RMS  | 13.2499G     | 47.43             | 68.20             | -20.77         | 40.28         | 3           | Horizontal | 199            | 1.54          | -       | 40.25      | 9.60       | 42.70      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6625MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.89396G    | 55.62             | 83.54             | -27.92         | 52.71         | 1           | Vertical  | 267            | 1.53          | -       | 37.48      | 17.22      | 51.79      |
| AV   | 19.85292G    | 42.85             | 63.54             | -20.69         | 39.88         | 1           | Vertical  | 267            | 1.53          | -       | 37.52      | 17.20      | 51.75      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6625MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.8924G     | 59.44             | 83.54             | -24.10         | 56.52         | 1           | Horizontal | 272            | 1.50          | -       | 37.49      | 17.22      | 51.79      |
| AV   | 19.8924G     | 45.81             | 63.54             | -17.73         | 42.89         | 1           | Horizontal | 272            | 1.50          | -       | 37.49      | 17.22      | 51.79      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6705MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.41068G    | 56.40             | 88.20             | -31.80         | 49.08         | 3           | Vertical  | 201            | 1.80          | -       | 40.40      | 9.66       | 42.74      |
| RMS  | 13.40997G    | 42.16             | 68.20             | -26.04         | 34.84         | 3           | Vertical  | 201            | 1.80          | -       | 40.40      | 9.66       | 42.74      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6705MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.40997G    | 56.67             | 88.20             | -31.53         | 49.35         | 3           | Horizontal | 195            | 1.70          | -       | 40.40      | 9.66       | 42.74      |
| RMS  | 13.40984G    | 44.18             | 68.20             | -24.02         | 36.86         | 3           | Horizontal | 195            | 1.70          | -       | 40.40      | 9.66       | 42.74      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6705MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.1126G     | 59.07             | 83.54             | -24.47         | 56.19         | 1           | Vertical  | 268            | 1.50          | -       | 37.49      | 17.31      | 51.92      |
| AV   | 20.13192G    | 46.42             | 63.54             | -17.12         | 43.52         | 1           | Vertical  | 268            | 1.50          | -       | 37.51      | 17.32      | 51.93      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6705MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.13192G    | 60.00             | 83.54             | -23.54         | 57.10         | 1           | Horizontal | 280            | 1.51          | -       | 37.51      | 17.32      | 51.93      |
| AV   | 20.09208G    | 46.77             | 63.54             | -16.77         | 43.92         | 1           | Horizontal | 280            | 1.51          | -       | 37.47      | 17.30      | 51.92      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.56842G    | 55.93             | 88.20             | -32.27         | 48.52         | 3           | Vertical  | 215            | 1.80          | -       | 40.40      | 9.73       | 42.72      |
| RMS  | 13.56994G    | 42.61             | 68.20             | -25.59         | 35.20         | 3           | Vertical  | 215            | 1.80          | -       | 40.40      | 9.73       | 42.72      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.5705G     | 56.48             | 88.20             | -31.72         | 49.07         | 3           | Horizontal | 116            | 1.80          | -       | 40.40      | 9.73       | 42.72      |
| RMS  | 13.56988G    | 43.84             | 68.20             | -24.36         | 36.43         | 3           | Horizontal | 116            | 1.80          | -       | 40.40      | 9.73       | 42.72      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.34864G    | 60.67             | 83.54             | -22.87         | 57.59         | 1           | Vertical  | 228            | 1.50          | -       | 37.64      | 17.41      | 51.97      |
| AV   | 20.34876G    | 46.80             | 63.54             | -16.74         | 43.72         | 1           | Vertical  | 228            | 1.50          | -       | 37.64      | 17.41      | 51.97      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.32956G    | 65.15             | 83.54             | -18.39         | 62.09         | 1           | Horizontal | 214            | 1.50          | -       | 37.63      | 17.40      | 51.97      |
| AV   | 20.34924G    | 52.12             | 63.54             | -11.42         | 49.04         | 1           | Horizontal | 214            | 1.50          | -       | 37.64      | 17.41      | 51.97      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6865MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.72927G    | 57.13             | 88.20             | -31.07         | 49.47         | 3           | Vertical  | 53             | 1.80          | -       | 40.49      | 9.79       | 42.62      |
| RMS  | 13.72993G    | 43.60             | 68.20             | -24.60         | 35.94         | 3           | Vertical  | 53             | 1.80          | -       | 40.49      | 9.79       | 42.62      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6865MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.73001G    | 58.56             | 88.20             | -29.64         | 50.90         | 3           | Horizontal | 106            | 1.30          | -       | 40.49      | 9.79       | 42.62      |
| RMS  | 13.72992G    | 48.21             | 68.20             | -19.99         | 40.55         | 3           | Horizontal | 106            | 1.30          | -       | 40.49      | 9.79       | 42.62      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.56728G    | 53.75             | 83.54             | -29.79         | 50.52         | 1           | Vertical  | 285            | 1.65          | -       | 37.73      | 17.51      | 52.01      |
| AV   | 20.568G      | 40.01             | 63.54             | -23.53         | 36.78         | 1           | Vertical  | 285            | 1.65          | -       | 37.73      | 17.51      | 52.01      |

## 6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6865MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.61084G    | 59.65             | 83.54             | -23.89         | 56.40         | 1           | Horizontal | 208            | 1.48          | -       | 37.74      | 17.53      | 52.02      |
| AV   | 20.59032G    | 44.83             | 63.54             | -18.71         | 41.59         | 1           | Horizontal | 208            | 1.48          | -       | 37.74      | 17.52      | 52.02      |

## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6945MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.89005G    | 56.74             | 88.20             | -31.46         | 48.53         | 3           | Vertical  | 247            | 1.79          | -       | 40.88      | 9.86       | 42.53      |
| RMS  | 13.88989G    | 43.71             | 68.20             | -24.49         | 35.50         | 3           | Vertical  | 247            | 1.79          | -       | 40.88      | 9.86       | 42.53      |

## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6945MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.88987G    | 57.98             | 88.20             | -30.22         | 49.77         | 3           | Horizontal | 105            | 1.33          | -       | 40.88      | 9.86       | 42.53      |
| RMS  | 13.88988G    | 48.05             | 68.20             | -20.15         | 39.84         | 3           | Horizontal | 105            | 1.33          | -       | 40.88      | 9.86       | 42.53      |

## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6945MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83152G    | 53.07             | 83.54             | -30.47         | 49.56         | 1           | Vertical  | 298            | 1.50          | -       | 37.96      | 17.62      | 52.07      |
| AV   | 20.83092G    | 40.34             | 63.54             | -23.20         | 36.83         | 1           | Vertical  | 298            | 1.50          | -       | 37.96      | 17.62      | 52.07      |

## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 6945MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83092G    | 58.63             | 83.54             | -24.91         | 55.12         | 1           | Horizontal | 211            | 1.45          | -       | 37.96      | 17.62      | 52.07      |
| AV   | 20.83044G    | 45.08             | 63.54             | -18.46         | 41.57         | 1           | Horizontal | 211            | 1.45          | -       | 37.96      | 17.62      | 52.07      |

## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 7025MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0522G      | 111.19            | Inf               | -Inf           | 100.49        | 3           | Vertical  | 30             | 1.80          | -       | 36.80      | 6.95       | 33.05      |
| RMS  | 7.0522G      | 101.31            | Inf               | -Inf           | 90.61         | 3           | Vertical  | 30             | 1.80          | -       | 36.80      | 6.95       | 33.05      |
| PK   | 7.133G       | 66.88             | 88.20             | -21.32         | 55.91         | 3           | Vertical  | 30             | 1.80          | -       | 37.03      | 7.03       | 33.09      |
| RMS  | 7.1322G      | 56.19             | 68.20             | -12.01         | 45.22         | 3           | Vertical  | 30             | 1.80          | -       | 37.03      | 7.03       | 33.09      |

## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 7025MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9906G      | 114.48            | Inf               | -Inf           | 103.80        | 3           | Horizontal | 280            | 1.95          | -       | 36.80      | 6.90       | 33.02      |
| RMS  | 6.989G       | 103.77            | Inf               | -Inf           | 93.10         | 3           | Horizontal | 280            | 1.95          | -       | 36.80      | 6.89       | 33.02      |
| PK   | 7.1298G      | 67.87             | 88.20             | -20.33         | 56.91         | 3           | Horizontal | 280            | 1.95          | -       | 37.02      | 7.03       | 33.09      |
| RMS  | 7.1298G      | 56.56             | 68.20             | -11.64         | 45.60         | 3           | Horizontal | 280            | 1.95          | -       | 37.02      | 7.03       | 33.09      |

# 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

## 7025MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.0517G     | 57.38             | 88.20             | -30.82         | 48.86         | 3           | Vertical  | 33             | 1.68          | -       | 41.05      | 9.92       | 42.45      |
| RMS  | 14.04997G    | 44.50             | 68.20             | -23.70         | 35.98         | 3           | Vertical  | 33             | 1.68          | -       | 41.05      | 9.92       | 42.45      |

## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 7025MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.04996G    | 59.06             | 88.20             | -29.14         | 50.54         | 3           | Horizontal | 112            | 1.33          | -       | 41.05      | 9.92       | 42.45      |
| RMS  | 14.04987G    | 47.94             | 68.20             | -20.26         | 39.42         | 3           | Horizontal | 112            | 1.33          | -       | 41.05      | 9.92       | 42.45      |

## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 7025MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.07788G    | 51.94             | 83.54             | -31.60         | 48.07         | 1           | Vertical  | 292            | 1.48          | -       | 38.24      | 17.73      | 52.10      |
| AV   | 21.0786G     | 38.64             | 63.54             | -24.90         | 34.77         | 1           | Vertical  | 292            | 1.48          | -       | 38.24      | 17.73      | 52.10      |

## 6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

### 7025MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.051G      | 57.47             | 83.54             | -26.07         | 53.59         | 1           | Horizontal | 205            | 1.47          | -       | 38.26      | 17.72      | 52.10      |
| AV   | 21.07068G    | 44.19             | 63.54             | -19.35         | 40.32         | 1           | Horizontal | 205            | 1.47          | -       | 38.24      | 17.73      | 52.10      |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.918G       | 67.19             | 88.20             | -21.01         | 58.27         | 3           | Vertical  | 130            | 1.80          | -       | 35.37      | 6.36       | 32.81      |
| RMS  | 5.918G       | 56.62             | 68.20             | -11.58         | 47.70         | 3           | Vertical  | 130            | 1.80          | -       | 35.37      | 6.36       | 32.81      |
| PK   | 5.977G       | 105.67            | Inf               | -Inf           | 96.61         | 3           | Vertical  | 130            | 1.80          | -       | 35.50      | 6.39       | 32.83      |
| RMS  | 5.978G       | 95.97             | Inf               | -Inf           | 86.91         | 3           | Vertical  | 130            | 1.80          | -       | 35.50      | 6.39       | 32.83      |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.913G       | 76.18             | 88.20             | -12.02         | 67.28         | 3           | Horizontal | 28             | 1.80          | -       | 35.35      | 6.36       | 32.81      |
| RMS  | 5.913G       | 64.29             | 68.20             | -3.91          | 55.39         | 3           | Horizontal | 28             | 1.80          | -       | 35.35      | 6.36       | 32.81      |
| PK   | 6.073G       | 112.74            | Inf               | -Inf           | 103.54        | 3           | Horizontal | 28             | 1.80          | -       | 35.60      | 6.44       | 32.84      |
| RMS  | 6.093G       | 102.27            | Inf               | -Inf           | 93.06         | 3           | Horizontal | 28             | 1.80          | -       | 35.60      | 6.45       | 32.84      |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.04996G    | 54.65             | 74.00             | -19.35         | 49.89         | 3           | Vertical  | 305            | 1.79          | -       | 38.85      | 9.12       | 43.21      |
| AV   | 12.04988G    | 43.65             | 54.00             | -10.35         | 38.89         | 3           | Vertical  | 305            | 1.79          | -       | 38.85      | 9.12       | 43.21      |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.04976G    | 56.04             | 74.00             | -17.96         | 51.28         | 3           | Horizontal | 199            | 1.73          | -       | 38.85      | 9.12       | 43.21      |
| AV   | 12.04993G    | 44.87             | 54.00             | -9.13          | 40.11         | 3           | Horizontal | 199            | 1.73          | -       | 38.85      | 9.12       | 43.21      |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.08808G    | 50.63             | 83.54             | -32.91         | 46.37         | 1           | Vertical  | 310            | 1.60          | -       | 37.50      | 16.48      | 49.72      |
| AV   | 18.08868G    | 37.70             | 63.54             | -25.84         | 33.44         | 1           | Vertical  | 310            | 1.60          | -       | 37.50      | 16.48      | 49.72      |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.066G      | 49.87             | 83.54             | -33.67         | 45.59         | 1           | Horizontal | 228            | 1.51          | -       | 37.50      | 16.47      | 49.69      |
| AV   | 18.08724G    | 36.78             | 63.54             | -26.76         | 32.52         | 1           | Horizontal | 228            | 1.51          | -       | 37.50      | 16.48      | 49.72      |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.36984G    | 54.86             | 74.00             | -19.14         | 49.84         | 3           | Vertical  | 303            | 1.74          | -       | 38.94      | 9.25       | 43.17      |
| AV   | 12.3699G     | 44.83             | 54.00             | -9.17          | 39.81         | 3           | Vertical  | 303            | 1.74          | -       | 38.94      | 9.25       | 43.17      |

# 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

## 6185MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.36977G    | 53.96             | 74.00             | -20.04         | 48.94         | 3           | Horizontal | 220            | 3.00          | -       | 38.94      | 9.25       | 43.17      |
| AV   | 12.36988G    | 42.77             | 54.00             | -11.23         | 37.75         | 3           | Horizontal | 220            | 3.00          | -       | 38.94      | 9.25       | 43.17      |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 18.53952G | 47.54    | 83.54    | -36.00 | 43.60  | 1    | Vertical  | 214     | 1.47   | -       | 37.62 | 16.66 | 50.34 |
| AV   | 18.53916G | 34.29    | 63.54    | -29.25 | 30.35  | 1    | Vertical  | 214     | 1.47   | -       | 37.62 | 16.66 | 50.34 |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.54312G    | 50.73             | 83.54             | -32.81         | 46.79         | 1           | Horizontal | 213            | 1.63          | -       | 37.62      | 16.66      | 50.34      |
| AV   | 18.54204G    | 37.25             | 63.54             | -26.29         | 33.31         | 1           | Horizontal | 213            | 1.63          | -       | 37.62      | 16.66      | 50.34      |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.68989G    | 55.99             | 74.00             | -18.01         | 50.19         | 3           | Vertical  | 322            | 1.80          | -       | 39.38      | 9.38       | 42.96      |
| AV   | 12.68991G    | 45.27             | 54.00             | -8.73          | 39.47         | 3           | Vertical  | 322            | 1.80          | -       | 39.38      | 9.38       | 42.96      |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.689777G   | 58.09             | 74.00             | -15.91         | 52.29         | 3           | Horizontal | 203            | 2.27          | -       | 39.38      | 9.38       | 42.96      |
| AV   | 12.68988G    | 51.31             | 54.00             | -2.69          | 45.51         | 3           | Horizontal | 203            | 2.27          | -       | 39.38      | 9.38       | 42.96      |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.044G   | 54.00    | 83.54    | -29.54 | 50.46  | 1    | Vertical  | 297     | 1.56   | -       | 37.52 | 16.87 | 50.85 |
| AV   | 19.06344G | 39.86    | 63.54    | -23.68 | 36.33  | 1    | Vertical  | 297     | 1.56   | -       | 37.53 | 16.88 | 50.88 |

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.04088G    | 56.11             | 83.54             | -27.43         | 52.57         | 1           | Horizontal | 209            | 1.48          | -       | 37.52      | 16.87      | 50.85      |
| AV   | 19.0428G     | 42.34             | 63.54             | -21.20         | 38.80         | 1           | Horizontal | 209            | 1.48          | -       | 37.52      | 16.87      | 50.85      |

## 6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.01012G    | 56.77             | 88.20             | -31.43         | 50.01         | 3           | Vertical  | 318            | 2.67          | -       | 39.91      | 9.50       | 42.65      |
| RMS  | 13.00992G    | 46.04             | 68.20             | -22.16         | 39.28         | 3           | Vertical  | 318            | 2.67          | -       | 39.91      | 9.50       | 42.65      |

## 6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.00987G    | 57.56             | 88.20             | -30.64         | 50.80         | 3           | Horizontal | 191            | 1.80          | -       | 39.91      | 9.50       | 42.65      |
| RMS  | 13.00986G    | 48.98             | 68.20             | -19.22         | 42.22         | 3           | Horizontal | 191            | 1.80          | -       | 39.91      | 9.50       | 42.65      |

## 6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.54008G    | 48.13             | 83.54             | -35.41         | 44.82         | 1           | Vertical  | 286            | 1.50          | -       | 37.68      | 17.07      | 51.44      |
| AV   | 19.48596G    | 35.37             | 63.54             | -28.17         | 32.01         | 1           | Vertical  | 286            | 1.50          | -       | 37.69      | 17.05      | 51.38      |

## 6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.50516G    | 54.09             | 83.54             | -29.45         | 50.74         | 1           | Horizontal | 282            | 1.50          | -       | 37.70      | 17.06      | 51.41      |
| AV   | 19.52568G    | 38.94             | 63.54             | -24.60         | 35.61         | 1           | Horizontal | 282            | 1.50          | -       | 37.69      | 17.07      | 51.43      |

## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.33085G    | 55.97             | 74.00             | -18.03         | 48.73         | 3           | Vertical  | 198            | 1.80          | -       | 40.33      | 9.63       | 42.72      |
| AV   | 13.3298G     | 42.93             | 54.00             | -11.07         | 35.69         | 3           | Vertical  | 198            | 1.80          | -       | 40.33      | 9.63       | 42.72      |

## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.33012G    | 57.27             | 74.00             | -16.73         | 50.03         | 3           | Horizontal | 194            | 1.79          | -       | 40.33      | 9.63       | 42.72      |
| AV   | 13.32989G    | 45.41             | 54.00             | -8.59          | 38.17         | 3           | Horizontal | 194            | 1.79          | -       | 40.33      | 9.63       | 42.72      |

## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.9734G     | 55.38             | 83.54             | -28.16         | 52.58         | 1           | Vertical  | 222            | 1.64          | -       | 37.42      | 17.25      | 51.87      |
| AV   | 20.0124G     | 41.98             | 63.54             | -21.56         | 39.20         | 1           | Vertical  | 222            | 1.64          | -       | 37.41      | 17.27      | 51.90      |

## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.0126G     | 58.77             | 83.54             | -24.77         | 55.99         | 1           | Horizontal | 272            | 1.50          | -       | 37.41      | 17.27      | 51.90      |
| AV   | 19.9921G     | 44.83             | 63.54             | -18.71         | 42.05         | 1           | Horizontal | 272            | 1.50          | -       | 37.41      | 17.26      | 51.89      |

## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.64926G    | 57.33             | 88.20             | -30.87         | 49.84         | 3           | Vertical  | 216            | 1.80          | -       | 40.40      | 9.76       | 42.67      |
| RMS  | 13.6499G     | 43.80             | 68.20             | -24.40         | 36.31         | 3           | Vertical  | 216            | 1.80          | -       | 40.40      | 9.76       | 42.67      |

## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.64983G    | 58.25             | 88.20             | -29.95         | 50.76         | 3           | Horizontal | 104            | 1.28          | -       | 40.40      | 9.76       | 42.67      |
| RMS  | 13.64986G    | 47.49             | 68.20             | -20.71         | 40.00         | 3           | Horizontal | 104            | 1.28          | -       | 40.40      | 9.76       | 42.67      |

## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.4693G     | 55.89             | 83.54             | -27.65         | 52.73         | 1           | Vertical  | 283            | 1.66          | -       | 37.69      | 17.46      | 51.99      |
| AV   | 20.4501G     | 41.77             | 63.54             | -21.77         | 38.62         | 1           | Vertical  | 283            | 1.66          | -       | 37.68      | 17.46      | 51.99      |

# 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

## 6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.4697G | 58.21    | 83.54    | -25.33 | 55.05  | 1    | Horizontal | 207     | 1.48   | -       | 37.69 | 17.46 | 51.99 |
| AV   | 20.4701G | 45.29    | 63.54    | -18.25 | 42.13  | 1    | Horizontal | 207     | 1.48   | -       | 37.69 | 17.46 | 51.99 |

# 6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

## 6985MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.053G       | 107.53            | Inf               | -Inf           | 96.82         | 3           | Vertical  | 30             | 1.80          | -       | 36.81      | 6.95       | 33.05      |
| RMS  | 7.033G       | 98.36             | Inf               | -Inf           | 87.67         | 3           | Vertical  | 30             | 1.80          | -       | 36.80      | 6.93       | 33.04      |
| PK   | 7.132G       | 74.26             | 88.20             | -13.94         | 63.29         | 3           | Vertical  | 30             | 1.80          | -       | 37.03      | 7.03       | 33.09      |
| RMS  | 7.132G       | 64.97             | 68.20             | -3.23          | 54.00         | 3           | Vertical  | 30             | 1.80          | -       | 37.03      | 7.03       | 33.09      |

# 6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

## 6985MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.929G       | 111.90            | Inf               | -Inf           | 101.37        | 3           | Horizontal | 283            | 1.98          | -       | 36.67      | 6.86       | 33.00      |
| RMS  | 6.929G       | 101.88            | Inf               | -Inf           | 91.35         | 3           | Horizontal | 283            | 1.98          | -       | 36.67      | 6.86       | 33.00      |
| PK   | 7.13G        | 74.94             | 88.20             | -13.26         | 63.98         | 3           | Horizontal | 283            | 1.98          | -       | 37.02      | 7.03       | 33.09      |
| RMS  | 7.13G        | 64.36             | 68.20             | -3.84          | 53.40         | 3           | Horizontal | 283            | 1.98          | -       | 37.02      | 7.03       | 33.09      |

## 6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.96955G    | 57.51             | 88.20             | -30.69         | 49.13         | 3           | Vertical  | 86             | 1.66          | -       | 40.97      | 9.89       | 42.48      |
| RMS  | 13.96986G    | 43.59             | 68.20             | -24.61         | 35.21         | 3           | Vertical  | 86             | 1.66          | -       | 40.97      | 9.89       | 42.48      |

## 6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.97001G    | 58.17             | 88.20             | -30.03         | 49.79         | 3           | Horizontal | 105            | 1.32          | -       | 40.97      | 9.89       | 42.48      |
| RMS  | 13.96981G    | 47.26             | 68.20             | -20.94         | 38.88         | 3           | Horizontal | 105            | 1.32          | -       | 40.97      | 9.89       | 42.48      |

## 6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.9683G     | 51.34             | 83.54             | -32.20         | 47.51         | 1           | Vertical  | 213            | 1.50          | -       | 38.24      | 17.68      | 52.09      |
| AV   | 20.9491G     | 38.96             | 63.54             | -24.58         | 35.18         | 1           | Vertical  | 213            | 1.50          | -       | 38.20      | 17.67      | 52.09      |

## 6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.9503G     | 57.32             | 83.54             | -26.22         | 53.54         | 1           | Horizontal | 211            | 1.48          | -       | 38.20      | 17.67      | 52.09      |
| AV   | 20.97G       | 43.27             | 63.54             | -20.27         | 39.44         | 1           | Horizontal | 211            | 1.48          | -       | 38.24      | 17.68      | 52.09      |

## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6105MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.907G       | 65.64             | 88.20             | -22.56         | 56.76         | 3           | Vertical  | 14             | 1.80          | -       | 35.33      | 6.35       | 32.80      |
| RMS  | 5.909G       | 55.63             | 68.20             | -12.57         | 46.74         | 3           | Vertical  | 14             | 1.80          | -       | 35.34      | 6.35       | 32.80      |
| PK   | 6.069G       | 103.29            | Inf               | -Inf           | 94.10         | 3           | Vertical  | 14             | 1.80          | -       | 35.60      | 6.43       | 32.84      |
| RMS  | 6.069G       | 92.62             | Inf               | -Inf           | 83.43         | 3           | Vertical  | 14             | 1.80          | -       | 35.60      | 6.43       | 32.84      |

## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6105MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.913G       | 74.74             | 88.20             | -13.46         | 65.84         | 3           | Horizontal | 29             | 1.80          | -       | 35.35      | 6.36       | 32.81      |
| RMS  | 5.913G       | 63.15             | 68.20             | -5.05          | 54.25         | 3           | Horizontal | 29             | 1.80          | -       | 35.35      | 6.36       | 32.81      |
| PK   | 6.113G       | 109.67            | Inf               | -Inf           | 100.42        | 3           | Horizontal | 29             | 1.80          | -       | 35.63      | 6.46       | 32.84      |
| RMS  | 6.153G       | 99.88             | Inf               | -Inf           | 90.54         | 3           | Horizontal | 29             | 1.80          | -       | 35.71      | 6.48       | 32.85      |

## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6105MHz\_TX



EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.20982G    | 54.72             | 74.00             | -19.28         | 49.84         | 3           | Vertical  | 305            | 1.74          | -       | 38.89      | 9.18       | 43.19      |
| AV   | 12.20992G    | 44.25             | 54.00             | -9.75          | 39.37         | 3           | Vertical  | 305            | 1.74          | -       | 38.89      | 9.18       | 43.19      |