


## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6105MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.20998G    | 55.08             | 74.00             | -18.92         | 50.20         | 3           | Horizontal | 202            | 1.72          | -       | 38.89      | 9.18       | 43.19      |
| AV   | 12.20994G    | 44.46             | 54.00             | -9.54          | 39.58         | 3           | Horizontal | 202            | 1.72          | -       | 38.89      | 9.18       | 43.19      |

## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6105MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.3273G     | 49.13             | 83.54             | -34.41         | 45.09         | 1           | Vertical  | 276            | 1.54          | -       | 37.53      | 16.57      | 50.06      |
| AV   | 18.3072G     | 35.64             | 63.54             | -27.90         | 31.58         | 1           | Vertical  | 276            | 1.54          | -       | 37.52      | 16.57      | 50.03      |

## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6105MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.3273G     | 49.43             | 83.54             | -34.11         | 45.39         | 1           | Horizontal | 277            | 1.50          | -       | 37.53      | 16.57      | 50.06      |
| AV   | 18.3263G     | 35.75             | 63.54             | -27.79         | 31.71         | 1           | Horizontal | 277            | 1.50          | -       | 37.53      | 16.57      | 50.06      |

## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6265MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.52998G    | 56.43             | 74.00             | -17.57         | 51.11         | 3           | Vertical  | 304            | 1.72          | -       | 39.13      | 9.31       | 43.12      |
| AV   | 12.52989G    | 46.66             | 54.00             | -7.34          | 41.34         | 3           | Vertical  | 304            | 1.72          | -       | 39.13      | 9.31       | 43.12      |

## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6265MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.52991G    | 57.84             | 74.00             | -16.16         | 52.52         | 3           | Horizontal | 197            | 2.23          | -       | 39.13      | 9.31       | 43.12      |
| AV   | 12.5299G     | 50.78             | 54.00             | -3.22          | 45.46         | 3           | Horizontal | 197            | 2.23          | -       | 39.13      | 9.31       | 43.12      |

## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6265MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.7949G     | 47.83             | 83.54             | -35.71         | 43.99         | 1           | Vertical  | 58             | 1.55          | -       | 37.66      | 16.77      | 50.59      |
| AV   | 18.7947G     | 36.49             | 63.54             | -27.05         | 32.65         | 1           | Vertical  | 58             | 1.55          | -       | 37.66      | 16.77      | 50.59      |

## 5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6265MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.8005G     | 48.92             | 83.54             | -34.62         | 45.09         | 1           | Horizontal | 190            | 1.65          | -       | 37.66      | 16.77      | 50.60      |
| AV   | 18.795G      | 36.40             | 63.54             | -27.14         | 32.56         | 1           | Horizontal | 190            | 1.65          | -       | 37.66      | 16.77      | 50.59      |

## 6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6425MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.84984G    | 56.19             | 88.20             | -32.01         | 49.90         | 3           | Vertical  | 319            | 2.24          | -       | 39.65      | 9.44       | 42.80      |
| RMS  | 12.84994G    | 46.56             | 68.20             | -21.64         | 40.27         | 3           | Vertical  | 319            | 2.24          | -       | 39.65      | 9.44       | 42.80      |

## 6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6425MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.84999G    | 58.18             | 88.20             | -30.02         | 51.89         | 3           | Horizontal | 205            | 1.80          | -       | 39.65      | 9.44       | 42.80      |
| RMS  | 12.84994G    | 51.42             | 68.20             | -16.78         | 45.13         | 3           | Horizontal | 205            | 1.80          | -       | 39.65      | 9.44       | 42.80      |

## 6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6425MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.2959G     | 51.46             | 83.54             | -32.08         | 48.03         | 1           | Vertical  | 263            | 1.67          | -       | 37.62      | 16.97      | 51.16      |
| AV   | 19.2959G     | 44.13             | 63.54             | -19.41         | 40.70         | 1           | Vertical  | 263            | 1.67          | -       | 37.62      | 16.97      | 51.16      |

## 6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6425MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.2958G     | 49.19             | 83.54             | -34.35         | 45.75         | 1           | Horizontal | 253            | 1.57          | -       | 37.62      | 16.97      | 51.15      |
| AV   | 19.2958G     | 40.20             | 63.54             | -23.34         | 36.76         | 1           | Horizontal | 253            | 1.57          | -       | 37.62      | 16.97      | 51.15      |

## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6585MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.16955G    | 56.33             | 88.20             | -31.87         | 49.31         | 3           | Vertical  | 319            | 1.01          | -       | 40.14      | 9.57       | 42.69      |
| RMS  | 13.17G       | 43.45             | 68.20             | -24.75         | 36.43         | 3           | Vertical  | 319            | 1.01          | -       | 40.14      | 9.57       | 42.69      |

## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6585MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.16994G    | 58.21             | 88.20             | -29.99         | 51.19         | 3           | Horizontal | 196            | 1.80          | -       | 40.14      | 9.57       | 42.69      |
| RMS  | 13.16995G    | 47.99             | 68.20             | -20.21         | 40.97         | 3           | Horizontal | 196            | 1.80          | -       | 40.14      | 9.57       | 42.69      |

## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6585MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.7932G     | 55.25             | 83.54             | -28.29         | 52.19         | 1           | Vertical  | 303            | 1.56          | -       | 37.57      | 17.18      | 51.69      |
| AV   | 19.7938G     | 38.99             | 63.54             | -24.55         | 35.94         | 1           | Vertical  | 303            | 1.56          | -       | 37.56      | 17.18      | 51.69      |

## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6585MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.7724G     | 53.85             | 83.54             | -29.69         | 50.77         | 1           | Horizontal | 284            | 1.50          | -       | 37.58      | 17.17      | 51.67      |
| AV   | 19.7526G     | 38.05             | 63.54             | -25.49         | 34.94         | 1           | Horizontal | 284            | 1.50          | -       | 37.60      | 17.16      | 51.65      |

## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6745MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.49085G    | 56.07             | 88.20             | -32.13         | 48.73         | 3           | Vertical  | 43             | 1.80          | -       | 40.40      | 9.70       | 42.76      |
| RMS  | 13.48965G    | 42.03             | 68.20             | -26.17         | 34.69         | 3           | Vertical  | 43             | 1.80          | -       | 40.40      | 9.70       | 42.76      |

## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6745MHz\_TX




EUT X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.48994G    | 57.76             | 88.20             | -30.44         | 50.42         | 3           | Horizontal | 236            | 1.86          | -       | 40.40      | 9.70       | 42.76      |
| RMS  | 13.4899G     | 44.58             | 68.20             | -23.62         | 37.24         | 3           | Horizontal | 236            | 1.86          | -       | 40.40      | 9.70       | 42.76      |

## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6745MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.269G      | 57.18             | 83.54             | -26.36         | 54.14         | 1           | Vertical  | 227            | 1.50          | -       | 37.61      | 17.38      | 51.95      |
| AV   | 20.2692G     | 41.45             | 63.54             | -22.09         | 38.41         | 1           | Vertical  | 227            | 1.50          | -       | 37.61      | 17.38      | 51.95      |

## 6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6745MHz\_TX




EUT\_X\_4TX  
Setting 20  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.2686G     | 60.13             | 83.54             | -23.41         | 57.09         | 1           | Horizontal | 246            | 1.50          | -       | 37.61      | 17.38      | 51.95      |
| AV   | 20.2682G     | 44.09             | 63.54             | -19.45         | 41.05         | 1           | Horizontal | 246            | 1.50          | -       | 37.61      | 17.38      | 51.95      |

## 6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6905MHz\_TX




EUT\_X\_4TX  
Setting 18.5  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0418G      | 105.04            | Inf               | -Inf           | 94.34         | 3           | Vertical  | 292            | 1.19          | -       | 36.80      | 6.94       | 33.04      |
| RMS  | 7.043G       | 94.59             | Inf               | -Inf           | 83.89         | 3           | Vertical  | 292            | 1.19          | -       | 36.80      | 6.94       | 33.04      |
| PK   | 7.1414G      | 69.18             | 88.20             | -19.02         | 58.16         | 3           | Vertical  | 292            | 1.19          | -       | 37.07      | 7.04       | 33.09      |
| RMS  | 7.1402G      | 59.13             | 68.20             | -9.07          | 48.12         | 3           | Vertical  | 292            | 1.19          | -       | 37.06      | 7.04       | 33.09      |

## 6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6905MHz\_TX




EUT\_X\_4TX  
Setting 18.5  
01-F-W-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.869G       | 106.34            | Inf               | -Inf           | 95.99         | 3           | Horizontal | 285            | 1.80          | -       | 36.50      | 6.83       | 32.98      |
| RMS  | 6.8702G      | 96.72             | Inf               | -Inf           | 86.36         | 3           | Horizontal | 285            | 1.80          | -       | 36.50      | 6.84       | 32.98      |
| PK   | 7.1894G      | 69.29             | 88.20             | -18.91         | 58.06         | 3           | Horizontal | 285            | 1.80          | -       | 37.26      | 7.09       | 33.12      |
| RMS  | 7.1426G      | 58.76             | 68.20             | -9.44          | 47.74         | 3           | Horizontal | 285            | 1.80          | -       | 37.07      | 7.04       | 33.09      |

## 6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6905MHz\_TX




EUT\_X\_4TX  
Setting 18.5  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.80815G    | 57.41             | 88.20             | -30.79         | 49.45         | 3           | Vertical  | 252            | 1.80          | -       | 40.72      | 9.82       | 42.58      |
| RMS  | 13.80992G    | 43.75             | 68.20             | -24.45         | 35.78         | 3           | Vertical  | 252            | 1.80          | -       | 40.72      | 9.82       | 42.57      |

## 6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6905MHz\_TX




EUT\_X\_4TX  
Setting 18.5  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.80972G    | 58.56             | 88.20             | -29.64         | 50.59         | 3           | Horizontal | 105            | 1.38          | -       | 40.72      | 9.82       | 42.57      |
| RMS  | 13.80995G    | 48.33             | 68.20             | -19.87         | 40.36         | 3           | Horizontal | 105            | 1.38          | -       | 40.72      | 9.82       | 42.57      |

## 6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6905MHz\_TX




EUT\_X\_4TX  
Setting 18.5  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.72G       | 50.76             | 83.54             | -32.78         | 47.44         | 1           | Vertical  | 284            | 1.50          | -       | 37.79      | 17.57      | 52.04      |
| AV   | 20.7198G     | 42.05             | 63.54             | -21.49         | 38.73         | 1           | Vertical  | 284            | 1.50          | -       | 37.79      | 17.57      | 52.04      |

## 6.875-7.125GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

### 6905MHz\_TX



EUT\_X\_4TX  
Setting 18.5  
01-F-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.7372G     | 54.41             | 83.54             | -29.13         | 51.09         | 1           | Horizontal | 210            | 1.51          | -       | 37.79      | 17.58      | 52.05      |
| AV   | 20.72G       | 44.64             | 63.54             | -18.90         | 41.32         | 1           | Horizontal | 210            | 1.51          | -       | 37.79      | 17.57      | 52.04      |




**Summary**

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 6.875-7.125GHz                    | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX | Pass   | RMS  | 7.1255G      | 67.52             | 68.20             | -0.68          | 3           | Horizontal | 49             | 1.48          | BP 1MHz  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.871G       | 61.86             | 88.20             | -26.34         | 55.18         | 3           | Vertical  | 4              | 2.26          | -       | 34.38      | 7.24       | 34.94      |  |  |  |
| RMS  | 5.9198G      | 50.65             | 68.20             | -17.55         | 43.80         | 3           | Vertical  | 4              | 2.26          | -       | 34.54      | 7.26       | 34.95      |  |  |  |
| PK   | 5.9612G      | 105.27            | Inf               | -Inf           | 98.33         | 3           | Vertical  | 4              | 2.26          | -       | 34.62      | 7.28       | 34.96      |  |  |  |
| RMS  | 5.963G       | 95.54             | Inf               | -Inf           | 88.59         | 3           | Vertical  | 4              | 2.26          | -       | 34.63      | 7.28       | 34.96      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9216G      | 61.61             | 88.20             | -26.59         | 54.76         | 3           | Horizontal | 44             | 1.63          | -       | 34.54      | 7.26       | 34.95      |  |  |  |
| RMS  | 5.9198G      | 50.72             | 68.20             | -17.48         | 43.87         | 3           | Horizontal | 44             | 1.63          | -       | 34.54      | 7.26       | 34.95      |  |  |  |
| PK   | 5.9592G      | 111.19            | Inf               | -Inf           | 104.25        | 3           | Horizontal | 44             | 1.63          | -       | 34.62      | 7.28       | 34.96      |  |  |  |
| RMS  | 5.9634G      | 99.93             | Inf               | -Inf           | 92.98         | 3           | Horizontal | 44             | 1.63          | -       | 34.63      | 7.28       | 34.96      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.90951G    | 58.69             | 74.00             | -15.31         | 49.49         | 3           | Vertical  | 129            | 1.66          | -       | 39.38      | 13.05      | 43.23      |  |  |  |
| AV   | 11.90991G    | 48.18             | 54.00             | -5.82          | 38.98         | 3           | Vertical  | 129            | 1.66          | -       | 39.38      | 13.05      | 43.23      |  |  |  |
| PK   | 17.8591G     | 56.12             | 74.00             | -17.88         | 35.09         | 3           | Vertical  | 238            | 1.56          | -       | 44.62      | 17.82      | 41.41      |  |  |  |
| AV   | 17.86738G    | 44.48             | 54.00             | -9.52          | 23.43         | 3           | Vertical  | 238            | 1.56          | -       | 44.63      | 17.82      | 41.40      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.91007G    | 59.26             | 74.00             | -14.74         | 50.06         | 3           | Horizontal | 15             | 1.76          | -       | 39.38      | 13.05      | 43.23      |  |  |  |
| AV   | 11.9098G     | 48.79             | 54.00             | -5.21          | 39.59         | 3           | Horizontal | 15             | 1.76          | -       | 39.38      | 13.05      | 43.23      |  |  |  |
| PK   | 17.85512G    | 56.00             | 74.00             | -18.00         | 35.00         | 3           | Horizontal | 332            | 2.05          | -       | 44.61      | 17.81      | 41.42      |  |  |  |
| AV   | 17.87436G    | 44.48             | 54.00             | -9.52          | 23.40         | 3           | Horizontal | 332            | 2.05          | -       | 44.65      | 17.82      | 41.39      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.81976G | 53.27    | 83.54    | -30.27 | 45.78  | 1    | Vertical  | 214     | 1.50   | -       | 38.80 | 18.96 | 50.27 |  |  |  |
| AV   | 23.81979G | 49.36    | 63.54    | -14.18 | 41.87  | 1    | Vertical  | 214     | 1.50   | -       | 38.80 | 18.96 | 50.27 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.8197G  | 58.69    | 83.54    | -24.85 | 51.20  | 1    | Horizontal | 358     | 1.45   | -       | 38.80 | 18.96 | 50.27 |  |  |  |
| AV   | 23.81979G | 57.20    | 63.54    | -6.34  | 49.71  | 1    | Horizontal | 358     | 1.45   | -       | 38.80 | 18.96 | 50.27 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.34784G | 58.62    | 74.00    | -15.38 | 49.61  | 3    | Vertical  | 133     | 1.80   | -       | 38.80 | 13.38 | 43.17 |  |  |  |
| AV   | 12.34976G | 47.15    | 54.00    | -6.85  | 38.14  | 3    | Vertical  | 133     | 1.80   | -       | 38.80 | 13.38 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.35003G | 58.23    | 74.00    | -15.77 | 49.22  | 3    | Horizontal | 46      | 1.58   | -       | 38.80 | 13.38 | 43.17 |  |  |  |
| AV   | 12.34983G | 48.13    | 54.00    | -5.87  | 39.12  | 3    | Horizontal | 46      | 1.58   | -       | 38.80 | 13.38 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.52491G | 47.46    | 83.54    | -36.08 | 43.51  | 1    | Vertical  | 239     | 1.52   | -       | 37.61 | 16.66 | 50.32 |  |  |  |
| AV   | 18.52479G | 39.56    | 63.54    | -23.98 | 35.61  | 1    | Vertical  | 239     | 1.52   | -       | 37.61 | 16.66 | 50.32 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6175MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.52494G | 48.52    | 83.54    | -35.02 | 44.57  | 1    | Horizontal | 320     | 1.50   | -       | 37.61 | 16.66 | 50.32 |  |  |  |
| AV   | 18.52482G | 39.87    | 63.54    | -23.67 | 35.92  | 1    | Horizontal | 320     | 1.50   | -       | 37.61 | 16.66 | 50.32 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.82986G    | 59.13             | 88.20             | -29.07         | 49.03         | 3           | Vertical  | 120            | 2.17          | -       | 39.16      | 13.76      | 42.82      |  |  |  |
| RMS  | 12.82988G    | 48.79             | 68.20             | -19.41         | 38.69         | 3           | Vertical  | 120            | 2.17          | -       | 39.16      | 13.76      | 42.82      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.83G   | 60.24    | 88.20    | -27.96 | 50.14  | 3    | Horizontal | 34      | 1.55   | -       | 39.16 | 13.76 | 42.82 |  |  |  |
| RMS  | 12.8299G | 51.68    | 68.20    | -16.52 | 41.58  | 3    | Horizontal | 34      | 1.55   | -       | 39.16 | 13.76 | 42.82 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.24677G | 55.83    | 83.54    | -27.71 | 52.38  | 1    | Vertical  | 108     | 1.50   | -       | 37.60 | 16.95 | 51.10 |  |  |  |
| AV   | 19.24677G | 44.75    | 63.54    | -18.79 | 41.30  | 1    | Vertical  | 108     | 1.50   | -       | 37.60 | 16.95 | 51.10 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.25103G | 56.13    | 83.54    | -27.41 | 52.68  | 1    | Horizontal | 66      | 1.50   | -       | 37.60 | 16.95 | 51.10 |  |  |  |
| AV   | 19.24632G | 43.23    | 63.54    | -20.31 | 39.78  | 1    | Horizontal | 66      | 1.50   | -       | 37.60 | 16.95 | 51.10 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.87135G | 59.48    | 88.20    | -28.72 | 49.22  | 3    | Vertical  | 59      | 1.80   | -       | 39.24 | 13.80 | 42.78 |  |  |  |
| RMS  | 12.86978G | 48.67    | 68.20    | -19.53 | 38.41  | 3    | Vertical  | 59      | 1.80   | -       | 39.24 | 13.80 | 42.78 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.86973G    | 60.73             | 88.20             | -27.47         | 50.47         | 3           | Horizontal | 33             | 1.89          | -       | 39.24      | 13.80      | 42.78      |  |  |  |
| RMS  | 12.86991G    | 52.94             | 68.20             | -15.26         | 42.68         | 3           | Horizontal | 33             | 1.89          | -       | 39.24      | 13.80      | 42.78      |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.29591G | 50.02    | 83.54    | -33.52 | 46.59  | 1    | Vertical  | 60      | 1.50   | -       | 37.62 | 16.97 | 51.16 |  |  |  |
| AV   | 19.29585G | 43.05    | 63.54    | -20.49 | 39.62  | 1    | Vertical  | 60      | 1.50   | -       | 37.62 | 16.97 | 51.16 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.3071G     | 54.13             | 83.54             | -29.41         | 50.70         | 1           | Horizontal | 48             | 1.49          | -       | 37.62      | 16.98      | 51.17      |  |  |  |
| AV   | 19.30887G    | 43.21             | 63.54             | -20.33         | 39.78         | 1           | Horizontal | 48             | 1.49          | -       | 37.62      | 16.98      | 51.17      |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.94979G | 58.87    | 88.20    | -29.33 | 48.31  | 3    | Vertical  | 63      | 1.84   | -       | 39.40 | 13.86 | 42.70 |  |  |  |
| RMS  | 12.94984G | 47.35    | 68.20    | -20.85 | 36.79  | 3    | Vertical  | 63      | 1.84   | -       | 39.40 | 13.86 | 42.70 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.95G    | 60.43    | 88.20    | -27.77 | 49.87  | 3    | Horizontal | 35      | 1.80   | -       | 39.40 | 13.86 | 42.70 |  |  |  |
| RMS  | 12.94989G | 51.43    | 68.20    | -16.77 | 40.87  | 3    | Horizontal | 35      | 1.80   | -       | 39.40 | 13.86 | 42.70 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.42137G | 52.64    | 83.54    | -30.90 | 49.26  | 1    | Vertical  | 70      | 1.50   | -       | 37.67 | 17.02 | 51.31 |  |  |  |
| AV   | 19.42566G | 41.22    | 63.54    | -22.32 | 37.84  | 1    | Vertical  | 70      | 1.50   | -       | 37.67 | 17.02 | 51.31 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.4215G  | 54.03    | 83.54    | -29.51 | 50.65  | 1    | Horizontal | 89      | 1.50   | -       | 37.67 | 17.02 | 51.31 |  |  |  |
| AV   | 19.43015G | 42.97    | 63.54    | -20.57 | 39.59  | 1    | Horizontal | 89      | 1.50   | -       | 37.67 | 17.03 | 51.32 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.02988G | 59.90    | 88.20    | -28.30 | 49.08  | 3    | Vertical  | 266     | 2.12   | -       | 39.56 | 13.92 | 42.66 |  |  |  |
| RMS  | 13.02986G | 49.83    | 68.20    | -18.37 | 39.01  | 3    | Vertical  | 266     | 2.12   | -       | 39.56 | 13.92 | 42.66 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.03002G    | 60.60             | 88.20             | -27.60         | 49.78         | 3           | Horizontal | 29             | 1.80          | -       | 39.56      | 13.92      | 42.66      |  |  |  |
| RMS  | 13.02992G    | 52.55             | 68.20             | -15.65         | 41.73         | 3           | Horizontal | 29             | 1.80          | -       | 39.56      | 13.92      | 42.66      |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.54572G | 55.20    | 83.54    | -28.34 | 51.90  | 1    | Vertical  | 68      | 1.50   | -       | 37.68 | 17.07 | 51.45 |  |  |  |
| AV   | 19.54413G | 44.25    | 63.54    | -19.29 | 40.94  | 1    | Vertical  | 68      | 1.50   | -       | 37.68 | 17.07 | 51.44 |  |  |  |

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.53545G | 54.92    | 83.54    | -28.62 | 51.60  | 1    | Horizontal | 69      | 1.70   | -       | 37.69 | 17.07 | 51.44 |  |  |  |
| AV   | 19.53995G | 44.79    | 63.54    | -18.75 | 41.48  | 1    | Horizontal | 69      | 1.70   | -       | 37.68 | 17.07 | 51.44 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.06995G | 60.60    | 88.20    | -27.60 | 49.67  | 3    | Vertical  | 279     | 2.86   | -       | 39.64 | 13.96 | 42.67 |  |  |  |
| RMS  | 13.06974G | 50.87    | 68.20    | -17.33 | 39.94  | 3    | Vertical  | 279     | 2.86   | -       | 39.64 | 13.96 | 42.67 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX



EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.06997G | 61.49    | 88.20    | -26.71 | 50.56  | 3    | Horizontal | 36      | 1.89   | -       | 39.64 | 13.96 | 42.67 |  |  |  |
| RMS  | 13.06987G | 53.31    | 68.20    | -14.89 | 42.38  | 3    | Horizontal | 36      | 1.89   | -       | 39.64 | 13.96 | 42.67 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.60164G | 56.15    | 83.54    | -27.39 | 52.89  | 1    | Vertical  | 107     | 1.50   | -       | 37.66 | 17.10 | 51.50 |  |  |  |
| AV   | 19.60194G | 44.86    | 63.54    | -18.68 | 41.60  | 1    | Vertical  | 107     | 1.50   | -       | 37.66 | 17.10 | 51.50 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.61103G    | 57.23             | 83.54             | -26.31         | 53.98         | 1           | Horizontal | 70             | 1.50          | -       | 37.66      | 17.10      | 51.51      |  |  |  |
| AV   | 19.60677G    | 44.91             | 63.54             | -18.63         | 41.66         | 1           | Horizontal | 70             | 1.50          | -       | 37.66      | 17.10      | 51.51      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT X\_4TX  
Setting 17  
02-F-W-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.3944G  | 56.91    | 74.00    | -17.09 | 39.12  | 3    | Vertical  | 314     | 1.80   | -       | 40.29 | 9.49 | 31.99 |  |  |  |
| AV   | 13.38994G | 44.13    | 54.00    | -9.87  | 26.35  | 3    | Vertical  | 314     | 1.80   | -       | 40.28 | 9.49 | 31.99 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT X\_4TX  
Setting 17  
02-F-W-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.38964G | 57.06    | 74.00    | -16.94 | 39.28  | 3    | Horizontal | 286     | 2.15   | -       | 40.28 | 9.49 | 31.99 |  |  |  |
| AV   | 13.38982G | 45.48    | 54.00    | -8.52  | 27.70  | 3    | Horizontal | 286     | 2.15   | -       | 40.28 | 9.49 | 31.99 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.09496G | 64.58    | 83.54    | -18.96 | 61.72  | 1    | Vertical  | 98      | 1.45   | -       | 37.48 | 17.30 | 51.92 |  |  |  |
| AV   | 20.0856G  | 52.82    | 63.54    | -10.72 | 49.97  | 1    | Vertical  | 98      | 1.45   | -       | 37.47 | 17.30 | 51.92 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.08248G    | 61.07             | 83.54             | -22.47         | 58.22         | 1           | Horizontal | 39             | 1.50          | -       | 37.47      | 17.30      | 51.92      |  |  |  |
| AV   | 20.0844G     | 49.27             | 63.54             | -14.27         | 46.42         | 1           | Horizontal | 39             | 1.50          | -       | 37.47      | 17.30      | 51.92      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.71014G | 60.98    | 88.20    | -27.22 | 48.53  | 3    | Vertical  | 218     | 1.80   | -       | 40.61 | 14.47 | 42.63 |  |  |  |
| RMS  | 13.70984G | 50.75    | 68.20    | -17.45 | 38.30  | 3    | Vertical  | 218     | 1.80   | -       | 40.61 | 14.47 | 42.63 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.70992G | 63.53    | 88.20    | -24.67 | 51.08  | 3    | Horizontal | 293     | 2.13   | -       | 40.61 | 14.47 | 42.63 |  |  |  |
| RMS  | 13.70983G | 56.54    | 68.20    | -11.66 | 44.09  | 3    | Horizontal | 293     | 2.13   | -       | 40.61 | 14.47 | 42.63 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.56491G    | 60.29             | 83.54             | -23.25         | 57.06         | 1           | Vertical  | 107            | 1.45          | -       | 37.73      | 17.51      | 52.01      |  |  |  |
| AV   | 20.5641G     | 49.60             | 63.54             | -13.94         | 46.37         | 1           | Vertical  | 107            | 1.45          | -       | 37.73      | 17.51      | 52.01      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.56023G | 59.75    | 83.54    | -23.79 | 56.54  | 1    | Horizontal | 41      | 1.49   | -       | 37.72 | 17.50 | 52.01 |  |  |  |
| AV   | 20.56332G | 48.35    | 63.54    | -15.19 | 45.12  | 1    | Horizontal | 41      | 1.49   | -       | 37.73 | 17.51 | 52.01 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7541G  | 60.84    | 88.20    | -27.36 | 48.30  | 3    | Vertical  | 48      | 2.68   | -       | 40.65 | 14.50 | 42.61 |  |  |  |
| RMS  | 13.74989G | 51.06    | 68.20    | -17.14 | 38.52  | 3    | Vertical  | 48      | 2.68   | -       | 40.65 | 14.50 | 42.61 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.74974G | 62.57    | 88.20    | -25.63 | 50.03  | 3    | Horizontal | 292     | 1.31   | -       | 40.65 | 14.50 | 42.61 |  |  |  |
| RMS  | 13.74988G | 54.51    | 68.20    | -13.69 | 41.97  | 3    | Horizontal | 292     | 1.31   | -       | 40.65 | 14.50 | 42.61 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.62416G    | 57.65             | 83.54             | -25.89         | 54.39         | 1           | Vertical  | 108            | 1.50          | -       | 37.75      | 17.53      | 52.02      |  |  |  |
| AV   | 20.62491G    | 45.82             | 63.54             | -17.72         | 42.56         | 1           | Vertical  | 108            | 1.50          | -       | 37.75      | 17.53      | 52.02      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.6202G  | 59.36    | 83.54    | -24.18 | 56.10  | 1    | Horizontal | 43      | 1.49   | -       | 37.75 | 17.53 | 52.02 |  |  |  |
| AV   | 20.62716G | 47.74    | 63.54    | -15.80 | 44.49  | 1    | Horizontal | 43      | 1.49   | -       | 37.75 | 17.53 | 52.03 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.98955G | 63.81    | 88.20    | -24.39 | 50.33  | 3    | Vertical  | 298     | 1.80   | -       | 41.26 | 14.69 | 42.47 |  |  |  |
| RMS  | 13.98972G | 51.47    | 68.20    | -16.73 | 37.99  | 3    | Vertical  | 298     | 1.80   | -       | 41.26 | 14.69 | 42.47 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.98985G    | 63.90             | 88.20             | -24.30         | 50.42         | 3           | Horizontal | 291            | 1.32          | -       | 41.26      | 14.69      | 42.47      |  |  |  |
| RMS  | 13.98982G    | 55.35             | 68.20             | -12.85         | 41.87         | 3           | Horizontal | 291            | 1.32          | -       | 41.26      | 14.69      | 42.47      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.99997G | 50.57    | 83.54    | -32.97 | 46.68  | 1    | Vertical  | 294     | 1.52   | -       | 38.30 | 17.69 | 52.10 |  |  |  |
| AV   | 20.99991G | 44.05    | 63.54    | -19.49 | 40.16  | 1    | Vertical  | 294     | 1.52   | -       | 38.30 | 17.69 | 52.10 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.99955G | 50.83    | 83.54    | -32.71 | 46.94  | 1    | Horizontal | 203     | 1.50   | -       | 38.30 | 17.69 | 52.10 |  |  |  |
| AV   | 20.99985G | 44.62    | 63.54    | -18.92 | 40.73  | 1    | Horizontal | 203     | 1.50   | -       | 38.30 | 17.69 | 52.10 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.78996G | 61.71    | 88.20    | -26.49 | 49.08  | 3    | Vertical  | 80      | 1.41   | -       | 40.69 | 14.53 | 42.59 |  |  |  |
| RMS  | 13.78988G | 52.00    | 68.20    | -16.20 | 39.37  | 3    | Vertical  | 80      | 1.41   | -       | 40.69 | 14.53 | 42.59 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.78984G | 63.33    | 88.20    | -24.87 | 50.70  | 3    | Horizontal | 282     | 1.00   | -       | 40.69 | 14.53 | 42.59 |  |  |  |
| RMS  | 13.78993G | 55.50    | 68.20    | -12.70 | 42.87  | 3    | Horizontal | 282     | 1.00   | -       | 40.69 | 14.53 | 42.59 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68371G | 56.21    | 83.54    | -27.33 | 52.92  | 1    | Vertical  | 108     | 1.49   | -       | 37.77 | 17.56 | 52.04 |  |  |  |
| AV   | 20.68056G | 44.71    | 63.54    | -18.83 | 41.42  | 1    | Vertical  | 108     | 1.49   | -       | 37.77 | 17.56 | 52.04 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT X\_4TX  
Setting 17  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68479G | 60.68    | 83.54    | -22.86 | 57.39  | 1    | Horizontal | 75      | 1.45   | -       | 37.77 | 17.56 | 52.04 |  |  |  |
| AV   | 20.68467G | 47.79    | 63.54    | -15.75 | 44.50  | 1    | Horizontal | 75      | 1.45   | -       | 37.77 | 17.56 | 52.04 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.1008G      | 108.37            | Inf               | -Inf           | 99.02         | 3           | Vertical  | 35             | 1.95          | -       | 35.90      | 8.50       | 35.05      |  |  |  |
| RMS  | 7.103G       | 97.82             | Inf               | -Inf           | 88.45         | 3           | Vertical  | 35             | 1.95          | -       | 35.91      | 8.51       | 35.05      |  |  |  |
| PK   | 7.141G       | 63.64             | 88.20             | -24.56         | 54.14         | 3           | Vertical  | 35             | 1.95          | -       | 35.98      | 8.58       | 35.06      |  |  |  |
| RMS  | 7.1934G      | 52.39             | 68.20             | -15.81         | 42.53         | 3           | Vertical  | 35             | 1.95          | -       | 36.26      | 8.69       | 35.09      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_X\_4TX  
Setting 17  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.1026G      | 113.86            | Inf               | -Inf           | 104.49        | 3           | Horizontal | 279            | 1.47          | -       | 35.91      | 8.51       | 35.05      |  |  |  |
| RMS  | 7.091G       | 102.19            | Inf               | -Inf           | 92.90         | 3           | Horizontal | 279            | 1.47          | -       | 35.85      | 8.48       | 35.04      |  |  |  |
| PK   | 7.1268G      | 64.24             | 88.20             | -23.96         | 54.80         | 3           | Horizontal | 279            | 1.47          | -       | 35.95      | 8.55       | 35.06      |  |  |  |
| RMS  | 7.195G       | 52.40             | 68.20             | -15.80         | 42.53         | 3           | Horizontal | 279            | 1.47          | -       | 36.27      | 8.69       | 35.09      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT X\_4TX  
Setting 17  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.1858G  | 63.48    | 88.20    | -24.72 | 49.27  | 3    | Vertical  | 77      | 1.76   | -       | 41.74 | 14.89 | 42.42 |  |  |  |
| RMS  | 14.18991G | 53.08    | 68.20    | -15.12 | 38.84  | 3    | Vertical  | 77      | 1.76   | -       | 41.76 | 14.89 | 42.41 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT X\_4TX  
Setting 17  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.18992G    | 63.85             | 88.20             | -24.35         | 49.61         | 3           | Horizontal | 300            | 1.80          | -       | 41.76      | 14.89      | 42.41      |  |  |  |
| RMS  | 14.18988G    | 54.05             | 68.20             | -14.15         | 39.81         | 3           | Horizontal | 300            | 1.80          | -       | 41.76      | 14.89      | 42.41      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT X\_4TX  
Setting 17  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.29118G | 52.36    | 83.54    | -31.18 | 48.57  | 1    | Vertical  | 202     | 1.63   | -       | 38.07 | 17.82 | 52.10 |  |  |  |
| AV   | 21.28182G | 41.39    | 63.54    | -22.15 | 37.60  | 1    | Vertical  | 202     | 1.63   | -       | 38.07 | 17.82 | 52.10 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT X\_4TX  
Setting 17  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.29064G    | 56.02             | 83.54             | -27.52         | 52.23         | 1           | Horizontal | 35             | 1.50          | -       | 38.07      | 17.82      | 52.10      |  |  |  |
| AV   | 21.28542G    | 43.64             | 63.54             | -19.90         | 39.85         | 1           | Horizontal | 35             | 1.50          | -       | 38.07      | 17.82      | 52.10      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 11  
03-J-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.10585G     | 93.55             | Inf               | -Inf           | 84.18         | 3           | Vertical  | 32             | 1.78          | -       | 35.91      | 8.51       | 35.05      |  |  |  |
| RMS  | 7.1057G      | 83.34             | Inf               | -Inf           | 73.97         | 3           | Vertical  | 32             | 1.78          | -       | 35.91      | 8.51       | 35.05      |  |  |  |
| PK   | 7.1255G      | 76.81             | 88.20             | -11.39         | 67.37         | 3           | Vertical  | 32             | 1.78          | BP 1MHz | 35.95      | 8.55       | 35.06      |  |  |  |
| RMS  | 7.1255G      | 62.24             | 68.20             | -5.96          | 52.80         | 3           | Vertical  | 32             | 1.78          | BP 1MHz | 35.95      | 8.55       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 11  
03-J-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.12243G     | 97.35             | Inf               | -Inf           | 87.93         | 3           | Horizontal | 49             | 1.48          | -       | 35.94      | 8.54       | 35.06      |  |  |  |
| RMS  | 7.10788G     | 88.28             | Inf               | -Inf           | 78.89         | 3           | Horizontal | 49             | 1.48          | -       | 35.92      | 8.52       | 35.05      |  |  |  |
| PK   | 7.1255G      | 83.42             | 88.20             | -4.78          | 73.98         | 3           | Horizontal | 49             | 1.48          | BP 1MHz | 35.95      | 8.55       | 35.06      |  |  |  |
| RMS  | 7.1255G      | 67.52             | 68.20             | -0.68          | 58.08         | 3           | Horizontal | 49             | 1.48          | BP 1MHz | 35.95      | 8.55       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT X\_4TX  
Setting 11  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.23262G    | 62.91             | 88.20             | -25.29         | 48.58         | 3           | Vertical  | 78             | 1.80          | -       | 41.80      | 14.93      | 42.40      |  |  |  |
| RMS  | 14.22986G    | 52.66             | 68.20             | -15.54         | 38.33         | 3           | Vertical  | 78             | 1.80          | -       | 41.80      | 14.93      | 42.40      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT X\_4TX  
Setting 11  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.23003G | 64.69    | 88.20    | -23.51 | 50.36  | 3    | Horizontal | 283     | 1.01   | -       | 41.80 | 14.93 | 42.40 |  |  |  |
| RMS  | 14.22986G | 55.49    | 68.20    | -12.71 | 41.16  | 3    | Horizontal | 283     | 1.01   | -       | 41.80 | 14.93 | 42.40 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_X\_4TX  
Setting 11  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.33954G | 48.61    | 83.54    | -34.93 | 44.84  | 1    | Vertical  | 265     | 1.51   | -       | 38.03 | 17.84 | 52.10 |  |  |  |
| AV   | 21.34482G | 39.64    | 63.54    | -23.90 | 35.88  | 1    | Vertical  | 265     | 1.51   | -       | 38.02 | 17.84 | 52.10 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT X\_4TX  
Setting 11  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34488G | 49.10    | 83.54    | -34.44 | 45.33  | 1    | Horizontal | 63      | 1.49   | -       | 38.02 | 17.85 | 52.10 |  |  |  |
| AV   | 21.34461G | 40.98    | 63.54    | -22.56 | 37.22  | 1    | Horizontal | 63      | 1.49   | -       | 38.02 | 17.84 | 52.10 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9224G      | 67.61             | 88.20             | -20.59         | 60.76         | 3           | Vertical  | 126            | 1.80          | -       | 34.54      | 7.26       | 34.95      |  |  |  |
| RMS  | 5.9242G      | 50.67             | 68.20             | -17.53         | 43.81         | 3           | Vertical  | 126            | 1.80          | -       | 34.55      | 7.26       | 34.95      |  |  |  |
| PK   | 5.949G       | 105.52            | Inf               | -Inf           | 98.61         | 3           | Vertical  | 126            | 1.80          | -       | 34.60      | 7.27       | 34.96      |  |  |  |
| RMS  | 5.9466G      | 94.17             | Inf               | -Inf           | 87.27         | 3           | Vertical  | 126            | 1.80          | -       | 34.59      | 7.27       | 34.96      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9238G | 70.66    | 88.20    | -17.54 | 63.80  | 3    | Horizontal | 44      | 1.64   | -       | 34.55 | 7.26 | 34.95 |  |  |  |
| RMS  | 5.925G  | 51.43    | 68.20    | -16.77 | 44.57  | 3    | Horizontal | 44      | 1.64   | -       | 34.55 | 7.26 | 34.95 |  |  |  |
| PK   | 5.9552G | 111.46   | Inf      | -Inf   | 104.53 | 3    | Horizontal | 44      | 1.64   | -       | 34.61 | 7.28 | 34.96 |  |  |  |
| RMS  | 5.9566G | 99.77    | Inf      | -Inf   | 92.84  | 3    | Horizontal | 44      | 1.64   | -       | 34.61 | 7.28 | 34.96 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.92954G    | 58.80             | 74.00             | -15.20         | 49.63         | 3           | Vertical  | 131            | 1.68          | -       | 39.34      | 13.06      | 43.23      |  |  |  |
| AV   | 11.93004G    | 46.93             | 54.00             | -7.07          | 37.76         | 3           | Vertical  | 131            | 1.68          | -       | 39.34      | 13.06      | 43.23      |  |  |  |
| PK   | 17.89986G    | 55.65             | 74.00             | -18.35         | 34.46         | 3           | Vertical  | 228            | 2.97          | -       | 44.70      | 17.84      | 41.35      |  |  |  |
| AV   | 17.88828G    | 43.82             | 54.00             | -10.18         | 22.67         | 3           | Vertical  | 228            | 2.97          | -       | 44.68      | 17.83      | 41.36      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.92977G    | 58.31             | 74.00             | -15.69         | 49.14         | 3           | Horizontal | 22             | 1.80          | -       | 39.34      | 13.06      | 43.23      |  |  |  |
| AV   | 11.92989G    | 49.29             | 54.00             | -4.71          | 40.12         | 3           | Horizontal | 22             | 1.80          | -       | 39.34      | 13.06      | 43.23      |  |  |  |
| PK   | 17.89488G    | 55.72             | 74.00             | -18.28         | 34.54         | 3           | Horizontal | 174            | 1.48          | -       | 44.69      | 17.84      | 41.35      |  |  |  |
| AV   | 17.89324G    | 43.82             | 54.00             | -10.18         | 22.65         | 3           | Horizontal | 174            | 1.48          | -       | 44.69      | 17.84      | 41.36      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.85961G | 53.56    | 83.54    | -29.98 | 46.04  | 1    | Vertical  | 215     | 1.50   | -       | 38.80 | 18.98 | 50.26 |  |  |  |
| AV   | 23.85982G | 49.78    | 63.54    | -13.76 | 42.26  | 1    | Vertical  | 215     | 1.50   | -       | 38.80 | 18.98 | 50.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.85982G | 59.08    | 83.54    | -24.46 | 51.56  | 1    | Horizontal | 357     | 1.50   | -       | 38.80 | 18.98 | 50.26 |  |  |  |
| AV   | 23.85988G | 55.45    | 63.54    | -8.09  | 47.93  | 1    | Horizontal | 357     | 1.50   | -       | 38.80 | 18.98 | 50.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.32988G | 58.05    | 74.00    | -15.95 | 49.06  | 3    | Vertical  | 135     | 1.80   | -       | 38.80 | 13.36 | 43.17 |  |  |  |
| AV   | 12.33002G | 46.72    | 54.00    | -7.28  | 37.73  | 3    | Vertical  | 135     | 1.80   | -       | 38.80 | 13.36 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.32986G | 58.96    | 74.00    | -15.04 | 49.97  | 3    | Horizontal | 45      | 1.68   | -       | 38.80 | 13.36 | 43.17 |  |  |  |
| AV   | 12.3298G  | 47.94    | 54.00    | -6.06  | 38.95  | 3    | Horizontal | 45      | 1.68   | -       | 38.80 | 13.36 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.49482G | 47.13    | 83.54    | -36.41 | 43.18  | 1    | Vertical  | 239     | 1.54   | -       | 37.60 | 16.64 | 50.29 |  |  |  |
| AV   | 18.4947G  | 38.43    | 63.54    | -25.11 | 34.48  | 1    | Vertical  | 239     | 1.54   | -       | 37.60 | 16.64 | 50.29 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6165MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.49473G | 47.65    | 83.54    | -35.89 | 43.70  | 1    | Horizontal | 314     | 1.50   | -       | 37.60 | 16.64 | 50.29 |  |  |  |
| AV   | 18.49494G | 36.75    | 63.54    | -26.79 | 32.80  | 1    | Horizontal | 314     | 1.50   | -       | 37.60 | 16.64 | 50.29 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.81239G | 59.04    | 88.20    | -29.16 | 49.01  | 3    | Vertical  | 92      | 1.80   | -       | 39.12 | 13.75 | 42.84 |  |  |  |
| RMS  | 12.80972G | 47.26    | 68.20    | -20.94 | 37.23  | 3    | Vertical  | 92      | 1.80   | -       | 39.12 | 13.75 | 42.84 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.80999G | 60.30    | 88.20    | -27.90 | 50.27  | 3    | Horizontal | 32      | 1.93   | -       | 39.12 | 13.75 | 42.84 |  |  |  |
| RMS  | 12.80993G | 51.48    | 68.20    | -16.72 | 41.45  | 3    | Horizontal | 32      | 1.93   | -       | 39.12 | 13.75 | 42.84 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.21596G | 53.87    | 83.54    | -29.67 | 50.40  | 1    | Vertical  | 107     | 1.50   | -       | 37.59 | 16.94 | 51.06 |  |  |  |
| AV   | 19.21791G | 40.49    | 63.54    | -23.05 | 37.02  | 1    | Vertical  | 107     | 1.50   | -       | 37.59 | 16.94 | 51.06 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.21485G | 55.30    | 83.54    | -28.24 | 51.83  | 1    | Horizontal | 153     | 1.50   | -       | 37.59 | 16.94 | 51.06 |  |  |  |
| AV   | 19.21602G | 41.58    | 63.54    | -21.96 | 38.11  | 1    | Horizontal | 153     | 1.50   | -       | 37.59 | 16.94 | 51.06 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.88978G | 59.35    | 88.20    | -28.85 | 49.02  | 3    | Vertical  | 269     | 2.07   | -       | 39.28 | 13.81 | 42.76 |  |  |  |
| RMS  | 12.88996G | 48.00    | 68.20    | -20.20 | 37.67  | 3    | Vertical  | 269     | 2.07   | -       | 39.28 | 13.81 | 42.76 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX



EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.88982G    | 60.33             | 88.20             | -27.87         | 50.00         | 3           | Horizontal | 37             | 1.90          | -       | 39.28      | 13.81      | 42.76      |  |  |  |
| RMS  | 12.88985G    | 50.33             | 68.20             | -17.87         | 40.00         | 3           | Horizontal | 37             | 1.90          | -       | 39.28      | 13.81      | 42.76      |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX



EUT X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.32963G    | 56.28             | 83.54             | -27.26         | 52.86         | 1           | Vertical  | 109            | 1.52          | -       | 37.63      | 16.99      | 51.20      |  |  |  |
| AV   | 19.33164G    | 41.18             | 63.54             | -22.36         | 37.76         | 1           | Vertical  | 109            | 1.52          | -       | 37.63      | 16.99      | 51.20      |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.33293G | 60.03    | 83.54    | -23.51 | 56.61  | 1    | Horizontal | 47      | 1.50   | -       | 37.63 | 16.99 | 51.20 |  |  |  |  |
| AV   | 19.33428G | 42.63    | 63.54    | -20.91 | 39.21  | 1    | Horizontal | 47      | 1.50   | -       | 37.63 | 16.99 | 51.20 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.96994G    | 59.03             | 88.20             | -29.17         | 48.39         | 3           | Vertical  | 122            | 2.16          | -       | 39.44      | 13.88      | 42.68      |  |  |  |
| RMS  | 12.96988G    | 48.13             | 68.20             | -20.07         | 37.49         | 3           | Vertical  | 122            | 2.16          | -       | 39.44      | 13.88      | 42.68      |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.96972G | 60.63    | 88.20    | -27.57 | 49.99  | 3    | Horizontal | 35      | 1.89   | -       | 39.44 | 13.88 | 42.68 |  |  |  |
| RMS  | 12.96991G | 51.79    | 68.20    | -16.41 | 41.15  | 3    | Horizontal | 35      | 1.89   | -       | 39.44 | 13.88 | 42.68 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.44666G | 52.19    | 83.54    | -31.35 | 48.82  | 1    | Vertical  | 70      | 1.49   | -       | 37.68 | 17.03 | 51.34 |  |  |  |
| AV   | 19.46136G | 38.82    | 63.54    | -24.72 | 35.45  | 1    | Vertical  | 70      | 1.49   | -       | 37.68 | 17.04 | 51.35 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.45674G | 56.17    | 83.54    | -27.37 | 52.80  | 1    | Horizontal | 49      | 1.50   | -       | 37.68 | 17.04 | 51.35 |  |  |  |
| AV   | 19.455G   | 41.80    | 63.54    | -21.74 | 38.43  | 1    | Horizontal | 49      | 1.50   | -       | 37.68 | 17.04 | 51.35 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.0538G  | 59.44    | 88.20    | -28.76 | 48.55  | 3    | Vertical  | 273.8   | 1.46   | -       | 39.61 | 13.94 | 42.66 |  |  |  |
| RMS  | 13.04991G | 47.96    | 68.20    | -20.24 | 37.08  | 3    | Vertical  | 273.8   | 1.46   | -       | 39.60 | 13.94 | 42.66 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.04982G | 61.00    | 88.20    | -27.20 | 50.12  | 3    | Horizontal | 35      | 1.86   | -       | 39.60 | 13.94 | 42.66 |  |  |  |
| RMS  | 13.04982G | 52.02    | 68.20    | -16.18 | 41.14  | 3    | Horizontal | 35      | 1.86   | -       | 39.60 | 13.94 | 42.66 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.56981G    | 54.40             | 83.54             | -29.14         | 51.12         | 1           | Vertical  | 107            | 1.50          | -       | 37.67      | 17.08      | 51.47      |  |  |  |
| AV   | 19.5801G     | 40.73             | 63.54             | -22.81         | 37.45         | 1           | Vertical  | 107            | 1.50          | -       | 37.67      | 17.09      | 51.48      |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.57428G    | 55.06             | 83.54             | -28.48         | 51.77         | 1           | Horizontal | 91             | 1.48          | -       | 37.67      | 17.09      | 51.47      |  |  |  |
| AV   | 19.57644G    | 41.12             | 63.54             | -22.42         | 37.84         | 1           | Horizontal | 91             | 1.48          | -       | 37.67      | 17.09      | 51.48      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.13383G    | 60.09             | 88.20             | -28.11         | 49.03         | 3           | Vertical  | 197            | 1.40          | -       | 39.73      | 14.01      | 42.68      |  |  |  |
| RMS  | 13.12985G    | 48.34             | 68.20             | -19.86         | 37.29         | 3           | Vertical  | 197            | 1.40          | -       | 39.73      | 14.00      | 42.68      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX



EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.13007G    | 61.40             | 88.20             | -26.80         | 50.35         | 3           | Horizontal | 31             | 1.89          | -       | 39.73      | 14.00      | 42.68      |  |  |  |
| RMS  | 13.12986G    | 52.71             | 68.20             | -15.49         | 41.66         | 3           | Horizontal | 31             | 1.89          | -       | 39.73      | 14.00      | 42.68      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX



EUT X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.70571G | 57.91    | 83.54    | -25.63 | 54.76  | 1    | Vertical  | 109     | 1.50   | -       | 37.62 | 17.14 | 51.61 |  |  |  |
| AV   | 19.69854G | 43.32    | 63.54    | -20.22 | 40.16  | 1    | Vertical  | 109     | 1.50   | -       | 37.62 | 17.14 | 51.60 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.69119G | 55.99    | 83.54    | -27.55 | 52.83  | 1    | Horizontal | 88      | 1.50   | -       | 37.62 | 17.13 | 51.59 |  |  |  |
| AV   | 19.69155G | 42.63    | 63.54    | -20.91 | 39.47  | 1    | Horizontal | 88      | 1.50   | -       | 37.62 | 17.13 | 51.59 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT X\_4TX  
Setting 19  
02-F-W-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.37094G | 57.45    | 74.00    | -16.55 | 39.71  | 3    | Vertical  | 204     | 1.42   | -       | 40.24 | 9.48 | 31.98 |  |  |  |
| AV   | 13.37004G | 43.28    | 54.00    | -10.72 | 25.54  | 3    | Vertical  | 204     | 1.42   | -       | 40.24 | 9.48 | 31.98 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT X\_4TX  
Setting 19  
02-F-W-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 13.37G    | 57.19    | 74.00    | -16.81 | 39.45  | 3    | Horizontal | 288     | 2.15   | -       | 40.24 | 9.48 | 31.98 |  |  |  |
| AV   | 13.36996G | 45.33    | 54.00    | -8.67  | 27.59  | 3    | Horizontal | 288     | 2.15   | -       | 40.24 | 9.48 | 31.98 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.0412G  | 60.70    | 83.54    | -22.84 | 57.90  | 1    | Vertical  | 4       | 1.50   | -       | 37.43 | 17.28 | 51.91 |  |  |  |
| AV   | 20.04066G | 46.68    | 63.54    | -16.86 | 43.88  | 1    | Vertical  | 4       | 1.50   | -       | 37.43 | 17.28 | 51.91 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.05476G | 60.04    | 83.54    | -23.50 | 57.23  | 1    | Horizontal | 43      | 1.50   | -       | 37.44 | 17.28 | 51.91 |  |  |  |
| AV   | 20.05671G | 45.54    | 63.54    | -18.00 | 42.72  | 1    | Horizontal | 43      | 1.50   | -       | 37.45 | 17.28 | 51.91 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.68874G | 60.47    | 88.20    | -27.73 | 48.09  | 3    | Vertical  | 51.8    | 1.78   | -       | 40.58 | 14.45 | 42.65 |  |  |  |
| RMS  | 13.68979G | 49.53    | 68.20    | -18.67 | 37.15  | 3    | Vertical  | 51.8    | 1.78   | -       | 40.58 | 14.45 | 42.65 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.68985G    | 62.40             | 88.20             | -25.80         | 50.02         | 3           | Horizontal | 294            | 2.13          | -       | 40.58      | 14.45      | 42.65      |  |  |  |
| RMS  | 13.68984G    | 55.23             | 68.20             | -12.97         | 42.85         | 3           | Horizontal | 294            | 2.13          | -       | 40.58      | 14.45      | 42.65      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.52531G    | 61.04             | 83.54             | -22.50         | 57.85         | 1           | Vertical  | 106            | 1.45          | -       | 37.71      | 17.49      | 52.01      |  |  |  |
| AV   | 20.53842G    | 47.12             | 63.54             | -16.42         | 43.92         | 1           | Vertical  | 106            | 1.45          | -       | 37.72      | 17.49      | 52.01      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.52735G | 60.51    | 83.54    | -23.03 | 57.32  | 1    | Horizontal | 41      | 1.49   | -       | 37.71 | 17.49 | 52.01 |  |  |  |
| AV   | 20.52648G | 45.59    | 63.54    | -17.95 | 42.40  | 1    | Horizontal | 41      | 1.49   | -       | 37.71 | 17.49 | 52.01 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7687G  | 61.13    | 88.20    | -27.07 | 48.55  | 3    | Vertical  | 48.1    | 1.50   | -       | 40.67 | 14.51 | 42.60 |  |  |  |
| RMS  | 13.76991G | 49.18    | 68.20    | -19.02 | 36.59  | 3    | Vertical  | 48.1    | 1.50   | -       | 40.67 | 14.52 | 42.60 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.77003G | 61.89    | 88.20    | -26.31 | 49.30  | 3    | Horizontal | 286     | 1.87   | -       | 40.67 | 14.52 | 42.60 |  |  |  |
| RMS  | 13.76981G | 53.52    | 68.20    | -14.68 | 40.93  | 3    | Horizontal | 286     | 1.87   | -       | 40.67 | 14.52 | 42.60 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.64864G    | 58.91             | 83.54             | -24.63         | 55.64         | 1           | Vertical  | 107            | 1.45          | -       | 37.76      | 17.54      | 52.03      |  |  |  |
| AV   | 20.64357G    | 45.21             | 63.54             | -18.33         | 41.94         | 1           | Vertical  | 107            | 1.45          | -       | 37.76      | 17.54      | 52.03      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.6454G     | 57.21             | 83.54             | -26.33         | 53.94         | 1           | Horizontal | 43             | 1.50          | -       | 37.76      | 17.54      | 52.03      |  |  |  |
| AV   | 20.65218G    | 43.24             | 63.54             | -20.30         | 39.97         | 1           | Horizontal | 43             | 1.50          | -       | 37.76      | 17.54      | 52.03      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0928G      | 108.03            | Inf               | -Inf           | 98.72         | 3           | Vertical  | 289            | 1.84          | -       | 35.86      | 8.49       | 35.04      |  |  |  |
| RMS  | 7.0938G      | 96.95             | Inf               | -Inf           | 87.64         | 3           | Vertical  | 289            | 1.84          | -       | 35.86      | 8.49       | 35.04      |  |  |  |
| PK   | 7.1294G      | 68.57             | 88.20             | -19.63         | 59.11         | 3           | Vertical  | 289            | 1.84          | -       | 35.96      | 8.56       | 35.06      |  |  |  |
| RMS  | 7.125G       | 52.53             | 68.20             | -15.67         | 43.09         | 3           | Vertical  | 289            | 1.84          | -       | 35.95      | 8.55       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0666G      | 113.28            | Inf               | -Inf           | 104.18        | 3           | Horizontal | 283            | 1.51          | -       | 35.70      | 8.43       | 35.03      |  |  |  |
| RMS  | 7.0726G      | 99.57             | Inf               | -Inf           | 90.41         | 3           | Horizontal | 283            | 1.51          | -       | 35.74      | 8.45       | 35.03      |  |  |  |
| PK   | 7.1302G      | 72.73             | 88.20             | -15.47         | 63.27         | 3           | Horizontal | 283            | 1.51          | -       | 35.96      | 8.56       | 35.06      |  |  |  |
| RMS  | 7.1274G      | 52.95             | 68.20             | -15.25         | 43.51         | 3           | Horizontal | 283            | 1.51          | -       | 35.95      | 8.55       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.17333G    | 64.14             | 88.20             | -24.06         | 50.00         | 3           | Vertical  | 124            | 1.75          | -       | 41.69      | 14.87      | 42.42      |  |  |  |
| RMS  | 14.16996G    | 51.45             | 68.20             | -16.75         | 37.32         | 3           | Vertical  | 124            | 1.75          | -       | 41.68      | 14.87      | 42.42      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.16984G    | 64.65             | 88.20             | -23.55         | 50.52         | 3           | Horizontal | 313            | 2.10          | -       | 41.68      | 14.87      | 42.42      |  |  |  |
| RMS  | 14.16984G    | 54.16             | 68.20             | -14.04         | 40.03         | 3           | Horizontal | 313            | 2.10          | -       | 41.68      | 14.87      | 42.42      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.24459G    | 51.58             | 83.54             | -31.96         | 47.78         | 1           | Vertical  | 204            | 1.62          | -       | 38.10      | 17.80      | 52.10      |  |  |  |
| AV   | 21.25338G    | 38.97             | 63.54             | -24.57         | 35.16         | 1           | Vertical  | 204            | 1.62          | -       | 38.10      | 17.81      | 52.10      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.24342G    | 54.18             | 83.54             | -29.36         | 50.37         | 1           | Horizontal | 37             | 1.50          | -       | 38.11      | 17.80      | 52.10      |  |  |  |
| AV   | 21.25743G    | 41.23             | 63.54             | -22.31         | 37.43         | 1           | Horizontal | 37             | 1.50          | -       | 38.09      | 17.81      | 52.10      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.01345G    | 61.65             | 88.20             | -26.55         | 48.09         | 3           | Vertical  | 214            | 1.78          | -       | 41.31      | 14.71      | 42.46      |  |  |  |
| RMS  | 14.00989G    | 51.02             | 68.20             | -17.18         | 37.46         | 3           | Vertical  | 214            | 1.78          | -       | 41.31      | 14.71      | 42.46      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.00994G    | 63.14             | 88.20             | -25.06         | 49.58         | 3           | Horizontal | 297            | 2.12          | -       | 41.31      | 14.71      | 42.46      |  |  |  |
| RMS  | 14.00986G    | 54.38             | 68.20             | -13.82         | 40.82         | 3           | Horizontal | 297            | 2.12          | -       | 41.31      | 14.71      | 42.46      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.00003G | 50.93    | 83.54    | -32.61 | 47.03  | 1    | Vertical  | 294     | 1.52   | -       | 38.30 | 17.70 | 52.10 |  |  |  |
| AV   | 21G       | 43.66    | 63.54    | -19.88 | 39.76  | 1    | Vertical  | 294     | 1.52   | -       | 38.30 | 17.70 | 52.10 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.00006G | 51.45    | 83.54    | -32.09 | 47.55  | 1    | Horizontal | 202     | 1.51   | -       | 38.30 | 17.70 | 52.10 |  |  |  |
| AV   | 21G       | 44.84    | 63.54    | -18.70 | 40.94  | 1    | Horizontal | 202     | 1.51   | -       | 38.30 | 17.70 | 52.10 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.84992G | 61.93    | 88.20    | -26.27 | 49.10  | 3    | Vertical  | 82.3    | 1.42   | -       | 40.80 | 14.58 | 42.55 |  |  |  |
| RMS  | 13.8499G  | 51.28    | 68.20    | -16.92 | 38.45  | 3    | Vertical  | 82.3    | 1.42   | -       | 40.80 | 14.58 | 42.55 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.84971G    | 63.33             | 88.20             | -24.87         | 50.50         | 3           | Horizontal | 282            | 1.00          | -       | 40.80      | 14.58      | 42.55      |  |  |  |
| RMS  | 13.84986G    | 55.32             | 68.20             | -12.88         | 42.49         | 3           | Horizontal | 282            | 1.00          | -       | 40.80      | 14.58      | 42.55      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.78739G | 56.10    | 83.54    | -27.44 | 52.69  | 1    | Vertical  | 109     | 1.45   | -       | 37.87 | 17.60 | 52.06 |  |  |  |
| AV   | 20.78958G | 43.30    | 63.54    | -20.24 | 39.88  | 1    | Vertical  | 109     | 1.45   | -       | 37.88 | 17.60 | 52.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_X\_4TX  
Setting 19  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.78073G    | 55.27             | 83.54             | -28.27         | 51.87         | 1           | Horizontal | 44             | 1.50          | -       | 37.86      | 17.60      | 52.06      |  |  |  |
| AV   | 20.76765G    | 42.01             | 63.54             | -21.53         | 38.63         | 1           | Horizontal | 44             | 1.50          | -       | 37.84      | 17.59      | 52.05      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.821G       | 81.19             | 88.20             | -7.01          | 74.61         | 3           | Vertical  | 56             | 1.54          | -       | 34.30      | 7.21       | 34.93      |  |  |  |
| RMS  | 5.8234G      | 55.55             | 68.20             | -12.65         | 48.97         | 3           | Vertical  | 56             | 1.54          | -       | 34.30      | 7.21       | 34.93      |  |  |  |
| PK   | 6.009G       | 105.59            | Inf               | -Inf           | 98.53         | 3           | Vertical  | 56             | 1.54          | -       | 34.72      | 7.31       | 34.97      |  |  |  |
| RMS  | 6.0074G      | 95.02             | Inf               | -Inf           | 87.97         | 3           | Vertical  | 56             | 1.54          | -       | 34.71      | 7.31       | 34.97      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.817G       | 76.66             | 88.20             | -11.54         | 70.08         | 3           | Horizontal | 44             | 1.65          | -       | 34.30      | 7.21       | 34.93      |  |  |  |
| RMS  | 5.8274G      | 52.88             | 68.20             | -15.32         | 46.30         | 3           | Horizontal | 44             | 1.65          | -       | 34.30      | 7.21       | 34.93      |  |  |  |
| PK   | 5.977G       | 110.93            | Inf               | -Inf           | 103.95        | 3           | Horizontal | 44             | 1.65          | -       | 34.65      | 7.29       | 34.96      |  |  |  |
| RMS  | 5.9706G      | 99.04             | Inf               | -Inf           | 92.07         | 3           | Horizontal | 44             | 1.65          | -       | 34.64      | 7.29       | 34.96      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 11.96932G    | 57.91             | 74.00             | -16.09         | 48.79         | 3           | Vertical  | 131            | 1.69          | -       | 39.26      | 13.08      | 43.22      |  |  |  |  |
| AV   | 11.96981G    | 46.78             | 54.00             | -7.22          | 37.66         | 3           | Vertical  | 131            | 1.69          | -       | 39.26      | 13.08      | 43.22      |  |  |  |  |
| PK   | 17.95528G    | 56.03             | 74.00             | -17.97         | 34.61         | 3           | Vertical  | 242            | 2.66          | -       | 44.81      | 17.87      | 41.26      |  |  |  |  |
| AV   | 17.96418G    | 44.32             | 54.00             | -9.68          | 22.86         | 3           | Vertical  | 242            | 2.66          | -       | 44.83      | 17.88      | 41.25      |  |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96995G    | 59.06             | 74.00             | -14.94         | 49.94         | 3           | Horizontal | 22             | 1.77          | -       | 39.26      | 13.08      | 43.22      |  |  |  |
| AV   | 11.96984G    | 48.73             | 54.00             | -5.27          | 39.61         | 3           | Horizontal | 22             | 1.77          | -       | 39.26      | 13.08      | 43.22      |  |  |  |
| PK   | 17.96026G    | 56.17             | 74.00             | -17.83         | 34.72         | 3           | Horizontal | 60             | 1.25          | -       | 44.82      | 17.88      | 41.25      |  |  |  |
| AV   | 17.9649G     | 44.34             | 54.00             | -9.66          | 22.87         | 3           | Horizontal | 60             | 1.25          | -       | 44.83      | 17.88      | 41.24      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-P-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.93985G | 55.09    | 83.54    | -28.45 | 47.50  | 1    | Vertical  | 215     | 1.50   | -       | 38.80 | 19.01 | 50.22 |  |  |  |
| AV   | 23.93976G | 51.59    | 63.54    | -11.95 | 44.00  | 1    | Vertical  | 215     | 1.50   | -       | 38.80 | 19.01 | 50.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.93982G | 60.85    | 83.54    | -22.69 | 53.26  | 1    | Horizontal | 69      | 1.45   | -       | 38.80 | 19.01 | 50.22 |  |  |  |
| AV   | 23.93976G | 59.43    | 63.54    | -4.11  | 51.84  | 1    | Horizontal | 69      | 1.45   | -       | 38.80 | 19.01 | 50.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.28725G | 57.64    | 74.00    | -16.36 | 48.68  | 3    | Vertical  | 259     | 1.78   | -       | 38.81 | 13.33 | 43.18 |  |  |  |
| AV   | 12.29044G | 45.90    | 54.00    | -8.10  | 36.94  | 3    | Vertical  | 259     | 1.78   | -       | 38.81 | 13.33 | 43.18 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.2899G  | 58.69    | 74.00    | -15.31 | 49.73  | 3    | Horizontal | 43      | 1.80   | -       | 38.81 | 13.33 | 43.18 |  |  |  |
| AV   | 12.28984G | 47.87    | 54.00    | -6.13  | 38.91  | 3    | Horizontal | 43      | 1.80   | -       | 38.81 | 13.33 | 43.18 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.42066G | 53.41    | 83.54    | -30.13 | 49.42  | 1    | Vertical  | 128     | 1.52   | -       | 37.57 | 16.61 | 50.19 |  |  |  |
| AV   | 18.42024G | 36.78    | 63.54    | -26.76 | 32.79  | 1    | Vertical  | 128     | 1.52   | -       | 37.57 | 16.61 | 50.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.43488G | 47.02    | 83.54    | -36.52 | 43.04  | 1    | Horizontal | 322     | 1.49   | -       | 37.57 | 16.62 | 50.21 |  |  |  |
| AV   | 18.43497G | 38.63    | 63.54    | -24.91 | 34.65  | 1    | Horizontal | 322     | 1.49   | -       | 37.57 | 16.62 | 50.21 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.76994G | 58.45    | 88.20    | -29.75 | 48.54  | 3    | Vertical  | 54      | 2.04   | -       | 39.07 | 13.72 | 42.88 |  |  |  |
| RMS  | 12.77088G | 46.97    | 68.20    | -21.23 | 37.06  | 3    | Vertical  | 54      | 2.04   | -       | 39.07 | 13.72 | 42.88 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.76964G    | 60.14             | 88.20             | -28.06         | 50.23         | 3           | Horizontal | 32             | 1.93          | -       | 39.07      | 13.72      | 42.88      |  |  |  |
| RMS  | 12.76992G    | 50.75             | 68.20             | -17.45         | 40.84         | 3           | Horizontal | 32             | 1.93          | -       | 39.07      | 13.72      | 42.88      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.14726G | 54.23    | 83.54    | -29.31 | 50.74  | 1    | Vertical  | 134     | 1.50   | -       | 37.56 | 16.91 | 50.98 |  |  |  |
| AV   | 19.14216G | 39.86    | 63.54    | -23.68 | 36.36  | 1    | Vertical  | 134     | 1.50   | -       | 37.56 | 16.91 | 50.97 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.14408G | 56.32    | 83.54    | -27.22 | 52.82  | 1    | Horizontal | 126     | 1.50   | -       | 37.56 | 16.91 | 50.97 |  |  |  |
| AV   | 19.14267G | 41.09    | 63.54    | -22.45 | 37.59  | 1    | Horizontal | 126     | 1.50   | -       | 37.56 | 16.91 | 50.97 |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.92508G | 59.06    | 88.20    | -29.14 | 48.59  | 3    | Vertical  | 205     | 1.66   | -       | 39.35 | 13.84 | 42.72 |  |  |  |
| RMS  | 12.92788G | 46.49    | 68.20    | -21.71 | 36.01  | 3    | Vertical  | 205     | 1.66   | -       | 39.36 | 13.84 | 42.72 |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX



EUT\_X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.92971G    | 59.87             | 88.20             | -28.33         | 49.39         | 3           | Horizontal | 34             | 1.58          | -       | 39.36      | 13.84      | 42.72      |  |  |  |
| RMS  | 12.92989G    | 50.26             | 68.20             | -17.94         | 39.78         | 3           | Horizontal | 34             | 1.58          | -       | 39.36      | 13.84      | 42.72      |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.38387G | 54.33    | 83.54    | -29.21 | 50.93  | 1    | Vertical  | 40      | 1.50   | -       | 37.65 | 17.01 | 51.26 |  |  |  |
| AV   | 19.38246G | 41.05    | 63.54    | -22.49 | 37.65  | 1    | Vertical  | 40      | 1.50   | -       | 37.65 | 17.01 | 51.26 |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.38909G | 48.97    | 83.54    | -34.57 | 45.57  | 1    | Horizontal | 8       | 1.50   | -       | 37.66 | 17.01 | 51.27 |  |  |  |
| AV   | 19.39455G | 40.68    | 63.54    | -22.86 | 37.28  | 1    | Horizontal | 8       | 1.50   | -       | 37.66 | 17.01 | 51.27 |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.08973G | 61.02    | 88.20    | -27.18 | 50.04  | 3    | Vertical  | 311.9   | 1.79   | -       | 39.68 | 13.97 | 42.67 |  |  |  |
| RMS  | 13.08981G | 48.56    | 68.20    | -19.64 | 37.58  | 3    | Vertical  | 311.9   | 1.79   | -       | 39.68 | 13.97 | 42.67 |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.09003G | 62.21    | 88.20    | -25.99 | 51.23  | 3    | Horizontal | 29      | 1.84   | -       | 39.68 | 13.97 | 42.67 |  |  |  |
| RMS  | 13.08995G | 52.45    | 68.20    | -15.75 | 41.47  | 3    | Horizontal | 29      | 1.84   | -       | 39.68 | 13.97 | 42.67 |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.62141G    | 52.95             | 83.54             | -30.59         | 49.72         | 1           | Vertical  | 108            | 1.50          | -       | 37.65      | 17.10      | 51.52      |  |  |  |
| AV   | 19.62366G    | 39.70             | 63.54             | -23.84         | 36.46         | 1           | Vertical  | 108            | 1.50          | -       | 37.65      | 17.11      | 51.52      |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.62009G    | 56.33             | 83.54             | -27.21         | 53.10         | 1           | Horizontal | 88             | 1.49          | -       | 37.65      | 17.10      | 51.52      |  |  |  |
| AV   | 19.62702G    | 42.10             | 63.54             | -21.44         | 38.87         | 1           | Horizontal | 88             | 1.49          | -       | 37.65      | 17.11      | 51.53      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.24976G | 60.85    | 88.20    | -27.35 | 49.50  | 3    | Vertical  | 264     | 2.16   | -       | 39.95 | 14.10 | 42.70 |  |  |  |
| RMS  | 13.24981G | 50.38    | 68.20    | -17.82 | 39.03  | 3    | Vertical  | 264     | 2.16   | -       | 39.95 | 14.10 | 42.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.24978G | 62.02    | 88.20    | -26.18 | 50.67  | 3    | Horizontal | 285     | 2.17   | -       | 39.95 | 14.10 | 42.70 |  |  |  |
| RMS  | 13.24982G | 54.61    | 68.20    | -13.59 | 43.26  | 3    | Horizontal | 285     | 2.17   | -       | 39.95 | 14.10 | 42.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX



EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.87188G | 61.29    | 83.54    | -22.25 | 58.35  | 1    | Vertical  | 111     | 1.50   | -       | 37.50 | 17.21 | 51.77 |  |  |  |
| AV   | 19.86219G | 44.37    | 63.54    | -19.17 | 41.42  | 1    | Vertical  | 111     | 1.50   | -       | 37.51 | 17.20 | 51.76 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.87137G | 57.20    | 83.54    | -26.34 | 54.26  | 1    | Horizontal | 53      | 1.50   | -       | 37.50 | 17.21 | 51.77 |  |  |  |
| AV   | 19.86207G | 42.70    | 63.54    | -20.84 | 39.75  | 1    | Horizontal | 53      | 1.50   | -       | 37.51 | 17.20 | 51.76 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.41084G | 60.50    | 88.20    | -27.70 | 48.78  | 3    | Vertical  | 266     | 2.26   | -       | 40.23 | 14.23 | 42.74 |  |  |  |
| RMS  | 13.40978G | 49.92    | 68.20    | -18.28 | 38.20  | 3    | Vertical  | 266     | 2.26   | -       | 40.23 | 14.23 | 42.74 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.4099G  | 62.78    | 88.20    | -25.42 | 51.06  | 3    | Horizontal | 285     | 2.13   | -       | 40.23 | 14.23 | 42.74 |  |  |  |
| RMS  | 13.40987G | 55.59    | 68.20    | -12.61 | 43.87  | 3    | Horizontal | 285     | 2.13   | -       | 40.23 | 14.23 | 42.74 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.10525G | 60.45    | 83.54    | -23.09 | 57.58  | 1    | Vertical  | 99      | 1.46   | -       | 37.48 | 17.31 | 51.92 |  |  |  |
| AV   | 20.10231G | 45.98    | 63.54    | -17.56 | 43.12  | 1    | Vertical  | 99      | 1.46   | -       | 37.48 | 17.30 | 51.92 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.10372G | 56.91    | 83.54    | -26.63 | 54.04  | 1    | Horizontal | 46      | 1.52   | -       | 37.48 | 17.31 | 51.92 |  |  |  |
| AV   | 20.10042G | 42.71    | 63.54    | -20.83 | 39.85  | 1    | Horizontal | 46      | 1.52   | -       | 37.48 | 17.30 | 51.92 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.56933G    | 62.18             | 88.20             | -26.02         | 50.11         | 3           | Vertical  | 267.7          | 1.65          | -       | 40.43      | 14.36      | 42.72      |  |  |  |
| RMS  | 13.56989G    | 49.70             | 68.20             | -18.50         | 37.63         | 3           | Vertical  | 267.7          | 1.65          | -       | 40.43      | 14.36      | 42.72      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.56986G | 62.64    | 88.20    | -25.56 | 50.57  | 3    | Horizontal | 283     | 1.88   | -       | 40.43 | 14.36 | 42.72 |  |  |  |
| RMS  | 13.56988G | 54.46    | 68.20    | -13.74 | 42.39  | 3    | Horizontal | 283     | 1.88   | -       | 40.43 | 14.36 | 42.72 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.34996G    | 69.11             | 83.54             | -14.43         | 66.03         | 1           | Vertical  | 102            | 1.46          | -       | 37.64      | 17.41      | 51.97      |  |  |  |
| AV   | 20.34024G    | 54.13             | 63.54             | -9.41          | 51.05         | 1           | Vertical  | 102            | 1.46          | -       | 37.64      | 17.41      | 51.97      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.34654G    | 65.13             | 83.54             | -18.41         | 62.05         | 1           | Horizontal | 45             | 1.49          | -       | 37.64      | 17.41      | 51.97      |  |  |  |
| AV   | 20.34501G    | 50.58             | 63.54             | -12.96         | 47.50         | 1           | Horizontal | 45             | 1.49          | -       | 37.64      | 17.41      | 51.97      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.72996G | 61.25    | 88.20    | -26.95 | 48.76  | 3    | Vertical  | 289.5   | 2.21   | -       | 40.63 | 14.48 | 42.62 |  |  |  |
| RMS  | 13.72979G | 49.43    | 68.20    | -18.77 | 36.94  | 3    | Vertical  | 289.5   | 2.21   | -       | 40.63 | 14.48 | 42.62 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.72971G    | 62.87             | 88.20             | -25.33         | 50.38         | 3           | Horizontal | 286            | 1.85          | -       | 40.63      | 14.48      | 42.62      |  |  |  |
| RMS  | 13.7299G     | 54.77             | 68.20             | -13.43         | 42.28         | 3           | Horizontal | 286            | 1.85          | -       | 40.63      | 14.48      | 42.62      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.58897G    | 58.69             | 83.54             | -24.85         | 55.45         | 1           | Vertical  | 106            | 1.45          | -       | 37.74      | 17.52      | 52.02      |  |  |  |
| AV   | 20.60331G    | 45.16             | 63.54             | -18.38         | 41.92         | 1           | Vertical  | 106            | 1.45          | -       | 37.74      | 17.52      | 52.02      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.58954G    | 56.92             | 83.54             | -26.62         | 53.68         | 1           | Horizontal | 50             | 1.50          | -       | 37.74      | 17.52      | 52.02      |  |  |  |
| AV   | 20.58204G    | 42.52             | 63.54             | -21.02         | 39.30         | 1           | Horizontal | 50             | 1.50          | -       | 37.73      | 17.51      | 52.02      |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0462G      | 106.98            | Inf               | -Inf           | 98.01         | 3           | Vertical  | 279            | 1.78          | -       | 35.60      | 8.39       | 35.02      |  |  |  |
| RMS  | 7.013G       | 96.25             | Inf               | -Inf           | 87.33         | 3           | Vertical  | 279            | 1.78          | -       | 35.60      | 8.33       | 35.01      |  |  |  |
| PK   | 7.131G       | 64.16             | 88.20             | -24.04         | 54.70         | 3           | Vertical  | 279            | 1.78          | -       | 35.96      | 8.56       | 35.06      |  |  |  |
| RMS  | 7.225G       | 52.54             | 68.20             | -15.66         | 42.49         | 3           | Vertical  | 279            | 1.78          | -       | 36.45      | 8.70       | 35.10      |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.029G       | 110.80            | Inf               | -Inf           | 101.85        | 3           | Horizontal | 276            | 1.71          | -       | 35.60      | 8.36       | 35.01      |  |  |  |
| RMS  | 7.0314G      | 99.93             | Inf               | -Inf           | 90.98         | 3           | Horizontal | 276            | 1.71          | -       | 35.60      | 8.36       | 35.01      |  |  |  |
| PK   | 7.1294G      | 67.43             | 88.20             | -20.77         | 57.97         | 3           | Horizontal | 276            | 1.71          | -       | 35.96      | 8.56       | 35.06      |  |  |  |
| RMS  | 7.1282G      | 52.66             | 68.20             | -15.54         | 43.20         | 3           | Horizontal | 276            | 1.71          | -       | 35.96      | 8.56       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.05303G    | 62.07             | 88.20             | -26.13         | 48.42         | 3           | Vertical  | 254            | 2.97          | -       | 41.35      | 14.75      | 42.45      |  |  |  |
| RMS  | 14.04987G    | 51.26             | 68.20             | -16.94         | 37.61         | 3           | Vertical  | 254            | 2.97          | -       | 41.35      | 14.75      | 42.45      |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.04962G | 64.58    | 88.20    | -23.62 | 50.93  | 3    | Horizontal | 297     | 2.12   | -       | 41.35 | 14.75 | 42.45 |  |  |  |
| RMS  | 14.04993G | 54.74    | 68.20    | -13.46 | 41.09  | 3    | Horizontal | 297     | 2.12   | -       | 41.35 | 14.75 | 42.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07491G | 49.50    | 83.54    | -34.04 | 45.63  | 1    | Vertical  | 279     | 1.52   | -       | 38.24 | 17.73 | 52.10 |  |  |  |
| AV   | 21.07488G | 38.41    | 63.54    | -25.13 | 34.54  | 1    | Vertical  | 279     | 1.52   | -       | 38.24 | 17.73 | 52.10 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.06519G | 52.56    | 83.54    | -30.98 | 48.69  | 1    | Horizontal | 36      | 1.49   | -       | 38.25 | 17.72 | 52.10 |  |  |  |
| AV   | 21.06282G | 40.04    | 63.54    | -23.50 | 36.17  | 1    | Horizontal | 36      | 1.49   | -       | 38.25 | 17.72 | 52.10 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.89002G | 62.57    | 88.20    | -25.63 | 49.61  | 3    | Vertical  | 246.6   | 1.62   | -       | 40.88 | 14.61 | 42.53 |  |  |  |
| RMS  | 13.88992G | 50.97    | 68.20    | -17.23 | 38.01  | 3    | Vertical  | 246.6   | 1.62   | -       | 40.88 | 14.61 | 42.53 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_X\_4TX  
Setting 22  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.88972G | 63.71    | 88.20    | -24.49 | 50.75  | 3    | Horizontal | 291     | 1.31   | -       | 40.88 | 14.61 | 42.53 |  |  |  |
| RMS  | 13.88991G | 55.10    | 68.20    | -13.10 | 42.14  | 3    | Horizontal | 291     | 1.31   | -       | 40.88 | 14.61 | 42.53 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.82078G    | 55.74             | 83.54             | -27.80         | 52.24         | 1           | Vertical  | 109            | 1.45          | -       | 37.94      | 17.62      | 52.06      |  |  |  |
| AV   | 20.83464G    | 43.35             | 63.54             | -20.19         | 39.83         | 1           | Vertical  | 109            | 1.45          | -       | 37.97      | 17.62      | 52.07      |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT X\_4TX  
Setting 22  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.82348G    | 55.00             | 83.54             | -28.54         | 51.49         | 1           | Horizontal | 41             | 1.50          | -       | 37.95      | 17.62      | 52.06      |  |  |  |
| AV   | 20.82639G    | 40.86             | 63.54             | -22.68         | 37.36         | 1           | Horizontal | 41             | 1.50          | -       | 37.95      | 17.62      | 52.07      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT X\_4TX  
Setting 25  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.8205G      | 79.92             | 88.20             | -8.28          | 73.34         | 3           | Vertical  | 57             | 1.57          | -       | 34.30      | 7.21       | 34.93      |  |  |  |
| RMS  | 5.829G       | 56.27             | 68.20             | -11.93         | 49.69         | 3           | Vertical  | 57             | 1.57          | -       | 34.30      | 7.21       | 34.93      |  |  |  |
| PK   | 6.033G       | 104.91            | Inf               | -Inf           | 97.76         | 3           | Vertical  | 57             | 1.57          | -       | 34.77      | 7.35       | 34.97      |  |  |  |
| RMS  | 6.035G       | 95.08             | Inf               | -Inf           | 87.93         | 3           | Vertical  | 57             | 1.57          | -       | 34.77      | 7.35       | 34.97      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT X\_4TX  
Setting 25  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.8955G      | 79.94             | 88.20             | -8.26          | 73.16         | 3           | Horizontal | 47             | 1.58          | -       | 34.48      | 7.25       | 34.95      |  |  |  |
| RMS  | 5.821G       | 56.33             | 68.20             | -11.87         | 49.75         | 3           | Horizontal | 47             | 1.58          | -       | 34.30      | 7.21       | 34.93      |  |  |  |
| PK   | 6.046G       | 110.80            | Inf               | -Inf           | 103.62        | 3           | Horizontal | 47             | 1.58          | -       | 34.79      | 7.37       | 34.98      |  |  |  |
| RMS  | 6.045G       | 99.22             | Inf               | -Inf           | 92.04         | 3           | Horizontal | 47             | 1.58          | -       | 34.79      | 7.37       | 34.98      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.04502G | 57.79    | 74.00    | -16.21 | 48.75  | 3    | Vertical  | 360     | 1.65   | -       | 39.11 | 13.14 | 43.21 |  |  |  |
| AV   | 12.04972G | 45.61    | 54.00    | -8.39  | 36.58  | 3    | Vertical  | 360     | 1.65   | -       | 39.10 | 13.14 | 43.21 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.05017G | 58.04    | 74.00    | -15.96 | 49.01  | 3    | Horizontal | 24      | 1.80   | -       | 39.10 | 13.14 | 43.21 |  |  |  |
| AV   | 12.04983G | 48.39    | 54.00    | -5.61  | 39.36  | 3    | Horizontal | 24      | 1.80   | -       | 39.10 | 13.14 | 43.21 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07707G | 51.85    | 83.54    | -31.69 | 47.59  | 1    | Vertical  | 87      | 1.50   | -       | 37.50 | 16.47 | 49.71 |  |  |  |
| AV   | 18.06582G | 36.47    | 63.54    | -27.07 | 32.19  | 1    | Vertical  | 87      | 1.50   | -       | 37.50 | 16.47 | 49.69 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.06963G | 47.82    | 83.54    | -35.72 | 43.55  | 1    | Horizontal | 319     | 1.50   | -       | 37.50 | 16.47 | 49.70 |  |  |  |
| AV   | 18.07485G | 37.96    | 63.54    | -25.58 | 33.69  | 1    | Horizontal | 319     | 1.50   | -       | 37.50 | 16.47 | 49.70 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.37324G | 57.53    | 74.00    | -16.47 | 48.50  | 3    | Vertical  | 254     | 2.62   | -       | 38.80 | 13.40 | 43.17 |  |  |  |
| AV   | 12.36998G | 46.17    | 54.00    | -7.83  | 37.14  | 3    | Vertical  | 254     | 2.62   | -       | 38.80 | 13.40 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.36991G | 58.56    | 74.00    | -15.44 | 49.53  | 3    | Horizontal | 44      | 1.61   | -       | 38.80 | 13.40 | 43.17 |  |  |  |
| AV   | 12.36989G | 48.15    | 54.00    | -5.85  | 39.12  | 3    | Horizontal | 44      | 1.61   | -       | 38.80 | 13.40 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.55779G | 57.58    | 83.54    | -25.96 | 53.65  | 1    | Vertical  | 130     | 1.52   | -       | 37.62 | 16.67 | 50.36 |  |  |  |
| AV   | 18.56709G | 38.82    | 63.54    | -24.72 | 34.89  | 1    | Vertical  | 130     | 1.52   | -       | 37.63 | 16.67 | 50.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.56466G | 58.25    | 83.54    | -25.29 | 54.31  | 1    | Horizontal | 52      | 1.50   | -       | 37.63 | 16.67 | 50.36 |  |  |  |
| AV   | 18.567G   | 40.11    | 63.54    | -23.43 | 36.18  | 1    | Horizontal | 52      | 1.50   | -       | 37.63 | 16.67 | 50.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.68512G | 58.29    | 74.00    | -15.71 | 48.63  | 3    | Vertical  | 36      | 2.50   | -       | 38.97 | 13.65 | 42.96 |  |  |  |
| AV   | 12.69069G | 46.74    | 54.00    | -7.26  | 37.07  | 3    | Vertical  | 36      | 2.50   | -       | 38.98 | 13.65 | 42.96 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.68974G    | 60.21             | 74.00             | -13.79         | 50.54         | 3           | Horizontal | 28             | 1.96          | -       | 38.98      | 13.65      | 42.96      |  |  |  |
| AV   | 12.68982G    | 49.92             | 54.00             | -4.08          | 40.25         | 3           | Horizontal | 28             | 1.96          | -       | 38.98      | 13.65      | 42.96      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.02402G | 56.48    | 83.54    | -27.06 | 52.94  | 1    | Vertical  | 107     | 1.49   | -       | 37.51 | 16.86 | 50.83 |  |  |  |
| AV   | 19.03542G | 39.92    | 63.54    | -23.62 | 36.39  | 1    | Vertical  | 107     | 1.49   | -       | 37.51 | 16.86 | 50.84 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.02378G | 60.25    | 83.54    | -23.29 | 56.71  | 1    | Horizontal | 141     | 1.50   | -       | 37.51 | 16.86 | 50.83 |  |  |  |
| AV   | 19.02159G | 43.17    | 63.54    | -20.37 | 39.63  | 1    | Horizontal | 141     | 1.50   | -       | 37.51 | 16.86 | 50.83 |  |  |  |

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.01268G | 59.22    | 88.20    | -28.98 | 48.43  | 3    | Vertical  | 245     | 2.08   | -       | 39.53 | 13.91 | 42.65 |  |  |  |
| RMS  | 13.01322G | 47.26    | 68.20    | -20.94 | 36.47  | 3    | Vertical  | 245     | 2.08   | -       | 39.53 | 13.91 | 42.65 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.00994G    | 60.86             | 88.20             | -27.34         | 50.08         | 3           | Horizontal | 37             | 1.78          | -       | 39.52      | 13.91      | 42.65      |  |  |  |
| RMS  | 13.00988G    | 51.02             | 68.20             | -17.18         | 40.24         | 3           | Horizontal | 37             | 1.78          | -       | 39.52      | 13.91      | 42.65      |  |  |  |

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.52607G    | 50.85             | 83.54             | -32.69         | 47.52         | 1           | Vertical  | 71             | 1.50          | -       | 37.69      | 17.07      | 51.43      |  |  |  |
| AV   | 19.51182G    | 38.01             | 63.54             | -25.53         | 34.66         | 1           | Vertical  | 71             | 1.50          | -       | 37.70      | 17.06      | 51.41      |  |  |  |

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.51287G    | 50.50             | 83.54             | -33.04         | 47.16         | 1           | Horizontal | 8              | 1.50          | -       | 37.69      | 17.06      | 51.41      |  |  |  |
| AV   | 19.51485G    | 40.24             | 63.54             | -23.30         | 36.90         | 1           | Horizontal | 8              | 1.50          | -       | 37.69      | 17.06      | 51.41      |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.32272G | 59.39    | 74.00    | -14.61 | 47.83  | 3    | Vertical  | 310     | 2.81   | -       | 40.12 | 14.16 | 42.72 |  |  |  |
| AV   | 13.32064G | 47.64    | 54.00    | -6.36  | 36.08  | 3    | Vertical  | 310     | 2.81   | -       | 40.12 | 14.16 | 42.72 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.33304G | 59.57    | 74.00    | -14.43 | 47.99  | 3    | Horizontal | 20      | 2.15   | -       | 40.13 | 14.17 | 42.72 |  |  |  |
| AV   | 13.32986G | 48.48    | 54.00    | -5.52  | 36.91  | 3    | Horizontal | 20      | 2.15   | -       | 40.13 | 14.16 | 42.72 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.99476G | 61.55    | 83.54    | -21.99 | 58.78  | 1    | Vertical  | 111     | 1.50   | -       | 37.40 | 17.26 | 51.89 |  |  |  |
| AV   | 19.98165G | 47.87    | 63.54    | -15.67 | 45.09  | 1    | Vertical  | 111     | 1.50   | -       | 37.41 | 17.25 | 51.88 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.99464G    | 54.98             | 83.54             | -28.56         | 52.21         | 1           | Horizontal | 299            | 1.50          | -       | 37.40      | 17.26      | 51.89      |  |  |  |
| AV   | 19.98144G    | 41.77             | 63.54             | -21.77         | 38.99         | 1           | Horizontal | 299            | 1.50          | -       | 37.41      | 17.25      | 51.88      |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.65015G | 60.72    | 88.20    | -27.48 | 48.47  | 3    | Vertical  | 53      | 1.80   | -       | 40.50 | 14.42 | 42.67 |  |  |  |
| RMS  | 13.64983G | 49.67    | 68.20    | -18.53 | 37.42  | 3    | Vertical  | 53      | 1.80   | -       | 40.50 | 14.42 | 42.67 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.64972G    | 62.36             | 88.20             | -25.84         | 50.11         | 3           | Horizontal | 283            | 1.86          | -       | 40.50      | 14.42      | 42.67      |  |  |  |
| RMS  | 13.64988G    | 54.71             | 68.20             | -13.49         | 42.46         | 3           | Horizontal | 283            | 1.86          | -       | 40.50      | 14.42      | 42.67      |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.48391G    | 60.44             | 83.54             | -23.10         | 57.28         | 1           | Vertical  | 106            | 1.45          | -       | 37.69      | 17.47      | 52.00      |  |  |  |
| AV   | 20.48868G    | 46.15             | 63.54             | -17.39         | 42.98         | 1           | Vertical  | 106            | 1.45          | -       | 37.70      | 17.47      | 52.00      |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.48844G    | 57.56             | 83.54             | -25.98         | 54.39         | 1           | Horizontal | 135            | 1.50          | -       | 37.70      | 17.47      | 52.00      |  |  |  |
| AV   | 20.47392G    | 44.51             | 63.54             | -19.03         | 41.34         | 1           | Horizontal | 135            | 1.50          | -       | 37.69      | 17.47      | 51.99      |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT X\_4TX  
Setting 25  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9765G      | 107.58            | Inf               | -Inf           | 98.68         | 3           | Vertical  | 282            | 1.88          | -       | 35.65      | 8.25       | 35.00      |  |  |  |
| RMS  | 6.976G       | 96.53             | Inf               | -Inf           | 87.63         | 3           | Vertical  | 282            | 1.88          | -       | 35.65      | 8.25       | 35.00      |  |  |  |
| PK   | 7.1305G      | 81.68             | 88.20             | -6.52          | 72.22         | 3           | Vertical  | 282            | 1.88          | -       | 35.96      | 8.56       | 35.06      |  |  |  |
| RMS  | 7.128G       | 56.76             | 68.20             | -11.44         | 47.30         | 3           | Vertical  | 282            | 1.88          | -       | 35.96      | 8.56       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT X\_4TX  
Setting 25  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9085G      | 113.43            | Inf               | -Inf           | 104.70        | 3           | Horizontal | 275            | 1.49          | -       | 35.62      | 8.12       | 35.01      |  |  |  |
| RMS  | 6.909G       | 101.70            | Inf               | -Inf           | 92.97         | 3           | Horizontal | 275            | 1.49          | -       | 35.62      | 8.12       | 35.01      |  |  |  |
| PK   | 7.131G       | 84.82             | 88.20             | -3.38          | 75.36         | 3           | Horizontal | 275            | 1.49          | -       | 35.96      | 8.56       | 35.06      |  |  |  |
| RMS  | 7.132G       | 61.09             | 68.20             | -7.11          | 51.63         | 3           | Horizontal | 275            | 1.49          | -       | 35.96      | 8.56       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.97019G | 62.15    | 88.20    | -26.05 | 48.77  | 3    | Vertical  | 298     | 1.80   | -       | 41.18 | 14.68 | 42.48 |  |  |  |
| RMS  | 13.96987G | 51.44    | 68.20    | -16.76 | 38.06  | 3    | Vertical  | 298     | 1.80   | -       | 41.18 | 14.68 | 42.48 |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.97017G    | 62.99             | 88.20             | -25.21         | 49.61         | 3           | Horizontal | 290            | 1.32          | -       | 41.18      | 14.68      | 42.48      |  |  |  |
| RMS  | 13.96992G    | 55.25             | 68.20             | -12.95         | 41.87         | 3           | Horizontal | 290            | 1.32          | -       | 41.18      | 14.68      | 42.48      |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.94753G | 51.40    | 83.54    | -32.14 | 47.62  | 1    | Vertical  | 109     | 1.47   | -       | 38.20 | 17.67 | 52.09 |  |  |  |
| AV   | 20.94228G | 39.31    | 63.54    | -24.23 | 35.55  | 1    | Vertical  | 109     | 1.47   | -       | 38.18 | 17.67 | 52.09 |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.94579G | 49.46    | 83.54    | -34.08 | 45.69  | 1    | Horizontal | 44      | 1.58   | -       | 38.19 | 17.67 | 52.09 |  |  |  |
| AV   | 20.95482G | 40.32    | 63.54    | -23.22 | 36.52  | 1    | Horizontal | 44      | 1.58   | -       | 38.21 | 17.68 | 52.09 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
Setting 25  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.819G       | 81.02             | 88.20             | -7.18          | 74.44         | 3           | Vertical  | 55             | 1.80          | -       | 34.30      | 7.21       | 34.93      |  |  |  |
| RMS  | 5.819G       | 55.07             | 68.20             | -13.13         | 48.49         | 3           | Vertical  | 55             | 1.80          | -       | 34.30      | 7.21       | 34.93      |  |  |  |
| PK   | 6.035G       | 103.58            | Inf               | -Inf           | 96.43         | 3           | Vertical  | 55             | 1.80          | -       | 34.77      | 7.35       | 34.97      |  |  |  |
| RMS  | 6.033G       | 93.48             | Inf               | -Inf           | 86.33         | 3           | Vertical  | 55             | 1.80          | -       | 34.77      | 7.35       | 34.97      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
Setting 25  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.917G       | 74.22             | 88.20             | -13.98         | 67.38         | 3           | Horizontal | 47             | 1.55          | -       | 34.53      | 7.26       | 34.95      |  |  |  |
| RMS  | 5.819G       | 57.38             | 68.20             | -10.82         | 50.80         | 3           | Horizontal | 47             | 1.55          | -       | 34.30      | 7.21       | 34.93      |  |  |  |
| PK   | 6.049G       | 108.47            | Inf               | -Inf           | 101.28        | 3           | Horizontal | 47             | 1.55          | -       | 34.80      | 7.37       | 34.98      |  |  |  |
| RMS  | 6.051G       | 97.01             | Inf               | -Inf           | 89.81         | 3           | Horizontal | 47             | 1.55          | -       | 34.80      | 7.38       | 34.98      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.2066G  | 57.56    | 74.00    | -16.44 | 48.59  | 3    | Vertical  | 132     | 1.77   | -       | 38.89 | 13.27 | 43.19 |  |  |  |
| AV   | 12.20982G | 46.67    | 54.00    | -7.33  | 37.70  | 3    | Vertical  | 132     | 1.77   | -       | 38.89 | 13.27 | 43.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.20754G | 58.42    | 74.00    | -15.58 | 49.45  | 3    | Horizontal | 32      | 1.95   | -       | 38.89 | 13.27 | 43.19 |  |  |  |
| AV   | 12.20996G | 47.99    | 54.00    | -6.01  | 39.02  | 3    | Horizontal | 32      | 1.95   | -       | 38.89 | 13.27 | 43.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.32085G | 47.29    | 83.54    | -36.25 | 43.24  | 1    | Vertical  | 248     | 1.53   | -       | 37.53 | 16.57 | 50.05 |  |  |  |
| AV   | 18.31464G | 38.71    | 63.54    | -24.83 | 34.65  | 1    | Vertical  | 248     | 1.53   | -       | 37.53 | 16.57 | 50.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31761G | 48.38    | 83.54    | -35.16 | 44.32  | 1    | Horizontal | 317     | 1.49   | -       | 37.53 | 16.57 | 50.04 |  |  |  |
| AV   | 18.31485G | 38.26    | 63.54    | -25.28 | 34.20  | 1    | Horizontal | 317     | 1.49   | -       | 37.53 | 16.57 | 50.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.53032G | 58.46    | 74.00    | -15.54 | 49.26  | 3    | Vertical  | 343     | 2.16   | -       | 38.80 | 13.52 | 43.12 |  |  |  |
| AV   | 12.52984G | 46.92    | 54.00    | -7.08  | 37.72  | 3    | Vertical  | 343     | 2.16   | -       | 38.80 | 13.52 | 43.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.52981G | 59.63    | 74.00    | -14.37 | 50.43  | 3    | Horizontal | 24      | 2.20   | -       | 38.80 | 13.52 | 43.12 |  |  |  |
| AV   | 12.52983G | 49.18    | 54.00    | -4.82  | 39.98  | 3    | Horizontal | 24      | 2.20   | -       | 38.80 | 13.52 | 43.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.80373G | 52.70    | 83.54    | -30.84 | 48.87  | 1    | Vertical  | 126     | 1.50   | -       | 37.66 | 16.77 | 50.60 |  |  |  |
| AV   | 18.78006G | 36.85    | 63.54    | -26.69 | 32.99  | 1    | Vertical  | 126     | 1.50   | -       | 37.68 | 16.76 | 50.58 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.80094G | 50.37    | 83.54    | -33.17 | 46.54  | 1    | Horizontal | 312     | 1.50   | -       | 37.66 | 16.77 | 50.60 |  |  |  |
| AV   | 18.79479G | 39.82    | 63.54    | -23.72 | 35.98  | 1    | Horizontal | 312     | 1.50   | -       | 37.66 | 16.77 | 50.59 |  |  |  |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.85046G | 58.99    | 88.20    | -29.21 | 48.81  | 3    | Vertical  | 46      | 1.06   | -       | 39.20 | 13.78 | 42.80 |  |  |  |
| RMS  | 12.84984G | 47.30    | 68.20    | -20.90 | 37.12  | 3    | Vertical  | 46      | 1.06   | -       | 39.20 | 13.78 | 42.80 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

### 6425MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.84976G    | 60.41             | 88.20             | -27.79         | 50.23         | 3           | Horizontal | 34             | 1.93          | -       | 39.20      | 13.78      | 42.80      |  |  |  |
| RMS  | 12.84979G    | 50.29             | 68.20             | -17.91         | 40.11         | 3           | Horizontal | 34             | 1.93          | -       | 39.20      | 13.78      | 42.80      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

### 6425MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.28451G    | 55.30             | 83.54             | -28.24         | 51.86         | 1           | Vertical  | 39             | 1.49          | -       | 37.61      | 16.97      | 51.14      |  |  |  |
| AV   | 19.26966G    | 38.38             | 63.54             | -25.16         | 34.93         | 1           | Vertical  | 39             | 1.49          | -       | 37.61      | 16.96      | 51.12      |  |  |  |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6425MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.28496G | 51.17    | 83.54    | -32.37 | 47.73  | 1    | Horizontal | 313     | 1.50   | -       | 37.61 | 16.97 | 51.14 |  |  |  |
| AV   | 19.27473G | 39.82    | 63.54    | -23.72 | 36.38  | 1    | Horizontal | 313     | 1.50   | -       | 37.61 | 16.96 | 51.13 |  |  |  |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.16979G    | 60.87             | 88.20             | -27.33         | 49.75         | 3           | Vertical  | 271            | 2.01          | -       | 39.77      | 14.04      | 42.69      |  |  |  |
| RMS  | 13.16987G    | 49.93             | 68.20             | -18.27         | 38.81         | 3           | Vertical  | 271            | 2.01          | -       | 39.77      | 14.04      | 42.69      |  |  |  |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.17G    | 62.06    | 88.20    | -26.14 | 50.94  | 3    | Horizontal | 286     | 2.16   | -       | 39.77 | 14.04 | 42.69 |  |  |  |
| RMS  | 13.16985G | 53.99    | 68.20    | -14.21 | 42.87  | 3    | Horizontal | 286     | 2.16   | -       | 39.77 | 14.04 | 42.69 |  |  |  |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT\_X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.75422G | 56.40    | 83.54    | -27.14 | 53.29  | 1    | Vertical  | 111     | 1.50   | -       | 37.60 | 17.16 | 51.65 |  |  |  |
| AV   | 19.76901G | 40.73    | 63.54    | -22.81 | 37.65  | 1    | Vertical  | 111     | 1.50   | -       | 37.58 | 17.17 | 51.67 |  |  |  |

6.425-6.525GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.76967G | 51.76    | 83.54    | -31.78 | 48.68  | 1    | Horizontal | 360     | 1.45   | -       | 37.58 | 17.17 | 51.67 |  |  |  |
| AV   | 19.75494G | 41.08    | 63.54    | -22.46 | 37.97  | 1    | Horizontal | 360     | 1.45   | -       | 37.60 | 17.16 | 51.65 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.4947G     | 60.83             | 88.20             | -27.37         | 48.81         | 3           | Vertical  | 131            | 1.80          | -       | 40.48      | 14.30      | 42.76      |  |  |  |
| RMS  | 13.48994G    | 49.26             | 68.20             | -18.94         | 37.26         | 3           | Vertical  | 131            | 1.80          | -       | 40.47      | 14.29      | 42.76      |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.48979G | 62.55    | 88.20    | -25.65 | 50.55  | 3    | Horizontal | 285     | 2.16   | -       | 40.47 | 14.29 | 42.76 |  |  |  |
| RMS  | 13.48986G | 55.14    | 68.20    | -13.06 | 43.14  | 3    | Horizontal | 285     | 2.16   | -       | 40.47 | 14.29 | 42.76 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.24937G    | 68.56             | 83.54             | -14.98         | 65.54         | 1           | Vertical  | 99             | 1.45          | -       | 37.60      | 17.37      | 51.95      |  |  |  |
| AV   | 20.23869G    | 49.69             | 63.54             | -13.85         | 46.69         | 1           | Vertical  | 99             | 1.45          | -       | 37.59      | 17.36      | 51.95      |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.24991G    | 63.53             | 83.54             | -20.01         | 60.51         | 1           | Horizontal | 75             | 1.49          | -       | 37.60      | 17.37      | 51.95      |  |  |  |
| AV   | 20.24682G    | 48.01             | 63.54             | -15.53         | 44.99         | 1           | Horizontal | 75             | 1.49          | -       | 37.60      | 17.37      | 51.95      |  |  |  |

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
Setting 24  
03-P-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.88936G     | 104.78            | Inf               | -Inf           | 96.11         | 3           | Vertical  | 133            | 1.61          | -       | 35.60      | 8.08       | 35.01      |  |  |  |
| AV   | 6.98796G     | 94.51             | Inf               | -Inf           | 85.61         | 3           | Vertical  | 133            | 1.61          | -       | 35.62      | 8.28       | 35.00      |  |  |  |
| PK   | 7.2042G      | 79.98             | 88.20             | -8.22          | 70.04         | 3           | Vertical  | 133            | 1.61          | -       | 36.33      | 8.70       | 35.09      |  |  |  |
| AV   | 7.18652G     | 57.05             | 68.20             | -11.15         | 47.25         | 3           | Vertical  | 133            | 1.61          | -       | 36.22      | 8.67       | 35.09      |  |  |  |

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
Setting 24  
03-P-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.76356G     | 106.96            | Inf               | -Inf           | 98.58         | 3           | Horizontal | 72             | 1.76          | -       | 35.53      | 7.86       | 35.01      |  |  |  |
| AV   | 6.76356G     | 95.79             | Inf               | -Inf           | 87.41         | 3           | Horizontal | 72             | 1.76          | -       | 35.53      | 7.86       | 35.01      |  |  |  |
| PK   | 7.12872G     | 77.73             | 88.20             | -10.47         | 68.27         | 3           | Horizontal | 72             | 1.76          | -       | 35.96      | 8.56       | 35.06      |  |  |  |
| AV   | 7.13348G     | 54.65             | 68.20             | -13.55         | 45.17         | 3           | Horizontal | 72             | 1.76          | -       | 35.97      | 8.57       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
Setting 24  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.80998G | 61.93    | 88.20    | -26.27 | 49.23  | 3    | Vertical  | 81      | 1.45   | -       | 40.72 | 14.55 | 42.57 |  |  |  |
| RMS  | 13.80996G | 51.51    | 68.20    | -16.69 | 38.81  | 3    | Vertical  | 81      | 1.45   | -       | 40.72 | 14.55 | 42.57 |  |  |  |

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT\_X\_4TX  
Setting 24  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.81007G | 63.12    | 88.20    | -25.08 | 50.42  | 3    | Horizontal | 281     | 1.00   | -       | 40.72 | 14.55 | 42.57 |  |  |  |
| RMS  | 13.8099G  | 54.98    | 68.20    | -13.22 | 42.28  | 3    | Horizontal | 281     | 1.00   | -       | 40.72 | 14.55 | 42.57 |  |  |  |

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX




EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.72001G | 52.83    | 83.54    | -30.71 | 49.51  | 1    | Vertical  | 226     | 1.49   | -       | 37.79 | 17.57 | 52.04 |  |  |  |
| AV   | 20.71998G | 49.41    | 63.54    | -14.13 | 46.09  | 1    | Vertical  | 226     | 1.49   | -       | 37.79 | 17.57 | 52.04 |  |  |  |

6.875-7.125GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz\_TX



EUT X\_4TX  
Setting 25  
03-J-P-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.72004G    | 56.61             | 83.54             | -26.93         | 53.29         | 1           | Horizontal | 334            | 1.50          | -       | 37.79      | 17.57      | 52.04      |  |  |  |
| AV   | 20.71998G    | 54.31             | 63.54             | -9.23          | 50.99         | 1           | Horizontal | 334            | 1.50          | -       | 37.79      | 17.57      | 52.04      |  |  |  |

## Summary

| Mode                            | Result | Ref<br>(Hz) | Ref<br>(dBm) | Freq<br>(Hz) | Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) | Port |
|---------------------------------|--------|-------------|--------------|--------------|----------------|----------------|----------------|------|
| 5.925-6.425GHz                  | -      | -           | -            | -            | -              | -              | -              | -    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | Pass   | 5.960035G   | -11.13       | 5.925G       | -59.83         | -46.79         | -13.04         | 1    |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | Pass   | 6.15469G    | -8.87        | 6.105G       | -58.33         | -45.66         | -12.67         | 4    |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | Pass   | 6.17281G    | -6.14        | 6.09916G     | -36.54         | -26.18         | -10.36         | 2    |
| 802.11be EHT160_Nss1,(MCS0)_4TX | Pass   | 6.25021G    | -1.49        | 5.945G       | -48.86         | -38.59         | -10.27         | 3    |
| 802.11be EHT320_Nss1,(MCS0)_4TX | Pass   | 6.40694G    | 2.37         | 6.7402G      | -42.34         | -35.24         | -7.10          | 1    |
| 6.425-6.525GHz                  | -      | -           | -            | -            | -              | -              | -              | -    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | Pass   | 6.507448G   | -11.31       | 6.485G       | -60.54         | -46.85         | -13.69         | 2    |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | Pass   | 6.51949G    | -8.97        | 6.465G       | -57.99         | -45.67         | -12.32         | 2    |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | Pass   | 6.43335G    | -5.61        | 6.5106G      | -36.44         | -25.65         | -10.79         | 2    |
| 802.11be EHT160_Nss1,(MCS0)_4TX | Pass   | 6.54912G    | 0.83         | 6.745G       | -47.20         | -36.27         | -10.93         | 3    |
| 802.11be EHT320_Nss1,(MCS0)_4TX | Pass   | 6.65405G    | 2.19         | 7.00932G     | -37.51         | -31.52         | -5.99          | 1    |
| 6.525-6.875GHz                  | -      | -           | -            | -            | -              | -              | -              | -    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | Pass   | 6.863152G   | -10.57       | 6.825G       | -59.60         | -46.32         | -13.28         | 2    |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | Pass   | 6.6669G     | -8.79        | 6.74476G     | -57.20         | -45.58         | -11.62         | 4    |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | Pass   | 6.85061G    | -4.86        | 6.90988G     | -33.40         | -24.90         | -8.50          | 2    |
| 802.11be EHT160_Nss1,(MCS0)_4TX | Pass   | 6.67843G    | 0.21         | 6.905G       | -46.99         | -36.85         | -10.14         | 3    |
| 802.11be EHT320_Nss1,(MCS0)_4TX | Pass   | 7.0009G     | 2.05         | 6.42692G     | -40.70         | -35.81         | -4.89          | 1    |
| 6.875-7.125GHz                  | -      | -           | -            | -            | -              | -              | -              | -    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | Pass   | 7.108526G   | -10.92       | 7.10216G     | -45.28         | -30.96         | -14.32         | 4    |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | Pass   | 6.92224G    | -7.08        | 6.985G       | -56.32         | -43.96         | -12.36         | 3    |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | Pass   | 7.01589G    | -3.74        | 6.97916G     | -33.64         | -23.74         | -9.90          | 2    |
| 802.11be EHT160_Nss1,(MCS0)_4TX | Pass   | 7.02144G    | 0.07         | 6.745G       | -47.31         | -36.94         | -10.37         | 3    |

## Result

| Mode                            | Result | Ref<br>(Hz) | Ref<br>(dBm) | Freq<br>(Hz) | Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) | Port |
|---------------------------------|--------|-------------|--------------|--------------|----------------|----------------|----------------|------|
| 802.11be EHT20_Nss1,(MCS0)_4TX  | -      | -           | -            | -            | -              | -              | -              | -    |
| 5955MHz                         | Pass   | 5.960035G   | -11.13       | 5.925G       | -59.83         | -46.79         | -13.04         | 1    |
| 5955MHz                         | Pass   | 5.962313G   | -10.66       | 5.92506G     | -59.91         | -46.22         | -13.69         | 2    |
| 5955MHz                         | Pass   | 5.962013G   | -10.49       | 5.925G       | -59.48         | -45.22         | -14.26         | 3    |
| 5955MHz                         | Pass   | 5.947987G   | -10.90       | 5.92512G     | -59.78         | -45.12         | -14.66         | 4    |
| 6175MHz                         | Pass   | 6.178776G   | -11.60       | 6.145G       | -60.81         | -46.97         | -13.84         | 1    |
| 6175MHz                         | Pass   | 6.168706G   | -11.54       | 6.145G       | -60.86         | -46.27         | -14.59         | 2    |
| 6175MHz                         | Pass   | 6.166608G   | -11.25       | 6.20494G     | -60.70         | -45.38         | -15.32         | 3    |
| 6175MHz                         | Pass   | 6.165829G   | -11.31       | 6.20494G     | -60.92         | -45.71         | -15.21         | 4    |
| 6415MHz                         | Pass   | 6.417937G   | -9.11        | 6.4027G      | -44.07         | -29.11         | -14.96         | 1    |
| 6415MHz                         | Pass   | 6.406548G   | -9.69        | 6.385G       | -60.08         | -45.56         | -14.52         | 2    |
| 6415MHz                         | Pass   | 6.418716G   | -9.32        | 6.38506G     | -59.92         | -44.27         | -15.65         | 3    |
| 6415MHz                         | Pass   | 6.423092G   | -9.71        | 6.38506G     | -60.35         | -45.43         | -14.92         | 4    |
| 6435MHz                         | Pass   | 6.443631G   | -8.75        | 6.42252G     | -44.41         | -28.78         | -15.63         | 1    |
| 6435MHz                         | Pass   | 6.426069G   | -9.37        | 6.42264G     | -43.40         | -28.27         | -15.13         | 2    |
| 6435MHz                         | Pass   | 6.443991G   | -8.91        | 6.46494G     | -59.86         | -43.27         | -16.59         | 3    |
| 6435MHz                         | Pass   | 6.442972G   | -9.29        | 6.465G       | -60.15         | -43.75         | -16.40         | 4    |
| 6475MHz                         | Pass   | 6.482373G   | -9.70        | 6.445G       | -60.21         | -45.32         | -14.89         | 1    |
| 6475MHz                         | Pass   | 6.467567G   | -10.33       | 6.445G       | -60.38         | -46.16         | -14.22         | 2    |
| 6475MHz                         | Pass   | 6.468586G   | -9.83        | 6.44518G     | -59.71         | -44.10         | -15.61         | 3    |
| 6475MHz                         | Pass   | 6.466489G   | -10.38       | 6.445G       | -60.06         | -45.07         | -14.99         | 4    |
| 6515MHz                         | Pass   | 6.522493G   | -10.67       | 6.485G       | -60.60         | -46.12         | -14.48         | 1    |
| 6515MHz                         | Pass   | 6.507448G   | -11.31       | 6.485G       | -60.54         | -46.85         | -13.69         | 2    |
| 6515MHz                         | Pass   | 6.523452G   | -10.60       | 6.48512G     | -60.07         | -44.78         | -15.29         | 3    |
| 6515MHz                         | Pass   | 6.522972G   | -11.37       | 6.485G       | -60.30         | -46.18         | -14.12         | 4    |
| 6535MHz                         | Pass   | 6.542433G   | -10.50       | 6.505G       | -60.31         | -46.04         | -14.27         | 1    |
| 6535MHz                         | Pass   | 6.528706G   | -10.95       | 6.505G       | -60.00         | -45.76         | -14.24         | 2    |
| 6535MHz                         | Pass   | 6.543691G   | -10.53       | 6.50512G     | -60.00         | -44.83         | -15.17         | 3    |
| 6535MHz                         | Pass   | 6.543032G   | -10.92       | 6.50506G     | -59.93         | -45.47         | -14.46         | 4    |
| 6695MHz                         | Pass   | 6.686728G   | -9.64        | 6.72488G     | -59.84         | -44.68         | -15.16         | 1    |
| 6695MHz                         | Pass   | 6.685889G   | -10.09       | 6.725G       | -59.60         | -45.14         | -14.46         | 2    |
| 6695MHz                         | Pass   | 6.688467G   | -9.85        | 6.72494G     | -59.51         | -44.84         | -14.67         | 3    |
| 6695MHz                         | Pass   | 6.688107G   | -9.82        | 6.725G       | -59.56         | -44.35         | -15.21         | 4    |
| 6855MHz                         | Pass   | 6.847927G   | -10.31       | 6.82506G     | -59.63         | -45.14         | -14.49         | 1    |
| 6855MHz                         | Pass   | 6.863152G   | -10.57       | 6.825G       | -59.60         | -46.32         | -13.28         | 2    |
| 6855MHz                         | Pass   | 6.847088G   | -10.14       | 6.88488G     | -59.17         | -44.44         | -14.73         | 3    |
| 6855MHz                         | Pass   | 6.863511G   | -10.38       | 6.885G       | -59.42         | -45.03         | -14.39         | 4    |
| 6875MHz Straddle 6.525-6.875GHz | Pass   | 6.883631G   | -9.71        | 6.905G       | -59.50         | -44.68         | -14.82         | 1    |
| 6875MHz Straddle 6.525-6.875GHz | Pass   | 6.866009G   | -10.02       | 6.84518G     | -59.09         | -45.53         | -13.56         | 2    |
| 6875MHz Straddle 6.525-6.875GHz | Pass   | 6.870924G   | -9.59        | 6.84518G     | -58.93         | -44.82         | -14.11         | 3    |
| 6875MHz Straddle 6.525-6.875GHz | Pass   | 6.883631G   | -9.70        | 6.90488G     | -59.06         | -44.39         | -14.67         | 4    |
| 6895MHz                         | Pass   | 6.903991G   | -9.20        | 6.92488G     | -58.93         | -44.57         | -14.36         | 1    |
| 6895MHz                         | Pass   | 6.902852G   | -9.34        | 6.86518G     | -58.88         | -44.52         | -14.36         | 2    |
| 6895MHz                         | Pass   | 6.890145G   | -9.16        | 6.865G       | -58.90         | -43.62         | -15.28         | 3    |
| 6895MHz                         | Pass   | 6.903571G   | -8.68        | 6.86512G     | -58.88         | -42.75         | -16.13         | 4    |
| 6995MHz                         | Pass   | 7.002373G   | -8.28        | 6.96512G     | -58.83         | -43.61         | -15.22         | 1    |
| 6995MHz                         | Pass   | 7.002493G   | -8.64        | 6.96506G     | -58.91         | -43.31         | -15.60         | 2    |
| 6995MHz                         | Pass   | 7.002373G   | -8.94        | 6.96506G     | -58.64         | -44.01         | -14.63         | 3    |
| 6995MHz                         | Pass   | 7.003871G   | -8.29        | 6.965G       | -58.98         | -44.16         | -14.82         | 4    |
| 7095MHz                         | Pass   | 7.089905G   | -9.24        | 7.10754G     | -44.80         | -29.27         | -15.53         | 1    |
| 7095MHz                         | Pass   | 7.086129G   | -10.12       | 7.0827G      | -44.85         | -30.16         | -14.69         | 2    |
| 7095MHz                         | Pass   | 7.089366G   | -9.94        | 7.065G       | -61.45         | -44.51         | -16.94         | 3    |
| 7095MHz                         | Pass   | 7.086009G   | -9.50        | 7.08234G     | -45.53         | -29.56         | -15.97         | 4    |
| 7115MHz Straddle 6.875-7.125GHz | Pass   | 7.109965G   | -10.97       | 7.08512G     | -61.96         | -46.14         | -15.82         | 1    |
| 7115MHz Straddle 6.875-7.125GHz | Pass   | 7.106069G   | -11.04       | 7.085G       | -61.90         | -46.17         | -15.73         | 2    |

| Mode                            | Result | Ref (Hz)  | Ref (dBm) | Freq (Hz) | Level (dBm) | Limit (dBm) | Margin (dB) | Port |
|---------------------------------|--------|-----------|-----------|-----------|-------------|-------------|-------------|------|
| 7115MHz Straddle 6.875-7.125GHz | Pass   | 7.111883G | -10.62    | 7.08506G  | -61.59      | -45.25      | -16.34      | 3    |
| 7115MHz Straddle 6.875-7.125GHz | Pass   | 7.108526G | -10.92    | 7.10216G  | -45.28      | -30.96      | -14.32      | 4    |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | -      | -         | -         | -         | -           | -           | -           | -    |
| 5965MHz                         | Pass   | 5.98034G  | -7.93     | 5.90524G  | -57.40      | -44.54      | -12.86      | 1    |
| 5965MHz                         | Pass   | 5.98154G  | -8.10     | 5.905G    | -57.11      | -44.27      | -12.84      | 2    |
| 5965MHz                         | Pass   | 5.94666G  | -7.63     | 5.905G    | -57.08      | -44.28      | -12.80      | 3    |
| 5965MHz                         | Pass   | 5.97267G  | -8.01     | 5.90512G  | -57.61      | -44.69      | -12.92      | 4    |
| 6165MHz                         | Pass   | 6.16896G  | -8.41     | 6.22488G  | -58.39      | -44.47      | -13.92      | 1    |
| 6165MHz                         | Pass   | 6.18226G  | -9.11     | 6.225G    | -58.06      | -44.56      | -13.50      | 2    |
| 6165MHz                         | Pass   | 6.14786G  | -8.56     | 6.22488G  | -58.17      | -45.06      | -13.11      | 3    |
| 6165MHz                         | Pass   | 6.15469G  | -8.87     | 6.105G    | -58.33      | -45.66      | -12.67      | 4    |
| 6405MHz                         | Pass   | 6.42334G  | -7.49     | 6.465G    | -57.95      | -43.49      | -14.46      | 1    |
| 6405MHz                         | Pass   | 6.41627G  | -8.08     | 6.46488G  | -57.73      | -44.76      | -12.97      | 2    |
| 6405MHz                         | Pass   | 6.408G    | -7.67     | 6.465G    | -57.91      | -43.50      | -14.41      | 3    |
| 6405MHz                         | Pass   | 6.41351G  | -8.48     | 6.465G    | -58.20      | -45.49      | -12.71      | 4    |
| 6445MHz                         | Pass   | 6.45111G  | -7.50     | 6.385G    | -58.31      | -44.02      | -14.29      | 1    |
| 6445MHz                         | Pass   | 6.43865G  | -8.50     | 6.38512G  | -58.22      | -45.49      | -12.73      | 2    |
| 6445MHz                         | Pass   | 6.4613G   | -7.58     | 6.505G    | -57.97      | -44.06      | -13.91      | 3    |
| 6445MHz                         | Pass   | 6.45411G  | -8.38     | 6.385G    | -57.99      | -45.26      | -12.73      | 4    |
| 6485MHz                         | Pass   | 6.48836G  | -7.30     | 6.42512G  | -58.03      | -43.15      | -14.88      | 1    |
| 6485MHz                         | Pass   | 6.50226G  | -8.56     | 6.42512G  | -58.01      | -45.10      | -12.91      | 2    |
| 6485MHz                         | Pass   | 6.46702G  | -7.57     | 6.425G    | -57.83      | -44.13      | -13.70      | 3    |
| 6485MHz                         | Pass   | 6.49435G  | -8.49     | 6.425G    | -57.96      | -45.28      | -12.68      | 4    |
| 6525MHz Straddle 6.425-6.525GHz | Pass   | 6.53003G  | -7.63     | 6.465G    | -57.87      | -44.15      | -13.72      | 1    |
| 6525MHz Straddle 6.425-6.525GHz | Pass   | 6.51949G  | -8.97     | 6.465G    | -57.99      | -45.67      | -12.32      | 2    |
| 6525MHz Straddle 6.425-6.525GHz | Pass   | 6.50666G  | -8.16     | 6.465G    | -57.81      | -44.51      | -13.30      | 3    |
| 6525MHz Straddle 6.425-6.525GHz | Pass   | 6.53423G  | -8.99     | 6.465G    | -58.01      | -45.42      | -12.59      | 4    |
| 6565MHz                         | Pass   | 6.55397G  | -7.40     | 6.50524G  | -57.88      | -43.83      | -14.05      | 1    |
| 6565MHz                         | Pass   | 6.55613G  | -8.66     | 6.625G    | -57.69      | -45.09      | -12.60      | 2    |
| 6565MHz                         | Pass   | 6.56872G  | -7.94     | 6.50524G  | -57.56      | -44.20      | -13.36      | 3    |
| 6565MHz                         | Pass   | 6.57375G  | -8.43     | 6.50536G  | -57.69      | -45.02      | -12.67      | 4    |
| 6685MHz                         | Pass   | 6.69759G  | -7.71     | 6.74488G  | -57.50      | -44.48      | -13.02      | 1    |
| 6685MHz                         | Pass   | 6.67121G  | -8.71     | 6.74452G  | -57.10      | -45.37      | -11.73      | 2    |
| 6685MHz                         | Pass   | 6.67829G  | -8.12     | 6.74488G  | -57.11      | -44.66      | -12.45      | 3    |
| 6685MHz                         | Pass   | 6.6669G   | -8.79     | 6.74476G  | -57.20      | -45.58      | -11.62      | 4    |
| 6845MHz                         | Pass   | 6.86298G  | -8.49     | 6.905G    | -57.27      | -44.84      | -12.43      | 1    |
| 6845MHz                         | Pass   | 6.82882G  | -8.74     | 6.90488G  | -57.21      | -44.89      | -12.32      | 2    |
| 6845MHz                         | Pass   | 6.8426G   | -8.59     | 6.905G    | -57.12      | -45.42      | -11.70      | 3    |
| 6845MHz                         | Pass   | 6.85339G  | -8.91     | 6.78512G  | -57.25      | -44.89      | -12.36      | 4    |
| 6885MHz Straddle 6.525-6.875GHz | Pass   | 6.90142G  | -7.33     | 6.82512G  | -57.05      | -43.96      | -13.09      | 1    |
| 6885MHz Straddle 6.525-6.875GHz | Pass   | 6.86978G  | -7.85     | 6.945G    | -56.61      | -43.94      | -12.67      | 2    |
| 6885MHz Straddle 6.525-6.875GHz | Pass   | 6.88224G  | -7.43     | 6.94476G  | -56.71      | -44.00      | -12.71      | 3    |
| 6885MHz Straddle 6.525-6.875GHz | Pass   | 6.89375G  | -7.88     | 6.945G    | -56.95      | -44.44      | -12.51      | 4    |
| 6925MHz                         | Pass   | 6.90654G  | -7.14     | 6.985G    | -56.66      | -43.75      | -12.91      | 1    |
| 6925MHz                         | Pass   | 6.91157G  | -7.75     | 6.985G    | -56.76      | -44.27      | -12.49      | 2    |
| 6925MHz                         | Pass   | 6.92224G  | -7.08     | 6.985G    | -56.32      | -43.96      | -12.36      | 3    |
| 6925MHz                         | Pass   | 6.91205G  | -7.52     | 6.98476G  | -56.64      | -43.82      | -12.82      | 4    |
| 7005MHz                         | Pass   | 7.0219G   | -5.38     | 7.02816G  | -39.82      | -25.42      | -14.40      | 1    |
| 7005MHz                         | Pass   | 7.00896G  | -5.69     | 6.98196G  | -39.68      | -25.71      | -13.97      | 2    |
| 7005MHz                         | Pass   | 7.00236G  | -5.13     | 6.98208G  | -38.72      | -25.14      | -13.58      | 3    |
| 7005MHz                         | Pass   | 7.0002G   | -5.92     | 6.945G    | -56.92      | -42.57      | -14.35      | 4    |
| 7085MHz                         | Pass   | 7.06846G  | -6.40     | 7.06172G  | -40.14      | -26.45      | -13.69      | 1    |
| 7085MHz                         | Pass   | 7.07145G  | -7.04     | 7.06172G  | -41.06      | -27.07      | -13.99      | 2    |
| 7085MHz                         | Pass   | 7.10298G  | -6.29     | 7.10804G  | -39.37      | -26.09      | -13.28      | 3    |
| 7085MHz                         | Pass   | 7.07193G  | -6.58     | 7.06184G  | -40.63      | -26.59      | -14.04      | 4    |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | -      | -         | -         | -         | -           | -           | -           | -    |

| Mode                            | Result | Ref (Hz) | Ref (dBm) | Freq (Hz) | Level (dBm) | Limit (dBm) | Margin (dB) | Port |
|---------------------------------|--------|----------|-----------|-----------|-------------|-------------|-------------|------|
| 5985MHz                         | Pass   | 6.0212G  | -5.54     | 6.03108G  | -36.52      | -25.55      | -10.97      | 1    |
| 5985MHz                         | Pass   | 6.01425G | -5.46     | 6.0318G   | -37.56      | -25.49      | -12.07      | 2    |
| 5985MHz                         | Pass   | 6.02264G | -5.38     | 5.93868G  | -36.64      | -25.41      | -11.23      | 3    |
| 5985MHz                         | Pass   | 5.99627G | -6.05     | 5.9394G   | -36.50      | -26.09      | -10.41      | 4    |
| 6145MHz                         | Pass   | 6.1414G  | -5.72     | 6.09844G  | -37.02      | -25.73      | -11.29      | 1    |
| 6145MHz                         | Pass   | 6.17281G | -6.14     | 6.09916G  | -36.54      | -26.18      | -10.36      | 2    |
| 6145MHz                         | Pass   | 6.13877G | -5.49     | 6.0982G   | -36.49      | -25.55      | -10.94      | 3    |
| 6145MHz                         | Pass   | 6.11791G | -5.89     | 6.09844G  | -36.61      | -25.92      | -10.69      | 4    |
| 6385MHz                         | Pass   | 6.40994G | -4.76     | 6.43252G  | -37.85      | -24.82      | -13.03      | 1    |
| 6385MHz                         | Pass   | 6.39603G | -5.81     | 6.43084G  | -36.42      | -25.85      | -10.57      | 2    |
| 6385MHz                         | Pass   | 6.39771G | -4.94     | 6.43108G  | -36.04      | -24.94      | -11.10      | 3    |
| 6385MHz                         | Pass   | 6.35503G | -5.71     | 6.33724G  | -38.64      | -25.76      | -12.88      | 4    |
| 6465MHz                         | Pass   | 6.48706G | -4.80     | 6.51156G  | -36.28      | -24.88      | -11.40      | 1    |
| 6465MHz                         | Pass   | 6.43335G | -5.61     | 6.5106G   | -36.44      | -25.65      | -10.79      | 2    |
| 6465MHz                         | Pass   | 6.45397G | -5.32     | 6.51108G  | -36.59      | -25.33      | -11.26      | 3    |
| 6465MHz                         | Pass   | 6.43647G | -5.57     | 6.5118G   | -38.09      | -25.57      | -12.52      | 4    |
| 6545MHz Straddle 6.425-6.525GHz | Pass   | 6.56898G | -4.44     | 6.59156G  | -36.73      | -24.45      | -12.28      | 1    |
| 6545MHz Straddle 6.425-6.525GHz | Pass   | 6.53805G | -6.04     | 6.49844G  | -38.33      | -26.08      | -12.25      | 2    |
| 6545MHz Straddle 6.425-6.525GHz | Pass   | 6.55795G | -5.16     | 6.59084G  | -36.11      | -25.16      | -10.95      | 3    |
| 6545MHz Straddle 6.425-6.525GHz | Pass   | 6.5299G  | -6.18     | 6.49868G  | -37.78      | -25.38      | -12.40      | 4    |
| 6625MHz                         | Pass   | 6.65761G | -4.20     | 6.6706G   | -34.43      | -24.20      | -10.23      | 1    |
| 6625MHz                         | Pass   | 6.59527G | -5.25     | 6.57916G  | -35.50      | -25.26      | -10.24      | 2    |
| 6625MHz                         | Pass   | 6.6624G  | -4.84     | 6.5782G   | -36.86      | -24.88      | -11.98      | 3    |
| 6625MHz                         | Pass   | 6.63195G | -5.23     | 6.57892G  | -35.95      | -25.24      | -10.71      | 4    |
| 6705MHz                         | Pass   | 6.7424G  | -3.55     | 6.65796G  | -36.17      | -23.59      | -12.58      | 1    |
| 6705MHz                         | Pass   | 6.68846G | -4.79     | 6.65916G  | -35.20      | -24.79      | -10.41      | 2    |
| 6705MHz                         | Pass   | 6.73713G | -4.20     | 6.65844G  | -35.39      | -24.27      | -11.12      | 3    |
| 6705MHz                         | Pass   | 6.69733G | -4.52     | 6.65916G  | -35.25      | -24.53      | -10.72      | 4    |
| 6785MHz                         | Pass   | 6.77949G | -3.36     | 6.73892G  | -34.56      | -23.36      | -11.20      | 1    |
| 6785MHz                         | Pass   | 6.75047G | -4.70     | 6.73868G  | -35.39      | -24.78      | -10.61      | 2    |
| 6785MHz                         | Pass   | 6.77877G | -3.58     | 6.73844G  | -35.04      | -23.65      | -11.39      | 3    |
| 6785MHz                         | Pass   | 6.75G    | -4.25     | 6.73868G  | -35.88      | -24.26      | -11.62      | 4    |
| 6865MHz Straddle 6.525-6.875GHz | Pass   | 6.8662G  | -4.11     | 6.81868G  | -35.25      | -24.12      | -11.13      | 1    |
| 6865MHz Straddle 6.525-6.875GHz | Pass   | 6.85061G | -4.86     | 6.90988G  | -33.40      | -24.90      | -8.50       | 2    |
| 6865MHz Straddle 6.525-6.875GHz | Pass   | 6.84222G | -4.26     | 6.81868G  | -35.02      | -24.29      | -10.73      | 3    |
| 6865MHz Straddle 6.525-6.875GHz | Pass   | 6.89857G | -4.81     | 6.91084G  | -35.57      | -24.81      | -10.76      | 4    |
| 6945MHz                         | Pass   | 6.9426G  | -4.33     | 6.99156G  | -36.61      | -24.34      | -12.27      | 1    |
| 6945MHz                         | Pass   | 6.92846G | -5.36     | 6.89964G  | -35.29      | -25.36      | -9.93       | 2    |
| 6945MHz                         | Pass   | 6.91983G | -4.29     | 6.89868G  | -35.57      | -24.33      | -11.24      | 3    |
| 6945MHz                         | Pass   | 6.90736G | -4.89     | 6.8982G   | -35.90      | -24.99      | -10.91      | 4    |
| 7025MHz                         | Pass   | 7.00534G | -2.81     | 6.97892G  | -34.28      | -22.85      | -11.43      | 1    |
| 7025MHz                         | Pass   | 7.01589G | -3.74     | 6.97916G  | -33.64      | -23.74      | -9.90       | 2    |
| 7025MHz                         | Pass   | 7.01421G | -3.34     | 6.97868G  | -34.74      | -23.37      | -11.37      | 3    |
| 7025MHz                         | Pass   | 7.01229G | -3.37     | 6.98012G  | -33.68      | -23.41      | -10.27      | 4    |
| 802.11be EHT160_Nss1,(MCS0)_4TX | -      | -        | -         | -         | -           | -           | -           | -    |
| 6025MHz                         | Pass   | 6.0087G  | -0.54     | 6.265G    | -49.80      | -37.02      | -12.78      | 1    |
| 6025MHz                         | Pass   | 6.0485G  | -0.73     | 6.265G    | -49.70      | -37.97      | -11.73      | 2    |
| 6025MHz                         | Pass   | 6.03939G | -0.96     | 6.265G    | -49.21      | -38.06      | -11.15      | 3    |
| 6025MHz                         | Pass   | 6.01541G | -1.15     | 6.265G    | -50.46      | -38.39      | -12.07      | 4    |
| 6185MHz                         | Pass   | 6.2483G  | -0.49     | 5.945G    | -49.35      | -36.84      | -12.51      | 1    |
| 6185MHz                         | Pass   | 6.23247G | -1.37     | 5.945G    | -49.36      | -38.61      | -10.75      | 2    |
| 6185MHz                         | Pass   | 6.25021G | -1.49     | 5.945G    | -48.86      | -38.59      | -10.27      | 3    |
| 6185MHz                         | Pass   | 6.11691G | -0.91     | 5.945G    | -48.70      | -37.88      | -10.82      | 4    |
| 6345MHz                         | Pass   | 6.40878G | -0.33     | 6.58452G  | -49.78      | -37.10      | -12.68      | 1    |
| 6345MHz                         | Pass   | 6.31623G | -1.27     | 6.585G    | -50.20      | -38.28      | -11.92      | 2    |
| 6345MHz                         | Pass   | 6.38912G | -1.19     | 6.585G    | -49.22      | -37.89      | -11.33      | 3    |



## Mask Non-beamforming mode

## Appendix E.4


| Mode                            | Result | Ref (Hz) | Ref (dBm) | Freq (Hz) | Level (dBm) | Limit (dBm) | Margin (dB) | Port |
|---------------------------------|--------|----------|-----------|-----------|-------------|-------------|-------------|------|
| 6345MHz                         | Pass   | 6.29465G | -1.16     | 6.10596G  | -49.21      | -38.18      | -11.03      | 4    |
| 6505MHz Straddle 6.425-6.525GHz | Pass   | 6.53137G | 1.09      | 6.745G    | -47.92      | -35.56      | -12.36      | 1    |
| 6505MHz Straddle 6.425-6.525GHz | Pass   | 6.43643G | -0.20     | 6.745G    | -49.14      | -37.40      | -11.74      | 2    |
| 6505MHz Straddle 6.425-6.525GHz | Pass   | 6.54912G | 0.83      | 6.745G    | -47.20      | -36.27      | -10.93      | 3    |
| 6505MHz Straddle 6.425-6.525GHz | Pass   | 6.55535G | 0.07      | 6.745G    | -48.40      | -37.03      | -11.37      | 4    |
| 6665MHz                         | Pass   | 6.65061G | 0.91      | 6.90452G  | -46.86      | -35.99      | -10.87      | 1    |
| 6665MHz                         | Pass   | 6.59931G | -0.18     | 6.905G    | -48.09      | -37.24      | -10.85      | 2    |
| 6665MHz                         | Pass   | 6.67843G | 0.21      | 6.905G    | -46.99      | -36.85      | -10.14      | 3    |
| 6665MHz                         | Pass   | 6.67555G | -0.05     | 6.90452G  | -47.62      | -37.00      | -10.62      | 4    |
| 6825MHz Straddle 6.525-6.875GHz | Pass   | 6.79239G | 0.49      | 6.585G    | -49.09      | -36.52      | -12.57      | 1    |
| 6825MHz Straddle 6.525-6.875GHz | Pass   | 6.75355G | -0.59     | 6.58548G  | -49.12      | -37.45      | -11.67      | 2    |
| 6825MHz Straddle 6.525-6.875GHz | Pass   | 6.76602G | 0.53      | 6.585G    | -48.79      | -36.85      | -11.94      | 3    |
| 6825MHz Straddle 6.525-6.875GHz | Pass   | 6.77081G | -0.16     | 6.585G    | -48.77      | -37.04      | -11.73      | 4    |
| 6985MHz                         | Pass   | 7.00418G | 0.66      | 6.745G    | -48.03      | -36.04      | -11.99      | 1    |
| 6985MHz                         | Pass   | 7.01089G | -0.07     | 6.745G    | -48.53      | -37.17      | -11.36      | 2    |
| 6985MHz                         | Pass   | 7.02144G | 0.07      | 6.745G    | -47.31      | -36.94      | -10.37      | 3    |
| 6985MHz                         | Pass   | 7.00226G | -0.04     | 6.745G    | -47.85      | -37.47      | -10.38      | 4    |
| 802.11be EHT320_Nss1,(MCS0)_4TX | -      | -        | -         | -         | -           | -           | -           | -    |
| 6105MHz                         | Pass   | 6.24502G | 1.67      | 6.58404G  | -43.77      | -35.69      | -8.08       | 1    |
| 6105MHz                         | Pass   | 6.23543G | 1.13      | 6.585G    | -45.06      | -36.72      | -8.34       | 2    |
| 6105MHz                         | Pass   | 6.04458G | 0.65      | 6.585G    | -45.51      | -37.20      | -8.31       | 3    |
| 6105MHz                         | Pass   | 6.01485G | 1.60      | 6.585G    | -46.13      | -36.39      | -9.74       | 4    |
| 6265MHz                         | Pass   | 6.40694G | 2.37      | 6.7402G   | -42.34      | -35.24      | -7.10       | 1    |
| 6265MHz                         | Pass   | 6.25445G | 1.76      | 6.745G    | -43.95      | -36.38      | -7.57       | 2    |
| 6265MHz                         | Pass   | 6.33405G | 1.62      | 6.745G    | -43.23      | -36.04      | -7.19       | 3    |
| 6265MHz                         | Pass   | 6.11635G | 1.99      | 6.745G    | -44.10      | -35.58      | -8.52       | 4    |
| 6425MHz                         | Pass   | 6.55255G | 2.06      | 6.905G    | -42.01      | -35.70      | -6.31       | 1    |
| 6425MHz                         | Pass   | 6.31471G | 0.66      | 5.94788G  | -43.94      | -36.99      | -6.95       | 2    |
| 6425MHz                         | Pass   | 6.4413G  | 0.60      | 6.90212G  | -43.29      | -36.91      | -6.38       | 3    |
| 6425MHz                         | Pass   | 6.43363G | 0.84      | 5.945G    | -43.34      | -36.77      | -6.57       | 4    |
| 6585MHz                         | Pass   | 6.65405G | 2.19      | 7.00932G  | -37.51      | -31.52      | -5.99       | 1    |
| 6585MHz                         | Pass   | 6.47663G | 0.84      | 6.105G    | -44.20      | -37.06      | -7.14       | 2    |
| 6585MHz                         | Pass   | 6.67707G | 0.36      | 7.00644G  | -39.69      | -32.91      | -6.78       | 3    |
| 6585MHz                         | Pass   | 6.53513G | 0.69      | 6.10596G  | -43.50      | -36.90      | -6.60       | 4    |
| 6745MHz                         | Pass   | 6.78048G | 3.61      | 6.26884G  | -38.65      | -33.18      | -5.47       | 1    |
| 6745MHz                         | Pass   | 6.67499G | 1.99      | 6.265G    | -41.31      | -35.77      | -5.54       | 2    |
| 6745MHz                         | Pass   | 6.77857G | 2.14      | 7.22212G  | -41.22      | -35.51      | -5.71       | 3    |
| 6745MHz                         | Pass   | 6.75843G | 2.90      | 6.28228G  | -40.34      | -33.50      | -6.84       | 4    |
| 6905MHz                         | Pass   | 7.0009G  | 2.05      | 6.42692G  | -40.70      | -35.81      | -4.89       | 1    |
| 6905MHz                         | Pass   | 7.00762G | 1.24      | 6.425G    | -42.51      | -36.33      | -6.18       | 2    |
| 6905MHz                         | Pass   | 6.77841G | 1.05      | 6.425G    | -43.14      | -36.66      | -6.48       | 3    |
| 6905MHz                         | Pass   | 7.01049G | 1.28      | 6.425G    | -42.65      | -36.43      | -6.22       | 4    |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX 5955MHz\_TX

MASK

10/03/2023

CF Freq  
5.955GHz  
Span  
60MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.960035G | -11.13   | 5.925G   | -59.83     | -46.79     | -13.04     | 1    |
| 5.962313G | -10.66   | 5.92506G | -59.91     | -46.22     | -13.69     | 2    |
| 5.962013G | -10.49   | 5.925G   | -59.48     | -45.22     | -14.26     | 3    |
| 5.947987G | -10.90   | 5.92512G | -59.78     | -45.12     | -14.66     | 4    |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX 6175MHz\_TX

MASK

10/03/2023

CF Freq  
6.175GHz  
Span  
60MHz  
RBW  
300kHz  
VBW  
1MHz  
Sweep Time  
20ms  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.178776G | -11.60   | 6.145G   | -60.81     | -46.97     | -13.84     | 1    |
| 6.168706G | -11.54   | 6.145G   | -60.86     | -46.27     | -14.59     | 2    |
| 6.166608G | -11.25   | 6.20494G | -60.70     | -45.38     | -15.32     | 3    |
| 6.165829G | -11.31   | 6.20494G | -60.92     | -45.71     | -15.21     | 4    |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX 6415MHz\_TX

**MASK**


10/03/2023



## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX 6435MHz\_TX

**MASK**


10/03/2023



## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX 6475MHz\_TX

**MASK**


10/03/2023



## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX 6515MHz\_TX

**MASK**

10/03/2023




## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6535MHz\_TX

## MASK

10/03/2023



## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 6695MHz\_TX

## MASK

10/03/2023

