


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX 6855MHz_TX

MASK


10/03/2023



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX 6875MHz Straddle 6.525-6.875GHz_TX

MASK

10/03/2023




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX

MASK

10/03/2023




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX

MASK

09/03/2023




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX

MASK

10/03/2023




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7115MHz Straddle 6.875-7.125GHz_TX

MASK

10/03/2023




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX

MASK

10/03/2023




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6165MHz_TX

MASK


10/03/2023



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX 6405MHz_TX

MASK


10/03/2023



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX 6445MHz_TX

MASK

10/03/2023




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX

MASK

10/03/2023




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX

MASK

10/03/2023




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX

MASK

10/03/2023




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX

MASK


10/03/2023



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX 6845MHz_TX

MASK


10/03/2023



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX 6885MHz Straddle 6.525-6.875GHz_TX

MASK


10/03/2023



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX 6925MHz_TX

MASK


10/03/2023



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX 7005MHz_TX

MASK


10/03/2023



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX 7085MHz_TX

MASK


10/03/2023



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX 5985MHz_TX

MASK


10/03/2023



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX 6145MHz_TX

MASK


10/03/2023



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX 6385MHz_TX

MASK

10/03/2023




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6465MHz_TX

MASK

10/03/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48706G	-4.80	6.51156G	-36.28	-24.88	-11.40	1
6.43335G	-5.61	6.5106G	-36.44	-25.65	-10.79	2
6.45397G	-5.32	6.51108G	-36.59	-25.33	-11.26	3
6.43647G	-5.57	6.5118G	-38.09	-25.57	-12.52	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX

MASK

10/03/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56898G	-4.44	6.59156G	-36.73	-24.45	-12.28	1
6.53805G	-6.04	6.49844G	-38.33	-26.08	-12.25	2
6.55795G	-5.16	6.59084G	-36.11	-25.16	-10.95	3
6.5299G	-6.18	6.49868G	-37.78	-25.38	-12.40	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX

MASK

10/03/2023

CF Freq
6.625GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.65761G	-4.20	6.6706G	-34.43	-24.20	-10.23	1
6.59527G	-5.25	6.57916G	-35.50	-25.26	-10.24	2
6.6624G	-4.84	6.5782G	-36.86	-24.88	-11.98	3
6.63195G	-5.23	6.57892G	-35.95	-25.24	-10.71	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX

MASK

10/03/2023

CF Freq
6.705GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7424G	-3.55	6.65796G	-36.17	-23.59	-12.58	1
6.68846G	-4.79	6.65916G	-35.20	-24.79	-10.41	2
6.73713G	-4.20	6.65844G	-35.39	-24.27	-11.12	3
6.69733G	-4.52	6.65916G	-35.25	-24.53	-10.72	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX 6785MHz_TX

MASK


10/03/2023



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX 6865MHz Straddle 6.525-6.875GHz_TX

MASK


10/03/2023



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX 6945MHz_TX

MASK


10/03/2023



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX 7025MHz_TX

MASK


10/03/2023



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX 6025MHz_TX

MASK


10/03/2023



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX 6185MHz_TX

MASK


10/03/2023



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX 6345MHz_TX

MASK


10/03/2023



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX 6505MHz Straddle 6.425-6.525GHz_TX

MASK

10/03/2023




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

10/03/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.65061G	0.91	6.90452G	-46.86	-35.99	-10.87	1
6.59931G	-0.18	6.905G	-48.09	-37.24	-10.85	2
6.67843G	0.21	6.905G	-46.99	-36.85	-10.14	3
6.67555G	-0.05	6.90452G	-47.62	-37.00	-10.62	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TX

10/03/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79239G	0.49	6.585G	-49.09	-36.52	-12.57	1
6.75355G	-0.59	6.58548G	-49.12	-37.45	-11.67	2
6.76602G	0.53	6.585G	-48.79	-36.85	-11.94	3
6.77081G	-0.16	6.585G	-48.77	-37.04	-11.73	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX 6985MHz_TX

MASK


10/03/2023



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX 6105MHz_TX

MASK


10/03/2023



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX 6265MHz_TX

MASK


10/03/2023



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX 6425MHz_TX

MASK


10/03/2023



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX 6585MHz_TX

MASK


10/03/2023



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX 6745MHz_TX

MASK

10/03/2023




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX

MASK

10/03/2023



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.16621G	-11.46	6.222G	-59.89	-51.46	-8.43	3
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.14982G	-8.79	6.2492G	-56.18	-48.79	-7.39	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.12142G	-5.18	6.2914G	-52.70	-45.18	-7.52	3
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	5.97785G	-1.20	6.425G	-49.08	-38.82	-10.26	2
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.2584G	1.14	6.9002G	-45.44	-38.86	-6.58	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.46811G	-13.03	6.5091G	-59.51	-53.03	-6.48	3
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.53219G	-10.22	6.4448G	-56.18	-50.22	-5.96	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.49897G	-6.22	6.3242G	-52.84	-46.22	-6.62	3
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.53217G	-0.44	6.9042G	-48.66	-34.35	-14.31	3
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.4602G	1.40	7.225G	-45.05	-33.29	-11.76	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.86861G	-13.50	6.9095G	-59.08	-53.50	-5.58	1
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.888G	-9.68	6.9844G	-54.99	-49.68	-5.31	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.80778G	-7.38	6.9842G	-52.12	-47.38	-4.74	1
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.89533G	-1.56	7.2242G	-49.51	-35.43	-14.08	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.8457G	0.45	7.4986G	-44.18	-32.58	-11.60	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	7.10801G	-14.80	7.1635G	-59.12	-54.80	-4.32	3
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	7.06802G	-8.12	7G	-54.70	-48.12	-6.58	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.98744G	-6.64	7.2242G	-52.00	-46.64	-5.36	3
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	7.01297G	-1.62	7.3842G	-48.58	-38.07	-10.51	2

**Result**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96369G	-7.24	5.9894G	-59.86	-47.24	-12.62	1
5955MHz	Pass	5.9587G	-11.22	5.9865G	-60.66	-51.22	-9.44	2
5955MHz	Pass	5.94751G	-10.47	6.0022G	-60.05	-50.47	-9.58	3
5955MHz	Pass	5.96249G	-10.08	5.9883G	-60.33	-50.08	-10.25	4
6175MHz	Pass	6.16741G	-9.44	6.2105G	-59.99	-49.44	-10.55	1
6175MHz	Pass	6.16861G	-11.51	6.2104G	-60.25	-51.51	-8.74	2
6175MHz	Pass	6.16621G	-11.46	6.222G	-59.89	-51.46	-8.43	3
6175MHz	Pass	6.16741G	-11.69	6.219G	-60.14	-51.69	-8.45	4
6415MHz	Pass	6.42249G	-10.11	6.4571G	-59.78	-50.11	-9.67	1
6415MHz	Pass	6.42239G	-9.58	6.4512G	-59.03	-49.58	-9.45	2
6415MHz	Pass	6.40591G	-10.48	6.4485G	-59.19	-50.48	-8.71	3
6415MHz	Pass	6.42249G	-10.59	6.4585G	-59.79	-50.59	-9.20	4
6435MHz	Pass	6.42621G	-11.39	6.4784G	-59.95	-51.39	-8.56	1
6435MHz	Pass	6.43G	-10.74	6.4681G	-59.80	-50.74	-9.06	2
6435MHz	Pass	6.44279G	-12.22	6.4842G	-59.45	-52.22	-7.23	3
6435MHz	Pass	6.4399G	-11.78	6.4691G	-59.67	-51.78	-7.89	4
6475MHz	Pass	6.46661G	-12.17	6.5098G	-59.88	-52.17	-7.71	1
6475MHz	Pass	6.46751G	-11.24	6.509G	-59.77	-51.24	-8.53	2
6475MHz	Pass	6.46811G	-13.03	6.5091G	-59.51	-53.03	-6.48	3
6475MHz	Pass	6.46681G	-12.57	6.5087G	-59.70	-52.57	-7.13	4
6515MHz	Pass	6.50611G	-11.72	6.4742G	-59.96	-51.72	-8.24	1
6515MHz	Pass	6.5177G	-10.68	6.473G	-59.76	-50.68	-9.08	2
6515MHz	Pass	6.52339G	-11.67	6.4771G	-59.52	-51.67	-7.85	3
6515MHz	Pass	6.52G	-11.16	6.4805G	-59.70	-51.16	-8.54	4
6535MHz	Pass	6.54259G	-12.17	6.4996G	-59.82	-52.17	-7.65	1
6535MHz	Pass	6.54249G	-11.20	6.4886G	-59.54	-51.20	-8.34	2
6535MHz	Pass	6.54159G	-12.68	6.4995G	-59.28	-52.68	-6.60	3
6535MHz	Pass	6.52991G	-12.05	6.4954G	-59.54	-52.05	-7.49	4
6695MHz	Pass	6.6999G	-13.55	6.7384G	-60.81	-53.55	-7.26	1
6695MHz	Pass	6.68711G	-11.44	6.7313G	-60.45	-51.44	-9.01	2
6695MHz	Pass	6.70369G	-12.59	6.7301G	-60.20	-52.59	-7.61	3
6695MHz	Pass	6.70349G	-12.43	6.744G	-60.42	-52.43	-7.99	4
6855MHz	Pass	6.8597G	-13.04	6.8954G	-59.45	-53.04	-6.41	1
6855MHz	Pass	6.8525G	-11.44	6.9049G	-59.38	-51.44	-7.94	2
6855MHz	Pass	6.86299G	-12.26	6.8924G	-59.02	-52.26	-6.76	3
6855MHz	Pass	6.86239G	-11.33	6.8997G	-59.14	-51.33	-7.81	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.86861G	-13.50	6.9095G	-59.08	-53.50	-5.58	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.86741G	-12.49	6.912G	-58.71	-52.49	-6.22	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.88329G	-12.98	6.9093G	-58.80	-52.98	-5.82	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.88249G	-12.33	6.9218G	-59.01	-52.33	-6.68	4
6895MHz	Pass	6.90369G	-13.23	6.9449G	-58.96	-53.23	-5.73	1
6895MHz	Pass	6.88961G	-12.75	6.943G	-58.65	-52.75	-5.90	2
6895MHz	Pass	6.8925G	-12.80	6.945G	-58.57	-52.80	-5.77	3
6895MHz	Pass	6.90369G	-12.09	6.934G	-58.67	-52.09	-6.58	4
6995MHz	Pass	6.98761G	-11.56	6.9597G	-58.82	-51.56	-7.26	1
6995MHz	Pass	7.00249G	-10.92	6.9634G	-58.35	-50.83	-7.52	2
6995MHz	Pass	6.98651G	-11.18	6.9592G	-58.22	-51.18	-7.04	3
6995MHz	Pass	6.98861G	-10.52	6.9565G	-58.55	-50.52	-8.03	4
7095MHz	Pass	7.08751G	-12.05	7.1338G	-59.71	-52.05	-7.66	1
7095MHz	Pass	7.10039G	-10.77	7.1351G	-59.27	-50.77	-8.50	2
7095MHz	Pass	7.08841G	-11.69	7.1352G	-59.20	-51.69	-7.51	3
7095MHz	Pass	7.10349G	-10.72	7.1364G	-59.34	-50.72	-8.62	4
7115MHz Straddle 6.875-7.125GHz	Pass	7.10731G	-14.84	7.1559G	-59.69	-54.84	-4.85	1
7115MHz Straddle 6.875-7.125GHz	Pass	7.10861G	-13.40	7.1641G	-59.28	-53.40	-5.88	2



Mask Beamforming mode

Appendix E.5

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7115MHz Straddle 6.875-7.125GHz	Pass	7.10801G	-14.80	7.1635G	-59.12	-54.80	-4.32	3
7115MHz Straddle 6.875-7.125GHz	Pass	7.10771G	-13.81	7.1647G	-59.27	-53.81	-5.46	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.98258G	-3.13	6.032G	-56.06	-43.13	-12.93	1
5965MHz	Pass	5.97779G	-6.62	6.0312G	-56.78	-46.62	-10.16	2
5965MHz	Pass	5.94742G	-6.44	6.0354G	-56.60	-46.44	-10.16	3
5965MHz	Pass	5.95401G	-6.56	6.0404G	-56.90	-46.56	-10.34	4
6165MHz	Pass	6.15081G	-7.00	6.2308G	-56.60	-47.00	-9.60	1
6165MHz	Pass	6.17979G	-8.74	6.2492G	-56.80	-48.74	-8.06	2
6165MHz	Pass	6.14982G	-8.79	6.2492G	-56.18	-48.79	-7.39	3
6165MHz	Pass	6.15621G	-9.04	6.2608G	-56.72	-49.04	-7.68	4
6405MHz	Pass	6.41619G	-6.82	6.4908G	-56.13	-46.82	-9.31	1
6405MHz	Pass	6.41759G	-6.77	6.499G	-55.95	-46.77	-9.18	2
6405MHz	Pass	6.38862G	-6.92	6.5002G	-55.68	-46.92	-8.76	3
6405MHz	Pass	6.41759G	-7.36	6.494G	-55.99	-47.36	-8.63	4
6445MHz	Pass	6.42782G	-8.06	6.3724G	-56.54	-48.06	-8.48	1
6445MHz	Pass	6.42842G	-7.57	6.3772G	-56.12	-47.57	-8.55	2
6445MHz	Pass	6.4474G	-8.49	6.3788G	-56.03	-48.49	-7.54	3
6445MHz	Pass	6.42762G	-8.24	6.3716G	-56.29	-48.24	-8.05	4
6485MHz	Pass	6.50278G	-8.95	6.411G	-56.59	-48.95	-7.64	1
6485MHz	Pass	6.49279G	-7.09	6.4154G	-56.56	-47.09	-9.47	2
6485MHz	Pass	6.46942G	-9.14	6.4076G	-56.20	-49.14	-7.06	3
6485MHz	Pass	6.49979G	-9.01	6.4176G	-56.41	-49.01	-7.40	4
6525MHz Straddle 6.425-6.525GHz	Pass	6.5288G	-10.14	6.432G	-56.58	-50.14	-6.44	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.5244G	-6.95	6.451G	-56.25	-46.95	-9.30	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.53219G	-10.22	6.4448G	-56.18	-50.22	-5.96	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.50762G	-9.78	6.4516G	-56.48	-49.78	-6.70	4
6565MHz	Pass	6.55101G	-8.69	6.4958G	-56.32	-48.69	-7.63	1
6565MHz	Pass	6.55761G	-6.38	6.4988G	-56.05	-46.38	-9.67	2
6565MHz	Pass	6.54762G	-8.78	6.499G	-55.80	-48.78	-7.02	3
6565MHz	Pass	6.5678G	-8.51	6.49G	-56.03	-48.51	-7.52	4
6685MHz	Pass	6.6834G	-9.75	6.7614G	-57.14	-49.75	-7.39	1
6685MHz	Pass	6.67381G	-8.23	6.7498G	-56.91	-48.23	-8.68	2
6685MHz	Pass	6.70238G	-9.28	6.7686G	-56.69	-49.28	-7.41	3
6685MHz	Pass	6.70198G	-9.63	6.7778G	-56.86	-49.63	-7.23	4
6845MHz	Pass	6.82742G	-10.06	6.9446G	-55.80	-50.06	-5.74	1
6845MHz	Pass	6.85699G	-9.20	6.9326G	-55.60	-49.20	-6.40	2
6845MHz	Pass	6.85979G	-9.77	6.945G	-55.34	-49.77	-5.57	3
6845MHz	Pass	6.86098G	-9.08	6.9386G	-55.45	-49.08	-6.37	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.90078G	-9.40	6.9688G	-55.52	-49.40	-6.12	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.86982G	-9.17	6.968G	-55.32	-49.17	-6.15	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.888G	-9.68	6.9844G	-54.99	-49.68	-5.31	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.89999G	-8.91	6.9826G	-55.19	-48.91	-6.28	4
6925MHz	Pass	6.90882G	-7.67	7.0032G	-54.97	-47.67	-7.30	1
6925MHz	Pass	6.94238G	-6.96	7.0026G	-54.58	-46.96	-7.62	2
6925MHz	Pass	6.921G	-7.75	6.9986G	-54.53	-47.75	-6.78	3
6925MHz	Pass	6.91021G	-6.45	6.9968G	-54.73	-46.45	-8.28	4
7005MHz	Pass	6.98702G	-7.75	6.9382G	-55.48	-47.75	-7.73	1
7005MHz	Pass	7.01999G	-7.29	6.9356G	-55.08	-47.29	-7.79	2
7005MHz	Pass	6.99541G	-7.80	6.9272G	-55.07	-47.80	-7.27	3
7005MHz	Pass	7.02118G	-7.35	6.9384G	-55.09	-47.35	-7.74	4
7085MHz	Pass	7.09879G	-8.05	7.0076G	-55.08	-48.05	-7.03	1
7085MHz	Pass	7.07341G	-7.53	7.007G	-54.69	-47.53	-7.16	2
7085MHz	Pass	7.06802G	-8.12	7G	-54.70	-48.12	-6.58	3
7085MHz	Pass	7.07121G	-6.91	6.9962G	-54.83	-46.91	-7.92	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-



Mask Beamforming mode

Appendix E.5

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	6.01337G	0.09	6.1274G	-51.63	-39.91	-11.72	1
5985MHz	Pass	6.01737G	-4.91	6.183G	-53.48	-44.91	-8.57	2
5985MHz	Pass	5.95823G	-3.64	6.1486G	-53.06	-43.64	-9.42	3
5985MHz	Pass	6.01137G	-3.41	6.183G	-53.27	-43.41	-9.86	4
6145MHz	Pass	6.15619G	-2.23	6.2898G	-52.66	-42.23	-10.43	1
6145MHz	Pass	6.17457G	-4.57	6.2906G	-52.78	-44.57	-8.21	2
6145MHz	Pass	6.12142G	-5.18	6.2914G	-52.70	-45.18	-7.52	3
6145MHz	Pass	6.12302G	-4.67	6.3186G	-52.96	-44.67	-8.29	4
6385MHz	Pass	6.40098G	-1.65	6.2394G	-52.47	-41.65	-10.82	1
6385MHz	Pass	6.41257G	-1.60	6.2366G	-52.63	-41.50	-11.13	2
6385MHz	Pass	6.35543G	-2.19	6.2466G	-52.04	-42.19	-9.85	3
6385MHz	Pass	6.42296G	-1.53	6.2474G	-52.49	-41.53	-10.96	4
6465MHz	Pass	6.45141G	-5.50	6.3262G	-53.23	-45.50	-7.73	1
6465MHz	Pass	6.49657G	-4.66	6.3342G	-53.15	-44.66	-8.49	2
6465MHz	Pass	6.49897G	-6.22	6.3242G	-52.84	-46.22	-6.62	3
6465MHz	Pass	6.463G	-5.86	6.3046G	-53.15	-45.86	-7.29	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.50784G	-4.97	6.355G	-53.18	-44.97	-8.21	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.50824G	-3.49	6.345G	-53.35	-41.53	-11.82	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.56498G	-5.10	6.4058G	-52.66	-45.10	-7.56	3
6545MHz Straddle 6.425-6.525GHz	Pass	6.57497G	-4.46	6.3842G	-52.86	-44.46	-8.40	4
6625MHz	Pass	6.60742G	-5.36	6.4914G	-52.84	-45.35	-7.49	1
6625MHz	Pass	6.65097G	-3.22	6.4706G	-51.78	-43.22	-8.56	2
6625MHz	Pass	6.59343G	-4.84	6.4762G	-52.37	-44.84	-7.53	3
6625MHz	Pass	6.64898G	-4.50	6.487G	-52.65	-44.50	-8.15	4
6705MHz	Pass	6.68342G	-6.35	6.9046G	-52.57	-46.35	-6.22	1
6705MHz	Pass	6.67743G	-4.72	6.8986G	-52.25	-44.72	-7.53	2
6705MHz	Pass	6.68222G	-5.58	6.9026G	-52.17	-45.58	-6.59	3
6705MHz	Pass	6.73457G	-5.37	6.9006G	-52.18	-45.37	-6.81	4
6785MHz	Pass	6.80778G	-7.38	6.9842G	-52.12	-47.38	-4.74	1
6785MHz	Pass	6.77021G	-5.84	6.9702G	-51.71	-45.84	-5.87	2
6785MHz	Pass	6.81777G	-6.38	6.975G	-51.56	-46.38	-5.18	3
6785MHz	Pass	6.81737G	-6.02	6.9842G	-51.71	-46.02	-5.69	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.90136G	-6.37	7.007G	-51.81	-46.37	-5.44	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.85741G	-5.20	7.021G	-53.09	-45.20	-7.89	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.83023G	-5.47	7.001G	-51.32	-45.47	-5.85	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.8602G	-4.97	7.0066G	-51.52	-44.97	-6.55	4
6945MHz	Pass	6.92142G	-6.22	7.137G	-52.95	-46.22	-6.73	1
6945MHz	Pass	6.93821G	-5.80	7.1438G	-52.64	-45.80	-6.84	2
6945MHz	Pass	6.98256G	-6.33	7.1322G	-52.60	-46.33	-6.27	3
6945MHz	Pass	6.96618G	-5.23	7.1422G	-52.57	-45.23	-7.34	4
7025MHz	Pass	7.00902G	-6.55	7.2242G	-52.46	-46.55	-5.91	1
7025MHz	Pass	7.03099G	-6.27	7.2194G	-52.13	-46.27	-5.86	2
7025MHz	Pass	6.98744G	-6.64	7.2242G	-52.00	-46.64	-5.36	3
7025MHz	Pass	6.99063G	-5.48	7.2222G	-52.13	-45.48	-6.65	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.06256G	2.13	6.425G	-48.55	-36.45	-12.10	1
6025MHz	Pass	5.97785G	-1.20	6.425G	-49.08	-38.82	-10.26	2
6025MHz	Pass	5.94988G	-0.17	6.425G	-49.70	-37.63	-12.07	3
6025MHz	Pass	6.03699G	-0.63	6.4242G	-49.21	-38.39	-10.82	4
6185MHz	Pass	6.24014G	2.50	6.0234G	-32.05	-17.52	-14.53	1
6185MHz	Pass	6.25773G	0.37	6.585G	-48.57	-33.19	-15.38	2
6185MHz	Pass	6.24014G	1.08	6.585G	-49.49	-32.81	-16.68	3
6185MHz	Pass	6.19219G	0.59	6.585G	-49.15	-33.55	-15.60	4
6345MHz	Pass	6.35539G	0.27	6.745G	-50.33	-33.66	-16.67	1
6345MHz	Pass	6.41213G	0.09	6.745G	-49.77	-33.72	-16.05	2
6345MHz	Pass	6.27787G	-0.45	5.9458G	-48.69	-34.57	-14.12	3



Mask Beamforming mode

Appendix E.5


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6345MHz	Pass	6.3482G	-0.13	6.745G	-49.85	-34.43	-15.42	4
6505MHz Straddle 6.425-6.525GHz	Pass	6.44826G	0.78	6.9042G	-49.12	-33.67	-15.45	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.501G	1.02	6.905G	-48.76	-33.67	-15.09	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.53217G	-0.44	6.9042G	-48.66	-34.35	-14.31	3
6505MHz Straddle 6.425-6.525GHz	Pass	6.56974G	0.67	6.9042G	-48.74	-33.28	-15.46	4
6665MHz	Pass	6.60666G	-1.07	6.265G	-50.08	-35.00	-15.08	1
6665MHz	Pass	6.71055G	0.23	7.0642G	-49.51	-33.40	-16.11	2
6665MHz	Pass	6.67699G	-0.46	6.2674G	-49.04	-34.09	-14.95	3
6665MHz	Pass	6.70896G	-0.13	7.065G	-49.59	-34.10	-15.49	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.89533G	-1.56	7.2242G	-49.51	-35.43	-14.08	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.85937G	-0.84	7.2242G	-49.21	-34.75	-14.46	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.81781G	-0.65	7.2234G	-48.89	-34.67	-14.22	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.87855G	-0.08	7.225G	-48.91	-33.89	-15.02	4
6985MHz	Pass	6.92666G	-1.54	7.385G	-49.01	-38.35	-10.66	1
6985MHz	Pass	7.01297G	-1.62	7.3842G	-48.58	-38.07	-10.51	2
6985MHz	Pass	7.01217G	-1.84	7.385G	-48.50	-36.40	-12.10	3
6985MHz	Pass	6.97781G	-0.51	7.385G	-48.61	-34.52	-14.09	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1561G	3.80	6.433G	-30.50	-16.33	-14.17	1
6105MHz	Pass	6.2584G	1.14	6.9002G	-45.44	-38.86	-6.58	2
6105MHz	Pass	5.95G	5.18	6.8986G	-45.31	-34.82	-10.49	3
6105MHz	Pass	6.0187G	1.53	6.881G	-45.42	-38.47	-6.95	4
6265MHz	Pass	6.3305G	2.54	7.0634G	-45.70	-31.83	-13.87	1
6265MHz	Pass	6.3801G	1.55	7.065G	-45.92	-32.30	-13.62	2
6265MHz	Pass	6.1531G	1.45	7.0634G	-45.86	-32.54	-13.32	3
6265MHz	Pass	6.4009G	1.19	7.065G	-45.97	-32.14	-13.83	4
6425MHz	Pass	6.4538G	2.32	7.225G	-45.49	-31.94	-13.55	1
6425MHz	Pass	6.5529G	2.26	7.225G	-45.13	-31.22	-13.91	2
6425MHz	Pass	6.4602G	1.40	7.225G	-45.05	-33.29	-11.76	3
6425MHz	Pass	6.5657G	1.71	7.225G	-45.02	-31.58	-13.44	4
6585MHz	Pass	6.4555G	2.19	7.385G	-45.05	-31.10	-13.95	1
6585MHz	Pass	6.6409G	2.50	7.3834G	-44.86	-30.73	-14.13	2
6585MHz	Pass	6.5914G	2.73	7.385G	-44.72	-31.70	-13.02	3
6585MHz	Pass	6.5626G	2.56	7.385G	-44.78	-31.04	-13.74	4
6745MHz	Pass	6.8457G	0.45	7.4986G	-44.18	-32.58	-11.60	1
6745MHz	Pass	6.8569G	1.94	7.4986G	-43.96	-30.85	-13.11	2
6745MHz	Pass	6.8153G	1.28	7.497G	-43.68	-30.43	-13.25	3
6745MHz	Pass	6.8521G	1.56	7.4986G	-43.93	-30.03	-13.90	4
6905MHz	Pass	6.9274G	-0.46	6.105G	-46.97	-35.15	-11.82	1
6905MHz	Pass	6.9402G	0.11	6.1066G	-47.00	-34.52	-12.48	2
6905MHz	Pass	6.9114G	0.33	6.105G	-46.55	-33.81	-12.74	3
6905MHz	Pass	6.9785G	1.21	6.105G	-46.75	-33.35	-13.40	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

14/04/2023




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6175MHz_TX

14/04/2023



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

14/04/2023

CF Freq
6.415GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42249G	-10.11	6.4571G	-59.78	-50.11	-9.67	1
6.42239G	-9.58	6.4512G	-59.03	-49.58	-9.45	2
6.40591G	-10.48	6.4485G	-59.19	-50.48	-8.71	3
6.42249G	-10.59	6.4585G	-59.79	-50.59	-9.20	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

14/04/2023

CF Freq
6.435GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42621G	-11.39	6.4784G	-59.95	-51.39	-8.56	1
6.43G	-10.74	6.4681G	-59.80	-50.74	-9.06	2
6.44279G	-12.22	6.4842G	-59.45	-52.22	-7.23	3
6.4399G	-11.78	6.4691G	-59.67	-51.78	-7.89	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

14/04/2023

CF Freq
6.475GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46661G	-12.17	6.5098G	-59.88	-52.17	-7.71	1
6.46751G	-11.24	6.509G	-59.77	-51.24	-8.53	2
6.46811G	-13.03	6.5091G	-59.51	-53.03	-6.48	3
6.46681G	-12.57	6.5087G	-59.70	-52.57	-7.13	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

14/04/2023

CF Freq
6.515GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50611G	-11.72	6.4742G	-59.96	-51.72	-8.24	1
6.5177G	-10.68	6.473G	-59.76	-50.68	-9.08	2
6.52339G	-11.67	6.4771G	-59.52	-51.67	-7.85	3
6.52G	-11.16	6.4805G	-59.70	-51.16	-8.54	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

14/04/2023

CF Freq
6.535GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54259G	-12.17	6.4996G	-59.82	-52.17	-7.65	1
6.54249G	-11.20	6.4886G	-59.54	-51.20	-8.34	2
6.54159G	-12.68	6.4995G	-59.28	-52.68	-6.60	3
6.52991G	-12.05	6.4954G	-59.54	-52.05	-7.49	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

14/04/2023

CF Freq
6.695GHz


Span
100MHz

RBW
200kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6999G	-13.55	6.7384G	-60.81	-53.55	-7.26	1
6.68711G	-11.44	6.7313G	-60.45	-51.44	-9.01	2
6.70369G	-12.59	6.7301G	-60.20	-52.59	-7.61	3
6.70349G	-12.43	6.744G	-60.42	-52.43	-7.99	4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

14/04/2023

CF Freq
6.855GHz
Span
100MHz
RBW
200kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8597G	-13.04	6.8954G	-59.45	-53.04	-6.41	1
6.8525G	-11.44	6.9049G	-59.38	-51.44	-7.94	2
6.86299G	-12.26	6.8924G	-59.02	-52.26	-6.76	3
6.86239G	-11.33	6.8997G	-59.14	-51.33	-7.81	4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

14/04/2023

CF Freq
6.875GHz
Span
100MHz
RBW
200kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86861G	-13.50	6.9095G	-59.08	-53.50	-5.58	1
6.86741G	-12.49	6.912G	-58.71	-52.49	-6.22	2
6.88329G	-12.98	6.9093G	-58.80	-52.98	-5.82	3
6.88249G	-12.33	6.9218G	-59.01	-52.33	-6.68	4


6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

14/04/2023

CF Freq
6.895GHz
Span
100MHz
RBW
200kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90369G	-13.23	6.9449G	-58.96	-53.23	-5.73	1
6.88961G	-12.75	6.943G	-58.65	-52.75	-5.90	2
6.8925G	-12.80	6.945G	-58.57	-52.80	-5.77	3
6.90369G	-12.09	6.934G	-58.67	-52.09	-6.58	4


6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

14/04/2023

CF Freq
6.995GHz
Span
100MHz
RBW
200kHz
VBW
1MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98761G	-11.56	6.9597G	-58.82	-51.56	-7.26	1
7.00249G	-10.92	6.9634G	-58.35	-50.83	-7.52	2
6.98651G	-11.18	6.9592G	-58.22	-51.18	-7.04	3
6.98861G	-10.52	6.9565G	-58.55	-50.52	-8.03	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

14/04/2023




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz Straddle 6.875-7.125GHz_TX

14/04/2023




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

14/04/2023

CF Freq
5.965GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.98258G	-3.13	6.032G	-56.06	-43.13	-12.93	1
5.97779G	-6.62	6.0312G	-56.78	-46.62	-10.16	2
5.94742G	-6.44	6.0354G	-56.60	-46.44	-10.16	3
5.95401G	-6.56	6.0404G	-56.90	-46.56	-10.34	4


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6165MHz_TX

14/04/2023

CF Freq
6.165GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15081G	-7.00	6.2308G	-56.60	-47.00	-9.60	1
6.17979G	-8.74	6.2492G	-56.80	-48.74	-8.06	2
6.14982G	-8.79	6.2492G	-56.18	-48.79	-7.39	3
6.15621G	-9.04	6.2608G	-56.72	-49.04	-7.68	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

14/04/2023

CF Freq
6.405GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41619G	-6.82	6.4908G	-56.13	-46.82	-9.31	1
6.41759G	-6.77	6.499G	-55.95	-46.77	-9.18	2
6.38862G	-6.92	6.5002G	-55.68	-46.92	-8.76	3
6.41759G	-7.36	6.494G	-55.99	-47.36	-8.63	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

14/04/2023

CF Freq
6.445GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42782G	-8.06	6.3724G	-56.54	-48.06	-8.48	1
6.42842G	-7.57	6.3772G	-56.12	-47.57	-8.55	2
6.4474G	-8.49	6.3788G	-56.03	-48.49	-7.54	3
6.42762G	-8.24	6.3716G	-56.29	-48.24	-8.05	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

14/04/2023




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

15/04/2023




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

15/04/2023

CF Freq
6.565GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55101G	-8.69	6.4958G	-56.32	-48.69	-7.63	1
6.55761G	-6.38	6.4988G	-56.05	-46.38	-9.67	2
6.54762G	-8.78	6.499G	-55.80	-48.78	-7.02	3
6.5678G	-8.51	6.49G	-56.03	-48.51	-7.52	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

15/04/2023

CF Freq
6.685GHz
Span
200MHz
RBW
500kHz
VBW
2MHz
Sweep Time
20ms
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6834G	-9.75	6.7614G	-57.14	-49.75	-7.39	1
6.67381G	-8.23	6.7498G	-56.91	-48.23	-8.68	2
6.70238G	-9.28	6.7686G	-56.69	-49.28	-7.41	3
6.70198G	-9.63	6.7778G	-56.86	-49.63	-7.23	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

15/04/2023




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TX

15/04/2023



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

15/04/2023

CF Freq
6.925GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90882G	-7.67	7.0032G	-54.97	-47.67	-7.30	1
6.94238G	-6.96	7.0026G	-54.58	-46.96	-7.62	2
6.921G	-7.75	6.9986G	-54.53	-47.75	-6.78	3
6.91021G	-6.45	6.9968G	-54.73	-46.45	-8.28	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

15/04/2023

CF Freq
7.005GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.98702G	-7.75	6.9382G	-55.48	-47.75	-7.73	1
7.01999G	-7.29	6.9356G	-55.08	-47.29	-7.79	2
6.99541G	-7.80	6.9272G	-55.07	-47.80	-7.27	3
7.02118G	-7.35	6.9384G	-55.09	-47.35	-7.74	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

15/04/2023




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

15/04/2023



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TX

15/04/2023

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15619G	-2.23	6.2898G	-52.66	-42.23	-10.43	1
6.17457G	-4.57	6.2906G	-52.78	-44.57	-8.21	2
6.12142G	-5.18	6.2914G	-52.70	-45.18	-7.52	3
6.12302G	-4.67	6.3186G	-52.96	-44.67	-8.29	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

15/04/2023

CF Freq
6.385GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40098G	-1.65	6.2394G	-52.47	-41.65	-10.82	1
6.41257G	-1.60	6.2366G	-52.63	-41.50	-11.13	2
6.35543G	-2.19	6.2466G	-52.04	-42.19	-9.85	3
6.42296G	-1.53	6.2474G	-52.49	-41.53	-10.96	4


6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

15/04/2023

CF Freq
6.465GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45141G	-5.50	6.3262G	-53.23	-45.50	-7.73	1
6.49657G	-4.66	6.3342G	-53.15	-44.66	-8.49	2
6.49897G	-6.22	6.3242G	-52.84	-46.22	-6.62	3
6.463G	-5.86	6.3046G	-53.15	-45.86	-7.29	4


6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

15/04/2023

CF Freq
6.545GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50784G	-4.97	6.355G	-53.18	-44.97	-8.21	1
6.50824G	-3.49	6.345G	-53.35	-41.53	-11.82	2
6.56498G	-5.10	6.4058G	-52.66	-45.10	-7.56	3
6.57497G	-4.46	6.3842G	-52.86	-44.46	-8.40	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

15/04/2023

CF Freq
6.625GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60742G	-5.36	6.4914G	-52.84	-45.35	-7.49	1
6.65097G	-3.22	6.4706G	-51.78	-43.22	-8.56	2
6.59343G	-4.84	6.4762G	-52.37	-44.84	-7.53	3
6.64898G	-4.50	6.487G	-52.65	-44.50	-8.15	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

15/04/2023

CF Freq
6.705GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68342G	-6.35	6.9046G	-52.57	-46.35	-6.22	1
6.67743G	-4.72	6.8986G	-52.25	-44.72	-7.53	2
6.68222G	-5.58	6.9026G	-52.17	-45.58	-6.59	3
6.73457G	-5.37	6.9006G	-52.18	-45.37	-6.81	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

15/04/2023




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

15/04/2023




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

15/04/2023




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

15/04/2023




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

15/04/2023

CF Freq
6.025GHz
Span
800MHz
RBW
2MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06256G	2.13	6.425G	-48.55	-36.45	-12.10	1
5.97785G	-1.20	6.425G	-49.08	-38.82	-10.26	2
5.94988G	-0.17	6.425G	-49.70	-37.63	-12.07	3
6.03699G	-0.63	6.4242G	-49.21	-38.39	-10.82	4


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

15/04/2023

CF Freq
6.185GHz
Span
800MHz
RBW
2MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.24014G	2.50	6.0234G	-32.05	-17.52	-14.53	1
6.25773G	0.37	6.585G	-48.57	-33.19	-15.38	2
6.24014G	1.08	6.585G	-49.49	-32.81	-16.68	3
6.19219G	0.59	6.585G	-49.15	-33.55	-15.60	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

15/04/2023

CF Freq
6.345GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35539G	0.27	6.745G	-50.33	-33.66	-16.67	1
6.41213G	0.09	6.745G	-49.77	-33.72	-16.05	2
6.27787G	-0.45	5.9458G	-48.69	-34.57	-14.12	3
6.3482G	-0.13	6.745G	-49.85	-34.43	-15.42	4

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TX

15/04/2023

CF Freq
6.505GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44826G	0.78	6.9042G	-49.12	-33.67	-15.45	1
6.501G	1.02	6.905G	-48.76	-33.67	-15.09	2
6.53217G	-0.44	6.9042G	-48.66	-34.35	-14.31	3
6.56974G	0.67	6.9042G	-48.74	-33.28	-15.46	4


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

15/04/2023

CF Freq
6.665GHz
Span
800MHz
RBW
2MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60666G	-1.07	6.265G	-50.08	-35.00	-15.08	1
6.71055G	0.23	7.0642G	-49.51	-33.40	-16.11	2
6.67699G	-0.46	6.2674G	-49.04	-34.09	-14.95	3
6.70896G	-0.13	7.065G	-49.59	-34.10	-15.49	4


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TX

15/04/2023

CF Freq
6.825GHz
Span
800MHz
RBW
2MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89533G	-1.56	7.2242G	-49.51	-35.43	-14.08	1
6.85937G	-0.84	7.2242G	-49.21	-34.75	-14.46	2
6.81781G	-0.65	7.2234G	-48.89	-34.67	-14.22	3
6.87855G	-0.08	7.225G	-48.91	-33.89	-15.02	4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

15/04/2023




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

15/04/2023




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

15/04/2023

CF Freq
6.265GHz
Span
1.6GHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3305G	2.54	7.0634G	-45.70	-31.83	-13.87	1
6.3801G	1.55	7.065G	-45.92	-32.30	-13.62	2
6.1531G	1.45	7.0634G	-45.86	-32.54	-13.32	3
6.4009G	1.19	7.065G	-45.97	-32.14	-13.83	4


6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

15/04/2023

CF Freq
6.425GHz
Span
1.6GHz
RBW
5MHz
VBW
10MHz
Sweep Time
20ms
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4538G	2.32	7.225G	-45.49	-31.94	-13.55	1
6.5529G	2.26	7.225G	-45.13	-31.22	-13.91	2
6.4602G	1.40	7.225G	-45.05	-33.29	-11.76	3
6.5657G	1.71	7.225G	-45.02	-31.58	-13.44	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

15/04/2023




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

15/04/2023




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

15/04/2023



Contention Based Protocol Threshold Level 802.11be EHT20										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-75.23	4.77	-80.09	≤ -62
						Minimal	-76.23	4.77	-81.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-75.23	4.77	-80.08	≤ -62
						Minimal	-76.23	4.77	-81.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-74.23	4.77	-79.03	≤ -62
						Minimal	-75.23	4.77	-80.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-72.23	4.77	-77.07	≤ -62
						Minimal	-73.23	4.77	-78.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62

Contention Based Protocol Threshold Level 802.11be EHT320										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-66.23	4.77	-71.02	≤ -62
						Minimal	-67.23	4.77	-72.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				Center	6105	OFF	-60.23	4.77	-65.01	≤ -62
						Minimal	-61.23	4.77	-66.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				High edge	6260	OFF	-61.23	4.77	-66.01	≤ -62
						Minimal	-62.23	4.77	-67.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
5/6/7	95	320	6425	Low edge	6270	OFF	-62.23	4.77	-67.03	≤ -62
						Minimal	-63.23	4.77	-68.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				Center	6425	OFF	-61.23	4.77	-66.02	≤ -62
						Minimal	-62.23	4.77	-67.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				High edge	6580	OFF	-65.23	4.77	-70.02	≤ -62
						Minimal	-66.23	4.77	-71.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
6/7	159	320	6745	Low edge	6590	OFF	-63.23	4.77	-68.04	≤ -62
						Minimal	-64.23	4.77	-69.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				Center	6745	OFF	-62.23	4.77	-67.02	≤ -62
						Minimal	-63.23	4.77	-68.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				High edge	6900	OFF	-66.23	4.77	-71.06	≤ -62
						Minimal	-67.23	4.77	-72.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62


7/8	191	320	6905	Low edge	6750	OFF	-64.23	4.77	-69.01	≤ -62
						Minimal	-65.23	4.77	-70.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				Center	6905	OFF	-61.23	4.77	-66.01	≤ -62
						Minimal	-62.23	4.77	-67.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62
				High edge	7060	OFF	-62.23	4.77	-67.02	≤ -62
						Minimal	-63.23	4.77	-68.00	≤ -62
						ON	-77.23	4.77	-82.00	≤ -62

Contention Based protocol 802.11be EHT20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-80.09	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-80.08	OFF	9	90	90	PASS
7	149	20	6695	Center	6695	-79.03	OFF	9	90	90	PASS
8	213	20	7015	Center	7015	-77.07	OFF	9	90	90	PASS

Contention Based protocol 802.11be EHT320											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-71.02	OFF	9	90	90	PASS
				Center	6105	-65.01	OFF	10	100	90	PASS
				High edge	6260	-66.01	OFF	10	100	90	PASS
5/6/7	95	320	6425	Low edge	6270	-67.03	OFF	9	90	90	PASS
				Center	6425	-66.02	OFF	10	100	90	PASS
				High edge	6580	-70.02	OFF	9	90	90	PASS
6/7	159	320	6745	Low edge	6590	-68.04	OFF	10	100	90	PASS
				Center	6745	-67.02	OFF	10	100	90	PASS
				High edge	6900	-71.06	OFF	10	100	90	PASS
7/8	191	320	6905	Low edge	6750	-69.01	OFF	9	90	90	PASS
				Center	6905	-66.01	OFF	9	90	90	PASS
				High edge	7060	-67.02	OFF	10	100	90	PASS


Bandwidth: 20MHz

Traffic Loading Plot




Date: 29 MAY 2023 16:42:46

Traffic Loading Calculation




Bandwidth: 320MHz

Traffic Loading Plot




Traffic Loading Calculation



Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz




Date: 31.MAY.2023 01:39:48

Frequency (MHz): 6455 MHz




Date: 31.MAY.2023 01:40:27

Frequency (MHz): 6695 MHz



Date: 31.MAY.2023 01:41:05


Frequency (MHz): 7015 MHz



Date: 31.MAY.2023 01:41:45


Bandwidth: 320MHz

Frequency (MHz): 5950 MHz




Date: 31.MAY.2023 01:43:12

Frequency (MHz): 6105 MHz




Date: 31.MAY.2023 01:43:57

Frequency (MHz): 6260 MHz




Date: 31.MAY.2023 01:44:31

Frequency (MHz): 6270 MHz




Date: 31.MAY.2023 01:44:57

Frequency (MHz): 6425 MHz




Date: 31.MAY.2023 01:45:27

Frequency (MHz): 6580 MHz




Date: 31.MAY.2023 01:46:02

Frequency (MHz): 6590 MHz




Date: 31.MAY.2023 01:46:29

Frequency (MHz): 6745 MHz




Date: 31.MAY.2023 01:50:42

Frequency (MHz): 6750 MHz




Date: 31.MAY.2023 01:48:35

Frequency (MHz): 6900 MHz




Date: 31.MAY.2023 01:47:48

Frequency (MHz): 6905 MHz



Date: 31.MAY.2023 01:51:31

Frequency (MHz): 7060 MHz




Date: 31.MAY.2023 01:52:05

Contention-Based Protocol Plot

Bandwidth: 20MHz


Test CH 53 ; Incumbent signal 6215 MHz



Date: 29 MAY 2023 16:19:27

Note : M1 : Inject AWGN signal


Test CH 101 ; Incumbent signal 6455 MHz



Date: 29 MAY 2023 16:24:17

Note : M1 : Inject AWGN signal


Test CH 149 ; Incumbent signal 6695 MHz



Date: 29 MAY 2023 16:31:21

Note : M1 : Inject AWGN signal

Test CH 213 ; Incumbent signal 7015 MHz




Date: 29 MAY 2023 16:37:38

Note : M1 : Inject AWGN signal

Bandwidth: 320MHz


Test CH 31 ; Incumbent signal 5950 MHz



Date: 29 MAY 2023 10:19:44

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6105 MHz



Date: 29 MAY 2023 13:49:33

Note : M1 : Inject AWGN signal


Test CH 31 ; Incumbent signal 6260 MHz



Date: 29 MAY 2023 14:51:01

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6270 MHz



Date: 29 MAY 2023 14:58:30

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6425 MHz



Date: 29.MAY 2023 15:04:30

Note : M1 : Inject AWGN signal


Test CH 95 ; Incumbent signal 6580 MHz



Date: 29.MAY 2023 15:07:35


Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6590 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6745 MHz




Note : M1 : Inject AWGN signal

Test CH 159 ; Incumbent signal 6900 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6750 MHz




Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 6905 MHz



Note : M1 : Inject AWGN signal

Test CH 191 ; Incumbent signal 7060 MHz



Note : M1 : Inject AWGN signal

Summary

Mode	Result	Ch (Hz)	Center (Hz)	ppm	Limit (ppm)	Port	Remark
5.925-6.425GHz	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.415G	6.41498207G	2.795	Within Band	1	10 min
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.405G	6.40496214G	5.9115	Within Band	1	0 min
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.385G	6.38496239G	5.8908	Within Band	1	0 min
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.025G	6.02497416G	4.2895	Within Band	1	5 min
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.265G	6.26497149G	4.55	Within Band	1	10 min
6.425-6.525GHz	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.515G	6.51497916G	3.1988	Within Band	1	5 min
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.525G	6.52497G	4.5975	Within Band	1	2 min
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.545G	6.54497273G	4.1664	Within Band	1	2 min
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.505G	6.50497213G	4.2841	Within Band	1	10 min
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.425G	6.42497039G	4.6093	Within Band	1	0 min
6.525-6.875GHz	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.875G	6.87497202G	4.0692	Within Band	1	5 min
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.565G	6.56496949G	4.6478	Within Band	1	5 min
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.785G	6.78495486G	6.6532	Within Band	1	10 min
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.665G	6.66497152G	4.2725	Within Band	1	2 min
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.905G	6.90496768G	4.6804	Within Band	1	5 min
6.875-7.125GHz	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.895G	6.89494754G	7.6084	Within Band	1	5 min
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.885G	6.88496242G	5.4587	Within Band	1	2 min
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.865G	6.86495513G	6.5359	Within Band	1	2 min
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.985G	6.98497018G	4.2686	Within Band	1	2 min