


802.11a_Nss1,(6Mbps)_4TX

5720MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4352G	62.35	74.00	-11.65	47.72	3	Horizontal	310	1.80	-	40.10	9.16	34.63
AV	11.4376G	50.28	54.00	-3.72	35.65	3	Horizontal	310	1.80	-	40.10	9.16	34.63
PK	17.15322G	63.85	68.20	-4.35	47.07	3	Horizontal	140	1.39	-	41.11	10.59	34.92

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 29.5
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.654G	68.11	71.16	-3.05	62.84	3	Vertical	246	1.80	-	31.82	5.90	32.45	
PK	5.748G	123.71	Inf	-Inf	118.04	3	Vertical	246	1.80	-	32.19	5.90	32.42	
AV	5.747G	113.67	Inf	-Inf	108.00	3	Vertical	246	1.80	-	32.19	5.90	32.42	
PK	5.953G	61.57	68.20	-6.63	55.29	3	Vertical	246	1.80	-	32.59	6.05	32.36	

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 29.5
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	67.43	68.20	-0.77	62.17	3	Horizontal	282	1.80	-	31.81	5.90	32.45	
PK	5.747G	125.61	Inf	-Inf	119.94	3	Horizontal	282	1.80	-	32.19	5.90	32.42	
AV	5.746G	115.38	Inf	-Inf	109.72	3	Horizontal	282	1.80	-	32.18	5.90	32.42	
PK	5.967G	62.15	68.20	-6.05	55.86	3	Horizontal	282	1.80	-	32.57	6.07	32.35	

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 29.5
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49396G	56.15	74.00	-17.85	41.48	3	Vertical	85	1.61	-	40.10	9.20	34.63
AV	11.47692G	43.41	54.00	-10.59	28.75	3	Vertical	85	1.61	-	40.10	9.19	34.63
PK	17.2395G	63.20	68.20	-5.00	46.24	3	Vertical	20	1.91	-	41.38	10.61	35.03

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 29.5
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50338G	56.53	74.00	-17.47	41.87	3	Horizontal	327	2.91	-	40.09	9.20	34.63
AV	11.4822G	43.69	54.00	-10.31	29.03	3	Horizontal	327	2.91	-	40.10	9.19	34.63
PK	17.23476G	64.03	68.20	-4.17	47.08	3	Horizontal	47	2.20	-	41.37	10.61	35.03

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.638G	67.16	68.20	-1.04	61.90	3	Vertical	247	2.43	-	31.82	5.90	32.46	
PK	5.778G	123.34	Inf	-Inf	117.59	3	Vertical	247	2.43	-	32.26	5.90	32.41	
AV	5.778G	112.26	Inf	-Inf	106.51	3	Vertical	247	2.43	-	32.26	5.90	32.41	
PK	5.932G	62.10	68.20	-6.10	55.83	3	Vertical	247	2.43	-	32.60	6.03	32.36	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	66.32	68.20	-1.88	61.06	3	Horizontal	275	1.80	-	31.81	5.90	32.45	
PK	5.784G	127.14	Inf	-Inf	121.38	3	Horizontal	275	1.80	-	32.27	5.90	32.41	
AV	5.784G	116.78	Inf	-Inf	111.02	3	Horizontal	275	1.80	-	32.27	5.90	32.41	
PK	5.925G	63.56	68.20	-4.64	57.29	3	Horizontal	275	1.80	-	32.60	6.03	32.36	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.566G	59.04	74.00	-14.96	44.47	3	Vertical	158	1.80	-	39.97	9.24	34.64
AV	11.5652G	46.65	54.00	-7.35	32.08	3	Vertical	158	1.80	-	39.97	9.24	34.64
PK	17.3463G	63.71	68.20	-4.49	46.28	3	Vertical	5	2.33	-	41.96	10.64	35.17

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5644G	61.23	74.00	-12.77	46.66	3	Horizontal	232	1.80	-	39.97	9.24	34.64	
AV	11.5668G	49.09	54.00	-4.91	34.52	3	Horizontal	232	1.80	-	39.97	9.24	34.64	
PK	17.35044G	63.35	68.20	-4.85	45.88	3	Horizontal	177	1.77	-	42.00	10.64	35.17	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	61.80	68.20	-6.40	56.54	3	Vertical	242	1.87	-	31.81	5.90	32.45	
PK	5.83G	122.99	Inf	-Inf	117.15	3	Vertical	242	1.87	-	32.30	5.93	32.39	
AV	5.83G	112.31	Inf	-Inf	106.47	3	Vertical	242	1.87	-	32.30	5.93	32.39	
PK	5.93G	66.05	68.20	-2.15	59.78	3	Vertical	242	1.87	-	32.60	6.03	32.36	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	64.19	68.20	-4.01	58.93	3	Horizontal	276	1.78	-	31.81	5.90	32.45
PK	5.824G	125.81	Inf	-Inf	119.99	3	Horizontal	276	1.78	-	32.30	5.92	32.40
AV	5.824G	115.41	Inf	-Inf	109.59	3	Horizontal	276	1.78	-	32.30	5.92	32.40
PK	5.925G	67.35	68.20	-0.85	61.08	3	Horizontal	276	1.78	-	32.60	6.03	32.36

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.646G	58.40	74.00	-15.60	44.13	3	Vertical	313	1.80	-	39.62	9.29	34.64
AV	11.6452G	44.83	54.00	-9.17	30.55	3	Vertical	313	1.80	-	39.63	9.29	34.64
PK	17.46954G	63.99	68.20	-4.21	45.44	3	Vertical	310	2.39	-	43.20	10.67	35.32

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6444G	57.99	74.00	-16.01	43.71	3	Horizontal	55	2.37	-	39.63	9.29	34.64
AV	11.6444G	44.67	54.00	-9.33	30.39	3	Horizontal	55	2.37	-	39.63	9.29	34.64
PK	17.47296G	64.85	68.20	-3.35	46.28	3	Horizontal	98	1.80	-	43.23	10.67	35.33

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 16.5
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1488G	73.72	74.00	-0.28	68.73	3	Vertical	192	1.01	-	31.90	5.55	32.46	
AV	5.149G	51.40	54.00	-2.60	46.41	3	Vertical	192	1.01	-	31.90	5.55	32.46	
PK	5.1814G	120.95	Inf	-Inf	115.99	3	Vertical	192	1.01	-	31.84	5.58	32.46	
AV	5.1812G	107.61	Inf	-Inf	102.65	3	Vertical	192	1.01	-	31.84	5.58	32.46	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 16.5
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.45	74.00	-4.55	64.46	3	Horizontal	56	1.78	-	31.90	5.55	32.46
AV	5.1496G	50.01	54.00	-3.99	45.02	3	Horizontal	56	1.78	-	31.90	5.55	32.46
PK	5.1794G	118.16	Inf	-Inf	113.20	3	Horizontal	56	1.78	-	31.84	5.58	32.46
AV	5.1796G	105.91	Inf	-Inf	100.95	3	Horizontal	56	1.78	-	31.84	5.58	32.46

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 16.5
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34728G	54.55	68.20	-13.65	40.74	3	Vertical	287	1.62	-	39.89	8.51	34.59
PK	15.54414G	59.65	74.00	-14.35	45.80	3	Vertical	93	1.08	-	38.44	10.23	34.82
AV	15.55338G	46.82	54.00	-7.18	33.03	3	Vertical	93	1.08	-	38.38	10.23	34.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 16.5
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34944G	54.65	68.20	-13.55	40.83	3	Horizontal	217	2.85	-	39.90	8.51	34.59
PK	15.53418G	59.89	74.00	-14.11	45.99	3	Horizontal	125	2.80	-	38.49	10.23	34.82
AV	15.5313G	46.92	54.00	-7.08	33.00	3	Horizontal	125	2.80	-	38.51	10.23	34.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 23.5
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1488G	73.98	74.00	-0.02	68.99	3	Vertical	190	1.06	-	31.90	5.55	32.46	
AV	5.1488G	53.99	54.00	-0.01	49.00	3	Vertical	190	1.06	-	31.90	5.55	32.46	
PK	5.2008G	125.14	Inf	-Inf	120.20	3	Vertical	190	1.06	-	31.80	5.60	32.46	
AV	5.2016G	112.77	Inf	-Inf	107.84	3	Vertical	190	1.06	-	31.79	5.60	32.46	

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 23.5
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1488G	72.49	74.00	-1.51	67.50	3	Horizontal	60	1.80	-	31.90	5.55	32.46	
AV	5.1496G	52.31	54.00	-1.69	47.32	3	Horizontal	60	1.80	-	31.90	5.55	32.46	
PK	5.1992G	122.27	Inf	-Inf	117.33	3	Horizontal	60	1.80	-	31.80	5.60	32.46	
AV	5.1996G	111.34	Inf	-Inf	106.40	3	Horizontal	60	1.80	-	31.80	5.60	32.46	

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 23.5
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39298G	54.86	68.20	-13.34	40.88	3	Vertical	140	2.76	-	40.07	8.54	34.63
PK	15.58734G	59.47	74.00	-14.53	45.86	3	Vertical	355	1.31	-	38.18	10.24	34.81
AV	15.58998G	46.47	54.00	-7.53	32.88	3	Vertical	355	1.31	-	38.16	10.24	34.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 23.5
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38974G	55.40	68.20	-12.80	41.43	3	Horizontal	93	2.73	-	40.06	8.53	34.62
PK	15.60978G	59.95	74.00	-14.05	46.44	3	Horizontal	262	1.75	-	38.08	10.24	34.81
AV	15.58632G	46.51	54.00	-7.49	32.90	3	Horizontal	262	1.75	-	38.18	10.24	34.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.141G	70.42	74.00	-3.58	65.42	3	Vertical	188	1.04	-	31.92	5.54	32.46	
AV	5.1458G	53.32	54.00	-0.68	48.32	3	Vertical	188	1.04	-	31.91	5.55	32.46	
PK	5.2412G	127.16	Inf	-Inf	122.37	3	Vertical	188	1.04	-	31.64	5.62	32.47	
AV	5.2412G	115.69	Inf	-Inf	110.90	3	Vertical	188	1.04	-	31.64	5.62	32.47	
PK	5.3522G	63.95	74.00	-10.05	59.44	3	Vertical	188	1.04	-	31.31	5.68	32.48	
AV	5.3516G	50.74	54.00	-3.26	46.23	3	Vertical	188	1.04	-	31.31	5.68	32.48	

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.43	74.00	-6.57	62.44	3	Horizontal	248	1.75	-	31.90	5.55	32.46
AV	5.15G	51.05	54.00	-2.95	46.06	3	Horizontal	248	1.75	-	31.90	5.55	32.46
PK	5.2394G	125.38	Inf	-Inf	120.59	3	Horizontal	248	1.75	-	31.64	5.62	32.47
AV	5.24G	113.08	Inf	-Inf	108.29	3	Horizontal	248	1.75	-	31.64	5.62	32.47
PK	5.35G	61.32	74.00	-12.68	56.82	3	Horizontal	248	1.75	-	31.30	5.68	32.48
AV	5.35G	48.26	54.00	-5.74	43.76	3	Horizontal	248	1.75	-	31.30	5.68	32.48

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48096G	57.00	68.20	-11.20	42.92	3	Vertical	275	1.83	-	40.18	8.59	34.69
PK	15.7134G	59.40	74.00	-14.60	46.05	3	Vertical	98	1.80	-	37.90	10.26	34.81
AV	15.71838G	46.97	54.00	-7.03	33.62	3	Vertical	98	1.80	-	37.90	10.26	34.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48114G	55.16	68.20	-13.04	41.08	3	Horizontal	128	2.22	-	40.18	8.59	34.69
PK	15.71922G	59.25	74.00	-14.75	45.90	3	Horizontal	10	1.93	-	37.90	10.26	34.81
AV	15.71832G	46.53	54.00	-7.47	33.18	3	Horizontal	10	1.93	-	37.90	10.26	34.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	69.04	74.00	-4.96	64.04	3	Vertical	185	1.00	-	31.91	5.55	32.46
AV	5.1484G	51.44	54.00	-2.56	46.45	3	Vertical	185	1.00	-	31.90	5.55	32.46
PK	5.2618G	127.40	Inf	-Inf	122.69	3	Vertical	185	1.00	-	31.55	5.63	32.47
AV	5.2612G	115.72	Inf	-Inf	111.00	3	Vertical	185	1.00	-	31.56	5.63	32.47
PK	5.3536G	69.95	74.00	-4.05	65.44	3	Vertical	185	1.00	-	31.31	5.68	32.48
AV	5.3512G	53.94	54.00	-0.06	49.44	3	Vertical	185	1.00	-	31.30	5.68	32.48

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.75	74.00	-7.25	61.76	3	Horizontal	54	1.80	-	31.90	5.55	32.46
AV	5.15G	49.03	54.00	-4.97	44.04	3	Horizontal	54	1.80	-	31.90	5.55	32.46
PK	5.2606G	124.92	Inf	-Inf	120.20	3	Horizontal	54	1.80	-	31.56	5.63	32.47
AV	5.2606G	113.55	Inf	-Inf	108.83	3	Horizontal	54	1.80	-	31.56	5.63	32.47
PK	5.3548G	67.39	74.00	-6.61	62.87	3	Horizontal	54	1.80	-	31.32	5.68	32.48
AV	5.35G	51.87	54.00	-2.13	47.37	3	Horizontal	54	1.80	-	31.30	5.68	32.48

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5216G	57.18	68.20	-11.02	43.09	3	Vertical	276	1.80	-	40.18	8.61	34.70
PK	15.7743G	57.84	74.00	-16.16	44.47	3	Vertical	48	2.17	-	37.90	10.27	34.80
AV	15.7743G	44.54	54.00	-9.46	31.17	3	Vertical	48	2.17	-	37.90	10.27	34.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52G	56.91	68.20	-11.29	42.82	3	Horizontal	203	1.80	-	40.18	8.61	34.70
PK	15.76884G	57.69	74.00	-16.31	44.32	3	Horizontal	317	1.36	-	37.90	10.27	34.80
AV	15.76596G	44.55	54.00	-9.45	31.19	3	Horizontal	317	1.36	-	37.90	10.26	34.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 24
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3016G	123.00	Inf	-Inf	118.43	3	Vertical	187	1.80	-	31.40	5.65	32.48	
AV	5.3016G	111.59	Inf	-Inf	107.02	3	Vertical	187	1.80	-	31.40	5.65	32.48	
PK	5.3512G	71.75	74.00	-2.25	67.25	3	Vertical	187	1.80	-	31.30	5.68	32.48	
AV	5.3516G	53.22	54.00	-0.78	48.71	3	Vertical	187	1.80	-	31.31	5.68	32.48	

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 24
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	123.27	Inf	-Inf	118.69	3	Horizontal	242	2.96	-	31.41	5.65	32.48
AV	5.3028G	111.21	Inf	-Inf	106.65	3	Horizontal	242	2.96	-	31.39	5.65	32.48
PK	5.3524G	69.81	74.00	-4.19	65.30	3	Horizontal	242	2.96	-	31.31	5.68	32.48
AV	5.3528G	52.27	54.00	-1.73	47.76	3	Horizontal	242	2.96	-	31.31	5.68	32.48

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 24
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5997G	55.96	68.20	-12.24	41.89	3	Vertical	118	2.20	-	40.10	8.66	34.69
PK	15.89832G	58.36	74.00	-15.64	45.18	3	Vertical	175	1.68	-	37.70	10.28	34.80
AV	15.9129G	45.20	54.00	-8.80	32.02	3	Vertical	175	1.68	-	37.69	10.29	34.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
Setting 24
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59244G	55.75	68.20	-12.45	41.67	3	Horizontal	348	1.77	-	40.11	8.66	34.69
PK	15.903G	59.05	74.00	-14.95	45.86	3	Horizontal	130	2.63	-	37.70	10.29	34.80
AV	15.91488G	45.31	54.00	-8.69	32.13	3	Horizontal	130	2.63	-	37.69	10.29	34.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 17.5
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3216G	121.13	Inf	-Inf	116.59	3	Vertical	184	1.70	-	31.36	5.66	32.48	
AV	5.3212G	107.85	Inf	-Inf	103.31	3	Vertical	184	1.70	-	31.36	5.66	32.48	
PK	5.351G	70.33	74.00	-3.67	65.83	3	Vertical	184	1.70	-	31.30	5.68	32.48	
AV	5.3512G	52.45	54.00	-1.55	47.95	3	Vertical	184	1.70	-	31.30	5.68	32.48	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 17.5
06-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3194G	118.09	Inf	-Inf	113.55	3	Horizontal	279	1.80	-	31.36	5.66	32.48
AV	5.3196G	106.25	Inf	-Inf	101.71	3	Horizontal	279	1.80	-	31.36	5.66	32.48
PK	5.3504G	72.13	74.00	-1.87	67.63	3	Horizontal	279	1.80	-	31.30	5.68	32.48
AV	5.35G	53.75	54.00	-0.25	49.25	3	Horizontal	279	1.80	-	31.30	5.68	32.48

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 17.5
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64816G	55.78	74.00	-18.22	41.68	3	Vertical	244	2.96	-	40.10	8.69	34.69
AV	10.62884G	42.99	54.00	-11.01	28.90	3	Vertical	244	2.96	-	40.10	8.68	34.69
PK	15.94644G	58.35	74.00	-15.65	45.20	3	Vertical	199	2.43	-	37.65	10.29	34.79
AV	15.95808G	45.92	54.00	-8.08	32.78	3	Vertical	199	2.43	-	37.64	10.29	34.79

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 17.5
06-E-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6409G	55.95	74.00	-18.05	41.86	3	Horizontal	69	2.57	-	40.10	8.68	34.69
AV	10.62962G	43.01	54.00	-10.99	28.92	3	Horizontal	69	2.57	-	40.10	8.68	34.69
PK	15.95502G	58.67	74.00	-15.33	45.53	3	Horizontal	170	1.17	-	37.64	10.29	34.79
AV	15.94956G	45.88	54.00	-8.12	32.73	3	Horizontal	170	1.17	-	37.65	10.29	34.79

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4574G	59.92	74.00	-14.08	54.92	3	Vertical	229	2.65	-	31.73	5.76	32.49	
AV	5.4588G	47.16	54.00	-6.84	42.16	3	Vertical	229	2.65	-	31.74	5.76	32.50	
PK	5.4678G	67.87	68.20	-0.33	62.83	3	Vertical	229	2.65	-	31.77	5.77	32.50	
PK	5.4986G	117.75	Inf	-Inf	112.56	3	Vertical	229	2.65	-	31.89	5.80	32.50	
AV	5.4986G	105.95	Inf	-Inf	100.76	3	Vertical	229	2.65	-	31.89	5.80	32.50	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.459G	60.14	74.00	-13.86	55.14	3	Horizontal	281	1.80	-	31.74	5.76	32.50	
AV	5.456G	46.95	54.00	-7.05	41.95	3	Horizontal	281	1.80	-	31.73	5.76	32.49	
PK	5.467G	67.75	68.20	-0.45	62.71	3	Horizontal	281	1.80	-	31.77	5.77	32.50	
PK	5.5024G	117.99	Inf	-Inf	112.79	3	Horizontal	281	1.80	-	31.90	5.80	32.50	
AV	5.5022G	105.17	Inf	-Inf	99.97	3	Horizontal	281	1.80	-	31.90	5.80	32.50	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00238G	56.36	74.00	-17.64	41.52	3	Vertical	198	1.09	-	40.59	8.90	34.65
AV	10.9973G	43.09	54.00	-10.91	28.24	3	Vertical	198	1.09	-	40.60	8.90	34.65

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99536G	56.39	74.00	-17.61	41.54	3	Horizontal	205	1.26	-	40.60	8.90	34.65
AV	10.99828G	42.97	54.00	-11.03	28.12	3	Horizontal	205	1.26	-	40.60	8.90	34.65

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.14	74.00	-8.86	60.14	3	Vertical	181	1.80	-	31.73	5.76	32.49
AV	5.46G	51.03	54.00	-2.97	46.03	3	Vertical	181	1.80	-	31.74	5.76	32.50
PK	5.4666G	67.22	68.20	-0.98	62.18	3	Vertical	181	1.80	-	31.77	5.77	32.50
PK	5.5818G	123.05	Inf	-Inf	117.74	3	Vertical	181	1.80	-	31.90	5.88	32.47
AV	5.5818G	111.86	Inf	-Inf	106.55	3	Vertical	181	1.80	-	31.90	5.88	32.47
PK	5.7294G	62.60	68.20	-5.60	57.01	3	Vertical	181	1.80	-	32.12	5.90	32.43

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	65.96	74.00	-8.04	60.98	3	Horizontal	276	1.80	-	31.72	5.75	32.49
AV	5.4588G	51.37	54.00	-2.63	46.37	3	Horizontal	276	1.80	-	31.74	5.76	32.50
PK	5.469G	68.01	68.20	-0.19	62.96	3	Horizontal	276	1.80	-	31.78	5.77	32.50
PK	5.5794G	123.66	Inf	-Inf	118.35	3	Horizontal	276	1.80	-	31.90	5.88	32.47
AV	5.58G	112.85	Inf	-Inf	107.54	3	Horizontal	276	1.80	-	31.90	5.88	32.47
PK	5.7294G	63.95	68.20	-4.25	58.36	3	Horizontal	276	1.80	-	32.12	5.90	32.43

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.1627G	56.49	74.00	-17.51	42.12	3	Vertical	219	1.35	-	40.01	9.00	34.64	
AV	11.16238G	43.11	54.00	-10.89	28.74	3	Vertical	219	1.35	-	40.01	9.00	34.64	

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.15646G	56.32	74.00	-17.68	41.94	3	Horizontal	9	2.23	-	40.03	8.99	34.64	
AV	11.16286G	43.16	54.00	-10.84	28.79	3	Horizontal	9	2.23	-	40.01	9.00	34.64	

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6994G	117.41	Inf	-Inf	111.95	3	Vertical	191	1.78	-	32.00	5.90	32.44
AV	5.6994G	104.19	Inf	-Inf	98.73	3	Vertical	191	1.78	-	32.00	5.90	32.44
PK	5.7288G	66.56	68.20	-1.64	60.97	3	Vertical	191	1.78	-	32.12	5.90	32.43

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6976G	116.98	Inf	-Inf	111.53	3	Horizontal	278	1.80	-	31.99	5.90	32.44	
AV	5.7024G	104.48	Inf	-Inf	99.01	3	Horizontal	278	1.80	-	32.01	5.90	32.44	
PK	5.7276G	67.35	68.20	-0.85	61.77	3	Horizontal	278	1.80	-	32.11	5.90	32.43	

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39842G	56.51	74.00	-17.49	41.90	3	Vertical	185	2.30	-	40.10	9.14	34.63
AV	11.39908G	43.37	54.00	-10.63	28.76	3	Vertical	185	2.30	-	40.10	9.14	34.63

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39802G	57.01	74.00	-16.99	42.40	3	Horizontal	192	1.81	-	40.10	9.14	34.63
AV	11.3965G	43.39	54.00	-10.61	28.79	3	Horizontal	192	1.81	-	40.09	9.14	34.63

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	124.48	Inf	-Inf	118.91	3	Vertical	187	1.74	-	32.10	5.90	32.43
AV	5.7192G	113.12	Inf	-Inf	107.57	3	Vertical	187	1.74	-	32.08	5.90	32.43
PK	5.85G	66.36	68.20	-1.84	60.50	3	Vertical	187	1.74	-	32.30	5.95	32.39

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7224G	126.20	Inf	-Inf	120.64	3	Horizontal	278	1.80	-	32.09	5.90	32.43	
AV	5.7176G	114.24	Inf	-Inf	108.70	3	Horizontal	278	1.80	-	32.07	5.90	32.43	
PK	5.8528G	67.99	68.20	-0.21	62.11	3	Horizontal	278	1.80	-	32.32	5.95	32.39	

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44844G	56.17	74.00	-17.83	41.53	3	Vertical	0.4	1.03	-	40.10	9.17	34.63
AV	11.44704G	42.96	54.00	-11.04	28.32	3	Vertical	0.4	1.03	-	40.10	9.17	34.63
PK	17.1684G	64.00	68.20	-4.20	47.18	3	Vertical	35.8	1.80	-	41.17	10.59	34.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4408G	57.50	74.00	-16.50	42.87	3	Horizontal	212	1.80	-	40.10	9.16	34.63
AV	11.4402G	44.11	54.00	-9.89	29.48	3	Horizontal	212	1.80	-	40.10	9.16	34.63
PK	17.15888G	63.63	68.20	-4.57	46.83	3	Horizontal	49	2.74	-	41.14	10.59	34.93

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.644G	67.86	68.20	-0.34	62.60	3	Vertical	186	1.73	-	31.81	5.90	32.45	
PK	5.744G	124.19	Inf	-Inf	118.53	3	Vertical	186	1.73	-	32.18	5.90	32.42	
AV	5.744G	112.92	Inf	-Inf	107.26	3	Vertical	186	1.73	-	32.18	5.90	32.42	
PK	5.957G	60.45	68.20	-7.75	54.15	3	Vertical	186	1.73	-	32.59	6.06	32.35	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	66.72	68.20	-1.48	61.46	3	Horizontal	275	1.80	-	31.81	5.90	32.45	
PK	5.747G	124.20	Inf	-Inf	118.53	3	Horizontal	275	1.80	-	32.19	5.90	32.42	
AV	5.747G	113.42	Inf	-Inf	107.75	3	Horizontal	275	1.80	-	32.19	5.90	32.42	
PK	5.929G	61.02	68.20	-7.18	54.75	3	Horizontal	275	1.80	-	32.60	6.03	32.36	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49432G	57.44	74.00	-16.56	42.77	3	Vertical	298	2.12	-	40.10	9.20	34.63
AV	11.49164G	44.23	54.00	-9.77	29.57	3	Vertical	298	2.12	-	40.10	9.19	34.63
PK	17.23944G	63.81	68.20	-4.39	46.85	3	Vertical	22	1.80	-	41.38	10.61	35.03

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48644G	56.43	74.00	-17.57	41.77	3	Horizontal	344	1.95	-	40.10	9.19	34.63
AV	11.48268G	43.73	54.00	-10.27	29.07	3	Horizontal	344	1.95	-	40.10	9.19	34.63
PK	17.23732G	62.61	68.20	-5.59	45.66	3	Horizontal	31	2.81	-	41.37	10.61	35.03

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.629G	67.44	68.20	-0.76	62.16	3	Vertical	186	1.80	-	31.84	5.90	32.46	
PK	5.784G	124.59	Inf	-Inf	118.83	3	Vertical	186	1.80	-	32.27	5.90	32.41	
AV	5.784G	113.22	Inf	-Inf	107.46	3	Vertical	186	1.80	-	32.27	5.90	32.41	
PK	5.932G	62.71	68.20	-5.49	56.44	3	Vertical	186	1.80	-	32.60	6.03	32.36	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.639G	66.32	68.20	-1.88	61.06	3	Horizontal	274	1.80	-	31.82	5.90	32.46	
PK	5.782G	125.93	Inf	-Inf	120.18	3	Horizontal	274	1.80	-	32.26	5.90	32.41	
AV	5.787G	113.81	Inf	-Inf	108.05	3	Horizontal	274	1.80	-	32.27	5.90	32.41	
PK	5.931G	62.30	68.20	-5.90	56.03	3	Horizontal	274	1.80	-	32.60	6.03	32.36	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5687G	56.58	74.00	-17.42	42.02	3	Vertical	263	2.91	-	39.96	9.24	34.64
AV	11.5723G	43.02	54.00	-10.98	28.46	3	Vertical	263	2.91	-	39.96	9.24	34.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56904G	56.78	74.00	-17.22	42.22	3	Horizontal	0	1.16	-	39.96	9.24	34.64
AV	11.56954G	43.02	54.00	-10.98	28.46	3	Horizontal	0	1.16	-	39.96	9.24	34.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.632G	64.13	68.20	-4.07	58.85	3	Vertical	244	2.40	-	31.84	5.90	32.46	
PK	5.824G	124.83	Inf	-Inf	119.01	3	Vertical	244	2.40	-	32.30	5.92	32.40	
AV	5.824G	113.28	Inf	-Inf	107.46	3	Vertical	244	2.40	-	32.30	5.92	32.40	
PK	5.929G	65.75	68.20	-2.45	59.48	3	Vertical	244	2.40	-	32.60	6.03	32.36	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	64.59	68.20	-3.61	59.34	3	Horizontal	278	1.80	-	31.80	5.90	32.45	
PK	5.827G	124.24	Inf	-Inf	118.41	3	Horizontal	278	1.80	-	32.30	5.93	32.40	
AV	5.822G	113.15	Inf	-Inf	107.33	3	Horizontal	278	1.80	-	32.30	5.92	32.40	
PK	5.928G	67.85	68.20	-0.35	61.58	3	Horizontal	278	1.80	-	32.60	6.03	32.36	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64842G	56.40	74.00	-17.60	42.14	3	Vertical	167	2.89	-	39.61	9.29	34.64
AV	11.64506G	43.08	54.00	-10.92	28.80	3	Vertical	167	2.89	-	39.63	9.29	34.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 30
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64802G	56.14	74.00	-17.86	41.88	3	Horizontal	27	1.76	-	39.61	9.29	34.64
AV	11.64516G	42.87	54.00	-11.13	28.59	3	Horizontal	27	1.76	-	39.63	9.29	34.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1484G	68.30	74.00	-5.70	63.31	3	Vertical	187	1.05	-	31.90	5.55	32.46	
AV	5.1488G	52.00	54.00	-2.00	47.01	3	Vertical	187	1.05	-	31.90	5.55	32.46	
PK	5.1936G	114.48	Inf	-Inf	109.54	3	Vertical	187	1.05	-	31.81	5.59	32.46	
AV	5.1888G	102.81	Inf	-Inf	97.86	3	Vertical	187	1.05	-	31.82	5.59	32.46	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Z_4TX
Setting 14
06-E-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.146G	66.23	74.00	-7.77	61.23	3	Horizontal	55	1.80	-	31.91	5.55	32.46	
AV	5.1472G	49.89	54.00	-4.11	44.89	3	Horizontal	55	1.80	-	31.91	5.55	32.46	
PK	5.1924G	113.33	Inf	-Inf	108.38	3	Horizontal	55	1.80	-	31.82	5.59	32.46	
AV	5.1924G	101.63	Inf	-Inf	96.68	3	Horizontal	55	1.80	-	31.82	5.59	32.46	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.38308G	56.00	68.20	-12.20	42.06	3	Vertical	358	1.90	-	40.03	8.53	34.62	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.37984G	55.32	68.20	-12.88	41.39	3	Horizontal	279	1.07	-	40.02	8.53	34.62	

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 20.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	71.43	74.00	-2.57	66.43	3	Vertical	188	1.13	-	31.92	5.54	32.46
AV	5.149G	53.16	54.00	-0.84	48.17	3	Vertical	188	1.13	-	31.90	5.55	32.46
PK	5.2288G	120.95	Inf	-Inf	116.13	3	Vertical	188	1.13	-	31.68	5.61	32.47
AV	5.2288G	109.25	Inf	-Inf	104.43	3	Vertical	188	1.13	-	31.68	5.61	32.47
PK	5.3758G	59.07	74.00	-14.93	54.47	3	Vertical	188	1.13	-	31.40	5.69	32.49
AV	5.3536G	47.78	54.00	-6.22	43.27	3	Vertical	188	1.13	-	31.31	5.68	32.48

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 20.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	67.75	74.00	-6.25	62.75	3	Horizontal	56	1.89	-	31.91	5.55	32.46
AV	5.1478G	50.51	54.00	-3.49	45.52	3	Horizontal	56	1.89	-	31.90	5.55	32.46
PK	5.2276G	119.51	Inf	-Inf	114.68	3	Horizontal	56	1.89	-	31.69	5.61	32.47
AV	5.2324G	107.70	Inf	-Inf	102.88	3	Horizontal	56	1.89	-	31.67	5.62	32.47
PK	5.3536G	59.88	74.00	-14.12	55.37	3	Horizontal	56	1.89	-	31.31	5.68	32.48
AV	5.3518G	47.45	54.00	-6.55	42.94	3	Horizontal	56	1.89	-	31.31	5.68	32.48

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 20.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.45896G	55.90	68.20	-12.30	41.83	3	Vertical	24	1.91	-	40.16	8.58	34.67	

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 20.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.46146G	55.27	68.20	-12.93	41.20	3	Horizontal	59	2.78	-	40.16	8.58	34.67	

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 22
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	61.64	74.00	-12.36	56.64	3	Vertical	191	1.31	-	31.91	5.55	32.46
AV	5.1482G	49.80	54.00	-4.20	44.81	3	Vertical	191	1.31	-	31.90	5.55	32.46
PK	5.2688G	120.63	Inf	-Inf	115.95	3	Vertical	191	1.31	-	31.52	5.63	32.47
AV	5.2688G	109.52	Inf	-Inf	104.84	3	Vertical	191	1.31	-	31.52	5.63	32.47
PK	5.3588G	71.59	74.00	-2.41	67.05	3	Vertical	191	1.31	-	31.34	5.68	32.48
AV	5.35G	53.88	54.00	-0.12	49.38	3	Vertical	191	1.31	-	31.30	5.68	32.48

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 22
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.01	74.00	-13.99	55.02	3	Horizontal	61	1.80	-	31.90	5.55	32.46
AV	5.147G	47.81	54.00	-6.19	42.81	3	Horizontal	61	1.80	-	31.91	5.55	32.46
PK	5.267G	120.26	Inf	-Inf	115.57	3	Horizontal	61	1.80	-	31.53	5.63	32.47
AV	5.267G	108.73	Inf	-Inf	104.04	3	Horizontal	61	1.80	-	31.53	5.63	32.47
PK	5.354G	68.88	74.00	-5.12	64.36	3	Horizontal	61	1.80	-	31.32	5.68	32.48
AV	5.3522G	53.57	54.00	-0.43	49.06	3	Horizontal	61	1.80	-	31.31	5.68	32.48

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 22
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.54012G	55.99	68.20	-12.21	41.91	3	Vertical	15	2.58	-	40.16	8.62	34.70	

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 22
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.53778G	55.65	68.20	-12.55	41.57	3	Horizontal	185	2.12	-	40.16	8.62	34.70	

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3118G	114.25	Inf	-Inf	109.69	3	Vertical	185	1.78	-	31.38	5.66	32.48
AV	5.3118G	101.97	Inf	-Inf	97.41	3	Vertical	185	1.78	-	31.38	5.66	32.48
PK	5.3586G	69.24	74.00	-4.76	64.71	3	Vertical	185	1.78	-	31.33	5.68	32.48
AV	5.352G	53.67	54.00	-0.33	49.16	3	Vertical	185	1.78	-	31.31	5.68	32.48

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	113.11	Inf	-Inf	108.56	3	Horizontal	63	1.79	-	31.37	5.66	32.48
AV	5.3046G	101.87	Inf	-Inf	97.31	3	Horizontal	63	1.79	-	31.39	5.65	32.48
PK	5.35G	69.48	74.00	-4.52	64.98	3	Horizontal	63	1.79	-	31.30	5.68	32.48
AV	5.35G	53.97	54.00	-0.03	49.47	3	Horizontal	63	1.79	-	31.30	5.68	32.48

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62168G	55.68	74.00	-18.32	41.60	3	Vertical	255	1.83	-	40.10	8.67	34.69
AV	10.6189G	43.52	54.00	-10.48	29.44	3	Vertical	255	1.83	-	40.10	8.67	34.69

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61774G	56.01	74.00	-17.99	41.93	3	Horizontal	232	2.84	-	40.10	8.67	34.69
AV	10.62066G	43.49	54.00	-10.51	29.41	3	Horizontal	232	2.84	-	40.10	8.67	34.69

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4566G	62.64	74.00	-11.36	57.64	3	Vertical	226	2.64	-	31.73	5.76	32.49
AV	5.4536G	47.40	54.00	-6.60	42.43	3	Vertical	226	2.64	-	31.71	5.75	32.49
PK	5.4668G	67.92	68.20	-0.28	62.88	3	Vertical	226	2.64	-	31.77	5.77	32.50
PK	5.5088G	113.36	Inf	-Inf	108.15	3	Vertical	226	2.64	-	31.90	5.81	32.50
AV	5.5088G	102.12	Inf	-Inf	96.91	3	Vertical	226	2.64	-	31.90	5.81	32.50

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	64.07	74.00	-9.93	59.07	3	Horizontal	282	1.80	-	31.73	5.76	32.49
AV	5.4566G	47.18	54.00	-6.82	42.18	3	Horizontal	282	1.80	-	31.73	5.76	32.49
PK	5.4662G	67.43	68.20	-0.77	62.40	3	Horizontal	282	1.80	-	31.76	5.77	32.50
PK	5.5076G	112.79	Inf	-Inf	107.58	3	Horizontal	282	1.80	-	31.90	5.81	32.50
AV	5.5124G	101.65	Inf	-Inf	96.44	3	Horizontal	282	1.80	-	31.90	5.81	32.50

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02366G	56.81	74.00	-17.19	42.04	3	Vertical	150	2.93	-	40.51	8.91	34.65
AV	11.01512G	43.66	54.00	-10.34	28.86	3	Vertical	150	2.93	-	40.54	8.91	34.65

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02012G	56.31	74.00	-17.69	41.53	3	Horizontal	189	2.16	-	40.52	8.91	34.65
AV	11.01926G	43.75	54.00	-10.25	28.97	3	Horizontal	189	2.16	-	40.52	8.91	34.65

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 20
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4588G	64.75	74.00	-9.25	59.75	3	Vertical	233	2.72	-	31.74	5.76	32.50	
AV	5.4588G	50.50	54.00	-3.50	45.50	3	Vertical	233	2.72	-	31.74	5.76	32.50	
PK	5.469G	64.52	68.20	-3.68	59.47	3	Vertical	233	2.72	-	31.78	5.77	32.50	
PK	5.5488G	118.80	Inf	-Inf	113.53	3	Vertical	233	2.72	-	31.90	5.85	32.48	
AV	5.5482G	106.85	Inf	-Inf	101.58	3	Vertical	233	2.72	-	31.90	5.85	32.48	

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 20
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4498G	63.62	74.00	-10.38	58.66	3	Horizontal	280	1.76	-	31.70	5.75	32.49	
AV	5.457G	51.24	54.00	-2.76	46.24	3	Horizontal	280	1.76	-	31.73	5.76	32.49	
PK	5.4672G	67.71	68.20	-0.49	62.67	3	Horizontal	280	1.76	-	31.77	5.77	32.50	
PK	5.5524G	118.85	Inf	-Inf	113.58	3	Horizontal	280	1.76	-	31.90	5.85	32.48	
AV	5.5524G	107.41	Inf	-Inf	102.14	3	Horizontal	280	1.76	-	31.90	5.85	32.48	

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 20
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10364G	56.64	74.00	-17.36	42.14	3	Vertical	233	2.58	-	40.19	8.96	34.65
AV	11.1033G	44.13	54.00	-9.87	29.63	3	Vertical	233	2.58	-	40.19	8.96	34.65

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 20
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09556G	56.37	74.00	-17.63	41.84	3	Horizontal	319	2.43	-	40.22	8.96	34.65
AV	11.09588G	44.31	54.00	-9.69	29.78	3	Horizontal	319	2.43	-	40.22	8.96	34.65

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6736G	114.01	Inf	-Inf	108.66	3	Vertical	193	1.80	-	31.89	5.90	32.44
AV	5.6688G	102.73	Inf	-Inf	97.40	3	Vertical	193	1.80	-	31.88	5.90	32.45
PK	5.7342G	64.33	68.20	-3.87	58.72	3	Vertical	193	1.80	-	32.14	5.90	32.43

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6772G	113.47	Inf	-Inf	108.10	3	Horizontal	278	1.80	-	31.91	5.90	32.44
AV	5.6724G	103.49	Inf	-Inf	98.14	3	Horizontal	278	1.80	-	31.89	5.90	32.44
PK	5.7276G	67.98	68.20	-0.22	62.40	3	Horizontal	278	1.80	-	32.11	5.90	32.43

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33512G	56.54	74.00	-17.46	42.11	3	Vertical	38	1.12	-	39.97	9.10	34.64
AV	11.33574G	44.10	54.00	-9.90	29.67	3	Vertical	38	1.12	-	39.97	9.10	34.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 15
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.33542G	56.71	74.00	-17.29	42.28	3	Horizontal	209	1.20	-	39.97	9.10	34.64	
AV	11.33588G	44.28	54.00	-9.72	29.85	3	Horizontal	209	1.20	-	39.97	9.10	34.64	

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 26.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	123.19	Inf	-Inf	117.69	3	Vertical	191	1.80	-	32.03	5.90	32.43
AV	5.7092G	112.23	Inf	-Inf	106.72	3	Vertical	191	1.80	-	32.04	5.90	32.43
PK	5.8596G	67.78	68.20	-0.42	61.84	3	Vertical	191	1.80	-	32.36	5.96	32.38

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 26.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7124G	123.39	Inf	-Inf	117.87	3	Horizontal	278	1.80	-	32.05	5.90	32.43
AV	5.7124G	112.36	Inf	-Inf	106.84	3	Horizontal	278	1.80	-	32.05	5.90	32.43
PK	5.8524G	67.70	68.20	-0.50	61.83	3	Horizontal	278	1.80	-	32.31	5.95	32.39

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT_Z_4TX
Setting 26.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4159G	57.24	74.00	-16.76	42.62	3	Vertical	182	2.71	-	40.10	9.15	34.63	
AV	11.41884G	44.18	54.00	-9.82	29.56	3	Vertical	182	2.71	-	40.10	9.15	34.63	

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT_Z_4TX
Setting 26.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42052G	56.80	74.00	-17.20	42.18	3	Horizontal	315	2.75	-	40.10	9.15	34.63
AV	11.42334G	44.32	54.00	-9.68	29.70	3	Horizontal	315	2.75	-	40.10	9.15	34.63

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 22
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.653G	70.27	70.42	-0.15	65.01	3	Vertical	186	1.80	-	31.81	5.90	32.45	
PK	5.75G	120.51	Inf	-Inf	114.83	3	Vertical	186	1.80	-	32.20	5.90	32.42	
AV	5.76G	109.06	Inf	-Inf	103.36	3	Vertical	186	1.80	-	32.22	5.90	32.42	
PK	5.95G	61.25	68.20	-6.95	54.96	3	Vertical	186	1.80	-	32.60	6.05	32.36	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 22
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.643G	64.30	68.20	-3.90	59.04	3	Horizontal	276	1.80	-	31.81	5.90	32.45	
PK	5.756G	119.45	Inf	-Inf	113.76	3	Horizontal	276	1.80	-	32.21	5.90	32.42	
AV	5.756G	108.64	Inf	-Inf	102.95	3	Horizontal	276	1.80	-	32.21	5.90	32.42	
PK	5.973G	60.35	68.20	-7.85	54.08	3	Horizontal	276	1.80	-	32.55	6.07	32.35	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 22
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50878G	56.21	74.00	-17.79	41.55	3	Vertical	5	1.52	-	40.08	9.21	34.63
AV	11.5122G	43.53	54.00	-10.47	28.87	3	Vertical	5	1.52	-	40.08	9.21	34.63

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 22
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.51362G	56.95	74.00	-17.05	42.30	3	Horizontal	89	2.09	-	40.07	9.21	34.63	
AV	11.511G	43.62	54.00	-10.38	28.96	3	Horizontal	89	2.09	-	40.08	9.21	34.63	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 26.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.652G	69.56	69.68	-0.12	64.30	3	Vertical	184	1.80	-	31.81	5.90	32.45	
PK	5.79G	122.31	Inf	-Inf	116.54	3	Vertical	184	1.80	-	32.28	5.90	32.41	
AV	5.8G	110.16	Inf	-Inf	104.36	3	Vertical	184	1.80	-	32.30	5.90	32.40	
PK	5.938G	65.91	68.20	-2.29	59.63	3	Vertical	184	1.80	-	32.60	6.04	32.36	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 26.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	66.44	68.20	-1.76	61.13	3	Horizontal	280	1.80	-	31.87	5.90	32.46
PK	5.796G	121.10	Inf	-Inf	115.32	3	Horizontal	280	1.80	-	32.29	5.90	32.41
AV	5.796G	109.97	Inf	-Inf	104.19	3	Horizontal	280	1.80	-	32.29	5.90	32.41
PK	5.928G	67.38	68.20	-0.82	61.11	3	Horizontal	280	1.80	-	32.60	6.03	32.36

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 26.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59372G	56.22	74.00	-17.78	41.69	3	Vertical	209	2.74	-	39.91	9.26	34.64
AV	11.59486G	43.83	54.00	-10.17	29.30	3	Vertical	209	2.74	-	39.91	9.26	34.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Z_4TX
Setting 26.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5936G	56.68	74.00	-17.32	42.15	3	Horizontal	340	1.65	-	39.91	9.26	34.64	
AV	11.58654G	43.82	54.00	-10.18	29.28	3	Horizontal	340	1.65	-	39.93	9.25	34.64	

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 12.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.28	74.00	-9.72	59.29	3	Vertical	181	1.80	-	31.90	5.55	32.46
AV	5.1476G	53.33	54.00	-0.67	48.34	3	Vertical	181	1.80	-	31.90	5.55	32.46
PK	5.2124G	109.32	Inf	-Inf	104.43	3	Vertical	181	1.80	-	31.75	5.61	32.47
AV	5.2124G	99.39	Inf	-Inf	94.50	3	Vertical	181	1.80	-	31.75	5.61	32.47
PK	5.3748G	58.10	74.00	-15.90	53.49	3	Vertical	181	1.80	-	31.40	5.69	32.48
AV	5.4012G	47.13	54.00	-6.87	42.42	3	Vertical	181	1.80	-	31.50	5.70	32.49

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 12.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.72	74.00	-10.28	58.73	3	Horizontal	248	1.80	-	31.90	5.55	32.46
AV	5.1452G	53.85	54.00	-0.15	48.85	3	Horizontal	248	1.80	-	31.91	5.55	32.46
PK	5.2108G	107.47	Inf	-Inf	102.57	3	Horizontal	248	1.80	-	31.76	5.61	32.47
AV	5.2004G	98.13	Inf	-Inf	93.19	3	Horizontal	248	1.80	-	31.80	5.60	32.46
PK	5.3916G	57.52	74.00	-16.48	52.84	3	Horizontal	248	1.80	-	31.47	5.70	32.49
AV	5.4068G	47.06	54.00	-6.94	42.31	3	Horizontal	248	1.80	-	31.53	5.71	32.49

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 12.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.42034G	55.25	68.20	-12.95	41.22	3	Vertical	70	2.08	-	40.12	8.55	34.64	

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 12.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.41718G	54.86	68.20	-13.34	40.83	3	Horizontal	50	2.43	-	40.12	8.55	34.64	

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 13.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.114G	57.54	74.00	-16.46	52.51	3	Vertical	171	2.98	-	31.97	5.51	32.45
AV	5.1356G	47.16	54.00	-6.84	42.15	3	Vertical	171	2.98	-	31.93	5.54	32.46
PK	5.2964G	108.41	Inf	-Inf	103.83	3	Vertical	171	2.98	-	31.41	5.65	32.48
AV	5.2908G	98.88	Inf	-Inf	94.26	3	Vertical	171	2.98	-	31.44	5.65	32.47
PK	5.3508G	63.80	74.00	-10.20	59.30	3	Vertical	171	2.98	-	31.30	5.68	32.48
AV	5.3556G	53.35	54.00	-0.65	48.83	3	Vertical	171	2.98	-	31.32	5.68	32.48
PK	5.4708G	57.44	68.20	-10.76	52.39	3	Vertical	171	2.98	-	31.78	5.77	32.50

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 13.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1092G	57.25	74.00	-16.75	52.21	3	Horizontal	249	2.71	-	31.98	5.51	32.45
AV	5.138G	47.25	54.00	-6.75	42.25	3	Horizontal	249	2.71	-	31.92	5.54	32.46
PK	5.294G	108.63	Inf	-Inf	104.04	3	Horizontal	249	2.71	-	31.42	5.65	32.48
AV	5.2892G	98.65	Inf	-Inf	94.04	3	Horizontal	249	2.71	-	31.44	5.64	32.47
PK	5.3548G	64.18	74.00	-9.82	59.66	3	Horizontal	249	2.71	-	31.32	5.68	32.48
AV	5.35G	53.50	54.00	-0.50	49.00	3	Horizontal	249	2.71	-	31.30	5.68	32.48
PK	5.4692G	58.20	68.20	-10.00	53.15	3	Horizontal	249	2.71	-	31.78	5.77	32.50

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 13.5
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.57574G	55.71	68.20	-12.49	41.63	3	Vertical	71	2.18	-	40.12	8.65	34.69	

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 13.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.58238G	55.84	68.20	-12.36	41.76	3	Horizontal	229	2.59	-	40.12	8.65	34.69	

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3404G	57.33	68.20	-10.87	52.82	3	Vertical	181	1.80	-	31.32	5.67	32.48
PK	5.4588G	63.32	74.00	-10.68	58.32	3	Vertical	181	1.80	-	31.74	5.76	32.50
AV	5.458G	53.01	54.00	-0.99	48.01	3	Vertical	181	1.80	-	31.73	5.76	32.49
PK	5.47G	67.10	68.20	-1.10	62.05	3	Vertical	181	1.80	-	31.78	5.77	32.50
PK	5.5228G	110.46	Inf	-Inf	105.23	3	Vertical	181	1.80	-	31.90	5.82	32.49
AV	5.5276G	100.71	Inf	-Inf	95.47	3	Vertical	181	1.80	-	31.90	5.83	32.49
PK	5.7292G	57.75	68.20	-10.45	52.16	3	Vertical	181	1.80	-	32.12	5.90	32.43

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3316G	56.90	68.20	-11.30	52.37	3	Horizontal	278	1.80	-	31.34	5.67	32.48
PK	5.4588G	65.67	74.00	-8.33	60.67	3	Horizontal	278	1.80	-	31.74	5.76	32.50
AV	5.4588G	52.71	54.00	-1.29	47.71	3	Horizontal	278	1.80	-	31.74	5.76	32.50
PK	5.4652G	66.40	68.20	-1.80	61.37	3	Horizontal	278	1.80	-	31.76	5.77	32.50
PK	5.5308G	110.54	Inf	-Inf	105.30	3	Horizontal	278	1.80	-	31.90	5.83	32.49
AV	5.526G	99.09	Inf	-Inf	93.85	3	Horizontal	278	1.80	-	31.90	5.83	32.49
PK	5.7276G	57.89	68.20	-10.31	52.31	3	Horizontal	278	1.80	-	32.11	5.90	32.43

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06408G	56.13	74.00	-17.87	41.50	3	Vertical	342	2.33	-	40.34	8.94	34.65
AV	11.05748G	45.52	54.00	-8.48	30.87	3	Vertical	342	2.33	-	40.37	8.93	34.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 14
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0646G	56.10	74.00	-17.90	41.47	3	Horizontal	288	1.18	-	40.34	8.94	34.65
AV	11.06158G	45.90	54.00	-8.10	31.26	3	Horizontal	288	1.18	-	40.35	8.94	34.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 19
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.07	74.00	-11.93	57.07	3	Vertical	189	1.80	-	31.74	5.76	32.50
AV	5.46G	51.96	54.00	-2.04	46.96	3	Vertical	189	1.80	-	31.74	5.76	32.50
PK	5.468G	64.05	68.20	-4.15	59.01	3	Vertical	189	1.80	-	31.77	5.77	32.50
PK	5.607G	115.29	Inf	-Inf	109.97	3	Vertical	189	1.80	-	31.89	5.90	32.47
AV	5.613G	103.60	Inf	-Inf	98.29	3	Vertical	189	1.80	-	31.87	5.90	32.46
PK	5.728G	67.94	68.20	-0.26	62.36	3	Vertical	189	1.80	-	32.11	5.90	32.43

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 19
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.434G	62.44	74.00	-11.56	57.56	3	Horizontal	278	1.80	-	31.64	5.73	32.49
PK	5.465G	63.87	68.20	-4.33	58.85	3	Horizontal	278	1.80	-	31.76	5.76	32.50
AV	5.459G	52.34	54.00	-1.66	47.34	3	Horizontal	278	1.80	-	31.74	5.76	32.50
PK	5.609G	114.09	Inf	-Inf	108.78	3	Horizontal	278	1.80	-	31.88	5.90	32.47
AV	5.604G	103.75	Inf	-Inf	98.43	3	Horizontal	278	1.80	-	31.89	5.90	32.47
PK	5.726G	66.72	68.20	-1.48	61.15	3	Horizontal	278	1.80	-	32.10	5.90	32.43

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 19
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22366G	56.24	74.00	-17.76	41.95	3	Vertical	87	1.43	-	39.90	9.03	34.64
AV	11.22068G	45.73	54.00	-8.27	31.44	3	Vertical	87	1.43	-	39.90	9.03	34.64

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 19
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22242G	56.28	74.00	-17.72	41.99	3	Horizontal	295	1.00	-	39.90	9.03	34.64
AV	11.2229G	45.54	54.00	-8.46	31.25	3	Horizontal	295	1.00	-	39.90	9.03	34.64

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 22.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	62.84	74.00	-11.16	57.84	3	Vertical	186	1.80	-	31.73	5.76	32.49
AV	5.45G	51.07	54.00	-2.93	46.11	3	Vertical	186	1.80	-	31.70	5.75	32.49
PK	5.462G	62.05	68.20	-6.15	57.04	3	Vertical	186	1.80	-	31.75	5.76	32.50
PK	5.692G	119.85	Inf	-Inf	114.42	3	Vertical	186	1.80	-	31.97	5.90	32.44
AV	5.688G	108.30	Inf	-Inf	102.89	3	Vertical	186	1.80	-	31.95	5.90	32.44
PK	5.853G	68.06	68.20	-0.14	62.18	3	Vertical	186	1.80	-	32.32	5.95	32.39

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 22.5
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	62.10	74.00	-11.90	57.15	3	Horizontal	280	1.80	-	31.69	5.75	32.49
AV	5.455G	50.70	54.00	-3.30	45.72	3	Horizontal	280	1.80	-	31.72	5.75	32.49
PK	5.465G	61.42	68.20	-6.78	56.40	3	Horizontal	280	1.80	-	31.76	5.76	32.50
PK	5.689G	115.33	Inf	-Inf	109.91	3	Horizontal	280	1.80	-	31.96	5.90	32.44
AV	5.689G	106.84	Inf	-Inf	101.42	3	Horizontal	280	1.80	-	31.96	5.90	32.44
PK	5.85G	66.63	68.20	-1.57	60.77	3	Horizontal	280	1.80	-	32.30	5.95	32.39

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT_Z_4TX
Setting 22.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37784G	56.58	74.00	-17.42	42.02	3	Vertical	117	1.25	-	40.06	9.13	34.63
AV	11.3797G	45.95	54.00	-8.05	31.39	3	Vertical	117	1.25	-	40.06	9.13	34.63

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT_Z_4TX
Setting 22.5
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37926G	56.67	74.00	-17.33	42.11	3	Horizontal	26	2.44	-	40.06	9.13	34.63
AV	11.38218G	45.57	54.00	-8.43	31.01	3	Horizontal	26	2.44	-	40.06	9.13	34.63

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 20
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.647G	67.76	68.20	-0.44	62.50	3	Vertical	184	1.80	-	31.81	5.90	32.45	
PK	5.768G	116.17	Inf	-Inf	110.44	3	Vertical	184	1.80	-	32.24	5.90	32.41	
AV	5.777G	105.92	Inf	-Inf	100.18	3	Vertical	184	1.80	-	32.25	5.90	32.41	
PK	5.928G	63.84	68.20	-4.36	57.57	3	Vertical	184	1.80	-	32.60	6.03	32.36	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 20
06-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	67.40	68.20	-0.80	62.14	3	Horizontal	281	1.80	-	31.81	5.90	32.45
PK	5.774G	114.90	Inf	-Inf	109.16	3	Horizontal	281	1.80	-	32.25	5.90	32.41
AV	5.779G	104.74	Inf	-Inf	98.99	3	Horizontal	281	1.80	-	32.26	5.90	32.41
PK	5.929G	63.81	68.20	-4.39	57.54	3	Horizontal	281	1.80	-	32.60	6.03	32.36

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_Z_4TX
Setting 20
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5452G	56.13	74.00	-17.87	41.52	3	Vertical	278	1.38	-	40.01	9.23	34.63
AV	11.553G	45.46	54.00	-8.54	30.88	3	Vertical	278	1.38	-	39.99	9.23	34.64

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT_Z_4TX
Setting 20
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.55486G	56.30	74.00	-17.70	41.72	3	Horizontal	290	1.32	-	39.99	9.23	34.64	
AV	11.54616G	45.56	54.00	-8.44	30.95	3	Horizontal	290	1.32	-	40.01	9.23	34.63	




Radiated Emissions Co-location test

Appendix F

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	3.12498G	51.94	54.00	-2.06	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.2499G	39.83	74.00	-34.17	-5.39	3	Vertical	146	1.80	-	45.22	25.60	3.05	34.04
AV	1.25004G	32.68	54.00	-21.32	-5.38	3	Vertical	146	1.80	-	38.06	25.60	3.05	34.03
PK	2.81253G	46.21	74.00	-27.79	-0.35	3	Vertical	146	1.80	-	46.56	28.45	4.41	33.21
AV	2.81247G	41.81	54.00	-12.19	-0.35	3	Vertical	146	1.80	-	42.16	28.45	4.41	33.21
PK	3.12487G	49.54	74.00	-24.46	1.23	3	Vertical	299	1.01	-	48.31	29.80	4.66	33.23
AV	3.12499G	45.77	54.00	-8.23	1.23	3	Vertical	299	1.01	"Worst"	44.54	29.80	4.66	33.23

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.24992G	43.00	74.00	-31.00	-5.39	3	Horizontal	174	1.44	-	48.39	25.60	3.05	34.04
AV	1.24998G	36.83	54.00	-17.17	-5.39	3	Horizontal	174	1.44	-	42.22	25.60	3.05	34.04
PK	2.81255G	48.16	74.00	-25.84	-0.35	3	Horizontal	247	1.79	-	48.51	28.45	4.41	33.21
AV	2.8125G	44.28	54.00	-9.72	-0.35	3	Horizontal	246	1.80	-	44.63	28.45	4.41	33.21
PK	3.12499G	54.08	74.00	-19.92	1.23	3	Horizontal	247	1.01	-	52.85	29.80	4.66	33.23
AV	3.12498G	51.94	54.00	-2.06	1.23	3	Horizontal	246	1.01	"Worst"	50.71	29.80	4.66	33.23