


802.11ac VHT80_Nss1,(MCS0)_4TX

10/01/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05784G	42.34	54.00	-11.66	18.38	3	Vertical	36	1.50	-	23.96	40.11	9.17	30.90
PK	11.06792G	54.85	74.00	-19.15	18.38	3	Vertical	36	1.50	-	36.47	40.10	9.18	30.90
PK	16.57728G	60.19	68.20	-8.01	18.11	3	Vertical	206	1.50	-	42.08	38.62	11.18	31.69

802.11ac VHT80_Nss1,(MCS0)_4TX

10/01/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06678G	42.60	54.00	-11.40	18.38	3	Horizontal	17	1.50	-	24.22	40.10	9.18	30.90
PK	11.0495G	54.96	74.00	-19.04	18.38	3	Horizontal	17	1.50	-	36.58	40.13	9.16	30.91
PK	16.59054G	59.76	68.20	-8.44	18.16	3	Horizontal	61	1.50	-	41.60	38.67	11.18	31.69

802.11ac VHT80_Nss1,(MCS0)_4TX

10/01/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	52.99	54.00	-1.01	7.80	3	Vertical	17	1.50	-	45.19	31.67	10.20	34.07
AV	5.603G	101.59	Inf	-Inf	7.79	3	Vertical	17	1.50	-	93.80	31.61	10.25	34.07
PK	5.463G	67.66	68.20	-0.54	7.82	3	Vertical	17	1.50	-	59.84	31.69	10.20	34.07
PK	5.595G	110.72	Inf	-Inf	7.78	3	Vertical	17	1.50	-	102.94	31.61	10.24	34.07
PK	5.733G	67.53	68.20	-0.67	8.24	3	Vertical	17	1.50	-	59.29	31.90	10.41	34.07

802.11ac VHT80_Nss1,(MCS0)_4TX

10/01/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	51.56	54.00	-2.44	7.80	3	Horizontal	255	2.99	-	43.76	31.67	10.20	34.07
AV	5.6G	100.82	Inf	-Inf	7.77	3	Horizontal	255	2.99	-	93.05	31.60	10.24	34.07
PK	5.468G	63.44	68.20	-4.76	7.84	3	Horizontal	255	2.99	-	55.60	31.70	10.21	34.07
PK	5.601G	110.14	Inf	-Inf	7.77	3	Horizontal	255	2.99	-	102.37	31.60	10.24	34.07
PK	5.729G	67.88	68.20	-0.32	8.22	3	Horizontal	255	2.99	-	59.66	31.89	10.40	34.07

802.11ac VHT80_Nss1,(MCS0)_4TX

10/01/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21844G	42.62	54.00	-11.38	18.30	3	Vertical	289	1.81	-	24.32	39.87	9.28	30.85
PK	11.22186G	54.75	74.00	-19.25	18.30	3	Vertical	289	1.81	-	36.45	39.87	9.28	30.85
PK	16.8219G	59.85	68.20	-8.35	19.05	3	Vertical	18	2.98	-	40.80	39.48	11.26	31.69

802.11ac VHT80_Nss1,(MCS0)_4TX

10/01/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21358G	42.53	54.00	-11.47	18.30	3	Horizontal	303	1.50	-	24.23	39.88	9.28	30.86
PK	11.22432G	54.78	74.00	-19.22	18.29	3	Horizontal	303	1.50	-	36.49	39.86	9.28	30.85
PK	16.83984G	59.31	68.20	-8.89	19.12	3	Horizontal	295	1.50	-	40.19	39.54	11.27	31.69

802.11ac VHT80_Nss1,(MCS0)_4TX

10/01/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	50.00	54.00	-4.00	8.52	3	Vertical	0	1.50	-	41.48	31.72	6.17	29.37
AV	5.6708G	104.17	Inf	-Inf	8.74	3	Vertical	0	1.50	-	95.43	31.77	6.33	29.36
PK	5.4644G	63.07	68.20	-5.13	8.56	3	Vertical	0	1.50	-	54.51	31.76	6.17	29.37
PK	5.6756G	114.03	Inf	-Inf	8.75	3	Vertical	0	1.50	-	105.28	31.78	6.33	29.36
PK	5.864G	67.44	68.20	-0.76	9.25	3	Vertical	0	1.50	-	58.19	32.13	6.48	29.36

802.11ac VHT80_Nss1,(MCS0)_4TX

10/01/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	49.88	54.00	-4.12	8.53	3	Horizontal	256	2.47	-	41.35	31.73	6.17	29.37
AV	5.6804G	104.67	Inf	-Inf	8.75	3	Horizontal	256	2.47	-	95.92	31.78	6.33	29.36
PK	5.4644G	62.16	68.20	-6.04	8.56	3	Horizontal	256	2.47	-	53.60	31.76	6.17	29.37
PK	5.6804G	114.57	Inf	-Inf	8.75	3	Horizontal	256	2.47	-	105.82	31.78	6.33	29.36
PK	5.8508G	67.10	68.20	-1.10	9.21	3	Horizontal	256	2.47	-	57.89	32.10	6.47	29.36

802.11ac VHT80_Nss1,(MCS0)_4TX

10/01/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3899G	42.30	54.00	-11.70	18.22	3	Vertical	265	2.02	-	24.08	39.62	9.40	30.80
PK	11.3716G	54.73	74.00	-19.27	18.22	3	Vertical	265	2.02	-	36.51	39.64	9.39	30.81
PK	17.07774G	61.72	68.20	-6.48	20.31	3	Vertical	280	1.50	-	41.41	40.61	11.35	31.65

802.11ac VHT80_Nss1,(MCS0)_4TX

10/01/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39314G	42.00	54.00	-12.00	18.21	3	Horizontal	218	1.01	-	23.79	39.61	9.40	30.80
PK	11.3926G	54.41	74.00	-19.59	18.21	3	Horizontal	218	1.01	-	36.20	39.61	9.40	30.80
PK	17.0748G	61.16	68.20	-7.04	20.28	3	Horizontal	291	2.04	-	40.88	40.59	11.34	31.65

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	48.67	54.00	-5.33	8.38	3	Vertical	37	1.60	-	40.29	31.71	6.00	29.33
AV	5.276G	100.35	Inf	-Inf	8.09	3	Vertical	37	1.60	-	92.26	31.37	6.07	29.35
AV	5.355G	53.72	54.00	-0.28	8.16	3	Vertical	37	1.60	-	45.56	31.41	6.11	29.36
PK	5.11G	59.69	74.00	-14.31	8.43	3	Vertical	37	1.60	-	51.26	31.78	5.98	29.33
PK	5.281G	112.58	Inf	-Inf	8.08	3	Vertical	37	1.60	-	104.50	31.36	6.07	29.35
PK	5.365G	69.66	74.00	-4.34	8.19	3	Vertical	37	1.60	-	61.47	31.43	6.12	29.36

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.92	54.00	-6.08	8.38	3	Horizontal	310	1.72	-	39.54	31.71	6.00	29.33
AV	5.28G	98.91	Inf	-Inf	8.08	3	Horizontal	310	1.72	-	90.83	31.36	6.07	29.35
AV	5.355G	52.33	54.00	-1.67	8.16	3	Horizontal	310	1.72	-	44.17	31.41	6.11	29.36
PK	5.143G	59.45	74.00	-14.55	8.38	3	Horizontal	310	1.72	-	51.07	31.71	6.00	29.33
PK	5.3G	109.73	Inf	-Inf	8.03	3	Horizontal	310	1.72	-	101.70	31.30	6.08	29.35
PK	5.467G	59.38	68.20	-8.82	8.57	3	Horizontal	310	1.72	-	50.81	31.77	6.17	29.37

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8751G	44.11	54.00	-9.89	16.15	3	Vertical	273	2.31	-	27.96	37.14	10.94	31.93
PK	10.57016G	54.09	68.20	-14.11	17.85	3	Vertical	57	2.02	-	36.24	39.64	8.84	30.63
PK	15.86694G	56.48	74.00	-17.52	16.18	3	Vertical	273	2.31	-	40.30	37.17	10.94	31.93

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8688G	44.16	54.00	-9.84	16.17	3	Horizontal	234	1.88	-	27.99	37.16	10.94	31.93
PK	10.58138G	54.10	68.20	-14.10	17.87	3	Horizontal	231	1.54	-	36.23	39.66	8.85	30.64
PK	15.87222G	56.63	74.00	-17.37	16.16	3	Horizontal	234	1.88	-	40.47	37.15	10.94	31.93

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	53.19	54.00	-0.81	8.53	3	Vertical	19	1.55	-	44.66	31.73	6.17	29.37
AV	5.538G	99.36	Inf	-Inf	8.67	3	Vertical	19	1.55	-	90.69	31.82	6.22	29.37
PK	5.468G	65.51	68.20	-2.69	8.57	3	Vertical	19	1.55	-	56.94	31.77	6.17	29.37
PK	5.533G	111.22	Inf	-Inf	8.68	3	Vertical	19	1.55	-	102.54	31.83	6.22	29.37
PK	5.76G	59.95	68.20	-8.25	8.96	3	Vertical	19	1.55	-	50.99	31.92	6.40	29.36

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.87	54.00	-4.13	8.54	3	Horizontal	314	1.51	-	41.33	31.74	6.17	29.37
AV	5.52G	96.74	Inf	-Inf	8.70	3	Horizontal	314	1.51	-	88.04	31.86	6.21	29.37
PK	5.465G	61.46	68.20	-6.74	8.56	3	Horizontal	314	1.51	-	52.90	31.76	6.17	29.37
PK	5.54G	107.09	Inf	-Inf	8.67	3	Horizontal	314	1.51	-	98.42	31.82	6.22	29.37
PK	5.772G	60.84	68.20	-7.36	8.99	3	Horizontal	314	1.51	-	51.85	31.94	6.41	29.36

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0717G	42.10	54.00	-11.90	18.37	3	Vertical	183	2.33	-	23.73	40.09	9.18	30.90
PK	11.06294G	54.73	74.00	-19.27	18.38	3	Vertical	183	2.33	-	36.35	40.11	9.17	30.90
PK	16.60488G	60.26	68.20	-7.94	18.22	3	Vertical	158	1.33	-	42.04	38.72	11.19	31.69

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05064G	42.10	54.00	-11.90	18.38	3	Horizontal	170	1.23	-	23.72	40.12	9.16	30.90
PK	11.04872G	54.40	74.00	-19.60	18.38	3	Horizontal	170	1.23	-	36.02	40.13	9.16	30.91
PK	16.57932G	60.11	68.20	-8.09	18.12	3	Horizontal	334	1.81	-	41.99	38.63	11.18	31.69

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	51.00	54.00	-3.00	8.54	3	Vertical	0	1.59	-	42.46	31.74	6.17	29.37
AV	5.601G	101.44	Inf	-Inf	8.60	3	Vertical	0	1.59	-	92.84	31.70	6.27	29.37
PK	5.465G	65.06	68.20	-3.14	8.56	3	Vertical	0	1.59	-	56.50	31.76	6.17	29.37
PK	5.621G	113.17	Inf	-Inf	8.64	3	Vertical	0	1.59	-	104.53	31.72	6.29	29.37
PK	5.738G	67.39	68.20	-0.81	8.90	3	Vertical	0	1.59	-	58.49	31.88	6.38	29.36

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.31	54.00	-4.69	8.54	3	Horizontal	114	1.70	-	40.77	31.74	6.17	29.37
AV	5.6G	100.49	Inf	-Inf	8.60	3	Horizontal	114	1.70	-	91.89	31.70	6.27	29.37
PK	5.469G	64.04	68.20	-4.16	8.58	3	Horizontal	114	1.70	-	55.46	31.78	6.17	29.37
PK	5.6G	113.27	Inf	-Inf	8.60	3	Horizontal	114	1.70	-	104.67	31.70	6.27	29.37
PK	5.736G	64.68	68.20	-3.52	8.89	3	Horizontal	114	1.70	-	55.79	31.87	6.38	29.36

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21418G	42.22	54.00	-11.78	18.30	3	Vertical	323	1.50	-	23.92	39.88	9.28	30.86
PK	11.21412G	55.02	74.00	-18.98	18.30	3	Vertical	323	1.50	-	36.72	39.88	9.28	30.86
PK	16.82484G	59.77	68.20	-8.43	19.06	3	Vertical	17	1.37	-	40.71	39.49	11.26	31.69

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2104G	42.25	54.00	-11.75	18.30	3	Horizontal	332	1.72	-	23.95	39.88	9.28	30.86
PK	11.21508G	54.86	74.00	-19.14	18.30	3	Horizontal	332	1.72	-	36.56	39.88	9.28	30.86
PK	16.84242G	59.34	68.20	-8.86	19.13	3	Horizontal	71	1.50	-	40.21	39.55	11.27	31.69

802.11ax HEW80_Nss1,(MCS0)_4TX 5690MHz Straddle 5.47-5.725GHz_TX

11/01/2020




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	50.34	54.00	-3.66	8.53	3	Vertical	6	1.49	-	41.81	31.73	6.17	29.37
AV	5.701G	104.34	Inf	-Inf	8.79	3	Vertical	6	1.49	-	95.55	31.80	6.35	29.36
PK	5.465G	62.06	68.20	-6.14	8.56	3	Vertical	6	1.49	-	53.50	31.76	6.17	29.37
PK	5.701G	116.54	Inf	-Inf	8.79	3	Vertical	6	1.49	-	107.75	31.80	6.35	29.36
PK	5.854G	67.91	68.20	-0.29	9.22	3	Vertical	6	1.49	-	58.69	32.11	6.47	29.36

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.458G	48.34	54.00	-5.66	8.53	3	Horizontal	124	2.19	-	39.81	31.73	6.17	29.37
AV	5.675G	102.78	Inf	-Inf	8.74	3	Horizontal	124	2.19	-	94.04	31.77	6.33	29.36
PK	5.462G	60.17	68.20	-8.03	8.55	3	Horizontal	124	2.19	-	51.62	31.75	6.17	29.37
PK	5.68G	113.77	Inf	-Inf	8.75	3	Horizontal	124	2.19	-	105.02	31.78	6.33	29.36
PK	5.854G	67.12	68.20	-1.08	9.22	3	Horizontal	124	2.19	-	57.90	32.11	6.47	29.36

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37292G	41.92	54.00	-12.08	18.22	3	Vertical	165	1.32	-	23.70	39.64	9.39	30.81
PK	11.3752G	54.08	74.00	-19.92	18.22	3	Vertical	165	1.32	-	35.86	39.64	9.39	30.81
PK	17.0619G	61.28	68.20	-6.92	20.19	3	Vertical	0	1.00	-	41.09	40.51	11.34	31.66

802.11ax HEW80_Nss1,(MCS0)_4TX

11/01/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3713G	41.88	54.00	-12.12	18.22	3	Horizontal	306	1.03	-	23.66	39.64	9.39	30.81
PK	11.3848G	54.03	74.00	-19.97	18.22	3	Horizontal	306	1.03	-	35.81	39.62	9.40	30.80
PK	17.07774G	61.35	68.20	-6.85	20.31	3	Horizontal	333	1.83	-	41.04	40.61	11.35	31.65

802.11ac VHT160_Nss1,(MCS0)_4TX

11/01/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1216G	53.63	54.00	-0.37	8.42	3	Vertical	37	1.59	-	45.21	31.76	5.99	29.33
AV	5.2608G	95.94	Inf	-Inf	8.13	3	Vertical	37	1.59	-	87.81	31.42	6.06	29.35
AV	5.3856G	53.24	54.00	-0.76	8.24	3	Vertical	37	1.59	-	45.00	31.47	6.13	29.36
PK	5.1348G	71.30	74.00	-2.70	8.39	3	Vertical	37	1.59	-	62.91	31.73	5.99	29.33
PK	5.2404G	105.36	Inf	-Inf	8.19	3	Vertical	37	1.59	-	97.17	31.48	6.05	29.34
PK	5.3844G	71.01	74.00	-2.99	8.24	3	Vertical	37	1.59	-	62.77	31.47	6.13	29.36

802.11ac VHT160_Nss1,(MCS0)_4TX

11/01/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	52.62	54.00	-1.38	8.38	3	Horizontal	272	3.00	-	44.24	31.72	5.99	29.33
AV	5.2536G	95.45	Inf	-Inf	8.15	3	Horizontal	272	3.00	-	87.30	31.44	6.06	29.35
AV	5.3796G	53.72	54.00	-0.28	8.22	3	Horizontal	272	3.00	-	45.50	31.46	6.12	29.36
PK	5.1468G	73.14	74.00	-0.86	8.38	3	Horizontal	272	3.00	-	64.76	31.71	6.00	29.33
PK	5.2632G	105.55	Inf	-Inf	8.12	3	Horizontal	272	3.00	-	97.43	31.41	6.06	29.35
PK	5.3772G	72.14	74.00	-1.86	8.21	3	Horizontal	272	3.00	-	63.93	31.45	6.12	29.36

802.11ac VHT160_Nss1,(MCS0)_4TX

11/01/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7587G	44.91	54.00	-9.09	16.63	3	Vertical	338	1.59	-	28.28	37.64	10.90	31.91
PK	10.51086G	53.78	68.20	-14.42	17.77	3	Vertical	129	1.86	-	36.01	39.56	8.80	30.59
PK	15.75714G	57.47	74.00	-16.53	16.63	3	Vertical	338	1.59	-	40.84	37.64	10.90	31.91

802.11ac VHT160_Nss1,(MCS0)_4TX

11/01/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74532G	44.98	54.00	-9.02	16.69	3	Horizontal	107	1.34	-	28.29	37.70	10.89	31.90
PK	10.51476G	54.42	68.20	-13.78	17.78	3	Horizontal	289	1.50	-	36.64	39.57	8.80	30.59
PK	15.74412G	57.32	74.00	-16.68	16.69	3	Horizontal	107	1.34	-	40.63	37.70	10.89	31.90

802.11ac VHT160_Nss1,(MCS0)_4TX

11/01/2020

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	53.18	54.00	-0.82	8.52	3	Vertical	20	1.50	-	44.66	31.72	6.17	29.37
AV	5.532G	93.91	Inf	-Inf	8.65	3	Vertical	20	1.50	-	85.26	31.79	6.23	29.37
PK	5.4608G	65.43	68.20	-2.77	8.54	3	Vertical	20	1.50	-	56.89	31.74	6.17	29.37
PK	5.5544G	104.31	Inf	-Inf	8.65	3	Vertical	20	1.50	-	95.66	31.79	6.23	29.37
PK	5.7848G	63.08	68.20	-5.12	9.03	3	Vertical	20	1.50	-	54.05	31.97	6.42	29.36

802.11ac VHT160_Nss1,(MCS0)_4TX

11/01/2020

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	51.57	54.00	-2.43	8.53	3	Horizontal	254	2.25	-	43.04	31.73	6.17	29.37
AV	5.5532G	93.12	Inf	-Inf	8.65	3	Horizontal	254	2.25	-	84.47	31.79	6.23	29.37
PK	5.4668G	63.84	68.20	-4.36	8.57	3	Horizontal	254	2.25	-	55.27	31.77	6.17	29.37
PK	5.5532G	103.20	Inf	-Inf	8.65	3	Horizontal	254	2.25	-	94.55	31.79	6.23	29.37
PK	5.726G	61.66	68.20	-6.54	8.86	3	Horizontal	254	2.25	-	52.80	31.85	6.37	29.36

802.11ac VHT160_Nss1,(MCS0)_4TX

11/01/2020

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15092G	42.11	54.00	-11.89	18.33	3	Vertical	22	1.08	-	23.78	39.97	9.23	30.87
PK	11.14336G	54.62	74.00	-19.38	18.33	3	Vertical	22	1.08	-	36.29	39.98	9.23	30.88
PK	16.70538G	59.79	68.20	-8.41	18.60	3	Vertical	16	1.76	-	41.19	39.07	11.22	31.69

802.11ac VHT160_Nss1,(MCS0)_4TX

11/01/2020

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14024G	42.11	54.00	-11.89	18.34	3	Horizontal	192	1.48	-	23.77	39.99	9.23	30.88
PK	11.14552G	54.40	74.00	-19.60	18.33	3	Horizontal	192	1.48	-	36.07	39.98	9.23	30.88
PK	16.69818G	60.20	68.20	-8.00	18.57	3	Horizontal	182	2.07	-	41.63	39.04	11.22	31.69

802.11ax HEW160_Nss1,(MCS0)_4TX

11/01/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1384G	53.20	54.00	-0.80	8.38	3	Vertical	166	1.47	-	44.82	31.72	5.99	29.33
AV	5.2536G	93.83	Inf	-Inf	8.15	3	Vertical	166	1.47	-	85.68	31.44	6.06	29.35
AV	5.3796G	52.79	54.00	-1.21	8.22	3	Vertical	166	1.47	-	44.57	31.46	6.12	29.36
PK	5.1396G	63.47	74.00	-10.53	8.39	3	Vertical	166	1.47	-	55.08	31.72	6.00	29.33
PK	5.2692G	103.49	Inf	-Inf	8.11	3	Vertical	166	1.47	-	95.38	31.39	6.07	29.35
PK	5.3808G	63.78	74.00	-10.22	8.23	3	Vertical	166	1.47	-	55.55	31.46	6.13	29.36

802.11ax HEW160_Nss1,(MCS0)_4TX

11/01/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	51.63	54.00	-2.37	8.38	3	Horizontal	271	3.00	-	43.25	31.71	6.00	29.33
AV	5.2536G	94.37	Inf	-Inf	8.15	3	Horizontal	271	3.00	-	86.22	31.44	6.06	29.35
AV	5.3796G	53.10	54.00	-0.90	8.22	3	Horizontal	271	3.00	-	44.88	31.46	6.12	29.36
PK	5.136G	61.05	74.00	-12.95	8.39	3	Horizontal	271	3.00	-	52.66	31.73	5.99	29.33
PK	5.2536G	104.12	Inf	-Inf	8.15	3	Horizontal	271	3.00	-	95.97	31.44	6.06	29.35
PK	5.3772G	63.36	74.00	-10.64	8.21	3	Horizontal	271	3.00	-	55.15	31.45	6.12	29.36

802.11ax HEW160_Nss1,(MCS0)_4TX

11/01/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74334G	46.64	54.00	-7.36	16.69	3	Vertical	31	2.02	-	29.95	37.70	10.89	31.90
PK	10.512G	53.94	68.20	-14.26	17.78	3	Vertical	339	1.50	-	36.16	39.57	8.80	30.59
PK	15.74916G	57.62	74.00	-16.38	16.67	3	Vertical	31	2.02	-	40.95	37.68	10.89	31.90

802.11ax HEW160_Nss1,(MCS0)_4TX

11/01/2020

5250MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.73566G	46.18	54.00	-7.82	16.73	3	Horizontal	222	2.26	-	29.45	37.74	10.89	31.90
PK	10.48878G	53.35	68.20	-14.85	17.74	3	Horizontal	96	1.98	-	35.61	39.54	8.78	30.58
PK	15.75036G	57.61	74.00	-16.39	16.65	3	Horizontal	222	2.26	-	40.96	37.67	10.89	31.91

802.11ax HEW160_Nss1,(MCS0)_4TX

11/01/2020

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	53.82	54.00	-0.18	8.52	3	Vertical	7	1.50	-	45.30	31.72	6.17	29.37
AV	5.582G	92.28	Inf	-Inf	8.63	3	Vertical	7	1.50	-	83.65	31.74	6.26	29.37
PK	5.462G	64.39	68.20	-3.81	8.55	3	Vertical	7	1.50	-	55.84	31.75	6.17	29.37
PK	5.546G	102.80	Inf	-Inf	8.67	3	Vertical	7	1.50	-	94.13	31.81	6.23	29.37
PK	5.756G	59.65	68.20	-8.55	8.94	3	Vertical	7	1.50	-	50.71	31.91	6.39	29.36

802.11ax HEW160_Nss1,(MCS0)_4TX

11/01/2020

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.76	54.00	-1.24	8.52	3	Horizontal	254	2.11	-	44.24	31.72	6.17	29.37
AV	5.5844G	91.88	Inf	-Inf	8.62	3	Horizontal	254	2.11	-	83.26	31.73	6.26	29.37
PK	5.4668G	60.13	68.20	-8.07	8.57	3	Horizontal	254	2.11	-	51.56	31.77	6.17	29.37
PK	5.5844G	102.03	Inf	-Inf	8.62	3	Horizontal	254	2.11	-	93.41	31.73	6.26	29.37
PK	5.7404G	59.97	68.20	-8.23	8.90	3	Horizontal	254	2.11	-	51.07	31.88	6.38	29.36

802.11ax HEW160_Nss1,(MCS0)_4TX

11/01/2020

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1274G	44.11	54.00	-9.89	18.35	3	Vertical	342	2.31	-	25.76	40.01	9.22	30.88
PK	11.15284G	55.02	74.00	-18.98	18.34	3	Vertical	342	2.31	-	36.68	39.97	9.24	30.87
PK	16.70184G	59.51	68.20	-8.69	18.59	3	Vertical	292	1.84	-	40.92	39.06	11.22	31.69

802.11ax HEW160_Nss1,(MCS0)_4TX

11/01/2020

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13778G	43.83	54.00	-10.17	18.34	3	Horizontal	294	1.50	-	25.49	39.99	9.23	30.88
PK	11.14288G	54.92	74.00	-19.08	18.34	3	Horizontal	294	1.50	-	36.58	39.99	9.23	30.88
PK	16.70352G	59.80	68.20	-8.40	18.59	3	Horizontal	203	2.23	-	41.21	39.06	11.22	31.69