

Installation guide







XS4 One S for European mortise

SALTO
inspired access

- (Eng) **Installation guide**
(E) *Guía de instalación*
(D) *Montageanleitung*
(F) *Guide d'installation*
(I) *Guida all'installazione*
(P) *Guia de instalação*

E i 850 xx..series

Model: W81M




Not included
No incluido
Nicht enthalten
Non incluse
Non incluso
Não incluido

Ø14

Ø25

Ø14




"A2" version has to be installed always with the SALTO LT2L tubular latch.
La versión "A2" solo se puede instalar con el picaporte tubular SALTO LT2L.

SALTO LT2Lxx Tubular latch With Ei7xxA2.. Only!

To be used only with SALTO compatible escutcheons!
A utiliser uniquement avec les ensembles plaques-béquilles SALTO compatibles!
¡Utilizar solamente con escudos SALTO compatibles!



Ø25
Ø1"



SALTO recommends the use of a mortise lock, with a maximum 4° pre-turn.

SALTO recomienda utilizar cerraduras con un pregiro máximo de 4°.

SALTO empfiehlt den Einsatz von Einsteckschlössern mit max. 4° Vorspannung.

SALTO recommande d'utiliser des serrures à mortaiser avec un angle au repos de 4° maximum.

SALTO raccomanda l'utilizzo di una serratura con un angolo di pre-rotazione massimo di 4°.






SALTO recomenda utilizar fechaduras com uma pré rotação máxima de 4°.

Installation guide




XS4 One+ for European mortise locks

SALTO
inspiredaccess

(Eng) Select handing (E) Selección mano (D) Drückerrichtung wählen (F) Choisir le sens de la bêcheille
(I) Scegliere il verso (P) Seleção mão




(Eng) Installation (E) Instalación (D) Installation (F) Installation (I) Installazione (P) Instalação



Installation guide

XS4 One+ for European mortise locks

SALTO
inspired access






Installation guide

XS4 One+ for European mortise locks

SALTO
inspired access

E i 851 xx.. series

E i 8P1 xx.. series



Eng Other models E Otros modelos D Andere Modelle F D'autres modèles I Altri modelli P Outros modelos

E i 856 xx..

- Eng -Entry lock with privacy/ lockout funtion
- E -Modelo entrada con privacidad
- D -Beschlag mit Privacy-Funktion
- F -Béquille électronique avec fonction privacité
- I -Modello di entrata con privacy
- P -Modelo entrada com privacidade

E i 8P6 xx..

- Eng -Entry lock with privacy/lockout funtion and key override
- E -Modelo entrada con privacidad y llave de emergencia con registro
- D -Beschlag mit Privacy-Funktion und Notschlüssel
- F -Béquille électronique avec fonction privacité et clef de secours
- I -Modello di entrata con privacy e chiave di emergenza con registrazione
- P -Modelo entrada com privacidade e chave de emergencia com registro

