








































Test Result

TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant2	Low	5180	AV	4500.000	-62.56	≤-44.93	3.54	0.18	36.36	≤54	PASS
				AV	5149.600	-57.3	≤-44.93	3.54	0.18	41.62	≤54	PASS
				AV	5150.000	-58.02	≤-44.93	3.54	0.18	40.90	≤54	PASS
				Peak	4500.000	-53.71	≤-30.55	3.54	0	45.03	≤68.2	PASS
				Peak	5140.500	-48.62	≤-30.55	3.54	0	50.12	≤68.2	PASS
				Peak	5150.000	-49.08	≤-30.55	3.54	0	49.66	≤68.2	PASS
		High	5240	AV	5350.000	-60.14	≤-44.90	3.54	0.15	38.75	≤54	PASS
				AV	5359.920	-58.6	≤-44.90	3.54	0.15	40.29	≤54	PASS
				AV	5460.000	-61.15	≤-44.90	3.54	0.15	37.74	≤54	PASS
				Peak	5350.000	-52.45	≤-30.55	3.54	0	46.29	≤68.2	PASS
				Peak	5361.360	-49.38	≤-30.55	3.54	0	49.36	≤68.2	PASS
				Peak	5460.000	-52.91	≤-30.55	3.54	0	45.83	≤68.2	PASS
11N20SISO	Ant2	Low	5180	AV	4500.000	-62.46	≤-44.94	3.54	0.19	36.47	≤54	PASS
				AV	5146.100	-57.11	≤-44.94	3.54	0.19	41.82	≤54	PASS
				AV	5150.000	-57.67	≤-44.94	3.54	0.19	41.26	≤54	PASS
				Peak	4500.000	-54.25	≤-30.55	3.54	0	44.49	≤68.2	PASS
				Peak	5140.500	-46.8	≤-30.55	3.54	0	51.94	≤68.2	PASS
				Peak	5150.000	-50.31	≤-30.55	3.54	0	48.43	≤68.2	PASS
		High	5240	AV	5350.000	-59.19	≤-44.95	3.54	0.2	39.75	≤54	PASS
				AV	5350.320	-58.3	≤-44.95	3.54	0.2	40.64	≤54	PASS
				AV	5460.000	-60.83	≤-44.95	3.54	0.2	38.11	≤54	PASS
				Peak	5350.000	-51.96	≤-30.55	3.54	0	46.78	≤68.2	PASS
				Peak	5366.160	-48.7	≤-30.55	3.54	0	50.04	≤68.2	PASS
				Peak	5460.000	-53.88	≤-30.55	3.54	0	44.86	≤68.2	PASS
11N40SISO	Ant2	Low	5190	AV	4500.000	-62.15	≤-45.07	3.54	0.32	36.91	≤54	PASS
				AV	5149.600	-54.65	≤-45.07	3.54	0.32	44.41	≤54	PASS
				AV	5150.000	-54.31	≤-45.07	3.54	0.32	44.75	≤54	PASS
				Peak	4500.000	-51.77	≤-30.55	3.54	0	46.97	≤68.2	PASS
				Peak	5147.500	-45.57	≤-30.55	3.54	0	53.17	≤68.2	PASS
				Peak	5150.000	-46.4	≤-30.55	3.54	0	52.34	≤68.2	PASS
		High	5230	AV	5350.000	-57.94	≤-45.13	3.54	0.38	41.18	≤54	PASS
				AV	5350.020	-57.94	≤-45.13	3.54	0.38	41.18	≤54	PASS
				AV	5460.000	-60.68	≤-45.13	3.54	0.38	38.44	≤54	PASS
				Peak	5350.000	-49.75	≤-30.55	3.54	0	48.99	≤68.2	PASS
				Peak	5363.020	-48.61	≤-30.55	3.54	0	50.13	≤68.2	PASS
				Peak	5460.000	-52.21	≤-30.55	3.54	0	46.53	≤68.2	PASS

11AC20SISO	Ant2	Low	5180	AV	4500.000	-62.48	≤-45.26	3.54	0.51	36.77	≤54	PASS
				AV	5148.900	-56.69	≤-45.26	3.54	0.51	42.56	≤54	PASS
				AV	5150.000	-56.54	≤-45.26	3.54	0.51	42.71	≤54	PASS
				Peak	4500.000	-54.59	≤-30.55	3.54	0	44.15	≤68.2	PASS
				Peak	5088.000	-46.86	≤-30.55	3.54	0	51.88	≤68.2	PASS
				Peak	5150.000	-48.22	≤-30.55	3.54	0	50.52	≤68.2	PASS
		High	5240	AV	5350.000	-58.35	≤-45.26	3.54	0.51	40.90	≤54	PASS
				AV	5359.920	-57.57	≤-45.26	3.54	0.51	41.68	≤54	PASS
				AV	5460.000	-60.13	≤-45.26	3.54	0.51	39.12	≤54	PASS
				Peak	5350.000	-50.43	≤-30.55	3.54	0	48.31	≤68.2	PASS
				Peak	5362.320	-48.3	≤-30.55	3.54	0	50.44	≤68.2	PASS
				Peak	5460.000	-53.05	≤-30.55	3.54	0	45.69	≤68.2	PASS
11AC40SISO	Ant2	Low	5190	AV	4500.000	-61.99	≤-45.65	3.54	0.9	37.65	≤54	PASS
				AV	5149.600	-55.99	≤-45.65	3.54	0.9	43.65	≤54	PASS
				AV	5150.000	-56.16	≤-45.65	3.54	0.9	43.48	≤54	PASS
				Peak	4500.000	-53.26	≤-30.55	3.54	0	45.48	≤68.2	PASS
				Peak	5146.100	-45.22	≤-30.55	3.54	0	53.52	≤68.2	PASS
				Peak	5150.000	-47.45	≤-30.55	3.54	0	51.29	≤68.2	PASS
		High	5230	AV	5350.000	-57.96	≤-45.65	3.54	0.9	41.68	≤54	PASS
				AV	5350.020	-57.96	≤-45.65	3.54	0.9	41.68	≤54	PASS
				AV	5460.000	-60.95	≤-45.65	3.54	0.9	38.69	≤54	PASS
				Peak	5350.000	-50.18	≤-30.55	3.54	0	48.56	≤68.2	PASS
				Peak	5364.060	-48.63	≤-30.55	3.54	0	50.11	≤68.2	PASS
				Peak	5460.000	-53.12	≤-30.55	3.54	0	45.62	≤68.2	PASS
11AC80SISO	Ant2	Low	5210	AV	4500.000	-62.23	≤-46.30	3.54	1.55	38.06	≤54	PASS
				AV	5148.750	-52.84	≤-46.30	3.54	1.55	47.45	≤54	PASS
				AV	5150.000	-53.73	≤-46.30	3.54	1.55	46.56	≤54	PASS
				Peak	4500.000	-53.54	≤-30.55	3.54	0	45.20	≤68.2	PASS
				Peak	5142.750	-43.95	≤-30.55	3.54	0	54.79	≤68.2	PASS
				Peak	5150.000	-43.23	≤-30.55	3.54	0	55.51	≤68.2	PASS
		High	5210	AV	5350.000	-59.7	≤-46.30	3.54	1.55	40.59	≤54	PASS
				AV	5366.760	-58.92	≤-46.30	3.54	1.55	41.37	≤54	PASS
				AV	5460.000	-60.77	≤-46.30	3.54	1.55	39.52	≤54	PASS
				Peak	5350.000	-51.33	≤-30.55	3.54	0	47.41	≤68.2	PASS
				Peak	5350.800	-49.02	≤-30.55	3.54	0	49.72	≤68.2	PASS
				Peak	5460.000	-53.02	≤-30.55	3.54	0	45.72	≤68.2	PASS
11AX20SISO	Ant2	Low	5180	AV	4500.000	-62.22	≤-45.32	3.54	0.57	37.09	≤54	PASS
				AV	5139.800	-56.64	≤-45.32	3.54	0.57	42.67	≤54	PASS
				AV	5150.000	-57.62	≤-45.32	3.54	0.57	41.69	≤54	PASS
				Peak	4500.000	-54.27	≤-30.55	3.54	0	44.47	≤68.2	PASS
				Peak	5137.000	-46.3	≤-30.55	3.54	0	52.44	≤68.2	PASS

		High	5240	Peak	5150.000	-47.4	≤-30.55	3.54	0	51.34	≤68.2	PASS
				AV	5350.000	-58.85	≤-45.23	3.54	0.48	40.37	≤54	PASS
				AV	5360.160	-57.87	≤-45.23	3.54	0.48	41.35	≤54	PASS
				AV	5460.000	-60.06	≤-45.23	3.54	0.48	39.16	≤54	PASS
				Peak	5350.000	-48.93	≤-30.55	3.54	0	49.81	≤68.2	PASS
				Peak	5353.680	-48.13	≤-30.55	3.54	0	50.61	≤68.2	PASS
11AX40SISO	Ant2	Low	5190	Peak	5460.000	-52.43	≤-30.55	3.54	0	46.31	≤68.2	PASS
				AV	4500.000	-62.04	≤-45.23	3.54	0.48	37.18	≤54	PASS
				AV	5149.600	-54.35	≤-45.23	3.54	0.48	44.87	≤54	PASS
				AV	5150.000	-54.48	≤-45.23	3.54	0.48	44.74	≤54	PASS
				Peak	4500.000	-53.11	≤-30.55	3.54	0	45.63	≤68.2	PASS
				Peak	5145.400	-45.67	≤-30.55	3.54	0	53.07	≤68.2	PASS
		High	5230	Peak	5150.000	-46.83	≤-30.55	3.54	0	51.91	≤68.2	PASS
				AV	5350.000	-57.9	≤-45.23	3.54	0.48	41.32	≤54	PASS
				AV	5350.540	-57.7	≤-45.23	3.54	0.48	41.52	≤54	PASS
				AV	5460.000	-60.05	≤-45.23	3.54	0.48	39.17	≤54	PASS
				Peak	5350.000	-49.59	≤-30.55	3.54	0	49.15	≤68.2	PASS
				Peak	5380.180	-47.84	≤-30.55	3.54	0	50.90	≤68.2	PASS
11AX80SISO	Ant2	Low	5210	Peak	5460.000	-52.35	≤-30.55	3.54	0	46.39	≤68.2	PASS
				AV	4500.000	-62.04	≤-45.34	3.54	0.59	37.29	≤54	PASS
				AV	5149.500	-51.39	≤-45.34	3.54	0.59	47.94	≤54	PASS
				AV	5150.000	-52.32	≤-45.34	3.54	0.59	47.01	≤54	PASS
				Peak	4500.000	-53.14	≤-30.55	3.54	0	45.60	≤68.2	PASS
				Peak	5146.500	-43.4	≤-30.55	3.54	0	55.34	≤68.2	PASS
		High	5210	Peak	5150.000	-42.84	≤-30.55	3.54	0	55.90	≤68.2	PASS
				AV	5350.000	-59.77	≤-45.34	3.54	0.59	39.56	≤54	PASS
				AV	5370.120	-58.73	≤-45.34	3.54	0.59	40.60	≤54	PASS
				AV	5460.000	-60.63	≤-45.34	3.54	0.59	38.70	≤54	PASS
				Peak	5350.000	-51.03	≤-30.55	3.54	0	47.71	≤68.2	PASS
				Peak	5369.000	-48.9	≤-30.55	3.54	0	49.84	≤68.2	PASS
				Peak	5460.000	-54.27	≤-30.55	3.54	0	44.47	≤68.2	PASS

Note:

1. The Antenna Gain is compensated in the graph.

Test Graphs

