


				Peak	4500.000	-53.21	≤-30.55	3.54	0	45.53	≤68.2	PASS
				Peak	5098.500	-43.52	≤-30.55	3.54	0	55.22	≤68.2	PASS
				Peak	5150.000	-45.75	≤-30.55	3.54	0	52.99	≤68.2	PASS
		High	5250	AV	5350.000	-56.74	≤-46.51	3.54	1.76	43.76	≤54	PASS
				AV	5354.440	-51.99	≤-46.51	3.54	1.76	48.51	≤54	PASS
				AV	5460.000	-61.14	≤-46.51	3.54	1.76	39.36	≤54	PASS
				Peak	5350.000	-44.37	≤-30.55	3.54	0	54.37	≤68.2	PASS
				Peak	5355.840	-40.99	≤-30.55	3.54	0	57.75	≤68.2	PASS
				Peak	5460.000	-51.99	≤-30.55	3.54	0	46.75	≤68.2	PASS
11AX20SISO	Ant1	Low	5260	AV	4500.000	-57.79	≤-45.23	3.54	0.48	41.43	≤54	PASS
				AV	5141.480	-53.59	≤-45.23	3.54	0.48	45.63	≤54	PASS
				AV	5150.000	-54.35	≤-45.23	3.54	0.48	44.87	≤54	PASS
				Peak	4500.000	-49.31	≤-30.55	3.54	0	49.43	≤68.2	PASS
				Peak	5149.380	-43.66	≤-30.55	3.54	0	55.08	≤68.2	PASS
				Peak	5150.000	-45.27	≤-30.55	3.54	0	53.47	≤68.2	PASS
		High	5320	AV	5350.000	-48.04	≤-45.33	3.54	0.58	51.28	≤54	PASS
				AV	5350.400	-47.87	≤-45.33	3.54	0.58	51.45	≤54	PASS
				AV	5460.000	-55.13	≤-45.33	3.54	0.58	44.19	≤54	PASS
				Peak	5350.000	-33.55	≤-30.55	3.54	0	65.19	≤68.2	PASS
				Peak	5354.080	-33.18	≤-30.55	3.54	0	65.56	≤68.2	PASS
				Peak	5460.000	-44.9	≤-30.55	3.54	0	53.84	≤68.2	PASS
11AX40SISO	Ant1	Low	5270	AV	4500.000	-57.17	≤-45.33	3.54	0.58	42.15	≤54	PASS
				AV	5149.380	-53.19	≤-45.33	3.54	0.58	46.13	≤54	PASS
				AV	5150.000	-53.44	≤-45.33	3.54	0.58	45.88	≤54	PASS
				Peak	4500.000	-48.31	≤-30.55	3.54	0	50.43	≤68.2	PASS
				Peak	5143.060	-43.21	≤-30.55	3.54	0	55.53	≤68.2	PASS
				Peak	5150.000	-44.65	≤-30.55	3.54	0	54.09	≤68.2	PASS
		High	5310	AV	5350.000	-45.76	≤-45.33	3.54	0.58	53.56	≤54	PASS
				AV	5350.240	-45.69	≤-45.33	3.54	0.58	53.63	≤54	PASS
				AV	5460.000	-55	≤-45.33	3.54	0.58	44.32	≤54	PASS
				Peak	5350.000	-36.06	≤-30.55	3.54	0	62.68	≤68.2	PASS
				Peak	5351.200	-35.75	≤-30.55	3.54	0	62.99	≤68.2	PASS
				Peak	5460.000	-47.51	≤-30.55	3.54	0	51.23	≤68.2	PASS
11AX80SISO	Ant1	Low	5290	AV	4500.000	-58.25	≤-45.24	3.54	0.49	40.98	≤54	PASS
				AV	5148.800	-51.98	≤-45.24	3.54	0.49	47.25	≤54	PASS
				AV	5150.000	-52.48	≤-45.24	3.54	0.49	46.75	≤54	PASS
				Peak	4500.000	-48.89	≤-30.55	3.54	0	49.85	≤68.2	PASS
				Peak	5136.800	-42.15	≤-30.55	3.54	0	56.59	≤68.2	PASS
				Peak	5150.000	-43.54	≤-30.55	3.54	0	55.20	≤68.2	PASS
		High	5290	AV	5350.000	-45.9	≤-45.34	3.54	0.59	53.43	≤54	PASS
				AV	5460.000	-56.15	≤-45.34	3.54	0.59	43.18	≤54	PASS


11AX160SISO	Ant1			AV	5460.000	-56.15	≤-45.34	3.54	0.59	43.18	≤54	PASS
				Peak	5350.000	-35.2	≤-30.55	3.54	0	63.54	≤68.2	PASS
				Peak	5460.000	-48.25	≤-30.55	3.54	0	50.49	≤68.2	PASS
				Peak	5460.000	-48.25	≤-30.55	3.54	0	50.49	≤68.2	PASS
		Low	5250	AV	4500.000	-62.41	≤-45.34	3.54	0.59	36.92	≤54	PASS
				AV	5143.500	-53.48	≤-45.34	3.54	0.59	45.85	≤54	PASS
				AV	5150.000	-55.38	≤-45.34	3.54	0.59	43.95	≤54	PASS
				Peak	4500.000	-53.57	≤-30.55	3.54	0	45.17	≤68.2	PASS
				Peak	5097.000	-42.48	≤-30.55	3.54	0	56.26	≤68.2	PASS
				Peak	5150.000	-46.28	≤-30.55	3.54	0	52.46	≤68.2	PASS
		High	5250	AV	5350.000	-53.88	≤-45.34	3.54	0.59	45.45	≤54	PASS
				AV	5355.000	-53.23	≤-45.34	3.54	0.59	46.10	≤54	PASS
				AV	5460.000	-59.64	≤-45.34	3.54	0.59	39.69	≤54	PASS
				Peak	5350.000	-44.63	≤-30.55	3.54	0	54.11	≤68.2	PASS
				Peak	5355.840	-42.17	≤-30.55	3.54	0	56.57	≤68.2	PASS
				Peak	5460.000	-51.9	≤-30.55	3.54	0	46.84	≤68.2	PASS


Note:


1. The Antenna Gain is compensated in the graph.


Test Graphs






























11AC40SISO_Ant1_High_5310_Peak





11AC80SISO_Ant1_Low_5290_AV





























Test Result

TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant2	Low	5260	AV	4500.000	-58.07	≤-44.93	3.54	0.18	40.85	≤54	PASS
				AV	5149.380	-54.47	≤-44.93	3.54	0.18	44.45	≤54	PASS
				AV	5150.000	-54.92	≤-44.93	3.54	0.18	44.00	≤54	PASS
				Peak	4500.000	-49.46	≤-30.55	3.54	0	49.28	≤68.2	PASS
				Peak	5024.560	-44.29	≤-30.55	3.54	0	54.45	≤68.2	PASS
				Peak	5150.000	-46.91	≤-30.55	3.54	0	51.83	≤68.2	PASS
		High	5320	AV	5350.000	-54.44	≤-44.93	3.54	0.18	44.48	≤54	PASS
				AV	5352.960	-53.83	≤-44.93	3.54	0.18	45.09	≤54	PASS
				AV	5460.000	-56.26	≤-44.93	3.54	0.18	42.66	≤54	PASS
				Peak	5350.000	-45.71	≤-30.55	3.54	0	53.03	≤68.2	PASS
				Peak	5374.560	-43.53	≤-30.55	3.54	0	55.21	≤68.2	PASS
				Peak	5460.000	-49.25	≤-30.55	3.54	0	49.49	≤68.2	PASS
11N20SISO	Ant2	Low	5260	AV	4500.000	-58.72	≤-44.94	3.54	0.19	40.21	≤54	PASS
				AV	5119.360	-54.21	≤-44.94	3.54	0.19	44.72	≤54	PASS
				AV	5150.000	-54.61	≤-44.94	3.54	0.19	44.32	≤54	PASS
				Peak	4500.000	-49.94	≤-30.55	3.54	0	48.80	≤68.2	PASS
				Peak	5116.990	-44.53	≤-30.55	3.54	0	54.21	≤68.2	PASS
				Peak	5150.000	-46.71	≤-30.55	3.54	0	52.03	≤68.2	PASS
		High	5320	AV	5350.000	-54.06	≤-44.91	3.54	0.16	44.84	≤54	PASS
				AV	5400.320	-53.97	≤-44.91	3.54	0.16	44.93	≤54	PASS
				AV	5460.000	-56.21	≤-44.91	3.54	0.16	42.69	≤54	PASS
				Peak	5350.000	-45.42	≤-30.55	3.54	0	53.32	≤68.2	PASS
				Peak	5354.080	-43.85	≤-30.55	3.54	0	54.89	≤68.2	PASS
				Peak	5460.000	-49.05	≤-30.55	3.54	0	49.69	≤68.2	PASS
11N40SISO	Ant2	Low	5270	AV	4500.000	-57.9	≤-45.14	3.54	0.39	41.23	≤54	PASS
				AV	5147.010	-54.1	≤-45.14	3.54	0.39	45.03	≤54	PASS
				AV	5150.000	-54.57	≤-45.14	3.54	0.39	44.56	≤54	PASS
				Peak	4500.000	-49.11	≤-30.55	3.54	0	49.63	≤68.2	PASS
				Peak	5079.860	-44.68	≤-30.55	3.54	0	54.06	≤68.2	PASS
				Peak	5150.000	-47.11	≤-30.55	3.54	0	51.63	≤68.2	PASS
		High	5310	AV	5350.000	-54.02	≤-45.13	3.54	0.38	45.10	≤54	PASS
				AV	5351.360	-53.01	≤-45.13	3.54	0.38	46.11	≤54	PASS
				AV	5460.000	-55.7	≤-45.13	3.54	0.38	43.42	≤54	PASS
				Peak	5350.000	-45.37	≤-30.55	3.54	0	53.37	≤68.2	PASS
				Peak	5355.360	-43.01	≤-30.55	3.54	0	55.73	≤68.2	PASS
				Peak	5460.000	-48.51	≤-30.55	3.54	0	50.23	≤68.2	PASS

11AC20SISO	Ant2	Low	5260	AV	4500.000	-58.48	≤-45.26	3.54	0.51	40.77	≤54	PASS
				AV	5144.640	-54.37	≤-45.26	3.54	0.51	44.88	≤54	PASS
				AV	5150.000	-54.99	≤-45.26	3.54	0.51	44.26	≤54	PASS
				Peak	4500.000	-49.53	≤-30.55	3.54	0	49.21	≤68.2	PASS
				Peak	5149.380	-44.37	≤-30.55	3.54	0	54.37	≤68.2	PASS
				Peak	5150.000	-45.97	≤-30.55	3.54	0	52.77	≤68.2	PASS
		High	5320	AV	5350.000	-54.49	≤-45.18	3.54	0.43	44.68	≤54	PASS
				AV	5400.320	-53.42	≤-45.18	3.54	0.43	45.75	≤54	PASS
				AV	5460.000	-55.57	≤-45.18	3.54	0.43	43.60	≤54	PASS
				Peak	5350.000	-46.58	≤-30.55	3.54	0	52.16	≤68.2	PASS
				Peak	5358.080	-44.32	≤-30.55	3.54	0	54.42	≤68.2	PASS
				Peak	5460.000	-47.92	≤-30.55	3.54	0	50.82	≤68.2	PASS
11AC40SISO	Ant2	Low	5270	AV	4500.000	-58.42	≤-45.65	3.54	0.9	41.22	≤54	PASS
				AV	5128.840	-54.4	≤-45.65	3.54	0.9	45.24	≤54	PASS
				AV	5150.000	-54.6	≤-45.65	3.54	0.9	45.04	≤54	PASS
				Peak	4500.000	-50.5	≤-30.55	3.54	0	48.24	≤68.2	PASS
				Peak	5142.270	-44.21	≤-30.55	3.54	0	54.53	≤68.2	PASS
				Peak	5150.000	-45.01	≤-30.55	3.54	0	53.73	≤68.2	PASS
		High	5310	AV	5350.000	-54.34	≤-45.65	3.54	0.9	45.30	≤54	PASS
				AV	5351.520	-53.89	≤-45.65	3.54	0.9	45.75	≤54	PASS
				AV	5460.000	-56.36	≤-45.65	3.54	0.9	43.28	≤54	PASS
				Peak	5350.000	-45.51	≤-30.55	3.54	0	53.23	≤68.2	PASS
				Peak	5408.000	-44.17	≤-30.55	3.54	0	54.57	≤68.2	PASS
				Peak	5460.000	-48.38	≤-30.55	3.54	0	50.36	≤68.2	PASS
11AC80SISO	Ant2	Low	5290	AV	4500.000	-58	≤-46.30	3.54	1.55	42.29	≤54	PASS
				AV	5148.000	-54.34	≤-46.30	3.54	1.55	45.95	≤54	PASS
				AV	5150.000	-55.11	≤-46.30	3.54	1.55	45.18	≤54	PASS
				Peak	4500.000	-49.03	≤-30.55	3.54	0	49.71	≤68.2	PASS
				Peak	5076.000	-44.43	≤-30.55	3.54	0	54.31	≤68.2	PASS
				Peak	5150.000	-47.06	≤-30.55	3.54	0	51.68	≤68.2	PASS
		High	5290	AV	5350.000	-49.68	≤-46.30	3.54	1.55	50.61	≤54	PASS
				AV	5350.400	-49.15	≤-46.30	3.54	1.55	51.14	≤54	PASS
				AV	5460.000	-57.03	≤-46.30	3.54	1.55	43.26	≤54	PASS
				Peak	5350.000	-40.46	≤-30.55	3.54	0	58.28	≤68.2	PASS
				Peak	5354.400	-39.22	≤-30.55	3.54	0	59.52	≤68.2	PASS
				Peak	5460.000	-48.51	≤-30.55	3.54	0	50.23	≤68.2	PASS
11AC160SISO	Ant2	Low	5250	AV	4500.000	-62.12	≤-46.79	3.54	2.04	38.66	≤54	PASS
				AV	5127.000	-53.79	≤-46.79	3.54	2.04	46.99	≤54	PASS
				AV	5150.000	-55.69	≤-46.79	3.54	2.04	45.09	≤54	PASS
				Peak	4500.000	-53.28	≤-30.55	3.54	0	45.46	≤68.2	PASS
				Peak	5115.750	-41.56	≤-30.55	3.54	0	57.18	≤68.2	PASS

		High	5250	Peak	5150.000	-46.56	≤-30.55	3.54	0	52.18	≤68.2	PASS
				AV	5350.000	-56.73	≤-46.79	3.54	2.04	44.05	≤54	PASS
				AV	5355.560	-51.16	≤-46.79	3.54	2.04	49.62	≤54	PASS
				AV	5460.000	-60.95	≤-46.79	3.54	2.04	39.83	≤54	PASS
				Peak	5350.000	-46.08	≤-30.55	3.54	0	52.66	≤68.2	PASS
				Peak	5354.720	-41.64	≤-30.55	3.54	0	57.10	≤68.2	PASS
11AX20SISO	Ant2	Low	5260	Peak	5460.000	-51.13	≤-30.55	3.54	0	47.61	≤68.2	PASS
				AV	4500.000	-58.05	≤-45.33	3.54	0.58	41.27	≤54	PASS
				AV	5147.800	-54.28	≤-45.33	3.54	0.58	45.04	≤54	PASS
				AV	5150.000	-54.9	≤-45.33	3.54	0.58	44.42	≤54	PASS
				Peak	4500.000	-47.93	≤-30.55	3.54	0	50.81	≤68.2	PASS
				Peak	5092.500	-44.74	≤-30.55	3.54	0	54.00	≤68.2	PASS
		High	5320	Peak	5150.000	-44.99	≤-30.55	3.54	0	53.75	≤68.2	PASS
				AV	5350.000	-53.9	≤-45.33	3.54	0.58	45.42	≤54	PASS
				AV	5350.880	-53.02	≤-45.33	3.54	0.58	46.30	≤54	PASS
				AV	5460.000	-56.05	≤-45.33	3.54	0.58	43.27	≤54	PASS
				Peak	5350.000	-44.3	≤-30.55	3.54	0	54.44	≤68.2	PASS
				Peak	5372.640	-43.64	≤-30.55	3.54	0	55.10	≤68.2	PASS
11AX40SISO	Ant2	Low	5270	Peak	5460.000	-46.88	≤-30.55	3.54	0	51.86	≤68.2	PASS
				AV	4500.000	-57.97	≤-45.33	3.54	0.58	41.35	≤54	PASS
				AV	5148.590	-54.57	≤-45.33	3.54	0.58	44.75	≤54	PASS
				AV	5150.000	-55.01	≤-45.33	3.54	0.58	44.31	≤54	PASS
				Peak	4500.000	-50.32	≤-30.55	3.54	0	48.42	≤68.2	PASS
				Peak	5102.770	-43.69	≤-30.55	3.54	0	55.05	≤68.2	PASS
		High	5310	Peak	5150.000	-46.57	≤-30.55	3.54	0	52.17	≤68.2	PASS
				AV	5350.000	-53.66	≤-45.33	3.54	0.58	45.66	≤54	PASS
				AV	5350.080	-53.66	≤-45.33	3.54	0.58	45.66	≤54	PASS
				AV	5460.000	-56.09	≤-45.33	3.54	0.58	43.23	≤54	PASS
				Peak	5350.000	-47.11	≤-30.55	3.54	0	51.63	≤68.2	PASS
				Peak	5350.560	-42.54	≤-30.55	3.54	0	56.20	≤68.2	PASS
11AX80SISO	Ant2	Low	5290	Peak	5460.000	-46.96	≤-30.55	3.54	0	51.78	≤68.2	PASS
				AV	4500.000	-57.61	≤-45.34	3.54	0.59	41.72	≤54	PASS
				AV	5144.000	-54.15	≤-45.34	3.54	0.59	45.18	≤54	PASS
				AV	5150.000	-55.02	≤-45.34	3.54	0.59	44.31	≤54	PASS
				Peak	4500.000	-49.35	≤-30.55	3.54	0	49.39	≤68.2	PASS
				Peak	5041.600	-44.82	≤-30.55	3.54	0	53.92	≤68.2	PASS
		High	5290	Peak	5150.000	-44.4	≤-30.55	3.54	0	54.34	≤68.2	PASS
				AV	5350.000	-49.76	≤-45.34	3.54	0.59	49.57	≤54	PASS
				AV	5350.400	-49.2	≤-45.34	3.54	0.59	50.13	≤54	PASS
				AV	5460.000	-56.55	≤-45.34	3.54	0.59	42.78	≤54	PASS
				Peak	5350.000	-41.73	≤-30.55	3.54	0	57.01	≤68.2	PASS

				Peak	5350.400	-40.16	≤-30.55	3.54	0	58.58	≤68.2	PASS
				Peak	5460.000	-47.56	≤-30.55	3.54	0	51.18	≤68.2	PASS
11AX160SISO	Ant2	Low	5250	AV	4500.000	-62.24	≤-45.34	3.54	0.59	37.09	≤54	PASS
				AV	5115.750	-46.97	≤-45.34	3.54	0.59	52.36	≤54	PASS
				AV	5150.000	-48.56	≤-45.34	3.54	0.59	50.77	≤54	PASS
				Peak	4500.000	-53.32	≤-30.55	3.54	0	45.42	≤68.2	PASS
				Peak	5128.500	-34.84	≤-30.55	3.54	0	63.90	≤68.2	PASS
				Peak	5150.000	-37.01	≤-30.55	3.54	0	61.73	≤68.2	PASS
		High	5250	AV	5350.000	-50.7	≤-45.34	3.54	0.59	48.63	≤54	PASS
				AV	5355.000	-49.75	≤-45.34	3.54	0.59	49.58	≤54	PASS
				AV	5460.000	-56.07	≤-45.34	3.54	0.59	43.26	≤54	PASS
				Peak	5350.000	-41.58	≤-30.55	3.54	0	57.16	≤68.2	PASS
				Peak	5397.280	-38.87	≤-30.55	3.54	0	59.87	≤68.2	PASS
				Peak	5460.000	-46.52	≤-30.55	3.54	0	52.22	≤68.2	PASS

Note:

1. The Antenna Gain is compensated in the graph.

Test Graphs

