














































Test Result

TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant3	Low	5260	AV	4500.000	-58.24	≤-44.93	3.54	0.18	40.68	≤54	PASS
				AV	5139.900	-54.46	≤-44.93	3.54	0.18	44.46	≤54	PASS
				AV	5150.000	-55.31	≤-44.93	3.54	0.18	43.61	≤54	PASS
				Peak	4500.000	-49.01	≤-30.55	3.54	0	49.73	≤68.2	PASS
				Peak	5050.630	-45.33	≤-30.55	3.54	0	53.41	≤68.2	PASS
				Peak	5150.000	-47.1	≤-30.55	3.54	0	51.64	≤68.2	PASS
		High	5320	AV	5350.000	-55.18	≤-44.93	3.54	0.18	43.74	≤54	PASS
				AV	5360.000	-52.51	≤-44.93	3.54	0.18	46.41	≤54	PASS
				AV	5460.000	-56.47	≤-44.93	3.54	0.18	42.45	≤54	PASS
				Peak	5350.000	-48.22	≤-30.55	3.54	0	50.52	≤68.2	PASS
				Peak	5356.960	-44.45	≤-30.55	3.54	0	54.29	≤68.2	PASS
				Peak	5460.000	-47.57	≤-30.55	3.54	0	51.17	≤68.2	PASS
11N20SISO	Ant3	Low	5260	AV	4500.000	-58.48	≤-44.94	3.54	0.19	40.45	≤54	PASS
				AV	5139.900	-54.45	≤-44.94	3.54	0.19	44.48	≤54	PASS
				AV	5150.000	-55.93	≤-44.94	3.54	0.19	43.00	≤54	PASS
				Peak	4500.000	-48.99	≤-30.55	3.54	0	49.75	≤68.2	PASS
				Peak	5063.270	-44.79	≤-30.55	3.54	0	53.95	≤68.2	PASS
				Peak	5150.000	-46.41	≤-30.55	3.54	0	52.33	≤68.2	PASS
		High	5320	AV	5350.000	-55.02	≤-44.94	3.54	0.19	43.91	≤54	PASS
				AV	5360.160	-52.58	≤-44.94	3.54	0.19	46.35	≤54	PASS
				AV	5460.000	-56.2	≤-44.94	3.54	0.19	42.73	≤54	PASS
				Peak	5350.000	-46.17	≤-30.55	3.54	0	52.57	≤68.2	PASS
				Peak	5380.000	-44.48	≤-30.55	3.54	0	54.26	≤68.2	PASS
				Peak	5460.000	-48.7	≤-30.55	3.54	0	50.04	≤68.2	PASS
11N40SISO	Ant3	Low	5270	AV	4500.000	-58.01	≤-45.13	3.54	0.38	41.11	≤54	PASS
				AV	5134.370	-54.99	≤-45.13	3.54	0.38	44.13	≤54	PASS
				AV	5150.000	-55.05	≤-45.13	3.54	0.38	44.07	≤54	PASS
				Peak	4500.000	-48.91	≤-30.55	3.54	0	49.83	≤68.2	PASS
				Peak	5100.400	-44.41	≤-30.55	3.54	0	54.33	≤68.2	PASS
				Peak	5150.000	-46.55	≤-30.55	3.54	0	52.19	≤68.2	PASS
		High	5310	AV	5350.000	-53.23	≤-45.13	3.54	0.38	45.89	≤54	PASS
				AV	5350.400	-52.75	≤-45.13	3.54	0.38	46.37	≤54	PASS
				AV	5460.000	-56.13	≤-45.13	3.54	0.38	42.99	≤54	PASS
				Peak	5350.000	-44.81	≤-30.55	3.54	0	53.93	≤68.2	PASS
				Peak	5352.800	-43.71	≤-30.55	3.54	0	55.03	≤68.2	PASS
				Peak	5460.000	-48.76	≤-30.55	3.54	0	49.98	≤68.2	PASS

11AC20SISO	Ant3	Low	5260	AV	4500.000	-58.35	≤-45.18	3.54	0.43	40.82	≤54	PASS
				AV	5128.840	-54.76	≤-45.18	3.54	0.43	44.41	≤54	PASS
				AV	5150.000	-55.82	≤-45.18	3.54	0.43	43.35	≤54	PASS
				Peak	4500.000	-49.31	≤-30.55	3.54	0	49.43	≤68.2	PASS
				Peak	5116.200	-44.86	≤-30.55	3.54	0	53.88	≤68.2	PASS
				Peak	5150.000	-46.69	≤-30.55	3.54	0	52.05	≤68.2	PASS
		High	5320	AV	5350.000	-54.72	≤-45.18	3.54	0.43	44.45	≤54	PASS
				AV	5360.320	-52.46	≤-45.18	3.54	0.43	46.71	≤54	PASS
				AV	5460.000	-56.65	≤-45.18	3.54	0.43	42.52	≤54	PASS
				Peak	5350.000	-46.75	≤-30.55	3.54	0	51.99	≤68.2	PASS
				Peak	5360.480	-43.79	≤-30.55	3.54	0	54.95	≤68.2	PASS
				Peak	5460.000	-48.53	≤-30.55	3.54	0	50.21	≤68.2	PASS
11AC40SISO	Ant3	Low	5270	AV	4500.000	-58.36	≤-45.51	3.54	0.76	41.14	≤54	PASS
				AV	5149.380	-54.81	≤-45.51	3.54	0.76	44.69	≤54	PASS
				AV	5150.000	-54.69	≤-45.51	3.54	0.76	44.81	≤54	PASS
				Peak	4500.000	-50.23	≤-30.55	3.54	0	48.51	≤68.2	PASS
				Peak	5127.260	-44.8	≤-30.55	3.54	0	53.94	≤68.2	PASS
				Peak	5150.000	-45.6	≤-30.55	3.54	0	53.14	≤68.2	PASS
		High	5310	AV	5350.000	-53.41	≤-45.65	3.54	0.9	46.23	≤54	PASS
				AV	5350.080	-53.41	≤-45.65	3.54	0.9	46.23	≤54	PASS
				AV	5460.000	-56.42	≤-45.65	3.54	0.9	43.22	≤54	PASS
				Peak	5350.000	-46.12	≤-30.55	3.54	0	52.62	≤68.2	PASS
				Peak	5353.440	-43.5	≤-30.55	3.54	0	55.24	≤68.2	PASS
				Peak	5460.000	-49.59	≤-30.55	3.54	0	49.15	≤68.2	PASS
11AC80SISO	Ant3	Low	5290	AV	4500.000	-58.39	≤-46.21	3.54	1.46	41.81	≤54	PASS
				AV	5144.000	-54.79	≤-46.21	3.54	1.46	45.41	≤54	PASS
				AV	5150.000	-55.25	≤-46.21	3.54	1.46	44.95	≤54	PASS
				Peak	4500.000	-49.04	≤-30.55	3.54	0	49.70	≤68.2	PASS
				Peak	5113.600	-44.9	≤-30.55	3.54	0	53.84	≤68.2	PASS
				Peak	5150.000	-46.89	≤-30.55	3.54	0	51.85	≤68.2	PASS
		High	5290	AV	5350.000	-51.07	≤-46.21	3.54	1.46	49.13	≤54	PASS
				AV	5350.400	-50.18	≤-46.21	3.54	1.46	50.02	≤54	PASS
				AV	5460.000	-56.38	≤-46.21	3.54	1.46	43.82	≤54	PASS
				Peak	5350.000	-43.47	≤-30.55	3.54	0	55.27	≤68.2	PASS
				Peak	5362.200	-40.03	≤-30.55	3.54	0	58.71	≤68.2	PASS
				Peak	5460.000	-49.92	≤-30.55	3.54	0	48.82	≤68.2	PASS
11AC160SISO	Ant3	Low	5250	AV	4500.000	-62.06	≤-46.51	3.54	1.76	38.44	≤54	PASS
				AV	4883.250	-54.68	≤-46.51	3.54	1.76	45.82	≤54	PASS
				AV	5150.000	-57.12	≤-46.51	3.54	1.76	43.38	≤54	PASS
				Peak	4500.000	-55.02	≤-30.55	3.54	0	43.72	≤68.2	PASS
				Peak	5128.500	-46.33	≤-30.55	3.54	0	52.41	≤68.2	PASS

		High	5250	Peak	5150.000	-48.99	≤-30.55	3.54	0	49.75	≤68.2	PASS
				AV	5350.000	-57.75	≤-46.51	3.54	1.76	42.75	≤54	PASS
				AV	5355.280	-54.46	≤-46.51	3.54	1.76	46.04	≤54	PASS
				AV	5460.000	-61.04	≤-46.51	3.54	1.76	39.46	≤54	PASS
				Peak	5350.000	-47	≤-30.55	3.54	0	51.74	≤68.2	PASS
				Peak	5355.840	-44.03	≤-30.55	3.54	0	54.71	≤68.2	PASS
11AX20SISO	Ant3	Low	5260	AV	4500.000	-58.49	≤-45.32	3.54	0.57	40.82	≤54	PASS
				AV	5148.590	-54.88	≤-45.32	3.54	0.57	44.43	≤54	PASS
				AV	5150.000	-55.65	≤-45.32	3.54	0.57	43.66	≤54	PASS
				Peak	4500.000	-50.17	≤-30.55	3.54	0	48.57	≤68.2	PASS
				Peak	5125.680	-45.05	≤-30.55	3.54	0	53.69	≤68.2	PASS
				Peak	5150.000	-48.09	≤-30.55	3.54	0	50.65	≤68.2	PASS
		High	5320	AV	5350.000	-55.11	≤-45.32	3.54	0.57	44.20	≤54	PASS
				AV	5360.160	-52.56	≤-45.32	3.54	0.57	46.75	≤54	PASS
				AV	5460.000	-56.99	≤-45.32	3.54	0.57	42.32	≤54	PASS
				Peak	5350.000	-45.4	≤-30.55	3.54	0	53.34	≤68.2	PASS
				Peak	5396.160	-43.88	≤-30.55	3.54	0	54.86	≤68.2	PASS
				Peak	5460.000	-49.23	≤-30.55	3.54	0	49.51	≤68.2	PASS
11AX40SISO	Ant3	Low	5270	AV	4500.000	-58.24	≤-45.33	3.54	0.58	41.08	≤54	PASS
				AV	5149.380	-54.47	≤-45.33	3.54	0.58	44.85	≤54	PASS
				AV	5150.000	-55.04	≤-45.33	3.54	0.58	44.28	≤54	PASS
				Peak	4500.000	-47.31	≤-30.55	3.54	0	51.43	≤68.2	PASS
				Peak	5041.150	-43.91	≤-30.55	3.54	0	54.83	≤68.2	PASS
				Peak	5150.000	-46.71	≤-30.55	3.54	0	52.03	≤68.2	PASS
		High	5310	AV	5350.000	-52.3	≤-45.33	3.54	0.58	47.02	≤54	PASS
				AV	5350.080	-52.3	≤-45.33	3.54	0.58	47.02	≤54	PASS
				AV	5460.000	-55.66	≤-45.33	3.54	0.58	43.66	≤54	PASS
				Peak	5350.000	-45.38	≤-30.55	3.54	0	53.36	≤68.2	PASS
				Peak	5350.240	-43.37	≤-30.55	3.54	0	55.37	≤68.2	PASS
				Peak	5460.000	-46.51	≤-30.55	3.54	0	52.23	≤68.2	PASS
11AX80SISO	Ant3	Low	5290	AV	4500.000	-58.49	≤-45.34	3.54	0.59	40.84	≤54	PASS
				AV	5122.400	-54.32	≤-45.34	3.54	0.59	45.01	≤54	PASS
				AV	5150.000	-54.69	≤-45.34	3.54	0.59	44.64	≤54	PASS
				Peak	4500.000	-51.79	≤-30.55	3.54	0	46.95	≤68.2	PASS
				Peak	5140.000	-44.45	≤-30.55	3.54	0	54.29	≤68.2	PASS
				Peak	5150.000	-47.07	≤-30.55	3.54	0	51.67	≤68.2	PASS
		High	5290	AV	5350.000	-47.55	≤-45.34	3.54	0.59	51.78	≤54	PASS
				AV	5460.000	-56.23	≤-45.34	3.54	0.59	43.10	≤54	PASS
				AV	5460.000	-56.23	≤-45.34	3.54	0.59	43.10	≤54	PASS
				Peak	5350.000	-40.3	≤-30.55	3.54	0	58.44	≤68.2	PASS

				Peak	5357.400	-38.09	≤-30.55	3.54	0	60.65	≤68.2	PASS
				Peak	5460.000	-48.21	≤-30.55	3.54	0	50.53	≤68.2	PASS
11AX160SISO	Ant3	Low	5250	AV	4500.000	-62.71	≤-45.34	3.54	0.59	36.62	≤54	PASS
				AV	5120.250	-53.71	≤-45.34	3.54	0.59	45.62	≤54	PASS
				AV	5150.000	-55.56	≤-45.34	3.54	0.59	43.77	≤54	PASS
				Peak	4500.000	-54.23	≤-30.55	3.54	0	44.51	≤68.2	PASS
				Peak	5128.500	-43.81	≤-30.55	3.54	0	54.93	≤68.2	PASS
				Peak	5150.000	-44.22	≤-30.55	3.54	0	54.52	≤68.2	PASS
		High	5250	AV	5350.000	-54.39	≤-45.34	3.54	0.59	44.94	≤54	PASS
				AV	5354.720	-53.28	≤-45.34	3.54	0.59	46.05	≤54	PASS
				AV	5460.000	-59.63	≤-45.34	3.54	0.59	39.70	≤54	PASS
				Peak	5350.000	-45.37	≤-30.55	3.54	0	53.37	≤68.2	PASS
				Peak	5356.400	-41.44	≤-30.55	3.54	0	57.30	≤68.2	PASS
				Peak	5460.000	-51.97	≤-30.55	3.54	0	46.77	≤68.2	PASS

Note:

1. The Antenna Gain is compensated in the graph.

Test Graphs

