














11AX40SISO_Ant1_High_5670_Peak




11AX80SISO_Ant1_Low_5530_AV








11AX160SISO_Ant1_Low_5570_Peak



11AX160SISO_Ant1_High_5570_AV



Test Result

TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant2	Low	5500	AV	5350.000	-56.02	≤-44.93	3.54	0.18	42.90	≤54	PASS
				AV	5419.910	-54.48	≤-44.93	3.54	0.18	44.44	≤54	PASS
				AV	5460.000	-54.86	≤-44.93	3.54	0.18	44.06	≤54	PASS
				Peak	5350.000	-46.92	≤-30.55	3.54	0	51.82	≤68.2	PASS
				Peak	5422.430	-43.9	≤-30.55	3.54	0	54.84	≤68.2	PASS
				Peak	5460.000	-48.05	≤-30.55	3.54	0	50.69	≤68.2	PASS
		High	5700	AV	5725.000	-55.44	≤-44.90	3.54	0.15	43.45	≤54	PASS
				AV	5725.340	-54.4	≤-44.90	3.54	0.15	44.49	≤54	PASS
				AV	5735.000	-55.57	≤-44.90	3.54	0.15	43.32	≤54	PASS
				Peak	5725.000	-47.4	≤-30.55	3.54	0	51.34	≤68.2	PASS
				Peak	5730.090	-45.2	≤-30.55	3.54	0	53.54	≤68.2	PASS
				Peak	5735.000	-47.44	≤-30.55	3.54	0	51.30	≤68.2	PASS
11N20SISO	Ant2	Low	5500	AV	5350.000	-55.96	≤-44.98	3.54	0.23	43.01	≤54	PASS
				AV	5419.910	-54.13	≤-44.98	3.54	0.23	44.84	≤54	PASS
				AV	5460.000	-54.51	≤-44.98	3.54	0.23	44.46	≤54	PASS
				Peak	5350.000	-48.62	≤-30.55	3.54	0	50.12	≤68.2	PASS
				Peak	5437.760	-44.46	≤-30.55	3.54	0	54.28	≤68.2	PASS
				Peak	5460.000	-47.09	≤-30.55	3.54	0	51.65	≤68.2	PASS
		High	5700	AV	5725.000	-54.97	≤-44.91	3.54	0.16	43.93	≤54	PASS
				AV	5725.340	-54.43	≤-44.91	3.54	0.16	44.47	≤54	PASS
				AV	5735.000	-55.52	≤-44.91	3.54	0.16	43.38	≤54	PASS
				Peak	5725.000	-46.66	≤-30.55	3.54	0	52.08	≤68.2	PASS
				Peak	5730.470	-45.52	≤-30.55	3.54	0	53.22	≤68.2	PASS
				Peak	5735.000	-46.39	≤-30.55	3.54	0	52.35	≤68.2	PASS
11N40SISO	Ant2	Low	5510	AV	5350.000	-55.35	≤-45.07	3.54	0.32	43.71	≤54	PASS
				AV	5446.960	-53.21	≤-45.07	3.54	0.32	45.85	≤54	PASS
				AV	5460.000	-53.54	≤-45.07	3.54	0.32	45.52	≤54	PASS
				Peak	5350.000	-46.64	≤-30.55	3.54	0	52.10	≤68.2	PASS
				Peak	5427.820	-42.82	≤-30.55	3.54	0	55.92	≤68.2	PASS
				Peak	5460.000	-45.26	≤-30.55	3.54	0	53.48	≤68.2	PASS
		High	5670	AV	5725.000	-55.16	≤-45.13	3.54	0.38	43.96	≤54	PASS
				AV	5730.960	-54.84	≤-45.13	3.54	0.38	44.28	≤54	PASS
				AV	5735.000	-55.46	≤-45.13	3.54	0.38	43.66	≤54	PASS
				Peak	5725.000	-46.26	≤-30.55	3.54	0	52.48	≤68.2	PASS
				Peak	5728.890	-44.77	≤-30.55	3.54	0	53.97	≤68.2	PASS
				Peak	5735.000	-47.36	≤-30.55	3.54	0	51.38	≤68.2	PASS

11AC20SISO	Ant2	Low	5500	AV	5350.000	-55.92	≤-45.26	3.54	0.51	43.33	≤54	PASS
				AV	5420.330	-53.77	≤-45.26	3.54	0.51	45.48	≤54	PASS
				AV	5460.000	-54.36	≤-45.26	3.54	0.51	44.89	≤54	PASS
				Peak	5350.000	-46.75	≤-30.55	3.54	0	51.99	≤68.2	PASS
				Peak	5427.260	-42.82	≤-30.55	3.54	0	55.92	≤68.2	PASS
				Peak	5460.000	-46.59	≤-30.55	3.54	0	52.15	≤68.2	PASS
		High	5700	AV	5725.000	-54.31	≤-45.26	3.54	0.51	44.94	≤54	PASS
				AV	5725.150	-53.95	≤-45.26	3.54	0.51	45.30	≤54	PASS
				AV	5735.000	-55.27	≤-45.26	3.54	0.51	43.98	≤54	PASS
				Peak	5725.000	-45.37	≤-30.55	3.54	0	53.37	≤68.2	PASS
				Peak	5725.150	-44.35	≤-30.55	3.54	0	54.39	≤68.2	PASS
				Peak	5735.000	-47.46	≤-30.55	3.54	0	51.28	≤68.2	PASS
11AC40SISO	Ant2	Low	5510	AV	5350.000	-55.71	≤-45.65	3.54	0.9	43.93	≤54	PASS
				AV	5458.620	-53.51	≤-45.65	3.54	0.9	46.13	≤54	PASS
				AV	5460.000	-53.91	≤-45.65	3.54	0.9	45.73	≤54	PASS
				Peak	5350.000	-47.11	≤-30.55	3.54	0	51.63	≤68.2	PASS
				Peak	5443.880	-43.92	≤-30.55	3.54	0	54.82	≤68.2	PASS
				Peak	5460.000	-47.33	≤-30.55	3.54	0	51.41	≤68.2	PASS
		High	5670	AV	5725.000	-55.44	≤-45.65	3.54	0.9	44.20	≤54	PASS
				AV	5725.210	-54.78	≤-45.65	3.54	0.9	44.86	≤54	PASS
				AV	5735.000	-55.99	≤-45.65	3.54	0.9	43.65	≤54	PASS
				Peak	5725.000	-47.37	≤-30.55	3.54	0	51.37	≤68.2	PASS
				Peak	5732.800	-45.68	≤-30.55	3.54	0	53.06	≤68.2	PASS
				Peak	5735.000	-46.66	≤-30.55	3.54	0	52.08	≤68.2	PASS
11AC80SISO	Ant2	Low	5530	AV	5350.000	-55.53	≤-46.21	3.54	1.46	44.67	≤54	PASS
				AV	5457.920	-48.66	≤-46.21	3.54	1.46	51.54	≤54	PASS
				AV	5460.000	-51.59	≤-46.21	3.54	1.46	48.61	≤54	PASS
				Peak	5350.000	-47.65	≤-30.55	3.54	0	51.09	≤68.2	PASS
				Peak	5438.600	-39.01	≤-30.55	3.54	0	59.73	≤68.2	PASS
				Peak	5460.000	-42.48	≤-30.55	3.54	0	56.26	≤68.2	PASS
		High	5610	AV	5725.000	-56.16	≤-46.21	3.54	1.46	44.04	≤54	PASS
				AV	5731.170	-55.56	≤-46.21	3.54	1.46	44.64	≤54	PASS
				AV	5735.000	-56.04	≤-46.21	3.54	1.46	44.16	≤54	PASS
				Peak	5725.000	-47.27	≤-30.55	3.54	0	51.47	≤68.2	PASS
				Peak	5727.540	-45.89	≤-30.55	3.54	0	52.85	≤68.2	PASS
				Peak	5735.000	-47.17	≤-30.55	3.54	0	51.57	≤68.2	PASS
11AC160SISO	Ant2	Low	5570	AV	5350.000	-56.45	≤-46.79	3.54	2.04	44.33	≤54	PASS
				AV	5447.875	-51.74	≤-46.79	3.54	2.04	49.04	≤54	PASS
				AV	5460.000	-53.69	≤-46.79	3.54	2.04	47.09	≤54	PASS
				Peak	5350.000	-48.72	≤-30.55	3.54	0	50.02	≤68.2	PASS
				Peak	5447.125	-41.52	≤-30.55	3.54	0	57.22	≤68.2	PASS


		High	5570	Peak	5460.000	-44.84	≤-30.55	3.54	0	53.90	≤68.2	PASS
				AV	5725.000	-55.38	≤-46.79	3.54	2.04	45.40	≤54	PASS
				AV	5725.080	-55.38	≤-46.79	3.54	2.04	45.40	≤54	PASS
				AV	5735.000	-56.58	≤-46.79	3.54	2.04	44.20	≤54	PASS
				Peak	5725.000	-48.37	≤-30.55	3.54	0	50.37	≤68.2	PASS
				Peak	5731.200	-45.73	≤-30.55	3.54	0	53.01	≤68.2	PASS
11AX20SISO	Ant2	Low	5500	Peak	5735.000	-49.48	≤-30.55	3.54	0	49.26	≤68.2	PASS
				AV	5350.000	-55.64	≤-45.32	3.54	0.57	43.67	≤54	PASS
				AV	5420.120	-53.33	≤-45.32	3.54	0.57	45.98	≤54	PASS
				AV	5460.000	-54	≤-45.32	3.54	0.57	45.31	≤54	PASS
				Peak	5350.000	-47.6	≤-30.55	3.54	0	51.14	≤68.2	PASS
				Peak	5438.390	-44.21	≤-30.55	3.54	0	54.53	≤68.2	PASS
		High	5700	Peak	5460.000	-46.07	≤-30.55	3.54	0	52.67	≤68.2	PASS
				AV	5725.000	-54.61	≤-45.32	3.54	0.57	44.70	≤54	PASS
				AV	5725.150	-54.54	≤-45.32	3.54	0.57	44.77	≤54	PASS
				AV	5735.000	-55.74	≤-45.32	3.54	0.57	43.57	≤54	PASS
				Peak	5725.000	-46.51	≤-30.55	3.54	0	52.23	≤68.2	PASS
				Peak	5725.150	-45.26	≤-30.55	3.54	0	53.48	≤68.2	PASS
11AX40SISO	Ant2	Low	5510	Peak	5735.000	-46.72	≤-30.55	3.54	0	52.02	≤68.2	PASS
				AV	5350.000	-54.92	≤-45.23	3.54	0.48	44.30	≤54	PASS
				AV	5454.660	-53.42	≤-45.23	3.54	0.48	45.80	≤54	PASS
				AV	5460.000	-54.46	≤-45.23	3.54	0.48	44.76	≤54	PASS
				Peak	5350.000	-46.57	≤-30.55	3.54	0	52.17	≤68.2	PASS
				Peak	5455.980	-43.28	≤-30.55	3.54	0	55.46	≤68.2	PASS
		High	5670	Peak	5460.000	-44.77	≤-30.55	3.54	0	53.97	≤68.2	PASS
				AV	5725.000	-55.63	≤-45.33	3.54	0.58	43.69	≤54	PASS
				AV	5730.730	-54.95	≤-45.33	3.54	0.58	44.37	≤54	PASS
				AV	5735.000	-56.04	≤-45.33	3.54	0.58	43.28	≤54	PASS
				Peak	5725.000	-48.16	≤-30.55	3.54	0	50.58	≤68.2	PASS
				Peak	5725.440	-45.32	≤-30.55	3.54	0	53.42	≤68.2	PASS
11AX80SISO	Ant2	Low	5530	Peak	5735.000	-47.38	≤-30.55	3.54	0	51.36	≤68.2	PASS
				AV	5350.000	-56.48	≤-46.55	3.54	1.8	44.06	≤54	PASS
				AV	5457.640	-50.71	≤-46.55	3.54	1.8	49.83	≤54	PASS
				AV	5460.000	-52.56	≤-46.55	3.54	1.8	47.98	≤54	PASS
				Peak	5350.000	-48.41	≤-30.55	3.54	0	50.33	≤68.2	PASS
				Peak	5457.360	-40.66	≤-30.55	3.54	0	58.08	≤68.2	PASS
		High	5610	Peak	5460.000	-42.76	≤-30.55	3.54	0	55.98	≤68.2	PASS
				AV	5725.000	-56.01	≤-45.24	3.54	0.49	43.22	≤54	PASS
				AV	5730.840	-55.56	≤-45.24	3.54	0.49	43.67	≤54	PASS
				AV	5735.000	-56.47	≤-45.24	3.54	0.49	42.76	≤54	PASS
				Peak	5725.000	-48.32	≤-30.55	3.54	0	50.42	≤68.2	PASS


				Peak	5727.210	-46.36	≤-30.55	3.54	0	52.38	≤68.2	PASS
				Peak	5735.000	-48.37	≤-30.55	3.54	0	50.37	≤68.2	PASS
11AX160SISO	Ant2	Low	5570	AV	5350.000	-56.29	≤-45.34	3.54	0.59	43.04	≤54	PASS
				AV	5448.625	-51.48	≤-45.34	3.54	0.59	47.85	≤54	PASS
				AV	5460.000	-53.85	≤-45.34	3.54	0.59	45.48	≤54	PASS
				Peak	5350.000	-48.26	≤-30.55	3.54	0	50.48	≤68.2	PASS
				Peak	5449.000	-41.52	≤-30.55	3.54	0	57.22	≤68.2	PASS
				Peak	5460.000	-43.43	≤-30.55	3.54	0	55.31	≤68.2	PASS
		High	5570	AV	5725.000	-55.7	≤-45.34	3.54	0.59	43.63	≤54	PASS
				AV	5728.320	-55.26	≤-45.34	3.54	0.59	44.07	≤54	PASS
				AV	5735.000	-56.04	≤-45.34	3.54	0.59	43.29	≤54	PASS
				Peak	5725.000	-46.12	≤-30.55	3.54	0	52.62	≤68.2	PASS
				Peak	5731.560	-45.8	≤-30.55	3.54	0	52.94	≤68.2	PASS
				Peak	5735.000	-47.62	≤-30.55	3.54	0	51.12	≤68.2	PASS


Note:


1. The Antenna Gain is compensated in the graph.


Test Graphs










































11AC160SISO_Ant2_High_5570_Peak





11AX20SISO_Ant2_Low_5500_AV




















Test Result

TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant3	Low	5500	AV	5350.000	-55.45	≤-44.93	3.54	0.18	43.47	≤54	PASS
				AV	5459.810	-52.39	≤-44.93	3.54	0.18	46.53	≤54	PASS
				AV	5460.000	-52.25	≤-44.93	3.54	0.18	46.67	≤54	PASS
				Peak	5350.000	-47.58	≤-30.55	3.54	0	51.16	≤68.2	PASS
				Peak	5425.580	-43.15	≤-30.55	3.54	0	55.59	≤68.2	PASS
				Peak	5460.000	-44.6	≤-30.55	3.54	0	54.14	≤68.2	PASS
		High	5700	AV	5725.000	-54.45	≤-44.93	3.54	0.18	44.47	≤54	PASS
				AV	5727.620	-53.74	≤-44.93	3.54	0.18	45.18	≤54	PASS
				AV	5735.000	-55.07	≤-44.93	3.54	0.18	43.85	≤54	PASS
				Peak	5725.000	-46.39	≤-30.55	3.54	0	52.35	≤68.2	PASS
				Peak	5729.900	-44.61	≤-30.55	3.54	0	54.13	≤68.2	PASS
				Peak	5735.000	-46.97	≤-30.55	3.54	0	51.77	≤68.2	PASS
11N20SISO	Ant3	Low	5500	AV	5350.000	-55.84	≤-44.94	3.54	0.19	43.09	≤54	PASS
				AV	5459.810	-52.27	≤-44.94	3.54	0.19	46.66	≤54	PASS
				AV	5460.000	-52.08	≤-44.94	3.54	0.19	46.85	≤54	PASS
				Peak	5350.000	-47.64	≤-30.55	3.54	0	51.10	≤68.2	PASS
				Peak	5459.810	-41.64	≤-30.55	3.54	0	57.10	≤68.2	PASS
				Peak	5460.000	-43.7	≤-30.55	3.54	0	55.04	≤68.2	PASS
		High	5700	AV	5725.000	-55.65	≤-44.95	3.54	0.2	43.29	≤54	PASS
				AV	5731.800	-54.58	≤-44.95	3.54	0.2	44.36	≤54	PASS
				AV	5735.000	-55.23	≤-44.95	3.54	0.2	43.71	≤54	PASS
				Peak	5725.000	-47.91	≤-30.55	3.54	0	50.83	≤68.2	PASS
				Peak	5730.850	-45.27	≤-30.55	3.54	0	53.47	≤68.2	PASS
				Peak	5735.000	-47.63	≤-30.55	3.54	0	51.11	≤68.2	PASS
11N40SISO	Ant3	Low	5510	AV	5350.000	-55.32	≤-45.13	3.54	0.38	43.80	≤54	PASS
				AV	5390.200	-52.58	≤-45.13	3.54	0.38	46.54	≤54	PASS
				AV	5460.000	-53.53	≤-45.13	3.54	0.38	45.59	≤54	PASS
				Peak	5350.000	-47.29	≤-30.55	3.54	0	51.45	≤68.2	PASS
				Peak	5410.880	-44.27	≤-30.55	3.54	0	54.47	≤68.2	PASS
				Peak	5460.000	-45.67	≤-30.55	3.54	0	53.07	≤68.2	PASS
		High	5670	AV	5725.000	-55.3	≤-45.14	3.54	0.39	43.83	≤54	PASS
				AV	5726.820	-54.92	≤-45.14	3.54	0.39	44.21	≤54	PASS
				AV	5735.000	-55.65	≤-45.14	3.54	0.39	43.48	≤54	PASS
				Peak	5725.000	-46.45	≤-30.55	3.54	0	52.29	≤68.2	PASS
				Peak	5726.360	-45.52	≤-30.55	3.54	0	53.22	≤68.2	PASS
				Peak	5735.000	-48.07	≤-30.55	3.54	0	50.67	≤68.2	PASS

11AC20SISO	Ant3	Low	5500	AV	5350.000	-55.3	≤-45.18	3.54	0.43	43.87	≤54	PASS
				AV	5459.810	-52.49	≤-45.18	3.54	0.43	46.68	≤54	PASS
				AV	5460.000	-51.8	≤-45.18	3.54	0.43	47.37	≤54	PASS
				Peak	5350.000	-48.23	≤-30.55	3.54	0	50.51	≤68.2	PASS
				Peak	5380.010	-43.82	≤-30.55	3.54	0	54.92	≤68.2	PASS
				Peak	5460.000	-42.95	≤-30.55	3.54	0	55.79	≤68.2	PASS
		High	5700	AV	5725.000	-54.11	≤-45.26	3.54	0.51	45.14	≤54	PASS
				AV	5726.100	-53.87	≤-45.26	3.54	0.51	45.38	≤54	PASS
				AV	5735.000	-55.3	≤-45.26	3.54	0.51	43.95	≤54	PASS
				Peak	5725.000	-46.47	≤-30.55	3.54	0	52.27	≤68.2	PASS
				Peak	5728.190	-44.26	≤-30.55	3.54	0	54.48	≤68.2	PASS
				Peak	5735.000	-46.58	≤-30.55	3.54	0	52.16	≤68.2	PASS
11AC40SISO	Ant3	Low	5510	AV	5350.000	-55.18	≤-45.65	3.54	0.9	44.46	≤54	PASS
				AV	5390.200	-52.73	≤-45.65	3.54	0.9	46.91	≤54	PASS
				AV	5460.000	-54.19	≤-45.65	3.54	0.9	45.45	≤54	PASS
				Peak	5350.000	-46.74	≤-30.55	3.54	0	52.00	≤68.2	PASS
				Peak	5425.620	-43.48	≤-30.55	3.54	0	55.26	≤68.2	PASS
				Peak	5460.000	-44.82	≤-30.55	3.54	0	53.92	≤68.2	PASS
		High	5670	AV	5725.000	-54.91	≤-45.65	3.54	0.9	44.73	≤54	PASS
				AV	5727.510	-54.34	≤-45.65	3.54	0.9	45.30	≤54	PASS
				AV	5735.000	-54.81	≤-45.65	3.54	0.9	44.83	≤54	PASS
				Peak	5725.000	-47.5	≤-30.55	3.54	0	51.24	≤68.2	PASS
				Peak	5730.500	-44.63	≤-30.55	3.54	0	54.11	≤68.2	PASS
				Peak	5735.000	-47.26	≤-30.55	3.54	0	51.48	≤68.2	PASS
11AC80SISO	Ant3	Low	5530	AV	5350.000	-55.85	≤-46.30	3.54	1.55	44.44	≤54	PASS
				AV	5458.200	-49.34	≤-46.30	3.54	1.55	50.95	≤54	PASS
				AV	5460.000	-51.73	≤-46.30	3.54	1.55	48.56	≤54	PASS
				Peak	5350.000	-46.71	≤-30.55	3.54	0	52.03	≤68.2	PASS
				Peak	5454.560	-39.86	≤-30.55	3.54	0	58.88	≤68.2	PASS
				Peak	5460.000	-43.41	≤-30.55	3.54	0	55.33	≤68.2	PASS
		High	5610	AV	5725.000	-55.19	≤-46.00	3.54	1.25	44.80	≤54	PASS
				AV	5730.180	-54.99	≤-46.00	3.54	1.25	45.00	≤54	PASS
				AV	5735.000	-56.49	≤-46.00	3.54	1.25	43.50	≤54	PASS
				Peak	5725.000	-48.62	≤-30.55	3.54	0	50.12	≤68.2	PASS
				Peak	5731.170	-45.48	≤-30.55	3.54	0	53.26	≤68.2	PASS
				Peak	5735.000	-47.41	≤-30.55	3.54	0	51.33	≤68.2	PASS
11AC160SISO	Ant3	Low	5570	AV	5350.000	-56.05	≤-46.79	3.54	2.04	44.73	≤54	PASS
				AV	5452.375	-50.75	≤-46.79	3.54	2.04	50.03	≤54	PASS
				AV	5460.000	-54.04	≤-46.79	3.54	2.04	46.74	≤54	PASS
				Peak	5350.000	-45.98	≤-30.55	3.54	0	52.76	≤68.2	PASS
				Peak	5454.250	-40.7	≤-30.55	3.54	0	58.04	≤68.2	PASS