



















Test Result


TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	Verdict
11A	Ant2	Low	5745	Peak	5650.000	-47.277	≤-30.55	3.54	PASS
				Peak	5700.000	-46.38	≤6.45	3.54	PASS
				Peak	5720.000	-46.1	≤12.05	3.54	PASS
				Peak	5725.000	-45.65	≤23.45	3.54	PASS
		High	5825	Peak	5850.000	-45.994	≤23.45	3.54	PASS
				Peak	5855.000	-46.23	≤12.05	3.54	PASS
				Peak	5875.000	-47.1	≤6.45	3.54	PASS
				Peak	5925.000	-45.87	≤-27.00	3.54	PASS
11N20SISO	Ant2	Low	5745	Peak	5650.000	-47.114	≤-30.55	3.54	PASS
				Peak	5700.000	-48.19	≤6.45	3.54	PASS
				Peak	5720.000	-46.79	≤12.05	3.54	PASS
				Peak	5725.000	-45.36	≤23.45	3.54	PASS
		High	5825	Peak	5850.000	-44.059	≤23.45	3.54	PASS
				Peak	5855.000	-46.5	≤12.05	3.54	PASS
				Peak	5875.000	-46.62	≤6.45	3.54	PASS
				Peak	5925.000	-46.95	≤-27.00	3.54	PASS
11N40SISO	Ant2	Low	5755	Peak	5650.000	-46.012	≤-30.55	3.54	PASS
				Peak	5700.000	-45.43	≤6.45	3.54	PASS
				Peak	5720.000	-43.67	≤12.05	3.54	PASS
				Peak	5725.000	-41.18	≤23.45	3.54	PASS
		High	5795	Peak	5850.000	-41.213	≤23.45	3.54	PASS
				Peak	5855.000	-45.18	≤12.05	3.54	PASS
				Peak	5875.000	-45.69	≤6.45	3.54	PASS
				Peak	5925.000	-45.77	≤-27.00	3.54	PASS
11AC20SISO	Ant2	Low	5745	Peak	5650.000	-48.402	≤-30.55	3.54	PASS
				Peak	5700.000	-48.19	≤6.45	3.54	PASS
				Peak	5720.000	-44.61	≤12.05	3.54	PASS
				Peak	5725.000	-44.25	≤23.45	3.54	PASS
		High	5825	Peak	5850.000	-42.541	≤23.45	3.54	PASS
				Peak	5855.000	-46.82	≤12.05	3.54	PASS
				Peak	5875.000	-47.63	≤6.45	3.54	PASS
				Peak	5925.000	-47.06	≤-27.00	3.54	PASS
11AC40SISO	Ant2	Low	5755	Peak	5650.000	-47.498	≤-30.55	3.54	PASS
				Peak	5700.000	-43.05	≤6.45	3.54	PASS
				Peak	5720.000	-39.65	≤12.05	3.54	PASS
				Peak	5725.000	-40.42	≤23.45	3.54	PASS
		High	5795	Peak	5850.000	-44.393	≤23.45	3.54	PASS


				Peak	5855.000	-46.13	≤ 12.05	3.54	PASS
				Peak	5875.000	-46.67	≤ 6.45	3.54	PASS
				Peak	5925.000	-46.84	≤ -27.00	3.54	PASS
11AC80SISO	Ant2	Low	5775	Peak	5650.000	-44.384	≤ -30.55	3.54	PASS
				Peak	5700.000	-43.88	≤ 6.45	3.54	PASS
				Peak	5720.000	-40.9	≤ 12.05	3.54	PASS
				Peak	5725.000	-41.54	≤ 23.45	3.54	PASS
		High	5775	Peak	5850.000	-39.35	≤ 23.45	3.54	PASS
				Peak	5855.000	-37.4	≤ 12.05	3.54	PASS
				Peak	5875.000	-45.42	≤ 6.45	3.54	PASS
				Peak	5925.000	-46.34	≤ -27.00	3.54	PASS
11AX20SISO	Ant2	Low	5745	Peak	5650.000	-46.642	≤ -30.55	3.54	PASS
				Peak	5700.000	-47.04	≤ 6.45	3.54	PASS
				Peak	5720.000	-43.57	≤ 12.05	3.54	PASS
				Peak	5725.000	-40.35	≤ 23.45	3.54	PASS
		High	5825	Peak	5850.000	-41.2	≤ 23.45	3.54	PASS
				Peak	5855.000	-45.64	≤ 12.05	3.54	PASS
				Peak	5875.000	-47.69	≤ 6.45	3.54	PASS
				Peak	5925.000	-46.15	≤ -27.00	3.54	PASS
11AX40SISO	Ant2	Low	5755	Peak	5650.000	-46.865	≤ -30.55	3.54	PASS
				Peak	5700.000	-46.08	≤ 6.45	3.54	PASS
				Peak	5720.000	-43.03	≤ 12.05	3.54	PASS
				Peak	5725.000	-40.85	≤ 23.45	3.54	PASS
		High	5795	Peak	5850.000	-36.428	≤ 23.45	3.54	PASS
				Peak	5855.000	-40.73	≤ 12.05	3.54	PASS
				Peak	5875.000	-43.6	≤ 6.45	3.54	PASS
				Peak	5925.000	-46.97	≤ -27.00	3.54	PASS
11AX80SISO	Ant2	Low	5775	Peak	5650.000	-43.472	≤ -30.55	3.54	PASS
				Peak	5700.000	-38.8	≤ 6.45	3.54	PASS
				Peak	5720.000	-38.11	≤ 12.05	3.54	PASS
				Peak	5725.000	-33.16	≤ 23.45	3.54	PASS
		High	5775	Peak	5850.000	-39.014	≤ 23.45	3.54	PASS
				Peak	5855.000	-40.86	≤ 12.05	3.54	PASS
				Peak	5875.000	-41.81	≤ 6.45	3.54	PASS
				Peak	5925.000	-45.84	≤ -27.00	3.54	PASS


Note:


1. The Antenna Gain is compensated in the graph.


Test Graphs























Test Result


TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	Verdict
11A	Ant3	Low	5745	Peak	5650.000	-47.165	≤-30.55	3.54	PASS
				Peak	5700.000	-47.61	≤6.45	3.54	PASS
				Peak	5720.000	-46.8	≤12.05	3.54	PASS
				Peak	5725.000	-44.45	≤23.45	3.54	PASS
		High	5825	Peak	5850.000	-44.208	≤23.45	3.54	PASS
				Peak	5855.000	-46.74	≤12.05	3.54	PASS
				Peak	5875.000	-46.74	≤6.45	3.54	PASS
				Peak	5925.000	-46.78	≤-27.00	3.54	PASS
11N20SISO	Ant3	Low	5745	Peak	5650.000	-47.915	≤-30.55	3.54	PASS
				Peak	5700.000	-47.59	≤6.45	3.54	PASS
				Peak	5720.000	-45.96	≤12.05	3.54	PASS
				Peak	5725.000	-42.15	≤23.45	3.54	PASS
		High	5825	Peak	5850.000	-44.761	≤23.45	3.54	PASS
				Peak	5855.000	-47.53	≤12.05	3.54	PASS
				Peak	5875.000	-47.64	≤6.45	3.54	PASS
				Peak	5925.000	-46.19	≤-27.00	3.54	PASS
11N40SISO	Ant3	Low	5755	Peak	5650.000	-45.893	≤-30.55	3.54	PASS
				Peak	5700.000	-46.59	≤6.45	3.54	PASS
				Peak	5720.000	-41.9	≤12.05	3.54	PASS
				Peak	5725.000	-42.15	≤23.45	3.54	PASS
		High	5795	Peak	5850.000	-42.314	≤23.45	3.54	PASS
				Peak	5855.000	-43.26	≤12.05	3.54	PASS
				Peak	5875.000	-45.72	≤6.45	3.54	PASS
				Peak	5925.000	-48.12	≤-27.00	3.54	PASS
11AC20SISO	Ant3	Low	5745	Peak	5650.000	-47.781	≤-30.55	3.54	PASS
				Peak	5700.000	-46.79	≤6.45	3.54	PASS
				Peak	5720.000	-45.17	≤12.05	3.54	PASS
				Peak	5725.000	-43.97	≤23.45	3.54	PASS
		High	5825	Peak	5850.000	-44.542	≤23.45	3.54	PASS
				Peak	5855.000	-45.51	≤12.05	3.54	PASS
				Peak	5875.000	-46.32	≤6.45	3.54	PASS
				Peak	5925.000	-45.35	≤-27.00	3.54	PASS
11AC40SISO	Ant3	Low	5755	Peak	5650.000	-47.362	≤-30.55	3.54	PASS
				Peak	5700.000	-46.5	≤6.45	3.54	PASS
				Peak	5720.000	-40.97	≤12.05	3.54	PASS
				Peak	5725.000	-39.24	≤23.45	3.54	PASS
		High	5795	Peak	5850.000	-38.749	≤23.45	3.54	PASS


				Peak	5855.000	-39.59	≤12.05	3.54	PASS
				Peak	5875.000	-46.25	≤6.45	3.54	PASS
				Peak	5925.000	-46.47	≤-27.00	3.54	PASS
11AC80SISO	Ant3	Low	5775	Peak	5650.000	-47.277	≤-30.55	3.54	PASS
				Peak	5700.000	-43.26	≤6.45	3.54	PASS
				Peak	5720.000	-39.71	≤12.05	3.54	PASS
				Peak	5725.000	-37.24	≤23.45	3.54	PASS
		High	5775	Peak	5850.000	-40.768	≤23.45	3.54	PASS
				Peak	5855.000	-40.89	≤12.05	3.54	PASS
				Peak	5875.000	-40.13	≤6.45	3.54	PASS
				Peak	5925.000	-46.59	≤-27.00	3.54	PASS
11AX20SISO	Ant3	Low	5745	Peak	5650.000	-44.501	≤-30.55	3.54	PASS
				Peak	5700.000	-46.95	≤6.45	3.54	PASS
				Peak	5720.000	-43.54	≤12.05	3.54	PASS
				Peak	5725.000	-43.58	≤23.45	3.54	PASS
		High	5825	Peak	5850.000	-42.61	≤23.45	3.54	PASS
				Peak	5855.000	-42.47	≤12.05	3.54	PASS
				Peak	5875.000	-44.68	≤6.45	3.54	PASS
				Peak	5925.000	-46.31	≤-27.00	3.54	PASS
11AX40SISO	Ant3	Low	5755	Peak	5650.000	-46.238	≤-30.55	3.54	PASS
				Peak	5700.000	-47.7	≤6.45	3.54	PASS
				Peak	5720.000	-39.77	≤12.05	3.54	PASS
				Peak	5725.000	-41.2	≤23.45	3.54	PASS
		High	5795	Peak	5850.000	-32.606	≤23.45	3.54	PASS
				Peak	5855.000	-34.75	≤12.05	3.54	PASS
				Peak	5875.000	-44.8	≤6.45	3.54	PASS
				Peak	5925.000	-43.75	≤-27.00	3.54	PASS
11AX80SISO	Ant3	Low	5775	Peak	5650.000	-46.145	≤-30.55	3.54	PASS
				Peak	5700.000	-38.06	≤6.45	3.54	PASS
				Peak	5720.000	-35.54	≤12.05	3.54	PASS
				Peak	5725.000	-34.44	≤23.45	3.54	PASS
		High	5775	Peak	5850.000	-35.901	≤23.45	3.54	PASS
				Peak	5855.000	-32.43	≤12.05	3.54	PASS
				Peak	5875.000	-36.03	≤6.45	3.54	PASS
				Peak	5925.000	-44.43	≤-27.00	3.54	PASS


Note:


1. The Antenna Gain is compensated in the graph.


Test Graphs























E.6 Duty Cycle

Test Result

TestMode	Antenna	Freq (MHz)	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factor	Limit	Verdict
11A	Ant1	5745	1.39	1.45	95.86	0.18	---	---
		5785	1.40	1.45	96.55	0.15	---	---
		5825	1.39	1.46	95.21	0.21	---	---
11N20SISO	Ant1	5745	1.31	1.36	96.32	0.16	---	---
		5785	1.31	1.37	95.62	0.19	---	---
		5825	1.31	1.37	95.62	0.19	---	---
11N40SISO	Ant1	5755	0.65	0.70	92.86	0.32	---	---
		5795	0.65	0.71	91.55	0.38	---	---
11AC20SISO	Ant1	5745	0.48	0.54	88.89	0.51	---	---
		5785	0.48	0.54	88.89	0.51	---	---
		5825	0.48	0.54	88.89	0.51	---	---
11AC40SISO	Ant1	5755	0.26	0.32	81.25	0.90	---	---
		5795	0.26	0.32	81.25	0.90	---	---
11AC80SISO	Ant1	5775	0.15	0.21	71.43	1.46	---	---
11AX20SISO	Ant1	5745	0.43	0.49	87.76	0.57	---	---
		5785	0.42	0.48	87.50	0.58	---	---
		5825	0.43	0.49	87.76	0.57	---	---
11AX40SISO	Ant1	5755	0.43	0.48	89.58	0.48	---	---
		5795	0.42	0.48	87.50	0.58	---	---
11AX80SISO	Ant1	5775	0.41	0.47	87.23	0.59	---	---

Test Graphs

