

## Measurement Results

1-0597/20-03-02\_log1\_conducted

[Test logging](#)

---

This addendum is electronically signed and valid without handwritten signature.  
For verification of the electronic signatures, the public keys can be requested at the testing laboratory.

Document authorized:



cn=Michael Dorongovski, o=CTC  
Advanced GmbH, ou=RCE-201118,  
email=Michael.Dorongovski@ctcad  
vanced.com, c=DE  
2020.12.14 13:19:48 +01'00'

---

**Michael Dorongovski**  
Lab Manager  
Radio Communications

## Table of Content

|                                                                           |    |
|---------------------------------------------------------------------------|----|
| IUT Summary                                                               | 3  |
| 1. FCC Part 15.247 Maximum Peak Conducted Output Power ~ Generic 0G9 hopp | 4  |
| 2. FCC Part 15.247 Bandwidths ~ Generic 0G9 hopp                          | 8  |
| 3. FCC Part 15.247 TX Spurious Conducted 20 dBc ~ Generic 0G9 hopp        | 15 |
| 4. FCC Part 15.247 Number Of Hopping Channels FHSS ~ Generic 0G9 hopp     | 19 |

## IUT Summary

| IUT DEFINITION & Common settings                 |                           |
|--------------------------------------------------|---------------------------|
| Manufacturer                                     | ifm electronic gmbh Essen |
| Type                                             | DTE904 (TR10)             |
| Serial No.   Setup No.                           | NI   1.0                  |
| SW Version   HW Version                          | NI   NI                   |
| Comment 1   2                                    |                           |
| Tlow   Tmid   Thigh [°C]                         | -20   20   60             |
| Vlow   Vmid   Vhigh [V] @Imax [A]                | 24.0   24.0   24.0 @1     |
| Auto Control enabled Power Supply   Climatic Box | No   No                   |
| Antenna Gain [dBi]                               | 0                         |
| Additional Path Loss [dB]                        | 0.5                       |

## 1. FCC Part 15.247 Maximum Peak Conducted Output Power ~ Generic 0G9 hopp


| Test References                   |                                                                           |
|-----------------------------------|---------------------------------------------------------------------------|
| TC Start                          | 07.07.2020 13:54:14                                                       |
| Ambit Temp [°C]   Humidity [rel%] | not enabled   not enabled                                                 |
| System Version                    | 1.0.0.45                                                                  |
| Test Specification                | FCC Part 15.247                                                           |
| Test Method                       |                                                                           |
| Class / TC Version                | TC_VM_FCC15247_0G9_Maximum_Peak_Conducted_Output_Power_V01 Version: 0.0.1 |
| My Description                    | FCC 15.247 Maximum Peak Output Power Conducted FHSS                       |
| Add. Information                  |                                                                           |

| Test Parameter         |                                                   |
|------------------------|---------------------------------------------------|
| Technology to test     | Generic 0G9 hopp                                  |
| Antenna Port used      | 1                                                 |
| Temperature            | mid                                               |
| Voltage                | mid                                               |
| Frequency low to test  | True   Freq [MHz] 902.75                          |
| Frequency mid to test  | True   Freq [MHz] 915.25                          |
| Frequency high to test | True   Freq [MHz] 927.25                          |
| Switched Path          | IUT - SignalingUnit - SpectrumAnalyzer            |
| Devices in use         | SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.60 |

Test at TX 902.75 MHz

|                                                      |  |  |                       |  |  |
|------------------------------------------------------|--|--|-----------------------|--|--|
| READ SA SETTINGS:                                    |  |  |                       |  |  |
| RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]   |  |  | 28.05   8.67   35     |  |  |
| Start [MHz]   Stop [MHz]                             |  |  | 902.500   903.000     |  |  |
| RBW [MHz]   VBW [MHz]                                |  |  | 0.300000   1.000000   |  |  |
| Detector   TraceMode                                 |  |  | POS   MAXH            |  |  |
| Sweep: Time [ms]   Count   Points per Section   Type |  |  | 200   50   1001   SWE |  |  |

| RESULT            |             |             |          |      |         |
|-------------------|-------------|-------------|----------|------|---------|
| Test Description  | Lower Limit | Upper Limit | Measured | Unit | Verdict |
| Peak Power        | ---         | 30          | 23.97    | dBm  | PASS    |
| Frequency at Peak | ---         | ---         | 902.75   | MHz  | INFO    |



Plot\_FCC Part 15.247 Maximum Peak Conducted Output Power ~ Generic 0G9 hopp\_07072020\_135442.png


## Test at TX 915.25 MHz

### READ SA SETTINGS:

|                                                      |                       |
|------------------------------------------------------|-----------------------|
| RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]   | 28.10   8.68   35     |
| Start [MHz]   Stop [MHz]                             | 915.000   915.500     |
| RBW [MHz]   VBW [MHz]                                | 0.300000   1.000000   |
| Detector   TraceMode                                 | POS   MAXH            |
| Sweep: Time [ms]   Count   Points per Section   Type | 200   50   1001   SWE |

### RESULT

| Test Description  | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|-------------------|-------------|-------------|----------|------|---------|
| Peak Power        | ---         | 30          | 23.59    | dBm  | PASS    |
| Frequency at Peak | ---         | ---         | 915.243  | MHz  | INFO    |



Plot\_FCC Part 15.247 Maximum Peak Conducted Output Power ~ Generic 0G9 hopp\_07072020\_135516.png


## Test at TX 927.25 MHz

### READ SA SETTINGS:

|                                                      |                       |
|------------------------------------------------------|-----------------------|
| RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]   | 27.85   8.7   35      |
| Start [MHz]   Stop [MHz]                             | 927.000   927.500     |
| RBW [MHz]   VBW [MHz]                                | 0.300000   1.000000   |
| Detector   TraceMode                                 | POS   MAXH            |
| Sweep: Time [ms]   Count   Points per Section   Type | 200   50   1001   SWE |

### RESULT

| Test Description  | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|-------------------|-------------|-------------|----------|------|---------|
| Peak Power        | ---         | 30          | 22.72    | dBm  | PASS    |
| Frequency at Peak | ---         | ---         | 927.271  | MHz  | INFO    |



Plot\_FCC Part 15.247 Maximum Peak Conducted Output Power ~ Generic 0G9 hopp\_07072020\_135544.png

### TEST FINISHED

|                 |                                |      |
|-----------------|--------------------------------|------|
| General Verdict | 07.07.2020 13:55:45 / RT: 90 s | PASS |
|-----------------|--------------------------------|------|

## 2. FCC Part 15.247 Bandwidths ~ Generic 0G9 hopp

| Test References                   |                                                  |
|-----------------------------------|--------------------------------------------------|
| TC Start                          | 07.07.2020 13:56:01                              |
| Ambit Temp [°C]   Humidity [rel%] | not enabled   not enabled                        |
| System Version                    | 1.0.0.45                                         |
| Test Specification                | FCC Part 15.247                                  |
| Test Method                       |                                                  |
| Class / TC Version                | TC_VM_FCC15247_0G9_Bandwidths_V01 Version: 0.0.1 |
| My Description                    | FCC 15.247 Bandwidths FHSS                       |
| Add. Information                  |                                                  |

| Test Parameter         |                                                   |
|------------------------|---------------------------------------------------|
| Technology to test     | Generic 0G9 hopp                                  |
| Antenna Port used      | 1                                                 |
| Temperature            | mid                                               |
| Voltage                | mid                                               |
| Frequency low to test  | True   Freq [MHz] 902.75                          |
| Frequency mid to test  | True   Freq [MHz] 915.25                          |
| Frequency high to test | True   Freq [MHz] 927.25                          |
| Switched Path          | IUT - SignalingUnit - SpectrumAnalyzer            |
| Devices in use         | SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.60 |


## Test at TX 902.75 MHz

### READ SA SETTINGS:


|                                                      |                        |
|------------------------------------------------------|------------------------|
| RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]   | 28.31   8.67   35      |
| Start [MHz]   Stop [MHz]                             | 902.500   903.000      |
| RBW [MHz]   VBW [MHz]                                | 0.002000   0.005000    |
| Detector   TraceMode                                 | POS   MAXH             |
| Sweep: Time [ms]   Count   Points per Section   Type | 50   200   10001   SWE |

### RESULT

| Test Description | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|------------------|-------------|-------------|----------|------|---------|
| Bandwidth 99%    | ---         | ---         | 61       | kHz  | INFO    |
| T1 99%           | 902.000000  | ---         | 902.7183 | MHz  | PASS    |
| T2 99%           | ---         | 928.000000  | 902.7791 | MHz  | PASS    |




Plot\_FCC Part 15.247 Bandwidths ~ Generic 0G9 hopp 99PCT\_07072020\_135631.png




Plot\_FCC Part 15.247 Bandwidths ~ Generic 0G9 hopp\_07072020\_135635.png

### RESULT

| Test Description | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|------------------|-------------|-------------|----------|------|---------|
| Bandwidth 20dB   | ---         | 1500        | 48       | kHz  | PASS    |
| T1 20dB          | 902.000000  | ---         | 902.7247 | MHz  | PASS    |
| T2 20dB          | ---         | 928.000000  | 902.7729 | MHz  | PASS    |



Plot\_FCC Part 15.247 Bandwidths ~ Generic 0G9 hopp20\_07072020\_135641.png



Plot\_FCC Part 15.247 Bandwidths ~ Generic 0G9 hopp\_07072020\_135645.png


## Test at TX 915.25 MHz

### READ SA SETTINGS:


|                                                      |                        |
|------------------------------------------------------|------------------------|
| RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]   | 28.19   8.68   35      |
| Start [MHz]   Stop [MHz]                             | 915.000   915.500      |
| RBW [MHz]   VBW [MHz]                                | 0.002000   0.005000    |
| Detector   TraceMode                                 | POS   MAXH             |
| Sweep: Time [ms]   Count   Points per Section   Type | 50   200   10001   SWE |

### RESULT

| Test Description | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|------------------|-------------|-------------|----------|------|---------|
| Bandwidth 99%    | ---         | ---         | 61       | kHz  | INFO    |
| T1 99%           | 902.000000  | ---         | 915.2184 | MHz  | PASS    |
| T2 99%           | ---         | 928.000000  | 915.2790 | MHz  | PASS    |




Plot\_FCC Part 15.247 Bandwidths ~ Generic 0G9 hopp 99PCT\_07072020\_135716.png




Plot\_FCC Part 15.247 Bandwidths ~ Generic 0G9 hopp\_07072020\_135720.png

### RESULT

| Test Description | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|------------------|-------------|-------------|----------|------|---------|
| Bandwidth 20dB   | ---         | 1500        | 48       | kHz  | PASS    |
| T1 20dB          | 902.000000  | ---         | 915.2246 | MHz  | PASS    |
| T2 20dB          | ---         | 928.000000  | 915.2727 | MHz  | PASS    |



Plot\_FCC Part 15.247 Bandwidths ~ Generic OG9 hopp20\_07072020\_135726.png



Plot\_FCC Part 15.247 Bandwidths ~ Generic OG9 hopp\_07072020\_135730.png


## Test at TX 927.25 MHz

### READ SA SETTINGS:


|                                                      |                        |
|------------------------------------------------------|------------------------|
| RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]   | 27.82   8.7   35       |
| Start [MHz]   Stop [MHz]                             | 927.000   927.500      |
| RBW [MHz]   VBW [MHz]                                | 0.002000   0.005000    |
| Detector   TraceMode                                 | POS   MAXH             |
| Sweep: Time [ms]   Count   Points per Section   Type | 50   200   10001   SWE |

### RESULT

| Test Description | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|------------------|-------------|-------------|----------|------|---------|
| Bandwidth 99%    | ---         | ---         | 72       | kHz  | INFO    |
| T1 99%           | 902.000000  | ---         | 927.2125 | MHz  | PASS    |
| T2 99%           | ---         | 928.000000  | 927.2843 | MHz  | PASS    |




Plot\_FCC Part 15.247 Bandwidths ~ Generic 0G9 hopp 99PCT\_07072020\_135804.png




Plot\_FCC Part 15.247 Bandwidths ~ Generic 0G9 hopp\_07072020\_135808.png

### RESULT

| Test Description | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|------------------|-------------|-------------|----------|------|---------|
| Bandwidth 20dB   | ---         | 1500        | 52       | kHz  | PASS    |
| T1 20dB          | 902.000000  | ---         | 927.2243 | MHz  | PASS    |
| T2 20dB          | ---         | 928.000000  | 927.2766 | MHz  | PASS    |



Plot\_FCC Part 15.247 Bandwidths ~ Generic OG9 hopp20\_07072020\_135814.png



Plot\_FCC Part 15.247 Bandwidths ~ Generic OG9 hopp\_07072020\_135818.png

|                 |                                 |      |
|-----------------|---------------------------------|------|
| TEST FINISHED   |                                 |      |
| General Verdict | 07.07.2020 13:58:19 / RT: 138 s | PASS |

### 3. FCC Part 15.247 TX Spurious Conducted 20 dBc ~ Generic 0G9 hopp

| Test References                   |                                                              |
|-----------------------------------|--------------------------------------------------------------|
| TC Start                          | 07.07.2020 13:58:28                                          |
| Ambit Temp [°C]   Humidity [rel%] | not enabled   not enabled                                    |
| System Version                    | 1.0.0.45                                                     |
| Test Specification                | FCC Part 15.247                                              |
| Test Method                       |                                                              |
| Class / TC Version                | TC_VM_FCC15247_0G9_TX_Emissions_Conducted_V01 Version: 0.0.1 |
| My Description                    | FCC 15.247 TX Emissions conducted FHSS                       |
| Add. Information                  |                                                              |

| Test Parameter         |                                                   |
|------------------------|---------------------------------------------------|
| Technology to test     | Generic 0G9 hopp                                  |
| Antenna Port used      | 1                                                 |
| Temperature            | mid                                               |
| Voltage                | mid                                               |
| Frequency low to test  | True   Freq [MHz] 902.75                          |
| Frequency mid to test  | True   Freq [MHz] 915.25                          |
| Frequency high to test | True   Freq [MHz] 927.25                          |
| Switched Path          | IUT - SignalingUnit - SpectrumAnalyzer            |
| Devices in use         | SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.60 |


## Test at TX 902.75 MHz

### READ SA SETTINGS:


|                                                      |                       |
|------------------------------------------------------|-----------------------|
| RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]   | 28.18   0   45        |
| Start [MHz]   Stop [MHz]                             | 12505.000   12750.000 |
| RBW [MHz]   VBW [MHz]                                | 0.100000   1.000000   |
| Detector   TraceMode                                 | POS   MAXH            |
| Sweep: Time [ms]   Count   Points per Section   Type | 200   20   3001   SWE |

### RESULT

| Test Description                     | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|--------------------------------------|-------------|-------------|----------|------|---------|
| Reference @ 902.83 MHz               | ---         | ---         | 22.85    | dBm  | INFO    |
| No peaks detected                    | ---         | ---         |          |      | PASS    |
| Lowest margin to limit 12720.927 MHz | 0           | ---         | 25.26    | dB   | INFO    |



Plot\_FCC Part 15.247 TX Spurious Conducted 30 dBc ~ Generic 0G9 hopp 902.75\_07072020\_140114.png



Plot\_FCC Part 15.247 TX Spurious Conducted 30 dBc ~ Generic 0G9 hopp 902.75\_07072020\_140117.png


## Test at TX 915.25 MHz

### READ SA SETTINGS:


|                                                      |                       |
|------------------------------------------------------|-----------------------|
| RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]   | 27.87   0   45        |
| Start [MHz]   Stop [MHz]                             | 12505.000   12750.000 |
| RBW [MHz]   VBW [MHz]                                | 0.100000   1.000000   |
| Detector   TraceMode                                 | POS   MAXH            |
| Sweep: Time [ms]   Count   Points per Section   Type | 200   20   3001   SWE |

### RESULT

| Test Description                | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|---------------------------------|-------------|-------------|----------|------|---------|
| Reference @ 915.33 MHz          | ---         | ---         | 22.64    | dBm  | INFO    |
| No peaks detected               | ---         | ---         |          |      | PASS    |
| Lowest margin to limit 6924 MHz | 0           | ---         | 24.35    | dB   | INFO    |



Plot\_FCC Part 15.247 TX Spurious Conducted 30 dBc ~ Generic 0G9 hopp 915.25\_07072020\_140402.png



Plot\_FCC Part 15.247 TX Spurious Conducted 30 dBc ~ Generic 0G9 hopp 915.25\_07072020\_140405.png



## Test at TX 927.25 MHz

### READ SA SETTINGS:

|                                                      |                       |
|------------------------------------------------------|-----------------------|
| RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]   | 27.66   0   45        |
| Start [MHz]   Stop [MHz]                             | 12505.000   12750.000 |
| RBW [MHz]   VBW [MHz]                                | 0.100000   1.000000   |
| Detector   TraceMode                                 | POS   MAXH            |
| Sweep: Time [ms]   Count   Points per Section   Type | 200   20   3001   SWE |

### RESULT

| Test Description                     | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|--------------------------------------|-------------|-------------|----------|------|---------|
| Reference @ 927.33 MHz               | ---         | ---         | 22.44    | dBm  | INFO    |
| No peaks detected                    | ---         | ---         |          |      | PASS    |
| Lowest margin to limit 12741.098 MHz | 0           | ---         | 24.6     | dB   | INFO    |



### TEST FINISHED

General Verdict

07.07.2020 14:06:56 / RT: 507 s

PASS

## 4. FCC Part 15.247 Number Of Hopping Channels FHSS ~ Generic 0G9 hopp

| Test References                   |                                                                       |
|-----------------------------------|-----------------------------------------------------------------------|
| TC Start                          | 08.07.2020 14:48:47                                                   |
| Ambit Temp [°C]   Humidity [rel%] | not enabled   not enabled                                             |
| System Version                    | 1.0.0.45                                                              |
| Test Specification                | FCC Part 15.247                                                       |
| Test Method                       |                                                                       |
| Class / TC Version                | TC_VM_FCC15247_0G9_Number_of_hopping_channels_FHSS_V01 Version: 0.0.1 |
| My Description                    | FCC 15.247 Number of Hopping Channels FHSS                            |
| Add. Information                  |                                                                       |

| Test Parameter         |                                                   |
|------------------------|---------------------------------------------------|
| Technology to test     | Generic 0G9 hopp                                  |
| Antenna Port used      | 1                                                 |
| Temperature            | mid                                               |
| Voltage                | mid                                               |
| Frequency low to test  | False   Freq [MHz] 902.75                         |
| Frequency mid to test  | False   Freq [MHz] 915.25                         |
| Frequency high to test | False   Freq [MHz] 927.25                         |
| Switched Path          | IUT - SignalingUnit - SpectrumAnalyzer            |
| Devices in use         | SA: Rohde&Schwarz,FSV-30,1321.3008K30/103170,3.60 |

## Test at TX hopping MHz


### READ SA SETTINGS:

|                                                      |                       |
|------------------------------------------------------|-----------------------|
| RefLevel [dBm]   RefLevelOffset [dB]   InpAtt [dB]   | 27.64   8.68   35     |
| Start [MHz]   Stop [MHz]                             | 900.000   930.000     |
| RBW [MHz]   VBW [MHz]                                | 0.010000   0.100000   |
| Detector   TraceMode                                 | POS   MAXH            |
| Sweep: Time [ms]   Count   Points per Section   Type | 1   5000   1001   FFT |

### RESULT

| Test Description       | Lower Limit | Upper Limit | Measured | Unit | Verdict |
|------------------------|-------------|-------------|----------|------|---------|
| Hopp channel (rounded) | ---         | ---         | 903      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 903      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 904      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 904      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 905      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 905      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 906      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 906      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 907      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 907      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 908      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 908      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 909      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 909      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 910      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 910      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 911      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 911      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 912      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 912      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 913      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 913      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 914      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 914      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 915      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 915      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 916      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 916      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 917      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 917      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 918      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 918      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 919      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 919      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 920      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 920      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 921      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 921      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 922      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 922      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 923      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 923      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 924      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 924      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 925      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 925      | MHz  | INFO    |
| Hopp channel (rounded) | ---         | ---         | 926      | MHz  | INFO    |

|                        |     |     |     |        |      |
|------------------------|-----|-----|-----|--------|------|
| Hopp channel (rounded) | --- | --- | 926 | MHz    | INFO |
| Hopp channel (rounded) | --- | --- | 927 | MHz    | INFO |
| Hopp channel (rounded) | --- | --- | 927 | MHz    | INFO |
| Σ Hopping channels     | 50  | --- | 50  | Number | PASS |



Plot\_FCC Part 15.247 Number Of Hopping Channels FHSS ~ Generic 0G9 hopp\_08072020\_145021.png

**TEST FINISHED**

General Verdict

08.07.2020 14:50:21 / RT: 94 s

PASS

- END OF DOCUMENT -