




CPU : 2V-350mA,3.3V-60mA -> about 900mW
LCD about 100mW
Backlight 470mW
LED : 10EA * 10mA -> 100mA * 3.3V -> 330mW
DMB : 500mA * 3.3V -> 1650mW
FM TX : ?
FM RX : ?
MAX3232 : 600mW
GPS : 500mW/at 5V
WM9712L : 150mW
CX25874 : 650mW
SAA7113 : 500mW






2006.6.17일
BAT_IN NET TO BAT NET
NAND F NOMAL FIX
RADIO RX DEL
MIC SCH DEL

Title		
<Title>		
Size	Document Number	Rev
A4	Blue Bird	0.2
Date:	Monday, September 11, 2006	Sheet 1 of 11









Title				
MMSPII_FLASH/CF/GPIO				
Size	Document Number			Rev
A3	Blue Bird			0.2
Date:	Tuesday, September 26, 2006	Sheet	4	of 11






Title			MMSPII_POWER/RESET		
Size	A3	Document Number	Blue Bird		
Date:	Monday, September 11, 2006		Sheet	5	of 11
Rev	0.2				



Title		
VIDEO_OUT		
Size	Document Number	Rev
A4	Blue Bird	0.4
Date:	Monday, September 11, 2006	Sheet 8 of 11







Title		
DMB/FM_VIDEO_IN		
Size	Document Number	Rev
A3	Blue Bird	0.4
Date:	Tuesday, October 10, 2006	Sheet 11 of 11