



Standard Panel Label Information

FCC ID: USE337420A
IC ID 10217A-337420A

Model No: 337-420	
INPUT: Power over Ethernet IEEE 802.3af Class 0 Max Power: http://paxton.info/107	
FCC ID: IC: DoM: /	

Standard Panel Surface Mount



FCC ID: USE337420A
IC ID 10217A-337420A

Model No: 337-410	
INPUT: Power over Ethernet IEEE 802.3af Class 0 Max Power: http://paxton.info/107	
FCC ID: IC: DoM:	

Standard Panel Rain Hood



FCC ID: USE337420A
IC ID 10217A-337420A

Model No: 337-400	
INPUT: Power over Ethernet IEEE 802.3af Class 0 Max Power: http://paxton.info/107	
FCC ID: IC: DoM:	

Standard Panel Flush Mount

Ils-zfcc

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept. any interference received, including interference that may cause undesired operation.

Label Make-up Information:

Base label: Label – ils-4025 - 40x25mm UL Z-X4000T white, 2730 per roll

Label dimensions: 40mm x 25mm

Label material and print ribbon manufacturer: ZEBRA TECHNOLOGIES EUROPE LTD



Label materials: Z Xtreme 4000T White with 3200 ribbon.
UL file number: PGJ12.MH18322