

# Paxton Paxlock Pro

## Labelling Requirements document



This document is an overview of the Labelling Requirements document for Paxlock Pro sold in North America



Table of Contents

|                                                         |          |
|---------------------------------------------------------|----------|
| <b>1. PROPOSED LABELLING .....</b>                      | <b>3</b> |
| 1.1 SALES CODE LABEL .....                              | 3        |
| 1.1 FCC STATEMENT & BATTERY CONFORMANCE LABELLING ..... | 8        |
| 1.2 UL 10C EXTERNAL MARKINGS .....                      | 9        |

# 1. Proposed labelling

## 1.1 Sales code label

The Sales code label will be located on the inside of the Facia cover of the secure side.

The eight sales code labels are as follows :

|                                                                                                                                                                                                    |                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| <p><b>SECURITY</b></p> <p><b>c</b>  <b>US</b></p> <p><b>LISTED</b></p> <p><b>TYPE S</b></p> <p><b>Acc ACU</b></p> | Country of Origin: UK<br>Model:<br><b>900-620BL-US</b>       |
|                                                                                                                                                                                                    | 6V DC<br>4 x 1.5V AA alkaline                                |
|                                                                                                                                                                                                    | See manual<br>ins-01030 & ins-01031<br>09.01.20              |
|                                                                                                                                                                                                    | FCC ID: USE900640<br>IC: 10217A-900640<br><b>Outdoor Use</b> |
| DoM:                                                                                                                                                                                               |                                                              |

Figure 1 - Sales Code label ils460 size is 40x25mm for model 900-620BL-US

|                                                                                                |                                                              |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| <p><b>SECURITY</b></p> <p><b>c UL US</b></p> <p><b>LISTED</b></p> <p>TYPE S</p> <p>Acc ACU</p> | Country of Origin: UK<br>Model:<br><b>900-620WT-US</b>       |
|                                                                                                | 6V DC<br>4 x 1.5V AA alkaline                                |
|                                                                                                | See manual<br>ins-01030 & ins-01031<br>09.01.20              |
|                                                                                                | FCC ID: USE900640<br>IC: 10217A-900640<br><b>Outdoor Use</b> |
| DoM:                                                                                           |                                                              |

Figure 2 - Sales Code label ils460 size is 40x25mm for model 900-620WT-US

|                                                                                                |                                                              |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| <p><b>SECURITY</b></p> <p><b>c UL US</b></p> <p><b>LISTED</b></p> <p>TYPE S</p> <p>Acc ACU</p> | Country of Origin: UK<br>Model:<br><b>900-630WT-US</b>       |
|                                                                                                | 6V DC<br>4 x 1.5V AA alkaline                                |
|                                                                                                | See manual<br>ins-01030 & ins-01031<br>09.01.20              |
|                                                                                                | FCC ID: USE900640<br>IC: 10217A-900640<br><b>Outdoor Use</b> |
| DoM:                                                                                           |                                                              |

Figure 3 - Sales Code label ils460 size is 40x25mm for model 900-630WT-US

|                                                                                              |                                                                             |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <p><b>SECURITY</b></p> <p><b>cULUS</b></p> <p><b>LISTED</b></p> <p>TYPE S</p> <p>Acc ACU</p> | <p>Country of Origin: UK</p> <p>Model:</p> <p><b>900-630BL-US</b></p>       |
|                                                                                              | <p>6V DC</p> <p>4 x 1.5V AA alkaline</p>                                    |
|                                                                                              | <p>See manual</p> <p>ins-01030 &amp; ins-01031</p> <p>09.01.20</p>          |
|                                                                                              | <p>FCC ID: USE900640</p> <p>IC: 10217A-900640</p> <p><b>Outdoor Use</b></p> |
| DoM:                                                                                         |                                                                             |

Figure 4 - Sales Code label ils460 size is 40x25mm for model 900-630BL-US

|                                                                                              |                                                                             |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <p><b>SECURITY</b></p> <p><b>cULUS</b></p> <p><b>LISTED</b></p> <p>TYPE S</p> <p>Acc ACU</p> | <p>Country of Origin: UK</p> <p>Model:</p> <p><b>900-640BL-US</b></p>       |
|                                                                                              | <p>6V DC</p> <p>4 x 1.5V AA alkaline</p>                                    |
|                                                                                              | <p>See manual</p> <p>ins-01030 &amp; ins-01031</p> <p>09.01.20</p>          |
|                                                                                              | <p>FCC ID: USE900640</p> <p>IC: 10217A-900640</p> <p><b>Outdoor Use</b></p> |
| DoM:                                                                                         |                                                                             |

Figure 5 - Sales Code label ils460 size is 40x25mm for model 900-640BL-US

|                                                                                                                                                                                      |                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| <p><b>SECURITY</b></p> <p><b>c</b>  <b>US</b></p> <p><b>LISTED</b></p> <p>TYPE S</p> <p>Acc ACU</p> | Country of Origin: UK<br>Model:<br><b>900-640WT-US</b>       |
|                                                                                                                                                                                      | 6V DC<br>4 x 1.5V AA alkaline                                |
|                                                                                                                                                                                      | See manual<br>ins-01030 & ins-01031<br>09.01.20              |
|                                                                                                                                                                                      | FCC ID: USE900640<br>IC: 10217A-900640<br><b>Outdoor Use</b> |
| DoM:                                                                                                                                                                                 |                                                              |

Figure 6 - Sales Code label ils460 size is 40x25mm for model 900-640WT-US

|                                                                                                                                                                                        |                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| <p><b>SECURITY</b></p> <p><b>c</b>  <b>US</b></p> <p><b>LISTED</b></p> <p>TYPE S</p> <p>Acc ACU</p> | Country of Origin: UK<br>Model:<br><b>900-650WT-US</b>       |
|                                                                                                                                                                                        | 6V DC<br>4 x 1.5V AA alkaline                                |
|                                                                                                                                                                                        | See manual<br>ins-01030 & ins-01031<br>09.01.20              |
|                                                                                                                                                                                        | FCC ID: USE900640<br>IC: 10217A-900640<br><b>Outdoor Use</b> |
| DoM:                                                                                                                                                                                   |                                                              |

Figure 7 - Sales Code label ils460 size is 40x25mm for model 900-650WT-US

|                                                                                                            |                                                                             |
|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <p><b>SECURITY</b></p> <p><b>cULUS</b></p> <p><b>LISTED</b></p> <p><b>TYPE S</b></p> <p><b>Acc ACU</b></p> | <p>Country of Origin: UK</p> <p>Model:</p> <p><b>900-650BL-US</b></p>       |
|                                                                                                            | <p>6V DC</p> <p>4 x 1.5V AA alkaline</p>                                    |
|                                                                                                            | <p>See manual</p> <p>ins-01030 &amp; ins-01031</p> <p>09.01.20</p>          |
|                                                                                                            | <p>FCC ID: USE900640</p> <p>IC: 10217A-900640</p> <p><b>Outdoor Use</b></p> |
| <p>DoM:</p>                                                                                                |                                                                             |

Figure 8 - Sales Code label ils460 size is 40x25mm for model 900-650BL-US

The sales code label can be placed onto the inside of the Facia cover of the secure side of the Paxlock as shown below.



## 1.1 FCC Statement & Battery conformance labelling

A label is already generated for the FCC statement part code "ils-z30b"




Figure 3 - FCC & Battery Statement Label - ils-z30b Size: 40x25mm

FCC statement will be placed inside the Plastic Fascia of the secure side of the Paxlock as shown below.



## 1.2 UL 10C External Markings



Figure 4 - Fire Label - ils-z330 Size: 30x20mm

Label on underside of unit –

NOTE RXXXXX is to denote the UL file number for the Fire rating report from UL



Figure 1 - photo of position of label on product (Print on label not correct)