

**2.14. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 9.27      | 9.78                | 10                | Pass    |



**2.15. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 693                    | 99            | 26            | 0.03      | Peak     | 9.27      | 9.76                | 10                | Pass    |



**2.16. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 668                    | 99            | 26            | 0.03      | Peak     | 9.28      | 9.88                | 10                | Pass    |



**2.17. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 9.28      | 9.85                | 10                | Pass    |





**2.18. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 693                    | 99            | 26            | 0.03      | Peak     | 9.28      | 9.7                 | 10                | Pass    |



**2.19. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 668                    | 99            | 26            | 0.03      | Peak     | 9.26      | 9.72                | 10                | Pass    |



**2.20. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 9.26      | 9.78                | 10                | Pass    |







2.22. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:133600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 668                    | 99            | 26            | 0.03      | Peak     | 9.27      | 9.73                | 10                | Pass    |



**2.23. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 9.28      | 9.71                | 10                | Pass    |



**2.24. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 693                    | 99            | 26            | 0.03      | Peak     | 9.27      | 9.75                | 10                | Pass    |



**2.25. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 670.5                  | 99            | 26            | 0.03      | Peak     | 14.08     | 14.82               | 15                | Pass    |





**2.26. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 14.09     | 14.65               | 15                | Pass    |



2.27. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 690.5                  | 99            | 26            | 0.03      | Peak     | 14.09     | 14.71               | 15                | Pass    |



**2.28. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 670.5                  | 99            | 26            | 0.03      | Peak     | 14.08     | 14.64               | 15                | Pass    |



**2.29. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 14.07     | 14.66               | 15                | Pass    |





**2.30. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 690.5                  | 99            | 26            | 0.03      | Peak     | 14.09     | 14.62               | 15                | Pass    |



**2.31. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 670.5                  | 99            | 26            | 0.03      | Peak     | 14.09     | 14.56               | 15                | Pass    |



**2.32. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 14.08     | 14.54               | 15                | Pass    |



**2.33. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 690.5                  | 99            | 26            | 0.03      | Peak     | 14.1      | 14.57               | 15                | Pass    |





**2.34. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 670.5                  | 99            | 26            | 0.03      | Peak     | 14.09     | 14.6                | 15                | Pass    |



**2.35. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 14.08     | 14.59               | 15                | Pass    |



**2.36. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 690.5                  | 99            | 26            | 0.03      | Peak     | 14.09     | 14.66               | 15                | Pass    |



**2.37. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 673                    | 99            | 26            | 0.03      | Peak     | 18.88     | 20.77               | 20                | Pass    |





2.38. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 18.9      | 19.5                | 20                | Pass    |



**2.39. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 688                    | 99            | 26            | 0.03      | Peak     | 18.91     | 19.52               | 20                | Pass    |



2.40. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 673                    | 99            | 26            | 0.03      | Peak     | 18.92     | 19.53               | 20                | Pass    |



2.41. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 18.89     | 19.52               | 20                | Pass    |





2.42. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 688                    | 99            | 26            | 0.03      | Peak     | 18.9      | 19.52               | 20                | Pass    |



**2.43. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 673                    | 99            | 26            | 0.03      | Peak     | 18.88     | 19.4                | 20                | Pass    |



**2.44. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 18.89     | 19.43               | 20                | Pass    |



2.45. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 688                    | 99            | 26            | 0.03      | Peak     | 18.89     | 19.47               | 20                | Pass    |





2.46. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 673                    | 99            | 26            | 0.03      | Peak     | 18.89     | 19.5                | 20                | Pass    |



2.47. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 680.5                  | 99            | 26            | 0.03      | Peak     | 18.9      | 19.47               | 20                | Pass    |




2.48. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 688                    | 99            | 26            | 0.03      | Peak     | 18.93     | 19.46               | 20                | Pass    |



## 1. n77 30kHz(3450-3550)


1.1. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)






**1.2. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 0.03      | Peak     | 18.16     | 19.17               | 20                | Pass    |




**1.3. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3540                   | 99            | 26            | 0.03      | Peak     | 18.18     | 19.28               | 20                | Pass    |




**1.4. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3460.02                | 99            | 26            | 0.03      | Peak     | 18.18     | 19.76               | 20                | Pass    |



**1.5. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 0.03      | Peak     | 18.18     | 19.03               | 20                | Pass    |






**1.6. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3540                   | 99            | 26            | 0.03      | Peak     | 18.17     | 19.32               | 20                | Pass    |




**1.7. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**




**1.8. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 0.03      | Peak     | 18.2      | 19.06               | 20                | Pass    |



**1.9. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3540                   | 99            | 26            | 0.03      | Peak     | 18.2      | 19.49               | 20                | Pass    |






**1.10. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3460.02                | 99            | 26            | 0.03      | Peak     | 18.17     | 19.05               | 20                | Pass    |




**1.11. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 0.03      | Peak     | 18.18     | 19                  | 20                | Pass    |




**1.12. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3540                   | 99            | 26            | 0.03      | Peak     | 18.17     | 18.97               | 20                | Pass    |




**1.33. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3465                   | 99            | 26            | 1         | Peak     | 28.42     | 40.86               | 30                | Pass    |




**1.34. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

| Center<br>Frequency (MHz) | OBW<br>Power (%) | XdB<br>Down (dB) | RBW<br>(MHz) | Detector | OBW<br>(MHz) | XdB<br>Bandwidth (MHz) | Upper<br>Limit (MHz) | Verdict |
|---------------------------|------------------|------------------|--------------|----------|--------------|------------------------|----------------------|---------|
| 3499.98                   | 99               | 26               | 1            | Peak     | 28.28        | 36.24                  | 30                   | Pass    |






**1.35. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**




**1.36. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3465                   | 99            | 26            | 1         | Peak     | 28.55     | 40.24               | 30                | Pass    |




**1.37. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 28.33     | 39.11               | 30                | Pass    |




**1.38. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)**




**1.39. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3465                   | 99            | 26            | 1         | Peak     | 28.47     | 41.44               | 30                | Pass    |






**1.40. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**




**1.41. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3534.99                | 99            | 26            | 1         | Peak     | 28.44     | 37.53               | 30                | Pass    |




**1.42. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3465                   | 99            | 26            | 1         | Peak     | 28.45     | 40.11               | 30                | Pass    |




**1.43. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 28.33     | 36.68               | 30                | Pass    |



**1.44. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3534.99                | 99            | 26            | 1         | Peak     | 28.35     | 37.88               | 30                | Pass    |






**1.46. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3470.01                | 99            | 26            | 1         | Peak     | 38.17     | 47.62               | 40                | Pass    |




**1.47. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 38.09     | 43.87               | 40                | Pass    |




**1.48. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3529.98                | 99            | 26            | 1         | Peak     | 37.98     | 42.63               | 40                | Pass    |




**1.49. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3470.01                | 99            | 26            | 1         | Peak     | 38.44     | 52.06               | 40                | Pass    |




**1.50. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 38.3      | 48.34               | 40                | Pass    |



**1.51. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3529.98                | 99            | 26            | 1         | Peak     | 38.4      | 51.81               | 40                | Pass    |






**1.52. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3470.01                | 99            | 26            | 1         | Peak     | 38.4      | 55.85               | 40                | Pass    |




**1.53. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 38.2      | 48.69               | 40                | Pass    |




**1.54. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3529.98                | 99            | 26            | 1         | Peak     | 38.15     | 43.36               | 40                | Pass    |




**1.55. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3470.01                | 99            | 26            | 1         | Peak     | 38.29     | 50.04               | 40                | Pass    |




**1.56. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 38.21     | 48.87               | 40                | Pass    |




**1.57. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3529.98                | 99            | 26            | 1         | Peak     | 38.17     | 46.24               | 40                | Pass    |






**1.13. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**




**1.14. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 58.09     | 68.67               | 60                | Pass    |




**1.15. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**




**1.16. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3480                   | 99            | 26            | 1         | Peak     | 58.15     | 71.12               | 60                | Pass    |




**1.17. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 58.19     | 70.61               | 60                | Pass    |




**1.18. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**






**1.19. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**




**1.20. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 58.11     | 71.91               | 60                | Pass    |




**1.21. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3519.99                | 99            | 26            | 1         | Peak     | 58.1      | 71.69               | 60                | Pass    |




**1.22. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3480                   | 99            | 26            | 1         | Peak     | 57.76     | 64.29               | 60                | Pass    |




**1.23. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 57.82     | 65.32               | 60                | Pass    |




**1.24. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3519.99                | 99            | 26            | 1         | Peak     | 57.79     | 65.52               | 60                | Pass    |



**1.58. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3490.02                | 99            | 26            | 1         | Peak     | 77.52     | 83.77               | 80                | Pass    |






**1.59. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 77.44     | 84.28               | 80                | Pass    |




**1.60. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3510                   | 99            | 26            | 1         | Peak     | 77.54     | 85.84               | 80                | Pass    |




**1.61. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3490.02                | 99            | 26            | 1         | Peak     | 77.42     | 84.69               | 80                | Pass    |




**1.62. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 77.43     | 84.13               | 80                | Pass    |




**1.63. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3510                   | 99            | 26            | 1         | Peak     | 77.42     | 84.29               | 80                | Pass    |




**1.64. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3490.02                | 99            | 26            | 1         | Peak     | 77.45     | 87.45               | 80                | Pass    |



**1.65. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 77.47     | 87.31               | 80                | Pass    |






**1.66. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3510                   | 99            | 26            | 1         | Peak     | 77.46     | 84.86               | 80                | Pass    |




**1.67. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3490.02                | 99            | 26            | 1         | Peak     | 77.57     | 91.92               | 80                | Pass    |




**1.68. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 77.48     | 84.48               | 80                | Pass    |




**1.69. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3510                   | 99            | 26            | 1         | Peak     | 77.48     | 85.65               | 80                | Pass    |




**1.25. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 97.32     | 112.21              | 100               | Pass    |




**1.26. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 97.28     | 107.32              | 100               | Pass    |



**1.27. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 97.19     | 105.26              | 100               | Pass    |






**1.28. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 97.38     | 106.46              | 100               | Pass    |




## 1. n77 30kHz(3700-3980)


1.1. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)



**1.2. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**




**1.3. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**




**1.4. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3710.01                | 99            | 26            | 0.03      | Peak     | 18.19     | 19.08               | 20                | Pass    |




**1.5. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 0.03      | Peak     | 18.15     | 18.89               | 20                | Pass    |



**1.6. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3969.99                | 99            | 26            | 0.03      | Peak     | 18.17     | 19.44               | 20                | Pass    |






**1.7. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3710.01                | 99            | 26            | 0.03      | Peak     | 18.18     | 19.76               | 20                | Pass    |



**1.8. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**




**1.9. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**




**1.10. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3710.01                | 99            | 26            | 0.03      | Peak     | 18.16     | 19.47               | 20                | Pass    |




**1.11. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 0.03      | Peak     | 18.16     | 18.9                | 20                | Pass    |




**1.12. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3969.99                | 99            | 26            | 0.03      | Peak     | 18.14     | 18.97               | 20                | Pass    |



**1.14. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**




**1.15. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**






**1.16. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3964.98                | 99            | 26            | 1         | Peak     | 28.36     | 44.42               | 30                | Pass    |




**1.17. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)**




**1.18. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)**

| Center<br>Frequency (MHz) | OBW<br>Power (%) | XdB<br>Down (dB) | RBW<br>(MHz) | Detecto<br>r | OBW<br>(MHz) | XdB<br>Bandwidth (MHz) | Upper<br>Limit (MHz) | Verdict |
|---------------------------|------------------|------------------|--------------|--------------|--------------|------------------------|----------------------|---------|
| 3840                      | 99               | 26               | 1            | Peak         | 28.56        | 41.38                  | 30                   | Pass    |




**1.19. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3964.98                | 99            | 26            | 1         | Peak     | 28.58     | 43.25               | 30                | Pass    |




**1.20. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3715.02                | 99            | 26            | 1         | Peak     | 28.37     | 38                  | 30                | Pass    |




**1.21. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**




**1.22. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3964.98                | 99            | 26            | 1         | Peak     | 28.37     | 38.65               | 30                | Pass    |



**1.23. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3715.02                | 99            | 26            | 1         | Peak     | 28.36     | 35.94               | 30                | Pass    |






**1.24. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 1         | Peak     | 28.39     | 37.58               | 30                | Pass    |




**1.25. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3964.98                | 99            | 26            | 1         | Peak     | 28.38     | 37.02               | 30                | Pass    |



**1.26. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**




**1.27. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**




**1.28. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3960                   | 99            | 26            | 1         | Peak     | 38.12     | 45.32               | 40                | Pass    |




**1.29. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3720                   | 99            | 26            | 1         | Peak     | 38.43     | 50.32               | 40                | Pass    |




**1.30. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 1         | Peak     | 38.39     | 50.53               | 40                | Pass    |




**1.31. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**






**1.32. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3720                   | 99            | 26            | 1         | Peak     | 38.19     | 45.71               | 40                | Pass    |




**1.33. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 1         | Peak     | 38.18     | 45.39               | 40                | Pass    |




**1.34. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3960                   | 99            | 26            | 1         | Peak     | 38.18     | 47.44               | 40                | Pass    |




**1.35. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3720                   | 99            | 26            | 1         | Peak     | 38.24     | 50.08               | 40                | Pass    |




**1.36. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 1         | Peak     | 38.25     | 51.83               | 40                | Pass    |




**1.37. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3960                   | 99            | 26            | 1         | Peak     | 38.24     | 48.59               | 40                | Pass    |




**1.38. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3730.02                | 99            | 26            | 1         | Peak     | 57.84     | 67.24               | 60                | Pass    |




**1.39. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**






**1.40. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3949.98                | 99            | 26            | 1         | Peak     | 57.86     | 64.31               | 60                | Pass    |




**1.41. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3730.02                | 99            | 26            | 1         | Peak     | 58.02     | 70.94               | 60                | Pass    |



**1.42. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**




**1.43. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**




**1.44. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3730.02                | 99            | 26            | 1         | Peak     | 57.8      | 63.66               | 60                | Pass    |




**1.45. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 1         | Peak     | 57.8      | 68.18               | 60                | Pass    |




**1.46. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3949.98                | 99            | 26            | 1         | Peak     | 57.87     | 74.41               | 60                | Pass    |



**1.47. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3730.02                | 99            | 26            | 1         | Peak     | 58.16     | 69.54               | 60                | Pass    |






**1.48. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 1         | Peak     | 58.07     | 66.07               | 60                | Pass    |




**1.49. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3949.98                | 99            | 26            | 1         | Peak     | 58.1      | 68.35               | 60                | Pass    |




**1.50. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3740.01                | 99            | 26            | 1         | Peak     | 77.6      | 88.89               | 80                | Pass    |




**1.51. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 1         | Peak     | 77.4      | 82.58               | 80                | Pass    |




**1.52. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**




**1.53. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3740.01                | 99            | 26            | 1         | Peak     | 77.49     | 86.69               | 80                | Pass    |




**1.54. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 1         | Peak     | 77.63     | 89.07               | 80                | Pass    |



**1.55. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3939.99                | 99            | 26            | 1         | Peak     | 77.45     | 87.37               | 80                | Pass    |






**1.56. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3740.01                | 99            | 26            | 1         | Peak     | 77.5      | 83.68               | 80                | Pass    |




**1.57. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 1         | Peak     | 77.49     | 88.44               | 80                | Pass    |




**1.58. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3939.99                | 99            | 26            | 1         | Peak     | 77.47     | 85.19               | 80                | Pass    |




**1.59. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3740.01                | 99            | 26            | 1         | Peak     | 77.57     | 89.19               | 80                | Pass    |




**1.60. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 1         | Peak     | 77.53     | 89.95               | 80                | Pass    |




**1.61. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3939.99                | 99            | 26            | 1         | Peak     | 77.51     | 83.79               | 80                | Pass    |



**1.62. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**




**1.63. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**






**1.64. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**




**1.65. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3750                   | 99            | 26            | 1         | Peak     | 97.43     | 109.79              | 100               | Pass    |




**1.66. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3840                   | 99            | 26            | 1         | Peak     | 97.29     | 108.98              | 100               | Pass    |




**1.67. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)**



1.68. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)




**1.69. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)**




**1.70. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3930                   | 99            | 26            | 1         | Peak     | 97.38     | 108.09              | 100               | Pass    |




**1.71. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)**






**1.72. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)**




**1.73. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)**




## 7. n78 30kHz(3450-3550)

7.1. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




**7.2. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 0.03      | Peak     | 18.17     | 19.69               | 20                | Pass    |




**7.3. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3540                   | 99            | 26            | 0.03      | Peak     | 18.16     | 19.72               | 20                | Pass    |




**7.4. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3460.02                | 99            | 26            | 0.03      | Peak     | 18.19     | 18.99               | 20                | Pass    |




**7.5. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 0.03      | Peak     | 18.16     | 19.71               | 20                | Pass    |




**7.6. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3540                   | 99            | 26            | 0.03      | Peak     | 18.16     | 19.95               | 20                | Pass    |






**7.7. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**




**7.8. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 0.03      | Peak     | 18.18     | 19.26               | 20                | Pass    |




**7.9. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3540                   | 99            | 26            | 0.03      | Peak     | 18.18     | 20.02               | 20                | Pass    |




**7.10. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3460.02                | 99            | 26            | 0.03      | Peak     | 18.16     | 19.72               | 20                | Pass    |




**7.11. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 0.03      | Peak     | 18.16     | 18.98               | 20                | Pass    |




**7.12. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**




**7.40. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3465                   | 99            | 26            | 1         | Peak     | 28.29     | 40.11               | 30                | Pass    |



**7.41. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 28.51     | 38.96               | 30                | Pass    |






**7.42. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3534.99                | 99            | 26            | 1         | Peak     | 28.42     | 39.53               | 30                | Pass    |




**7.43. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3465                   | 99            | 26            | 1         | Peak     | 28.65     | 42.74               | 30                | Pass    |




**7.44. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 28.6      | 41.79               | 30                | Pass    |




**7.45. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3534.99                | 99            | 26            | 1         | Peak     | 28.36     | 39.36               | 30                | Pass    |




**7.46. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3465                   | 99            | 26            | 1         | Peak     | 28.5      | 38.27               | 30                | Pass    |




**7.47. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 28.39     | 36.94               | 30                | Pass    |




**7.48. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**



**7.49. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3465                   | 99            | 26            | 1         | Peak     | 28.36     | 37.95               | 30                | Pass    |






**7.50. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 28.39     | 36.11               | 30                | Pass    |




**7.51. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3534.99                | 99            | 26            | 1         | Peak     | 28.42     | 41.6                | 30                | Pass    |



**7.52. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3470.01                | 99            | 26            | 1         | Peak     | 38.27     | 49.56               | 40                | Pass    |






**7.54. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3529.98                | 99            | 26            | 1         | Peak     | 38        | 42.05               | 40                | Pass    |




**7.55. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3470.01                | 99            | 26            | 1         | Peak     | 38.39     | 48.98               | 40                | Pass    |




**7.56. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 38.24     | 46.47               | 40                | Pass    |



**7.57. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3529.98                | 99            | 26            | 1         | Peak     | 38.19     | 44.79               | 40                | Pass    |





7.58. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3470.01                | 99            | 26            | 1         | Peak     | 38.2      | 49.25               | 40                | Pass    |






**7.60. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3529.98                | 99            | 26            | 1         | Peak     | 38.16     | 43.27               | 40                | Pass    |




**7.61. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3470.01                | 99            | 26            | 1         | Peak     | 38.23     | 50.54               | 40                | Pass    |




**7.62. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 38.26     | 50                  | 40                | Pass    |




**7.63. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3529.98                | 99            | 26            | 1         | Peak     | 38.24     | 50.53               | 40                | Pass    |




**7.13. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3475.02                | 99            | 26            | 1         | Peak     | 47.66     | 55.39               | 50                | Pass    |




**7.14. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 47.69     | 54.9                | 50                | Pass    |






**7.15. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**




**7.16. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3475.02                | 99            | 26            | 1         | Peak     | 47.92     | 69.02               | 50                | Pass    |




**7.17. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)**




**7.18. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3525                   | 99            | 26            | 1         | Peak     | 47.75     | 57.41               | 50                | Pass    |




**7.19. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3475.02                | 99            | 26            | 1         | Peak     | 47.6      | 54.21               | 50                | Pass    |




**7.20. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 47.82     | 55.06               | 50                | Pass    |




**7.21. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3525                   | 99            | 26            | 1         | Peak     | 47.68     | 52.68               | 50                | Pass    |



**7.22. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3475.02                | 99            | 26            | 1         | Peak     | 47.83     | 62.51               | 50                | Pass    |






**7.23. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 47.73     | 56.54               | 50                | Pass    |




**7.24. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3525                   | 99            | 26            | 1         | Peak     | 47.65     | 56.93               | 50                | Pass    |




**7.25. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3480                   | 99            | 26            | 1         | Peak     | 57.89     | 66.5                | 60                | Pass    |




**7.26. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 57.85     | 71.39               | 60                | Pass    |




**7.27. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3519.99                | 99            | 26            | 1         | Peak     | 57.93     | 71.31               | 60                | Pass    |




**7.28. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3480                   | 99            | 26            | 1         | Peak     | 57.98     | 74.74               | 60                | Pass    |




**7.29. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 57.94     | 68                  | 60                | Pass    |




**7.30. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**






**7.31. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3480                   | 99            | 26            | 1         | Peak     | 57.9      | 69.58               | 60                | Pass    |




**7.32. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 57.83     | 68.87               | 60                | Pass    |




**7.33. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3519.99                | 99            | 26            | 1         | Peak     | 57.87     | 69.52               | 60                | Pass    |




**1.1. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**



**1.2. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**




**1.3. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**




**7.64. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3485.01                | 99            | 26            | 1         | Peak     | 67.55     | 77.83               | 70                | Pass    |



**7.65. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 67.58     | 85.59               | 70                | Pass    |






**7.66. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3514.98                | 99            | 26            | 1         | Peak     | 67.52     | 83.96               | 70                | Pass    |




**7.67. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3485.01                | 99            | 26            | 1         | Peak     | 67.6      | 80.2                | 70                | Pass    |




**7.68. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 67.6      | 80.8                | 70                | Pass    |




**7.69. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3514.98                | 99            | 26            | 1         | Peak     | 67.53     | 76.13               | 70                | Pass    |




**7.70. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3485.01                | 99            | 26            | 1         | Peak     | 67.94     | 86.78               | 70                | Pass    |




**7.71. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 67.52     | 79.5                | 70                | Pass    |




**7.72. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3514.98                | 99            | 26            | 1         | Peak     | 67.51     | 81.13               | 70                | Pass    |



**7.73. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3485.01                | 99            | 26            | 1         | Peak     | 67.4      | 78.13               | 70                | Pass    |






**7.74. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 67.43     | 81.01               | 70                | Pass    |




**7.75. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3514.98                | 99            | 26            | 1         | Peak     | 67.36     | 76.67               | 70                | Pass    |




**7.76. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3490.02                | 99            | 26            | 1         | Peak     | 77.52     | 88.23               | 80                | Pass    |




**7.77. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 77.56     | 83.39               | 80                | Pass    |




**7.78. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3510                   | 99            | 26            | 1         | Peak     | 77.5      | 83                  | 80                | Pass    |




**7.79. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3490.02                | 99            | 26            | 1         | Peak     | 77.62     | 91.62               | 80                | Pass    |




**7.80. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 77.5      | 87.25               | 80                | Pass    |



**7.81. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3510                   | 99            | 26            | 1         | Peak     | 77.53     | 88.28               | 80                | Pass    |






**7.82. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3490.02                | 99            | 26            | 1         | Peak     | 77.62     | 88.8                | 80                | Pass    |




**7.83. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 77.51     | 82.31               | 80                | Pass    |




**7.84. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3510                   | 99            | 26            | 1         | Peak     | 77.46     | 81.75               | 80                | Pass    |




**7.85. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3490.02                | 99            | 26            | 1         | Peak     | 77.58     | 84.39               | 80                | Pass    |




**7.86. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 77.57     | 83.94               | 80                | Pass    |




**7.87. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3510                   | 99            | 26            | 1         | Peak     | 77.53     | 83.5                | 80                | Pass    |




7.88. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3495                   | 99            | 26            | 1         | Peak     | 87.38     | 100.02              | 90                | Pass    |




**7.89. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)**






**7.90. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3504.99                | 99            | 26            | 1         | Peak     | 87.43     | 98.62               | 90                | Pass    |




**7.91. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3495                   | 99            | 26            | 1         | Peak     | 87.78     | 99.96               | 90                | Pass    |




**7.92. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 87.72     | 98.32               | 90                | Pass    |




**7.93. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3504.99                | 99            | 26            | 1         | Peak     | 87.68     | 98.82               | 90                | Pass    |




**7.94. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3495                   | 99            | 26            | 1         | Peak     | 87.62     | 97.91               | 90                | Pass    |




7.95. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 87.66     | 104.51              | 90                | Pass    |




**7.96. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3504.99                | 99            | 26            | 1         | Peak     | 87.55     | 100.45              | 90                | Pass    |



**7.97. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3495                   | 99            | 26            | 1         | Peak     | 87.52     | 96.22               | 90                | Pass    |






**7.98. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 87.44     | 96.82               | 90                | Pass    |




**7.99. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3504.99                | 99            | 26            | 1         | Peak     | 87.57     | 99.96               | 90                | Pass    |




**7.36. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 97.18     | 106.73              | 100               | Pass    |




**7.37. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 97.39     | 109.19              | 100               | Pass    |




**7.38. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3499.98                | 99            | 26            | 1         | Peak     | 97.42     | 106.22              | 100               | Pass    |




**7.39. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)**




## 2. n78 30kHz(3700-3800)

2.1. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)




**2.2. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**






**2.3. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**




**2.4. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3710.01                | 99            | 26            | 0.03      | Peak     | 18.21     | 19.44               | 20                | Pass    |




**2.5. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3750                   | 99            | 26            | 0.03      | Peak     | 18.2      | 18.99               | 20                | Pass    |




**2.6. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3789.99                | 99            | 26            | 0.03      | Peak     | 18.19     | 19.16               | 20                | Pass    |




**2.7. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**




**2.8. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**



**2.9. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)**




**2.10. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**






**2.11. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3750                   | 99            | 26            | 0.03      | Peak     | 18.18     | 19.07               | 20                | Pass    |




**2.12. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3789.99                | 99            | 26            | 0.03      | Peak     | 18.17     | 19.09               | 20                | Pass    |



**2.97. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**




**2.98. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**




**2.99. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3784.98                | 99            | 26            | 1         | Peak     | 28.34     | 37.49               | 30                | Pass    |



**2.100. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)**




2.101. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)




**2.102. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3784.98                | 99            | 26            | 1         | Peak     | 28.46     | 40.12               | 30                | Pass    |






**2.103. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**




**2.104. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**




**2.105. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3784.98                | 99            | 26            | 1         | Peak     | 28.39     | 40.15               | 30                | Pass    |




**2.106. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3715.02                | 99            | 26            | 1         | Peak     | 28.37     | 35.67               | 30                | Pass    |




2.107. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)




**2.108. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)**



**2.13. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**




**2.14. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**






**2.15. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**




**2.16. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3720                   | 99            | 26            | 1         | Peak     | 38.35     | 47.75               | 40                | Pass    |




**2.17. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**




**2.18. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3780                   | 99            | 26            | 1         | Peak     | 38.29     | 47.54               | 40                | Pass    |




**2.19. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**




**2.20. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3750                   | 99            | 26            | 1         | Peak     | 38.29     | 53.7                | 40                | Pass    |




**2.21. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**




**2.22. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3720                   | 99            | 26            | 1         | Peak     | 38.37     | 49.87               | 40                | Pass    |






**2.23. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**




**2.24. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**




**2.25. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3725.01                | 99            | 26            | 1         | Peak     | 47.61     | 58.32               | 50                | Pass    |




**2.26. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**



**2.27. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**




**2.28. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)**




**2.29. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3750                   | 99            | 26            | 1         | Peak     | 47.75     | 59.44               | 50                | Pass    |



**2.30. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3774.99                | 99            | 26            | 1         | Peak     | 47.78     | 59.38               | 50                | Pass    |






**2.31. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3725.01                | 99            | 26            | 1         | Peak     | 47.83     | 61.88               | 50                | Pass    |




**2.32. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)**




**2.33. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3774.99                | 99            | 26            | 1         | Peak     | 47.85     | 60.49               | 50                | Pass    |




**2.34. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3725.01                | 99            | 26            | 1         | Peak     | 47.74     | 58.32               | 50                | Pass    |




**2.35. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3750                   | 99            | 26            | 1         | Peak     | 47.74     | 56.75               | 50                | Pass    |




**2.36. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3774.99                | 99            | 26            | 1         | Peak     | 47.74     | 57.18               | 50                | Pass    |



**2.37. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**




**2.38. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**






**2.39. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)**




**2.40. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3730.02                | 99            | 26            | 1         | Peak     | 58.21     | 72.87               | 60                | Pass    |




**2.41. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3750                   | 99            | 26            | 1         | Peak     | 58.19     | 75.81               | 60                | Pass    |




**2.42. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)**




**2.43. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3730.02                | 99            | 26            | 1         | Peak     | 58.11     | 72.42               | 60                | Pass    |




**2.44. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**




**2.45. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3769.98                | 99            | 26            | 1         | Peak     | 58.09     | 69.29               | 60                | Pass    |




**2.46. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3730.02                | 99            | 26            | 1         | Peak     | 57.81     | 66.21               | 60                | Pass    |






**2.47. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**




**2.48. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3769.98                | 99            | 26            | 1         | Peak     | 57.81     | 67.22               | 60                | Pass    |




**2.109. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)**




2.110. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)




2.111. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)




2.112. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)



2.113. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)




2.114. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)







2.115. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)




2.116. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)




2.117. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)



2.118. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)




2.119. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)




**2.120. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3765                   | 99            | 26            | 1         | Peak     | 67.32     | 77.31               | 70                | Pass    |



**2.49. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**




**2.50. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**






**2.51. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3759.99                | 99            | 26            | 1         | Peak     | 77.56     | 91.55               | 80                | Pass    |




**2.52. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3740.01                | 99            | 26            | 1         | Peak     | 77.57     | 88.99               | 80                | Pass    |




**2.53. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3750                   | 99            | 26            | 1         | Peak     | 77.57     | 89.84               | 80                | Pass    |




**2.54. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3759.99                | 99            | 26            | 1         | Peak     | 77.55     | 91.78               | 80                | Pass    |




**2.55. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3740.01                | 99            | 26            | 1         | Peak     | 77.73     | 90.31               | 80                | Pass    |




**2.56. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3750                   | 99            | 26            | 1         | Peak     | 77.72     | 91.03               | 80                | Pass    |




**2.57. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3759.99                | 99            | 26            | 1         | Peak     | 77.71     | 94.21               | 80                | Pass    |




**2.58. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3740.01                | 99            | 26            | 1         | Peak     | 77.53     | 88.4                | 80                | Pass    |






**2.59. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**




**2.60. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3759.99                | 99            | 26            | 1         | Peak     | 77.47     | 88.94               | 80                | Pass    |




**2.61. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3745.02                | 99            | 26            | 1         | Peak     | 87.51     | 94.29               | 90                | Pass    |




**2.62. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)**




**2.63. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3754.98                | 99            | 26            | 1         | Peak     | 87.51     | 96.55               | 90                | Pass    |




**2.64. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3745.02                | 99            | 26            | 1         | Peak     | 87.5      | 99.43               | 90                | Pass    |




**2.65. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3750                   | 99            | 26            | 1         | Peak     | 87.5      | 103.91              | 90                | Pass    |




**2.66. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)**

| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3754.98                | 99            | 26            | 1         | Peak     | 87.51     | 103.52              | 90                | Pass    |






**2.67. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)**




2.68. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)




**2.69. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)**


| Center Frequency (MHz) | OBW Power (%) | XdB Down (dB) | RBW (MHz) | Detector | OBW (MHz) | XdB Bandwidth (MHz) | Upper Limit (MHz) | Verdict |
|------------------------|---------------|---------------|-----------|----------|-----------|---------------------|-------------------|---------|
| 3754.98                | 99            | 26            | 1         | Peak     | 87.44     | 98.25               | 90                | Pass    |




**2.70. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)**




**2.71. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)**




**2.72. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)**



**2.73. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**




**2.74. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)**






**2.75. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)**



**2.76. Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)**



--BLANK BELOW--