



3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.62	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.98	-25	Pass	2986
30	1000	0.1	RMS	853.003	-59.7	-25	Pass	9701
1000	2560	1	RMS	2560	-42.08	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.93	60	Pass	401
2630	3000	1	RMS	2950.05	-44.72	-25	Pass	401
3000	12000	1	RMS	11853	-47.21	-25	Pass	9002
12000	26500	1	RMS	26007	-42.52	-25	Pass	14502




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-67.94	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.85	-25	Pass	2986
30	1000	0.1	RMS	835.1	-59.72	-25	Pass	9701
1000	2560	1	RMS	2559	-41.32	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.06	60	Pass	401
2630	3000	1	RMS	2959.3	-44.73	-25	Pass	401
3000	12000	1	RMS	11852	-47.2	-25	Pass	9002
12000	26500	1	RMS	25992	-42.55	-25	Pass	14502




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.11	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.78	-25	Pass	2986
30	1000	0.1	RMS	845.7	-59.44	-25	Pass	9701
1000	2560	1	RMS	2559	-45.27	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.52	60	Pass	401
2630	3000	1	RMS	2959.3	-44.72	-25	Pass	401
3000	12000	1	RMS	11851	-47.22	-25	Pass	9002
12000	26500	1	RMS	26001	-42.62	-25	Pass	14502




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.6	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.8	-25	Pass	2986
30	1000	0.1	RMS	845.9	-59.51	-25	Pass	9701
1000	2560	1	RMS	2560	-45.47	-25	Pass	1561
2560	2630	1	RMS	2588.175	22.47	60	Pass	401
2630	3000	1	RMS	2948.2	-44.69	-25	Pass	401
3000	12000	1	RMS	11851	-47.21	-25	Pass	9002
12000	26500	1	RMS	26001	-42.54	-25	Pass	14502




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.85	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.64	-25	Pass	2986
30	1000	0.1	RMS	848.8	-59.68	-25	Pass	9701
1000	2560	1	RMS	2555	-46.07	-25	Pass	1561
2560	2630	1	RMS	2605.85	23.27	60	Pass	401
2630	3000	1	RMS	2953.75	-44.72	-25	Pass	401
3000	12000	1	RMS	11851	-47.14	-25	Pass	9002
12000	26500	1	RMS	26000	-42.38	-25	Pass	14502




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.01	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.87	-25	Pass	2986
30	1000	0.1	RMS	844.3	-59.75	-25	Pass	9701
1000	2560	1	RMS	2560	-45.79	-25	Pass	1561
2560	2630	1	RMS	2605.85	22.22	60	Pass	401
2630	3000	1	RMS	2952.825	-44.7	-25	Pass	401
3000	12000	1	RMS	11851	-47.22	-25	Pass	9002
12000	26500	1	RMS	25996	-42.66	-25	Pass	14502




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.22	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.81	-25	Pass	2986
30	1000	0.1	RMS	834	-59.73	-25	Pass	9701
1000	2560	1	RMS	2560	-40.87	-25	Pass	1561
2560	2630	1	RMS	2571.025	23.32	60	Pass	401
2630	3000	1	RMS	2951.9	-44.69	-25	Pass	401
3000	12000	1	RMS	11850	-47.21	-25	Pass	9002
12000	26500	1	RMS	25995	-42.55	-25	Pass	14502




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.25	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.08	-25	Pass	2986
30	1000	0.1	RMS	869.614	-59.64	-25	Pass	9701
1000	2560	1	RMS	2559	-42.31	-25	Pass	1561
2560	2630	1	RMS	2571.025	21.82	60	Pass	401
2630	3000	1	RMS	2957.45	-44.71	-25	Pass	401
3000	12000	1	RMS	11853	-47.21	-25	Pass	9002
12000	26500	1	RMS	26003	-42.49	-25	Pass	14502




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.7	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.93	-25	Pass	2986
30	1000	0.1	RMS	846.9	-59.44	-25	Pass	9701
1000	2560	1	RMS	2560	-44.42	-25	Pass	1561
2560	2630	1	RMS	2585.9	23.63	60	Pass	401
2630	3000	1	RMS	2954.675	-44.71	-25	Pass	401
3000	12000	1	RMS	11849	-47.14	-25	Pass	9002
12000	26500	1	RMS	25998	-42.52	-25	Pass	14502




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.34	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.88	-25	Pass	2986
30	1000	0.1	RMS	852.502	-59.64	-25	Pass	9701
1000	2560	1	RMS	2560	-44.65	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.6	60	Pass	401
2630	3000	1	RMS	2948.2	-44.69	-25	Pass	401
3000	12000	1	RMS	11848	-47.16	-25	Pass	9002
12000	26500	1	RMS	25996	-42.53	-25	Pass	14502




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.8	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.25	-25	Pass	2986
30	1000	0.1	RMS	844.3	-59.63	-25	Pass	9701
1000	2560	1	RMS	2558	-45.93	-25	Pass	1561
2560	2630	1	RMS	2601.125	22.94	60	Pass	401
2630	3000	1	RMS	2954.675	-44.68	-25	Pass	401
3000	12000	1	RMS	11851	-47.18	-25	Pass	9002
12000	26500	1	RMS	26003	-42.64	-25	Pass	14502



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.06	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.7	-25	Pass	2986
30	1000	0.1	RMS	842	-59.7	-25	Pass	9701
1000	2560	1	RMS	2559	-45.72	-25	Pass	1561
2560	2630	1	RMS	2601.125	21.98	60	Pass	401
2630	3000	1	RMS	2944.5	-44.7	-25	Pass	401
3000	12000	1	RMS	11850	-47.21	-25	Pass	9002
12000	26500	1	RMS	26000	-42.44	-25	Pass	14502



4. LTE_Band41 full


4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.31	-25	Pass	2986
30	1000	0.1	RMS	869.313	-59.6	-25	Pass	9701
1000	2486	1	RMS	2485	-43.11	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.01	60	Pass	401
2700	3000	1	RMS	2954.25	-44.69	-25	Pass	401
3000	12000	1	RMS	11850	-57.2	-25	Pass	9002
12000	27000	1	RMS	26008	-42.29	-25	Pass	15002




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.13	-25	Pass	2986
30	1000	0.1	RMS	856.905	-59.6	-25	Pass	9701
1000	2486	1	RMS	2486	-42.43	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.51	60	Pass	401
2700	3000	1	RMS	2946.75	-44.65	-25	Pass	401
3000	12000	1	RMS	11849	-57.28	-25	Pass	9002
12000	27000	1	RMS	26002	-42.15	-25	Pass	15002




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.82	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.94	-25	Pass	2986
30	1000	0.1	RMS	849.901	-59.61	-25	Pass	9701
1000	2486	1	RMS	2482	-46.4	-25	Pass	1487
2486	2700	1	RMS	2590.325	23.74	60	Pass	401
2700	3000	1	RMS	2950.5	-44.69	-25	Pass	401
3000	12000	1	RMS	11846	-57.21	-25	Pass	9002
12000	27000	1	RMS	25997	-42.19	-25	Pass	15002




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-25	Pass	2986
30	1000	0.1	RMS	848.6	-59.66	-25	Pass	9701
1000	2486	1	RMS	2482	-46.46	-25	Pass	1487
2486	2700	1	RMS	2590.325	23.65	60	Pass	401
2700	3000	1	RMS	2957.25	-44.76	-25	Pass	401
3000	12000	1	RMS	11840	-57.23	-25	Pass	9002
12000	27000	1	RMS	26002	-42.22	-25	Pass	15002




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.82	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.18	-25	Pass	2986
30	1000	0.1	RMS	724.6	-59.08	-25	Pass	9701
1000	2486	1	RMS	2484	-46.53	-25	Pass	1487
2486	2700	1	RMS	2685.02	24.06	60	Pass	401
2700	3000	1	RMS	2700	-43.9	-25	Pass	401
3000	12000	1	RMS	11844	-57.3	-25	Pass	9002
12000	27000	1	RMS	26004	-42.27	-25	Pass	15002




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.1	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.96	-25	Pass	2986
30	1000	0.1	RMS	724.6	-59.09	-25	Pass	9701
1000	2486	1	RMS	2470	-45.84	-25	Pass	1487
2486	2700	1	RMS	2685.02	24.34	60	Pass	401
2700	3000	1	RMS	2700	-44.11	-25	Pass	401
3000	12000	1	RMS	11850	-57.34	-25	Pass	9002
12000	27000	1	RMS	26000	-42.24	-25	Pass	15002




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.21	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.88	-25	Pass	2986
30	1000	0.1	RMS	842.2	-59.69	-25	Pass	9701
1000	2486	1	RMS	2485	-42.67	-25	Pass	1487
2486	2700	1	RMS	2496.165	24.16	60	Pass	401
2700	3000	1	RMS	2958.75	-44.76	-25	Pass	401
3000	12000	1	RMS	11849	-57.35	-25	Pass	9002
12000	27000	1	RMS	25997	-42.31	-25	Pass	15002




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.9	-25	Pass	2986
30	1000	0.1	RMS	842.5	-59.83	-25	Pass	9701
1000	2486	1	RMS	2486	-40.45	-25	Pass	1487
2486	2700	1	RMS	2496.165	24.41	60	Pass	401
2700	3000	1	RMS	2953.5	-44.79	-25	Pass	401
3000	12000	1	RMS	11848	-57.36	-25	Pass	9002
12000	27000	1	RMS	26002	-42.16	-25	Pass	15002




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.65	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.67	-25	Pass	2986
30	1000	0.1	RMS	836.2	-59.72	-25	Pass	9701
1000	2486	1	RMS	2466	-46.43	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.89	60	Pass	401
2700	3000	1	RMS	2954.25	-44.74	-25	Pass	401
3000	12000	1	RMS	11848	-57.38	-25	Pass	9002
12000	27000	1	RMS	25990	-42.35	-25	Pass	15002




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68	-25	Pass	2986
30	1000	0.1	RMS	845.3	-59.73	-25	Pass	9701
1000	2486	1	RMS	2481	-46.49	-25	Pass	1487
2486	2700	1	RMS	2588.72	23.09	60	Pass	401
2700	3000	1	RMS	2948.25	-44.78	-25	Pass	401
3000	12000	1	RMS	11848	-57.33	-25	Pass	9002
12000	27000	1	RMS	25999	-42.3	-25	Pass	15002




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-25	Pass	2986
30	1000	0.1	RMS	719.9	-58.25	-25	Pass	9701
1000	2486	1	RMS	2476	-46.57	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.72	60	Pass	401
2700	3000	1	RMS	2700	-43.75	-25	Pass	401
3000	12000	1	RMS	11850	-57.36	-25	Pass	9002
12000	27000	1	RMS	25997	-42.28	-25	Pass	15002




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.01	-25	Pass	2986
30	1000	0.1	RMS	857.706	-59.85	-25	Pass	9701
1000	2486	1	RMS	2486	-46.48	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.26	60	Pass	401
2700	3000	1	RMS	2700	-44.08	-25	Pass	401
3000	12000	1	RMS	11852	-57.37	-25	Pass	9002
12000	27000	1	RMS	25998	-42.24	-25	Pass	15002




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.9	-25	Pass	401
0.15	30	0.01	RMS	0.3	-68.3	-25	Pass	2986
30	1000	0.1	RMS	853.303	-59.66	-25	Pass	9701
1000	2486	1	RMS	2468	-41.9	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.7	60	Pass	401
2700	3000	1	RMS	2953.5	-44.8	-25	Pass	401
3000	12000	1	RMS	11849	-57.33	-25	Pass	9002
12000	27000	1	RMS	26001	-42.17	-25	Pass	15002




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.81	-25	Pass	2986
30	1000	0.1	RMS	833.5	-59.84	-25	Pass	9701
1000	2486	1	RMS	2484	-42.47	-25	Pass	1487
2486	2700	1	RMS	2496.7	25.23	60	Pass	401
2700	3000	1	RMS	2957.25	-44.8	-25	Pass	401
3000	12000	1	RMS	11849	-57.34	-25	Pass	9002
12000	27000	1	RMS	25995	-42.21	-25	Pass	15002




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.01	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.07	-25	Pass	2986
30	1000	0.1	RMS	838.4	-59.79	-25	Pass	9701
1000	2486	1	RMS	2478	-46.54	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.81	60	Pass	401
2700	3000	1	RMS	2947.5	-44.8	-25	Pass	401
3000	12000	1	RMS	11851	-57.43	-25	Pass	9002
12000	27000	1	RMS	26005	-42.29	-25	Pass	15002




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.27	-25	Pass	2986
30	1000	0.1	RMS	855.204	-59.77	-25	Pass	9701
1000	2486	1	RMS	2470	-43.04	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.32	60	Pass	401
2700	3000	1	RMS	2951.25	-44.83	-25	Pass	401
3000	12000	1	RMS	11850	-57.34	-25	Pass	9002
12000	27000	1	RMS	26003	-42.31	-25	Pass	15002




4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.95	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.25	-25	Pass	2986
30	1000	0.1	RMS	851.201	-59.83	-25	Pass	9701
1000	2486	1	RMS	2466	-45.12	-25	Pass	1487
2486	2700	1	RMS	2675.39	24.44	60	Pass	401
2700	3000	1	RMS	2955.75	-44.83	-25	Pass	401
3000	12000	1	RMS	11848	-57.33	-25	Pass	9002
12000	27000	1	RMS	26003	-42.26	-25	Pass	15002




4.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.42	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.98	-25	Pass	2986
30	1000	0.1	RMS	715.2	-59.58	-25	Pass	9701
1000	2486	1	RMS	2458	-46.34	-25	Pass	1487
2486	2700	1	RMS	2675.39	24.15	60	Pass	401
2700	3000	1	RMS	2702.25	-44.26	-25	Pass	401
3000	12000	1	RMS	11839	-57.43	-25	Pass	9002
12000	27000	1	RMS	26001	-42.29	-25	Pass	15002




4.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.34	-25	Pass	2986
30	1000	0.1	RMS	853.103	-59.87	-25	Pass	9701
1000	2486	1	RMS	2484	-41.98	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.99	60	Pass	401
2700	3000	1	RMS	2958	-44.85	-25	Pass	401
3000	12000	1	RMS	11852	-57.42	-25	Pass	9002
12000	27000	1	RMS	25998	-42.32	-25	Pass	15002




4.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.67	-25	Pass	2986
30	1000	0.1	RMS	859.007	-59.84	-25	Pass	9701
1000	2486	1	RMS	2485	-41.64	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.77	60	Pass	401
2700	3000	1	RMS	2953.5	-44.85	-25	Pass	401
3000	12000	1	RMS	11849	-57.41	-25	Pass	9002
12000	27000	1	RMS	25996	-42.29	-25	Pass	15002




4.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.32	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.69	-25	Pass	2986
30	1000	0.1	RMS	847.2	-59.85	-25	Pass	9701
1000	2486	1	RMS	2484	-46.58	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.44	60	Pass	401
2700	3000	1	RMS	2953.5	-44.85	-25	Pass	401
3000	12000	1	RMS	11845	-57.32	-25	Pass	9002
12000	27000	1	RMS	26005	-42.3	-25	Pass	15002




4.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.12	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.12	-25	Pass	2986
30	1000	0.1	RMS	848.5	-59.8	-25	Pass	9701
1000	2486	1	RMS	2486	-46.47	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.41	60	Pass	401
2700	3000	1	RMS	2952.75	-44.82	-25	Pass	401
3000	12000	1	RMS	11851	-57.33	-25	Pass	9002
12000	27000	1	RMS	26001	-42.28	-25	Pass	15002




4.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.85	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68	-25	Pass	2986
30	1000	0.1	RMS	852.602	-59.68	-25	Pass	9701
1000	2486	1	RMS	2457	-45.53	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.41	60	Pass	401
2700	3000	1	RMS	2948.25	-44.78	-25	Pass	401
3000	12000	1	RMS	11847	-57.36	-25	Pass	9002
12000	27000	1	RMS	26003	-42.32	-25	Pass	15002



4.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.37	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.04	-25	Pass	2986
30	1000	0.1	RMS	851.001	-59.85	-25	Pass	9701
1000	2486	1	RMS	2484	-46.54	-25	Pass	1487
2486	2700	1	RMS	2670.575	23.08	60	Pass	401
2700	3000	1	RMS	2950.5	-44.8	-25	Pass	401
3000	12000	1	RMS	11847	-57.36	-25	Pass	9002
12000	27000	1	RMS	26004	-42.31	-25	Pass	15002



1. LTE_Band42 3450-3550


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.4	-13	Pass	2986
30	1000	0.1	RMS	864.81	-59.58	-13	Pass	9701
1000	3000	1	RMS	2945	-44.66	-13	Pass	2001
3000	3430	1	RMS	3159	-42.12	-13	Pass	431
3430	3570	1	RMS	3450.3	22.24	60	Pass	401
3570	6500	1	RMS	6299	-49.58	-13	Pass	2931
6500	26500	1	RMS	25998	-52.58	-13	Pass	20003




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.52	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.16	-13	Pass	2986
30	1000	0.1	RMS	850.201	-59.66	-13	Pass	9701
1000	3000	1	RMS	2945	-44.63	-13	Pass	2001
3000	3430	1	RMS	3160	-42.1	-13	Pass	431
3430	3570	1	RMS	3450.3	21.15	60	Pass	401
3570	6500	1	RMS	6315	-49.56	-13	Pass	2931
6500	26500	1	RMS	25999	-52.57	-13	Pass	20003




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.39	-13	Pass	2986
30	1000	0.1	RMS	853.703	-59.68	-13	Pass	9701
1000	3000	1	RMS	2956	-44.57	-13	Pass	2001
3000	3430	1	RMS	3162	-42.11	-13	Pass	431
3430	3570	1	RMS	3497.55	22.14	60	Pass	401
3570	6500	1	RMS	6313	-49.56	-13	Pass	2931
6500	26500	1	RMS	25996	-52.56	-13	Pass	20003




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:42590, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.6	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.34	-13	Pass	2986
30	1000	0.1	RMS	851.602	-59.69	-13	Pass	9701
1000	3000	1	RMS	2960	-44.62	-13	Pass	2001
3000	3430	1	RMS	3161	-42.12	-13	Pass	431
3430	3570	1	RMS	3497.9	21.33	60	Pass	401
3570	6500	1	RMS	6413	-49.55	-13	Pass	2931
6500	26500	1	RMS	25996	-52.56	-13	Pass	20003




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.56	-13	Pass	2986
30	1000	0.1	RMS	850.101	-59.65	-13	Pass	9701
1000	3000	1	RMS	2951	-44.61	-13	Pass	2001
3000	3430	1	RMS	3160	-42.1	-13	Pass	431
3430	3570	1	RMS	3545.15	22.72	60	Pass	401
3570	6500	1	RMS	3572	-43.41	-13	Pass	2931
6500	26500	1	RMS	26004	-52.63	-13	Pass	20003




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.53	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.27	-13	Pass	2986
30	1000	0.1	RMS	855.504	-59.72	-13	Pass	9701
1000	3000	1	RMS	2950	-44.59	-13	Pass	2001
3000	3430	1	RMS	3160	-42.12	-13	Pass	431
3430	3570	1	RMS	3545.15	22.31	60	Pass	401
3570	6500	1	RMS	3570	-45.47	-13	Pass	2931
6500	26500	1	RMS	26007	-52.5	-13	Pass	20003




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.31	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.93	-13	Pass	2986
30	1000	0.1	RMS	851.101	-59.62	-13	Pass	9701
1000	3000	1	RMS	2944	-44.66	-13	Pass	2001
3000	3430	1	RMS	3160	-42.12	-13	Pass	431
3430	3570	1	RMS	3450.65	22.18	60	Pass	401
3570	6500	1	RMS	6413	-49.58	-13	Pass	2931
6500	26500	1	RMS	25996	-52.6	-13	Pass	20003




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-13	Pass	2986
30	1000	0.1	RMS	850.001	-59.71	-13	Pass	9701
1000	3000	1	RMS	2954	-44.62	-13	Pass	2001
3000	3430	1	RMS	3162	-42.12	-13	Pass	431
3430	3570	1	RMS	3450.3	22.31	60	Pass	401
3570	6500	1	RMS	3758	-49.2	-13	Pass	2931
6500	26500	1	RMS	25978	-52.71	-13	Pass	20003




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.98	-13	Pass	2986
30	1000	0.1	RMS	848.8	-59.7	-13	Pass	9701
1000	3000	1	RMS	2948	-44.61	-13	Pass	2001
3000	3430	1	RMS	3162	-42.13	-13	Pass	431
3430	3570	1	RMS	3495.45	22.37	60	Pass	401
3570	6500	1	RMS	6323	-49.64	-13	Pass	2931
6500	26500	1	RMS	25991	-52.57	-13	Pass	20003




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:42590, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.55	-13	Pass	2986
30	1000	0.1	RMS	848.5	-59.63	-13	Pass	9701
1000	3000	1	RMS	2947	-44.57	-13	Pass	2001
3000	3430	1	RMS	3159	-42.11	-13	Pass	431
3430	3570	1	RMS	3495.45	20.97	60	Pass	401
3570	6500	1	RMS	6306	-49.59	-13	Pass	2931
6500	26500	1	RMS	25992	-52.62	-13	Pass	20003




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.99	-13	Pass	2986
30	1000	0.1	RMS	838	-59.52	-13	Pass	9701
1000	3000	1	RMS	2957	-44.5	-13	Pass	2001
3000	3430	1	RMS	3162	-42.09	-13	Pass	431
3430	3570	1	RMS	3540.6	22.04	60	Pass	401
3570	6500	1	RMS	3570	-46.21	-13	Pass	2931
6500	26500	1	RMS	26000	-52.7	-13	Pass	20003




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.88	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.36	-13	Pass	2986
30	1000	0.1	RMS	847.1	-59.67	-13	Pass	9701
1000	3000	1	RMS	2960	-44.62	-13	Pass	2001
3000	3430	1	RMS	3161	-42.11	-13	Pass	431
3430	3570	1	RMS	3540.25	21.76	60	Pass	401
3570	6500	1	RMS	3590	-47.91	-13	Pass	2931
6500	26500	1	RMS	25992	-52.61	-13	Pass	20003




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.99	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.34	-13	Pass	2986
30	1000	0.1	RMS	872.616	-59.48	-13	Pass	9701
1000	3000	1	RMS	2956	-44.54	-13	Pass	2001
3000	3430	1	RMS	3162	-42.11	-13	Pass	431
3430	3570	1	RMS	3450.65	22.91	60	Pass	401
3570	6500	1	RMS	6320	-49.53	-13	Pass	2931
6500	26500	1	RMS	26001	-52.66	-13	Pass	20003




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.42	-13	Pass	401
0.15	30	0.01	RMS	0.33	-67.73	-13	Pass	2986
30	1000	0.1	RMS	852.502	-59.6	-13	Pass	9701
1000	3000	1	RMS	2963	-44.56	-13	Pass	2001
3000	3430	1	RMS	3160	-42.11	-13	Pass	431
3430	3570	1	RMS	3451	20.98	60	Pass	401
3570	6500	1	RMS	6306	-49.57	-13	Pass	2931
6500	26500	1	RMS	26013	-52.67	-13	Pass	20003




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.32	-13	Pass	2986
30	1000	0.1	RMS	842.8	-59.69	-13	Pass	9701
1000	3000	1	RMS	2964	-44.64	-13	Pass	2001
3000	3430	1	RMS	3160	-42.11	-13	Pass	431
3430	3570	1	RMS	3493	21.91	60	Pass	401
3570	6500	1	RMS	6299	-49.59	-13	Pass	2931
6500	26500	1	RMS	25991	-52.69	-13	Pass	20003




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:42590, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.64	-13	Pass	2986
30	1000	0.1	RMS	857.305	-59.7	-13	Pass	9701
1000	3000	1	RMS	2948	-44.6	-13	Pass	2001
3000	3430	1	RMS	3163	-42.14	-13	Pass	431
3430	3570	1	RMS	3493.35	21.73	60	Pass	401
3570	6500	1	RMS	6306	-49.57	-13	Pass	2931
6500	26500	1	RMS	25996	-52.65	-13	Pass	20003




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.85	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.21	-13	Pass	2986
30	1000	0.1	RMS	852.903	-59.7	-13	Pass	9701
1000	3000	1	RMS	2961	-44.63	-13	Pass	2001
3000	3430	1	RMS	3160	-42.14	-13	Pass	431
3430	3570	1	RMS	3535.7	22.02	60	Pass	401
3570	6500	1	RMS	3573	-45.43	-13	Pass	2931
6500	26500	1	RMS	26009	-52.68	-13	Pass	20003




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.43	-13	Pass	2986
30	1000	0.1	RMS	844.9	-59.75	-13	Pass	9701
1000	3000	1	RMS	2952	-44.64	-13	Pass	2001
3000	3430	1	RMS	3162	-42.14	-13	Pass	431
3430	3570	1	RMS	3535.7	21.23	60	Pass	401
3570	6500	1	RMS	3583	-49.34	-13	Pass	2931
6500	26500	1	RMS	25990	-52.64	-13	Pass	20003




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.22	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.01	-13	Pass	2986
30	1000	0.1	RMS	845.8	-59.72	-13	Pass	9701
1000	3000	1	RMS	2964	-44.6	-13	Pass	2001
3000	3430	1	RMS	3160	-42.13	-13	Pass	431
3430	3570	1	RMS	3451	22.94	60	Pass	401
3570	6500	1	RMS	3758	-49.61	-13	Pass	2931
6500	26500	1	RMS	26000	-52.72	-13	Pass	20003




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.25	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.56	-13	Pass	2986
30	1000	0.1	RMS	850.601	-59.62	-13	Pass	9701
1000	3000	1	RMS	2950	-44.56	-13	Pass	2001
3000	3430	1	RMS	3161	-42.14	-13	Pass	431
3430	3570	1	RMS	3451	22.27	60	Pass	401
3570	6500	1	RMS	6301	-49.6	-13	Pass	2931
6500	26500	1	RMS	26011	-52.65	-13	Pass	20003




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.32	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.26	-13	Pass	2986
30	1000	0.1	RMS	843	-59.6	-13	Pass	9701
1000	3000	1	RMS	2949	-44.61	-13	Pass	2001
3000	3430	1	RMS	3183	-42.15	-13	Pass	431
3430	3570	1	RMS	3491.25	21.77	60	Pass	401
3570	6500	1	RMS	3798	-49.5	-13	Pass	2931
6500	26500	1	RMS	26005	-52.68	-13	Pass	20003




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.89	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.77	-13	Pass	2986
30	1000	0.1	RMS	855.304	-59.53	-13	Pass	9701
1000	3000	1	RMS	2954	-44.65	-13	Pass	2001
3000	3430	1	RMS	3160	-42.15	-13	Pass	431
3430	3570	1	RMS	3491.25	20.99	60	Pass	401
3570	6500	1	RMS	6442	-49.62	-13	Pass	2931
6500	26500	1	RMS	25997	-52.68	-13	Pass	20003




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.93	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.93	-13	Pass	2986
30	1000	0.1	RMS	826.3	-59.76	-13	Pass	9701
1000	3000	1	RMS	2953	-44.65	-13	Pass	2001
3000	3430	1	RMS	3160	-42.15	-13	Pass	431
3430	3570	1	RMS	3531.15	21.94	60	Pass	401
3570	6500	1	RMS	3570	-48.27	-13	Pass	2931
6500	26500	1	RMS	26001	-52.72	-13	Pass	20003



1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.41	-13	Pass	2986
30	1000	0.1	RMS	849.7	-59.57	-13	Pass	9701
1000	3000	1	RMS	2960	-44.62	-13	Pass	2001
3000	3430	1	RMS	3161	-42.15	-13	Pass	431
3430	3570	1	RMS	3530.8	21.33	60	Pass	401
3570	6500	1	RMS	3574	-48.14	-13	Pass	2931
6500	26500	1	RMS	26006	-52.71	-13	Pass	20003



2. LTE_Band43 3700-3800


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-13	Pass	2986
30	1000	0.1	RMS	851.702	-59.51	-13	Pass	9701
1000	3000	1	RMS	2956	-44.59	-13	Pass	2001
3000	3680	1	RMS	3160	-42.14	-13	Pass	681
3680	3820	1	RMS	3700.3	21.92	60	Pass	401
3820	6500	1	RMS	6311	-41.74	-13	Pass	2681
6500	26500	1	RMS	25991	-42.6	-13	Pass	20003




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:44615, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.44	-13	Pass	2986
30	1000	0.1	RMS	846.7	-59.68	-13	Pass	9701
1000	3000	1	RMS	2957	-44.66	-13	Pass	2001
3000	3680	1	RMS	3161	-42.13	-13	Pass	681
3680	3820	1	RMS	3699.95	21.24	60	Pass	401
3820	6500	1	RMS	6318	-41.74	-13	Pass	2681
6500	26500	1	RMS	26005	-42.62	-13	Pass	20003




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:45090, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-13	Pass	2986
30	1000	0.1	RMS	835.4	-59.79	-13	Pass	9701
1000	3000	1	RMS	2956	-44.64	-13	Pass	2001
3000	3680	1	RMS	3160	-42.14	-13	Pass	681
3680	3820	1	RMS	3747.9	22.22	60	Pass	401
3820	6500	1	RMS	6317	-41.73	-13	Pass	2681
6500	26500	1	RMS	25999	-42.58	-13	Pass	20003




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:45090, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.21	-13	Pass	2986
30	1000	0.1	RMS	854.103	-59.72	-13	Pass	9701
1000	3000	1	RMS	2957	-44.66	-13	Pass	2001
3000	3680	1	RMS	3161	-42.11	-13	Pass	681
3680	3820	1	RMS	3747.55	21.94	60	Pass	401
3820	6500	1	RMS	6317	-41.74	-13	Pass	2681
6500	26500	1	RMS	26001	-42.58	-13	Pass	20003




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.48	-13	Pass	401
0.15	30	0.01	RMS	0.19	-67.32	-13	Pass	2986
30	1000	0.1	RMS	856.405	-59.76	-13	Pass	9701
1000	3000	1	RMS	2952	-44.64	-13	Pass	2001
3000	3680	1	RMS	3161	-42.12	-13	Pass	681
3680	3820	1	RMS	3795.15	22.83	60	Pass	401
3820	6500	1	RMS	6314	-41.75	-13	Pass	2681
6500	26500	1	RMS	26001	-42.54	-13	Pass	20003




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:45565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.98	-13	Pass	2986
30	1000	0.1	RMS	855.905	-59.64	-13	Pass	9701
1000	3000	1	RMS	2953	-44.63	-13	Pass	2001
3000	3680	1	RMS	3160	-42.08	-13	Pass	681
3680	3820	1	RMS	3795.15	21.25	60	Pass	401
3820	6500	1	RMS	6484	-41.73	-13	Pass	2681
6500	26500	1	RMS	25992	-42.57	-13	Pass	20003




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.35	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.4	-13	Pass	2986
30	1000	0.1	RMS	841.1	-59.52	-13	Pass	9701
1000	3000	1	RMS	2953	-44.65	-13	Pass	2001
3000	3680	1	RMS	3161	-42.06	-13	Pass	681
3680	3820	1	RMS	3700.65	21.91	60	Pass	401
3820	6500	1	RMS	6316	-41.72	-13	Pass	2681
6500	26500	1	RMS	26009	-42.58	-13	Pass	20003




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:44640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.38	-13	Pass	2986
30	1000	0.1	RMS	852.802	-59.67	-13	Pass	9701
1000	3000	1	RMS	2954	-44.6	-13	Pass	2001
3000	3680	1	RMS	3160	-42.06	-13	Pass	681
3680	3820	1	RMS	3700.3	21.89	60	Pass	401
3820	6500	1	RMS	6320	-41.72	-13	Pass	2681
6500	26500	1	RMS	26001	-42.52	-13	Pass	20003




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:45090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.1	-13	Pass	2986
30	1000	0.1	RMS	849.4	-59.57	-13	Pass	9701
1000	3000	1	RMS	2947	-44.62	-13	Pass	2001
3000	3680	1	RMS	3157	-42.08	-13	Pass	681
3680	3820	1	RMS	3745.45	22.86	60	Pass	401
3820	6500	1	RMS	6301	-41.71	-13	Pass	2681
6500	26500	1	RMS	26001	-42.48	-13	Pass	20003




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:45090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.14	-13	Pass	401
0.15	30	0.01	RMS	0.25	-67.93	-13	Pass	2986
30	1000	0.1	RMS	828.9	-59.47	-13	Pass	9701
1000	3000	1	RMS	2952	-44.6	-13	Pass	2001
3000	3680	1	RMS	3161	-42.06	-13	Pass	681
3680	3820	1	RMS	3745.45	22.23	60	Pass	401
3820	6500	1	RMS	6317	-41.72	-13	Pass	2681
6500	26500	1	RMS	26000	-42.57	-13	Pass	20003




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.85	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.51	-13	Pass	2986
30	1000	0.1	RMS	853.503	-59.52	-13	Pass	9701
1000	3000	1	RMS	2949	-44.61	-13	Pass	2001
3000	3680	1	RMS	3157	-42.07	-13	Pass	681
3680	3820	1	RMS	3790.6	22.29	60	Pass	401
3820	6500	1	RMS	6322	-41.75	-13	Pass	2681
6500	26500	1	RMS	26002	-42.56	-13	Pass	20003




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:45540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.5	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.35	-13	Pass	2986
30	1000	0.1	RMS	840	-59.56	-13	Pass	9701
1000	3000	1	RMS	2961	-44.62	-13	Pass	2001
3000	3680	1	RMS	3159	-42.07	-13	Pass	681
3680	3820	1	RMS	3790.6	21.31	60	Pass	401
3820	6500	1	RMS	6310	-41.71	-13	Pass	2681
6500	26500	1	RMS	26001	-42.51	-13	Pass	20003




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.65	-13	Pass	401
0.15	30	0.01	RMS	0.28	-68.63	-13	Pass	2986
30	1000	0.1	RMS	826.1	-59.66	-13	Pass	9701
1000	3000	1	RMS	2955	-44.6	-13	Pass	2001
3000	3680	1	RMS	3680	-41.8	-13	Pass	681
3680	3820	1	RMS	3700.65	22.81	60	Pass	401
3820	6500	1	RMS	6335	-41.69	-13	Pass	2681
6500	26500	1	RMS	26000	-42.53	-13	Pass	20003




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:44665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.99	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.35	-13	Pass	2986
30	1000	0.1	RMS	839.6	-59.58	-13	Pass	9701
1000	3000	1	RMS	2957	-44.6	-13	Pass	2001
3000	3680	1	RMS	3680	-41.7	-13	Pass	681
3680	3820	1	RMS	3701	21.16	60	Pass	401
3820	6500	1	RMS	6309	-41.68	-13	Pass	2681
6500	26500	1	RMS	26001	-42.54	-13	Pass	20003




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:45090, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.64	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.37	-13	Pass	2986
30	1000	0.1	RMS	859.107	-59.62	-13	Pass	9701
1000	3000	1	RMS	2953	-44.61	-13	Pass	2001
3000	3680	1	RMS	3159	-42.05	-13	Pass	681
3680	3820	1	RMS	3743.35	22.23	60	Pass	401
3820	6500	1	RMS	6312	-41.68	-13	Pass	2681
6500	26500	1	RMS	26002	-42.55	-13	Pass	20003




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:45090, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.77	-13	Pass	2986
30	1000	0.1	RMS	855.804	-59.61	-13	Pass	9701
1000	3000	1	RMS	2953	-44.59	-13	Pass	2001
3000	3680	1	RMS	3162	-42.05	-13	Pass	681
3680	3820	1	RMS	3743.35	21.07	60	Pass	401
3820	6500	1	RMS	6306	-41.71	-13	Pass	2681
6500	26500	1	RMS	26001	-42.55	-13	Pass	20003




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-13	Pass	2986
30	1000	0.1	RMS	850.301	-59.54	-13	Pass	9701
1000	3000	1	RMS	2952	-44.59	-13	Pass	2001
3000	3680	1	RMS	3163	-42.06	-13	Pass	681
3680	3820	1	RMS	3785.7	22.34	60	Pass	401
3820	6500	1	RMS	6334	-41.73	-13	Pass	2681
6500	26500	1	RMS	26002	-42.51	-13	Pass	20003




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:45515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.28	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.52	-13	Pass	2986
30	1000	0.1	RMS	857.506	-59.62	-13	Pass	9701
1000	3000	1	RMS	2949	-44.58	-13	Pass	2001
3000	3680	1	RMS	3161	-42.06	-13	Pass	681
3680	3820	1	RMS	3785.7	21.29	60	Pass	401
3820	6500	1	RMS	6319	-41.71	-13	Pass	2681
6500	26500	1	RMS	25997	-42.57	-13	Pass	20003




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.37	-13	Pass	2986
30	1000	0.1	RMS	848.7	-59.59	-13	Pass	9701
1000	3000	1	RMS	2953	-44.59	-13	Pass	2001
3000	3680	1	RMS	3159	-42.09	-13	Pass	681
3680	3820	1	RMS	3700.65	22.2	60	Pass	401
3820	6500	1	RMS	6321	-41.7	-13	Pass	2681
6500	26500	1	RMS	26003	-42.59	-13	Pass	20003




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:44690, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-13	Pass	2986
30	1000	0.1	RMS	829.5	-59.59	-13	Pass	9701
1000	3000	1	RMS	2951	-44.64	-13	Pass	2001
3000	3680	1	RMS	3160	-42.03	-13	Pass	681
3680	3820	1	RMS	3700.65	21.61	60	Pass	401
3820	6500	1	RMS	6305	-41.75	-13	Pass	2681
6500	26500	1	RMS	26004	-42.59	-13	Pass	20003




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:45090, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.83	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.04	-13	Pass	2986
30	1000	0.1	RMS	849.8	-59.61	-13	Pass	9701
1000	3000	1	RMS	2953	-44.63	-13	Pass	2001
3000	3680	1	RMS	3160	-42.03	-13	Pass	681
3680	3820	1	RMS	3740.9	21.84	60	Pass	401
3820	6500	1	RMS	6322	-41.73	-13	Pass	2681
6500	26500	1	RMS	25999	-42.57	-13	Pass	20003




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:45090, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.35	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.27	-13	Pass	2986
30	1000	0.1	RMS	852.402	-59.62	-13	Pass	9701
1000	3000	1	RMS	2951	-44.6	-13	Pass	2001
3000	3680	1	RMS	3160	-42.09	-13	Pass	681
3680	3820	1	RMS	3740.9	21.02	60	Pass	401
3820	6500	1	RMS	6313	-41.7	-13	Pass	2681
6500	26500	1	RMS	26000	-42.5	-13	Pass	20003




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:45490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.67	-13	Pass	2986
30	1000	0.1	RMS	859.707	-59.55	-13	Pass	9701
1000	3000	1	RMS	2953	-44.58	-13	Pass	2001
3000	3680	1	RMS	3160	-42.04	-13	Pass	681
3680	3820	1	RMS	3781.15	21.86	60	Pass	401
3820	6500	1	RMS	6325	-41.71	-13	Pass	2681
6500	26500	1	RMS	25991	-42.6	-13	Pass	20003



2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:45490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.96	-13	Pass	401
0.15	30	0.01	RMS	0.17	-66.96	-13	Pass	2986
30	1000	0.1	RMS	849.7	-59.64	-13	Pass	9701
1000	3000	1	RMS	2959	-44.59	-13	Pass	2001
3000	3680	1	RMS	3163	-42.07	-13	Pass	681
3680	3820	1	RMS	3780.8	21.09	60	Pass	401
3820	6500	1	RMS	6303	-41.74	-13	Pass	2681
6500	26500	1	RMS	26001	-42.51	-13	Pass	20003



1. LTE_Band48


1.30. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-69.62	-40	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-40	Pass	2986
30	1000	0.1	RMS	841.1	-63.43	-40	Pass	9701
1000	3000	1	RMS	2465	-48.49	-40	Pass	2001
3000	3500	1	RMS	3242	-46.19	-40	Pass	501
3500	3750	1	RMS	3550	22.26	60	Pass	401
3750	6500	1	RMS	6320	-45.1	-40	Pass	2751
6500	26500	1	RMS	25990	-45.37	-40	Pass	20003




1.31. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-69.71	-40	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-40	Pass	2986
30	1000	0.1	RMS	851.301	-63.47	-40	Pass	9701
1000	3000	1	RMS	2951	-48.57	-40	Pass	2001
3000	3500	1	RMS	3280	-46.2	-40	Pass	501
3500	3750	1	RMS	3550	21.46	60	Pass	401
3750	6500	1	RMS	6322	-45.06	-40	Pass	2751
6500	26500	1	RMS	25984	-45.31	-40	Pass	20003




1.32. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-69.05	-40	Pass	401
0.15	30	0.01	RMS	0.18	-71.88	-40	Pass	2986
30	1000	0.1	RMS	847.9	-63.38	-40	Pass	9701
1000	3000	1	RMS	2948	-48.62	-40	Pass	2001
3000	3500	1	RMS	3315	-45.85	-40	Pass	501
3500	3750	1	RMS	3622.5	22.4	60	Pass	401
3750	6500	1	RMS	6319	-45.04	-40	Pass	2751
6500	26500	1	RMS	26007	-45.27	-40	Pass	20003




1.33. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:4, Channel:55990, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-69.39	-40	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-40	Pass	2986
30	1000	0.1	RMS	852.602	-63.24	-40	Pass	9701
1000	3000	1	RMS	2944	-48.6	-40	Pass	2001
3000	3500	1	RMS	3315	-46	-40	Pass	501
3500	3750	1	RMS	3622.5	21.65	60	Pass	401
3750	6500	1	RMS	6320	-45.02	-40	Pass	2751
6500	26500	1	RMS	25998	-45.29	-40	Pass	20003




1.34. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-69.54	-40	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-40	Pass	2986
30	1000	0.1	RMS	845.7	-63.52	-40	Pass	9701
1000	3000	1	RMS	2949	-48.62	-40	Pass	2001
3000	3500	1	RMS	3280	-46.22	-40	Pass	501
3500	3750	1	RMS	3695	22.05	60	Pass	401
3750	6500	1	RMS	6320	-44.97	-40	Pass	2751
6500	26500	1	RMS	25999	-45.27	-40	Pass	20003




1.35. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:6, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.52	-40	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-40	Pass	2986
30	1000	0.1	RMS	865.711	-63.43	-40	Pass	9701
1000	3000	1	RMS	2952	-48.62	-40	Pass	2001
3000	3500	1	RMS	3280	-46.23	-40	Pass	501
3500	3750	1	RMS	3695	21.16	60	Pass	401
3750	6500	1	RMS	6320	-45.03	-40	Pass	2751
6500	26500	1	RMS	26008	-45.28	-40	Pass	20003




**1.36. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:7,
Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.24	-40	Pass	401
0.15	30	0.01	RMS	0.19	-71.77	-40	Pass	2986
30	1000	0.1	RMS	850.501	-63.19	-40	Pass	9701
1000	3000	1	RMS	2945	-48.56	-40	Pass	2001
3000	3500	1	RMS	3243	-46.19	-40	Pass	501
3500	3750	1	RMS	3550	22.45	60	Pass	401
3750	6500	1	RMS	6319	-44.96	-40	Pass	2751
6500	26500	1	RMS	26000	-45.34	-40	Pass	20003




1.37. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:8, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-69.42	-40	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-40	Pass	2986
30	1000	0.1	RMS	976.184	-63.32	-40	Pass	9701
1000	3000	1	RMS	2948	-48.58	-40	Pass	2001
3000	3500	1	RMS	3285	-46.22	-40	Pass	501
3500	3750	1	RMS	3550	21.7	60	Pass	401
3750	6500	1	RMS	6313	-45.06	-40	Pass	2751
6500	26500	1	RMS	25999	-45.36	-40	Pass	20003




**1.38. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:9,
Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-69.41	-40	Pass	401
0.15	30	0.01	RMS	0.17	-71.51	-40	Pass	2986
30	1000	0.1	RMS	837.9	-63.26	-40	Pass	9701
1000	3000	1	RMS	2945	-48.59	-40	Pass	2001
3000	3500	1	RMS	3313	-46.02	-40	Pass	501
3500	3750	1	RMS	3620	22.65	60	Pass	401
3750	6500	1	RMS	6318	-45.08	-40	Pass	2751
6500	26500	1	RMS	25992	-45.36	-40	Pass	20003




1.39. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-69.42	-40	Pass	401
0.15	30	0.01	RMS	0.18	-71.9	-40	Pass	2986
30	1000	0.1	RMS	816.9	-63.45	-40	Pass	9701
1000	3000	1	RMS	2944	-48.6	-40	Pass	2001
3000	3500	1	RMS	3313	-46.19	-40	Pass	501
3500	3750	1	RMS	3620	21.49	60	Pass	401
3750	6500	1	RMS	6322	-45.07	-40	Pass	2751
6500	26500	1	RMS	26003	-45.2	-40	Pass	20003




**1.40. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:11,
Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.29	-40	Pass	401
0.15	30	0.01	RMS	0.22	-72.22	-40	Pass	2986
30	1000	0.1	RMS	834.2	-63.3	-40	Pass	9701
1000	3000	1	RMS	2948	-48.63	-40	Pass	2001
3000	3500	1	RMS	3280	-46.21	-40	Pass	501
3500	3750	1	RMS	3690	22.48	60	Pass	401
3750	6500	1	RMS	6312	-45.05	-40	Pass	2751
6500	26500	1	RMS	25994	-45.38	-40	Pass	20003




1.41. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:12, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.55	-40	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-40	Pass	2986
30	1000	0.1	RMS	842.4	-63.4	-40	Pass	9701
1000	3000	1	RMS	2467	-45.42	-40	Pass	2001
3000	3500	1	RMS	3283	-46.22	-40	Pass	501
3500	3750	1	RMS	3690	21.43	60	Pass	401
3750	6500	1	RMS	6319	-45.07	-40	Pass	2751
6500	26500	1	RMS	26005	-45.31	-40	Pass	20003




**1.42. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:13,
Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.94	-40	Pass	401
0.15	30	0.01	RMS	0.25	-71.8	-40	Pass	2986
30	1000	0.1	RMS	853.703	-63.32	-40	Pass	9701
1000	3000	1	RMS	2943	-48.56	-40	Pass	2001
3000	3500	1	RMS	3243	-46.03	-40	Pass	501
3500	3750	1	RMS	3550.625	21.74	60	Pass	401
3750	6500	1	RMS	6318	-44.96	-40	Pass	2751
6500	26500	1	RMS	25986	-45.31	-40	Pass	20003




1.43. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:14, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70	-40	Pass	401
0.15	30	0.01	RMS	0.22	-72.09	-40	Pass	2986
30	1000	0.1	RMS	840.6	-63.31	-40	Pass	9701
1000	3000	1	RMS	2940	-48.63	-40	Pass	2001
3000	3500	1	RMS	3243	-46.17	-40	Pass	501
3500	3750	1	RMS	3550.625	20.83	60	Pass	401
3750	6500	1	RMS	6319	-45.03	-40	Pass	2751
6500	26500	1	RMS	26003	-45.38	-40	Pass	20003




**1.44. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:15,
Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.61	-40	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-40	Pass	2986
30	1000	0.1	RMS	838.5	-63.19	-40	Pass	9701
1000	3000	1	RMS	2939	-48.58	-40	Pass	2001
3000	3500	1	RMS	3310	-46.14	-40	Pass	501
3500	3750	1	RMS	3618.125	21.67	60	Pass	401
3750	6500	1	RMS	6320	-45.02	-40	Pass	2751
6500	26500	1	RMS	26001	-45.26	-40	Pass	20003




1.45. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:16, Channel:55990, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.27	-40	Pass	401
0.15	30	0.01	RMS	0.2	-71.43	-40	Pass	2986
30	1000	0.1	RMS	856.405	-63.25	-40	Pass	9701
1000	3000	1	RMS	2945	-48.56	-40	Pass	2001
3000	3500	1	RMS	3310	-46.19	-40	Pass	501
3500	3750	1	RMS	3618.125	20.54	60	Pass	401
3750	6500	1	RMS	6320	-45.07	-40	Pass	2751
6500	26500	1	RMS	25999	-45.33	-40	Pass	20003




**1.46. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:17,
Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-69	-40	Pass	401
0.15	30	0.01	RMS	0.27	-72.22	-40	Pass	2986
30	1000	0.1	RMS	847.1	-63.38	-40	Pass	9701
1000	3000	1	RMS	2946	-48.59	-40	Pass	2001
3000	3500	1	RMS	3287	-46.22	-40	Pass	501
3500	3750	1	RMS	3685.625	21.55	60	Pass	401
3750	6500	1	RMS	6321	-44.98	-40	Pass	2751
6500	26500	1	RMS	26005	-45.36	-40	Pass	20003




1.47. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:18, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-69.25	-40	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-40	Pass	2986
30	1000	0.1	RMS	825.6	-63.28	-40	Pass	9701
1000	3000	1	RMS	2944	-48.58	-40	Pass	2001
3000	3500	1	RMS	3281	-46.17	-40	Pass	501
3500	3750	1	RMS	3685.625	20.96	60	Pass	401
3750	6500	1	RMS	6321	-44.99	-40	Pass	2751
6500	26500	1	RMS	26008	-45.38	-40	Pass	20003




**1.48. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:19,
Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-69.01	-40	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-40	Pass	2986
30	1000	0.1	RMS	837.6	-63.26	-40	Pass	9701
1000	3000	1	RMS	2946	-48.58	-40	Pass	2001
3000	3500	1	RMS	3243	-46.03	-40	Pass	501
3500	3750	1	RMS	3550.625	22.54	60	Pass	401
3750	6500	1	RMS	6316	-45.01	-40	Pass	2751
6500	26500	1	RMS	25998	-45.24	-40	Pass	20003




1.49. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:20, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-69.47	-40	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-40	Pass	2986
30	1000	0.1	RMS	846.4	-63.18	-40	Pass	9701
1000	3000	1	RMS	2945	-48.58	-40	Pass	2001
3000	3500	1	RMS	3243	-46.19	-40	Pass	501
3500	3750	1	RMS	3550.625	21.74	60	Pass	401
3750	6500	1	RMS	6320	-45.03	-40	Pass	2751
6500	26500	1	RMS	26016	-45.42	-40	Pass	20003




**1.50. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:21,
Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-69.13	-40	Pass	401
0.15	30	0.01	RMS	0.19	-71.79	-40	Pass	2986
30	1000	0.1	RMS	835.2	-63.32	-40	Pass	9701
1000	3000	1	RMS	2947	-48.6	-40	Pass	2001
3000	3500	1	RMS	3308	-46.02	-40	Pass	501
3500	3750	1	RMS	3615.625	22.31	60	Pass	401
3750	6500	1	RMS	6318	-45.07	-40	Pass	2751
6500	26500	1	RMS	26000	-45.32	-40	Pass	20003




1.51. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:22, Channel:55990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-69.23	-40	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-40	Pass	2986
30	1000	0.1	RMS	995.197	-63.31	-40	Pass	9701
1000	3000	1	RMS	2946	-48.54	-40	Pass	2001
3000	3500	1	RMS	3282	-46.2	-40	Pass	501
3500	3750	1	RMS	3615.625	21.52	60	Pass	401
3750	6500	1	RMS	6318	-44.98	-40	Pass	2751
6500	26500	1	RMS	25997	-45.28	-40	Pass	20003




**1.52. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:23,
Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-69.41	-40	Pass	401
0.15	30	0.01	RMS	0.18	-72.36	-40	Pass	2986
30	1000	0.1	RMS	823.3	-63.28	-40	Pass	9701
1000	3000	1	RMS	2464	-47.92	-40	Pass	2001
3000	3500	1	RMS	3281	-46.21	-40	Pass	501
3500	3750	1	RMS	3680.625	22.45	60	Pass	401
3750	6500	1	RMS	6318	-44.98	-40	Pass	2751
6500	26500	1	RMS	25992	-45.32	-40	Pass	20003



1.53. LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:24, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-69.61	-40	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-40	Pass	2986
30	1000	0.1	RMS	840.4	-63.31	-40	Pass	9701
1000	3000	1	RMS	2945	-48.47	-40	Pass	2001
3000	3500	1	RMS	3281	-46.2	-40	Pass	501
3500	3750	1	RMS	3680.625	21.4	60	Pass	401
3750	6500	1	RMS	6320	-44.99	-40	Pass	2751
6500	26500	1	RMS	26002	-45.08	-40	Pass	20003



5. LTE_Band66


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.6	-63.6	-13	Pass	2986
30	1000	0.1	RMS	847.8	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-51.77	-13	Pass	701
1700	1790	1	RMS	1710.125	22.75	60	Pass	401
1790	3000	1	RMS	2962	-48.7	-13	Pass	1211
3000	12000	1	RMS	11947	-41.54	-13	Pass	9002
12000	20000	1	RMS	19405	-33.6	-13	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.6	-62.88	-13	Pass	2986
30	1000	0.1	RMS	847.7	-63.62	-13	Pass	9701
1000	1700	1	RMS	1700	-51.77	-13	Pass	701
1700	1790	1	RMS	1710.125	21.86	60	Pass	401
1790	3000	1	RMS	2945	-48.71	-13	Pass	1211
3000	12000	1	RMS	11851	-41.5	-13	Pass	9002
12000	20000	1	RMS	19390	-33.63	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.6	-62.85	-13	Pass	2986
30	1000	0.1	RMS	857.606	-63.75	-13	Pass	9701
1000	1700	1	RMS	1688	-52.45	-13	Pass	701
1700	1790	1	RMS	1744.325	23.22	60	Pass	401
1790	3000	1	RMS	2954	-48.62	-13	Pass	1211
3000	12000	1	RMS	11842	-41.6	-13	Pass	9002
12000	20000	1	RMS	19402	-33.64	-13	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.6	-62.77	-13	Pass	2986
30	1000	0.1	RMS	869.814	-63.55	-13	Pass	9701
1000	1700	1	RMS	1696	-52.46	-13	Pass	701
1700	1790	1	RMS	1744.55	22.23	60	Pass	401
1790	3000	1	RMS	2947	-48.67	-13	Pass	1211
3000	12000	1	RMS	11844	-41.57	-13	Pass	9002
12000	20000	1	RMS	19709	-33.61	-13	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	1000	0.1	RMS	871.415	-63.67	-13	Pass	9701
1000	1700	1	RMS	1700	-51.78	-13	Pass	701
1700	1790	1	RMS	1710.125	22.71	60	Pass	401
1790	3000	1	RMS	2957	-48.68	-13	Pass	1211
3000	12000	1	RMS	11954	-41.54	-13	Pass	9002
12000	20000	1	RMS	19401	-33.62	-13	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2986
30	1000	0.1	RMS	898.433	-63.41	-13	Pass	9701
1000	1700	1	RMS	1700	-51.83	-13	Pass	701
1700	1790	1	RMS	1710.125	21.81	60	Pass	401
1790	3000	1	RMS	2949	-48.61	-13	Pass	1211
3000	12000	1	RMS	11950	-41.53	-13	Pass	9002
12000	20000	1	RMS	19399	-33.66	-13	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	Pass	2986
30	1000	0.1	RMS	861.708	-63.66	-13	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	Pass	701
1700	1790	1	RMS	1744.55	23.14	60	Pass	401
1790	3000	1	RMS	2943	-48.69	-13	Pass	1211
3000	12000	1	RMS	11954	-41.57	-13	Pass	9002
12000	20000	1	RMS	19401	-33.63	-13	Pass	8001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.65	-13	Pass	9701
1000	1700	1	RMS	1700	-52.39	-13	Pass	701
1700	1790	1	RMS	1744.55	22.26	60	Pass	401
1790	3000	1	RMS	2955	-48.66	-13	Pass	1211
3000	12000	1	RMS	11950	-41.55	-13	Pass	9002
12000	20000	1	RMS	19402	-33.66	-13	Pass	8001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	1000	0.1	RMS	847.4	-63.59	-13	Pass	9701
1000	1700	1	RMS	1700	-52.4	-13	Pass	701
1700	1790	1	RMS	1778.75	23.33	60	Pass	401
1790	3000	1	RMS	2947	-48.63	-13	Pass	1211
3000	12000	1	RMS	11952	-41.51	-13	Pass	9002
12000	20000	1	RMS	19405	-33.62	-13	Pass	8001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.39	-13	Pass	2986
30	1000	0.1	RMS	854.203	-63.67	-13	Pass	9701
1000	1700	1	RMS	1694	-52.51	-13	Pass	701
1700	1790	1	RMS	1778.75	22.51	60	Pass	401
1790	3000	1	RMS	2957	-48.68	-13	Pass	1211
3000	12000	1	RMS	11850	-41.57	-13	Pass	9002
12000	20000	1	RMS	19404	-33.64	-13	Pass	8001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	Pass	2986
30	1000	0.1	RMS	862.609	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-51.75	-13	Pass	701
1700	1790	1	RMS	1710.125	22.86	60	Pass	401
1790	3000	1	RMS	2950	-48.68	-13	Pass	1211
3000	12000	1	RMS	11949	-41.46	-13	Pass	9002
12000	20000	1	RMS	19401	-33.61	-13	Pass	8001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	1000	0.1	RMS	829.5	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-51.79	-13	Pass	701
1700	1790	1	RMS	1710.125	22.18	60	Pass	401
1790	3000	1	RMS	2956	-48.66	-13	Pass	1211
3000	12000	1	RMS	11948	-41.52	-13	Pass	9002
12000	20000	1	RMS	19404	-33.6	-13	Pass	8001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.5	-13	Pass	9701
1000	1700	1	RMS	1699	-52.43	-13	Pass	701
1700	1790	1	RMS	1743.65	23.42	60	Pass	401
1790	3000	1	RMS	2954	-48.61	-13	Pass	1211
3000	12000	1	RMS	11854	-41.55	-13	Pass	9002
12000	20000	1	RMS	19417	-33.66	-13	Pass	8001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	1000	0.1	RMS	857.305	-63.64	-13	Pass	9701
1000	1700	1	RMS	1695	-52.44	-13	Pass	701
1700	1790	1	RMS	1743.65	22.55	60	Pass	401
1790	3000	1	RMS	2955	-48.58	-13	Pass	1211
3000	12000	1	RMS	11850	-41.58	-13	Pass	9002
12000	20000	1	RMS	19401	-33.51	-13	Pass	8001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72	-13	Pass	2986
30	1000	0.1	RMS	848.6	-63.75	-13	Pass	9701
1000	1700	1	RMS	1699	-52.45	-13	Pass	701
1700	1790	1	RMS	1777.175	23.49	60	Pass	401
1790	3000	1	RMS	2954	-48.71	-13	Pass	1211
3000	12000	1	RMS	11851	-41.56	-13	Pass	9002
12000	20000	1	RMS	19399	-33.67	-13	Pass	8001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	Pass	701
1700	1790	1	RMS	1777.175	22.67	60	Pass	401
1790	3000	1	RMS	2954	-48.61	-13	Pass	1211
3000	12000	1	RMS	11950	-41.52	-13	Pass	9002
12000	20000	1	RMS	19401	-33.54	-13	Pass	8001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	1000	0.1	RMS	852.202	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-51.56	-13	Pass	701
1700	1790	1	RMS	1710.125	22.86	60	Pass	401
1790	3000	1	RMS	2957	-48.68	-13	Pass	1211
3000	12000	1	RMS	11951	-41.54	-13	Pass	9002
12000	20000	1	RMS	19406	-33.69	-13	Pass	8001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	1000	0.1	RMS	836	-63.68	-13	Pass	9701
1000	1700	1	RMS	1700	-51.81	-13	Pass	701
1700	1790	1	RMS	1710.125	22.1	60	Pass	401
1790	3000	1	RMS	2952	-48.65	-13	Pass	1211
3000	12000	1	RMS	11849	-41.56	-13	Pass	9002
12000	20000	1	RMS	19402	-33.5	-13	Pass	8001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	Pass	2986
30	1000	0.1	RMS	851.402	-63.57	-13	Pass	9701
1000	1700	1	RMS	1698	-52.44	-13	Pass	701
1700	1790	1	RMS	1742.75	23.4	60	Pass	401
1790	3000	1	RMS	2958	-48.65	-13	Pass	1211
3000	12000	1	RMS	11838	-41.55	-13	Pass	9002
12000	20000	1	RMS	19398	-33.67	-13	Pass	8001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2986
30	1000	0.1	RMS	839	-63.72	-13	Pass	9701
1000	1700	1	RMS	1698	-52.43	-13	Pass	701
1700	1790	1	RMS	1742.75	22.69	60	Pass	401
1790	3000	1	RMS	2955	-48.65	-13	Pass	1211
3000	12000	1	RMS	11845	-41.42	-13	Pass	9002
12000	20000	1	RMS	19402	-33.65	-13	Pass	8001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	1000	0.1	RMS	859.507	-63.52	-13	Pass	9701
1000	1700	1	RMS	1698	-52.4	-13	Pass	701
1700	1790	1	RMS	1775.15	23.4	60	Pass	401
1790	3000	1	RMS	2956	-48.66	-13	Pass	1211
3000	12000	1	RMS	11844	-41.53	-13	Pass	9002
12000	20000	1	RMS	19400	-33.67	-13	Pass	8001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.14	-13	Pass	2986
30	1000	0.1	RMS	857.105	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-52.45	-13	Pass	701
1700	1790	1	RMS	1775.15	22.85	60	Pass	401
1790	3000	1	RMS	2958	-48.72	-13	Pass	1211
3000	12000	1	RMS	11950	-41.54	-13	Pass	9002
12000	20000	1	RMS	19410	-33.64	-13	Pass	8001




5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	1000	0.1	RMS	848.9	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-51.43	-13	Pass	701
1700	1790	1	RMS	1710.575	23.13	60	Pass	401
1790	3000	1	RMS	2956	-48.66	-13	Pass	1211
3000	12000	1	RMS	11946	-41.57	-13	Pass	9002
12000	20000	1	RMS	19408	-33.66	-13	Pass	8001




5.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2986
30	1000	0.1	RMS	837.3	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-51.73	-13	Pass	701
1700	1790	1	RMS	1710.35	22.41	60	Pass	401
1790	3000	1	RMS	2951	-48.68	-13	Pass	1211
3000	12000	1	RMS	11956	-41.61	-13	Pass	9002
12000	20000	1	RMS	19398	-33.62	-13	Pass	8001




5.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	1000	0.1	RMS	844.9	-63.56	-13	Pass	9701
1000	1700	1	RMS	1700	-52.46	-13	Pass	701
1700	1790	1	RMS	1740.5	23.36	60	Pass	401
1790	3000	1	RMS	2955	-48.68	-13	Pass	1211
3000	12000	1	RMS	11847	-41.57	-13	Pass	9002
12000	20000	1	RMS	19405	-33.62	-13	Pass	8001




5.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2986
30	1000	0.1	RMS	852.202	-63.5	-13	Pass	9701
1000	1700	1	RMS	1696	-52.44	-13	Pass	701
1700	1790	1	RMS	1740.5	22.4	60	Pass	401
1790	3000	1	RMS	2959	-48.65	-13	Pass	1211
3000	12000	1	RMS	11949	-41.59	-13	Pass	9002
12000	20000	1	RMS	19397	-33.63	-13	Pass	8001




5.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.14	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.68	-13	Pass	9701
1000	1700	1	RMS	1692	-52.44	-13	Pass	701
1700	1790	1	RMS	1770.425	23.34	60	Pass	401
1790	3000	1	RMS	2961	-48.71	-13	Pass	1211
3000	12000	1	RMS	11838	-41.56	-13	Pass	9002
12000	20000	1	RMS	19401	-33.63	-13	Pass	8001




5.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2986
30	1000	0.1	RMS	842.9	-63.68	-13	Pass	9701
1000	1700	1	RMS	1697	-52.46	-13	Pass	701
1700	1790	1	RMS	1770.425	22.56	60	Pass	401
1790	3000	1	RMS	2954	-48.65	-13	Pass	1211
3000	12000	1	RMS	11854	-41.58	-13	Pass	9002
12000	20000	1	RMS	19402	-33.63	-13	Pass	8001




5.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2986
30	1000	0.1	RMS	854.003	-63.62	-13	Pass	9701
1000	1700	1	RMS	1697	-51.35	-13	Pass	701
1700	1790	1	RMS	1710.8	23.09	60	Pass	401
1790	3000	1	RMS	2947	-48.65	-13	Pass	1211
3000	12000	1	RMS	11844	-41.61	-13	Pass	9002
12000	20000	1	RMS	19407	-33.67	-13	Pass	8001




5.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.34	-13	Pass	2986
30	1000	0.1	RMS	843.8	-63.64	-13	Pass	9701
1000	1700	1	RMS	1697	-51.42	-13	Pass	701
1700	1790	1	RMS	1710.8	22.37	60	Pass	401
1790	3000	1	RMS	2950	-48.68	-13	Pass	1211
3000	12000	1	RMS	11840	-41.54	-13	Pass	9002
12000	20000	1	RMS	19397	-33.67	-13	Pass	8001




5.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.44	-13	Pass	2986
30	1000	0.1	RMS	844	-63.75	-13	Pass	9701
1000	1700	1	RMS	1691	-52.47	-13	Pass	701
1700	1790	1	RMS	1738.25	23.27	60	Pass	401
1790	3000	1	RMS	2949	-48.69	-13	Pass	1211
3000	12000	1	RMS	11845	-41.52	-13	Pass	9002
12000	20000	1	RMS	19401	-33.67	-13	Pass	8001




5.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	Pass	2986
30	1000	0.1	RMS	844.7	-63.47	-13	Pass	9701
1000	1700	1	RMS	1699	-52.48	-13	Pass	701
1700	1790	1	RMS	1738.25	22.28	60	Pass	401
1790	3000	1	RMS	2953	-48.68	-13	Pass	1211
3000	12000	1	RMS	11949	-41.52	-13	Pass	9002
12000	20000	1	RMS	19411	-33.58	-13	Pass	8001




5.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.01	-13	Pass	2986
30	1000	0.1	RMS	998.499	-63.6	-13	Pass	9701
1000	1700	1	RMS	1699	-52.36	-13	Pass	701
1700	1790	1	RMS	1765.7	23.26	60	Pass	401
1790	3000	1	RMS	2962	-48.69	-13	Pass	1211
3000	12000	1	RMS	11846	-41.51	-13	Pass	9002
12000	20000	1	RMS	19712	-33.57	-13	Pass	8001




5.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.31	-13	Pass	2986
30	1000	0.1	RMS	852.903	-63.6	-13	Pass	9701
1000	1700	1	RMS	1699	-52.47	-13	Pass	701
1700	1790	1	RMS	1765.7	22.53	60	Pass	401
1790	3000	1	RMS	2946	-48.69	-13	Pass	1211
3000	12000	1	RMS	11847	-41.58	-13	Pass	9002
12000	20000	1	RMS	19407	-33.63	-13	Pass	8001




5.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-50.27	-13	Pass	701
1700	1790	1	RMS	1711.025	23.12	60	Pass	401
1790	3000	1	RMS	2947	-48.67	-13	Pass	1211
3000	12000	1	RMS	11951	-41.54	-13	Pass	9002
12000	20000	1	RMS	19408	-33.66	-13	Pass	8001




5.37. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	1000	0.1	RMS	848.2	-63.69	-13	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	Pass	701
1700	1790	1	RMS	1711.025	22.46	60	Pass	401
1790	3000	1	RMS	2957	-48.64	-13	Pass	1211
3000	12000	1	RMS	11950	-41.54	-13	Pass	9002
12000	20000	1	RMS	19402	-33.62	-13	Pass	8001




5.38. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	1000	0.1	RMS	856.605	-63.7	-13	Pass	9701
1000	1700	1	RMS	1700	-52.44	-13	Pass	701
1700	1790	1	RMS	1736	23.24	60	Pass	401
1790	3000	1	RMS	2951	-48.67	-13	Pass	1211
3000	12000	1	RMS	11847	-41.51	-13	Pass	9002
12000	20000	1	RMS	19403	-33.65	-13	Pass	8001




5.39. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2986
30	1000	0.1	RMS	818.7	-63.72	-13	Pass	9701
1000	1700	1	RMS	1699	-52.47	-13	Pass	701
1700	1790	1	RMS	1736	22.61	60	Pass	401
1790	3000	1	RMS	2960	-48.67	-13	Pass	1211
3000	12000	1	RMS	11952	-41.52	-13	Pass	9002
12000	20000	1	RMS	19402	-33.7	-13	Pass	8001




5.40. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2986
30	1000	0.1	RMS	879.02	-63.69	-13	Pass	9701
1000	1700	1	RMS	1694	-52.46	-13	Pass	701
1700	1790	1	RMS	1760.975	23.41	60	Pass	401
1790	3000	1	RMS	2947	-48.71	-13	Pass	1211
3000	12000	1	RMS	11952	-41.54	-13	Pass	9002
12000	20000	1	RMS	19400	-33.63	-13	Pass	8001



5.41. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.16	-13	Pass	2986
30	1000	0.1	RMS	852.202	-63.51	-13	Pass	9701
1000	1700	1	RMS	1700	-52.45	-13	Pass	701
1700	1790	1	RMS	1760.975	22.37	60	Pass	401
1790	3000	1	RMS	2955	-48.69	-13	Pass	1211
3000	12000	1	RMS	11948	-41.59	-13	Pass	9002
12000	20000	1	RMS	19399	-33.66	-13	Pass	8001



1. LTE_Band71


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	653	0.1	RMS	652.4	-61.88	-13	Pass	6231
653	709	0.1	RMS	663.3	20.12	60	Pass	561
709	1000	0.1	RMS	933.4	-61.18	-13	Pass	2911
1000	3000	1	RMS	1327	-45.92	-13	Pass	2001
3000	10000	1	RMS	9755	-40.57	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-13	Pass	2986
30	653	0.1	RMS	652.7	-62.16	-13	Pass	6231
653	709	0.1	RMS	663.3	19.25	60	Pass	561
709	1000	0.1	RMS	928.7	-61.56	-13	Pass	2911
1000	3000	1	RMS	3000	-46.47	-13	Pass	2001
3000	10000	1	RMS	9746	-40.61	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	653	0.1	RMS	473.7	-61.96	-13	Pass	6231
653	709	0.1	RMS	678.3	20.02	60	Pass	561
709	1000	0.1	RMS	919.9	-61.37	-13	Pass	2911
1000	3000	1	RMS	3000	-46.51	-13	Pass	2001
3000	10000	1	RMS	9728	-40.63	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2986
30	653	0.1	RMS	488.9	-62.06	-13	Pass	6231
653	709	0.1	RMS	678.3	19.27	60	Pass	561
709	1000	0.1	RMS	936	-61.25	-13	Pass	2911
1000	3000	1	RMS	3000	-46.49	-13	Pass	2001
3000	10000	1	RMS	9721	-40.55	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.27	-13	Pass	2986
30	653	0.1	RMS	478.3	-62.01	-13	Pass	6231
653	709	0.1	RMS	693.3	20.22	60	Pass	561
709	1000	0.1	RMS	931.2	-61.54	-13	Pass	2911
1000	3000	1	RMS	2999	-46.47	-13	Pass	2001
3000	10000	1	RMS	9703	-40.6	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.37	-13	Pass	2986
30	653	0.1	RMS	503.8	-62	-13	Pass	6231
653	709	0.1	RMS	693.3	19.21	60	Pass	561
709	1000	0.1	RMS	922.2	-61.52	-13	Pass	2911
1000	3000	1	RMS	2998	-46.51	-13	Pass	2001
3000	10000	1	RMS	9747	-40.57	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	653	0.1	RMS	468.9	-62.02	-13	Pass	6231
653	709	0.1	RMS	663.6	20.29	60	Pass	561
709	1000	0.1	RMS	912.5	-61.49	-13	Pass	2911
1000	3000	1	RMS	1327	-45.23	-13	Pass	2001
3000	10000	1	RMS	9757	-40.58	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	653	0.1	RMS	474	-61.94	-13	Pass	6231
653	709	0.1	RMS	663.6	19.85	60	Pass	561
709	1000	0.1	RMS	934.9	-61.37	-13	Pass	2911
1000	3000	1	RMS	1327	-45.65	-13	Pass	2001
3000	10000	1	RMS	9756	-40.61	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.3	-13	Pass	2986
30	653	0.1	RMS	476.6	-62.03	-13	Pass	6231
653	709	0.1	RMS	676.1	20.51	60	Pass	561
709	1000	0.1	RMS	873.5	-61.46	-13	Pass	2911
1000	3000	1	RMS	1352	-45.91	-13	Pass	2001
3000	10000	1	RMS	9747	-40.62	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2986
30	653	0.1	RMS	650.8	-62.11	-13	Pass	6231
653	709	0.1	RMS	676.1	19.77	60	Pass	561
709	1000	0.1	RMS	897.4	-61.4	-13	Pass	2911
1000	3000	1	RMS	3000	-46.52	-13	Pass	2001
3000	10000	1	RMS	9748	-40.58	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.71	-13	Pass	2986
30	653	0.1	RMS	484.4	-62	-13	Pass	6231
653	709	0.1	RMS	688.6	20.47	60	Pass	561
709	1000	0.1	RMS	903.5	-61.53	-13	Pass	2911
1000	3000	1	RMS	2998	-46.51	-13	Pass	2001
3000	10000	1	RMS	9741	-40.58	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.66	-13	Pass	2986
30	653	0.1	RMS	497.8	-62.1	-13	Pass	6231
653	709	0.1	RMS	688.6	19.69	60	Pass	561
709	1000	0.1	RMS	929.4	-61.44	-13	Pass	2911
1000	3000	1	RMS	2796	-46.53	-13	Pass	2001
3000	10000	1	RMS	9752	-40.54	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2986
30	653	0.1	RMS	474.4	-62.05	-13	Pass	6231
653	709	0.1	RMS	663.8	20.03	60	Pass	561
709	1000	0.1	RMS	911.1	-61.64	-13	Pass	2911
1000	3000	1	RMS	1328	-45.66	-13	Pass	2001
3000	10000	1	RMS	9739	-40.63	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2986
30	653	0.1	RMS	488.5	-61.99	-13	Pass	6231
653	709	0.1	RMS	663.8	19.58	60	Pass	561
709	1000	0.1	RMS	956.8	-61.46	-13	Pass	2911
1000	3000	1	RMS	1328	-46.07	-13	Pass	2001
3000	10000	1	RMS	9751	-40.46	-13	Pass	7001



--BLANK BELOW--


1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	653	0.1	RMS	483.9	-62.02	-13	Pass	6231
653	709	0.1	RMS	673.8	19.94	60	Pass	561
709	1000	0.1	RMS	943.1	-61.61	-13	Pass	2911
1000	3000	1	RMS	1348	-46.49	-13	Pass	2001
3000	10000	1	RMS	9754	-40.62	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.95	-13	Pass	2986
30	653	0.1	RMS	640.7	-62	-13	Pass	6231
653	709	0.1	RMS	673.8	19.1	60	Pass	561
709	1000	0.1	RMS	923.2	-61.58	-13	Pass	2911
1000	3000	1	RMS	2996	-46.52	-13	Pass	2001
3000	10000	1	RMS	9754	-40.5	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	653	0.1	RMS	488.8	-61.83	-13	Pass	6231
653	709	0.1	RMS	683.8	19.98	60	Pass	561
709	1000	0.1	RMS	912	-61.49	-13	Pass	2911
1000	3000	1	RMS	2798	-46.5	-13	Pass	2001
3000	10000	1	RMS	9747	-40.55	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.7	-13	Pass	2986
30	653	0.1	RMS	476.9	-62.05	-13	Pass	6231
653	709	0.1	RMS	683.8	19.2	60	Pass	561
709	1000	0.1	RMS	935.5	-61.4	-13	Pass	2911
1000	3000	1	RMS	2999	-46.49	-13	Pass	2001
3000	10000	1	RMS	9745	-40.62	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2986
30	653	0.1	RMS	651.1	-61.98	-13	Pass	6231
653	709	0.1	RMS	664.1	20.46	60	Pass	561
709	1000	0.1	RMS	880.3	-61.54	-13	Pass	2911
1000	3000	1	RMS	1328	-45.2	-13	Pass	2001
3000	10000	1	RMS	9751	-40.54	-13	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2986
30	653	0.1	RMS	475	-62.08	-13	Pass	6231
653	709	0.1	RMS	664.1	19.79	60	Pass	561
709	1000	0.1	RMS	925.2	-61.41	-13	Pass	2911
1000	3000	1	RMS	1328	-45.73	-13	Pass	2001
3000	10000	1	RMS	9744	-40.61	-13	Pass	7001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2986
30	653	0.1	RMS	649.3	-62	-13	Pass	6231
653	709	0.1	RMS	674.1	20.47	60	Pass	561
709	1000	0.1	RMS	898.7	-61.51	-13	Pass	2911
1000	3000	1	RMS	1348	-46.12	-13	Pass	2001
3000	10000	1	RMS	9746	-40.51	-13	Pass	7001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.27	-13	Pass	2986
30	653	0.1	RMS	651.3	-62.03	-13	Pass	6231
653	709	0.1	RMS	674.1	19.9	60	Pass	561
709	1000	0.1	RMS	915.3	-61.51	-13	Pass	2911
1000	3000	1	RMS	3000	-46.51	-13	Pass	2001
3000	10000	1	RMS	9722	-40.54	-13	Pass	7001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.69	-13	Pass	2986
30	653	0.1	RMS	490.6	-61.9	-13	Pass	6231
653	709	0.1	RMS	679.1	20.38	60	Pass	561
709	1000	0.1	RMS	968	-61.54	-13	Pass	2911
1000	3000	1	RMS	2802	-46.5	-13	Pass	2001
3000	10000	1	RMS	9746	-40.59	-13	Pass	7001



1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	653	0.1	RMS	475.7	-62.06	-13	Pass	6231
653	709	0.1	RMS	679.1	19.28	60	Pass	561
709	1000	0.1	RMS	918.2	-61.55	-13	Pass	2911
1000	3000	1	RMS	3000	-46.51	-13	Pass	2001
3000	10000	1	RMS	9709	-40.63	-13	Pass	7001




NR

1. n2 15kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68	-13	55	Pass	401
0.15	30	0.01	RMS	0.61	-68.05	-13	55.05	Pass	2986
30	1000	0.1	RMS	890.127	-60.21	-13	47.21	Pass	9701
1000	1840	1	RMS	1840	-45.51	-13	32.51	Pass	841
1840	1920	1	RMS	1853.8	17.57	60	42.43	Pass	401
1920	3000	1	RMS	2868	-45.36	-13	32.36	Pass	1081
3000	7000	1	RMS	6930	-57.92	-13	44.92	Pass	4001
7000	20000	1	RMS	19909	-47	-13	34	Pass	13002




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.94	-13	55.94	Pass	401
0.15	30	0.01	RMS	0.6	-67.08	-13	54.08	Pass	2986
30	1000	0.1	RMS	885.024	-60.5	-13	47.5	Pass	9701
1000	1840	1	RMS	1840	-48.68	-13	35.68	Pass	841
1840	1920	1	RMS	1850.2	23.03	60	36.97	Pass	401
1920	3000	1	RMS	2867	-45.31	-13	32.31	Pass	1081
3000	7000	1	RMS	5551	-54.15	-13	41.15	Pass	4001
7000	20000	1	RMS	19896	-47.09	-13	34.09	Pass	13002




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.57	-13	55.57	Pass	401
0.15	30	0.01	RMS	0.6	-66.68	-13	53.68	Pass	2986
30	1000	0.1	RMS	899.934	-60.32	-13	47.32	Pass	9701
1000	1840	1	RMS	1840	-48.69	-13	35.69	Pass	841
1840	1920	1	RMS	1854.6	23.58	60	36.42	Pass	401
1920	3000	1	RMS	2867	-45.31	-13	32.31	Pass	1081
3000	7000	1	RMS	5564	-54.35	-13	41.35	Pass	4001
7000	20000	1	RMS	18301	-47.06	-13	34.06	Pass	13002




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.93	-13	55.93	Pass	401
0.15	30	0.01	RMS	0.6	-67.37	-13	54.37	Pass	2986
30	1000	0.1	RMS	997.198	-60.35	-13	47.35	Pass	9701
1000	1840	1	RMS	1834	-48.8	-13	35.8	Pass	841
1840	1920	1	RMS	1881.2	17.51	60	42.49	Pass	401
1920	3000	1	RMS	2884	-45.35	-13	32.35	Pass	1081
3000	7000	1	RMS	5640	-57.67	-13	44.67	Pass	4001
7000	20000	1	RMS	18300	-47.08	-13	34.08	Pass	13002




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.88	-13	55.88	Pass	401
0.15	30	0.01	RMS	0.15	-67.23	-13	54.23	Pass	2986
30	1000	0.1	RMS	898.733	-60.43	-13	47.43	Pass	9701
1000	1840	1	RMS	1837	-48.85	-13	35.85	Pass	841
1840	1920	1	RMS	1877.8	23.54	60	36.46	Pass	401
1920	3000	1	RMS	2866	-45.26	-13	32.26	Pass	1081
3000	7000	1	RMS	5633	-53.56	-13	40.56	Pass	4001
7000	20000	1	RMS	19902	-46.97	-13	33.97	Pass	13002




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.66	-13	55.66	Pass	401
0.15	30	0.01	RMS	0.6	-66.69	-13	53.69	Pass	2986
30	1000	0.1	RMS	997.298	-60.41	-13	47.41	Pass	9701
1000	1840	1	RMS	1837	-48.81	-13	35.81	Pass	841
1840	1920	1	RMS	1882	23.48	60	36.52	Pass	401
1920	3000	1	RMS	2873	-45.3	-13	32.3	Pass	1081
3000	7000	1	RMS	5646	-55.42	-13	42.42	Pass	4001
7000	20000	1	RMS	18297	-47.04	-13	34.04	Pass	13002




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.33	-13	55.33	Pass	401
0.15	30	0.01	RMS	0.6	-66.95	-13	53.95	Pass	2986
30	1000	0.1	RMS	907.939	-60.36	-13	47.36	Pass	9701
1000	1840	1	RMS	1837	-48.82	-13	35.82	Pass	841
1840	1920	1	RMS	1906.2	17.48	60	42.52	Pass	401
1920	3000	1	RMS	2869	-45.32	-13	32.32	Pass	1081
3000	7000	1	RMS	5722	-57.2	-13	44.2	Pass	4001
7000	20000	1	RMS	19900	-46.97	-13	33.97	Pass	13002




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	0.6	-67.17	-13	54.17	Pass	2986
30	1000	0.1	RMS	887.125	-60.43	-13	47.43	Pass	9701
1000	1840	1	RMS	1837	-48.81	-13	35.81	Pass	841
1840	1920	1	RMS	1905.2	23.54	60	36.46	Pass	401
1920	3000	1	RMS	2877	-45.35	-13	32.35	Pass	1081
3000	7000	1	RMS	5716	-51.08	-13	38.08	Pass	4001
7000	20000	1	RMS	19904	-47.05	-13	34.05	Pass	13002




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.03	-13	56.03	Pass	401
0.15	30	0.01	RMS	0.6	-66.67	-13	53.67	Pass	2986
30	1000	0.1	RMS	901.435	-60.48	-13	47.48	Pass	9701
1000	1840	1	RMS	1840	-48.8	-13	35.8	Pass	841
1840	1920	1	RMS	1909.6	23.4	60	36.6	Pass	401
1920	3000	1	RMS	2873	-45.36	-13	32.36	Pass	1081
3000	7000	1	RMS	5729	-52.58	-13	39.58	Pass	4001
7000	20000	1	RMS	19900	-47.04	-13	34.04	Pass	13002




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.03	-13	56.03	Pass	401
0.15	30	0.01	RMS	0.6	-66.85	-13	53.85	Pass	2986
30	1000	0.1	RMS	900.234	-60.35	-13	47.35	Pass	9701
1000	1840	1	RMS	1840	-37.3	-13	24.3	Pass	841
1840	1920	1	RMS	1855.4	12.46	60	47.54	Pass	401
1920	3000	1	RMS	2873	-45.35	-13	32.35	Pass	1081
3000	7000	1	RMS	6931	-57.98	-13	44.98	Pass	4001
7000	20000	1	RMS	19908	-47.05	-13	34.05	Pass	13002




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.78	-13	56.78	Pass	401
0.15	30	0.01	RMS	0.6	-67.35	-13	54.35	Pass	2986
30	1000	0.1	RMS	894.43	-60.42	-13	47.42	Pass	9701
1000	1840	1	RMS	1840	-48.5	-13	35.5	Pass	841
1840	1920	1	RMS	1850.4	22.97	60	37.03	Pass	401
1920	3000	1	RMS	2869	-45.35	-13	32.35	Pass	1081
3000	7000	1	RMS	5551	-55.31	-13	42.31	Pass	4001
7000	20000	1	RMS	19904	-47	-13	34	Pass	13002




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.64	-13	56.64	Pass	401
0.15	30	0.01	RMS	0.16	-67.47	-13	54.47	Pass	2986
30	1000	0.1	RMS	927.152	-60.45	-13	47.45	Pass	9701
1000	1840	1	RMS	1840	-48.69	-13	35.69	Pass	841
1840	1920	1	RMS	1864.4	23.51	60	36.49	Pass	401
1920	3000	1	RMS	2872	-45.3	-13	32.3	Pass	1081
3000	7000	1	RMS	5594	-55.17	-13	42.17	Pass	4001
7000	20000	1	RMS	18276	-47.07	-13	34.07	Pass	13002




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.29	-13	55.29	Pass	401
0.15	30	0.01	RMS	0.6	-66.72	-13	53.72	Pass	2986
30	1000	0.1	RMS	888.226	-60.39	-13	47.39	Pass	9701
1000	1840	1	RMS	1840	-47.99	-13	34.99	Pass	841
1840	1920	1	RMS	1884.8	12.77	60	47.23	Pass	401
1920	3000	1	RMS	2878	-45.37	-13	32.37	Pass	1081
3000	7000	1	RMS	6927	-57.91	-13	44.91	Pass	4001
7000	20000	1	RMS	18270	-47.02	-13	34.02	Pass	13002




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.23	-13	56.23	Pass	401
0.15	30	0.01	RMS	0.6	-66.39	-13	53.39	Pass	2986
30	1000	0.1	RMS	894.13	-60.44	-13	47.44	Pass	9701
1000	1840	1	RMS	1838	-48.79	-13	35.79	Pass	841
1840	1920	1	RMS	1872.8	23.48	60	36.52	Pass	401
1920	3000	1	RMS	2867	-45.3	-13	32.3	Pass	1081
3000	7000	1	RMS	5619	-51.28	-13	38.28	Pass	4001
7000	20000	1	RMS	19901	-47.03	-13	34.03	Pass	13002




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.68	-13	55.68	Pass	401
0.15	30	0.01	RMS	0.6	-66.63	-13	53.63	Pass	2986
30	1000	0.1	RMS	892.129	-60.31	-13	47.31	Pass	9701
1000	1840	1	RMS	1839	-48.81	-13	35.81	Pass	841
1840	1920	1	RMS	1886.8	23.49	60	36.51	Pass	401
1920	3000	1	RMS	2870	-45.34	-13	32.34	Pass	1081
3000	7000	1	RMS	5661	-54.11	-13	41.11	Pass	4001
7000	20000	1	RMS	19891	-47.05	-13	34.05	Pass	13002




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.05	-13	56.05	Pass	401
0.15	30	0.01	RMS	0.6	-66.78	-13	53.78	Pass	2986
30	1000	0.1	RMS	897.532	-60.41	-13	47.41	Pass	9701
1000	1840	1	RMS	1837	-48.83	-13	35.83	Pass	841
1840	1920	1	RMS	1896.4	12.46	60	47.54	Pass	401
1920	3000	1	RMS	1920	-38.29	-13	25.29	Pass	1081
3000	7000	1	RMS	6932	-57.82	-13	44.82	Pass	4001
7000	20000	1	RMS	19902	-47.04	-13	34.04	Pass	13002




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.01	-13	56.01	Pass	401
0.15	30	0.01	RMS	0.6	-65.78	-13	52.78	Pass	2986
30	1000	0.1	RMS	908.539	-60.41	-13	47.41	Pass	9701
1000	1840	1	RMS	1840	-48.83	-13	35.83	Pass	841
1840	1920	1	RMS	1895.4	23.5	60	36.5	Pass	401
1920	3000	1	RMS	2866	-45.33	-13	32.33	Pass	1081
3000	7000	1	RMS	5686	-53.96	-13	40.96	Pass	4001
7000	20000	1	RMS	19897	-47.08	-13	34.08	Pass	13002




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.39	-13	55.39	Pass	401
0.15	30	0.01	RMS	0.15	-66.84	-13	53.84	Pass	2986
30	1000	0.1	RMS	885.324	-60.38	-13	47.38	Pass	9701
1000	1840	1	RMS	1828	-48.81	-13	35.81	Pass	841
1840	1920	1	RMS	1909.4	23.47	60	36.53	Pass	401
1920	3000	1	RMS	2870	-45.3	-13	32.3	Pass	1081
3000	7000	1	RMS	5729	-53.79	-13	40.79	Pass	4001
7000	20000	1	RMS	18299	-47.05	-13	34.05	Pass	13002




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.49	-13	54.49	Pass	401
0.15	30	0.01	RMS	0.6	-66.83	-13	53.83	Pass	2986
30	1000	0.1	RMS	913.443	-60.46	-13	47.46	Pass	9701
1000	1840	1	RMS	1840	-36.5	-13	23.5	Pass	841
1840	1920	1	RMS	1855.8	11.5	60	48.5	Pass	401
1920	3000	1	RMS	2867	-45.34	-13	32.34	Pass	1081
3000	7000	1	RMS	6923	-57.98	-13	44.98	Pass	4001
7000	20000	1	RMS	18218	-47.04	-13	34.04	Pass	13002




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-69.2	-13	56.2	Pass	401
0.15	30	0.01	RMS	0.6	-66.97	-13	53.97	Pass	2986
30	1000	0.1	RMS	887.926	-60.49	-13	47.49	Pass	9701
1000	1840	1	RMS	1840	-48.56	-13	35.56	Pass	841
1840	1920	1	RMS	1850.4	22.79	60	37.21	Pass	401
1920	3000	1	RMS	2866	-45.35	-13	32.35	Pass	1081
3000	7000	1	RMS	5552	-55.27	-13	42.27	Pass	4001
7000	20000	1	RMS	18258	-47.06	-13	34.06	Pass	13002




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69	-13	56	Pass	401
0.15	30	0.01	RMS	0.6	-66.82	-13	53.82	Pass	2986
30	1000	0.1	RMS	912.042	-60.45	-13	47.45	Pass	9701
1000	1840	1	RMS	1840	-48.74	-13	35.74	Pass	841
1840	1920	1	RMS	1869.4	23.5	60	36.5	Pass	401
1920	3000	1	RMS	2868	-45.34	-13	32.34	Pass	1081
3000	7000	1	RMS	5608	-51.94	-13	38.94	Pass	4001
7000	20000	1	RMS	18209	-47.01	-13	34.01	Pass	13002




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.25	-13	56.25	Pass	401
0.15	30	0.01	RMS	0.17	-67.9	-13	54.9	Pass	2986
30	1000	0.1	RMS	894.93	-60.42	-13	47.42	Pass	9701
1000	1840	1	RMS	1840	-45.1	-13	32.1	Pass	841
1840	1920	1	RMS	1885.4	11.62	60	48.38	Pass	401
1920	3000	1	RMS	2875	-45.37	-13	32.37	Pass	1081
3000	7000	1	RMS	6926	-57.95	-13	44.95	Pass	4001
7000	20000	1	RMS	19931	-47.07	-13	34.07	Pass	13002




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.94	-13	54.94	Pass	401
0.15	30	0.01	RMS	0.6	-66.65	-13	53.65	Pass	2986
30	1000	0.1	RMS	903.536	-60.49	-13	47.49	Pass	9701
1000	1840	1	RMS	1840	-48.72	-13	35.72	Pass	841
1840	1920	1	RMS	1870.4	23.48	60	36.52	Pass	401
1920	3000	1	RMS	2876	-45.37	-13	32.37	Pass	1081
3000	7000	1	RMS	5612	-52.04	-13	39.04	Pass	4001
7000	20000	1	RMS	18300	-47.06	-13	34.06	Pass	13002




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.35	-13	55.35	Pass	401
0.15	30	0.01	RMS	0.6	-67.03	-13	54.03	Pass	2986
30	1000	0.1	RMS	893.029	-60.45	-13	47.45	Pass	9701
1000	1840	1	RMS	1835	-48.84	-13	35.84	Pass	841
1840	1920	1	RMS	1889.4	23.56	60	36.44	Pass	401
1920	3000	1	RMS	2875	-45.33	-13	32.33	Pass	1081
3000	7000	1	RMS	5668	-54.29	-13	41.29	Pass	4001
7000	20000	1	RMS	19906	-47.03	-13	34.03	Pass	13002




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.77	-13	55.77	Pass	401
0.15	30	0.01	RMS	0.16	-66.39	-13	53.39	Pass	2986
30	1000	0.1	RMS	889.327	-60.36	-13	47.36	Pass	9701
1000	1840	1	RMS	1840	-48.69	-13	35.69	Pass	841
1840	1920	1	RMS	1891.4	11.56	60	48.44	Pass	401
1920	3000	1	RMS	1920	-38.29	-13	25.29	Pass	1081
3000	7000	1	RMS	6932	-57.95	-13	44.95	Pass	4001
7000	20000	1	RMS	19905	-47.01	-13	34.01	Pass	13002




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.06	-13	56.06	Pass	401
0.15	30	0.01	RMS	0.6	-67.26	-13	54.26	Pass	2986
30	1000	0.1	RMS	898.933	-60.41	-13	47.41	Pass	9701
1000	1840	1	RMS	1838	-48.8	-13	35.8	Pass	841
1840	1920	1	RMS	1890.4	23.53	60	36.47	Pass	401
1920	3000	1	RMS	2865	-45.32	-13	32.32	Pass	1081
3000	7000	1	RMS	5672	-54.35	-13	41.35	Pass	4001
7000	20000	1	RMS	18266	-47.01	-13	34.01	Pass	13002



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.38	-13	55.38	Pass	401
0.15	30	0.01	RMS	0.6	-66.94	-13	53.94	Pass	2986
30	1000	0.1	RMS	890.728	-60.37	-13	47.37	Pass	9701
1000	1840	1	RMS	1823	-48.82	-13	35.82	Pass	841
1840	1920	1	RMS	1909.4	23.44	60	36.56	Pass	401
1920	3000	1	RMS	2872	-45.34	-13	32.34	Pass	1081
3000	7000	1	RMS	5728	-53.28	-13	40.28	Pass	4001
7000	20000	1	RMS	19904	-47.07	-13	34.07	Pass	13002



4. n5


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.14	-13	61.14	Pass	401
0.15	30	0.01	RMS	4.23	-70.53	-13	57.53	Pass	2986
30	814	0.1	RMS	472.5	-60.57	-13	47.57	Pass	7841
814	859	0.1	RMS	825.1	3.65	60	56.35	Pass	451
859	1000	0.1	RMS	998.6	-60.38	-13	47.38	Pass	1411
1000	3000	1	RMS	2978	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7121	-55.97	-13	42.97	Pass	7001




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.21	-70.47	-13	57.47	Pass	2986
30	814	0.1	RMS	811.4	-60.61	-13	47.61	Pass	7841
814	859	0.1	RMS	824.3	16.85	60	43.15	Pass	451
859	1000	0.1	RMS	869.4	-60.33	-13	47.33	Pass	1411
1000	3000	1	RMS	2981	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	7103	-55.9	-13	42.9	Pass	7001




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.26	-69.82	-13	56.82	Pass	2986
30	814	0.1	RMS	811.1	-60.66	-13	47.66	Pass	7841
814	859	0.1	RMS	828.7	16.38	60	43.62	Pass	451
859	1000	0.1	RMS	899.2	-60.24	-13	47.24	Pass	1411
1000	3000	1	RMS	2983	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7145	-55.94	-13	42.94	Pass	7001




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.17	-69.21	-13	56.21	Pass	2986
30	814	0.1	RMS	481.7	-60.76	-13	47.76	Pass	7841
814	859	0.1	RMS	837.9	3.66	60	56.34	Pass	451
859	1000	0.1	RMS	991.5	-60.49	-13	47.49	Pass	1411
1000	3000	1	RMS	2982	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	7134	-56.04	-13	43.04	Pass	7001




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-73.4	-13	60.4	Pass	401
0.15	30	0.01	RMS	0.16	-69.9	-13	56.9	Pass	2986
30	814	0.1	RMS	814	-59.79	-13	46.79	Pass	7841
814	859	0.1	RMS	834.3	16.65	60	43.35	Pass	451
859	1000	0.1	RMS	907.2	-60.37	-13	47.37	Pass	1411
1000	3000	1	RMS	2970	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	7096	-56.07	-13	43.07	Pass	7001




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.19	-70.55	-13	57.55	Pass	2986
30	814	0.1	RMS	809.9	-59.05	-13	46.05	Pass	7841
814	859	0.1	RMS	838.7	16.27	60	43.73	Pass	451
859	1000	0.1	RMS	904.7	-60.34	-13	47.34	Pass	1411
1000	3000	1	RMS	2968	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	7117	-56.1	-13	43.1	Pass	7001




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.37	-69.08	-13	56.08	Pass	2986
30	814	0.1	RMS	482.1	-60.76	-13	47.76	Pass	7841
814	859	0.1	RMS	844.7	3.56	60	56.44	Pass	451
859	1000	0.1	RMS	885	-60.44	-13	47.44	Pass	1411
1000	3000	1	RMS	2976	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	7129	-56.12	-13	43.12	Pass	7001




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.87	-69.75	-13	56.75	Pass	2986
30	814	0.1	RMS	812.8	-58.28	-13	45.28	Pass	7841
814	859	0.1	RMS	844.3	16.66	60	43.34	Pass	451
859	1000	0.1	RMS	902.8	-60.41	-13	47.41	Pass	1411
1000	3000	1	RMS	2966	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7106	-56.1	-13	43.1	Pass	7001




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.23	-13	60.23	Pass	401
0.15	30	0.01	RMS	0.22	-69.77	-13	56.77	Pass	2986
30	814	0.1	RMS	812.9	-60.23	-13	47.23	Pass	7841
814	859	0.1	RMS	848.6	16.08	60	43.92	Pass	451
859	1000	0.1	RMS	989.5	-60.43	-13	47.43	Pass	1411
1000	3000	1	RMS	2970	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7112	-56.13	-13	43.13	Pass	7001




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.21	-70.34	-13	57.34	Pass	2986
30	814	0.1	RMS	813.9	-48.63	-13	35.63	Pass	7841
814	859	0.1	RMS	827.4	-1.28	60	61.28	Pass	451
859	1000	0.1	RMS	905.7	-60.46	-13	47.46	Pass	1411
1000	3000	1	RMS	2975	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	7105	-55.94	-13	42.94	Pass	7001




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	7.33	-68.91	-13	55.91	Pass	2986
30	814	0.1	RMS	734.4	-59.29	-13	46.29	Pass	7841
814	859	0.1	RMS	824.5	16.79	60	43.21	Pass	451
859	1000	0.1	RMS	999.7	-58.94	-13	45.94	Pass	1411
1000	3000	1	RMS	2972	-45.54	-13	32.54	Pass	2001
3000	10000	1	RMS	7138	-55.98	-13	42.98	Pass	7001




4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.7	-68.09	-13	55.09	Pass	2986
30	814	0.1	RMS	810.1	-58.8	-13	45.8	Pass	7841
814	859	0.1	RMS	838.5	16.79	60	43.21	Pass	451
859	1000	0.1	RMS	916.9	-59.38	-13	46.38	Pass	1411
1000	3000	1	RMS	2980	-45.6	-13	32.6	Pass	2001
3000	10000	1	RMS	7112	-55.76	-13	42.76	Pass	7001




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.15	-70.08	-13	57.08	Pass	2986
30	814	0.1	RMS	813.8	-53.71	-13	40.71	Pass	7841
814	859	0.1	RMS	831.3	-1.38	60	61.38	Pass	451
859	1000	0.1	RMS	998.3	-60.39	-13	47.39	Pass	1411
1000	3000	1	RMS	2972	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	7118	-56.05	-13	43.05	Pass	7001




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.2	-69.85	-13	56.85	Pass	2986
30	814	0.1	RMS	809.3	-60.01	-13	47.01	Pass	7841
814	859	0.1	RMS	829.5	16.66	60	43.34	Pass	451
859	1000	0.1	RMS	903.5	-60.25	-13	47.25	Pass	1411
1000	3000	1	RMS	2973	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7103	-56.04	-13	43.04	Pass	7001




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	5.63	-70.43	-13	57.43	Pass	2986
30	814	0.1	RMS	812.1	-58.27	-13	45.27	Pass	7841
814	859	0.1	RMS	843.5	16.83	60	43.17	Pass	451
859	1000	0.1	RMS	876.8	-60.39	-13	47.39	Pass	1411
1000	3000	1	RMS	2971	-45.7	-13	32.7	Pass	2001
3000	10000	1	RMS	9978	-56.15	-13	43.15	Pass	7001




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.27	-69.87	-13	56.87	Pass	2986
30	814	0.1	RMS	813.9	-57.1	-13	44.1	Pass	7841
814	859	0.1	RMS	837.3	-1.37	60	61.37	Pass	451
859	1000	0.1	RMS	874.1	-60.49	-13	47.49	Pass	1411
1000	3000	1	RMS	2966	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7123	-55.92	-13	42.92	Pass	7001




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.19	-69.14	-13	56.14	Pass	2986
30	814	0.1	RMS	810.9	-60.33	-13	47.33	Pass	7841
814	859	0.1	RMS	834.5	16.63	60	43.37	Pass	451
859	1000	0.1	RMS	885.4	-60.31	-13	47.31	Pass	1411
1000	3000	1	RMS	2969	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	7115	-56.17	-13	43.17	Pass	7001




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.28	-70.35	-13	57.35	Pass	2986
30	814	0.1	RMS	812.3	-60.09	-13	47.09	Pass	7841
814	859	0.1	RMS	848.5	16.78	60	43.22	Pass	451
859	1000	0.1	RMS	870.3	-60.35	-13	47.35	Pass	1411
1000	3000	1	RMS	2969	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	7113	-55.84	-13	42.84	Pass	7001




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.16	-69.7	-13	56.7	Pass	2986
30	814	0.1	RMS	813.2	-47.25	-13	34.25	Pass	7841
814	859	0.1	RMS	828.1	-2.57	60	62.57	Pass	451
859	1000	0.1	RMS	929.2	-60.35	-13	47.35	Pass	1411
1000	3000	1	RMS	2968	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7129	-55.99	-13	42.99	Pass	7001




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.26	-70.09	-13	57.09	Pass	2986
30	814	0.1	RMS	466.6	-60.49	-13	47.49	Pass	7841
814	859	0.1	RMS	824.5	16.55	60	43.45	Pass	451
859	1000	0.1	RMS	911.5	-59.9	-13	46.9	Pass	1411
1000	3000	1	RMS	2971	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7108	-55.92	-13	42.92	Pass	7001




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.23	-70.13	-13	57.13	Pass	2986
30	814	0.1	RMS	811.8	-58.31	-13	45.31	Pass	7841
814	859	0.1	RMS	843.4	16.38	60	43.62	Pass	451
859	1000	0.1	RMS	905.6	-60.47	-13	47.47	Pass	1411
1000	3000	1	RMS	2971	-45.63	-13	32.63	Pass	2001
3000	10000	1	RMS	7103	-55.83	-13	42.83	Pass	7001




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-73.84	-13	60.84	Pass	401
0.15	30	0.01	RMS	0.29	-70.09	-13	57.09	Pass	2986
30	814	0.1	RMS	814	-48.83	-13	35.83	Pass	7841
814	859	0.1	RMS	832	-2.61	60	62.61	Pass	451
859	1000	0.1	RMS	917.5	-59.66	-13	46.66	Pass	1411
1000	3000	1	RMS	2974	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7125	-55.8	-13	42.8	Pass	7001




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	19.77	-70.23	-13	57.23	Pass	2986
30	814	0.1	RMS	810.8	-60.43	-13	47.43	Pass	7841
814	859	0.1	RMS	827	16.55	60	43.45	Pass	451
859	1000	0.1	RMS	868.8	-59.26	-13	46.26	Pass	1411
1000	3000	1	RMS	2972	-45.65	-13	32.65	Pass	2001
3000	10000	1	RMS	7111	-55.81	-13	42.81	Pass	7001




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.15	-69.52	-13	56.52	Pass	2986
30	814	0.1	RMS	814	-59.21	-13	46.21	Pass	7841
814	859	0.1	RMS	845.9	16.36	60	43.64	Pass	451
859	1000	0.1	RMS	901.8	-60.34	-13	47.34	Pass	1411
1000	3000	1	RMS	2974	-45.61	-13	32.61	Pass	2001
3000	10000	1	RMS	7111	-56.09	-13	43.09	Pass	7001




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	12.17	-68.47	-13	55.47	Pass	2986
30	814	0.1	RMS	813.8	-51.29	-13	38.29	Pass	7841
814	859	0.1	RMS	839.1	-2.49	60	62.49	Pass	451
859	1000	0.1	RMS	909	-58.92	-13	45.92	Pass	1411
1000	3000	1	RMS	2970	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7110	-55.85	-13	42.85	Pass	7001




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.21	-68.39	-13	55.39	Pass	2986
30	814	0.1	RMS	480.4	-59.1	-13	46.1	Pass	7841
814	859	0.1	RMS	829.5	16.42	60	43.58	Pass	451
859	1000	0.1	RMS	999.6	-59.41	-13	46.41	Pass	1411
1000	3000	1	RMS	2966	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7134	-55.92	-13	42.92	Pass	7001



4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-73.46	-13	60.46	Pass	401
0.15	30	0.01	RMS	2.37	-68.97	-13	55.97	Pass	2986
30	814	0.1	RMS	655.6	-59.31	-13	46.31	Pass	7841
814	859	0.1	RMS	848.4	16.38	60	43.62	Pass	451
859	1000	0.1	RMS	988.8	-58.75	-13	45.75	Pass	1411
1000	3000	1	RMS	2971	-45.6	-13	32.6	Pass	2001
3000	10000	1	RMS	7091	-55.95	-13	42.95	Pass	7001



2. n7


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.68	-25	46.68	Pass	401
0.15	30	0.01	RMS	4	-60.74	-25	35.74	Pass	2986
30	1000	0.1	RMS	880.621	-60.41	-25	35.41	Pass	9701
1000	2495	1	RMS	2495	-33	-25	8	Pass	1496
2495	2575	1	RMS	2503.6	13.36	60	46.64	Pass	401
2575	3000	1	RMS	2977	-46.05	-25	21.05	Pass	426
3000	7000	1	RMS	6980	-58.41	-25	33.41	Pass	4001
7000	26000	1	RMS	25092	-47.15	-25	22.15	Pass	19003




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-61.4	-25	36.4	Pass	401
0.15	30	0.01	RMS	3.94	-42.96	-25	17.96	Pass	2986
30	1000	0.1	RMS	472.2	-60.41	-25	35.41	Pass	9701
1000	2495	1	RMS	2495	-45.63	-25	20.63	Pass	1496
2495	2575	1	RMS	2500.2	19.37	60	40.63	Pass	401
2575	3000	1	RMS	2970	-46.06	-25	21.06	Pass	426
3000	7000	1	RMS	6978	-58.75	-25	33.75	Pass	4001
7000	26000	1	RMS	24099	-47.05	-25	22.05	Pass	19003




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-60.43	-25	35.43	Pass	401
0.15	30	0.01	RMS	3.93	-41.2	-25	16.2	Pass	2986
30	1000	0.1	RMS	896.631	-60.23	-25	35.23	Pass	9701
1000	2495	1	RMS	2494	-47.04	-25	22.04	Pass	1496
2495	2575	1	RMS	2504.6	19.74	60	40.26	Pass	401
2575	3000	1	RMS	2970	-46.05	-25	21.05	Pass	426
3000	7000	1	RMS	6979	-58.76	-25	33.76	Pass	4001
7000	26000	1	RMS	25112	-47.14	-25	22.14	Pass	19003




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.09	-25	43.09	Pass	401
0.15	30	0.01	RMS	4.2	-48.84	-25	23.84	Pass	2986
30	1000	0.1	RMS	901.034	-60.45	-25	35.45	Pass	9701
1000	2495	1	RMS	2495	-47.39	-25	22.39	Pass	1496
2495	2575	1	RMS	2536.2	14.38	60	45.62	Pass	401
2575	3000	1	RMS	2983	-46.17	-25	21.17	Pass	426
3000	7000	1	RMS	6973	-58.59	-25	33.59	Pass	4001
7000	26000	1	RMS	24113	-47.28	-25	22.28	Pass	19003




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.134	-69.73	-25	44.73	Pass	401
0.15	30	0.01	RMS	4.03	-48.21	-25	23.21	Pass	2986
30	1000	0.1	RMS	907.339	-60.47	-25	35.47	Pass	9701
1000	2495	1	RMS	2492	-47.23	-25	22.23	Pass	1496
2495	2575	1	RMS	2532.8	20.19	60	39.81	Pass	401
2575	3000	1	RMS	2970	-46.05	-25	21.05	Pass	426
3000	7000	1	RMS	6979	-58.81	-25	33.81	Pass	4001
7000	26000	1	RMS	25089	-47.21	-25	22.21	Pass	19003




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-69.06	-25	44.06	Pass	401
0.15	30	0.01	RMS	4.42	-50.04	-25	25.04	Pass	2986
30	1000	0.1	RMS	992.895	-60.29	-25	35.29	Pass	9701
1000	2495	1	RMS	2495	-47.52	-25	22.52	Pass	1496
2495	2575	1	RMS	2537	20.55	60	39.45	Pass	401
2575	3000	1	RMS	2973	-46.15	-25	21.15	Pass	426
3000	7000	1	RMS	6976	-58.5	-25	33.5	Pass	4001
7000	26000	1	RMS	25086	-47.21	-25	22.21	Pass	19003




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.5	-25	42.5	Pass	401
0.15	30	0.01	RMS	4.11	-48.54	-25	23.54	Pass	2986
30	1000	0.1	RMS	914.243	-60.31	-25	35.31	Pass	9701
1000	2495	1	RMS	2495	-47.56	-25	22.56	Pass	1496
2495	2575	1	RMS	2568.6	14.4	60	45.6	Pass	401
2575	3000	1	RMS	2575	-33.53	-25	8.53	Pass	426
3000	7000	1	RMS	6979	-58.78	-25	33.78	Pass	4001
7000	26000	1	RMS	25114	-47.12	-25	22.12	Pass	19003




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-69.82	-25	44.82	Pass	401
0.15	30	0.01	RMS	3.92	-50.21	-25	25.21	Pass	2986
30	1000	0.1	RMS	892.729	-60.37	-25	35.37	Pass	9701
1000	2495	1	RMS	2488	-47.39	-25	22.39	Pass	1496
2495	2575	1	RMS	2565.2	20.59	60	39.41	Pass	401
2575	3000	1	RMS	2976	-46.15	-25	21.15	Pass	426
3000	7000	1	RMS	6984	-58.83	-25	33.83	Pass	4001
7000	26000	1	RMS	25107	-47.13	-25	22.13	Pass	19003




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-62.86	-25	37.86	Pass	401
0.15	30	0.01	RMS	0.52	-44.19	-25	19.19	Pass	2986
30	1000	0.1	RMS	898.433	-60.47	-25	35.47	Pass	9701
1000	2495	1	RMS	2491	-47.31	-25	22.31	Pass	1496
2495	2575	1	RMS	2569.6	20.78	60	39.22	Pass	401
2575	3000	1	RMS	2575	-45.36	-25	20.36	Pass	426
3000	7000	1	RMS	6979	-58.6	-25	33.6	Pass	4001
7000	26000	1	RMS	24124	-47.19	-25	22.19	Pass	19003




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-62.46	-25	37.46	Pass	401
0.15	30	0.01	RMS	3.96	-45.62	-25	20.62	Pass	2986
30	1000	0.1	RMS	900.434	-60.33	-25	35.33	Pass	9701
1000	2485	1	RMS	2485	-39.32	-25	14.32	Pass	1486
2485	2585	1	RMS	2503.5	8.83	60	51.17	Pass	401
2585	3000	1	RMS	2971	-46.24	-25	21.24	Pass	416
3000	7000	1	RMS	6979	-58.56	-25	33.56	Pass	4001
7000	26000	1	RMS	24104	-47.27	-25	22.27	Pass	19003




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-65.88	-25	40.88	Pass	401
0.15	30	0.01	RMS	3.99	-45.32	-25	20.32	Pass	2986
30	1000	0.1	RMS	846.5	-60.37	-25	35.37	Pass	9701
1000	2485	1	RMS	2482	-47.49	-25	22.49	Pass	1486
2485	2585	1	RMS	2500.25	19.21	60	40.79	Pass	401
2585	3000	1	RMS	2977	-46.03	-25	21.03	Pass	416
3000	7000	1	RMS	6977	-58.49	-25	33.49	Pass	4001
7000	26000	1	RMS	25096	-47.27	-25	22.27	Pass	19003




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.095	-65.86	-25	40.86	Pass	401
0.15	30	0.01	RMS	3.94	-46.42	-25	21.42	Pass	2986
30	1000	0.1	RMS	879.92	-60.33	-25	35.33	Pass	9701
1000	2485	1	RMS	2481	-47.58	-25	22.58	Pass	1486
2485	2585	1	RMS	2514.5	19.04	60	40.96	Pass	401
2585	3000	1	RMS	2972	-46.04	-25	21.04	Pass	416
3000	7000	1	RMS	6976	-58.77	-25	33.77	Pass	4001
7000	26000	1	RMS	25099	-47.22	-25	22.22	Pass	19003




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-63	-25	38	Pass	401
0.15	30	0.01	RMS	3.96	-44.09	-25	19.09	Pass	2986
30	1000	0.1	RMS	999.9	-60.4	-25	35.4	Pass	9701
1000	2485	1	RMS	2484	-47.67	-25	22.67	Pass	1486
2485	2585	1	RMS	2539.25	9.6	60	50.4	Pass	401
2585	3000	1	RMS	2974	-46.15	-25	21.15	Pass	416
3000	7000	1	RMS	6982	-58.83	-25	33.83	Pass	4001
7000	26000	1	RMS	25108	-47.15	-25	22.15	Pass	19003




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-65.18	-25	40.18	Pass	401
0.15	30	0.01	RMS	4.01	-45.46	-25	20.46	Pass	2986
30	1000	0.1	RMS	897.632	-60.44	-25	35.44	Pass	9701
1000	2485	1	RMS	2484	-47.51	-25	22.51	Pass	1486
2485	2585	1	RMS	2527.75	19.4	60	40.6	Pass	401
2585	3000	1	RMS	2973	-46.01	-25	21.01	Pass	416
3000	7000	1	RMS	6982	-58.66	-25	33.66	Pass	4001
7000	26000	1	RMS	25101	-47.39	-25	22.39	Pass	19003




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-66.76	-25	41.76	Pass	401
0.15	30	0.01	RMS	4.02	-47.46	-25	22.46	Pass	2986
30	1000	0.1	RMS	889.627	-60.41	-25	35.41	Pass	9701
1000	2485	1	RMS	2484	-47.67	-25	22.67	Pass	1486
2485	2585	1	RMS	2542	20.33	60	39.67	Pass	401
2585	3000	1	RMS	2982	-46.2	-25	21.2	Pass	416
3000	7000	1	RMS	6984	-58.82	-25	33.82	Pass	4001
7000	26000	1	RMS	25094	-47.24	-25	22.24	Pass	19003




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-58.96	-25	33.96	Pass	401
0.15	30	0.01	RMS	4.03	-44.51	-25	19.51	Pass	2986
30	1000	0.1	RMS	902.736	-60.5	-25	35.5	Pass	9701
1000	2485	1	RMS	2485	-47.74	-25	22.74	Pass	1486
2485	2585	1	RMS	2568	10.14	60	49.86	Pass	401
2585	3000	1	RMS	2585	-37.61	-25	12.61	Pass	416
3000	7000	1	RMS	6994	-58.75	-25	33.75	Pass	4001
7000	26000	1	RMS	25102	-47.14	-25	22.14	Pass	19003




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-62.9	-25	37.9	Pass	401
0.15	30	0.01	RMS	3.98	-44.62	-25	19.62	Pass	2986
30	1000	0.1	RMS	904.237	-60.49	-25	35.49	Pass	9701
1000	2485	1	RMS	2481	-47.79	-25	22.79	Pass	1486
2485	2585	1	RMS	2555.25	19.9	60	40.1	Pass	401
2585	3000	1	RMS	2974	-46.16	-25	21.16	Pass	416
3000	7000	1	RMS	6970	-58.63	-25	33.63	Pass	4001
7000	26000	1	RMS	24101	-47.21	-25	22.21	Pass	19003




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-63.59	-25	38.59	Pass	401
0.15	30	0.01	RMS	0.52	-43.05	-25	18.05	Pass	2986
30	1000	0.1	RMS	879.52	-60.37	-25	35.37	Pass	9701
1000	2485	1	RMS	2483	-47.55	-25	22.55	Pass	1486
2485	2585	1	RMS	2569.5	20.73	60	39.27	Pass	401
2585	3000	1	RMS	2977	-46.07	-25	21.07	Pass	416
3000	7000	1	RMS	6983	-58.7	-25	33.7	Pass	4001
7000	26000	1	RMS	25100	-47.19	-25	22.19	Pass	19003




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-59.08	-25	34.08	Pass	401
0.15	30	0.01	RMS	4.03	-43.61	-25	18.61	Pass	2986
30	1000	0.1	RMS	45.7	-60.31	-25	35.31	Pass	9701
1000	2480	1	RMS	2480	-45.69	-25	20.69	Pass	1481
2480	2590	1	RMS	2503.65	7.73	60	52.27	Pass	401
2590	3000	1	RMS	2980	-46.1	-25	21.1	Pass	411
3000	7000	1	RMS	6968	-58.63	-25	33.63	Pass	4001
7000	26000	1	RMS	24103	-47.18	-25	22.18	Pass	19003




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-61.96	-25	36.96	Pass	401
0.15	30	0.01	RMS	3.98	-41.52	-25	16.52	Pass	2986
30	1000	0.1	RMS	904.937	-60.05	-25	35.05	Pass	9701
1000	2480	1	RMS	2480	-47.86	-25	22.86	Pass	1481
2480	2590	1	RMS	2500.35	19.32	60	40.68	Pass	401
2590	3000	1	RMS	2972	-46.22	-25	21.22	Pass	411
3000	7000	1	RMS	6980	-58.51	-25	33.51	Pass	4001
7000	26000	1	RMS	25101	-47.42	-25	22.42	Pass	19003




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-63.44	-25	38.44	Pass	401
0.15	30	0.01	RMS	3.93	-43.38	-25	18.38	Pass	2986
30	1000	0.1	RMS	718.3	-60.4	-25	35.4	Pass	9701
1000	2480	1	RMS	2480	-47.7	-25	22.7	Pass	1481
2480	2590	1	RMS	2519.325	18.82	60	41.18	Pass	401
2590	3000	1	RMS	2972	-46.06	-25	21.06	Pass	411
3000	7000	1	RMS	6974	-58.53	-25	33.53	Pass	4001
7000	26000	1	RMS	25099	-47.02	-25	22.02	Pass	19003




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-58.64	-25	33.64	Pass	401
0.15	30	0.01	RMS	0.52	-43.23	-25	18.23	Pass	2986
30	1000	0.1	RMS	997.698	-60.35	-25	35.35	Pass	9701
1000	2480	1	RMS	2478	-47.91	-25	22.91	Pass	1481
2480	2590	1	RMS	2539.95	8.38	60	51.62	Pass	401
2590	3000	1	RMS	2977	-46.06	-25	21.06	Pass	411
3000	7000	1	RMS	6980	-58.67	-25	33.67	Pass	4001
7000	26000	1	RMS	25103	-47.09	-25	22.09	Pass	19003




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-64.81	-25	39.81	Pass	401
0.15	30	0.01	RMS	3.93	-42.25	-25	17.25	Pass	2986
30	1000	0.1	RMS	871.015	-60.32	-25	35.32	Pass	9701
1000	2480	1	RMS	2480	-47.75	-25	22.75	Pass	1481
2480	2590	1	RMS	2525.375	19.11	60	40.89	Pass	401
2590	3000	1	RMS	2973	-46.1	-25	21.1	Pass	411
3000	7000	1	RMS	6984	-58.6	-25	33.6	Pass	4001
7000	26000	1	RMS	25087	-47.09	-25	22.09	Pass	19003




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-64.11	-25	39.11	Pass	401
0.15	30	0.01	RMS	4.05	-46.57	-25	21.57	Pass	2986
30	1000	0.1	RMS	883.723	-60.31	-25	35.31	Pass	9701
1000	2480	1	RMS	2479	-47.77	-25	22.77	Pass	1481
2480	2590	1	RMS	2544.35	20.47	60	39.53	Pass	401
2590	3000	1	RMS	2979	-46.07	-25	21.07	Pass	411
3000	7000	1	RMS	6986	-58.79	-25	33.79	Pass	4001
7000	26000	1	RMS	25103	-47.23	-25	22.23	Pass	19003




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-61.86	-25	36.86	Pass	401
0.15	30	0.01	RMS	4.26	-44.29	-25	19.29	Pass	2986
30	1000	0.1	RMS	995.197	-60.34	-25	35.34	Pass	9701
1000	2480	1	RMS	2479	-47.62	-25	22.62	Pass	1481
2480	2590	1	RMS	2568.275	9.03	60	50.97	Pass	401
2590	3000	1	RMS	2590	-39.52	-25	14.52	Pass	411
3000	7000	1	RMS	6980	-58.76	-25	33.76	Pass	4001
7000	26000	1	RMS	25090	-47.09	-25	22.09	Pass	19003




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-67.06	-25	42.06	Pass	401
0.15	30	0.01	RMS	3.98	-46.61	-25	21.61	Pass	2986
30	1000	0.1	RMS	899.333	-60.3	-25	35.3	Pass	9701
1000	2480	1	RMS	2480	-47.98	-25	22.98	Pass	1481
2480	2590	1	RMS	2550.4	20.09	60	39.91	Pass	401
2590	3000	1	RMS	2979	-46.14	-25	21.14	Pass	411
3000	7000	1	RMS	6978	-58.71	-25	33.71	Pass	4001
7000	26000	1	RMS	25107	-47.18	-25	22.18	Pass	19003



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-64.61	-25	39.61	Pass	401
0.15	30	0.01	RMS	3.98	-44.43	-25	19.43	Pass	2986
30	1000	0.1	RMS	902.235	-60.25	-25	35.25	Pass	9701
1000	2480	1	RMS	2414	-47.88	-25	22.88	Pass	1481
2480	2590	1	RMS	2569.375	20.58	60	39.42	Pass	401
2590	3000	1	RMS	2971	-46.11	-25	21.11	Pass	411
3000	7000	1	RMS	6972	-58.66	-25	33.66	Pass	4001
7000	26000	1	RMS	25116	-47.28	-25	22.28	Pass	19003



1. n12 15kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	39.85	Pass	401
0.15	30	0.01	RMS	0.15	-56.98	-13	43.98	Pass	2986
30	689	0.1	RMS	685.6	-62.49	-13	49.49	Pass	6591
689	726	0.1	RMS	699.453	4.8	60	55.2	Pass	401
726	1000	0.1	RMS	902.7	-61.96	-13	48.96	Pass	2741
1000	3000	1	RMS	2645	-46.68	-13	33.68	Pass	2001
3000	10000	1	RMS	9739	-64.02	-13	51.02	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.73	-13	38.73	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	42.62	Pass	2986
30	689	0.1	RMS	678	-62.51	-13	49.51	Pass	6591
689	726	0.1	RMS	699.36	17.69	60	42.31	Pass	401
726	1000	0.1	RMS	905.7	-61.85	-13	48.85	Pass	2741
1000	3000	1	RMS	2645	-46.65	-13	33.65	Pass	2001
3000	10000	1	RMS	9722	-64.07	-13	51.07	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.61	-13	38.61	Pass	401
0.15	30	0.01	RMS	0.15	-57.3	-13	44.3	Pass	2986
30	689	0.1	RMS	687.8	-62.53	-13	49.53	Pass	6591
689	726	0.1	RMS	703.615	17.51	60	42.49	Pass	401
726	1000	0.1	RMS	913.2	-61.64	-13	48.64	Pass	2741
1000	3000	1	RMS	2643	-46.65	-13	33.65	Pass	2001
3000	10000	1	RMS	9748	-64.08	-13	51.08	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.58	-13	40.58	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-13	43.94	Pass	2986
30	689	0.1	RMS	667	-62.56	-13	49.56	Pass	6591
689	726	0.1	RMS	708.425	4.2	60	55.8	Pass	401
726	1000	0.1	RMS	892	-61.8	-13	48.8	Pass	2741
1000	3000	1	RMS	2640	-46.67	-13	33.67	Pass	2001
3000	10000	1	RMS	9752	-63.99	-13	50.99	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.44	-13	38.44	Pass	401
0.15	30	0.01	RMS	0.15	-57.16	-13	44.16	Pass	2986
30	689	0.1	RMS	669.1	-62.54	-13	49.54	Pass	6591
689	726	0.1	RMS	705.373	17.3	60	42.7	Pass	401
726	1000	0.1	RMS	950	-61.92	-13	48.92	Pass	2741
1000	3000	1	RMS	2640	-46.66	-13	33.66	Pass	2001
3000	10000	1	RMS	9746	-64.04	-13	51.04	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-13	39.81	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-13	44.25	Pass	2986
30	689	0.1	RMS	687	-62.5	-13	49.5	Pass	6591
689	726	0.1	RMS	709.628	17.61	60	42.39	Pass	401
726	1000	0.1	RMS	944.1	-61.82	-13	48.82	Pass	2741
1000	3000	1	RMS	2641	-46.63	-13	33.63	Pass	2001
3000	10000	1	RMS	9738	-64.03	-13	51.03	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.76	-13	40.76	Pass	401
0.15	30	0.01	RMS	0.15	-55.79	-13	42.79	Pass	2986
30	689	0.1	RMS	677.9	-62.49	-13	49.49	Pass	6591
689	726	0.1	RMS	711.478	4.4	60	55.6	Pass	401
726	1000	0.1	RMS	905.5	-61.77	-13	48.77	Pass	2741
1000	3000	1	RMS	2643	-46.67	-13	33.67	Pass	2001
3000	10000	1	RMS	9746	-64.1	-13	51.1	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.5	-13	38.5	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	43.14	Pass	2986
30	689	0.1	RMS	671.7	-62.44	-13	49.44	Pass	6591
689	726	0.1	RMS	711.293	17.28	60	42.72	Pass	401
726	1000	0.1	RMS	944.2	-61.78	-13	48.78	Pass	2741
1000	3000	1	RMS	2646	-46.66	-13	33.66	Pass	2001
3000	10000	1	RMS	9744	-64.04	-13	51.04	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	39.69	Pass	401
0.15	30	0.01	RMS	0.17	-57.63	-13	44.63	Pass	2986
30	689	0.1	RMS	674.7	-62.44	-13	49.44	Pass	6591
689	726	0.1	RMS	715.64	17.75	60	42.25	Pass	401
726	1000	0.1	RMS	910.4	-61.73	-13	48.73	Pass	2741
1000	3000	1	RMS	2646	-46.64	-13	33.64	Pass	2001
3000	10000	1	RMS	9727	-64.05	-13	51.05	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.48	-13	41.48	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-13	43.22	Pass	2986
30	689	0.1	RMS	689	-61.96	-13	48.96	Pass	6591
689	726	0.1	RMS	707.315	1.67	60	58.33	Pass	401
726	1000	0.1	RMS	927.8	-61.85	-13	48.85	Pass	2741
1000	3000	1	RMS	2642	-46.66	-13	33.66	Pass	2001
3000	10000	1	RMS	9709	-64	-13	51	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-52.83	-13	39.83	Pass	401
0.15	30	0.01	RMS	0.15	-56.21	-13	43.21	Pass	2986
30	689	0.1	RMS	687.6	-62.41	-13	49.41	Pass	6591
689	726	0.1	RMS	699.36	17.42	60	42.58	Pass	401
726	1000	0.1	RMS	876.3	-61.86	-13	48.86	Pass	2741
1000	3000	1	RMS	2640	-46.68	-13	33.68	Pass	2001
3000	10000	1	RMS	9746	-64.08	-13	51.08	Pass	7001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	40.22	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	42.84	Pass	2986
30	689	0.1	RMS	670.2	-62.49	-13	49.49	Pass	6591
689	726	0.1	RMS	708.61	17.54	60	42.46	Pass	401
726	1000	0.1	RMS	916.1	-61.79	-13	48.79	Pass	2741
1000	3000	1	RMS	2641	-46.67	-13	33.67	Pass	2001
3000	10000	1	RMS	9744	-63.98	-13	50.98	Pass	7001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	40.3	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	44.19	Pass	2986
30	689	0.1	RMS	688.5	-62.48	-13	49.48	Pass	6591
689	726	0.1	RMS	708.518	1.17	60	58.83	Pass	401
726	1000	0.1	RMS	916.2	-61.75	-13	48.75	Pass	2741
1000	3000	1	RMS	2650	-46.68	-13	33.68	Pass	2001
3000	10000	1	RMS	9731	-64.03	-13	51.03	Pass	7001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-52.14	-13	39.14	Pass	401
0.15	30	0.01	RMS	0.15	-57	-13	44	Pass	2986
30	689	0.1	RMS	688.7	-62.4	-13	49.4	Pass	6591
689	726	0.1	RMS	702.875	17.77	60	42.23	Pass	401
726	1000	0.1	RMS	925.6	-61.88	-13	48.88	Pass	2741
1000	3000	1	RMS	2649	-46.65	-13	33.65	Pass	2001
3000	10000	1	RMS	9746	-64.1	-13	51.1	Pass	7001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-52.59	-13	39.59	Pass	401
0.15	30	0.01	RMS	0.15	-56.95	-13	43.95	Pass	2986
30	689	0.1	RMS	686.6	-62.37	-13	49.37	Pass	6591
689	726	0.1	RMS	712.125	17.13	60	42.87	Pass	401
726	1000	0.1	RMS	918.9	-61.89	-13	48.89	Pass	2741
1000	3000	1	RMS	2645	-46.65	-13	33.65	Pass	2001
3000	10000	1	RMS	9733	-64.07	-13	51.07	Pass	7001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.73	-13	40.73	Pass	401
0.15	30	0.01	RMS	0.15	-56.96	-13	43.96	Pass	2986
30	689	0.1	RMS	688.9	-62.38	-13	49.38	Pass	6591
689	726	0.1	RMS	707.87	1.54	60	58.46	Pass	401
726	1000	0.1	RMS	931.5	-61.87	-13	48.87	Pass	2741
1000	3000	1	RMS	2641	-46.7	-13	33.7	Pass	2001
3000	10000	1	RMS	9722	-64.06	-13	51.06	Pass	7001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.75	-13	38.75	Pass	401
0.15	30	0.01	RMS	0.15	-56.68	-13	43.68	Pass	2986
30	689	0.1	RMS	688.7	-62.38	-13	49.38	Pass	6591
689	726	0.1	RMS	706.39	17.84	60	42.16	Pass	401
726	1000	0.1	RMS	918	-61.88	-13	48.88	Pass	2741
1000	3000	1	RMS	2640	-46.67	-13	33.67	Pass	2001
3000	10000	1	RMS	9744	-64.06	-13	51.06	Pass	7001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-13	39.3	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	42.91	Pass	2986
30	689	0.1	RMS	679	-62.45	-13	49.45	Pass	6591
689	726	0.1	RMS	715.548	17.4	60	42.6	Pass	401
726	1000	0.1	RMS	911.4	-61.84	-13	48.84	Pass	2741
1000	3000	1	RMS	2643	-46.68	-13	33.68	Pass	2001
3000	10000	1	RMS	9734	-64.08	-13	51.08	Pass	7001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	40.86	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-13	42.34	Pass	2986
30	689	0.1	RMS	689	-60.04	-13	47.04	Pass	6591
689	726	0.1	RMS	708.61	-0.42	60	60.42	Pass	401
726	1000	0.1	RMS	932.9	-61.91	-13	48.91	Pass	2741
1000	3000	1	RMS	2648	-46.68	-13	33.68	Pass	2001
3000	10000	1	RMS	9746	-64.03	-13	51.03	Pass	7001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-52.79	-13	39.79	Pass	401
0.15	30	0.01	RMS	0.16	-57.02	-13	44.02	Pass	2986
30	689	0.1	RMS	672.7	-62.41	-13	49.41	Pass	6591
689	726	0.1	RMS	699.453	17.8	60	42.2	Pass	401
726	1000	0.1	RMS	920.3	-61.93	-13	48.93	Pass	2741
1000	3000	1	RMS	2645	-46.7	-13	33.7	Pass	2001
3000	10000	1	RMS	9757	-64.06	-13	51.06	Pass	7001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.09	-13	39.09	Pass	401
0.15	30	0.01	RMS	0.15	-57.06	-13	44.06	Pass	2986
30	689	0.1	RMS	490	-62.51	-13	49.51	Pass	6591
689	726	0.1	RMS	713.513	17.61	60	42.39	Pass	401
726	1000	0.1	RMS	933.4	-61.89	-13	48.89	Pass	2741
1000	3000	1	RMS	2644	-46.82	-13	33.82	Pass	2001
3000	10000	1	RMS	9750	-64.15	-13	51.15	Pass	7001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.28	-13	41.28	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-13	43.04	Pass	2986
30	689	0.1	RMS	689	-61.13	-13	48.13	Pass	6591
689	726	0.1	RMS	709.628	-0.53	60	60.53	Pass	401
726	1000	0.1	RMS	919.6	-61.82	-13	48.82	Pass	2741
1000	3000	1	RMS	2640	-46.82	-13	33.82	Pass	2001
3000	10000	1	RMS	9711	-64.14	-13	51.14	Pass	7001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.78	-13	38.78	Pass	401
0.15	30	0.01	RMS	0.15	-56.66	-13	43.66	Pass	2986
30	689	0.1	RMS	499.6	-62.52	-13	49.52	Pass	6591
689	726	0.1	RMS	700.47	17.97	60	42.03	Pass	401
726	1000	0.1	RMS	903.8	-61.9	-13	48.9	Pass	2741
1000	3000	1	RMS	2650	-46.84	-13	33.84	Pass	2001
3000	10000	1	RMS	9745	-64.17	-13	51.17	Pass	7001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.11	-13	39.11	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	43.25	Pass	2986
30	689	0.1	RMS	687.3	-62.42	-13	49.42	Pass	6591
689	726	0.1	RMS	714.53	17.47	60	42.53	Pass	401
726	1000	0.1	RMS	910.5	-61.83	-13	48.83	Pass	2741
1000	3000	1	RMS	2646	-46.82	-13	33.82	Pass	2001
3000	10000	1	RMS	9744	-64.15	-13	51.15	Pass	7001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.42	-13	41.42	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-13	43.26	Pass	2986
30	689	0.1	RMS	689	-61.64	-13	48.64	Pass	6591
689	726	0.1	RMS	706.575	-0.62	60	60.62	Pass	401
726	1000	0.1	RMS	913.4	-62.32	-13	49.32	Pass	2741
1000	3000	1	RMS	2649	-46.78	-13	33.78	Pass	2001
3000	10000	1	RMS	9729	-64.15	-13	51.15	Pass	7001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.25	-13	39.25	Pass	401
0.15	30	0.01	RMS	0.15	-55.25	-13	42.25	Pass	2986
30	689	0.1	RMS	669	-62.46	-13	49.46	Pass	6591
689	726	0.1	RMS	701.488	17.77	60	42.23	Pass	401
726	1000	0.1	RMS	987.7	-62.29	-13	49.29	Pass	2741
1000	3000	1	RMS	2644	-46.78	-13	33.78	Pass	2001
3000	10000	1	RMS	9709	-64.09	-13	51.09	Pass	7001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	40.2	Pass	401
0.15	30	0.01	RMS	0.15	-56.77	-13	43.77	Pass	2986
30	689	0.1	RMS	689	-62.48	-13	49.48	Pass	6591
689	726	0.1	RMS	715.548	17.25	60	42.75	Pass	401
726	1000	0.1	RMS	909.6	-62.04	-13	49.04	Pass	2741
1000	3000	1	RMS	2641	-46.76	-13	33.76	Pass	2001
3000	10000	1	RMS	9754	-64.03	-13	51.03	Pass	7001



9. n13 15kHz


9.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.18	-13	54.18	Pass	401
0.15	30	0.01	RMS	0.23	-70.44	-13	57.44	Pass	2986
30	767	0.1	RMS	326.1	-60.83	-13	47.83	Pass	7371
767	797	0.1	RMS	780.5	4.23	60	55.77	Pass	401
797	1000	0.1	RMS	805.3	-59.89	-13	46.89	Pass	2031
1000	3000	1	RMS	2980	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7080	-48.71	-13	35.71	Pass	7001




9.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.37	-13	55.37	Pass	401
0.15	30	0.01	RMS	2.09	-70.17	-13	57.17	Pass	2986
30	767	0.1	RMS	467.9	-60.76	-13	47.76	Pass	7371
767	797	0.1	RMS	777.35	17.14	60	42.86	Pass	401
797	1000	0.1	RMS	917.5	-60.19	-13	47.19	Pass	2031
1000	3000	1	RMS	2971	-45.96	-13	32.96	Pass	2001
3000	10000	1	RMS	7125	-56.03	-13	43.03	Pass	7001




9.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-56.43	-13	43.43	Pass	401
0.15	30	0.01	RMS	0.15	-69.47	-13	56.47	Pass	2986
30	767	0.1	RMS	466.5	-60.86	-13	47.86	Pass	7371
767	797	0.1	RMS	781.625	17.15	60	42.85	Pass	401
797	1000	0.1	RMS	906.6	-60.37	-13	47.37	Pass	2031
1000	3000	1	RMS	2974	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	7104	-56.02	-13	43.02	Pass	7001




9.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.19	-13	57.19	Pass	401
0.15	30	0.01	RMS	0.16	-69.23	-13	56.23	Pass	2986
30	767	0.1	RMS	482.5	-60.69	-13	47.69	Pass	7371
767	797	0.1	RMS	780.275	3.88	60	56.12	Pass	401
797	1000	0.1	RMS	797	-60.08	-13	47.08	Pass	2031
1000	3000	1	RMS	2968	-46.01	-13	33.01	Pass	2001
3000	10000	1	RMS	7150	-56.12	-13	43.12	Pass	7001




9.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.81	-13	42.81	Pass	401
0.15	30	0.01	RMS	0.16	-68.81	-13	55.81	Pass	2986
30	767	0.1	RMS	490.4	-60.93	-13	47.93	Pass	7371
767	797	0.1	RMS	779.825	17.31	60	42.69	Pass	401
797	1000	0.1	RMS	871.5	-60.52	-13	47.52	Pass	2031
1000	3000	1	RMS	2980	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	7101	-55.86	-13	42.86	Pass	7001




9.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-55.75	-13	42.75	Pass	401
0.15	30	0.01	RMS	0.16	-69.85	-13	56.85	Pass	2986
30	767	0.1	RMS	367.5	-60.92	-13	47.92	Pass	7371
767	797	0.1	RMS	784.175	17.13	60	42.87	Pass	401
797	1000	0.1	RMS	852.6	-60.42	-13	47.42	Pass	2031
1000	3000	1	RMS	2978	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7117	-55.81	-13	42.81	Pass	7001




9.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-66.84	-13	53.84	Pass	401
0.15	30	0.01	RMS	11.05	-68.2	-13	55.2	Pass	2986
30	767	0.1	RMS	369.6	-59.86	-13	46.86	Pass	7371
767	797	0.1	RMS	786.575	4.05	60	55.95	Pass	401
797	1000	0.1	RMS	797	-57.47	-13	44.47	Pass	2031
1000	3000	1	RMS	2978	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	7072	-47.67	-13	34.67	Pass	7001




9.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-55.97	-13	42.97	Pass	401
0.15	30	0.01	RMS	0.3	-69.04	-13	56.04	Pass	2986
30	767	0.1	RMS	491.4	-60.77	-13	47.77	Pass	7371
767	797	0.1	RMS	782.3	17.01	60	42.99	Pass	401
797	1000	0.1	RMS	893.6	-60.41	-13	47.41	Pass	2031
1000	3000	1	RMS	2969	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7116	-56.25	-13	43.25	Pass	7001




9.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-56.27	-13	43.27	Pass	401
0.15	30	0.01	RMS	0.15	-69.73	-13	56.73	Pass	2986
30	767	0.1	RMS	498.7	-60.88	-13	47.88	Pass	7371
767	797	0.1	RMS	786.65	17.25	60	42.75	Pass	401
797	1000	0.1	RMS	883.9	-60.41	-13	47.41	Pass	2031
1000	3000	1	RMS	2968	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	7101	-56.1	-13	43.1	Pass	7001




9.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-63.29	-13	50.29	Pass	401
0.15	30	0.01	RMS	0.15	-68.96	-13	55.96	Pass	2986
30	767	0.1	RMS	469.8	-60.58	-13	47.58	Pass	7371
767	797	0.1	RMS	786.35	0.92	60	59.08	Pass	401
797	1000	0.1	RMS	797.2	-48.46	-13	35.46	Pass	2031
1000	3000	1	RMS	2966	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	7117	-56.19	-13	43.19	Pass	7001




9.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-54.4	-13	41.4	Pass	401
0.15	30	0.01	RMS	0.16	-68.9	-13	55.9	Pass	2986
30	767	0.1	RMS	484.5	-60.9	-13	47.9	Pass	7371
767	797	0.1	RMS	777.425	17.12	60	42.88	Pass	401
797	1000	0.1	RMS	803.5	-60.29	-13	47.29	Pass	2031
1000	3000	1	RMS	2966	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	7121	-56.19	-13	43.19	Pass	7001



9.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-56.74	-13	43.74	Pass	401
0.15	30	0.01	RMS	0.17	-69.79	-13	56.79	Pass	2986
30	767	0.1	RMS	469.1	-60.87	-13	47.87	Pass	7371
767	797	0.1	RMS	786.575	17.23	60	42.77	Pass	401
797	1000	0.1	RMS	919.5	-60.24	-13	47.24	Pass	2031
1000	3000	1	RMS	2973	-45.99	-13	32.99	Pass	2001
3000	10000	1	RMS	7118	-55.98	-13	42.98	Pass	7001



6. n14 15kHz


6.1. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.49	-13	54.49	Pass	401
0.15	30	0.01	RMS	0.21	-70.21	-13	57.21	Pass	2986
30	778	0.1	RMS	777.9	-56.66	-13	43.66	Pass	7481
778	808	0.1	RMS	789.025	5.91	60	54.09	Pass	401
808	1000	0.1	RMS	872.9	-60.2	-13	47.2	Pass	1921
1000	3000	1	RMS	2970	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7117	-56.11	-13	43.11	Pass	7001




6.2. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	0.41	-69.9	-13	56.9	Pass	2986
30	778	0.1	RMS	777.6	-60.58	-13	47.58	Pass	7481
778	808	0.1	RMS	788.35	19.22	60	40.78	Pass	401
808	1000	0.1	RMS	993.3	-60.33	-13	47.33	Pass	1921
1000	3000	1	RMS	2974	-45.7	-13	32.7	Pass	2001
3000	10000	1	RMS	7101	-56.02	-13	43.02	Pass	7001




6.3. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.6	-70.3	-13	57.3	Pass	2986
30	778	0.1	RMS	692.4	-60.69	-13	47.69	Pass	7481
778	808	0.1	RMS	792.625	19.03	60	40.97	Pass	401
808	1000	0.1	RMS	919	-60.33	-13	47.33	Pass	1921
1000	3000	1	RMS	2969	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7133	-56.06	-13	43.06	Pass	7001




6.4. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	0.19	-69.41	-13	56.41	Pass	2986
30	778	0.1	RMS	777.8	-59.77	-13	46.77	Pass	7481
778	808	0.1	RMS	791.35	5.91	60	54.09	Pass	401
808	1000	0.1	RMS	916.2	-60.22	-13	47.22	Pass	1921
1000	3000	1	RMS	2970	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	7102	-56.07	-13	43.07	Pass	7001




6.5. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-71.18	-13	58.18	Pass	401
0.15	30	0.01	RMS	0.25	-70.38	-13	57.38	Pass	2986
30	778	0.1	RMS	484.3	-60.69	-13	47.69	Pass	7481
778	808	0.1	RMS	790.825	19.29	60	40.71	Pass	401
808	1000	0.1	RMS	904.5	-60.11	-13	47.11	Pass	1921
1000	3000	1	RMS	2973	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	7109	-55.93	-13	42.93	Pass	7001




6.6. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.74	-70.14	-13	57.14	Pass	2986
30	778	0.1	RMS	637.2	-60.68	-13	47.68	Pass	7481
778	808	0.1	RMS	795.175	19.12	60	40.88	Pass	401
808	1000	0.1	RMS	849	-60.3	-13	47.3	Pass	1921
1000	3000	1	RMS	2978	-45.97	-13	32.97	Pass	2001
3000	10000	1	RMS	7102	-55.96	-13	42.96	Pass	7001




6.7. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.27	-70.24	-13	57.24	Pass	2986
30	778	0.1	RMS	777.5	-60.5	-13	47.5	Pass	7481
778	808	0.1	RMS	793.75	5.86	60	54.14	Pass	401
808	1000	0.1	RMS	989.9	-60.11	-13	47.11	Pass	1921
1000	3000	1	RMS	2970	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	7102	-55.95	-13	42.95	Pass	7001




6.8. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.17	-70.86	-13	57.86	Pass	2986
30	778	0.1	RMS	743.9	-60.71	-13	47.71	Pass	7481
778	808	0.1	RMS	793.3	19.1	60	40.9	Pass	401
808	1000	0.1	RMS	990.6	-60.19	-13	47.19	Pass	1921
1000	3000	1	RMS	2977	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	7102	-56.2	-13	43.2	Pass	7001




6.9. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.2	-70.02	-13	57.02	Pass	2986
30	778	0.1	RMS	493.8	-60.68	-13	47.68	Pass	7481
778	808	0.1	RMS	797.65	19.02	60	40.98	Pass	401
808	1000	0.1	RMS	871.5	-60.19	-13	47.19	Pass	1921
1000	3000	1	RMS	2974	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	7095	-55.94	-13	42.94	Pass	7001




6.10. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	0.6	-68.14	-13	55.14	Pass	2986
30	778	0.1	RMS	778	-46.78	-13	33.78	Pass	7481
778	808	0.1	RMS	790	2.79	60	57.21	Pass	401
808	1000	0.1	RMS	808	-55.13	-13	42.13	Pass	1921
1000	3000	1	RMS	2974	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	7111	-56.03	-13	43.03	Pass	7001




6.11. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.1	-13	58.1	Pass	401
0.15	30	0.01	RMS	19.34	-68.26	-13	55.26	Pass	2986
30	778	0.1	RMS	468.2	-59.1	-13	46.1	Pass	7481
778	808	0.1	RMS	788.425	19.19	60	40.81	Pass	401
808	1000	0.1	RMS	893.7	-59.07	-13	46.07	Pass	1921
1000	3000	1	RMS	2967	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7102	-55.74	-13	42.74	Pass	7001



6.12. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	4.49	-68.97	-13	55.97	Pass	2986
30	778	0.1	RMS	473.9	-59.11	-13	46.11	Pass	7481
778	808	0.1	RMS	797.575	19.03	60	40.97	Pass	401
808	1000	0.1	RMS	902.1	-60.18	-13	47.18	Pass	1921
1000	3000	1	RMS	2969	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	9962	-56.01	-13	43.01	Pass	7001



3. n25 15kHz

3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.39	-13	53.39	Pass	401
0.15	30	0.01	RMS	4.21	-49.47	-13	36.47	Pass	2986
30	1000	0.1	RMS	971.581	-60.36	-13	47.36	Pass	9701
1000	1840	1	RMS	1840	-46.61	-13	33.61	Pass	841
1840	1925	1	RMS	1853.6	14.1	60	45.9	Pass	401
1925	3000	1	RMS	2972	-46.12	-13	33.12	Pass	1076
3000	7000	1	RMS	6980	-58.79	-13	45.79	Pass	4001
7000	20000	1	RMS	17496	-48.65	-13	35.65	Pass	13002

