

Shantou Yida Electronics Co., Ltd.

Company Address: School Road, Jiaotou Ye Village, Shanghua Town, Chenghai District, Shantou City

产品规格书

PRODUCT SPECIFICATION

Customer:

Customer's part number:

Product description: Welding 2.4G Transceiver Antenna

Uni Link's part number: Panchip_2400_Neg1B

Issue Date: 2022-10-11

Note: 2402-2480MHz, Welding

Customer Use		Customer's authorized signature	Remarks
Full approved	YES	MEJOEHUANG	comply with the requirements
Conditional approved			
Rejected			

1、产品技术指标

(PRODUCT TECHNICAL SPECIFICATION)

电性能指标 Electrical Specifications	
频率范围 Frequency Range (MHz)	2402-2480
频带宽度 Bandwidth (MHz)	79
输入阻抗 Input Impedence (Ω)	50

电压驻波比 V.S.W.R	≤2
增益 Gain (dBi)	-1.02dBi
极化形式 Polarization Type	垂直 Vertical
雷电保护 Lightning Protection	交流接地 Ac grounding
功率容量 Power Capacity (w)	0.5
机械指标 Mechanical Specifications	
天线长度 Antenna Length (mm)	Ø1.5 X 40
辐射体 Radiator	铜 Cu
连接器型号 Connect Type	焊接 weld
工作温度 Working Temp(℃)	-40~65
储藏温度 Storage Temperature(℃)	-40~80
颜色 Color	白色 White
重量 Weight (g)	0.24

2、产品图片（PRODUCT PICTURE）




3.天线类型 (Antenna type): wire

4、产品规格(PRODUCT SPECIFICATION CHART)

长度 40MM, 直径 1.5MM

5、驻波图 (STATIONARY WAVE PATTERN)



6. 天线增益 Gain (dBi)

