





11AX20MIMO_Ant8_6695_106Tone_RU53



Date: 11.AUG.2024 07:28:11


11AX20MIMO_Ant10_6695_26Tone_RU0



Date: 11.AUG.2024 07:30:35




11AX20MIMO_Ant10_6695_52Tone_RU37




Date: 11.AUG.2024 07:33:10

11AX20MIMO_Ant10_6695_106Tone_RU53




Date: 11.AUG.2024 07:28:45






11AX20MIMO_Ant8_6855_106Tone_RU54



Date: 11.AUG.2024 07:34:29


11AX20MIMO_Ant10_6855_26Tone_RU8



Date: 11.AUG.2024 07:36:53




11AX20MIMO_Ant10_6855_52Tone_RU40



Date: 11.AUG.2024 07:38:02


11AX20MIMO_Ant10_6855_106Tone_RU54



Date: 11.AUG.2024 07:35:05




11AX20MIMO_Ant8_6875_26Tone_RU8



Date: 11.AUG.2024 07:41:30


11AX20MIMO_Ant8_6875_52Tone_RU40



Date: 11.AUG.2024 07:43:33




11AX20MIMO_Ant8_6875_106Tone_RU54



Date: 11.AUG.2024 07:39:47


11AX20MIMO_Ant10_6875_26Tone_RU8



Date: 11.AUG.2024 07:42:06




11AX20MIMO_Ant10_6875_52Tone_RU40




Date: 11.AUG.2024 07:44:09

11AX20MIMO_Ant10_6875_106Tone_RU54




Date: 11.AUG.2024 07:40:23






11AX20MIMO_Ant8_6895_106Tone_RU53



Date: 11.AUG.2024 08:10:37


11AX20MIMO_Ant10_6895_26Tone_RU0



Date: 11.AUG.2024 08:16:21




11AX20MIMO_Ant10_6895_52Tone_RU37




Date: 11.AUG.2024 08:18:53

11AX20MIMO_Ant10_6895_106Tone_RU53




Date: 11.AUG.2024 08:11:13






11AX20MIMO_Ant8_6995_106Tone_RU53



Date: 11.AUG.2024 08:22:20


11AX20MIMO_Ant10_6995_26Tone_RU0



Date: 11.AUG.2024 08:29:18




11AX20MIMO_Ant10_6995_52Tone_RU37




Date: 11.AUG.2024 08:32:02

11AX20MIMO_Ant10_6995_106Tone_RU53




Date: 11.AUG.2024 08:23:47






11AX20MIMO_Ant8_7095_106Tone_RU54



Date: 11.AUG.2024 08:47:09


11AX20MIMO_Ant10_7095_26Tone_RU8



Date: 11.AUG.2024 08:43:27




11AX20MIMO_Ant10_7095_52Tone_RU40




Date: 11.AUG.2024 08:46:19

11AX20MIMO_Ant10_7095_106Tone_RU54




Date: 11.AUG.2024 08:47:45






11AX20MIMO_Ant8_7115_106Tone_RU54



Date: 11.AUG.2024 09:07:18


11AX20MIMO_Ant10_7115_26Tone_RU8



Date: 11.AUG.2024 08:50:20




11AX20MIMO_Ant10_7115_52Tone_RU40



Date: 11.AUG.2024 08:51:47


11AX20MIMO_Ant10_7115_106Tone_RU54



Date: 11.AUG.2024 09:07:55




11AX40MIMO_Ant8_5965_242Tone_RU61



Date: 11.AUG.2024 09:10:14


11AX40MIMO_Ant10_5965_242Tone_RU61



Date: 11.AUG.2024 09:11:18




11AX40MIMO_Ant8_6205_242Tone_RU61



Date: 11.AUG.2024 09:13:26


11AX40MIMO_Ant10_6205_242Tone_RU61



Date: 11.AUG.2024 09:14:16




11AX40MIMO_Ant8_6405_242Tone_RU62



Date: 11.AUG.2024 09:17:32


11AX40MIMO_Ant10_6405_242Tone_RU62



Date: 11.AUG.2024 09:24:09




11AX40MIMO_Ant8_6445_242Tone_RU61



Date: 11.AUG.2024 09:25:54


11AX40MIMO_Ant10_6445_242Tone_RU61



Date: 11.AUG.2024 09:27:50




11AX40MIMO_Ant8_6485_242Tone_RU61



Date: 11.AUG.2024 09:29:03


11AX40MIMO_Ant10_6485_242Tone_RU61



Date: 11.AUG.2024 09:29:59




11AX40MIMO_Ant8_6525_242Tone_RU62



Date: 11.AUG.2024 09:31:36


11AX40MIMO_Ant10_6525_242Tone_RU62



Date: 11.AUG.2024 09:32:33




11AX40MIMO_Ant8_6565_242Tone_RU61



Date: 11.AUG.2024 09:34:02


11AX40MIMO_Ant10_6565_242Tone_RU61



Date: 11.AUG.2024 09:34:43




11AX40MIMO_Ant8_6685_242Tone_RU61



Date: 11.AUG.2024 09:36:42


11AX40MIMO_Ant10_6685_242Tone_RU61



Date: 11.AUG.2024 09:37:27




11AX40MIMO_Ant8_6845_242Tone_RU62



Date: 11.AUG.2024 09:39:04


11AX40MIMO_Ant10_6845_242Tone_RU62



Date: 11.AUG.2024 09:40:54




11AX40MIMO_Ant8_6885_242Tone_RU62



Date: 11.AUG.2024 09:42:26


11AX40MIMO_Ant10_6885_242Tone_RU62



Date: 11.AUG.2024 09:43:08




11AX40MIMO_Ant8_6925_242Tone_RU61



Date: 11.AUG.2024 09:44:36


11AX40MIMO_Ant10_6925_242Tone_RU61



Date: 11.AUG.2024 09:45:33




11AX40MIMO_Ant8_7005_242Tone_RU61



Date: 11.AUG.2024 09:46:49


11AX40MIMO_Ant10_7005_242Tone_RU61



Date: 11.AUG.2024 09:47:26




11AX40MIMO_Ant8_7085_242Tone_RU62



Date: 11.AUG.2024 09:49:43


11AX40MIMO_Ant10_7085_242Tone_RU62



Date: 11.AUG.2024 09:50:26




11AX80MIMO_Ant8_5985_484Tone_RU65



Date: 11.AUG.2024 09:52:06


11AX80MIMO_Ant10_5985_484Tone_RU65



Date: 11.AUG.2024 09:53:04




11AX80MIMO_Ant8_6225_484Tone_RU65



Date: 11.AUG.2024 09:54:45


11AX80MIMO_Ant10_6225_484Tone_RU65



Date: 11.AUG.2024 09:55:25




11AX80MIMO_Ant8_6385_484Tone_RU66



Date: 11.AUG.2024 09:57:31


11AX80MIMO_Ant10_6385_484Tone_RU66



Date: 11.AUG.2024 09:59:08




11AX80MIMO_Ant8_6465_484Tone_RU65



Date: 11.AUG.2024 10:01:38


11AX80MIMO_Ant10_6465_484Tone_RU65



Date: 11.AUG.2024 10:02:15




11AX80MIMO_Ant8_6545_484Tone_RU66



Date: 11.AUG.2024 10:03:42


11AX80MIMO_Ant10_6545_484Tone_RU66



Date: 11.AUG.2024 10:04:21




11AX80MIMO_Ant8_6625_484Tone_RU65



Date: 11.AUG.2024 10:07:46


11AX80MIMO_Ant10_6625_484Tone_RU65



Date: 11.AUG.2024 10:08:25




11AX80MIMO_Ant8_6705_484Tone_RU65



Date: 11.AUG.2024 10:09:21


11AX80MIMO_Ant10_6705_484Tone_RU65



Date: 11.AUG.2024 10:10:06




11AX80MIMO_Ant8_6785_484Tone_RU66



Date: 11.AUG.2024 10:11:12


11AX80MIMO_Ant10_6785_484Tone_RU66



Date: 11.AUG.2024 10:11:47




11AX80MIMO_Ant8_6865_484Tone_RU66



Date: 11.AUG.2024 10:19:54


11AX80MIMO_Ant10_6865_484Tone_RU66



Date: 11.AUG.2024 10:28:14




11AX80MIMO_Ant8_6945_484Tone_RU65



Date: 11.AUG.2024 10:53:35


11AX80MIMO_Ant10_6945_484Tone_RU65



Date: 11.AUG.2024 10:57:32




11AX80MIMO_Ant8_7025_484Tone_RU66



Date: 11.AUG.2024 11:01:26


11AX80MIMO_Ant10_7025_484Tone_RU66



Date: 11.AUG.2024 11:02:39




11AX160MIMO_Ant8_6025_996Tone_RU67



Date: 11.AUG.2024 11:04:36


11AX160MIMO_Ant10_6025_996Tone_RU67



Date: 11.AUG.2024 11:06:18




11AX160MIMO_Ant8_6185_996Tone_RU67



Date: 11.AUG.2024 11:11:00


11AX160MIMO_Ant10_6185_996Tone_RU67



Date: 11.AUG.2024 11:15:11




11AX160MIMO_Ant8_6345_996Tone_RU68



Date: 11.AUG.2024 11:57:23


11AX160MIMO_Ant10_6345_996Tone_RU68



Date: 11.AUG.2024 12:00:30




11AX160MIMO_Ant8_6505_996Tone_RU67



Date: 11.AUG.2024 12:03:22


11AX160MIMO_Ant10_6505_996Tone_RU67



Date: 11.AUG.2024 12:03:59




11AX160MIMO_Ant8_6665_996Tone_RU68



Date: 11.AUG.2024 12:05:07


11AX160MIMO_Ant10_6665_996Tone_RU68



Date: 11.AUG.2024 12:05:42




11AX160MIMO_Ant8_6825_996Tone_RU67



Date: 11.AUG.2024 12:09:12


11AX160MIMO_Ant10_6825_996Tone_RU67



Date: 11.AUG.2024 12:09:57




11AX160MIMO_Ant8_6985_996Tone_RU68



Date: 11.AUG.2024 12:11:09

11AX160MIMO_Ant10_6985_996Tone_RU68




Date: 11.AUG.2024 12:11:45



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.177	41.01	-23.63	64.64	30.50	0.10	10.41	QP
2	0.177	24.71	-29.93	54.64	14.20	0.10	10.41	Average
3	1.249	39.09	-16.91	56.00	29.19	-0.19	10.09	QP
4	1.249	28.79	-17.21	46.00	18.89	-0.19	10.09	Average
5	1.577	40.38	-15.62	56.00	30.51	-0.21	10.08	QP
6	1.577	31.48	-14.52	46.00	21.61	-0.21	10.08	Average
7	1.734	40.07	-15.93	56.00	30.20	-0.21	10.08	QP
8	1.734	30.77	-15.23	46.00	20.90	-0.21	10.08	Average
9	2.371	40.08	-15.92	56.00	30.20	-0.19	10.07	QP
10 *	2.371	34.48	-11.52	46.00	24.60	-0.19	10.07	Average
11	2.750	38.70	-17.30	56.00	28.80	-0.17	10.07	QP
12	2.750	33.50	-12.50	46.00	23.60	-0.17	10.07	Average



Test Engineer :	Amos Zhang	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.169	41.04	-23.95	64.99	30.50	0.12	10.42	QP
2	0.169	25.14	-29.85	54.99	14.60	0.12	10.42	Average
3	0.191	46.04	-17.94	63.98	35.50	0.13	10.41	QP
4	0.191	28.74	-25.24	53.98	18.20	0.13	10.41	Average
5	0.255	38.54	-23.06	61.60	28.20	-0.02	10.36	QP
6	0.255	25.84	-25.76	51.60	15.50	-0.02	10.36	Average
7	2.513	37.07	-18.93	56.00	27.20	-0.20	10.07	QP
8 *	2.513	31.07	-14.93	46.00	21.20	-0.20	10.07	Average
9	2.794	37.06	-18.94	56.00	27.20	-0.21	10.07	QP
10	2.794	30.46	-15.54	46.00	20.60	-0.21	10.07	Average
11	3.123	36.06	-19.94	56.00	26.20	-0.21	10.07	QP
12	3.123	28.66	-17.34	46.00	18.80	-0.21	10.07	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)
- The same data of conducted emission was used for indoor client mode and standard client mode.



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Levi zhao	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 8+10	802.11a	1	5955	6Mbps	Full	-
Mode 2	U-NII-5	5.925-6.425	CDD 8+10	802.11a	49	6195	6Mbps	Full	-
Mode 3	U-NII-5	5.925-6.425	CDD 8+10	802.11a	93	6415	6Mbps	Full	-
Mode 4	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE20	1	5955	MCS0	Full	-
Mode 5	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE20	1	5955	MCS0	RU106/53	-
Mode 6	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE20	49	6195	MCS0	Full	-
Mode 7	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE20	93	6415	MCS0	Full	-
Mode 8	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE40	3	5965	MCS0	Full	-
Mode 9	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE40	3	5965	MCS0	RU242/61	-
Mode 10	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE40	51	6025	MCS0	Full	-
Mode 11	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE40	91	6405	MCS0	Full	-
Mode 12	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE80	7	5985	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE80	7	5985	MCS0	RU484/65	-
Mode 14	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE80	55	6227	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE80	87	6385	MCS0	Full	-
Mode 16	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE160	15	6025	MCS0	Full	-
Mode 17	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE160	15	6025	MCS0	RU 996/67	-
Mode 18	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE160	47	6185	MCS0	Full	-
Mode 19	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE160	79	6345	MCS0	Full	-
Mode 20	U-NII-6	5.925-6.425	CDD 8+10	802.11a	97	6435	MCS0	Full	-
Mode 21	U-NII-6	6.425-6.525	CDD 8+10	802.11a	105	6475	MCS0	Full	-
Mode 22	U-NII-6	6.425-6.525	CDD 8+10	802.11a	113	6515	MCS0	Full	-
Mode 23	U-NII-6	5.925-6.425	SDM 8+10	802.11ax HE20	97	6435	6Mbps	Full	-
Mode 24	U-NII-6	6.425-6.525	SDM 8+10	802.11ax HE20	105	6475	6Mbps	Full	-
Mode 25	U-NII-6	6.425-6.525	SDM 8+10	802.11ax HE20	113	6515	6Mbps	Full	-
Mode 26	U-NII-6	6.425-6.525	SDM 8+10	802.11ax HE40	99	6445	MCS0	Full	-
Mode 27	U-NII-6	6.425-6.525	SDM 8+10	802.11ax HE40	107	6485	MCS0	Full	-
Mode 28	U-NII-6	6.425-6.525	SDM 8+10	802.11ax HE40	115	6525	MCS0	Full	-
Mode 29	U-NII-6	6.425-6.525	SDM 8+10	802.11ax HE80	103	6465	MCS0	Full	-
Mode 30	U-NII-6	5.925-6.425	SDM 8+10	802.11ax HE160	111	6505	MCS0	Full	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 31	U-NII-7	6.525-6.875	CDD 8+10	802.11a	117	6535	6Mbps	Full	-
Mode 32	U-NII-7	6.525-6.875	CDD 8+10	802.11a	149	6695	6Mbps	Full	-
Mode 33	U-NII-7	6.525-6.875	CDD 8+10	802.11a	185	6875	6Mbps	Full	-
Mode 34	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE20	117	6535	MCS0	Full	-
Mode 35	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE20	149	6695	MCS0	Full	-
Mode 36	U-NII-8	6.525-6.875	CDD 8+10	802.11ax HE20	185	6875	MCS0	Full	-
Mode 37	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE40	123	6565	MCS0	Full	-
Mode 38	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE40	147	6685	MCS0	Full	-
Mode 39	U-NII-8	6.875-7.125	CDD 8+10	802.11ax HE40	187	6885	MCS0	Full	-
Mode 40	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE80	135	6625	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE80	151	6705	MCS0	Full	-
Mode 42	U-NII-8	6.525-6.875	CDD 8+10	802.11ax HE80	183	6865	MCS0	Full	-
Mode 43	U-NII-7	5.925-6.425	CDD 8+10	802.11ax HE160	143	6665	MCS0	Full	-
Mode 44	U-NII-8	5.925-6.425	CDD 8+10	802.11ax HE160	175	6825	MCS0	Full	-
Mode 45	U-NII-8	6.875-7.125	CDD 8+10	802.11a	189	6895	6Mbps	Full	-
Mode 46	U-NII-8	6.875-7.125	CDD 8+10	802.11a	209	6995	6Mbps	Full	-
Mode 47	U-NII-8	6.875-7.125	CDD 8+10	802.11a	233	7115	6Mbps	Full	-
Mode 48	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	189	6895	MCS0	Full	-
Mode 49	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	209	6995	MCS0	Full	-
Mode 50	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	233	7115	MCS0	Full	-
Mode 51	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	233	7115	MCS0	RU106/54	-
Mode 52	U-NII-8	6.525-6.875	SDM 8+10	802.11ax HE40	195	6925	MCS0	Full	-
Mode 53	U-NII-8	6.525-6.875	SDM 8+10	802.11ax HE40	211	7005	MCS0	Full	-
Mode 54	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE40	227	7085	MCS0	Full	-
Mode 55	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE40	227	7085	MCS0	RU242/62	-
Mode 56	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE80	199	6945	MCS0	Full	-
Mode 57	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE80	215	7025	MCS0	Full	-
Mode 58	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE80	215	7025	MCS0	RU484/66	-
Mode 59	U-NII-8	5.925-6.425	SDM 8+10	802.11ax HE160	207	6985	MCS0	Full	-
Mode 60	U-NII-8	5.925-6.425	SDM 8+10	802.11ax HE160	207	6985	MCS0	RU996/68	-
Mode 61	U-NII-7	6.875-7.125	CDD 8+10	802.11a	181	6855	6Mbps	Full	-
Mode 62	U-NII-7	6.875-7.125	CDD 8+10	802.11ax HE20	181	6855	MCS0	Full	-
Mode 63	U-NII-7	6.875-7.125	CDD 8+10	802.11ax HE40	179	6845	MCS0	Full	-
Mode 64	U-NII-7	6.875-7.125	CDD 8+10	802.11ax HE80	167	6785	MCS0	Full	-



Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 65	2400-2483.5	2400-2483.5	CDD 7+9	802.11ax HE20	11	2462	MCS0	Full	-
	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	233	7115	6Mbps	Full	-
	Part 96 LTE Band 48 - BW 20M								
Mode 66	2400-2483.5	2400-2483.5	9	802.11ax HE20	11	2462	MCS0	Full	-
	2400-2483.5	Bluetooth-LE	7	Bluetooth-LE	39	2480	2Mbps	-	-
	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	233	7115	6Mbps	Full	-
	Part 96 LTE Band 48 - BW 20M								
Mode 67	2400-2483.5	2400-2483.5	CDD 7+9	802.11ax HE20	11	2462	MCS0	Full	-
	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	233	7115	6Mbps	Full	-
	RFID T x 914.75 Mhz								
Mode 68	2400-2483.5	2400-2483.5	9	802.11ax HE20	11	2462	MCS0	Full	-
	2400-2483.5	Bluetooth-LE	7	Bluetooth-LE	39	2480	2Mbps	-	-
	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	233	7115	6Mbps	Full	-
	RFID T x 914.75 Mhz								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.98	41.88	68.20	-26.32	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	46.31	74.00	-27.69	H	PEAK	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	46.65	74.00	-27.35	H	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.79	88.20	-41.41	V	PEAK	Pass	Harmonic
4	802.11ax HE20	1	5924.96	39.88	68.20	-28.32	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	46.01	74.00	-27.99	H	PEAK	Pass	Harmonic
5	802.11ax HE20	1	5922.44	68.67	88.20	-19.53	H	PEAK	Pass	Band Edge
5	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
6	802.11ax HE20	49	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	49	12390.00	45.60	74.00	-28.40	V	PEAK	Pass	Harmonic
7	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
7	802.11ax HE20	93	12830.00	47.03	88.20	-41.17	H	PEAK	Pass	Harmonic
8	802.11ax HE40	3	5925.00	41.77	68.20	-26.43	H	AVERAGE	Pass	Band Edge
8	802.11ax HE40	3	11930.00	45.74	74.00	-28.26	V	PEAK	Pass	Harmonic
9	802.11ax HE40	3	5920.70	63.24	88.20	-24.96	V	PEAK	Pass	Band Edge
9	802.11ax HE40	3	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE40	51	-	-	-	-	-	-	-	Band Edge
10	802.11ax HE40	51	12050.00	46.84	74.00	-27.16	H	PEAK	Pass	Harmonic
11	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE40	91	12810.00	46.30	88.20	-41.90	V	PEAK	Pass	Harmonic
12	802.11ax HE80	7	5924.98	41.79	68.20	-26.41	V	AVERAGE	Pass	Band Edge
12	802.11ax HE80	7	11970.00	46.00	74.00	-28.00	H	PEAK	Pass	Harmonic
13	802.11ax HE80	7	5924.56	44.48	68.20	-23.72	H	AVERAGE	Pass	Band Edge
13	802.11ax HE80	7	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE80	55	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE80	55	12454.00	46.83	74.00	-27.17	V	PEAK	Pass	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE80	87	12770.00	46.49	88.20	-41.71	V	PEAK	Pass	Harmonic
16	802.11ax HE160	15	5876.10	46.51	68.20	-21.69	V	AVERAGE	Pass	Band Edge
16	802.11ax HE160	15	12050.00	45.56	74.00	-28.44	H	PEAK	Pass	Harmonic
17	802.11ax HE160	15	5925.00	47.09	68.20	-21.11	V	AVERAGE	Pass	Band Edge
17	802.11ax HE160	15	-	-	-	-	-	-	-	Harmonic
18	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE160	47	12370.00	46.37	74.00	-27.63	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
19	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE160	79	12690.00	46.12	74.00	-27.88	V	PEAK	Pass	Harmonic
20	802.11a	97	-	-	-	-	-	-	-	Band Edge
20	802.11a	97	12870.00	46.84	88.20	-41.36	V	PEAK	Pass	Harmonic
21	802.11a	105	-	-	-	-	-	-	-	Band Edge
21	802.11a	105	12950.00	46.57	88.20	-41.63	H	PEAK	Pass	Harmonic
22	802.11a	113	-	-	-	-	-	-	-	Band Edge
22	802.11a	113	13030.00	46.41	88.20	-41.79	V	PEAK	Pass	Harmonic
23	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	97	12870.00	46.42	88.20	-41.78	H	PEAK	Pass	Harmonic
24	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE20	105	12950.00	46.47	88.20	-41.73	H	PEAK	Pass	Harmonic
25	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE20	113	13030.00	46.58	88.20	-41.62	H	PEAK	Pass	Harmonic
26	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	99	12890.00	46.67	88.20	-41.53	V	PEAK	Pass	Harmonic
27	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	107	12970.00	46.73	88.20	-41.47	H	PEAK	Pass	Harmonic
28	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	115	13050.00	46.58	88.20	-41.62	H	PEAK	Pass	Harmonic
29	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE80	103	12930.00	46.53	88.20	-41.67	H	PEAK	Pass	Harmonic
30	802.11ax HE160	111	5898.74	37.56	68.20	-30.64	V	AVERAGE	Pass	Band Edge
30	802.11ax HE160	111	13010.00	47.16	88.20	-41.04	H	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	47.38	88.20	-40.82	V	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	45.94	74.00	-28.06	V	PEAK	Pass	Harmonic
33	802.11a	185	-	-	-	-	-	-	-	Band Edge
33	802.11a	185	13750.00	46.73	88.20	-41.47	H	PEAK	Pass	Harmonic
34	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	117	13070.00	46.99	88.20	-41.21	H	PEAK	Pass	Harmonic
35	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	149	13390.00	46.43	74.00	-27.57	V	PEAK	Pass	Harmonic
36	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	185	13750.00	46.36	88.20	-41.84	H	PEAK	Pass	Harmonic
37	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE40	123	13130.00	46.11	88.20	-42.09	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
38	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE40	147	13370.00	46.88	74.00	-27.12	V	PEAK	Pass	Harmonic
39	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	187	13770.00	44.99	88.20	-43.21	H	PEAK	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	46.90	74.00	-27.10	V	PEAK	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	45.31	88.20	-42.89	V	PEAK	Pass	Harmonic
42	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	183	13730.00	45.11	88.20	-43.09	H	PEAK	Pass	Harmonic
43	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE160	143	13330.00	45.61	74.00	-28.39	H	PEAK	Pass	Harmonic
44	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE160	175	13650.00	45.30	88.20	-42.90	H	PEAK	Pass	Harmonic
45	802.11a	189	-	-	-	-	-	-	-	Band Edge
45	802.11a	189	13790.00	45.66	88.20	-42.54	H	PEAK	Pass	Harmonic
46	802.11a	209	-	-	-	-	-	-	-	Band Edge
46	802.11a	209	13990.00	45.86	88.20	-42.34	V	PEAK	Pass	Harmonic
47	802.11a	233	7125.00	66.5	68.20	-1.7	H	AVERAGE	Pass	Band Edge
47	802.11a	233	14230.00	46.17	88.20	-42.03	H	PEAK	Pass	Harmonic
48	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	189	13790.00	45.56	88.20	-42.64	H	PEAK	Pass	Harmonic
49	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE20	209	13990.00	45.67	88.20	-42.53	V	PEAK	Pass	Harmonic
50	802.11ax HE20	233	7125.00	66.93	68.20	-1.27	H	Pass	AVERAGE	Band Edge
50	802.11ax HE20	233	14230.00	46.97	88.20	-41.23	V	PEAK	Pass	Harmonic
51	802.11ax HE20	233	7125.00	66.31	68.20	-1.89	H	AVERAGE	Pass	Band Edge
51	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE40	195	13850.00	45.86	88.20	-42.34	V	PEAK	Pass	Harmonic
53	802.11ax HE40	211	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE40	211	14010.00	46.29	88.20	-41.91	V	PEAK	Pass	Harmonic
54	802.11ax HE40	227	7125.00	42.84	68.20	-25.36	H	AVERAGE	Pass	Band Edge
54	802.11ax HE40	227	14170.00	46.06	88.20	-42.14	H	PEAK	Pass	Harmonic
55	802.11ax HE40	227	7212.90	38.55	68.20	-29.65	H	AVERAGE	Pass	Band Edge
55	802.11ax HE40	227	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE80	199	13890.00	45.42	88.20	-42.78	V	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
57	802.11ax HE80	215	7126.52	41.08	68.20	-27.12	H	AVERAGE	Pass	Band Edge
57	802.11ax HE80	215	14050.00	45.52	88.20	-42.68	V	PEAK	Pass	Harmonic
58	802.11ax HE80	215	7196.05	38.92	68.20	-29.28	V	AVERAGE	Pass	Band Edge
58	802.11ax HE80	215	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE160	207	7127.07	44.91	68.20	-23.29	H	AVERAGE	Pass	Band Edge
59	802.11ax HE160	207	13970.00	44.91	88.20	-43.29	H	PEAK	Pass	Harmonic
60	802.11ax HE160	207	7133.45	44.70	68.20	-23.50	H	AVERAGE	Pass	Band Edge
60	802.11ax HE160	207	-	-	-	-	-	-	-	Harmonic
61	802.11a	181	-	-	-	-	-	-	-	Band Edge
61	802.11a	181	13710.00	45.46	88.20	-42.74	V	PEAK	Pass	Harmonic
62	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE20	181	13710.00	45.38	88.20	-42.82	H	PEAK	Pass	Harmonic
63	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
63	802.11ax HE40	179	13690.00	45.32	88.20	-42.88	V	PEAK	Pass	Harmonic
64	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
64	802.11ax HE80	167	13570.00	45.49	88.20	-42.71	H	PEAK	Pass	Harmonic







Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
65	802.11ax HE20	11	2483.50	50.48	54.00	-3.52	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	4924.00	41.91	74.00	-32.09	V	PEAK	Pass	Harmonic
	802.11ax HE20	233	7125.00	66.62	68.2	-1.58	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	233	14230.00	45.88	88.20	-42.32	H	PEAK	Pass	Harmonic
66	802.11ax HE20	11	2483.56	49.47	54.00	-4.53	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	4924.00	41.81	74.00	-32.19	V	PEAK	Pass	Harmonic
	Bluetooth-LE	39	2488.84	44.89	54.00	-9.11	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	7440.00	38.77	74.00	-35.23	H	PEAK	Pass	Harmonic
	802.11ax HE20	233	7125.00	67.14	68.20	-1.06	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	233	14230.00	45.86	88.20	-42.34	H	PEAK	Pass	Harmonic
67	802.11ax HE20	11	2484.64	50.53	54.00	-3.47	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	7386.00	42.29	74.00	-31.71	V	PEAK	Pass	Harmonic
	802.11ax HE20	233	7125.00	65.07	68.2	-3.13	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	233	14230.00	46.70	88.20	-41.50	V	PEAK	Pass	Harmonic
68	802.11ax HE20	11	2483.50	48.24	54.00	-5.76	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	7386.00	42.48	74.00	-31.52	V	PEAK	Pass	Harmonic
	Bluetooth-LE	39	2488.54	45.68	54.00	-8.32	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	7440.00	39.31	74.00	-34.69	H	PEAK	Pass	Harmonic
	802.11ax HE20	233	7125.00	65.02	68.20	-3.18	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	233	14230.00	46.20	88.20	-42.00	V	PEAK	Pass	Harmonic







		1																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																																		
ANT	CDD 8+10																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.87</td><td>53.80</td><td>88.20</td><td>-34.40</td><td>46.49</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>116</td><td>313</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.87	53.80	88.20	-34.40	46.49	35.13	11.40	39.22	0.00	116	313	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.98</td><td>-----</td><td>-----</td><td>101.59</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>116</td><td>313</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.98	-----	-----	101.59	35.15	11.42	39.18	0.00	116	313
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.87	53.80	88.20	-34.40	46.49	35.13	11.40	39.22	0.00	116	313	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.98	-----	-----	101.59	35.15	11.42	39.18	0.00	116	313	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.98</td><td>41.88</td><td>68.20</td><td>-26.32</td><td>34.57</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>116</td><td>313</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.98	41.88	68.20	-26.32	34.57	35.13	11.40	39.22	0.00	116	313	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.29</td><td>-----</td><td>-----</td><td>92.87</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>116</td><td>313</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.29	-----	-----	92.87	35.16	11.43	39.17	0.00	116	313
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.98	41.88	68.20	-26.32	34.57	35.13	11.40	39.22	0.00	116	313	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	100.29	-----	-----	92.87	35.16	11.43	39.17	0.00	116	313	AVERAGE																																																																																							





Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																																														
ANT	CDD 8+10																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.70</td><td>50.83</td><td>88.20</td><td>-37.37</td><td>43.52</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>36</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.70	50.83	88.20	-37.37	43.52	35.13	11.40	39.22	0.00	100	36	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.83</td><td>-----</td><td>-----</td><td>99.44</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>100</td><td>36</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.83	-----	-----	99.44	35.15	11.42	39.18	0.00	100	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5922.70	50.83	88.20	-37.37	43.52	35.13	11.40	39.22	0.00	100	36	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	106.83	-----	-----	99.44	35.15	11.42	39.18	0.00	100	36	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>39.70</td><td>68.20</td><td>-28.50</td><td>32.39</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>36</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	39.70	68.20	-28.50	32.39	35.13	11.40	39.22	0.00	100	36	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.82</td><td>-----</td><td>-----</td><td>91.40</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>100</td><td>36</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.82	-----	-----	91.40	35.16	11.43	39.17	0.00	100	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5925.00	39.70	68.20	-28.50	32.39	35.13	11.40	39.22	0.00	100	36	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5955.00	98.82	-----	-----	91.40	35.16	11.43	39.17	0.00	100	36	AVERAGE																																																																																																			





		1										
Mode		Harmonic										
		U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz										
ANT		CDD 8+10										
Pol.		Horizontal										
Peak												
Avg												
												
												







Mode	2																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11a_CH49_Full_6195MHz																																																																																																
ANT	CDD 8+10																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>46.65</td><td>74.00</td><td>-27.35</td><td>56.87</td><td>38.80</td><td>16.93</td><td>65.95</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	46.65	74.00	-27.35	56.87	38.80	16.93	65.95	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>55.81</td><td>38.80</td><td>16.93</td><td>65.95</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	45.59	74.00	-28.41	55.81	38.80	16.93	65.95	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12390.00	46.65	74.00	-27.35	56.87	38.80	16.93	65.95	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12390.00	45.59	74.00	-28.41	55.81	38.80	16.93	65.95	0.00	--	PEAK																																																																																						



Mode	3																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11a_CH93_Full_6415MHz																																																																																																
ANT	CDD 8+10																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.68</td><td>88.20</td><td>-41.52</td><td>55.86</td><td>39.13</td><td>17.22</td><td>65.53</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.68	88.20	-41.52	55.86	39.13	17.22	65.53	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.79</td><td>88.20</td><td>-41.41</td><td>55.97</td><td>39.13</td><td>17.22</td><td>65.53</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.79	88.20	-41.41	55.97	39.13	17.22	65.53	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12830.00	46.68	88.20	-41.52	55.86	39.13	17.22	65.53	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12830.00	46.79	88.20	-41.41	55.97	39.13	17.22	65.53	0.00	--	PEAK																																																																																						





		4																																																				
Mode		Band Edge																																																				
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																				
ANT		CDD 8+10																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.52</td><td>51.46</td><td>88.20</td><td>-36.74</td><td>44.19</td><td>35.12</td><td>11.39</td><td>39.24</td><td>0.00</td><td>103</td><td>323</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.52	51.46	88.20	-36.74	44.19	35.12	11.39	39.24	0.00	103	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5911.52	51.46	88.20	-36.74	44.19	35.12	11.39	39.24	0.00	103	323	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>39.88</td><td>68.20</td><td>-28.32</td><td>32.57</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>103</td><td>323</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	39.88	68.20	-28.32	32.57	35.13	11.40	39.22	0.00	103	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5924.96	39.88	68.20	-28.32	32.57	35.13	11.40	39.22	0.00	103	323	AVERAGE																																										
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.98</td><td>-----</td><td>-----</td><td>100.59</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>103</td><td>323</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.98	-----	-----	100.59	35.15	11.42	39.18	0.00	103	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5955.00	107.98	-----	-----	100.59	35.15	11.42	39.18	0.00	103	323	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.22</td><td>-----</td><td>-----</td><td>90.83</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>103</td><td>323</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.22	-----	-----	90.83	35.15	11.42	39.18	0.00	103	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5955.00	90.22	-----	-----	90.83	35.15	11.42	39.18	0.00	103	323	AVERAGE																																										







		4																																									
Mode		Band Edge																																									
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																									
ANT		CDD 8+10																																									
Pol.		Vertical																																									
Peak																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.65	49.59	88.20	-38.61	42.28	35.13	11.40	39.22	0.00	100	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5924.65	49.59	88.20	-38.61	42.28	35.13	11.40	39.22	0.00	100	36	PEAK																															
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.01	-----	-----	99.59	35.16	11.43	39.17	0.00	100	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5955.00	107.01	-----	-----	99.59	35.16	11.43	39.17	0.00	100	36	PEAK																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.07	38.60	68.20	-29.60	31.29	35.13	11.40	39.22	0.00	100	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5920.07	38.60	68.20	-29.60	31.29	35.13	11.40	39.22	0.00	100	36	AVERAGE																															
AVERAGE																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	97.35	-----	-----	89.93	35.16	11.43	39.17	0.00	100	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5955.00	97.35	-----	-----	89.93	35.16	11.43	39.17	0.00	100	36	AVERAGE																															







		4																																																								
Mode		Harmonic																																																								
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																								
ANT		CDD 8+10																																																								
Pol.		Horizontal																																																								
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11910.00</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>57.12</td><td>38.60</td><td>16.62</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11910.00	46.01	74.00	-27.99	57.12	38.60	16.62	66.33	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 11910.00	46.01	74.00	-27.99	57.12	38.60	16.62	66.33	0.00	--	--	PEAK																																															
		Vertical																																																								
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11910.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>56.04</td><td>38.60</td><td>16.62</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11910.00	44.93	74.00	-29.07	56.04	38.60	16.62	66.33	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1 11910.00	44.93	74.00	-29.07	56.04	38.60	16.62	66.33	0.00	--	--	PEAK																																															





		5																																																																																															
Mode		Band Edge																																																																																															
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																															
ANT		CDD 8+10																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak																																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.44	68.67	88.20	-19.53	61.36	35.13	11.40	39.22	0.00	165	302	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.97</td><td>-----</td><td>-----</td><td>102.58</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>165</td><td>302</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.97	-----	-----	102.58	35.15	11.42	39.18	0.00	165	302	PEAK				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5922.44	68.67	88.20	-19.53	61.36	35.13	11.40	39.22	0.00	165	302	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	109.97	-----	-----	102.58	35.15	11.42	39.18	0.00	165	302	PEAK																																																																																					
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.52</td><td>43.81</td><td>68.20</td><td>-24.39</td><td>36.50</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>165</td><td>302</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.52	43.81	68.20	-24.39	36.50	35.13	11.40	39.22	0.00	165	302	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.12</td><td>-----</td><td>-----</td><td>93.73</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>165</td><td>302</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.12	-----	-----	93.73	35.15	11.42	39.18	0.00	165	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.52	43.81	68.20	-24.39	36.50	35.13	11.40	39.22	0.00	165	302	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	101.12	-----	-----	93.73	35.15	11.42	39.18	0.00	165	302	AVERAGE																																																																																					





Mode	5																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz																																																																																																		
ANT	CDD 8+10																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5912.17</td><td>50.36</td><td>88.20</td><td>-37.84</td><td>43.09</td><td>35.12</td><td>11.39</td><td>39.24</td><td>0.00</td><td>117</td><td>34</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.17	50.36	88.20	-37.84	43.09	35.12	11.39	39.24	0.00	117	34	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>108.10</td><td>-----</td><td>-----</td><td>100.71</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>117</td><td>34</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.10	-----	-----	100.71	35.15	11.42	39.18	0.00	117	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5912.17	50.36	88.20	-37.84	43.09	35.12	11.39	39.24	0.00	117	34	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.10	-----	-----	100.71	35.15	11.42	39.18	0.00	117	34	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.50</td><td>38.23</td><td>68.20</td><td>-29.97</td><td>30.94</td><td>35.13</td><td>11.39</td><td>39.23</td><td>0.00</td><td>117</td><td>34</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.50	38.23	68.20	-29.97	30.94	35.13	11.39	39.23	0.00	117	34	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>99.19</td><td>-----</td><td>-----</td><td>91.80</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>117</td><td>34</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.19	-----	-----	91.80	35.15	11.42	39.18	0.00	117	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5917.50	38.23	68.20	-29.97	30.94	35.13	11.39	39.23	0.00	117	34	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	99.19	-----	-----	91.80	35.15	11.42	39.18	0.00	117	34	AVERAGE																																																																																							







Mode	6																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full_6195MHz																																																																																																								
ANT	CDD 8+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12390.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>55.71</td><td>38.80</td><td>16.93</td><td>65.95</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12390.00	45.49	74.00	-28.51	55.71	38.80	16.93	65.95	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12390.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>55.82</td><td>38.80</td><td>16.93</td><td>65.95</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12390.00	45.60	74.00	-28.40	55.82	38.80	16.93	65.95	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 12390.00	45.49	74.00	-28.51	55.71	38.80	16.93	65.95	0.00	--	--	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 12390.00	45.60	74.00	-28.40	55.82	38.80	16.93	65.95	0.00	--	--	PEAK																																																																																														



Mode	7																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full_6415MHz																																																																																																								
ANT	CDD 8+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12830.00</td><td>47.03</td><td>88.20</td><td>-41.17</td><td>56.21</td><td>39.13</td><td>17.22</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12830.00	47.03	88.20	-41.17	56.21	39.13	17.22	65.53	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12830.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>55.90</td><td>39.13</td><td>17.22</td><td>65.53</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12830.00	46.72	88.20	-41.48	55.90	39.13	17.22	65.53	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 12830.00	47.03	88.20	-41.17	56.21	39.13	17.22	65.53	0.00	--	--	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 12830.00	46.72	88.20	-41.48	55.90	39.13	17.22	65.53	0.00	--	--	PEAK																																																																																														




Mode	8																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																																														
ANT	CDD 8+10																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.05</td><td>52.82</td><td>88.20</td><td>-35.38</td><td>45.51</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>126</td><td>308</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.05	52.82	88.20	-35.38	45.51	35.13	11.40	39.22	0.00	126	308	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>106.97</td><td>-----</td><td>-----</td><td>99.55</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>126</td><td>308</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	106.97	-----	-----	99.55	35.16	11.43	39.17	0.00	126	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.05	52.82	88.20	-35.38	45.51	35.13	11.40	39.22	0.00	126	308	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	106.97	-----	-----	99.55	35.16	11.43	39.17	0.00	126	308	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>41.77</td><td>68.20</td><td>-26.43</td><td>34.46</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>126</td><td>308</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	41.77	68.20	-26.43	34.46	35.13	11.40	39.22	0.00	126	308	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>96.97</td><td>-----</td><td>-----</td><td>89.51</td><td>35.17</td><td>11.44</td><td>39.15</td><td>0.00</td><td>126</td><td>308</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.97	-----	-----	89.51	35.17	11.44	39.15	0.00	126	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5925.00	41.77	68.20	-26.43	34.46	35.13	11.40	39.22	0.00	126	308	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	96.97	-----	-----	89.51	35.17	11.44	39.15	0.00	126	308	AVERAGE																																																																																																			







Mode	8																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																																		
ANT	CDD 8+10																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.31</td><td>52.95</td><td>88.20</td><td>-35.25</td><td>45.65</td><td>35.13</td><td>11.40</td><td>39.23</td><td>0.00</td><td>126</td><td>37</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.31	52.95	88.20	-35.25	45.65	35.13	11.40	39.23	0.00	126	37	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>104.66</td><td>-----</td><td>-----</td><td>97.24</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>126</td><td>37</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.66	-----	-----	97.24	35.16	11.43	39.17	0.00	126	37
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5918.31	52.95	88.20	-35.25	45.65	35.13	11.40	39.23	0.00	126	37	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	104.66	-----	-----	97.24	35.16	11.43	39.17	0.00	126	37	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.99</td><td>41.36</td><td>68.20</td><td>-26.84</td><td>34.05</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>126</td><td>37</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.99	41.36	68.20	-26.84	34.05	35.13	11.40	39.22	0.00	126	37	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>95.40</td><td>-----</td><td>-----</td><td>87.98</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>126</td><td>37</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	95.40	-----	-----	87.98	35.16	11.43	39.17	0.00	126	37
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.99	41.36	68.20	-26.84	34.05	35.13	11.40	39.22	0.00	126	37	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	95.40	-----	-----	87.98	35.16	11.43	39.17	0.00	126	37	AVERAGE																																																																																							





		8																																																									
Mode		Harmonic																																																									
		U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																									
ANT		CDD 8+10																																																									
Pol.		Horizontal																																																									
		Vertical																																																									
Peak Avg																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11930.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>56.59</td><td>38.60</td><td>16.63</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11930.00	45.49	74.00	-28.51	56.59	38.60	16.63	66.33	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 11930.00	45.49	74.00	-28.51	56.59	38.60	16.63	66.33	0.00	--	--	PEAK																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11930.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>56.84</td><td>38.60</td><td>16.63</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11930.00	45.74	74.00	-28.26	56.84	38.60	16.63	66.33	0.00	--	--	PEAK
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1 11930.00	45.74	74.00	-28.26	56.84	38.60	16.63	66.33	0.00	--	--	PEAK																																																





Mode	9																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_RU242/61_5965MHz																																																																																																														
ANT	CDD 8+10																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.50</td><td>61.91</td><td>88.20</td><td>-26.29</td><td>54.62</td><td>35.13</td><td>11.39</td><td>39.23</td><td>0.00</td><td>172</td><td>311</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.50	61.91	88.20	-26.29	54.62	35.13	11.39	39.23	0.00	172	311	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>107.10</td><td>-----</td><td>-----</td><td>99.71</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>172</td><td>311</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.10	-----	-----	99.71	35.15	11.42	39.18	0.00	172	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5916.50	61.91	88.20	-26.29	54.62	35.13	11.39	39.23	0.00	172	311	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	107.10	-----	-----	99.71	35.15	11.42	39.18	0.00	172	311	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.38</td><td>40.39</td><td>68.20</td><td>-27.81</td><td>33.08</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>172</td><td>311</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.38	40.39	68.20	-27.81	33.08	35.13	11.40	39.22	0.00	172	311	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>97.11</td><td>-----</td><td>-----</td><td>89.69</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>172</td><td>311</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	97.11	-----	-----	89.69	35.16	11.43	39.17	0.00	172	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5922.38	40.39	68.20	-27.81	33.08	35.13	11.40	39.22	0.00	172	311	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	97.11	-----	-----	89.69	35.16	11.43	39.17	0.00	172	311	AVERAGE																																																																																																			





		9																																																					
Mode		Band Edge																																																					
		U-NII-5_5.925-6.425_802.11ax HE40_CH3_RU242/61_5965MHz																																																					
ANT		CDD 8+10																																																					
Pol.		Fundamental																																																					
Peak	Vertical	Fundamental																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.70</td><td>63.24</td><td>88.20</td><td>-24.96</td><td>55.93</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>135</td><td>35</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.70	63.24	88.20	-24.96	55.93	35.13	11.40	39.22	0.00	135	35
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5920.70	63.24	88.20	-24.96	55.93	35.13	11.40	39.22	0.00	135	35	PEAK																																											
Avg	Vertical	Fundamental																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.79</td><td>39.31</td><td>68.20</td><td>-28.89</td><td>32.00</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>135</td><td>35</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.79	39.31	68.20	-28.89	32.00	35.13	11.40	39.22	0.00	135	35
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5920.79	39.31	68.20	-28.89	32.00	35.13	11.40	39.22	0.00	135	35	AVERAGE																																											







Mode	10																																																																																																						
	Harmonic																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full_6025MHz																																																																																																						
ANT	CDD 8+10																																																																																																						
Pol.	Horizontal					Vertical																																																																																																	
Peak Avg																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12050.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>57.76</td><td>38.65</td><td>16.71</td><td>66.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12050.00	46.84	74.00	-27.16	57.76	38.65	16.71	66.28	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12050.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>56.76</td><td>38.65</td><td>16.71</td><td>66.28</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12050.00	45.84	74.00	-28.16	56.76	38.65	16.71	66.28	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 12050.00	46.84	74.00	-27.16	57.76	38.65	16.71	66.28	0.00	--	--	PEAK																																																																																												
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1 12050.00	45.84	74.00	-28.16	56.76	38.65	16.71	66.28	0.00	--	--	PEAK																																																																																												







Mode	11																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full_6405MHz																																																																																																
ANT	CDD 8+10																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>45.62</td><td>88.20</td><td>-42.58</td><td>54.85</td><td>39.11</td><td>17.21</td><td>65.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	45.62	88.20	-42.58	54.85	39.11	17.21	65.55	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>46.30</td><td>88.20</td><td>-41.90</td><td>55.53</td><td>39.11</td><td>17.21</td><td>65.55</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	46.30	88.20	-41.90	55.53	39.11	17.21	65.55	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12810.00	45.62	88.20	-42.58	54.85	39.11	17.21	65.55	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12810.00	46.30	88.20	-41.90	55.53	39.11	17.21	65.55	0.00	--	PEAK																																																																																						



Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																		
ANT	CDD 8+10																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.29</td><td>53.33</td><td>88.20</td><td>-34.87</td><td>46.10</td><td>35.11</td><td>11.38</td><td>39.26</td><td>0.00</td><td>119</td><td>322</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.29	53.33	88.20	-34.87	46.10	35.11	11.38	39.26	0.00	119	322	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>102.41</td><td>-----</td><td>-----</td><td>94.92</td><td>35.18</td><td>11.45</td><td>39.14</td><td>0.00</td><td>119</td><td>322</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	102.41	-----	-----	94.92	35.18	11.45	39.14	0.00	119	322
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.29	53.33	88.20	-34.87	46.10	35.11	11.38	39.26	0.00	119	322	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	102.41	-----	-----	94.92	35.18	11.45	39.14	0.00	119	322	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.73</td><td>41.40</td><td>68.20</td><td>-26.80</td><td>34.09</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>119</td><td>322</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.73	41.40	68.20	-26.80	34.09	35.13	11.40	39.22	0.00	119	322	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>92.11</td><td>-----</td><td>-----</td><td>84.62</td><td>35.18</td><td>11.45</td><td>39.14</td><td>0.00</td><td>119</td><td>322</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	92.11	-----	-----	84.62	35.18	11.45	39.14	0.00	119	322
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5920.73	41.40	68.20	-26.80	34.09	35.13	11.40	39.22	0.00	119	322	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	92.11	-----	-----	84.62	35.18	11.45	39.14	0.00	119	322	AVERAGE																																																																																							







Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																		
ANT	CDD 8+10																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.76</td><td>53.97</td><td>88.20</td><td>-34.23</td><td>46.68</td><td>35.13</td><td>11.39</td><td>39.23</td><td>0.00</td><td>106</td><td>36</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.76	53.97	88.20	-34.23	46.68	35.13	11.39	39.23	0.00	106	36	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>101.44</td><td>-----</td><td>-----</td><td>94.02</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>106</td><td>36</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	101.44	-----	-----	94.02	35.16	11.43	39.17	0.00	106	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.76	53.97	88.20	-34.23	46.68	35.13	11.39	39.23	0.00	106	36	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	101.44	-----	-----	94.02	35.16	11.43	39.17	0.00	106	36	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.98</td><td>41.79</td><td>68.20</td><td>-26.41</td><td>34.48</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>106</td><td>36</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.98	41.79	68.20	-26.41	34.48	35.13	11.40	39.22	0.00	106	36	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>91.42</td><td>-----</td><td>-----</td><td>83.93</td><td>35.18</td><td>11.45</td><td>39.14</td><td>0.00</td><td>106</td><td>36</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	91.42	-----	-----	83.93	35.18	11.45	39.14	0.00	106	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.98	41.79	68.20	-26.41	34.48	35.13	11.40	39.22	0.00	106	36	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	91.42	-----	-----	83.93	35.18	11.45	39.14	0.00	106	36	AVERAGE																																																																																							







		12																																																								
Mode		Harmonic																																																								
		U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																								
ANT		CDD 8+10																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11970.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>57.07</td><td>38.60</td><td>16.66</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg		1	11970.00	46.00	74.00	-28.00	57.07	38.60	16.66	66.33	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																
1	11970.00	46.00	74.00	-28.00	57.07	38.60	16.66	66.33	0.00	--	--	PEAK																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11970.00</td><td>44.62</td><td>74.00</td><td>-29.38</td><td>55.69</td><td>38.60</td><td>16.66</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg		1	11970.00	44.62	74.00	-29.38	55.69	38.60	16.66	66.33	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																
1	11970.00	44.62	74.00	-29.38	55.69	38.60	16.66	66.33	0.00	--	--	PEAK																																														





		13																																																																																																															
Mode		Band Edge																																																																																																															
		U-NII-5_5.925-6.425_802.11ax HE80_CH7_RU484/65_5985MHz																																																																																																															
ANT		CDD 8+10																																																																																																															
Pol.		Horizontal											Fundamental																																																																																																				
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.76</td><td>63.69</td><td>88.20</td><td>-24.51</td><td>56.38</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>175</td><td>315</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.76	63.69	88.20	-24.51	56.38	35.13	11.40	39.22	0.00	175	315	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>102.48</td><td>-----</td><td>-----</td><td>95.02</td><td>35.17</td><td>11.44</td><td>39.15</td><td>0.00</td><td>175</td><td>315</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	102.48	-----	-----	95.02	35.17	11.44	39.15	0.00	175	315
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5920.76	63.69	88.20	-24.51	56.38	35.13	11.40	39.22	0.00	175	315	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5985.00	102.48	-----	-----	95.02	35.17	11.44	39.15	0.00	175	315	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.56</td><td>44.48</td><td>68.20</td><td>-23.72</td><td>37.17</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>175</td><td>315</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.56	44.48	68.20	-23.72	37.17	35.13	11.40	39.22	0.00	175	315	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>92.88</td><td>-----</td><td>-----</td><td>85.42</td><td>35.17</td><td>11.44</td><td>39.15</td><td>0.00</td><td>175</td><td>315</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	92.88	-----	-----	85.42	35.17	11.44	39.15	0.00	175	315
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5924.56	44.48	68.20	-23.72	37.17	35.13	11.40	39.22	0.00	175	315	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5985.00	92.88	-----	-----	85.42	35.17	11.44	39.15	0.00	175	315	AVERAGE																																																																																																					





		13																																																																																																														
Mode		Band Edge																																																																																																														
		U-NII-5_5.925-6.425_802.11ax HE80_CH7_RU484/65_5985MHz																																																																																																														
ANT		CDD 8+10																																																																																																														
Pol.		Vertical						Fundamental																																																																																																								
Peak																																																																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.68</td><td>63.84</td><td>88.20</td><td>-24.36</td><td>56.55</td><td>35.13</td><td>11.39</td><td>39.23</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.68	63.84	88.20	-24.36	56.55	35.13	11.39	39.23	0.00	100	342	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>101.32</td><td>-----</td><td>-----</td><td>93.90</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>100</td><td>342</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	101.32	-----	-----	93.90	35.16	11.43	39.17	0.00	100	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5914.68	63.84	88.20	-24.36	56.55	35.13	11.39	39.23	0.00	100	342	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5985.00	101.32	-----	-----	93.90	35.16	11.43	39.17	0.00	100	342	PEAK																																																																																																				
Avg																																																																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>42.87</td><td>68.20</td><td>-25.33</td><td>35.56</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	42.87	68.20	-25.33	35.56	35.13	11.40	39.22	0.00	100	342	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>90.83</td><td>-----</td><td>-----</td><td>83.44</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>100</td><td>342</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	90.83	-----	-----	83.44	35.15	11.42	39.18	0.00	100	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5924.45	42.87	68.20	-25.33	35.56	35.13	11.40	39.22	0.00	100	342	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5985.00	90.83	-----	-----	83.44	35.15	11.42	39.18	0.00	100	342	AVERAGE																																																																																																				







Mode	14																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full_6227MHz																																																																																																								
ANT	CDD 8+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12454.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>56.01</td><td>38.85</td><td>16.98</td><td>65.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12454.00	45.95	74.00	-28.05	56.01	38.85	16.98	65.89	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12454.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>56.89</td><td>38.85</td><td>16.98</td><td>65.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12454.00	46.83	74.00	-27.17	56.89	38.85	16.98	65.89	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 12454.00	45.95	74.00	-28.05	56.01	38.85	16.98	65.89	0.00	--	--	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 12454.00	46.83	74.00	-27.17	56.89	38.85	16.98	65.89	0.00	--	--	PEAK																																																																																														







Mode	15																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full_6385MHz																																																																																																									
ANT	CDD 8+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12778.00</td><td>46.32</td><td>88.20</td><td>-41.88</td><td>55.63</td><td>39.10</td><td>17.18</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12778.00	46.32	88.20	-41.88	55.63	39.10	17.18	65.59	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12778.00</td><td>46.49</td><td>88.20</td><td>-41.71</td><td>55.80</td><td>39.10</td><td>17.18</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12778.00	46.49	88.20	-41.71	55.80	39.10	17.18	65.59	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12778.00	46.32	88.20	-41.88	55.63	39.10	17.18	65.59	0.00	--	--	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 12778.00	46.49	88.20	-41.71	55.80	39.10	17.18	65.59	0.00	--	--	PEAK																																																																																															



Mode	16																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz																																																																																																														
ANT	CDD 8+10																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.71</td><td>56.49</td><td>88.20</td><td>-31.71</td><td>49.22</td><td>35.12</td><td>11.39</td><td>39.24</td><td>0.00</td><td>113</td><td>322</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.71	56.49	88.20	-31.71	49.22	35.12	11.39	39.24	0.00	113	322	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>98.52</td><td>-----</td><td>-----</td><td>91.10</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>113</td><td>322</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	98.52	-----	-----	91.10	35.16	11.43	39.17	0.00	113	322
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5907.71	56.49	88.20	-31.71	49.22	35.12	11.39	39.24	0.00	113	322	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	98.52	-----	-----	91.10	35.16	11.43	39.17	0.00	113	322	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.86</td><td>44.17</td><td>68.20</td><td>-24.03</td><td>36.87</td><td>35.13</td><td>11.40</td><td>39.23</td><td>0.00</td><td>113</td><td>322</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.86	44.17	68.20	-24.03	36.87	35.13	11.40	39.23	0.00	113	322	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>89.16</td><td>-----</td><td>-----</td><td>81.57</td><td>35.21</td><td>11.47</td><td>39.09</td><td>0.00</td><td>113</td><td>322</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	89.16	-----	-----	81.57	35.21	11.47	39.09	0.00	113	322
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5918.86	44.17	68.20	-24.03	36.87	35.13	11.40	39.23	0.00	113	322	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	89.16	-----	-----	81.57	35.21	11.47	39.09	0.00	113	322	AVERAGE																																																																																																			







Mode	16																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5846.30</td><td>58.83</td><td>88.20</td><td>-29.37</td><td>51.64</td><td>35.06</td><td>11.33</td><td>39.20</td><td>0.00</td><td>113</td><td>37</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5846.30	58.83	88.20	-29.37	51.64	35.06	11.33	39.20	0.00	113	37
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5846.30	58.83	88.20	-29.37	51.64	35.06	11.33	39.20	0.00	113	37	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>97.91</td><td>-----</td><td>-----</td><td>90.38</td><td>35.19</td><td>11.46</td><td>39.12</td><td>0.00</td><td>113</td><td>37</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.91	-----	-----	90.38	35.19	11.46	39.12	0.00	113	37
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6025.00	97.91	-----	-----	90.38	35.19	11.46	39.12	0.00	113	37	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5876.10</td><td>46.51</td><td>68.20</td><td>-21.69</td><td>39.36</td><td>35.09</td><td>11.36</td><td>39.30</td><td>0.00</td><td>113</td><td>37</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5876.10	46.51	68.20	-21.69	39.36	35.09	11.36	39.30	0.00	113	37
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5876.10	46.51	68.20	-21.69	39.36	35.09	11.36	39.30	0.00	113	37	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>88.32</td><td>-----</td><td>-----</td><td>80.79</td><td>35.19</td><td>11.46</td><td>39.12</td><td>0.00</td><td>113</td><td>37</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.32	-----	-----	80.79	35.19	11.46	39.12	0.00	113	37
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	6025.00	88.32	-----	-----	80.79	35.19	11.46	39.12	0.00	113	37	AVERAGE																																											







		16																																									
Mode		Harmonic																																									
		U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz																																									
ANT		CDD 8+10																																									
Pol.		Horizontal																																									
Peak Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12050.00	45.56	74.00	-28.44	56.48	38.65	16.71	66.28	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 12050.00	45.56	74.00	-28.44	56.48	38.65	16.71	66.28	0.00	--	--	PEAK																																
		Vertical																																									
Peak Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12050.00	45.02	74.00	-28.98	55.94	38.65	16.71	66.28	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 12050.00	45.02	74.00	-28.98	55.94	38.65	16.71	66.28	0.00	--	--	PEAK																																



		17																																																																																																																	
Mode		Band Edge																																																																																																																	
		U-NII-5_5.925-6.425_802.11ax HE160_CH15_RU 996/67_6025MHz																																																																																																																	
ANT		CDD 8+10																																																																																																																	
Pol.		Horizontal						Fundamental																																																																																																											
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5892.70</td><td>61.72</td><td>88.20</td><td>-26.48</td><td>54.52</td><td>35.10</td><td>11.37</td><td>39.27</td><td>0.00</td><td>203</td><td>302</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5892.70	61.72	88.20	-26.48	54.52	35.10	11.37	39.27	0.00	203	302	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>99.30</td><td>-----</td><td>-----</td><td>91.91</td><td>35.15</td><td>11.42</td><td>39.18</td><td>0.00</td><td>203</td><td>302</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.30	-----	-----	91.91	35.15	11.42	39.18	0.00	203	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5892.70	61.72	88.20	-26.48	54.52	35.10	11.37	39.27	0.00	203	302	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	6025.00	99.30	-----	-----	91.91	35.15	11.42	39.18	0.00	203	302	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.51</td><td>46.45</td><td>68.20</td><td>-21.75</td><td>39.14</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>203</td><td>302</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.51	46.45	68.20	-21.75	39.14	35.13	11.40	39.22	0.00	203	302	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>89.50</td><td>-----</td><td>-----</td><td>82.08</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>203</td><td>302</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	89.50	-----	-----	82.08	35.16	11.43	39.17	0.00	203	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5919.51	46.45	68.20	-21.75	39.14	35.13	11.40	39.22	0.00	203	302	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	6025.00	89.50	-----	-----	82.08	35.16	11.43	39.17	0.00	203	302	AVERAGE																																																																																																							



Mode	17																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_RU 996/67_6025MHz																																																																																																														
ANT	CDD 8+10																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.10</td><td>64.87</td><td>88.20</td><td>-23.33</td><td>57.56</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>118</td><td>33</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.10	64.87	88.20	-23.33	57.56	35.13	11.40	39.22	0.00	118	33	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>97.58</td><td>-----</td><td>-----</td><td>90.16</td><td>35.16</td><td>11.43</td><td>39.17</td><td>0.00</td><td>118</td><td>33</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.58	-----	-----	90.16	35.16	11.43	39.17	0.00	118	33
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5919.10	64.87	88.20	-23.33	57.56	35.13	11.40	39.22	0.00	118	33	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	97.58	-----	-----	90.16	35.16	11.43	39.17	0.00	118	33	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>47.09</td><td>68.20</td><td>-21.11</td><td>39.78</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>118</td><td>33</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	47.09	68.20	-21.11	39.78	35.13	11.40	39.22	0.00	118	33	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>87.93</td><td>-----</td><td>-----</td><td>80.47</td><td>35.17</td><td>11.44</td><td>39.15</td><td>0.00</td><td>118</td><td>33</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	87.93	-----	-----	80.47	35.17	11.44	39.15	0.00	118	33
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5925.00	47.09	68.20	-21.11	39.78	35.13	11.40	39.22	0.00	118	33	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	6025.00	87.93	-----	-----	80.47	35.17	11.44	39.15	0.00	118	33	AVERAGE																																																																																																			