11AX20MIMO_Ant8_6535_26Tone_RU0



Spectrum Emission Mask Standard: None

Peak Power -9.75 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.440 MHz	200.000 kHz	6.49165 GHz	-64.66 dBm	-54.91 dB	-14.91 dB
-31.440 MHz	-20.960 MHz	200.000 kHz	6.50357 GHz	-65.26 dBm	-55.51 dB	-15.53 dB
-20.960 MHz	-11.480 MHz	200.000 kHz	6.52352 GHz	-44.54 dBm	-34.79 dB	-14.78 dB
-11.480 MHz	-10.480 MHz	200.000 kHz	6.52353 GHz	-44.89 dBm	-35.14 dB	-15.24 dB
10.480 MHz	11.480 MHz	200.000 kHz	6.54648 GHz	-57.77 dBm	-48.02 dB	-28.12 dB
11.480 MHz	20.960 MHz	200.000 kHz	6.54653 GHz	-57.12 dBm	-47.36 dB	-27.32 dB
20.960 MHz	31.440 MHz	200.000 kHz	6.56643 GHz	-65.19 dBm	-55.44 dB	-15.46 dB
31.440 MHz	50.000 MHz	200.000 kHz	6.58125 GHz	-64.66 dBm	-54.91 dB	-14.91 dB

Date: 12.AUG.2024 07:38:29

11AX20MIMO_Ant8_6535_52Tone_RU37



Spectrum Emission Mask Standard: None

Peak Power -10.69 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.440 MHz	200.000 kHz	6.49830 GHz	-64.74 dBm	-54.05 dB	-14.05 dB
-31.440 MHz	-20.960 MHz	200.000 kHz	6.50357 GHz	-65.12 dBm	-54.43 dB	-14.44 dB
-20.960 MHz	-11.480 MHz	200.000 kHz	6.52351 GHz	-45.34 dBm	-34.65 dB	-14.64 dB
-11.480 MHz	-10.480 MHz	200.000 kHz	6.52353 GHz	-46.04 dBm	-35.35 dB	-15.45 dB
10.480 MHz	11.480 MHz	200.000 kHz	6.54647 GHz	-57.58 dBm	-46.89 dB	-27.19 dB
11.480 MHz	20.960 MHz	200.000 kHz	6.55582 GHz	-64.37 dBm	-53.68 dB	-25.80 dB
20.960 MHz	31.440 MHz	200.000 kHz	6.56628 GHz	-65.31 dBm	-54.62 dB	-14.81 dB
31.440 MHz	50.000 MHz	200.000 kHz	6.56949 GHz	-64.69 dBm	-54.00 dB	-14.00 dB

Date: 12.AUG.2024 07:43:57

11AX20MIMO_Ant8_6535_106Tone_RU53



Spectrum Emission Mask Standard: None

Peak Power -10.46 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.440 MHz	200.000 kHz	6.50246 GHz	-64.50 dBm	-54.04 dB	-14.04 dB
-31.440 MHz	-20.960 MHz	200.000 kHz	6.50372 GHz	-65.18 dBm	-54.72 dB	-14.90 dB
-20.960 MHz	-11.480 MHz	200.000 kHz	6.52349 GHz	-44.38 dBm	-33.93 dB	-13.90 dB
-11.480 MHz	-10.480 MHz	200.000 kHz	6.52353 GHz	-44.75 dBm	-34.29 dB	-14.59 dB
10.480 MHz	11.480 MHz	200.000 kHz	6.54648 GHz	-55.00 dBm	-44.54 dB	-24.64 dB
11.480 MHz	20.960 MHz	200.000 kHz	6.54680 GHz	-54.08 dBm	-43.62 dB	-23.36 dB
20.960 MHz	31.440 MHz	200.000 kHz	6.56644 GHz	-65.21 dBm	-54.75 dB	-14.76 dB
31.440 MHz	50.000 MHz	200.000 kHz	6.57713 GHz	-64.67 dBm	-54.21 dB	-14.21 dB

Date: 12.AUG.2024 07:36:54

11AX20MIMO_Ant10_6535_26Tone_RU0



Spectrum Emission Mask Standard: None

Peak Power -10.71 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.080 MHz	200.000 kHz	6.48944 GHz	-64.87 dBm	-54.17 dB	-14.17 dB
-31.080 MHz	-20.720 MHz	200.000 kHz	6.50403 GHz	-65.11 dBm	-54.41 dB	-14.53 dB
-20.720 MHz	-11.360 MHz	200.000 kHz	6.52361 GHz	-45.25 dBm	-34.54 dB	-14.51 dB
-11.360 MHz	-10.360 MHz	200.000 kHz	6.52365 GHz	-45.25 dBm	-34.54 dB	-14.84 dB
10.360 MHz	11.360 MHz	200.000 kHz	6.54636 GHz	-58.47 dBm	-47.77 dB	-27.87 dB
11.360 MHz	20.720 MHz	200.000 kHz	6.55560 GHz	-65.30 dBm	-54.60 dB	-26.71 dB
20.720 MHz	31.080 MHz	200.000 kHz	6.56594 GHz	-65.35 dBm	-54.64 dB	-14.81 dB
31.080 MHz	50.000 MHz	200.000 kHz	6.58006 GHz	-64.69 dBm	-53.99 dB	-13.99 dB

Date: 12.AUG.2024 07:39:03

11AX20MIMO_Ant10_6535_52Tone_RU37



Spectrum Emission Mask Standard: None

Peak Power -11.65 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.080 MHz	200.000 kHz	6.48644 GHz	-64.81 dBm	-53.17 dB	-13.17 dB
-31.080 MHz	-20.720 MHz	200.000 kHz	6.50410 GHz	-65.29 dBm	-53.64 dB	-13.85 dB
-20.720 MHz	-11.360 MHz	200.000 kHz	6.52355 GHz	-46.32 dBm	-34.68 dB	-14.59 dB
-11.360 MHz	-10.360 MHz	200.000 kHz	6.52365 GHz	-46.06 dBm	-34.42 dB	-14.72 dB
10.360 MHz	11.360 MHz	200.000 kHz	6.54635 GHz	-57.91 dBm	-46.26 dB	-26.56 dB
11.360 MHz	20.720 MHz	200.000 kHz	6.55572 GHz	-65.14 dBm	-53.50 dB	-25.50 dB
20.720 MHz	31.080 MHz	200.000 kHz	6.56607 GHz	-65.32 dBm	-53.67 dB	-13.69 dB
31.080 MHz	50.000 MHz	200.000 kHz	6.58270 GHz	-64.78 dBm	-53.13 dB	-13.13 dB

Date: 12.AUG.2024 07:44:34

11AX20MIMO_Ant10_6535_106Tone_RU53



Spectrum Emission Mask Standard: None

Peak Power -12.17 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.080 MHz	200.000 kHz	6.49860 GHz	-64.74 dBm	-52.57 dB	-12.57 dB
-31.080 MHz	-20.720 MHz	200.000 kHz	6.50396 GHz	-65.30 dBm	-53.13 dB	-13.17 dB
-20.720 MHz	-11.360 MHz	200.000 kHz	6.52361 GHz	-45.00 dBm	-32.83 dB	-12.80 dB
-11.360 MHz	-10.360 MHz	200.000 kHz	6.52365 GHz	-45.76 dBm	-33.59 dB	-13.69 dB
10.360 MHz	11.360 MHz	200.000 kHz	6.54632 GHz	-55.34 dBm	-43.16 dB	-24.06 dB
11.360 MHz	20.720 MHz	200.000 kHz	6.54638 GHz	-54.79 dBm	-42.62 dB	-22.60 dB
20.720 MHz	31.080 MHz	200.000 kHz	6.56590 GHz	-65.07 dBm	-52.90 dB	-13.10 dB
31.080 MHz	50.000 MHz	200.000 kHz	6.58458 GHz	-64.83 dBm	-52.66 dB	-12.66 dB

Date: 12.AUG.2024 07:37:28

11AX20MIMO_Ant8_6695_26Tone_RU0



Spectrum Emission Mask Standard: None

Peak Power -12.02 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.590 MHz	200.000 kHz	6.65782 GHz	-64.88 dBm	-52.86 dB	-12.86 dB
-31.590 MHz	-21.060 MHz	200.000 kHz	6.66342 GHz	-65.44 dBm	-53.42 dB	-13.43 dB
-21.060 MHz	-11.530 MHz	200.000 kHz	6.68336 GHz	-48.03 dBm	-36.01 dB	-15.92 dB
-11.530 MHz	-10.530 MHz	200.000 kHz	6.68348 GHz	-48.23 dBm	-36.22 dB	-16.32 dB
10.530 MHz	11.530 MHz	200.000 kHz	6.70653 GHz	-59.75 dBm	-47.73 dB	-27.83 dB
11.530 MHz	21.060 MHz	200.000 kHz	6.71606 GHz	-65.35 dBm	-53.34 dB	-25.34 dB
21.060 MHz	31.590 MHz	200.000 kHz	6.72647 GHz	-65.36 dBm	-53.34 dB	-13.48 dB
31.590 MHz	50.000 MHz	200.000 kHz	6.73196 GHz	-64.96 dBm	-52.94 dB	-12.94 dB

Date: 12.AUG.2024 07:59:13

11AX20MIMO_Ant8_6695_52Tone_RU37



Spectrum Emission Mask Standard: None

Peak Power -12.05 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.590 MHz	200.000 kHz	6.64736 GHz	-64.80 dBm	-52.75 dB	-12.75 dB
-31.590 MHz	-21.060 MHz	200.000 kHz	6.66347 GHz	-65.51 dBm	-53.46 dB	-13.52 dB
-21.060 MHz	-11.530 MHz	200.000 kHz	6.68332 GHz	-47.34 dBm	-35.29 dB	-15.16 dB
-11.530 MHz	-10.530 MHz	200.000 kHz	6.68348 GHz	-47.27 dBm	-35.22 dB	-15.32 dB
10.530 MHz	11.530 MHz	200.000 kHz	6.70653 GHz	-58.45 dBm	-46.40 dB	-26.50 dB
11.530 MHz	21.060 MHz	200.000 kHz	6.70671 GHz	-56.69 dBm	-44.64 dB	-24.48 dB
21.060 MHz	31.590 MHz	200.000 kHz	6.72645 GHz	-65.35 dBm	-53.30 dB	-13.45 dB
31.590 MHz	50.000 MHz	200.000 kHz	6.73631 GHz	-64.88 dBm	-52.82 dB	-12.82 dB

Date: 12.AUG.2024 08:14:46

11AX20MIMO_Ant8_6695_106Tone_RU53



Spectrum Emission Mask Standard: None

Peak Power -11.88 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.590 MHz	200.000 kHz	6.66174 GHz	-64.68 dBm	-52.80 dB	-12.80 dB
-31.590 MHz	-21.060 MHz	200.000 kHz	6.66352 GHz	-65.16 dBm	-53.28 dB	-13.40 dB
-21.060 MHz	-11.530 MHz	200.000 kHz	6.68342 GHz	-46.23 dBm	-34.35 dB	-14.31 dB
-11.530 MHz	-10.530 MHz	200.000 kHz	6.68348 GHz	-46.27 dBm	-34.39 dB	-14.49 dB
10.530 MHz	11.530 MHz	200.000 kHz	6.70650 GHz	-55.65 dBm	-43.77 dB	-24.27 dB
11.530 MHz	21.060 MHz	200.000 kHz	6.70681 GHz	-54.91 dBm	-43.03 dB	-22.80 dB
21.060 MHz	31.590 MHz	200.000 kHz	6.72652 GHz	-65.32 dBm	-53.44 dB	-13.52 dB
31.590 MHz	50.000 MHz	200.000 kHz	6.73801 GHz	-64.78 dBm	-52.90 dB	-12.90 dB

Date: 12.AUG.2024 08:16:36

11AX20MIMO_Ant10_6695_26Tone_RU0



Spectrum Emission Mask Standard: None

Peak Power -11.72 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.230 MHz	200.000 kHz	6.65653 GHz	-65.04 dBm	-53.31 dB	-13.32 dB
-31.230 MHz	-20.820 MHz	200.000 kHz	6.66384 GHz	-65.53 dBm	-53.80 dB	-13.88 dB
-20.820 MHz	-11.410 MHz	200.000 kHz	6.68356 GHz	-46.82 dBm	-35.10 dB	-15.07 dB
-11.410 MHz	-10.410 MHz	200.000 kHz	6.68361 GHz	-47.05 dBm	-35.33 dB	-15.63 dB
10.410 MHz	11.410 MHz	200.000 kHz	6.70640 GHz	-59.48 dBm	-47.75 dB	-28.05 dB
11.410 MHz	20.820 MHz	200.000 kHz	6.71575 GHz	-65.30 dBm	-53.58 dB	-25.65 dB
20.820 MHz	31.230 MHz	200.000 kHz	6.72622 GHz	-65.47 dBm	-53.75 dB	-13.77 dB
31.230 MHz	50.000 MHz	200.000 kHz	6.73326 GHz	-64.88 dBm	-53.15 dB	-13.15 dB

Date: 12.AUG.2024 07:59:51

11AX20MIMO_Ant10_6695_52Tone_RU37



Spectrum Emission Mask Standard: None

Peak Power -12.15 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.230 MHz	200.000 kHz	6.64814 GHz	-64.97 dBm	-52.82 dB	-12.82 dB
-31.230 MHz	-20.820 MHz	200.000 kHz	6.66382 GHz	-65.43 dBm	-53.28 dB	-13.33 dB
-20.820 MHz	-11.410 MHz	200.000 kHz	6.68356 GHz	-45.43 dBm	-33.28 dB	-13.25 dB
-11.410 MHz	-10.410 MHz	200.000 kHz	6.68361 GHz	-46.13 dBm	-33.98 dB	-14.28 dB
10.410 MHz	11.410 MHz	200.000 kHz	6.70640 GHz	-57.64 dBm	-45.49 dB	-25.79 dB
11.410 MHz	20.820 MHz	200.000 kHz	6.71561 GHz	-64.01 dBm	-51.86 dB	-24.04 dB
20.820 MHz	31.230 MHz	200.000 kHz	6.72614 GHz	-65.36 dBm	-53.21 dB	-13.32 dB
31.230 MHz	50.000 MHz	200.000 kHz	6.74211 GHz	-64.96 dBm	-52.81 dB	-12.81 dB

Date: 12.AUG.2024 08:15:22

11AX20MIMO_Ant10_6695_106Tone_RU53



Spectrum Emission Mask Standard: None

Peak Power -12.22 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.230 MHz	200.000 kHz	6.65221 GHz	-64.89 dBm	-52.67 dB	-12.67 dB
-31.230 MHz	-20.820 MHz	200.000 kHz	6.66378 GHz	-65.46 dBm	-53.24 dB	-13.24 dB
-20.820 MHz	-11.410 MHz	200.000 kHz	6.68357 GHz	-45.41 dBm	-33.19 dB	-13.17 dB
-11.410 MHz	-10.410 MHz	200.000 kHz	6.68360 GHz	-46.14 dBm	-33.92 dB	-14.02 dB
10.410 MHz	11.410 MHz	200.000 kHz	6.70641 GHz	-55.95 dBm	-43.73 dB	-23.83 dB
11.410 MHz	20.820 MHz	200.000 kHz	6.70660 GHz	-54.88 dBm	-42.66 dB	-22.51 dB
20.820 MHz	31.230 MHz	200.000 kHz	6.72610 GHz	-65.37 dBm	-53.15 dB	-13.31 dB
31.230 MHz	50.000 MHz	200.000 kHz	6.73098 GHz	-64.90 dBm	-52.69 dB	-12.69 dB

Date: 12.AUG.2024 08:18:39

11AX20MIMO_Ant8_6855_26Tone_RU8



Spectrum Emission Mask Standard: None

Peak Power -10.96 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.81571 GHz	-64.36 dBm	-53.40 dB	-13.40 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.82324 GHz	-64.65 dBm	-53.68 dB	-13.72 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.83386 GHz	-64.86 dBm	-53.90 dB	-25.94 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.84340 GHz	-58.78 dBm	-47.82 dB	-27.92 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.86659 GHz	-47.77 dBm	-36.81 dB	-17.11 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.86662 GHz	-47.29 dBm	-36.32 dB	-16.30 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.88675 GHz	-64.56 dBm	-53.60 dB	-13.66 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.89830 GHz	-64.16 dBm	-53.20 dB	-13.20 dB

Date: 12.AUG.2024 08:25:25

11AX20MIMO_Ant8_6855_52Tone_RU40



Spectrum Emission Mask Standard: None

Peak Power -11.96 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.82086 GHz	-64.26 dBm	-52.30 dB	-12.30 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.82324 GHz	-64.70 dBm	-52.74 dB	-12.78 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.83383 GHz	-64.50 dBm	-52.54 dB	-24.56 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.84340 GHz	-58.37 dBm	-46.41 dB	-26.51 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.86660 GHz	-48.11 dBm	-36.15 dB	-16.25 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.86667 GHz	-47.80 dBm	-35.84 dB	-15.79 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.88665 GHz	-64.50 dBm	-52.54 dB	-12.71 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.89210 GHz	-64.07 dBm	-52.11 dB	-12.11 dB

Date: 12.AUG.2024 08:29:14

11AX20MIMO_Ant8_6855_106Tone_RU54



Spectrum Emission Mask Standard: None

Peak Power -11.13 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.80777 GHz	-64.44 dBm	-53.30 dB	-13.30 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.82320 GHz	-64.45 dBm	-53.31 dB	-13.32 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.84335 GHz	-54.84 dBm	-43.71 dB	-23.66 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.84343 GHz	-54.67 dBm	-43.54 dB	-24.04 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.86660 GHz	-46.49 dBm	-35.35 dB	-15.45 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.86661 GHz	-45.82 dBm	-34.68 dB	-14.68 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.88680 GHz	-64.75 dBm	-53.61 dB	-13.62 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.88844 GHz	-63.89 dBm	-52.75 dB	-12.75 dB

Date: 12.AUG.2024 08:43:18

11AX20MIMO_Ant10_6855_26Tone_RU8



Spectrum Emission Mask Standard: None

Peak Power -12.01 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.310 MHz	200.000 kHz	6.82228 GHz	-64.37 dBm	-52.36 dB	-12.36 dB
-31.310 MHz	-20.870 MHz	200.000 kHz	6.82393 GHz	-64.71 dBm	-52.70 dB	-12.97 dB
-20.870 MHz	-11.440 MHz	200.000 kHz	6.83426 GHz	-64.91 dBm	-52.90 dB	-25.00 dB
-11.440 MHz	-10.440 MHz	200.000 kHz	6.84357 GHz	-59.14 dBm	-47.13 dB	-27.23 dB
10.440 MHz	11.440 MHz	200.000 kHz	6.86644 GHz	-47.75 dBm	-35.74 dB	-15.84 dB
11.440 MHz	20.870 MHz	200.000 kHz	6.86650 GHz	-47.62 dBm	-35.61 dB	-15.56 dB
20.870 MHz	31.310 MHz	200.000 kHz	6.88619 GHz	-64.68 dBm	-52.67 dB	-12.80 dB
31.310 MHz	50.000 MHz	200.000 kHz	6.90254 GHz	-64.12 dBm	-52.11 dB	-12.11 dB

Date: 12.AUG.2024 08:26:40

11AX20MIMO_Ant10_6855_52Tone_RU40



Spectrum Emission Mask Standard: None

Peak Power -12.70 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.310 MHz	200.000 kHz	6.81700 GHz	-64.29 dBm	-51.59 dB	-11.59 dB
-31.310 MHz	-20.870 MHz	200.000 kHz	6.82376 GHz	-64.97 dBm	-52.27 dB	-12.34 dB
-20.870 MHz	-11.440 MHz	200.000 kHz	6.83425 GHz	-63.89 dBm	-51.19 dB	-23.29 dB
-11.440 MHz	-10.440 MHz	200.000 kHz	6.84357 GHz	-58.93 dBm	-46.23 dB	-26.33 dB
10.440 MHz	11.440 MHz	200.000 kHz	6.86643 GHz	-48.04 dBm	-35.34 dB	-15.64 dB
11.440 MHz	20.870 MHz	200.000 kHz	6.86648 GHz	-47.54 dBm	-34.84 dB	-14.81 dB
20.870 MHz	31.310 MHz	200.000 kHz	6.88628 GHz	-64.48 dBm	-51.78 dB	-11.81 dB
31.310 MHz	50.000 MHz	200.000 kHz	6.89259 GHz	-64.16 dBm	-51.46 dB	-11.46 dB

Date: 12.AUG.2024 08:35:33

11AX20MIMO_Ant10_6855_106Tone_RU54



Spectrum Emission Mask Standard: None

Peak Power -11.46 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.310 MHz	200.000 kHz	6.81820 GHz	-64.18 dBm	-52.72 dB	-12.72 dB
-31.310 MHz	-20.870 MHz	200.000 kHz	6.82374 GHz	-64.50 dBm	-53.04 dB	-13.09 dB
-20.870 MHz	-11.440 MHz	200.000 kHz	6.84343 GHz	-54.78 dBm	-43.32 dB	-23.21 dB
-11.440 MHz	-10.440 MHz	200.000 kHz	6.84357 GHz	-55.06 dBm	-43.60 dB	-23.70 dB
10.440 MHz	11.440 MHz	200.000 kHz	6.86643 GHz	-45.59 dBm	-34.13 dB	-14.43 dB
11.440 MHz	20.870 MHz	200.000 kHz	6.86650 GHz	-45.69 dBm	-34.23 dB	-14.18 dB
20.870 MHz	31.310 MHz	200.000 kHz	6.88630 GHz	-64.66 dBm	-53.20 dB	-13.21 dB
31.310 MHz	50.000 MHz	200.000 kHz	6.89926 GHz	-64.01 dBm	-52.55 dB	-12.55 dB

Date: 12.AUG.2024 08:44:04

11AX20MIMO_Ant8_6875_26Tone_RU8



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.84290 GHz	-64.23 dBm	-52.58 dB	-12.58 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.84330 GHz	-64.58 dBm	-52.92 dB	-13.03 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.85386 GHz	-64.45 dBm	-52.80 dB	-24.85 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.86343 GHz	-58.45 dBm	-46.80 dB	-27.30 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.88660 GHz	-48.29 dBm	-36.64 dB	-16.74 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.88675 GHz	-48.05 dBm	-36.40 dB	-16.27 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.90657 GHz	-64.13 dBm	-52.48 dB	-12.74 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.92060 GHz	-63.91 dBm	-52.26 dB	-12.26 dB

Date: 12.AUG.2024 08:45:59

11AX20MIMO_Ant8_6875_52Tone_RU40



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.84110 GHz	-64.10 dBm	-52.05 dB	-12.05 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.84323 GHz	-64.61 dBm	-52.57 dB	-12.59 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.85398 GHz	-64.18 dBm	-52.13 dB	-24.28 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.86341 GHz	-57.93 dBm	-45.88 dB	-25.98 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.88657 GHz	-47.60 dBm	-35.55 dB	-16.05 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.88669 GHz	-47.57 dBm	-35.52 dB	-15.45 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.90676 GHz	-64.39 dBm	-52.35 dB	-12.40 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.91812 GHz	-63.75 dBm	-51.71 dB	-11.71 dB

Date: 12.AUG.2024 08:48:47

11AX20MIMO_Ant8_6875_106Tone_RU54



Spectrum Emission Mask Standard: None

Peak Power -11.77 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.800 MHz	200.000 kHz	6.84276 GHz	-64.08 dBm	-52.31 dB	-12.31 dB
-31.800 MHz	-21.200 MHz	200.000 kHz	6.84336 GHz	-64.26 dBm	-52.48 dB	-12.66 dB
-21.200 MHz	-11.600 MHz	200.000 kHz	6.86296 GHz	-54.42 dBm	-42.64 dB	-22.28 dB
-11.600 MHz	-10.600 MHz	200.000 kHz	6.86341 GHz	-54.97 dBm	-43.19 dB	-23.50 dB
10.600 MHz	11.600 MHz	200.000 kHz	6.88660 GHz	-47.06 dBm	-35.28 dB	-15.38 dB
11.600 MHz	21.200 MHz	200.000 kHz	6.88672 GHz	-46.88 dBm	-35.10 dB	-15.01 dB
21.200 MHz	31.800 MHz	200.000 kHz	6.90661 GHz	-64.06 dBm	-52.29 dB	-12.51 dB
31.800 MHz	50.000 MHz	200.000 kHz	6.91967 GHz	-63.86 dBm	-52.09 dB	-12.09 dB

Date: 12.AUG.2024 08:50:12

11AX20MIMO_Ant10_6875_26Tone_RU8



Spectrum Emission Mask Standard: None

Peak Power -12.65 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.520 MHz	200.000 kHz	6.82581 GHz	-64.22 dBm	-51.57 dB	-11.57 dB
-31.520 MHz	-21.010 MHz	200.000 kHz	6.84360 GHz	-64.67 dBm	-52.02 dB	-12.15 dB
-21.010 MHz	-11.510 MHz	200.000 kHz	6.85407 GHz	-64.69 dBm	-52.04 dB	-24.11 dB
-11.510 MHz	-10.510 MHz	200.000 kHz	6.86350 GHz	-59.66 dBm	-47.00 dB	-27.10 dB
10.510 MHz	11.510 MHz	200.000 kHz	6.88651 GHz	-48.72 dBm	-36.07 dB	-16.17 dB
11.510 MHz	21.010 MHz	200.000 kHz	6.88660 GHz	-48.71 dBm	-36.06 dB	-15.99 dB
21.010 MHz	31.520 MHz	200.000 kHz	6.90648 GHz	-64.37 dBm	-51.72 dB	-11.77 dB
31.520 MHz	50.000 MHz	200.000 kHz	6.92064 GHz	-63.86 dBm	-51.21 dB	-11.21 dB

Date: 12.AUG.2024 08:46:33

11AX20MIMO_Ant10_6875_52Tone_RU40



Spectrum Emission Mask Standard: None

Peak Power -12.82 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.520 MHz	200.000 kHz	6.83998 GHz	-64.15 dBm	-51.33 dB	-11.33 dB
-31.520 MHz	-21.010 MHz	200.000 kHz	6.84365 GHz	-64.56 dBm	-51.74 dB	-11.93 dB
-21.010 MHz	-11.510 MHz	200.000 kHz	6.85403 GHz	-63.88 dBm	-51.07 dB	-23.11 dB
-11.510 MHz	-10.510 MHz	200.000 kHz	6.86350 GHz	-58.47 dBm	-45.66 dB	-25.76 dB
10.510 MHz	11.510 MHz	200.000 kHz	6.88650 GHz	-48.26 dBm	-35.45 dB	-15.75 dB
11.510 MHz	21.010 MHz	200.000 kHz	6.88656 GHz	-47.89 dBm	-35.07 dB	-15.03 dB
21.010 MHz	31.520 MHz	200.000 kHz	6.90641 GHz	-64.46 dBm	-51.64 dB	-11.76 dB
31.520 MHz	50.000 MHz	200.000 kHz	6.92165 GHz	-64.08 dBm	-51.26 dB	-11.26 dB

Date: 12.AUG.2024 08:49:22

11AX20MIMO_Ant10_6875_106Tone_RU54



Spectrum Emission Mask Standard: None

Peak Power -12.35 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.520 MHz	200.000 kHz	6.83907 GHz	-64.09 dBm	-51.74 dB	-11.74 dB
-31.520 MHz	-21.010 MHz	200.000 kHz	6.84353 GHz	-64.70 dBm	-52.35 dB	-12.40 dB
-21.010 MHz	-11.510 MHz	200.000 kHz	6.86315 GHz	-55.72 dBm	-43.37 dB	-23.09 dB
-11.510 MHz	-10.510 MHz	200.000 kHz	6.86350 GHz	-55.89 dBm	-43.53 dB	-23.63 dB
10.510 MHz	11.510 MHz	200.000 kHz	6.88649 GHz	-47.15 dBm	-34.80 dB	-15.30 dB
11.510 MHz	21.010 MHz	200.000 kHz	6.88656 GHz	-46.89 dBm	-34.54 dB	-14.50 dB
21.010 MHz	31.520 MHz	200.000 kHz	6.90625 GHz	-64.21 dBm	-51.85 dB	-12.16 dB
31.520 MHz	50.000 MHz	200.000 kHz	6.90880 GHz	-63.90 dBm	-51.55 dB	-11.55 dB

Date: 12.AUG.2024 08:50:59

11AX20MIMO_Ant8_6895_26Tone_RU0



Spectrum Emission Mask Standard: None

Peak Power -12.15 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.520 MHz	200.000 kHz	6.85777 GHz	-63.95 dBm	-51.80 dB	-11.80 dB
-31.520 MHz	-21.010 MHz	200.000 kHz	6.86357 GHz	-64.34 dBm	-52.19 dB	-12.29 dB
-21.010 MHz	-11.510 MHz	200.000 kHz	6.88345 GHz	-46.96 dBm	-34.81 dB	-14.79 dB
-11.510 MHz	-10.510 MHz	200.000 kHz	6.88349 GHz	-47.96 dBm	-35.82 dB	-15.92 dB
10.510 MHz	11.510 MHz	200.000 kHz	6.90651 GHz	-59.25 dBm	-47.11 dB	-27.21 dB
11.510 MHz	21.010 MHz	200.000 kHz	6.91599 GHz	-64.16 dBm	-52.02 dB	-24.03 dB
21.010 MHz	31.520 MHz	200.000 kHz	6.92648 GHz	-64.25 dBm	-52.10 dB	-12.15 dB
31.520 MHz	50.000 MHz	200.000 kHz	6.93771 GHz	-63.44 dBm	-51.30 dB	-11.30 dB

Date: 12.AUG.2024 08:53:26

11AX20MIMO_Ant8_6895_52Tone_RU37



Spectrum Emission Mask Standard: None

Peak Power -12.05 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.520 MHz	200.000 kHz	6.86173 GHz	-63.82 dBm	-51.78 dB	-11.78 dB
-31.520 MHz	-21.010 MHz	200.000 kHz	6.86353 GHz	-64.04 dBm	-51.99 dB	-12.05 dB
-21.010 MHz	-11.510 MHz	200.000 kHz	6.88348 GHz	-46.31 dBm	-34.26 dB	-14.25 dB
-11.510 MHz	-10.510 MHz	200.000 kHz	6.88351 GHz	-47.18 dBm	-35.13 dB	-15.43 dB
10.510 MHz	11.510 MHz	200.000 kHz	6.90651 GHz	-57.75 dBm	-45.70 dB	-25.80 dB
11.510 MHz	21.010 MHz	200.000 kHz	6.91599 GHz	-63.93 dBm	-51.88 dB	-23.90 dB
21.010 MHz	31.520 MHz	200.000 kHz	6.92636 GHz	-64.06 dBm	-52.02 dB	-12.20 dB
31.520 MHz	50.000 MHz	200.000 kHz	6.93972 GHz	-63.58 dBm	-51.54 dB	-11.54 dB

Date: 12.AUG.2024 08:55:11

11AX20MIMO_Ant8_6895_106Tone_RU53



Spectrum Emission Mask Standard: None

Peak Power -12.24 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.520 MHz	200.000 kHz	6.85072 GHz	-63.65 dBm	-51.41 dB	-11.41 dB
-31.520 MHz	-21.010 MHz	200.000 kHz	6.86355 GHz	-64.14 dBm	-51.90 dB	-11.98 dB
-21.010 MHz	-11.510 MHz	200.000 kHz	6.88349 GHz	-46.30 dBm	-34.06 dB	-14.06 dB
-11.510 MHz	-10.510 MHz	200.000 kHz	6.88349 GHz	-46.56 dBm	-34.32 dB	-14.42 dB
10.510 MHz	11.510 MHz	200.000 kHz	6.90651 GHz	-55.66 dBm	-43.42 dB	-23.52 dB
11.510 MHz	21.010 MHz	200.000 kHz	6.90661 GHz	-54.73 dBm	-42.49 dB	-22.41 dB
21.010 MHz	31.520 MHz	200.000 kHz	6.92652 GHz	-64.12 dBm	-51.88 dB	-11.88 dB
31.520 MHz	50.000 MHz	200.000 kHz	6.94337 GHz	-63.42 dBm	-51.18 dB	-11.18 dB

Date: 12.AUG.2024 08:57:21

11AX20MIMO_Ant10_6895_26Tone_RU0



Spectrum Emission Mask Standard: None

Peak Power -12.58 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.440 MHz	200.000 kHz	6.85832 GHz	-63.96 dBm	-51.39 dB	-11.39 dB
-31.440 MHz	-20.960 MHz	200.000 kHz	6.86364 GHz	-64.26 dBm	-51.69 dB	-11.77 dB
-20.960 MHz	-11.480 MHz	200.000 kHz	6.88352 GHz	-47.90 dBm	-35.33 dB	-15.33 dB
-11.480 MHz	-10.480 MHz	200.000 kHz	6.88353 GHz	-48.42 dBm	-35.84 dB	-15.94 dB
10.480 MHz	11.480 MHz	200.000 kHz	6.90646 GHz	-59.45 dBm	-46.88 dB	-27.18 dB
11.480 MHz	20.960 MHz	200.000 kHz	6.91596 GHz	-64.45 dBm	-51.88 dB	-23.88 dB
20.960 MHz	31.440 MHz	200.000 kHz	6.92644 GHz	-64.22 dBm	-51.64 dB	-11.65 dB
31.440 MHz	50.000 MHz	200.000 kHz	6.93912 GHz	-63.51 dBm	-50.93 dB	-10.93 dB

Date: 12.AUG.2024 08:54:11

11AX20MIMO_Ant10_6895_52Tone_RU37



Spectrum Emission Mask Standard: None

Peak Power -12.53 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.440 MHz	200.000 kHz	6.86264 GHz	-63.95 dBm	-51.42 dB	-11.42 dB
-31.440 MHz	-20.960 MHz	200.000 kHz	6.86357 GHz	-64.31 dBm	-51.78 dB	-11.80 dB
-20.960 MHz	-11.480 MHz	200.000 kHz	6.88339 GHz	-47.40 dBm	-34.88 dB	-14.76 dB
-11.480 MHz	-10.480 MHz	200.000 kHz	6.88354 GHz	-47.05 dBm	-34.52 dB	-15.02 dB
10.480 MHz	11.480 MHz	200.000 kHz	6.90648 GHz	-58.13 dBm	-45.60 dB	-25.70 dB
11.480 MHz	20.960 MHz	200.000 kHz	6.91594 GHz	-63.23 dBm	-50.70 dB	-22.72 dB
20.960 MHz	31.440 MHz	200.000 kHz	6.92644 GHz	-64.18 dBm	-51.65 dB	-11.66 dB
31.440 MHz	50.000 MHz	200.000 kHz	6.92974 GHz	-63.67 dBm	-51.14 dB	-11.14 dB

Date: 12.AUG.2024 08:56:28

11AX20MIMO_Ant10_6895_106Tone_RU53



Spectrum Emission Mask Standard: None

Peak Power -12.30 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.440 MHz	200.000 kHz	6.85049 GHz	-63.78 dBm	-51.48 dB	-11.48 dB
-31.440 MHz	-20.960 MHz	200.000 kHz	6.86361 GHz	-64.33 dBm	-52.03 dB	-12.08 dB
-20.960 MHz	-11.480 MHz	200.000 kHz	6.88352 GHz	-45.56 dBm	-33.25 dB	-13.25 dB
-11.480 MHz	-10.480 MHz	200.000 kHz	6.88353 GHz	-46.37 dBm	-34.07 dB	-14.17 dB
10.480 MHz	11.480 MHz	200.000 kHz	6.90648 GHz	-55.78 dBm	-43.48 dB	-23.58 dB
11.480 MHz	20.960 MHz	200.000 kHz	6.90669 GHz	-55.40 dBm	-43.10 dB	-22.93 dB
20.960 MHz	31.440 MHz	200.000 kHz	6.92642 GHz	-64.13 dBm	-51.83 dB	-11.85 dB
31.440 MHz	50.000 MHz	200.000 kHz	6.93474 GHz	-63.66 dBm	-51.35 dB	-11.35 dB

Date: 12.AUG.2024 08:59:53

11AX20MIMO_Ant8_6995_26Tone_RU0



Spectrum Emission Mask Standard: None

Peak Power -10.88 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.080 MHz	200.000 kHz	6.94676 GHz	-63.79 dBm	-52.91 dB	-12.91 dB
-31.080 MHz	-20.720 MHz	200.000 kHz	6.96399 GHz	-64.31 dBm	-53.44 dB	-13.51 dB
-20.720 MHz	-11.360 MHz	200.000 kHz	6.98351 GHz	-47.92 dBm	-37.04 dB	-16.92 dB
-11.360 MHz	-10.360 MHz	200.000 kHz	6.98367 GHz	-47.62 dBm	-36.74 dB	-17.24 dB
10.360 MHz	11.360 MHz	200.000 kHz	7.00636 GHz	-59.27 dBm	-48.39 dB	-28.49 dB
11.360 MHz	20.720 MHz	200.000 kHz	7.00640 GHz	-58.61 dBm	-47.73 dB	-27.69 dB
20.720 MHz	31.080 MHz	200.000 kHz	7.02595 GHz	-67.35 dBm	-56.47 dB	-16.63 dB
31.080 MHz	50.000 MHz	200.000 kHz	7.03824 GHz	-66.63 dBm	-55.75 dB	-15.75 dB

Date: 12.AUG.2024 09:00:47

11AX20MIMO_Ant8_6995_52Tone_RU37



Spectrum Emission Mask Standard: None

Peak Power -10.24 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.080 MHz	200.000 kHz	6.95662 GHz	-63.57 dBm	-53.33 dB	-13.33 dB
-31.080 MHz	-20.720 MHz	200.000 kHz	6.96396 GHz	-64.33 dBm	-54.09 dB	-14.13 dB
-20.720 MHz	-11.360 MHz	200.000 kHz	6.98364 GHz	-46.22 dBm	-35.98 dB	-15.98 dB
-11.360 MHz	-10.360 MHz	200.000 kHz	6.98367 GHz	-45.87 dBm	-35.63 dB	-16.13 dB
10.360 MHz	11.360 MHz	200.000 kHz	7.00635 GHz	-56.24 dBm	-46.00 dB	-26.30 dB
11.360 MHz	20.720 MHz	200.000 kHz	7.00643 GHz	-55.55 dBm	-45.31 dB	-25.25 dB
20.720 MHz	31.080 MHz	200.000 kHz	7.02607 GHz	-66.91 dBm	-56.67 dB	-16.67 dB
31.080 MHz	50.000 MHz	200.000 kHz	7.03080 GHz	-66.58 dBm	-56.34 dB	-16.34 dB

Date: 12.AUG.2024 09:08:10

11AX20MIMO_Ant8_6995_106Tone_RU53



Spectrum Emission Mask Standard: None

Peak Power -10.15 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.080 MHz	200.000 kHz	6.96371 GHz	-63.53 dBm	-53.39 dB	-13.39 dB
-31.080 MHz	-20.720 MHz	200.000 kHz	6.96407 GHz	-63.97 dBm	-53.82 dB	-13.99 dB
-20.720 MHz	-11.360 MHz	200.000 kHz	6.98362 GHz	-45.25 dBm	-35.10 dB	-15.09 dB
-11.360 MHz	-10.360 MHz	200.000 kHz	6.98365 GHz	-45.55 dBm	-35.40 dB	-15.50 dB
10.360 MHz	11.360 MHz	200.000 kHz	7.00635 GHz	-53.82 dBm	-43.68 dB	-23.98 dB
11.360 MHz	20.720 MHz	200.000 kHz	7.00643 GHz	-53.29 dBm	-43.14 dB	-23.09 dB
20.720 MHz	31.080 MHz	200.000 kHz	7.02602 GHz	-66.95 dBm	-56.81 dB	-16.88 dB
31.080 MHz	50.000 MHz	200.000 kHz	7.03146 GHz	-66.37 dBm	-56.23 dB	-16.23 dB

Date: 12.AUG.2024 09:10:04

11AX20MIMO_Ant10_6995_26Tone_RU0



Spectrum Emission Mask Standard: None

Peak Power -11.16 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.230 MHz	200.000 kHz	6.96007 GHz	-63.72 dBm	-52.56 dB	-12.56 dB
-31.230 MHz	-20.820 MHz	200.000 kHz	6.96382 GHz	-64.24 dBm	-53.08 dB	-13.15 dB
-20.820 MHz	-11.410 MHz	200.000 kHz	6.98359 GHz	-47.59 dBm	-36.43 dB	-16.42 dB
-11.410 MHz	-10.410 MHz	200.000 kHz	6.98360 GHz	-48.22 dBm	-37.06 dB	-17.16 dB
10.410 MHz	11.410 MHz	200.000 kHz	7.00640 GHz	-59.07 dBm	-47.91 dB	-28.21 dB
11.410 MHz	20.820 MHz	200.000 kHz	7.00676 GHz	-58.75 dBm	-47.59 dB	-27.29 dB
20.820 MHz	31.230 MHz	200.000 kHz	7.02607 GHz	-67.15 dBm	-55.99 dB	-16.17 dB
31.230 MHz	50.000 MHz	200.000 kHz	7.02754 GHz	-66.67 dBm	-55.51 dB	-15.51 dB

Date: 12.AUG.2024 09:04:29

11AX20MIMO_Ant10_6995_52Tone_RU37



Spectrum Emission Mask Standard: None

Peak Power -10.35 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.230 MHz	200.000 kHz	6.95815 GHz	-63.59 dBm	-53.24 dB	-13.24 dB
-31.230 MHz	-20.820 MHz	200.000 kHz	6.96399 GHz	-63.85 dBm	-53.50 dB	-13.75 dB
-20.820 MHz	-11.410 MHz	200.000 kHz	6.98353 GHz	-46.37 dBm	-36.03 dB	-15.98 dB
-11.410 MHz	-10.410 MHz	200.000 kHz	6.98360 GHz	-46.74 dBm	-36.39 dB	-16.49 dB
10.410 MHz	11.410 MHz	200.000 kHz	7.00640 GHz	-56.89 dBm	-46.55 dB	-26.65 dB
11.410 MHz	20.820 MHz	200.000 kHz	7.00666 GHz	-56.23 dBm	-45.88 dB	-25.67 dB
20.820 MHz	31.230 MHz	200.000 kHz	7.02614 GHz	-66.99 dBm	-56.65 dB	-16.76 dB
31.230 MHz	50.000 MHz	200.000 kHz	7.04321 GHz	-66.50 dBm	-56.15 dB	-16.15 dB

Date: 12.AUG.2024 09:08:46

11AX20MIMO_Ant10_6995_106Tone_RU53



Spectrum Emission Mask Standard: None

Peak Power -10.96 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.230 MHz	200.000 kHz	6.96324 GHz	-63.54 dBm	-52.58 dB	-12.58 dB
-31.230 MHz	-20.820 MHz	200.000 kHz	6.96408 GHz	-63.85 dBm	-52.89 dB	-13.24 dB
-20.820 MHz	-11.410 MHz	200.000 kHz	6.98352 GHz	-46.61 dBm	-35.65 dB	-15.58 dB
-11.410 MHz	-10.410 MHz	200.000 kHz	6.98361 GHz	-46.36 dBm	-35.40 dB	-15.70 dB
10.410 MHz	11.410 MHz	200.000 kHz	7.00640 GHz	-54.28 dBm	-43.32 dB	-23.42 dB
11.410 MHz	20.820 MHz	200.000 kHz	7.00661 GHz	-54.83 dBm	-43.87 dB	-23.70 dB
20.820 MHz	31.230 MHz	200.000 kHz	7.02609 GHz	-66.99 dBm	-56.03 dB	-16.20 dB
31.230 MHz	50.000 MHz	200.000 kHz	7.02877 GHz	-66.27 dBm	-55.31 dB	-15.31 dB

Date: 12.AUG.2024 09:11:24

11AX20MIMO_Ant8_7095_26Tone_RU8



Spectrum Emission Mask Standard: None

Peak Power -11.07 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.670 MHz	200.000 kHz	7.05058 GHz	-66.73 dBm	-55.66 dB	-15.66 dB
-31.670 MHz	-21.110 MHz	200.000 kHz	7.06355 GHz	-67.17 dBm	-56.10 dB	-16.34 dB
-21.110 MHz	-11.560 MHz	200.000 kHz	7.08312 GHz	-58.93 dBm	-47.86 dB	-27.59 dB
-11.560 MHz	-10.560 MHz	200.000 kHz	7.08345 GHz	-59.06 dBm	-47.99 dB	-28.29 dB
10.560 MHz	11.560 MHz	200.000 kHz	7.10656 GHz	-47.72 dBm	-36.65 dB	-16.75 dB
11.560 MHz	21.110 MHz	200.000 kHz	7.10660 GHz	-47.40 dBm	-36.33 dB	-16.30 dB
21.110 MHz	31.670 MHz	200.000 kHz	7.12665 GHz	-68.30 dBm	-57.23 dB	-17.25 dB
31.670 MHz	50.000 MHz	200.000 kHz	7.12752 GHz	-67.96 dBm	-56.89 dB	-16.89 dB

Date: 12.AUG.2024 09:22:05

11AX20MIMO_Ant8_7095_52Tone_RU40



Spectrum Emission Mask Standard: None

Peak Power -11.69 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.670 MHz	200.000 kHz	7.05628 GHz	-66.67 dBm	-54.98 dB	-14.98 dB
-31.670 MHz	-21.110 MHz	200.000 kHz	7.06337 GHz	-67.35 dBm	-55.66 dB	-15.70 dB
-21.110 MHz	-11.560 MHz	200.000 kHz	7.08326 GHz	-56.84 dBm	-45.15 dB	-25.00 dB
-11.560 MHz	-10.560 MHz	200.000 kHz	7.08345 GHz	-57.74 dBm	-46.05 dB	-26.15 dB
10.560 MHz	11.560 MHz	200.000 kHz	7.10656 GHz	-47.29 dBm	-35.60 dB	-15.70 dB
11.560 MHz	21.110 MHz	200.000 kHz	7.10658 GHz	-46.15 dBm	-34.46 dB	-14.44 dB
21.110 MHz	31.670 MHz	200.000 kHz	7.12664 GHz	-68.10 dBm	-56.41 dB	-16.45 dB
31.670 MHz	50.000 MHz	200.000 kHz	7.13826 GHz	-67.49 dBm	-55.80 dB	-15.80 dB

Date: 12.AUG.2024 09:27:36

11AX20MIMO_Ant8_7095_106Tone_RU54



Spectrum Emission Mask Standard: None

Peak Power -11.19 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.670 MHz	200.000 kHz	7.05165 GHz	-66.50 dBm	-55.31 dB	-15.31 dB
-31.670 MHz	-21.110 MHz	200.000 kHz	7.06340 GHz	-67.00 dBm	-55.81 dB	-15.88 dB
-21.110 MHz	-11.560 MHz	200.000 kHz	7.08339 GHz	-54.59 dBm	-43.40 dB	-23.35 dB
-11.560 MHz	-10.560 MHz	200.000 kHz	7.08345 GHz	-55.18 dBm	-43.99 dB	-24.09 dB
10.560 MHz	11.560 MHz	200.000 kHz	7.10656 GHz	-46.49 dBm	-35.30 dB	-15.40 dB
11.560 MHz	21.110 MHz	200.000 kHz	7.10657 GHz	-45.32 dBm	-34.13 dB	-14.12 dB
21.110 MHz	31.670 MHz	200.000 kHz	7.12665 GHz	-68.11 dBm	-56.92 dB	-16.95 dB
31.670 MHz	50.000 MHz	200.000 kHz	7.12749 GHz	-67.67 dBm	-56.48 dB	-16.48 dB

Date: 12.AUG.2024 09:28:59

11AX20MIMO_Ant10_7095_26Tone_RU8



Spectrum Emission Mask Standard: None

Peak Power -11.46 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.310 MHz	200.000 kHz	7.04994 GHz	-66.74 dBm	-55.28 dB	-15.28 dB
-31.310 MHz	-20.870 MHz	200.000 kHz	7.06372 GHz	-67.23 dBm	-55.77 dB	-15.80 dB
-20.870 MHz	-11.440 MHz	200.000 kHz	7.08340 GHz	-58.99 dBm	-47.53 dB	-27.39 dB
-11.440 MHz	-10.440 MHz	200.000 kHz	7.08357 GHz	-59.25 dBm	-47.79 dB	-27.89 dB
10.440 MHz	11.440 MHz	200.000 kHz	7.10644 GHz	-47.31 dBm	-35.85 dB	-15.95 dB
11.440 MHz	20.870 MHz	200.000 kHz	7.10649 GHz	-46.34 dBm	-34.88 dB	-14.84 dB
20.870 MHz	31.310 MHz	200.000 kHz	7.12631 GHz	-68.30 dBm	-56.84 dB	-16.85 dB
31.310 MHz	50.000 MHz	200.000 kHz	7.13436 GHz	-67.75 dBm	-56.29 dB	-16.29 dB

Date: 12.AUG.2024 09:22:43

11AX20MIMO_Ant10_7095_52Tone_RU40



Spectrum Emission Mask Standard: None

Peak Power -12.38 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.310 MHz	200.000 kHz	7.05769 GHz	-66.71 dBm	-54.33 dB	-14.33 dB
-31.310 MHz	-20.870 MHz	200.000 kHz	7.06370 GHz	-67.20 dBm	-54.82 dB	-14.84 dB
-20.870 MHz	-11.440 MHz	200.000 kHz	7.08318 GHz	-57.75 dBm	-45.37 dB	-25.05 dB
-11.440 MHz	-10.440 MHz	200.000 kHz	7.08357 GHz	-58.18 dBm	-45.80 dB	-26.10 dB
10.440 MHz	11.440 MHz	200.000 kHz	7.10644 GHz	-47.47 dBm	-35.09 dB	-15.19 dB
11.440 MHz	20.870 MHz	200.000 kHz	7.10644 GHz	-46.79 dBm	-34.41 dB	-14.41 dB
20.870 MHz	31.310 MHz	200.000 kHz	7.12620 GHz	-68.20 dBm	-55.82 dB	-15.96 dB
31.310 MHz	50.000 MHz	200.000 kHz	7.12901 GHz	-67.89 dBm	-55.51 dB	-15.51 dB

Date: 12.AUG.2024 09:28:11

11AX20MIMO_Ant10_7095_106Tone_RU54



Spectrum Emission Mask Standard: None

Peak Power -12.12 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.310 MHz	200.000 kHz	7.04669 GHz	-66.37 dBm	-54.25 dB	-14.25 dB
-31.310 MHz	-20.870 MHz	200.000 kHz	7.06379 GHz	-66.70 dBm	-54.57 dB	-14.68 dB
-20.870 MHz	-11.440 MHz	200.000 kHz	7.08324 GHz	-55.47 dBm	-43.35 dB	-23.08 dB
-11.440 MHz	-10.440 MHz	200.000 kHz	7.08357 GHz	-56.25 dBm	-44.13 dB	-24.23 dB
10.440 MHz	11.440 MHz	200.000 kHz	7.10644 GHz	-46.81 dBm	-34.69 dB	-14.79 dB
11.440 MHz	20.870 MHz	200.000 kHz	7.10656 GHz	-45.96 dBm	-33.84 dB	-13.74 dB
20.870 MHz	31.310 MHz	200.000 kHz	7.12629 GHz	-67.84 dBm	-55.72 dB	-15.74 dB
31.310 MHz	50.000 MHz	200.000 kHz	7.12681 GHz	-67.26 dBm	-55.14 dB	-15.14 dB

Date: 12.AUG.2024 09:29:34

11AX20MIMO_Ant8_7115_26Tone_RU8



Spectrum Emission Mask Standard: None

Peak Power -12.30 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.020 MHz	200.000 kHz	7.07901 GHz	-66.87 dBm	-54.56 dB	-14.56 dB
-31.020 MHz	-20.680 MHz	200.000 kHz	7.08417 GHz	-67.32 dBm	-55.01 dB	-15.23 dB
-20.680 MHz	-11.340 MHz	200.000 kHz	7.10340 GHz	-58.90 dBm	-46.60 dB	-26.37 dB
-11.340 MHz	-10.340 MHz	200.000 kHz	7.10367 GHz	-58.95 dBm	-46.64 dB	-26.74 dB
10.340 MHz	11.340 MHz	200.000 kHz	7.12632 GHz	-46.86 dBm	-34.56 dB	-15.06 dB
11.340 MHz	20.680 MHz	200.000 kHz	7.12641 GHz	-46.80 dBm	-34.50 dB	-14.44 dB
20.680 MHz	31.020 MHz	200.000 kHz	7.14599 GHz	-68.68 dBm	-56.37 dB	-16.41 dB
31.020 MHz	50.000 MHz	200.000 kHz	7.14698 GHz	-68.11 dBm	-55.80 dB	-15.80 dB

Date: 12.AUG.2024 09:30:47

11AX20MIMO_Ant8_7115_52Tone_RU40



Spectrum Emission Mask Standard: None

Peak Power -11.77 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.020 MHz	200.000 kHz	7.07170 GHz	-66.69 dBm	-54.92 dB	-14.92 dB
-31.020 MHz	-20.680 MHz	200.000 kHz	7.08406 GHz	-67.24 dBm	-55.47 dB	-15.56 dB
-20.680 MHz	-11.340 MHz	200.000 kHz	7.10349 GHz	-56.50 dBm	-44.73 dB	-24.59 dB
-11.340 MHz	-10.340 MHz	200.000 kHz	7.10367 GHz	-57.36 dBm	-45.60 dB	-25.70 dB
10.340 MHz	11.340 MHz	200.000 kHz	7.12631 GHz	-45.91 dBm	-34.14 dB	-14.84 dB
11.340 MHz	20.680 MHz	200.000 kHz	7.12635 GHz	-46.25 dBm	-34.48 dB	-14.48 dB
20.680 MHz	31.020 MHz	200.000 kHz	7.14598 GHz	-68.46 dBm	-56.70 dB	-16.75 dB
31.020 MHz	50.000 MHz	200.000 kHz	7.14710 GHz	-67.91 dBm	-56.15 dB	-16.15 dB

Date: 12.AUG.2024 09:32:29

11AX20MIMO_Ant8_7115_106Tone_RU54



Spectrum Emission Mask Standard: None

Peak Power -11.45 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.020 MHz	200.000 kHz	7.07548 GHz	-66.54 dBm	-55.08 dB	-15.08 dB
-31.020 MHz	-20.680 MHz	200.000 kHz	7.08403 GHz	-67.21 dBm	-55.76 dB	-15.81 dB
-20.680 MHz	-11.340 MHz	200.000 kHz	7.10352 GHz	-52.98 dBm	-41.53 dB	-21.41 dB
-11.340 MHz	-10.340 MHz	200.000 kHz	7.10367 GHz	-54.70 dBm	-43.25 dB	-23.35 dB
10.340 MHz	11.340 MHz	200.000 kHz	7.12634 GHz	-45.34 dBm	-33.88 dB	-13.98 dB
11.340 MHz	20.680 MHz	200.000 kHz	7.12638 GHz	-45.18 dBm	-33.72 dB	-13.68 dB
20.680 MHz	31.020 MHz	200.000 kHz	7.14601 GHz	-68.31 dBm	-56.85 dB	-16.87 dB
31.020 MHz	50.000 MHz	200.000 kHz	7.14664 GHz	-67.78 dBm	-56.32 dB	-16.32 dB

Date: 12.AUG.2024 09:35:18

11AX20MIMO_Ant10_7115_26Tone_RU8



Spectrum Emission Mask Standard: None

Peak Power -12.15 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.310 MHz	200.000 kHz	7.06883 GHz	-66.78 dBm	-54.63 dB	-14.63 dB
-31.310 MHz	-20.870 MHz	200.000 kHz	7.08376 GHz	-67.52 dBm	-55.38 dB	-15.45 dB
-20.870 MHz	-11.440 MHz	200.000 kHz	7.10353 GHz	-58.75 dBm	-46.60 dB	-26.58 dB
-11.440 MHz	-10.440 MHz	200.000 kHz	7.10357 GHz	-60.01 dBm	-47.86 dB	-27.96 dB
10.440 MHz	11.440 MHz	200.000 kHz	7.12644 GHz	-48.02 dBm	-35.88 dB	-15.98 dB
11.440 MHz	20.870 MHz	200.000 kHz	7.12644 GHz	-47.53 dBm	-35.38 dB	-15.37 dB
20.870 MHz	31.310 MHz	200.000 kHz	7.14609 GHz	-68.56 dBm	-56.42 dB	-16.68 dB
31.310 MHz	50.000 MHz	200.000 kHz	7.15490 GHz	-68.12 dBm	-55.98 dB	-15.98 dB

Date: 12.AUG.2024 09:31:34

11AX20MIMO_Ant10_7115_52Tone_RU40



Spectrum Emission Mask Standard: None

Peak Power -12.62 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.310 MHz	200.000 kHz	7.06557 GHz	-66.67 dBm	-54.05 dB	-14.05 dB
-31.310 MHz	-20.870 MHz	200.000 kHz	7.08369 GHz	-67.51 dBm	-54.90 dB	-14.90 dB
-20.870 MHz	-11.440 MHz	200.000 kHz	7.10352 GHz	-57.97 dBm	-45.35 dB	-25.32 dB
-11.440 MHz	-10.440 MHz	200.000 kHz	7.10357 GHz	-58.55 dBm	-45.94 dB	-26.04 dB
10.440 MHz	11.440 MHz	200.000 kHz	7.12644 GHz	-48.04 dBm	-35.42 dB	-15.52 dB
11.440 MHz	20.870 MHz	200.000 kHz	7.12644 GHz	-47.53 dBm	-34.91 dB	-14.90 dB
20.870 MHz	31.310 MHz	200.000 kHz	7.14628 GHz	-68.22 dBm	-55.60 dB	-15.65 dB
31.310 MHz	50.000 MHz	200.000 kHz	7.15587 GHz	-68.15 dBm	-55.54 dB	-15.54 dB

Date: 12.AUG.2024 09:33:21

11AX20MIMO_Ant10_7115_106Tone_RU54



Spectrum Emission Mask Standard: None

Peak Power -12.41 dBm RBW 200.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.310 MHz	200.000 kHz	7.07256 GHz	-66.52 dBm	-54.12 dB	-14.12 dB
-31.310 MHz	-20.870 MHz	200.000 kHz	7.08378 GHz	-67.08 dBm	-54.67 dB	-14.77 dB
-20.870 MHz	-11.440 MHz	200.000 kHz	7.10356 GHz	-55.44 dBm	-43.03 dB	-23.02 dB
-11.440 MHz	-10.440 MHz	200.000 kHz	7.10357 GHz	-56.03 dBm	-43.63 dB	-23.73 dB
10.440 MHz	11.440 MHz	200.000 kHz	7.12644 GHz	-46.91 dBm	-34.50 dB	-14.60 dB
11.440 MHz	20.870 MHz	200.000 kHz	7.12649 GHz	-45.66 dBm	-33.26 dB	-13.22 dB
20.870 MHz	31.310 MHz	200.000 kHz	7.14624 GHz	-68.22 dBm	-55.81 dB	-15.90 dB
31.310 MHz	50.000 MHz	200.000 kHz	7.14682 GHz	-67.82 dBm	-55.41 dB	-15.41 dB

Date: 12.AUG.2024 09:36:03

11AX40MIMO_Ant8_5965_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -6.44 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-61.040 MHz	500.000 kHz	5.89259 GHz	-60.43 dBm	-53.99 dB	-13.99 dB
-61.040 MHz	-40.690 MHz	500.000 kHz	5.90399 GHz	-60.78 dBm	-54.35 dB	-14.36 dB
-40.690 MHz	-21.350 MHz	500.000 kHz	5.94354 GHz	-37.94 dBm	-31.51 dB	-11.46 dB
-21.350 MHz	-20.350 MHz	500.000 kHz	5.94366 GHz	-38.72 dBm	-32.28 dB	-12.48 dB
20.350 MHz	21.350 MHz	500.000 kHz	5.98632 GHz	-48.63 dBm	-42.20 dB	-22.80 dB
21.350 MHz	40.690 MHz	500.000 kHz	5.98674 GHz	-48.34 dBm	-41.91 dB	-21.74 dB
40.690 MHz	61.040 MHz	500.000 kHz	6.02603 GHz	-61.72 dBm	-55.29 dB	-15.29 dB
61.040 MHz	100.000 MHz	500.000 kHz	6.03733 GHz	-61.22 dBm	-54.79 dB	-14.79 dB

Date: 18.AUG.2024 02:21:07

11AX40MIMO_Ant10_5965_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -6.66 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.890 MHz	500.000 kHz	5.90264 GHz	-60.47 dBm	-53.80 dB	-13.80 dB
-60.890 MHz	-40.590 MHz	500.000 kHz	5.90442 GHz	-60.73 dBm	-54.07 dB	-14.25 dB
-40.590 MHz	-21.300 MHz	500.000 kHz	5.94351 GHz	-38.20 dBm	-31.54 dB	-11.46 dB
-21.300 MHz	-20.300 MHz	500.000 kHz	5.94371 GHz	-38.43 dBm	-31.76 dB	-11.97 dB
20.300 MHz	21.300 MHz	500.000 kHz	5.98629 GHz	-49.75 dBm	-43.09 dB	-23.29 dB
21.300 MHz	40.590 MHz	500.000 kHz	5.98635 GHz	-49.01 dBm	-42.35 dB	-22.33 dB
40.590 MHz	60.890 MHz	500.000 kHz	6.02586 GHz	-61.51 dBm	-54.85 dB	-14.87 dB
60.890 MHz	100.000 MHz	500.000 kHz	6.03046 GHz	-61.09 dBm	-54.43 dB	-14.43 dB

Date: 18.AUG.2024 02:27:03

11AX40MIMO_Ant8_6205_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -6.92 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-61.170 MHz	500.000 kHz	6.14282 GHz	-60.51 dBm	-53.59 dB	-13.59 dB
-61.170 MHz	-40.780 MHz	500.000 kHz	6.14444 GHz	-60.50 dBm	-53.58 dB	-13.94 dB
-40.780 MHz	-21.390 MHz	500.000 kHz	6.18360 GHz	-39.08 dBm	-32.16 dB	-12.16 dB
-21.390 MHz	-20.390 MHz	500.000 kHz	6.18362 GHz	-39.45 dBm	-32.53 dB	-12.73 dB
20.390 MHz	21.390 MHz	500.000 kHz	6.22636 GHz	-49.69 dBm	-42.77 dB	-23.37 dB
21.390 MHz	40.780 MHz	500.000 kHz	6.22652 GHz	-49.06 dBm	-42.15 dB	-22.09 dB
40.780 MHz	61.170 MHz	500.000 kHz	6.26604 GHz	-61.57 dBm	-54.65 dB	-14.73 dB
61.170 MHz	100.000 MHz	500.000 kHz	6.27254 GHz	-61.06 dBm	-54.15 dB	-14.15 dB

Date: 18.AUG.2024 02:39:24

11AX40MIMO_Ant10_6205_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -7.44 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.890 MHz	500.000 kHz	6.10701 GHz	-61.00 dBm	-53.56 dB	-13.56 dB
-60.890 MHz	-40.590 MHz	500.000 kHz	6.14428 GHz	-61.35 dBm	-53.91 dB	-14.01 dB
-40.590 MHz	-21.300 MHz	500.000 kHz	6.18369 GHz	-38.88 dBm	-31.45 dB	-11.44 dB
-21.300 MHz	-20.300 MHz	500.000 kHz	6.18371 GHz	-39.40 dBm	-31.96 dB	-12.16 dB
20.300 MHz	21.300 MHz	500.000 kHz	6.22629 GHz	-50.73 dBm	-43.30 dB	-23.50 dB
21.300 MHz	40.590 MHz	500.000 kHz	6.22653 GHz	-50.07 dBm	-42.63 dB	-22.54 dB
40.590 MHz	60.890 MHz	500.000 kHz	6.26584 GHz	-61.65 dBm	-54.21 dB	-14.24 dB
60.890 MHz	100.000 MHz	500.000 kHz	6.29113 GHz	-61.21 dBm	-53.78 dB	-13.78 dB

Date: 18.AUG.2024 02:41:21

11AX40MIMO_Ant8_6405_242Tone_RU62



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-61.040 MHz	500.000 kHz	6.31259 GHz	-60.96 dBm	-53.68 dB	-13.68 dB
-61.040 MHz	-40.690 MHz	500.000 kHz	6.34405 GHz	-61.28 dBm	-53.99 dB	-14.05 dB
-40.690 MHz	-21.350 MHz	500.000 kHz	6.38290 GHz	-48.46 dBm	-41.18 dB	-20.87 dB
-21.350 MHz	-20.350 MHz	500.000 kHz	6.38366 GHz	-49.02 dBm	-41.74 dB	-21.94 dB
20.350 MHz	21.350 MHz	500.000 kHz	6.42634 GHz	-40.58 dBm	-33.29 dB	-13.49 dB
21.350 MHz	40.690 MHz	500.000 kHz	6.42638 GHz	-39.93 dBm	-32.64 dB	-12.63 dB
40.690 MHz	61.040 MHz	500.000 kHz	6.46595 GHz	-61.29 dBm	-54.01 dB	-14.06 dB
61.040 MHz	100.000 MHz	500.000 kHz	6.50397 GHz	-60.83 dBm	-53.55 dB	-13.55 dB

Date: 18.AUG.2024 02:51:00

11AX40MIMO_Ant10_6405_242Tone_RU62



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.600 MHz	500.000 kHz	6.31195 GHz	-61.02 dBm	-52.68 dB	-12.68 dB
-60.600 MHz	-40.400 MHz	500.000 kHz	6.34469 GHz	-61.33 dBm	-52.98 dB	-13.16 dB
-40.400 MHz	-21.200 MHz	500.000 kHz	6.38353 GHz	-50.87 dBm	-42.53 dB	-22.42 dB
-21.200 MHz	-20.200 MHz	500.000 kHz	6.38381 GHz	-51.42 dBm	-43.08 dB	-23.28 dB
20.200 MHz	21.200 MHz	500.000 kHz	6.42619 GHz	-40.60 dBm	-32.26 dB	-12.46 dB
21.200 MHz	40.400 MHz	500.000 kHz	6.42637 GHz	-40.69 dBm	-32.35 dB	-12.28 dB
40.400 MHz	60.600 MHz	500.000 kHz	6.46547 GHz	-61.17 dBm	-52.83 dB	-12.91 dB
60.600 MHz	100.000 MHz	500.000 kHz	6.49453 GHz	-60.84 dBm	-52.50 dB	-12.50 dB

Date: 18.AUG.2024 02:54:09

11AX40MIMO_Ant8_6445_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -6.65 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-61.170 MHz	500.000 kHz	6.38246 GHz	-60.59 dBm	-53.94 dB	-13.94 dB
-61.170 MHz	-40.780 MHz	500.000 kHz	6.38386 GHz	-60.87 dBm	-54.22 dB	-14.24 dB
-40.780 MHz	-21.390 MHz	500.000 kHz	6.42348 GHz	-39.43 dBm	-32.79 dB	-12.73 dB
-21.390 MHz	-20.390 MHz	500.000 kHz	6.42362 GHz	-39.81 dBm	-33.17 dB	-13.37 dB
20.390 MHz	21.390 MHz	500.000 kHz	6.46638 GHz	-49.73 dBm	-43.08 dB	-23.28 dB
21.390 MHz	40.780 MHz	500.000 kHz	6.46650 GHz	-47.79 dBm	-41.14 dB	-21.10 dB
40.780 MHz	61.170 MHz	500.000 kHz	6.50594 GHz	-60.92 dBm	-54.27 dB	-14.40 dB
61.170 MHz	100.000 MHz	500.000 kHz	6.50960 GHz	-60.43 dBm	-53.78 dB	-13.78 dB

Date: 18.AUG.2024 03:00:13

11AX40MIMO_Ant10_6445_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -7.27 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.750 MHz	500.000 kHz	6.35755 GHz	-60.57 dBm	-53.30 dB	-13.30 dB
-60.750 MHz	-40.500 MHz	500.000 kHz	6.38436 GHz	-60.87 dBm	-53.60 dB	-13.67 dB
-40.500 MHz	-21.250 MHz	500.000 kHz	6.42374 GHz	-38.45 dBm	-31.18 dB	-11.17 dB
-21.250 MHz	-20.250 MHz	500.000 kHz	6.42376 GHz	-39.18 dBm	-31.91 dB	-12.11 dB
20.250 MHz	21.250 MHz	500.000 kHz	6.46624 GHz	-50.71 dBm	-43.44 dB	-23.64 dB
21.250 MHz	40.500 MHz	500.000 kHz	6.46646 GHz	-50.12 dBm	-42.85 dB	-22.76 dB
40.500 MHz	60.750 MHz	500.000 kHz	6.50564 GHz	-60.59 dBm	-53.32 dB	-13.38 dB
60.750 MHz	100.000 MHz	500.000 kHz	6.51742 GHz	-60.30 dBm	-53.02 dB	-13.03 dB

Date: 18.AUG.2024 03:02:51

11AX40MIMO_Ant8_6485_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -7.11 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-61.320 MHz	500.000 kHz	6.42217 GHz	-60.43 dBm	-53.32 dB	-13.32 dB
-61.320 MHz	-40.880 MHz	500.000 kHz	6.42375 GHz	-60.85 dBm	-53.75 dB	-13.79 dB
-40.880 MHz	-21.440 MHz	500.000 kHz	6.46355 GHz	-39.13 dBm	-32.03 dB	-12.02 dB
-21.440 MHz	-20.440 MHz	500.000 kHz	6.46357 GHz	-39.92 dBm	-32.81 dB	-13.01 dB
20.440 MHz	21.440 MHz	500.000 kHz	6.50643 GHz	-50.35 dBm	-43.25 dB	-23.45 dB
21.440 MHz	40.880 MHz	500.000 kHz	6.50655 GHz	-48.10 dBm	-40.99 dB	-20.95 dB
40.880 MHz	61.320 MHz	500.000 kHz	6.54611 GHz	-60.99 dBm	-53.88 dB	-14.01 dB
61.320 MHz	100.000 MHz	500.000 kHz	6.57395 GHz	-60.54 dBm	-53.43 dB	-13.43 dB

Date: 18.AUG.2024 03:12:08

11AX40MIMO_Ant10_6485_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -7.82 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.600 MHz	500.000 kHz	6.41219 GHz	-60.84 dBm	-53.02 dB	-13.02 dB
-60.600 MHz	-40.400 MHz	500.000 kHz	6.42457 GHz	-61.06 dBm	-53.24 dB	-13.34 dB
-40.400 MHz	-21.200 MHz	500.000 kHz	6.46369 GHz	-38.99 dBm	-31.17 dB	-11.13 dB
-21.200 MHz	-20.200 MHz	500.000 kHz	6.46381 GHz	-39.14 dBm	-31.32 dB	-11.52 dB
20.200 MHz	21.200 MHz	500.000 kHz	6.50619 GHz	-50.55 dBm	-42.73 dB	-22.93 dB
21.200 MHz	40.400 MHz	500.000 kHz	6.50631 GHz	-49.79 dBm	-41.97 dB	-21.92 dB
40.400 MHz	60.600 MHz	500.000 kHz	6.54559 GHz	-61.21 dBm	-53.39 dB	-13.39 dB
60.600 MHz	100.000 MHz	500.000 kHz	6.58411 GHz	-60.49 dBm	-52.67 dB	-12.67 dB

Date: 18.AUG.2024 03:16:17

11AX40MIMO_Ant8_6525_242Tone_RU62



Spectrum Emission Mask Standard: None

Peak Power -6.58 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.890 MHz	500.000 kHz	6.44183 GHz	-60.08 dBm	-53.50 dB	-13.50 dB
-60.890 MHz	-40.590 MHz	500.000 kHz	6.46418 GHz	-60.56 dBm	-53.97 dB	-14.01 dB
-40.590 MHz	-21.300 MHz	500.000 kHz	6.50349 GHz	-47.51 dBm	-40.93 dB	-20.84 dB
-21.300 MHz	-20.300 MHz	500.000 kHz	6.50371 GHz	-48.87 dBm	-42.28 dB	-22.48 dB
20.300 MHz	21.300 MHz	500.000 kHz	6.54629 GHz	-39.58 dBm	-33.00 dB	-13.20 dB
21.300 MHz	40.590 MHz	500.000 kHz	6.54653 GHz	-39.40 dBm	-32.82 dB	-12.72 dB
40.590 MHz	60.890 MHz	500.000 kHz	6.58588 GHz	-60.45 dBm	-53.87 dB	-13.88 dB
60.890 MHz	100.000 MHz	500.000 kHz	6.62145 GHz	-59.78 dBm	-53.20 dB	-13.20 dB

Date: 18.AUG.2024 03:21:13

11AX40MIMO_Ant10_6525_242Tone_RU62



Spectrum Emission Mask Standard: None

Peak Power -7.75 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.750 MHz	500.000 kHz	6.44045 GHz	-60.58 dBm	-52.83 dB	-12.83 dB
-60.750 MHz	-40.500 MHz	500.000 kHz	6.46426 GHz	-60.89 dBm	-53.14 dB	-13.14 dB
-40.500 MHz	-21.250 MHz	500.000 kHz	6.50358 GHz	-50.37 dBm	-42.62 dB	-22.55 dB
-21.250 MHz	-20.250 MHz	500.000 kHz	6.50376 GHz	-50.97 dBm	-43.22 dB	-23.42 dB
20.250 MHz	21.250 MHz	500.000 kHz	6.54624 GHz	-39.89 dBm	-32.13 dB	-12.33 dB
21.250 MHz	40.500 MHz	500.000 kHz	6.54638 GHz	-39.39 dBm	-31.64 dB	-11.58 dB
40.500 MHz	60.750 MHz	500.000 kHz	6.58566 GHz	-60.80 dBm	-53.05 dB	-13.10 dB
60.750 MHz	100.000 MHz	500.000 kHz	6.61717 GHz	-60.10 dBm	-52.35 dB	-12.35 dB

Date: 18.AUG.2024 03:22:41

11AX40MIMO_Ant8_6565_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -7.84 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.750 MHz	500.000 kHz	6.49940 GHz	-60.47 dBm	-52.62 dB	-12.62 dB
-60.750 MHz	-40.500 MHz	500.000 kHz	6.50434 GHz	-61.03 dBm	-53.18 dB	-13.23 dB
-40.500 MHz	-21.250 MHz	500.000 kHz	6.54374 GHz	-38.94 dBm	-31.10 dB	-11.09 dB
-21.250 MHz	-20.250 MHz	500.000 kHz	6.54376 GHz	-39.10 dBm	-31.26 dB	-11.46 dB
20.250 MHz	21.250 MHz	500.000 kHz	6.58624 GHz	-50.29 dBm	-42.44 dB	-22.64 dB
21.250 MHz	40.500 MHz	500.000 kHz	6.58670 GHz	-49.02 dBm	-41.17 dB	-20.99 dB
40.500 MHz	60.750 MHz	500.000 kHz	6.62566 GHz	-60.54 dBm	-52.70 dB	-12.75 dB
60.750 MHz	100.000 MHz	500.000 kHz	6.63094 GHz	-60.16 dBm	-52.32 dB	-12.32 dB

Date: 18.AUG.2024 03:25:51

11AX40MIMO_Ant10_6565_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -8.09 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.890 MHz	500.000 kHz	6.49392 GHz	-60.60 dBm	-52.50 dB	-12.50 dB
-60.890 MHz	-40.590 MHz	500.000 kHz	6.50420 GHz	-60.92 dBm	-52.83 dB	-12.88 dB
-40.590 MHz	-21.300 MHz	500.000 kHz	6.54361 GHz	-38.99 dBm	-30.90 dB	-10.86 dB
-21.300 MHz	-20.300 MHz	500.000 kHz	6.54371 GHz	-39.42 dBm	-31.33 dB	-11.53 dB
20.300 MHz	21.300 MHz	500.000 kHz	6.58629 GHz	-51.26 dBm	-43.17 dB	-23.37 dB
21.300 MHz	40.590 MHz	500.000 kHz	6.58641 GHz	-50.73 dBm	-42.63 dB	-22.59 dB
40.590 MHz	60.890 MHz	500.000 kHz	6.62568 GHz	-60.37 dBm	-52.28 dB	-12.40 dB
60.890 MHz	100.000 MHz	500.000 kHz	6.63476 GHz	-60.13 dBm	-52.04 dB	-12.04 dB

Date: 18.AUG.2024 03:26:28

11AX40MIMO_Ant8_6685_242Tone_RU61



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-61.320 MHz	500.000 kHz	6.61839 GHz	-60.29 dBm	-52.17 dB	-12.17 dB
-61.320 MHz	-40.880 MHz	500.000 kHz	6.62383 GHz	-60.56 dBm	-52.44 dB	-12.53 dB
-40.880 MHz	-21.440 MHz	500.000 kHz	6.66347 GHz	-40.49 dBm	-32.36 dB	-12.33 dB
-21.440 MHz	-20.440 MHz	500.000 kHz	6.66357 GHz	-40.98 dBm	-32.85 dB	-13.05 dB
20.440 MHz	21.440 MHz	500.000 kHz	6.70643 GHz	-49.91 dBm	-41.78 dB	-21.98 dB
21.440 MHz	40.880 MHz	500.000 kHz	6.70665 GHz	-49.42 dBm	-41.29 dB	-21.21 dB
40.880 MHz	61.320 MHz	500.000 kHz	6.74631 GHz	-60.65 dBm	-52.52 dB	-12.53 dB
61.320 MHz	100.000 MHz	500.000 kHz	6.77357 GHz	-60.15 dBm	-52.02 dB	-12.02 dB

Date: 18.AUG.2024 03:27:15

11AX40MIMO_Ant10_6685_242Tone_RU61



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.600 MHz	500.000 kHz	6.61369 GHz	-60.38 dBm	-51.89 dB	-11.89 dB
-60.600 MHz	-40.400 MHz	500.000 kHz	6.62441 GHz	-60.72 dBm	-52.23 dB	-12.23 dB
-40.400 MHz	-21.200 MHz	500.000 kHz	6.66377 GHz	-39.25 dBm	-30.76 dB	-10.75 dB
-21.200 MHz	-20.200 MHz	500.000 kHz	6.66381 GHz	-40.01 dBm	-31.52 dB	-11.72 dB
20.200 MHz	21.200 MHz	500.000 kHz	6.70619 GHz	-51.18 dBm	-42.69 dB	-22.89 dB
21.200 MHz	40.400 MHz	500.000 kHz	6.70649 GHz	-50.58 dBm	-42.09 dB	-21.97 dB
40.400 MHz	60.600 MHz	500.000 kHz	6.74559 GHz	-61.00 dBm	-52.51 dB	-12.52 dB
60.600 MHz	100.000 MHz	500.000 kHz	6.78013 GHz	-60.21 dBm	-51.72 dB	-11.73 dB

Date: 18.AUG.2024 03:48:52

11AX40MIMO_Ant8_6845_242Tone_RU62



Spectrum Emission Mask Standard: None

Peak Power -8.44 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.890 MHz	500.000 kHz	6.77706 GHz	-60.05 dBm	-51.60 dB	-11.60 dB
-60.890 MHz	-40.590 MHz	500.000 kHz	6.78414 GHz	-60.42 dBm	-51.98 dB	-12.00 dB
-40.590 MHz	-21.300 MHz	500.000 kHz	6.82333 GHz	-48.95 dBm	-40.51 dB	-20.36 dB
-21.300 MHz	-20.300 MHz	500.000 kHz	6.82371 GHz	-50.26 dBm	-41.82 dB	-22.02 dB
20.300 MHz	21.300 MHz	500.000 kHz	6.86629 GHz	-40.85 dBm	-32.40 dB	-12.60 dB
21.300 MHz	40.590 MHz	500.000 kHz	6.86637 GHz	-40.17 dBm	-31.73 dB	-11.70 dB
40.590 MHz	60.890 MHz	500.000 kHz	6.90586 GHz	-60.12 dBm	-51.68 dB	-11.69 dB
60.890 MHz	100.000 MHz	500.000 kHz	6.93055 GHz	-59.73 dBm	-51.29 dB	-11.29 dB

Date: 18.AUG.2024 03:56:15

11AX40MIMO_Ant10_6845_242Tone_RU62



Spectrum Emission Mask Standard: None

Peak Power -8.26 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.750 MHz	500.000 kHz	6.77966 GHz	-59.76 dBm	-51.50 dB	-11.50 dB
-60.750 MHz	-40.500 MHz	500.000 kHz	6.78432 GHz	-60.07 dBm	-51.81 dB	-11.85 dB
-40.500 MHz	-21.250 MHz	500.000 kHz	6.82370 GHz	-50.53 dBm	-42.27 dB	-22.25 dB
-21.250 MHz	-20.250 MHz	500.000 kHz	6.82376 GHz	-51.05 dBm	-42.79 dB	-22.99 dB
20.250 MHz	21.250 MHz	500.000 kHz	6.86624 GHz	-40.77 dBm	-32.51 dB	-12.71 dB
21.250 MHz	40.500 MHz	500.000 kHz	6.86632 GHz	-40.75 dBm	-32.49 dB	-12.46 dB
40.500 MHz	60.750 MHz	500.000 kHz	6.90572 GHz	-59.80 dBm	-51.53 dB	-11.55 dB
60.750 MHz	100.000 MHz	500.000 kHz	6.91010 GHz	-59.54 dBm	-51.28 dB	-11.28 dB

Date: 18.AUG.2024 03:56:50

11AX40MIMO_Ant8_6885_242Tone_RU62



Spectrum Emission Mask Standard: None

Peak Power -7.99 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-61.170 MHz	500.000 kHz	6.78505 GHz	-59.85 dBm	-51.86 dB	-11.86 dB
-61.170 MHz	-40.780 MHz	500.000 kHz	6.82388 GHz	-60.29 dBm	-52.30 dB	-12.33 dB
-40.780 MHz	-21.390 MHz	500.000 kHz	6.86354 GHz	-48.74 dBm	-40.75 dB	-20.72 dB
-21.390 MHz	-20.390 MHz	500.000 kHz	6.86362 GHz	-49.99 dBm	-42.00 dB	-22.20 dB
20.390 MHz	21.390 MHz	500.000 kHz	6.90638 GHz	-40.42 dBm	-32.42 dB	-12.62 dB
21.390 MHz	40.780 MHz	500.000 kHz	6.90642 GHz	-39.55 dBm	-31.56 dB	-11.55 dB
40.780 MHz	61.170 MHz	500.000 kHz	6.94606 GHz	-60.01 dBm	-52.02 dB	-12.08 dB
61.170 MHz	100.000 MHz	500.000 kHz	6.98119 GHz	-59.59 dBm	-51.59 dB	-11.59 dB

Date: 18.AUG.2024 03:58:23

11AX40MIMO_Ant10_6885_242Tone_RU62



Spectrum Emission Mask Standard: None

Peak Power -8.13 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.750 MHz	500.000 kHz	6.78865 GHz	-59.90 dBm	-51.78 dB	-11.78 dB
-60.750 MHz	-40.500 MHz	500.000 kHz	6.82432 GHz	-60.41 dBm	-52.29 dB	-12.33 dB
-40.500 MHz	-21.250 MHz	500.000 kHz	6.86352 GHz	-50.25 dBm	-42.13 dB	-22.03 dB
-21.250 MHz	-20.250 MHz	500.000 kHz	6.86376 GHz	-50.56 dBm	-42.43 dB	-22.63 dB
20.250 MHz	21.250 MHz	500.000 kHz	6.90624 GHz	-40.01 dBm	-31.88 dB	-12.08 dB
21.250 MHz	40.500 MHz	500.000 kHz	6.90632 GHz	-39.73 dBm	-31.60 dB	-11.57 dB
40.500 MHz	60.750 MHz	500.000 kHz	6.94564 GHz	-60.01 dBm	-51.88 dB	-11.95 dB
60.750 MHz	100.000 MHz	500.000 kHz	6.98021 GHz	-59.68 dBm	-51.56 dB	-11.56 dB

Date: 18.AUG.2024 03:58:58

11AX40MIMO_Ant8_6925_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -7.61 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.450 MHz	500.000 kHz	6.86048 GHz	-59.47 dBm	-51.86 dB	-11.86 dB
-60.450 MHz	-40.300 MHz	500.000 kHz	6.86456 GHz	-59.90 dBm	-52.29 dB	-12.30 dB
-40.300 MHz	-21.150 MHz	500.000 kHz	6.90382 GHz	-38.07 dBm	-30.47 dB	-10.45 dB
-21.150 MHz	-20.150 MHz	500.000 kHz	6.90386 GHz	-38.80 dBm	-31.19 dB	-11.39 dB
20.150 MHz	21.150 MHz	500.000 kHz	6.94612 GHz	-49.32 dBm	-41.71 dB	-22.31 dB
21.150 MHz	40.300 MHz	500.000 kHz	6.94626 GHz	-48.59 dBm	-40.98 dB	-20.94 dB
40.300 MHz	60.450 MHz	500.000 kHz	6.98524 GHz	-59.82 dBm	-52.21 dB	-12.34 dB
60.450 MHz	100.000 MHz	500.000 kHz	7.01821 GHz	-62.28 dBm	-54.67 dB	-14.67 dB

Date: 18.AUG.2024 04:00:28

11AX40MIMO_Ant10_6925_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -8.14 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.750 MHz	500.000 kHz	6.86116 GHz	-59.78 dBm	-51.65 dB	-11.65 dB
-60.750 MHz	-40.500 MHz	500.000 kHz	6.86458 GHz	-59.96 dBm	-51.82 dB	-12.02 dB
-40.500 MHz	-21.250 MHz	500.000 kHz	6.90362 GHz	-39.09 dBm	-30.95 dB	-10.90 dB
-21.250 MHz	-20.250 MHz	500.000 kHz	6.90376 GHz	-39.51 dBm	-31.38 dB	-11.58 dB
20.250 MHz	21.250 MHz	500.000 kHz	6.94624 GHz	-51.30 dBm	-43.16 dB	-23.36 dB
21.250 MHz	40.500 MHz	500.000 kHz	6.94660 GHz	-50.87 dBm	-42.73 dB	-22.58 dB
40.500 MHz	60.750 MHz	500.000 kHz	6.98574 GHz	-60.12 dBm	-51.99 dB	-11.99 dB
60.750 MHz	100.000 MHz	500.000 kHz	7.02199 GHz	-62.53 dBm	-54.39 dB	-14.39 dB

Date: 18.AUG.2024 04:01:02

11AX40MIMO_Ant8_7005_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -8.69 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.750 MHz	500.000 kHz	6.92149 GHz	-59.57 dBm	-50.89 dB	-10.89 dB
-60.750 MHz	-40.500 MHz	500.000 kHz	6.94426 GHz	-60.12 dBm	-51.44 dB	-11.44 dB
-40.500 MHz	-21.250 MHz	500.000 kHz	6.98374 GHz	-39.30 dBm	-30.61 dB	-10.61 dB
-21.250 MHz	-20.250 MHz	500.000 kHz	6.98376 GHz	-40.32 dBm	-31.64 dB	-11.84 dB
20.250 MHz	21.250 MHz	500.000 kHz	7.02618 GHz	-49.97 dBm	-41.29 dB	-22.69 dB
21.250 MHz	40.500 MHz	500.000 kHz	7.02636 GHz	-49.77 dBm	-41.08 dB	-21.04 dB
40.500 MHz	60.750 MHz	500.000 kHz	7.06572 GHz	-62.67 dBm	-53.98 dB	-14.00 dB
60.750 MHz	100.000 MHz	500.000 kHz	7.06694 GHz	-62.48 dBm	-53.79 dB	-13.79 dB

Date: 18.AUG.2024 04:01:44

11AX40MIMO_Ant10_7005_242Tone_RU61



Spectrum Emission Mask Standard: None

Peak Power -8.54 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.750 MHz	500.000 kHz	6.91729 GHz	-59.34 dBm	-50.80 dB	-10.80 dB
-60.750 MHz	-40.500 MHz	500.000 kHz	6.94426 GHz	-59.74 dBm	-51.20 dB	-11.21 dB
-40.500 MHz	-21.250 MHz	500.000 kHz	6.98374 GHz	-38.88 dBm	-30.35 dB	-10.34 dB
-21.250 MHz	-20.250 MHz	500.000 kHz	6.98376 GHz	-39.83 dBm	-31.29 dB	-11.49 dB
20.250 MHz	21.250 MHz	500.000 kHz	7.02624 GHz	-51.67 dBm	-43.13 dB	-23.33 dB
21.250 MHz	40.500 MHz	500.000 kHz	7.02638 GHz	-51.31 dBm	-42.78 dB	-22.72 dB
40.500 MHz	60.750 MHz	500.000 kHz	7.06566 GHz	-62.71 dBm	-54.17 dB	-14.22 dB
60.750 MHz	100.000 MHz	500.000 kHz	7.07058 GHz	-62.40 dBm	-53.86 dB	-13.86 dB

Date: 18.AUG.2024 04:02:19

11AX40MIMO_Ant8_7085_242Tone_RU62



Spectrum Emission Mask Standard: None

Peak Power -8.85 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.450 MHz	500.000 kHz	7.02242 GHz	-62.55 dBm	-53.71 dB	-13.71 dB
-60.450 MHz	-40.300 MHz	500.000 kHz	7.02482 GHz	-62.86 dBm	-54.01 dB	-14.17 dB
-40.300 MHz	-21.150 MHz	500.000 kHz	7.06330 GHz	-49.74 dBm	-40.90 dB	-20.67 dB
-21.150 MHz	-20.150 MHz	500.000 kHz	7.06388 GHz	-50.17 dBm	-41.32 dB	-21.92 dB
20.150 MHz	21.150 MHz	500.000 kHz	7.10614 GHz	-40.52 dBm	-31.67 dB	-11.87 dB
21.150 MHz	40.300 MHz	500.000 kHz	7.10616 GHz	-39.84 dBm	-30.99 dB	-10.99 dB
40.300 MHz	60.450 MHz	500.000 kHz	7.14516 GHz	-63.18 dBm	-54.34 dB	-14.51 dB
60.450 MHz	100.000 MHz	500.000 kHz	7.14632 GHz	-62.96 dBm	-54.11 dB	-14.11 dB

Date: 18.AUG.2024 04:03:14

11AX40MIMO_Ant10_7085_242Tone_RU62



Spectrum Emission Mask Standard: None

Peak Power -9.47 dBm RBW 500.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-100.000 MHz	-60.450 MHz	500.000 kHz	7.02368 GHz	-62.42 dBm	-52.95 dB	-12.95 dB
-60.450 MHz	-40.300 MHz	500.000 kHz	7.02478 GHz	-62.63 dBm	-53.15 dB	-13.29 dB
-40.300 MHz	-21.150 MHz	500.000 kHz	7.06358 GHz	-50.26 dBm	-40.78 dB	-20.67 dB
-21.150 MHz	-20.150 MHz	500.000 kHz	7.06386 GHz	-51.74 dBm	-42.26 dB	-22.46 dB
20.150 MHz	21.150 MHz	500.000 kHz	7.10614 GHz	-40.57 dBm	-31.10 dB	-11.30 dB
21.150 MHz	40.300 MHz	500.000 kHz	7.10616 GHz	-40.47 dBm	-30.99 dB	-10.99 dB
40.300 MHz	60.450 MHz	500.000 kHz	7.14542 GHz	-63.28 dBm	-53.80 dB	-13.82 dB
60.450 MHz	100.000 MHz	500.000 kHz	7.14838 GHz	-62.97 dBm	-53.49 dB	-13.49 dB

Date: 18.AUG.2024 04:03:50

11AX80MIMO_Ant8_5985_484Tone_RU65



Spectrum Emission Mask Standard: None

Peak Power -3.41 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.200 MHz	1.000 MHz	5.86090 GHz	-55.09 dBm	-51.68 dB	-11.68 dB
-123.200 MHz	-82.130 MHz	1.000 MHz	5.86202 GHz	-56.05 dBm	-52.64 dB	-12.70 dB
-82.130 MHz	-42.070 MHz	1.000 MHz	5.94287 GHz	-35.15 dBm	-31.74 dB	-11.72 dB
-42.070 MHz	-41.070 MHz	1.000 MHz	5.94295 GHz	-35.72 dBm	-32.31 dB	-12.71 dB
41.070 MHz	42.070 MHz	1.000 MHz	6.02705 GHz	-45.31 dBm	-41.90 dB	-22.30 dB
42.070 MHz	82.130 MHz	1.000 MHz	6.02741 GHz	-42.96 dBm	-39.55 dB	-19.48 dB
82.130 MHz	123.200 MHz	1.000 MHz	6.10798 GHz	-58.22 dBm	-54.81 dB	-14.88 dB
123.200 MHz	200.000 MHz	1.000 MHz	6.11202 GHz	-57.85 dBm	-54.44 dB	-14.44 dB

Date: 18.AUG.2024 04:07:02

11AX80MIMO_Ant10_5985_484Tone_RU65



Spectrum Emission Mask Standard: None

Peak Power -3.22 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.200 MHz	1.000 MHz	5.85174 GHz	-54.89 dBm	-51.67 dB	-11.67 dB
-123.200 MHz	-82.130 MHz	1.000 MHz	5.86186 GHz	-54.93 dBm	-51.72 dB	-11.73 dB
-82.130 MHz	-42.070 MHz	1.000 MHz	5.94287 GHz	-35.02 dBm	-31.80 dB	-11.79 dB
-42.070 MHz	-41.070 MHz	1.000 MHz	5.94295 GHz	-35.67 dBm	-32.45 dB	-12.85 dB
41.070 MHz	42.070 MHz	1.000 MHz	6.02705 GHz	-46.53 dBm	-43.32 dB	-23.72 dB
42.070 MHz	82.130 MHz	1.000 MHz	6.02777 GHz	-45.58 dBm	-42.36 dB	-22.23 dB
82.130 MHz	123.200 MHz	1.000 MHz	6.10806 GHz	-58.26 dBm	-55.04 dB	-15.08 dB
123.200 MHz	200.000 MHz	1.000 MHz	6.13146 GHz	-56.92 dBm	-53.70 dB	-13.70 dB

Date: 18.AUG.2024 04:07:54

11AX80MIMO_Ant8_6225_484Tone_RU65



Spectrum Emission Mask Standard: None

Peak Power -3.66 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.200 MHz	1.000 MHz	6.02874 GHz	-57.09 dBm	-53.43 dB	-13.43 dB
-123.200 MHz	-82.130 MHz	1.000 MHz	6.10230 GHz	-57.33 dBm	-53.67 dB	-13.82 dB
-82.130 MHz	-42.070 MHz	1.000 MHz	6.18283 GHz	-35.88 dBm	-32.22 dB	-12.20 dB
-42.070 MHz	-41.070 MHz	1.000 MHz	6.18295 GHz	-35.99 dBm	-32.33 dB	-12.73 dB
41.070 MHz	42.070 MHz	1.000 MHz	6.26705 GHz	-45.68 dBm	-42.02 dB	-22.42 dB
42.070 MHz	82.130 MHz	1.000 MHz	6.26729 GHz	-43.17 dBm	-39.51 dB	-19.46 dB
82.130 MHz	123.200 MHz	1.000 MHz	6.34806 GHz	-58.54 dBm	-54.88 dB	-14.92 dB
123.200 MHz	200.000 MHz	1.000 MHz	6.37010 GHz	-58.24 dBm	-54.57 dB	-14.57 dB

Date: 18.AUG.2024 04:09:27

11AX80MIMO_Ant10_6225_484Tone_RU65



Spectrum Emission Mask Standard: None

Peak Power -4.02 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.780 MHz	1.000 MHz	6.03370 GHz	-57.12 dBm	-53.10 dB	-13.10 dB
-123.780 MHz	-82.520 MHz	1.000 MHz	6.10128 GHz	-57.31 dBm	-53.29 dB	-13.31 dB
-82.520 MHz	-42.260 MHz	1.000 MHz	6.18272 GHz	-36.99 dBm	-32.97 dB	-12.97 dB
-42.260 MHz	-41.260 MHz	1.000 MHz	6.18276 GHz	-37.49 dBm	-33.47 dB	-13.87 dB
41.260 MHz	42.260 MHz	1.000 MHz	6.26724 GHz	-47.82 dBm	-43.80 dB	-24.20 dB
42.260 MHz	82.520 MHz	1.000 MHz	6.26768 GHz	-46.78 dBm	-42.76 dB	-22.67 dB
82.520 MHz	123.780 MHz	1.000 MHz	6.34864 GHz	-58.21 dBm	-54.19 dB	-14.23 dB
123.780 MHz	200.000 MHz	1.000 MHz	6.35232 GHz	-57.77 dBm	-53.75 dB	-13.75 dB

Date: 18.AUG.2024 04:10:43

11AX80MIMO_Ant8_6385_484Tone_RU66



Spectrum Emission Mask Standard: None

Peak Power -4.49 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-124.920 MHz	1.000 MHz	6.22170 GHz	-57.34 dBm	-52.85 dB	-12.85 dB
-124.920 MHz	-83.280 MHz	1.000 MHz	6.26014 GHz	-57.75 dBm	-53.26 dB	-13.28 dB
-83.280 MHz	-42.640 MHz	1.000 MHz	6.34170 GHz	-47.64 dBm	-43.15 dB	-23.02 dB
-42.640 MHz	-41.640 MHz	1.000 MHz	6.34238 GHz	-48.59 dBm	-44.11 dB	-24.51 dB
41.640 MHz	42.640 MHz	1.000 MHz	6.42762 GHz	-38.81 dBm	-34.32 dB	-14.72 dB
42.640 MHz	83.280 MHz	1.000 MHz	6.42774 GHz	-38.27 dBm	-33.79 dB	-13.77 dB
83.280 MHz	124.920 MHz	1.000 MHz	6.50990 GHz	-57.96 dBm	-53.48 dB	-13.48 dB
124.920 MHz	200.000 MHz	1.000 MHz	6.51958 GHz	-57.65 dBm	-53.17 dB	-13.17 dB

Date: 18.AUG.2024 04:13:07

11AX80MIMO_Ant10_6385_484Tone_RU66



Spectrum Emission Mask Standard: None

Peak Power -5.62 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.480 MHz	1.000 MHz	6.22582 GHz	-57.50 dBm	-51.89 dB	-11.89 dB
-123.480 MHz	-82.320 MHz	1.000 MHz	6.26162 GHz	-57.81 dBm	-52.20 dB	-12.23 dB
-82.320 MHz	-42.160 MHz	1.000 MHz	6.34226 GHz	-49.28 dBm	-43.66 dB	-23.54 dB
-42.160 MHz	-41.160 MHz	1.000 MHz	6.34286 GHz	-50.65 dBm	-45.03 dB	-25.44 dB
41.160 MHz	42.160 MHz	1.000 MHz	6.42714 GHz	-38.84 dBm	-33.23 dB	-13.63 dB
42.160 MHz	82.320 MHz	1.000 MHz	6.42718 GHz	-38.96 dBm	-33.34 dB	-13.34 dB
82.320 MHz	123.480 MHz	1.000 MHz	6.50810 GHz	-57.70 dBm	-52.09 dB	-12.20 dB
123.480 MHz	200.000 MHz	1.000 MHz	6.51770 GHz	-57.51 dBm	-51.89 dB	-11.89 dB

Date: 18.AUG.2024 04:13:56

11AX80MIMO_Ant8_6465_484Tone_RU65



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.480 MHz	1.000 MHz	6.30106 GHz	-56.87 dBm	-54.05 dB	-14.05 dB
-123.480 MHz	-82.320 MHz	1.000 MHz	6.34166 GHz	-57.23 dBm	-54.41 dB	-14.45 dB
-82.320 MHz	-42.160 MHz	1.000 MHz	6.42242 GHz	-35.38 dBm	-32.56 dB	-12.48 dB
-42.160 MHz	-41.160 MHz	1.000 MHz	6.42286 GHz	-35.35 dBm	-32.52 dB	-12.92 dB
41.160 MHz	42.160 MHz	1.000 MHz	6.50710 GHz	-44.01 dBm	-41.19 dB	-22.39 dB
42.160 MHz	82.320 MHz	1.000 MHz	6.50890 GHz	-43.35 dBm	-40.53 dB	-20.19 dB
82.320 MHz	123.480 MHz	1.000 MHz	6.58838 GHz	-57.31 dBm	-54.49 dB	-14.52 dB
123.480 MHz	200.000 MHz	1.000 MHz	6.61030 GHz	-56.67 dBm	-53.85 dB	-13.85 dB

Date: 18.AUG.2024 04:15:34

11AX80MIMO_Ant10_6465_484Tone_RU65



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-122.910 MHz	1.000 MHz	6.33739 GHz	-54.04 dBm	-50.38 dB	-10.38 dB
-122.910 MHz	-81.940 MHz	1.000 MHz	6.34235 GHz	-54.63 dBm	-50.97 dB	-11.04 dB
-81.940 MHz	-41.970 MHz	1.000 MHz	6.42297 GHz	-35.96 dBm	-32.30 dB	-12.29 dB
-41.970 MHz	-40.970 MHz	1.000 MHz	6.42305 GHz	-36.13 dBm	-32.47 dB	-12.87 dB
40.970 MHz	41.970 MHz	1.000 MHz	6.50695 GHz	-46.68 dBm	-43.02 dB	-23.42 dB
41.970 MHz	81.940 MHz	1.000 MHz	6.50759 GHz	-44.34 dBm	-40.68 dB	-20.56 dB
81.940 MHz	122.910 MHz	1.000 MHz	6.58781 GHz	-56.83 dBm	-53.16 dB	-13.19 dB
122.910 MHz	200.000 MHz	1.000 MHz	6.61689 GHz	-55.63 dBm	-51.97 dB	-11.97 dB

Date: 18.AUG.2024 04:16:08

11AX80MIMO_Ant8_6545_484Tone_RU66



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.200 MHz	1.000 MHz	6.42162 GHz	-57.37 dBm	-53.18 dB	-13.18 dB
-123.200 MHz	-82.130 MHz	1.000 MHz	6.42186 GHz	-57.69 dBm	-53.50 dB	-13.52 dB
-82.130 MHz	-42.070 MHz	1.000 MHz	6.50287 GHz	-46.79 dBm	-42.60 dB	-22.59 dB
-42.070 MHz	-41.070 MHz	1.000 MHz	6.50295 GHz	-47.72 dBm	-43.53 dB	-23.93 dB
41.070 MHz	42.070 MHz	1.000 MHz	6.58705 GHz	-36.67 dBm	-32.48 dB	-12.88 dB
42.070 MHz	82.130 MHz	1.000 MHz	6.58717 GHz	-35.77 dBm	-31.58 dB	-11.56 dB
82.130 MHz	123.200 MHz	1.000 MHz	6.66770 GHz	-57.39 dBm	-53.20 dB	-13.35 dB
123.200 MHz	200.000 MHz	1.000 MHz	6.69374 GHz	-57.27 dBm	-53.08 dB	-13.08 dB

Date: 18.AUG.2024 04:17:44

11AX80MIMO_Ant10_6545_484Tone_RU66



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.480 MHz	1.000 MHz	6.41234 GHz	-57.66 dBm	-52.59 dB	-12.59 dB
-123.480 MHz	-82.320 MHz	1.000 MHz	6.42166 GHz	-57.79 dBm	-52.73 dB	-12.77 dB
-82.320 MHz	-42.160 MHz	1.000 MHz	6.50262 GHz	-48.12 dBm	-43.06 dB	-23.01 dB
-42.160 MHz	-41.160 MHz	1.000 MHz	6.50286 GHz	-49.66 dBm	-44.59 dB	-24.99 dB
41.160 MHz	42.160 MHz	1.000 MHz	6.58714 GHz	-38.05 dBm	-32.98 dB	-13.38 dB
42.160 MHz	82.320 MHz	1.000 MHz	6.58754 GHz	-37.46 dBm	-32.40 dB	-12.32 dB
82.320 MHz	123.480 MHz	1.000 MHz	6.66814 GHz	-57.40 dBm	-52.34 dB	-12.44 dB
123.480 MHz	200.000 MHz	1.000 MHz	6.68490 GHz	-57.28 dBm	-52.21 dB	-12.21 dB

Date: 18.AUG.2024 04:18:17

11AX80MIMO_Ant8_6625_484Tone_RU65



Spectrum Emission Mask Standard: None

Peak Power -4.34 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-124.350 MHz	1.000 MHz	6.49799 GHz	-55.30 dBm	-50.95 dB	-10.95 dB
-124.350 MHz	-82.900 MHz	1.000 MHz	6.50079 GHz	-55.80 dBm	-51.46 dB	-11.50 dB
-82.900 MHz	-42.450 MHz	1.000 MHz	6.58249 GHz	-37.11 dBm	-32.76 dB	-12.75 dB
-42.450 MHz	-41.450 MHz	1.000 MHz	6.58257 GHz	-37.54 dBm	-33.19 dB	-13.59 dB
41.450 MHz	42.450 MHz	1.000 MHz	6.66743 GHz	-45.05 dBm	-40.71 dB	-21.11 dB
42.450 MHz	82.900 MHz	1.000 MHz	6.66755 GHz	-44.07 dBm	-39.73 dB	-19.71 dB
82.900 MHz	124.350 MHz	1.000 MHz	6.74909 GHz	-56.75 dBm	-52.41 dB	-12.48 dB
124.350 MHz	200.000 MHz	1.000 MHz	6.77401 GHz	-55.96 dBm	-51.61 dB	-11.62 dB

Date: 18.AUG.2024 04:20:00

11AX80MIMO_Ant10_6625_484Tone_RU65



Spectrum Emission Mask Standard: None

Peak Power -5.48 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.480 MHz	1.000 MHz	6.49998 GHz	-57.67 dBm	-52.18 dB	-12.18 dB
-123.480 MHz	-82.320 MHz	1.000 MHz	6.50166 GHz	-57.91 dBm	-52.43 dB	-12.47 dB
-82.320 MHz	-42.160 MHz	1.000 MHz	6.58282 GHz	-38.18 dBm	-32.70 dB	-12.69 dB
-42.160 MHz	-41.160 MHz	1.000 MHz	6.58286 GHz	-38.32 dBm	-32.84 dB	-13.24 dB
41.160 MHz	42.160 MHz	1.000 MHz	6.66714 GHz	-49.06 dBm	-43.57 dB	-23.97 dB
42.160 MHz	82.320 MHz	1.000 MHz	6.66734 GHz	-46.82 dBm	-41.34 dB	-21.30 dB
82.320 MHz	123.480 MHz	1.000 MHz	6.74810 GHz	-57.73 dBm	-52.24 dB	-12.36 dB
123.480 MHz	200.000 MHz	1.000 MHz	6.77498 GHz	-57.36 dBm	-51.88 dB	-11.88 dB

Date: 18.AUG.2024 04:20:34

11AX80MIMO_Ant8_6705_484Tone_RU65



Spectrum Emission Mask Standard: None

Peak Power -4.63 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.200 MHz	1.000 MHz	6.58150 GHz	-56.64 dBm	-52.01 dB	-12.01 dB
-123.200 MHz	-82.130 MHz	1.000 MHz	6.58190 GHz	-57.27 dBm	-52.64 dB	-12.67 dB
-82.130 MHz	-42.070 MHz	1.000 MHz	6.66267 GHz	-36.53 dBm	-31.90 dB	-11.85 dB
-42.070 MHz	-41.070 MHz	1.000 MHz	6.66295 GHz	-36.86 dBm	-32.23 dB	-12.63 dB
41.070 MHz	42.070 MHz	1.000 MHz	6.74705 GHz	-45.43 dBm	-40.80 dB	-21.20 dB
42.070 MHz	82.130 MHz	1.000 MHz	6.74749 GHz	-44.23 dBm	-39.60 dB	-19.52 dB
82.130 MHz	123.200 MHz	1.000 MHz	6.82802 GHz	-57.55 dBm	-52.92 dB	-12.98 dB
123.200 MHz	200.000 MHz	1.000 MHz	6.87710 GHz	-57.10 dBm	-52.47 dB	-12.47 dB

Date: 18.AUG.2024 04:21:16

11AX80MIMO_Ant10_6705_484Tone_RU65



Spectrum Emission Mask Standard: None

Peak Power -5.64 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.480 MHz	1.000 MHz	6.58110 GHz	-57.64 dBm	-52.00 dB	-12.00 dB
-123.480 MHz	-82.320 MHz	1.000 MHz	6.58166 GHz	-57.79 dBm	-52.15 dB	-12.19 dB
-82.320 MHz	-42.160 MHz	1.000 MHz	6.66278 GHz	-38.86 dBm	-33.23 dB	-13.22 dB
-42.160 MHz	-41.160 MHz	1.000 MHz	6.66286 GHz	-38.91 dBm	-33.27 dB	-13.67 dB
41.160 MHz	42.160 MHz	1.000 MHz	6.74714 GHz	-48.53 dBm	-42.89 dB	-23.29 dB
42.160 MHz	82.320 MHz	1.000 MHz	6.74770 GHz	-47.68 dBm	-42.04 dB	-21.93 dB
82.320 MHz	123.480 MHz	1.000 MHz	6.82810 GHz	-57.75 dBm	-52.11 dB	-12.22 dB
123.480 MHz	200.000 MHz	1.000 MHz	6.89830 GHz	-57.10 dBm	-51.46 dB	-11.46 dB

Date: 18.AUG.2024 04:21:55

11AX80MIMO_Ant8_6785_484Tone_RU66



Spectrum Emission Mask Standard: None

Peak Power -4.37 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-122.910 MHz	1.000 MHz	6.66027 GHz	-57.07 dBm	-52.70 dB	-12.70 dB
-122.910 MHz	-81.940 MHz	1.000 MHz	6.66227 GHz	-57.41 dBm	-53.04 dB	-13.09 dB
-81.940 MHz	-41.970 MHz	1.000 MHz	6.74253 GHz	-46.59 dBm	-42.22 dB	-22.12 dB
-41.970 MHz	-40.970 MHz	1.000 MHz	6.74305 GHz	-47.30 dBm	-42.94 dB	-23.34 dB
40.970 MHz	41.970 MHz	1.000 MHz	6.82695 GHz	-36.61 dBm	-32.24 dB	-12.64 dB
41.970 MHz	81.940 MHz	1.000 MHz	6.82699 GHz	-35.92 dBm	-31.55 dB	-11.55 dB
81.940 MHz	122.910 MHz	1.000 MHz	6.90777 GHz	-57.05 dBm	-52.69 dB	-12.73 dB
122.910 MHz	200.000 MHz	1.000 MHz	6.94417 GHz	-56.85 dBm	-52.48 dB	-12.48 dB

Date: 18.AUG.2024 04:22:52

11AX80MIMO_Ant10_6785_484Tone_RU66



Spectrum Emission Mask Standard: None

Peak Power -5.55 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.200 MHz	1.000 MHz	6.63218 GHz	-57.32 dBm	-51.77 dB	-11.77 dB
-123.200 MHz	-82.130 MHz	1.000 MHz	6.66202 GHz	-57.65 dBm	-52.10 dB	-12.17 dB
-82.130 MHz	-42.070 MHz	1.000 MHz	6.74283 GHz	-48.95 dBm	-43.40 dB	-23.38 dB
-42.070 MHz	-41.070 MHz	1.000 MHz	6.74295 GHz	-49.92 dBm	-44.37 dB	-24.77 dB
41.070 MHz	42.070 MHz	1.000 MHz	6.82705 GHz	-38.67 dBm	-33.12 dB	-13.52 dB
42.070 MHz	82.130 MHz	1.000 MHz	6.82709 GHz	-38.45 dBm	-32.90 dB	-12.90 dB
82.130 MHz	123.200 MHz	1.000 MHz	6.90798 GHz	-57.22 dBm	-51.67 dB	-11.74 dB
123.200 MHz	200.000 MHz	1.000 MHz	6.94726 GHz	-57.02 dBm	-51.48 dB	-11.48 dB

Date: 18.AUG.2024 04:23:30

11AX80MIMO_Ant8_6865_484Tone_RU66



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-122.910 MHz	1.000 MHz	6.73831 GHz	-56.15 dBm	-51.81 dB	-11.81 dB
-122.910 MHz	-81.940 MHz	1.000 MHz	6.74219 GHz	-56.68 dBm	-52.33 dB	-12.36 dB
-81.940 MHz	-41.970 MHz	1.000 MHz	6.82149 GHz	-46.81 dBm	-42.47 dB	-22.16 dB
-41.970 MHz	-40.970 MHz	1.000 MHz	6.82305 GHz	-47.32 dBm	-42.97 dB	-23.37 dB
40.970 MHz	41.970 MHz	1.000 MHz	6.90695 GHz	-36.22 dBm	-31.88 dB	-12.28 dB
41.970 MHz	81.940 MHz	1.000 MHz	6.90699 GHz	-35.80 dBm	-31.45 dB	-11.45 dB
81.940 MHz	122.910 MHz	1.000 MHz	6.98781 GHz	-56.92 dBm	-52.58 dB	-12.61 dB
122.910 MHz	200.000 MHz	1.000 MHz	7.01949 GHz	-58.65 dBm	-54.31 dB	-14.31 dB

Date: 18.AUG.2024 04:25:09

11AX80MIMO_Ant10_6865_484Tone_RU66



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-122.060 MHz	1.000 MHz	6.74048 GHz	-56.91 dBm	-51.47 dB	-11.47 dB
-122.060 MHz	-81.370 MHz	1.000 MHz	6.74308 GHz	-57.08 dBm	-51.63 dB	-11.68 dB
-81.370 MHz	-41.690 MHz	1.000 MHz	6.82309 GHz	-47.78 dBm	-42.34 dB	-22.30 dB
-41.690 MHz	-40.690 MHz	1.000 MHz	6.82333 GHz	-49.01 dBm	-43.57 dB	-23.97 dB
40.690 MHz	41.690 MHz	1.000 MHz	6.90667 GHz	-37.02 dBm	-31.58 dB	-11.98 dB
41.690 MHz	81.370 MHz	1.000 MHz	6.90671 GHz	-36.33 dBm	-30.89 dB	-10.88 dB
81.370 MHz	122.060 MHz	1.000 MHz	6.98704 GHz	-57.10 dBm	-51.66 dB	-11.66 dB
122.060 MHz	200.000 MHz	1.000 MHz	7.04802 GHz	-59.32 dBm	-53.87 dB	-13.87 dB

Date: 18.AUG.2024 04:27:23

11AX80MIMO_Ant8_6945_484Tone_RU65



Spectrum Emission Mask Standard: None

Peak Power -5.01 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.480 MHz	1.000 MHz	6.79658 GHz	-56.71 dBm	-51.69 dB	-11.69 dB
-123.480 MHz	-82.320 MHz	1.000 MHz	6.82158 GHz	-57.23 dBm	-52.21 dB	-12.23 dB
-82.320 MHz	-42.160 MHz	1.000 MHz	6.90274 GHz	-37.33 dBm	-32.32 dB	-12.30 dB
-42.160 MHz	-41.160 MHz	1.000 MHz	6.90286 GHz	-37.15 dBm	-32.13 dB	-12.53 dB
41.160 MHz	42.160 MHz	1.000 MHz	6.98714 GHz	-46.33 dBm	-41.32 dB	-21.72 dB
42.160 MHz	82.320 MHz	1.000 MHz	6.98846 GHz	-44.06 dBm	-39.05 dB	-18.79 dB
82.320 MHz	123.480 MHz	1.000 MHz	7.06814 GHz	-59.29 dBm	-54.27 dB	-14.37 dB
123.480 MHz	200.000 MHz	1.000 MHz	7.06922 GHz	-59.24 dBm	-54.22 dB	-14.22 dB

Date: 18.AUG.2024 04:46:36

11AX80MIMO_Ant10_6945_484Tone_RU65



Spectrum Emission Mask Standard: None

Peak Power -5.64 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-122.060 MHz	1.000 MHz	6.77455 GHz	-56.60 dBm	-50.97 dB	-10.97 dB
-122.060 MHz	-81.370 MHz	1.000 MHz	6.82312 GHz	-57.01 dBm	-51.38 dB	-11.43 dB
-81.370 MHz	-41.690 MHz	1.000 MHz	6.90329 GHz	-37.27 dBm	-31.64 dB	-11.63 dB
-41.690 MHz	-40.690 MHz	1.000 MHz	6.90333 GHz	-37.59 dBm	-31.95 dB	-12.35 dB
40.690 MHz	41.690 MHz	1.000 MHz	6.98667 GHz	-49.59 dBm	-43.95 dB	-24.35 dB
41.690 MHz	81.370 MHz	1.000 MHz	6.98743 GHz	-48.40 dBm	-42.77 dB	-22.62 dB
81.370 MHz	122.060 MHz	1.000 MHz	7.06692 GHz	-59.52 dBm	-53.89 dB	-13.93 dB
122.060 MHz	200.000 MHz	1.000 MHz	7.07452 GHz	-59.49 dBm	-53.85 dB	-13.85 dB

Date: 18.AUG.2024 04:47:12

11AX80MIMO_Ant8_7025_484Tone_RU66



Spectrum Emission Mask Standard: None

Peak Power -4.90 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-123.200 MHz	1.000 MHz	6.89138 GHz	-56.17 dBm	-51.27 dB	-11.27 dB
-123.200 MHz	-82.130 MHz	1.000 MHz	6.90186 GHz	-56.31 dBm	-51.42 dB	-11.43 dB
-82.130 MHz	-42.070 MHz	1.000 MHz	6.98263 GHz	-47.86 dBm	-42.96 dB	-22.90 dB
-42.070 MHz	-41.070 MHz	1.000 MHz	6.98295 GHz	-48.92 dBm	-44.02 dB	-24.42 dB
41.070 MHz	42.070 MHz	1.000 MHz	7.06705 GHz	-37.46 dBm	-32.56 dB	-12.96 dB
42.070 MHz	82.130 MHz	1.000 MHz	7.06709 GHz	-37.00 dBm	-32.10 dB	-12.09 dB
82.130 MHz	123.200 MHz	1.000 MHz	7.14818 GHz	-59.47 dBm	-54.57 dB	-14.58 dB
123.200 MHz	200.000 MHz	1.000 MHz	7.17054 GHz	-59.08 dBm	-54.18 dB	-14.18 dB

Date: 18.AUG.2024 05:30:42

11AX80MIMO_Ant10_7025_484Tone_RU66



Spectrum Emission Mask Standard: None

Peak Power -6.07 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-124.350 MHz	1.000 MHz	6.89923 GHz	-56.15 dBm	-50.08 dB	-10.08 dB
-124.350 MHz	-82.900 MHz	1.000 MHz	6.90115 GHz	-56.29 dBm	-50.23 dB	-10.37 dB
-82.900 MHz	-42.450 MHz	1.000 MHz	6.94236 GHz	-56.22 dBm	-50.15 dB	-22.20 dB
-42.450 MHz	-41.450 MHz	1.000 MHz	6.98257 GHz	-50.05 dBm	-43.99 dB	-24.39 dB
41.450 MHz	42.450 MHz	1.000 MHz	7.06743 GHz	-39.32 dBm	-33.25 dB	-13.65 dB
42.450 MHz	82.900 MHz	1.000 MHz	7.06771 GHz	-38.82 dBm	-32.76 dB	-12.71 dB
82.900 MHz	124.350 MHz	1.000 MHz	7.14921 GHz	-59.91 dBm	-53.84 dB	-13.88 dB
124.350 MHz	200.000 MHz	1.000 MHz	7.16573 GHz	-59.64 dBm	-53.57 dB	-13.57 dB

Date: 18.AUG.2024 05:31:18

11AX160MIMO_Ant8_6025_996Tone_RU67



Spectrum Emission Mask Standard: None

Peak Power -0.78 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-248.120 MHz	2.000 MHz	5.76020 GHz	-53.70 dBm	-52.92 dB	-12.92 dB
-248.120 MHz	-165.410 MHz	2.000 MHz	5.77740 GHz	-54.08 dBm	-53.30 dB	-13.38 dB
-165.410 MHz	-83.710 MHz	2.000 MHz	5.94109 GHz	-35.10 dBm	-34.33 dB	-14.31 dB
-83.710 MHz	-82.710 MHz	2.000 MHz	5.94133 GHz	-35.78 dBm	-35.00 dB	-15.83 dB
82.710 MHz	83.710 MHz	2.000 MHz	6.10867 GHz	-47.46 dBm	-46.69 dB	-27.52 dB
83.710 MHz	165.410 MHz	2.000 MHz	6.16820 GHz	-47.23 dBm	-46.46 dB	-20.63 dB
165.410 MHz	248.120 MHz	2.000 MHz	6.27300 GHz	-56.48 dBm	-55.70 dB	-15.72 dB
248.120 MHz	400.000 MHz	2.000 MHz	6.29677 GHz	-56.24 dBm	-55.46 dB	-15.46 dB

Date: 18.AUG.2024 05:36:14

11AX160MIMO_Ant10_6025_996Tone_RU67



Spectrum Emission Mask Standard: None

Peak Power -0.52 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-248.690 MHz	2.000 MHz	5.76883 GHz	-51.38 dBm	-50.87 dB	-10.87 dB
-248.690 MHz	-165.790 MHz	2.000 MHz	5.77811 GHz	-52.05 dBm	-51.53 dB	-11.79 dB
-165.790 MHz	-83.900 MHz	2.000 MHz	5.94106 GHz	-35.98 dBm	-35.47 dB	-15.46 dB
-83.900 MHz	-82.900 MHz	2.000 MHz	5.94114 GHz	-36.09 dBm	-35.58 dB	-16.41 dB
82.900 MHz	83.900 MHz	2.000 MHz	6.10886 GHz	-48.28 dBm	-47.77 dB	-28.60 dB
83.900 MHz	165.790 MHz	2.000 MHz	6.17450 GHz	-47.25 dBm	-46.73 dB	-20.33 dB
165.790 MHz	248.690 MHz	2.000 MHz	6.27261 GHz	-55.57 dBm	-55.05 dB	-15.21 dB
248.690 MHz	400.000 MHz	2.000 MHz	6.27381 GHz	-55.58 dBm	-55.06 dB	-15.06 dB

Date: 18.AUG.2024 05:37:16

11AX160MIMO_Ant8_6185_996Tone_RU67



Spectrum Emission Mask Standard: None

Peak Power -0.98 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-248.690 MHz	2.000 MHz	5.93507 GHz	-52.99 dBm	-52.01 dB	-12.01 dB
-248.690 MHz	-165.790 MHz	2.000 MHz	5.93643 GHz	-54.03 dBm	-53.05 dB	-13.07 dB
-165.790 MHz	-83.900 MHz	2.000 MHz	6.10082 GHz	-35.42 dBm	-34.44 dB	-14.42 dB
-83.900 MHz	-82.900 MHz	2.000 MHz	6.10114 GHz	-35.47 dBm	-34.49 dB	-15.33 dB
82.900 MHz	83.900 MHz	2.000 MHz	6.26886 GHz	-48.86 dBm	-47.88 dB	-28.71 dB
83.900 MHz	165.790 MHz	2.000 MHz	6.27014 GHz	-46.76 dBm	-45.78 dB	-25.66 dB
165.790 MHz	248.690 MHz	2.000 MHz	6.43349 GHz	-56.19 dBm	-55.21 dB	-15.24 dB
248.690 MHz	400.000 MHz	2.000 MHz	6.58464 GHz	-55.97 dBm	-55.00 dB	-15.00 dB

Date: 18.AUG.2024 05:39:05

11AX160MIMO_Ant10_6185_996Tone_RU67



Spectrum Emission Mask Standard: None

Peak Power -1.40 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-248.690 MHz	2.000 MHz	5.93571 GHz	-53.72 dBm	-52.32 dB	-12.32 dB
-248.690 MHz	-165.790 MHz	2.000 MHz	5.93643 GHz	-54.59 dBm	-53.18 dB	-13.20 dB
-165.790 MHz	-83.900 MHz	2.000 MHz	6.10090 GHz	-36.23 dBm	-34.82 dB	-14.80 dB
-83.900 MHz	-82.900 MHz	2.000 MHz	6.10114 GHz	-36.07 dBm	-34.66 dB	-15.50 dB
82.900 MHz	83.900 MHz	2.000 MHz	6.26886 GHz	-50.25 dBm	-48.85 dB	-29.68 dB
83.900 MHz	165.790 MHz	2.000 MHz	6.32874 GHz	-51.26 dBm	-49.85 dB	-24.01 dB
165.790 MHz	248.690 MHz	2.000 MHz	6.43365 GHz	-56.03 dBm	-54.62 dB	-14.63 dB
248.690 MHz	400.000 MHz	2.000 MHz	6.45149 GHz	-55.89 dBm	-54.49 dB	-14.49 dB

Date: 18.AUG.2024 05:40:54

11AX160MIMO_Ant8_6345_996Tone_RU68



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-246.980 MHz	2.000 MHz	6.09726 GHz	-53.41 dBm	-50.89 dB	-10.89 dB
-246.980 MHz	-164.650 MHz	2.000 MHz	6.09902 GHz	-54.38 dBm	-51.86 dB	-12.01 dB
-164.650 MHz	-83.330 MHz	2.000 MHz	6.21185 GHz	-48.25 dBm	-45.73 dB	-20.83 dB
-83.330 MHz	-82.330 MHz	2.000 MHz	6.26171 GHz	-48.99 dBm	-46.47 dB	-27.31 dB
82.330 MHz	83.330 MHz	2.000 MHz	6.42829 GHz	-37.99 dBm	-35.47 dB	-16.31 dB
83.330 MHz	164.650 MHz	2.000 MHz	6.42853 GHz	-37.49 dBm	-34.97 dB	-14.95 dB
164.650 MHz	246.980 MHz	2.000 MHz	6.59170 GHz	-55.40 dBm	-52.88 dB	-12.92 dB
246.980 MHz	400.000 MHz	2.000 MHz	6.62579 GHz	-55.10 dBm	-52.58 dB	-12.58 dB

11AX160MIMO_Ant10_6345_996Tone_RU68



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-246.980 MHz	2.000 MHz	6.09094 GHz	-53.70 dBm	-51.00 dB	-11.00 dB
-246.980 MHz	-164.650 MHz	2.000 MHz	6.09870 GHz	-54.64 dBm	-51.93 dB	-12.03 dB
-164.650 MHz	-83.330 MHz	2.000 MHz	6.22073 GHz	-48.10 dBm	-45.39 dB	-21.37 dB
-83.330 MHz	-82.330 MHz	2.000 MHz	6.26171 GHz	-50.74 dBm	-48.04 dB	-28.87 dB
82.330 MHz	83.330 MHz	2.000 MHz	6.42829 GHz	-37.13 dBm	-34.42 dB	-15.25 dB
83.330 MHz	164.650 MHz	2.000 MHz	6.42845 GHz	-37.29 dBm	-34.58 dB	-14.57 dB
164.650 MHz	246.980 MHz	2.000 MHz	6.59194 GHz	-55.39 dBm	-52.68 dB	-12.69 dB
246.980 MHz	400.000 MHz	2.000 MHz	6.62435 GHz	-55.04 dBm	-52.33 dB	-12.33 dB

11AX160MIMO_Ant8_6505_996Tone_RU67



Spectrum Emission Mask Standard: None

Peak Power -1.09 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-247.550 MHz	2.000 MHz	6.24853 GHz	-51.31 dBm	-50.22 dB	-10.22 dB
-247.550 MHz	-165.030 MHz	2.000 MHz	6.25789 GHz	-52.33 dBm	-51.24 dB	-11.30 dB
-165.030 MHz	-83.520 MHz	2.000 MHz	6.42136 GHz	-34.92 dBm	-33.82 dB	-13.81 dB
-83.520 MHz	-82.520 MHz	2.000 MHz	6.42152 GHz	-35.12 dBm	-34.02 dB	-14.86 dB
82.520 MHz	83.520 MHz	2.000 MHz	6.58848 GHz	-46.47 dBm	-45.38 dB	-26.21 dB
83.520 MHz	165.030 MHz	2.000 MHz	6.65390 GHz	-45.65 dBm	-44.55 dB	-18.14 dB
165.030 MHz	247.550 MHz	2.000 MHz	6.75203 GHz	-54.76 dBm	-53.67 dB	-13.74 dB
247.550 MHz	400.000 MHz	2.000 MHz	6.77772 GHz	-54.80 dBm	-53.71 dB	-13.71 dB

Date: 18.AUG.2024 05:47:13

11AX160MIMO_Ant10_6505_996Tone_RU67



Spectrum Emission Mask Standard: None

Peak Power -2.47 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-246.980 MHz	2.000 MHz	6.25062 GHz	-54.76 dBm	-52.29 dB	-12.29 dB
-246.980 MHz	-164.650 MHz	2.000 MHz	6.25806 GHz	-55.25 dBm	-52.78 dB	-12.79 dB
-164.650 MHz	-83.330 MHz	2.000 MHz	6.42131 GHz	-36.54 dBm	-34.07 dB	-14.03 dB
-83.330 MHz	-82.330 MHz	2.000 MHz	6.42171 GHz	-36.37 dBm	-33.90 dB	-14.73 dB
82.330 MHz	83.330 MHz	2.000 MHz	6.58829 GHz	-49.55 dBm	-47.09 dB	-27.92 dB
83.330 MHz	164.650 MHz	2.000 MHz	6.65024 GHz	-49.53 dBm	-47.06 dB	-20.97 dB
164.650 MHz	246.980 MHz	2.000 MHz	6.75122 GHz	-54.85 dBm	-52.38 dB	-12.49 dB
246.980 MHz	400.000 MHz	2.000 MHz	6.90000 GHz	-54.71 dBm	-52.24 dB	-12.24 dB

Date: 18.AUG.2024 05:48:25

11AX160MIMO_Ant8_6665_996Tone_RU68



Spectrum Emission Mask Standard: None

Peak Power -2.02 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-248.120 MHz	2.000 MHz	6.41404 GHz	-54.37 dBm	-52.35 dB	-12.35 dB
-248.120 MHz	-165.410 MHz	2.000 MHz	6.42084 GHz	-54.62 dBm	-52.60 dB	-13.17 dB
-165.410 MHz	-83.710 MHz	2.000 MHz	6.53516 GHz	-48.98 dBm	-46.95 dB	-22.44 dB
-83.710 MHz	-82.710 MHz	2.000 MHz	6.58133 GHz	-49.88 dBm	-47.85 dB	-28.69 dB
82.710 MHz	83.710 MHz	2.000 MHz	6.74867 GHz	-37.64 dBm	-35.61 dB	-16.45 dB
83.710 MHz	165.410 MHz	2.000 MHz	6.74907 GHz	-37.77 dBm	-35.74 dB	-15.71 dB
165.410 MHz	248.120 MHz	2.000 MHz	6.91268 GHz	-54.40 dBm	-52.38 dB	-12.44 dB
248.120 MHz	400.000 MHz	2.000 MHz	6.91340 GHz	-54.49 dBm	-52.47 dB	-12.47 dB

Date: 18.AUG.2024 05:56:05

11AX160MIMO_Ant10_6665_996Tone_RU68



Spectrum Emission Mask Standard: None

Peak Power -3.05 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-248.120 MHz	2.000 MHz	6.41452 GHz	-55.59 dBm	-52.54 dB	-12.54 dB
-248.120 MHz	-165.410 MHz	2.000 MHz	6.41708 GHz	-55.85 dBm	-52.80 dB	-12.83 dB
-165.410 MHz	-83.710 MHz	2.000 MHz	6.49979 GHz	-54.21 dBm	-51.16 dB	-23.18 dB
-83.710 MHz	-82.710 MHz	2.000 MHz	6.58133 GHz	-52.12 dBm	-49.08 dB	-29.91 dB
82.710 MHz	83.710 MHz	2.000 MHz	6.74867 GHz	-38.12 dBm	-35.07 dB	-15.91 dB
83.710 MHz	165.410 MHz	2.000 MHz	6.74875 GHz	-37.96 dBm	-34.91 dB	-14.91 dB
165.410 MHz	248.120 MHz	2.000 MHz	6.91268 GHz	-54.77 dBm	-51.72 dB	-11.78 dB
248.120 MHz	400.000 MHz	2.000 MHz	6.91372 GHz	-54.76 dBm	-51.71 dB	-11.71 dB

Date: 18.AUG.2024 05:57:54

11AX160MIMO_Ant8_6825_996Tone_RU67



Spectrum Emission Mask Standard: None

Peak Power -2.17 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-246.980 MHz	2.000 MHz	6.57030 GHz	-54.47 dBm	-52.30 dB	-12.30 dB
-246.980 MHz	-164.650 MHz	2.000 MHz	6.57854 GHz	-55.06 dBm	-52.89 dB	-12.96 dB
-164.650 MHz	-83.330 MHz	2.000 MHz	6.74163 GHz	-34.93 dBm	-32.76 dB	-12.76 dB
-83.330 MHz	-82.330 MHz	2.000 MHz	6.74171 GHz	-35.46 dBm	-33.29 dB	-14.12 dB
82.330 MHz	83.330 MHz	2.000 MHz	6.90829 GHz	-46.83 dBm	-44.67 dB	-25.50 dB
83.330 MHz	164.650 MHz	2.000 MHz	6.97272 GHz	-49.64 dBm	-47.47 dB	-21.14 dB
164.650 MHz	246.980 MHz	2.000 MHz	7.07130 GHz	-57.13 dBm	-54.97 dB	-15.06 dB
246.980 MHz	400.000 MHz	2.000 MHz	7.07434 GHz	-57.19 dBm	-55.02 dB	-15.02 dB

Date: 18.AUG.2024 06:00:48

11AX160MIMO_Ant10_6825_996Tone_RU67



Spectrum Emission Mask Standard: None

Peak Power -3.17 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-245.840 MHz	2.000 MHz	6.57760 GHz	-53.25 dBm	-50.08 dB	-10.08 dB
-245.840 MHz	-163.890 MHz	2.000 MHz	6.57920 GHz	-54.34 dBm	-51.17 dB	-11.17 dB
-163.890 MHz	-82.950 MHz	2.000 MHz	6.74185 GHz	-35.75 dBm	-32.58 dB	-12.56 dB
-82.950 MHz	-81.950 MHz	2.000 MHz	6.74209 GHz	-36.13 dBm	-32.95 dB	-13.79 dB
81.950 MHz	82.950 MHz	2.000 MHz	6.90791 GHz	-49.67 dBm	-46.50 dB	-27.33 dB
82.950 MHz	163.890 MHz	2.000 MHz	6.97516 GHz	-47.84 dBm	-44.67 dB	-18.03 dB
163.890 MHz	245.840 MHz	2.000 MHz	7.06424 GHz	-55.61 dBm	-52.44 dB	-13.41 dB
245.840 MHz	400.000 MHz	2.000 MHz	7.07664 GHz	-56.48 dBm	-53.31 dB	-13.31 dB

Date: 18.AUG.2024 06:01:30

11AX160MIMO_Ant8_6985_996Tone_RU68



Spectrum Emission Mask Standard: None

Peak Power -2.86 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-247.550 MHz	2.000 MHz	6.73541 GHz	-53.46 dBm	-50.61 dB	-10.61 dB
-247.550 MHz	-165.030 MHz	2.000 MHz	6.73765 GHz	-54.42 dBm	-51.56 dB	-11.59 dB
-165.030 MHz	-83.520 MHz	2.000 MHz	6.82321 GHz	-50.84 dBm	-47.98 dB	-20.30 dB
-83.520 MHz	-82.520 MHz	2.000 MHz	6.90152 GHz	-49.82 dBm	-46.96 dB	-27.79 dB
82.520 MHz	83.520 MHz	2.000 MHz	7.06848 GHz	-37.54 dBm	-34.68 dB	-15.52 dB
83.520 MHz	165.030 MHz	2.000 MHz	7.06872 GHz	-37.03 dBm	-34.17 dB	-14.15 dB
165.030 MHz	247.550 MHz	2.000 MHz	7.22331 GHz	-55.04 dBm	-52.18 dB	-13.53 dB
247.550 MHz	400.000 MHz	2.000 MHz	7.26044 GHz	-56.78 dBm	-53.92 dB	-13.92 dB

Date: 18.AUG.2024 06:03:45

11AX160MIMO_Ant10_6985_996Tone_RU68



Spectrum Emission Mask Standard: None

Peak Power -4.31 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-248.120 MHz	2.000 MHz	6.73612 GHz	-54.17 dBm	-49.86 dB	-9.86 dB
-248.120 MHz	-165.410 MHz	2.000 MHz	6.73756 GHz	-54.12 dBm	-49.81 dB	-9.91 dB
-165.410 MHz	-83.710 MHz	2.000 MHz	6.86012 GHz	-44.34 dBm	-40.03 dB	-16.00 dB
-83.710 MHz	-82.710 MHz	2.000 MHz	6.90133 GHz	-50.42 dBm	-46.11 dB	-26.94 dB
82.710 MHz	83.710 MHz	2.000 MHz	7.06867 GHz	-39.87 dBm	-35.56 dB	-16.39 dB
83.710 MHz	165.410 MHz	2.000 MHz	7.06875 GHz	-39.99 dBm	-35.68 dB	-15.68 dB
165.410 MHz	248.120 MHz	2.000 MHz	7.23172 GHz	-57.52 dBm	-53.21 dB	-13.42 dB
248.120 MHz	400.000 MHz	2.000 MHz	7.38152 GHz	-57.34 dBm	-53.03 dB	-13.03 dB

Date: 18.AUG.2024 06:04:26

Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	**Temperature :**	24.2~25.6℃
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	**Phase :**	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq MHz	Level dBuV	Over Limit dB	Limit Line dBuV	Read Level dBuV	LISN Factor dB	Cable Loss dB	Remark
1	0.166	49.12	-16.04	65.16	38.59	0.11	10.42	QP
2	0.166	33.72	-21.44	55.16	23.19	0.11	10.42	Average
3	0.188	42.30	-21.81	64.11	31.80	0.09	10.41	QP
4	0.188	29.80	-24.31	54.11	19.30	0.09	10.41	Average
5	1.810	37.06	-18.94	56.00	27.19	-0.21	10.08	QP
6	1.810	29.06	-16.94	46.00	19.19	-0.21	10.08	Average
7	1.991	37.66	-18.34	56.00	27.80	-0.22	10.08	QP
8	1.991	30.06	-15.94	46.00	20.20	-0.22	10.08	Average
9	2.334	37.38	-18.62	56.00	27.51	-0.20	10.07	QP
10	2.334	30.78	-15.22	46.00	20.91	-0.20	10.07	Average
11	2.608	38.09	-17.91	56.00	28.20	-0.18	10.07	QP
12 *	2.608	31.19	-14.81	46.00	21.30	-0.18	10.07	Average

Test Engineer :	Amos Zhang	**Temperature :**	24.2~25.6℃
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	**Phase :**	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.166	49.74	-15.42	65.16	39.20	0.12	10.42	QP
2	0.166	34.04	-21.12	55.16	23.50	0.12	10.42	Average
3 *	0.181	49.74	-14.72	64.46	39.20	0.13	10.41	QP
4	0.181	35.04	-19.42	54.46	24.50	0.13	10.41	Average
5	0.242	42.58	-19.46	62.04	32.20	0.01	10.37	QP
6	0.242	30.68	-21.36	52.04	20.30	0.01	10.37	Average
7	0.589	35.62	-20.38	56.00	25.60	-0.16	10.18	QP
8	0.589	30.22	-15.78	46.00	20.20	-0.16	10.18	Average
9	2.500	33.07	-22.93	56.00	23.20	-0.20	10.07	QP
10	2.500	26.47	-19.53	46.00	16.60	-0.20	10.07	Average
11	2.707	32.47	-23.53	56.00	22.60	-0.20	10.07	QP
12	2.707	25.07	-20.93	46.00	15.20	-0.20	10.07	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)
3. The same data of conducted emission was used for indoor client mode and standard client mode.

Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Levi zhao	**Relative Humidity :**	41 ~ 42 %
		Temperature :	22 ~ 23 ℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 8+10	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	CDD 8+10	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	CDD 8+10	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE20	1	5955	MCS0	Full	-
Mode 5	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE20	1	5955	MCS0	RU106/53	-
Mode 6	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE20	49	6195	MCS0	Full	-
Mode 7	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE20	93	6415	MCS0	Full	-
Mode 8	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE40	3	5965	MCS0	Full	-
Mode 9	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE40	3	5965	MCS0	RU242/61	-
Mode 10	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE40	51	6025	MCS0	Full	-
Mode 11	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE40	91	6405	MCS0	Full	-
Mode 12	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE80	7	5985	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE80	7	5985	MCS0	RU484/65	-
Mode 14	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE80	55	6227	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE80	87	6385	MCS0	Full	-
Mode 16	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE160	15	6025	MCS0	Full	-
Mode 17	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE160	15	6025	MCS0	RU 996/67	-
Mode 18	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE160	47	6185	MCS0	Full	-
Mode 19	U-NII-5	5.925-6.425	CDD 8+10	802.11ax HE160	79	6345	MCS0	Full	-
Mode 20	U-NII-5	5.925-6.425	CDD 8+10	802.11a	97	6435	MCS0	-	-
Mode 21	U-NII-6	6.425-6.525	CDD 8+10	802.11a	105	6475	MCS0	-	-
Mode 22	U-NII-6	6.425-6.525	CDD 8+10	802.11a	113	6515	MCS0	-	-
Mode 23	U-NII-6	5.925-6.425	SDM 8+10	802.11ax HE20	97	6435	6Mbps	Full	-
Mode 24	U-NII-6	6.425-6.525	SDM 8+10	802.11ax HE20	105	6475	6Mbps	Full	-
Mode 25	U-NII-6	6.425-6.525	SDM 8+10	802.11ax HE20	113	6515	6Mbps	Full	-
Mode 26	U-NII-6	6.425-6.525	SDM 8+10	802.11ax HE40	99	6445	MCS0	Full	-
Mode 27	U-NII-6	6.425-6.525	SDM 8+10	802.11ax HE40	107	6485	MCS0	Full	-
Mode 28	U-NII-6	6.425-6.525	SDM 8+10	802.11ax HE40	115	6525	MCS0	Full	-
Mode 29	U-NII-8	6.425-6.525	SDM 8+10	802.11ax HE80	103	6465	MCS0	Full	-

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 30	U-NII-6	5.925-6.425	SDM 8+10	802.11ax HE160	111	6505	MCS0	Full	-
Mode 31	U-NII-7	6.525-6.875	CDD 8+10	802.11a	117	6535	6Mbps	-	-
Mode 32	U-NII-7	6.525-6.875	CDD 8+10	802.11a	149	6695	6Mbps	-	-
Mode 33	U-NII-7	6.525-6.875	CDD 8+10	802.11a	181	6855	6Mbps	-	-
Mode 34	U-NII-8	6.525-6.875	CDD 8+10	802.11a	185	6875	6Mbps	-	-
Mode 35	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE20	117	6535	MCS0	Full	-
Mode 36	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE20	149	6695	MCS0	Full	-
Mode 37	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE20	181	6855	MCS0	Full	-
Mode 38	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE20	185	6875	MCS0	Full	-
Mode 39	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE40	123	6565	MCS0	Full	-
Mode 40	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE40	147	6685	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE40	179	6845	MCS0	Full	-
Mode 42	U-NII-8	6.875-7.125	CDD 8+10	802.11ax HE40	187	6885	MCS0	Full	-
Mode 43	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE80	135	6625	MCS0	Full	-
Mode 44	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE80	151	6705	MCS0	Full	-
Mode 45	U-NII-7	6.525-6.875	CDD 8+10	802.11ax HE80	167	6785	MCS0	Full	-
Mode 46	U-NII-8	6.525-6.875	CDD 8+10	802.11ax HE80	183	6865	MCS0	Full	-
Mode 47	U-NII-7	5.925-6.425	CDD 8+10	802.11ax HE160	143	6665	MCS0	Full	-
Mode 48	U-NII-8	5.925-6.425	CDD 8+10	802.11ax HE160	175	6825	MCS0	Full	-
Mode 49	U-NII-8	6.875-7.125	CDD 8+10	802.11a	189	6895	6Mbps	-	-
Mode 50	U-NII-8	6.875-7.125	CDD 8+10	802.11a	209	6995	6Mbps	-	-
Mode 51	U-NII-8	6.875-7.125	CDD 8+10	802.11a	233	7115	6Mbps	-	-
Mode 52	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	189	6895	MCS0	Full	-
Mode 53	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	209	6995	MCS0	Full	-
Mode 54	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	233	7115	MCS0	Full	-
Mode 55	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE20	233	7115	MCS0	RU106/54	-
Mode 56	U-NII-8	6.525-6.875	SDM 8+10	802.11ax HE40	195	6925	MCS0	Full	-
Mode 57	U-NII-8	6.525-6.875	SDM 8+10	802.11ax HE40	211	7005	MCS0	Full	-
Mode 58	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE40	227	7085	MCS0	Full	-
Mode 59	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE40	227	7085	MCS0	RU242/62	-
Mode 60	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE80	199	6945	MCS0	Full	-
Mode 61	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE80	215	7025	MCS0	Full	-
Mode 62	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE80	215	7025	MCS0	RU484/66	-
Mode 63	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE160	207	6985	MCS0	Full	-
Mode 64	U-NII-8	6.875-7.125	SDM 8+10	802.11ax HE160	207	6985	MCS0	RU996/68	-

Co-location

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 65	2400-2483.5	2400-2483.5	CDD 7+9	802.11g	01	2462	6Mbps	Full	-
	U-NII-8	6.875-7.125	CDD 8+10	802.11ax20	233	7115	MCS0	Full	-
	Part27F B13 BW=5M								
Mode 66	2400-2483.5	Bluetooth-LE	7	Bluetooth-LE	39	2480	2Mbps	-	-
	2400-2483.5	2400-2483.5	9	802.11g	01	2462	6Mbps	Full	-
	U-NII-8	6.875-7.125	CDD 8+10	802.11ax20	233	7115	MCS0	Full	-
	Part27F B13 BW=5M								
Mode 67	2400-2483.5	2400-2483.5	CDD 7+9	802.11g	01	2462	6Mbps	Full	-
	U-NII-8	6.875-7.125	CDD 8+10	802.11ax20	233	7115	MCS0	Full	-
	RFID 902.75								
Mode 68	2400-2483.5	Bluetooth-LE	7	Bluetooth-LE	39	2480	2Mbps	-	-
	2400-2483.5	2400-2483.5	9	802.11g	01	2462	6Mbps	Full	-
	U-NII-8	6.875-7.125	CDD 8+10	802.11ax20	233	7115	MCS0	Full	-
	RFID 902.75								

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5922.63	45.49	68.20	-22.71	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	46.78	74.00	-27.22	H	PEAK	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	46.03	74.00	-27.97	V	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	45.63	88.20	-42.57	V	PEAK	Pass	Harmonic
4	802.11ax HE20	1	5924.71	44.93	68.20	-23.27	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	46.61	74.00	-27.39	H	PEAK	Pass	Harmonic
5	802.11ax HE20	1	5924.71	44.33	68.20	-23.87	H	AVERAGE	Pass	Band Edge
5	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
6	802.11ax HE20	49	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	49	12390.00	46.74	74.00	-27.26	H	PEAK	Pass	Harmonic
7	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
7	802.11ax HE20	93	12830.00	46.16	88.20	-42.04	H	PEAK	Pass	Harmonic
8	802.11ax HE40	3	5922.30	45.12	68.20	-23.08	H	AVERAGE	Pass	Band Edge
8	802.11ax HE40	3	11930.00	46.55	74.00	-27.45	V	PEAK	Pass	Harmonic
9	802.11ax HE40	3	5923.84	66.36	88.20	-21.84	V	PEAK	Pass	Band Edge
9	802.11ax HE40	3	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE40	51	-	-	-	-	-	-	-	Band Edge
10	802.11ax HE40	51	12050.00	45.86	74.00	-28.14	H	PEAK	Pass	Harmonic
11	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE40	91	12810.00	45.56	88.20	-42.64	V	PEAK	Pass	Harmonic
12	802.11ax HE80	7	5917.80	46.29	68.20	-21.91	V	AVERAGE	Pass	Band Edge
12	802.11ax HE80	7	11970.00	44.98	74.00	-29.02	V	PEAK	Pass	Harmonic
13	802.11ax HE80	7	5924.36	45.08	68.20	-23.12	H	AVERAGE	Pass	Band Edge
13	802.11ax HE80	7	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE80	55	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE80	55	12454.00	45.57	74.00	-28.43	V	PEAK	Pass	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE80	87	12770.00	44.14	88.20	-44.06	H	PEAK	Pass	Harmonic
16	802.11ax HE160	15	5887.80	48.13	68.20	-20.07	V	AVERAGE	Pass	Band Edge
16	802.11ax HE160	15	12050.00	45.64	74.00	-28.36	V	PEAK	Pass	Harmonic
17	802.11ax HE160	15	5906.60	71.83	88.20	-16.37	V	PEAK	Pass	Band Edge
17	802.11ax HE160	15	-	-	-	-	-	-	-	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
18	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE160	47	12370.00	45.32	74.00	-28.68	H	PEAK	Pass	Harmonic
19	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE160	79	12690.00	44.72	74.00	-29.28	H	PEAK	Pass	Harmonic
20	802.11a	97	-	-	-	-	-	-	-	Band Edge
20	802.11a	97	12870.00	46.99	88.20	-41.21	H	PEAK	Pass	Harmonic
21	802.11a	105	-	-	-	-	-	-	-	Band Edge
21	802.11a	105	12950.00	46.49	88.20	-41.71	H	PEAK	Pass	Harmonic
22	802.11a	113	-	-	-	-	-	-	-	Band Edge
22	802.11a	113	13030.00	47.13	88.20	-41.07	V	PEAK	Pass	Harmonic
23	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	97	12870.00	47.08	88.20	-41.12	V	PEAK	Pass	Harmonic
24	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE20	105	12950.00	46.47	88.20	-41.73	V	PEAK	Pass	Harmonic
25	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE20	113	13030.00	46.46	88.20	-41.74	H	PEAK	Pass	Harmonic
26	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	99	12890.00	46.61	88.20	-41.59	H	PEAK	Pass	Harmonic
27	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	107	12970.00	45.57	88.20	-42.63	V	PEAK	Pass	Harmonic
28	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	115	13050.00	45.99	88.20	-42.21	H	PEAK	Pass	Harmonic
29	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE80	103	12930.00	44.72	88.20	-43.48	H	PEAK	Pass	Harmonic
30	802.11ax HE160	111	5924.28	44.22	68.20	-23.98	V	AVERAGE	Pass	Band Edge
30	802.11ax HE160	111	13010.00	44.27	88.20	-43.93	H	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	46.39	88.20	-41.81	H	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	45.21	74.00	-28.79	V	PEAK	Pass	Harmonic
33	802.11a	181	-	-	-	-	-	-	-	Band Edge
33	802.11a	181	13710.00	45.10	88.20	-43.10	V	PEAK	Pass	Harmonic
34	802.11a	185	-	-	-	-	-	-	-	Band Edge
34	802.11a	185	13750.00	46.05	88.20	-42.15	V	PEAK	Pass	Harmonic
35	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	117	13070.00	46.64	88.20	-41.56	H	PEAK	Pass	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
36	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	149	13390.00	47.09	74.00	-26.91	V	PEAK	Pass	Harmonic
37	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	181	13710.00	45.79	88.20	-42.41	V	PEAK	Pass	Harmonic
38	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	185	13750.00	45.96	88.20	-42.24	V	PEAK	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	46.51	88.20	-41.69	V	PEAK	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	45.95	74.00	-28.05	V	PEAK	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	45.43	88.20	-42.77	V	PEAK	Pass	Harmonic
42	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE40	187	13770.00	45.32	88.20	-42.88	V	PEAK	Pass	Harmonic
43	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	135	13250.00	45.94	74.00	-28.06	V	PEAK	Pass	Harmonic
44	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	151	13410.00	45.68	88.20	-42.52	H	PEAK	Pass	Harmonic
45	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE80	167	13570.00	44.79	88.20	-43.41	H	PEAK	Pass	Harmonic
46	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE80	183	13730.00	45.28	88.20	-42.92	H	PEAK	Pass	Harmonic
47	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	143	13330.00	45.42	74.00	-28.58	H	PEAK	Pass	Harmonic
48	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	175	13650.00	45.49	88.20	-42.71	H	PEAK	Pass	Harmonic
49	802.11a	189	-	-	-	-	-	-	-	Band Edge
49	802.11a	189	13790.00	45.86	88.20	-42.34	V	PEAK	Pass	Harmonic
50	802.11a	209	-	-	-	-	-	-	-	Band Edge
50	802.11a	209	13990.00	45.56	88.20	-42.64	V	PEAK	Pass	Harmonic
51	802.11a	233	7125.01	57.23	68.20	-10.97	H	AVERAGE	Pass	Band Edge
51	802.11a	233	14230.00	45.34	88.20	-42.86	V	PEAK	Pass	Harmonic
52	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE20	189	13790.00	44.97	88.20	-43.23	V	PEAK	Pass	Harmonic
53	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE20	209	13990.00	45.43	88.20	-42.77	V	PEAK	Pass	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
54	802.11ax HE20	233	7125.01	66.90	68.20	-1.30	H	AVERAGE	Pass	Band Edge
54	802.11ax HE20	233	14230.00	45.77	88.20	-42.43	H	PEAK	Pass	Harmonic
55	802.11ax HE20	233	7125.01	66.63	68.20	-1.57	H	AVERAGE	Pass	Band Edge
55	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE40	195	13850.00	45.11	88.20	-43.09	H	PEAK	Pass	Harmonic
57	802.11ax HE40	211	-	-	-	-	-	-	-	Band Edge
57	802.11ax HE40	211	14010.00	45.56	88.20	-42.64	H	PEAK	Pass	Harmonic
58	802.11ax HE40	227	7125.00	45.57	68.20	-22.63	H	AVERAGE	Pass	Band Edge
58	802.11ax HE40	227	14170.00	45.76	88.20	-42.44	V	PEAK	Pass	Harmonic
59	802.11ax HE40	227	7149.48	45.23	68.20	-22.97	H	AVERAGE	Pass	Band Edge
59	802.11ax HE40	227	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE80	199	13890.00	44.53	88.20	-43.67	V	PEAK	Pass	Harmonic
61	802.11ax HE80	215	7152.16	45.34	68.20	-22.86	H	AVERAGE	Pass	Band Edge
61	802.11ax HE80	215	14050.00	44.97	88.20	-43.23	H	PEAK	Pass	Harmonic
62	802.11ax HE80	215	7151.50	45.16	68.20	-23.04	H	AVERAGE	Pass	Band Edge
62	802.11ax HE80	215	-	-	-	-	-	-	-	Harmonic
63	802.11ax HE160	207	7132.12	46.80	68.20	-21.40	H	AVERAGE	Pass	Band Edge
63	802.11ax HE160	207	13970.00	44.68	88.20	-43.52	V	PEAK	Pass	Harmonic
64	802.11ax HE160	207	7153.24	45.31	68.20	-22.89	H	AVERAGE	Pass	Band Edge
64	802.11ax HE160	207	-	-	-	-	-	-	-	Harmonic

Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
65	802.11g	01	2389.95	50.79	54.00	-3.21	H	AVERAGE	Pass	Band Edge
	802.11g	01	4824.00	42.55	74.00	-31.45	V	PEAK	Pass	Harmonic
	802.11ax20	233	7125.00	66.29	68.20	-1.91	V	AVERAGE	Pass	Band Edge
	802.11ax20	233	14230.00	45.38	88.20	-42.82	H	PEAK	Pass	Harmonic
66	Bluetooth-LE	39	2483.50	46.18	54.00	-7.82	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	7440.10	40.75	74.00	-33.25	H	PEAK	Pass	Harmonic
	802.11g	01	2389.95	47.20	54.00	-6.80	H	AVERAGE	Pass	Band Edge
	802.11g	01	4824.00	41.28	74.00	-32.72	V	PEAK	Pass	Harmonic
	802.11ax20	233	7125.00	67.06	68.20	-1.14	V	AVERAGE	Pass	Band Edge
	802.11ax20	233	14230.00	45.93	88.20	-42.27	V	PEAK	Pass	Harmonic
67	802.11g	01	2389.95	49.15	54.00	-4.85	H	AVERAGE	Pass	Band Edge
	802.11g	01	4824.00	41.39	74.00	-32.61	V	PEAK	Pass	Harmonic
	802.11ax20	233	7125.00	65.87	68.20	-2.33	H	AVERAGE	Pass	Band Edge
	802.11ax20	233	14230.00	45.22	88.20	-42.98	H	PEAK	Pass	Harmonic
68	Bluetooth-LE	39	2483.50	46.72	54.00	-7.28	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	7440.00	41.13	74.00	-32.87	V	PEAK	Pass	Harmonic
	802.11g	01	2389.95	47.01	54.00	-6.99	H	AVERAGE	Pass	Band Edge
	802.11g	01	4824.00	41.73	74.00	-32.27	V	PEAK	Pass	Harmonic
	802.11ax20	233	7125.00	66.85	68.20	-1.35	V	AVERAGE	Pass	Band Edge
	802.11ax20	233	14230.00	45.78	88.20	-42.42	H	PEAK	Pass	Harmonic

Mode	1	
	Band Edge	
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.32 57.36 88.20 -30.84 43.96 35.05 10.51 32.16 0.00 154 309 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 111.34 ------ ------ 97.77 35.20 10.54 32.17 0.00 154 309 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5922.63 45.49 68.20 -22.71 32.10 35.04 10.51 32.16 0.00 154 309 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 103.09 ------ ------ 89.47 35.24 10.55 32.17 0.00 154 309 AVERAGE

Mode	1	
	Band Edge	
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5836.83 55.78 88.20 -32.42 42.79 34.67 10.44 32.12 0.00 116 39 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 109.45 ------ ------ 95.88 35.20 10.54 32.17 0.00 116 39 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5922.11 44.70 68.20 -23.50 31.32 35.03 10.51 32.16 0.00 116 39 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 101.42 ------ ------ 87.80 35.24 10.55 32.17 0.00 116 39 AVERAGE

Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11910.00 46.78 74.00 -27.22 54.16 38.70 15.21 61.29 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11910.00 46.29 74.00 -27.71 53.67 38.70 15.21 61.29 0.00 --- --- PEAK

Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_Full_6195MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12390.00 45.89 74.00 -28.11 53.13 38.80 15.57 61.61 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12390.00 46.03 74.00 -27.97 53.27 38.80 15.57 61.61 0.00 --- --- PEAK

Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_Full_6415MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12830.00 45.51 88.20 -42.69 52.21 39.33 15.92 61.95 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12830.00 45.63 88.20 -42.57 52.33 39.33 15.92 61.95 0.00 --- --- PEAK

Mode	4	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.45 56.44 88.20 -31.76 43.03 35.05 10.52 32.16 0.00 191 309 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 110.74 ------ ------ 97.12 35.24 10.55 32.17 0.00 191 309 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.71 44.93 68.20 -23.27 31.52 35.05 10.52 32.16 0.00 191 309 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 102.27 ------ ------ 88.70 35.20 10.54 32.17 0.00 191 309 AVERAGE

Mode	4	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5855.68 56.36 88.20 -31.84 43.35 34.72 10.45 32.16 0.00 100 37 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 109.69 ------ ------ 96.07 35.24 10.55 32.17 0.00 100 37 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5921.07 44.49 68.20 -23.71 31.11 35.03 10.51 32.16 0.00 100 37 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 100.48 ------ ------ 86.91 35.20 10.54 32.17 0.00 100 37 AVERAGE

Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11910.00 46.61 74.00 -27.39 53.99 38.70 15.21 61.29 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11910.00 46.34 74.00 -27.66 53.72 38.70 15.21 61.29 0.00 --- --- PEAK

Mode	5	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5907.94 58.43 88.20 -29.77 45.14 34.95 10.50 32.16 0.00 147 311 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 110.12 ------ ------ 96.55 35.20 10.54 32.17 0.00 147 311 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.71 44.33 68.20 -23.87 30.92 35.05 10.52 32.16 0.00 147 311 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 101.03 ------ ------ 87.46 35.20 10.54 32.17 0.00 147 311 AVERAGE

Mode	5	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU106/53_5955MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5917.69 59.26 88.20 -28.94 45.90 35.01 10.51 32.16 0.00 103 37 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 112.03 ------ ------ 98.46 35.20 10.54 32.17 0.00 103 37 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5919.77 44.16 68.20 -24.04 30.79 35.02 10.51 32.16 0.00 103 37 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5955.00 100.53 ------ ------ 86.96 35.20 10.54 32.17 0.00 103 37 AVERAGE

Mode	6	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full_6195MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12390.00 46.74 74.00 -27.26 53.98 38.80 15.57 61.61 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12390.00 46.53 74.00 -27.47 53.77 38.80 15.57 61.61 0.00 --- --- PEAK

Mode	7	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full_6415MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12830.00 46.16 88.20 -42.04 52.86 39.33 15.92 61.95 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12830.00 45.97 88.20 -42.23 52.67 39.33 15.92 61.95 0.00 --- --- PEAK

Mode	8	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5919.92 57.45 88.20 -30.75 44.08 35.02 10.51 32.16 0.00 155 310 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 108.65 ------ ------ 95.03 35.24 10.55 32.17 0.00 155 310 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5922.30 45.12 68.20 -23.08 31.74 35.03 10.51 32.16 0.00 155 310 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 98.76 ------ ------ 85.14 35.24 10.55 32.17 0.00 155 310 AVERAGE

Mode	8	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5908.72 56.37 88.20 -31.83 43.08 34.95 10.50 32.16 0.00 100 37 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 107.15 ------ ------ 93.50 35.27 10.55 32.17 0.00 100 37 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5919.08 44.77 68.20 -23.43 31.41 35.01 10.51 32.16 0.00 100 37 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 96.92 ------ ------ 83.30 35.24 10.55 32.17 0.00 100 37 AVERAGE

Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11930.00 45.90 74.00 -28.10 53.28 38.70 15.22 61.30 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11930.00 46.55 74.00 -27.45 53.93 38.70 15.22 61.30 0.00 --- --- PEAK

Mode	9	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_RU242/61_5965MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5916.56 65.02 88.20 -23.18 51.67 35.00 10.51 32.16 0.00 182 311 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 107.87 ------ ------ 94.25 35.24 10.55 32.17 0.00 182 311 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.82 45.66 68.20 -22.54 32.25 35.05 10.52 32.16 0.00 182 311 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 98.08 ------ ------ 84.51 35.20 10.54 32.17 0.00 182 311 AVERAGE

Mode	9	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_RU242/61_5965MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5923.84 66.36 88.20 -21.84 52.97 35.04 10.51 32.16 0.00 100 36 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 105.54 ------ ------ 91.92 35.24 10.55 32.17 0.00 100 36 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5923.14 45.13 68.20 -23.07 31.74 35.04 10.51 32.16 0.00 100 36 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 97.42 ------ ------ 83.85 35.20 10.54 32.17 0.00 100 36 AVERAGE

Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full_6025MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 45.86 74.00 -28.14 53.16 38.75 15.31 61.36 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 45.80 74.00 -28.20 53.10 38.75 15.31 61.36 0.00 --- --- PEAK

Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full_6405MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12810.00 45.33 88.20 -42.87 52.05 39.31 15.90 61.93 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12810.00 45.56 88.20 -42.64 52.28 39.31 15.90 61.93 0.00 --- --- PEAK

Mode	12	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5920.04 56.60 88.20 -31.60 43.23 35.02 10.51 32.16 0.00 185 309 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 104.86 ------ ------ 91.12 35.34 10.57 32.17 0.00 185 309 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5920.20 45.70 68.20 -22.50 32.33 35.02 10.51 32.16 0.00 185 309 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 95.17 ------ ------ 81.43 35.34 10.57 32.17 0.00 185 309 AVERAGE

Mode	12	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5917.64 57.04 88.20 -31.16 43.68 35.01 10.51 32.16 0.00 109 39 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 104.88 ------ ------ 91.14 35.34 10.57 32.17 0.00 109 39 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5917.80 46.29 68.20 -21.91 32.93 35.01 10.51 32.16 0.00 109 39 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 93.72 ------ ------ 80.02 35.31 10.56 32.17 0.00 109 39 AVERAGE

Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11970.00 44.92 74.00 -29.08 52.28 38.70 15.25 61.31 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11970.00 44.98 74.00 -29.02 52.34 38.70 15.25 61.31 0.00 --- --- PEAK

Mode	13	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_RU484/65_5985MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5882.76 58.91 88.20 -29.29 45.76 34.83 10.48 32.16 0.00 191 310 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 104.12 ------ ------ 90.55 35.20 10.54 32.17 0.00 191 310 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.36 45.08 68.20 -23.12 31.67 35.05 10.52 32.16 0.00 191 310 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 94.75 ------ ------ 81.13 35.24 10.55 32.17 0.00 191 310 AVERAGE

Mode	13	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_RU484/65_5985MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5866.60 58.40 88.20 -29.80 45.33 34.77 10.46 32.16 0.00 100 36 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 102.72 ------ ------ 89.15 35.20 10.54 32.17 0.00 100 36 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.52 44.59 68.20 -23.61 31.18 35.05 10.52 32.16 0.00 100 36 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 93.28 ------ ------ 79.71 35.20 10.54 32.17 0.00 100 36 AVERAGE

Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full_6227MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12454.00 44.48 74.00 -29.52 51.67 38.85 15.62 61.66 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12454.00 45.57 74.00 -28.43 52.76 38.85 15.62 61.66 0.00 --- --- PEAK