





DH5_Ant7_2480




2DH1_Ant7_2402






2DH1_Ant7_2441




2DH1_Ant7_2480







3DH1_Ant7_2402



3DH1_Ant7_2441







Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]
DH5	Ant7	2402	0.83	2401.5804	2402.4106
		2441	0.833	2440.5774	2441.4106
		2480	0.83	2479.5804	2480.4106
2DH1	Ant7	2402	1.166	2401.4096	2402.5754
		2441	1.166	2440.4096	2441.5754
		2480	1.166	2479.4096	2480.5754
3DH1	Ant7	2402	1.151	2401.4336	2402.5844
		2441	1.148	2440.4336	2441.5814
		2480	1.148	2479.4336	2480.5814




Test Graphs






DH5_Ant7_2480



Date: 22.JUL.2024 02:18:35


2DH1_Ant7_2402




Date: 22.JUL.2024 02:19:50



2DH1_Ant7_2441




2DH1_Ant7_2480







3DH1_Ant7_2402



3DH1_Ant7_2441







Maximum conducted output power

Test Result Peak

TestMode	Antenna	CH.	Peak Power (dBm)	Power Limit (dBm)	Pass/Fail
DH5	Ant7	0	3.39	20.97	Pass
		39	3.32	20.97	Pass
		78	3.56	20.97	Pass
2DH5	Ant7	0	2.61	20.97	Pass
		39	2.98	20.97	Pass
		78	1.85	20.97	Pass
3DH5	Ant7	0	3.04	20.97	Pass
		39	3.36	20.97	Pass
		78	2.38	20.97	Pass



Carrier frequency separation

Test Result

TestMode	Antenna	Freq(MHz)	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant7	2402	1.009	≥ 0.620	PASS
		2441	1.009	≥ 0.620	PASS
		2480	0.83	≥ 0.620	PASS
2DH1	Ant7	2402	0.996	≥ 0.840	PASS
		2441	1.009	≥ 0.840	PASS
		2480	0.991	≥ 0.840	PASS
3DH1	Ant7	2402	1.013	≥ 0.833	PASS
		2441	0.996	≥ 0.833	PASS
		2480	0.991	≥ 0.833	PASS




Test Graphs






DH5_Ant7_2480




2DH1_Ant7_2402






2DH1_Ant7_2441




2DH1_Ant7_2480







3DH1_Ant7_2402



3DH1_Ant7_2441








Time of occupancy

Test Result

TestMode	Antenna	Hopping Channel Number Rate	Hops Over Occupancy Time(hops)	Package Transfer Time (msec) (MHz)	Dwell Time (sec)	Limits (sec)	Pass/Fail
Normal	Ant7	79	106.67	2.8913	0.31	0.4	Pass
AFH	Ant7	20	53.33	2.8913	0.15	0.4	Pass

Test Graphs






Number of hopping channels

Test Result

TestMode	Antenna	Freq(MHz)	Result[Num]	Limit[Num]	Verdict
DH5	Ant7	Hop	79	≥15	PASS

Test Graphs






Band edge measurements


Test Result

TestMode	Antenna	ChName	Freq(MHz)	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant7	Low	2402	3.24	-55.76	≤-16.76	PASS
		High	2480	3.52	-57.01	≤-16.48	PASS
		Low	Hop_2402	2.24	-46.03	≤-17.76	PASS
		High	Hop_2480	3.14	-45.34	≤-16.86	PASS
2DH1	Ant7	Low	2402	0.71	-55.43	≤-19.29	PASS
		High	2480	0.32	-57.68	≤-19.68	PASS
		Low	Hop_2402	0.29	-46.85	≤-19.71	PASS
		High	Hop_2480	0.45	-47.1	≤-19.55	PASS
3DH1	Ant7	Low	2402	0.71	-57.66	≤-19.29	PASS
		High	2480	0.30	-57.64	≤-19.7	PASS
		Low	Hop_2402	0.40	-47.5	≤-19.6	PASS
		High	Hop_2480	0.46	-47.11	≤-19.54	PASS




Test Graphs








2DH1_Ant7_Low_2402




2DH1_Ant7_High_2480






2DH1_Ant7_Low_Hop_2402




2DH1_Ant7_High_Hop_2480






3DH1_Ant7_Low_2402




3DH1_Ant7_High_2480






3DH1_Ant7_Low_Hop_2402



3DH1_Ant7_High_Hop_2480






Conducted Spurious Emission


Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant7	2402	Reference	3.49	3.49	---	PASS
			30~1000	3.49	-49.68	≤-16.51	PASS
			1000~26500	3.49	-42.62	≤-16.51	PASS
		2441	Reference	3.21	3.21	---	PASS
			30~1000	3.21	-49.91	≤-16.79	PASS
			1000~26500	3.21	-43.35	≤-16.79	PASS
		2480	Reference	3.68	3.68	---	PASS
			30~1000	3.68	-50.04	≤-16.32	PASS
			1000~26500	3.68	-42.73	≤-16.32	PASS
2DH1	Ant7	2402	Reference	0.96	0.96	---	PASS
			30~1000	0.96	-49.86	≤-19.04	PASS
			1000~26500	0.96	-44	≤-19.04	PASS
		2441	Reference	1.25	1.25	---	PASS
			30~1000	1.25	-49.08	≤-18.75	PASS
			1000~26500	1.25	-43.7	≤-18.75	PASS
		2480	Reference	0.34	0.34	---	PASS
			30~1000	0.34	-49.42	≤-19.66	PASS
			1000~26500	0.34	-43.59	≤-19.66	PASS
3DH1	Ant7	2402	Reference	0.98	0.98	---	PASS
			30~1000	0.98	-49.62	≤-19.02	PASS
			1000~26500	0.98	-43.61	≤-19.02	PASS
		2441	Reference	1.24	1.24	---	PASS
			30~1000	1.24	-49.81	≤-18.76	PASS
			1000~26500	1.24	-43.06	≤-18.76	PASS
		2480	Reference	0.38	0.38	---	PASS
			30~1000	0.38	-49.47	≤-19.62	PASS
			1000~26500	0.38	-43.81	≤-19.62	PASS




Test Graphs










DH5_Ant7_2441_30~1000





DH5_Ant7_2441_1000~26500

















2DH1_Ant7_2441_1000~26500





2DH1_Ant7_2480_0~Reference


















Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.156	47.43	-18.26	65.69	36.89	0.12	10.42	QP
2	0.156	30.73	-24.96	55.69	20.19	0.12	10.42	Average
3	0.174	49.71	-15.06	64.77	39.20	0.10	10.41	QP
4	0.174	35.81	-18.96	54.77	25.30	0.10	10.41	Average
5	0.238	42.66	-19.51	62.17	32.20	0.08	10.38	QP
6	0.238	30.36	-21.81	52.17	19.90	0.08	10.38	Average
7	1.949	36.46	-19.54	56.00	26.60	-0.22	10.08	QP
8	1.949	28.36	-17.64	46.00	18.50	-0.22	10.08	Average
9	2.213	38.07	-17.93	56.00	28.19	-0.20	10.08	QP
10	2.213	31.07	-14.93	46.00	21.19	-0.20	10.08	Average
11	2.500	38.09	-17.91	56.00	28.21	-0.19	10.07	QP
12 *	2.500	31.19	-14.81	46.00	21.31	-0.19	10.07	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.164	50.44	-14.81	65.25	39.90	0.12	10.42	QP
2	0.164	34.74	-20.51	55.25	24.20	0.12	10.42	Average
3	0.174	48.74	-16.03	64.77	38.20	0.13	10.41	QP
4	0.174	35.14	-19.63	54.77	24.60	0.13	10.41	Average
5	0.222	41.96	-20.78	62.74	31.51	0.06	10.39	QP
6	0.222	29.36	-23.38	52.74	18.91	0.06	10.39	Average
7	0.541	36.25	-19.75	56.00	26.20	-0.15	10.20	QP
8	0.541	31.15	-14.85	46.00	21.10	-0.15	10.20	Average
9	0.589	35.52	-20.48	56.00	25.50	-0.16	10.18	QP
10	0.589	30.62	-15.38	46.00	20.60	-0.16	10.18	Average
11	2.650	33.07	-22.93	56.00	23.20	-0.20	10.07	QP
12	2.650	25.77	-20.23	46.00	15.90	-0.20	10.07	Average

Note:

- Level(dBuV) = Read Level(dBuV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBuV) – Limit Line(dBuV)

Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23°C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	7	Bluetooth BR_GFSK	0	2402	DH5	-	-
Mode 2	2400-2483.5	7	Bluetooth BR_GFSK	39	2441	DH5	-	-
Mode 3	2400-2483.5	7	Bluetooth BR_GFSK	78	2480	DH5	-	-

Summary of each worse mode

Mode	Modulation	C h.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2363.17	56.93	74.00	-17.07	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	0	4804.00	42.57	74.00	-31.43	V	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	44.97	74.00	-29.03	H	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2484.42	56.39	74.00	-17.61	V	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	44.84	74.00	-29.16	H	PEAK	Pass	Harmonic





		1																																																																						
Mode		Band Edge																																																																						
		2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																						
ANT		7																																																																						
Pol.		Horizontal																																																																						
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2363.82</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>43.01</td><td>32.17</td><td>6.56</td><td>32.19</td><td>6.00</td><td>134</td><td>293 PEAK</td></tr><tr><td>2</td><td>2363.82</td><td>30.76</td><td>54.00</td><td>-23.24</td><td>18.22</td><td>32.17</td><td>6.56</td><td>32.19</td><td>6.00</td><td>134</td><td>293 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2363.82	55.55	74.00	-18.45	43.01	32.17	6.56	32.19	6.00	134	293 PEAK	2	2363.82	30.76	54.00	-23.24	18.22	32.17	6.56	32.19	6.00	134	293 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	2363.82	55.55	74.00	-18.45	43.01	32.17	6.56	32.19	6.00	134	293 PEAK																																																													
2	2363.82	30.76	54.00	-23.24	18.22	32.17	6.56	32.19	6.00	134	293 AVERAGE																																																													
Fundamental																																																																								
																																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>106.41</td><td>-----</td><td>-----</td><td>93.38</td><td>32.59</td><td>6.62</td><td>32.18</td><td>6.00</td><td>134</td><td>293 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>81.62</td><td>-----</td><td>-----</td><td>68.59</td><td>32.59</td><td>6.62</td><td>32.18</td><td>6.00</td><td>134</td><td>293 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	106.41	-----	-----	93.38	32.59	6.62	32.18	6.00	134	293 PEAK	2	2402.00	81.62	-----	-----	68.59	32.59	6.62	32.18	6.00	134	293 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	2402.00	106.41	-----	-----	93.38	32.59	6.62	32.18	6.00	134	293 PEAK																																																													
2	2402.00	81.62	-----	-----	68.59	32.59	6.62	32.18	6.00	134	293 AVERAGE																																																													




		1																																																																						
Mode		Band Edge																																																																						
		2400-2483.5 Bluetooth BR_GFSK_CH0_2402MHz																																																																						
ANT		7																																																																						
Pol.		Vertical																																																																						
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2363.17</td><td>56.93</td><td>74.00</td><td>-17.07</td><td>44.40</td><td>32.16</td><td>6.56</td><td>32.19</td><td>6.00</td><td>302</td><td>18 PEAK</td></tr><tr><td>2</td><td>2363.17</td><td>32.14</td><td>54.00</td><td>-21.86</td><td>19.61</td><td>32.16</td><td>6.56</td><td>32.19</td><td>6.00</td><td>302</td><td>18 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2363.17	56.93	74.00	-17.07	44.40	32.16	6.56	32.19	6.00	302	18 PEAK	2	2363.17	32.14	54.00	-21.86	19.61	32.16	6.56	32.19	6.00	302	18 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	2363.17	56.93	74.00	-17.07	44.40	32.16	6.56	32.19	6.00	302	18 PEAK																																																													
2	2363.17	32.14	54.00	-21.86	19.61	32.16	6.56	32.19	6.00	302	18 AVERAGE																																																													
		Fundamental																																																																						
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>101.96</td><td>-----</td><td>-----</td><td>88.93</td><td>32.59</td><td>6.62</td><td>32.18</td><td>6.00</td><td>302</td><td>18 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>77.17</td><td>-----</td><td>-----</td><td>64.14</td><td>32.59</td><td>6.62</td><td>32.18</td><td>6.00</td><td>302</td><td>18 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	101.96	-----	-----	88.93	32.59	6.62	32.18	6.00	302	18 PEAK	2	2402.00	77.17	-----	-----	64.14	32.59	6.62	32.18	6.00	302	18 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	2402.00	101.96	-----	-----	88.93	32.59	6.62	32.18	6.00	302	18 PEAK																																																													
2	2402.00	77.17	-----	-----	64.14	32.59	6.62	32.18	6.00	302	18 AVERAGE																																																													




Mode	1																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5 Bluetooth BR_GFSK_CH0_2402MHz																																																																																																			
ANT	7																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.50</td><td>74.00</td><td>-32.50</td><td>59.14</td><td>34.20</td><td>9.44</td><td>61.28</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	41.50	74.00	-32.50	59.14	34.20	9.44	61.28	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>42.57</td><td>74.00</td><td>-31.43</td><td>60.21</td><td>34.20</td><td>9.44</td><td>61.28</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	42.57	74.00	-31.43	60.21	34.20	9.44	61.28	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	41.50	74.00	-32.50	59.14	34.20	9.44	61.28	0.00	--- PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4804.00	42.57	74.00	-31.43	60.21	34.20	9.44	61.28	0.00	--- PEAK																																																																																										





Mode	2																																																																	
	Harmonic																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																	
ANT	7																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>41.69</td><td>74.00</td><td>-32.31</td><td>59.24</td><td>34.14</td><td>9.53</td><td>61.22</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>58.33</td><td>35.70</td><td>11.69</td><td>60.75</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	41.69	74.00	-32.31	59.24	34.14	9.53	61.22	0.00	--- PEAK	2	7323.00	44.97	74.00	-29.03	58.33	35.70	11.69	60.75	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4882.00	41.69	74.00	-32.31	59.24	34.14	9.53	61.22	0.00	--- PEAK																																																								
2	7323.00	44.97	74.00	-29.03	58.33	35.70	11.69	60.75	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>41.69</td><td>74.00</td><td>-32.31</td><td>59.24</td><td>34.14</td><td>9.53</td><td>61.22</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>58.33</td><td>35.70</td><td>11.69</td><td>60.75</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	41.69	74.00	-32.31	59.24	34.14	9.53	61.22	0.00	--- PEAK	2	7323.00	44.97	74.00	-29.03	58.33	35.70	11.69	60.75	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4882.00	41.69	74.00	-32.31	59.24	34.14	9.53	61.22	0.00	--- PEAK																																																								
2	7323.00	44.97	74.00	-29.03	58.33	35.70	11.69	60.75	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>59.02</td><td>34.14</td><td>9.53</td><td>61.22</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>57.78</td><td>35.70</td><td>11.69</td><td>60.75</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	41.47	74.00	-32.53	59.02	34.14	9.53	61.22	0.00	--- PEAK	2	7323.00	44.42	74.00	-29.58	57.78	35.70	11.69	60.75	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4882.00	41.47	74.00	-32.53	59.02	34.14	9.53	61.22	0.00	--- PEAK																																																								
2	7323.00	44.42	74.00	-29.58	57.78	35.70	11.69	60.75	0.00	--- PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>59.02</td><td>34.14</td><td>9.53</td><td>61.22</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>57.78</td><td>35.70</td><td>11.69</td><td>60.75</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	41.47	74.00	-32.53	59.02	34.14	9.53	61.22	0.00	--- PEAK	2	7323.00	44.42	74.00	-29.58	57.78	35.70	11.69	60.75	0.00	--- PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4882.00	41.47	74.00	-32.53	59.02	34.14	9.53	61.22	0.00	--- PEAK																																																								
2	7323.00	44.42	74.00	-29.58	57.78	35.70	11.69	60.75	0.00	--- PEAK																																																								





Mode	3																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																	
ANT	7																																																																	
Pol.	Horizontal																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.79</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>43.17</td><td>32.63</td><td>6.74</td><td>32.24</td><td>6.00</td><td>106 360 PEAK</td></tr><tr><td>2</td><td>2480.79</td><td>31.51</td><td>54.00</td><td>-22.49</td><td>18.38</td><td>32.63</td><td>6.74</td><td>32.24</td><td>6.00</td><td>106 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.79	56.30	74.00	-17.70	43.17	32.63	6.74	32.24	6.00	106 360 PEAK	2	2480.79	31.51	54.00	-22.49	18.38	32.63	6.74	32.24	6.00	106 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2480.79	56.30	74.00	-17.70	43.17	32.63	6.74	32.24	6.00	106 360 PEAK																																																								
2	2480.79	31.51	54.00	-22.49	18.38	32.63	6.74	32.24	6.00	106 360 AVERAGE																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.18</td><td>-----</td><td>-----</td><td>93.10</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>106 360 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.39</td><td>-----</td><td>-----</td><td>68.31</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>106 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.18	-----	-----	93.10	32.58	6.73	32.23	6.00	106 360 PEAK	2	2480.00	81.39	-----	-----	68.31	32.58	6.73	32.23	6.00	106 360 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2480.00	106.18	-----	-----	93.10	32.58	6.73	32.23	6.00	106 360 PEAK																																																								
2	2480.00	81.39	-----	-----	68.31	32.58	6.73	32.23	6.00	106 360 AVERAGE																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.18</td><td>-----</td><td>-----</td><td>93.10</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>106 360 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.39</td><td>-----</td><td>-----</td><td>68.31</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>106 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.18	-----	-----	93.10	32.58	6.73	32.23	6.00	106 360 PEAK	2	2480.00	81.39	-----	-----	68.31	32.58	6.73	32.23	6.00	106 360 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2480.00	106.18	-----	-----	93.10	32.58	6.73	32.23	6.00	106 360 PEAK																																																								
2	2480.00	81.39	-----	-----	68.31	32.58	6.73	32.23	6.00	106 360 AVERAGE																																																								





Mode	3																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	7																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.42</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>43.28</td><td>32.61</td><td>6.73</td><td>32.23</td><td>6.00</td><td>313</td><td>12 PEAK</td></tr><tr><td>2</td><td>2484.42</td><td>31.60</td><td>54.00</td><td>-22.40</td><td>18.49</td><td>32.61</td><td>6.73</td><td>32.23</td><td>6.00</td><td>313</td><td>12 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.42	56.39	74.00	-17.61	43.28	32.61	6.73	32.23	6.00	313	12 PEAK	2	2484.42	31.60	54.00	-22.40	18.49	32.61	6.73	32.23	6.00	313	12 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2484.42	56.39	74.00	-17.61	43.28	32.61	6.73	32.23	6.00	313	12 PEAK																																																									
2	2484.42	31.60	54.00	-22.40	18.49	32.61	6.73	32.23	6.00	313	12 AVERAGE																																																									
Fundamental																																																																				
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.26</td><td>-----</td><td>-----</td><td>91.18</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>313</td><td>12 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.47</td><td>-----</td><td>-----</td><td>66.39</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>313</td><td>12 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.26	-----	-----	91.18	32.58	6.73	32.23	6.00	313	12 PEAK	2	2480.00	79.47	-----	-----	66.39	32.58	6.73	32.23	6.00	313	12 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	104.26	-----	-----	91.18	32.58	6.73	32.23	6.00	313	12 PEAK																																																									
2	2480.00	79.47	-----	-----	66.39	32.58	6.73	32.23	6.00	313	12 AVERAGE																																																									





Mode	3																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																								
ANT	7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.71</td><td>74.00</td><td>-32.29</td><td>59.26</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>58.39</td><td>35.70</td><td>11.77</td><td>61.02</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.71	74.00	-32.29	59.26	34.00	9.61	61.16	0.00	--- PEAK	2	7440.00	44.84	74.00	-29.16	58.39	35.70	11.77	61.02	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.81</td><td>74.00</td><td>-32.19</td><td>59.36</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>57.37</td><td>35.70</td><td>11.77</td><td>61.02</td><td>0.00</td><td>--- PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.81	74.00	-32.19	59.36	34.00	9.61	61.16	0.00	--- PEAK	2	7440.00	43.82	74.00	-30.18	57.37	35.70	11.77	61.02	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4960.00	41.71	74.00	-32.29	59.26	34.00	9.61	61.16	0.00	--- PEAK																																																																																																															
2	7440.00	44.84	74.00	-29.16	58.39	35.70	11.77	61.02	0.00	--- PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4960.00	41.81	74.00	-32.19	59.36	34.00	9.61	61.16	0.00	--- PEAK																																																																																																															
2	7440.00	43.82	74.00	-30.18	57.37	35.70	11.77	61.02	0.00	--- PEAK																																																																																																															




Mode	1	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C -50dB FCC PART 15C (AVG) -50dB	 Level (dBuV/m) Frequency (MHz) FCC PART 15C -50dB FCC PART 15C (AVG) -50dB




Mode	1																																																																																																													
	30-1G																																																																																																													
	2400-2483.5 Bluetooth BR_GFSK_CH0_2402MHz																																																																																																													
ANT	7																																																																																																													
Pol.	Horizontal																																																																																																													
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>23.87</td><td>40.00</td><td>-16.13</td><td>30.32</td><td>25.74</td><td>0.76</td><td>32.95</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>57.16</td><td>20.46</td><td>40.00</td><td>-19.54</td><td>39.32</td><td>12.85</td><td>1.04</td><td>32.75</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>183.26</td><td>27.47</td><td>43.50</td><td>-16.03</td><td>43.21</td><td>15.08</td><td>1.98</td><td>32.80</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>255.04</td><td>28.75</td><td>46.00</td><td>-17.25</td><td>40.55</td><td>19.11</td><td>2.14</td><td>33.05</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>379.20</td><td>27.88</td><td>46.00</td><td>-18.12</td><td>36.82</td><td>21.35</td><td>2.90</td><td>33.19</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>719.67</td><td>27.26</td><td>46.00</td><td>-18.74</td><td>29.71</td><td>27.01</td><td>4.00</td><td>33.46</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	23.87	40.00	-16.13	30.32	25.74	0.76	32.95	0.00	--- Peak	2	57.16	20.46	40.00	-19.54	39.32	12.85	1.04	32.75	0.00	--- Peak	3	183.26	27.47	43.50	-16.03	43.21	15.08	1.98	32.80	0.00	--- Peak	4	255.04	28.75	46.00	-17.25	40.55	19.11	2.14	33.05	0.00	--- Peak	5	379.20	27.88	46.00	-18.12	36.82	21.35	2.90	33.19	0.00	--- Peak	6	719.67	27.26	46.00	-18.74	29.71	27.01	4.00	33.46	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
	1	30.00	23.87	40.00	-16.13	30.32	25.74	0.76	32.95	0.00	--- Peak																																																																																																			
	2	57.16	20.46	40.00	-19.54	39.32	12.85	1.04	32.75	0.00	--- Peak																																																																																																			
	3	183.26	27.47	43.50	-16.03	43.21	15.08	1.98	32.80	0.00	--- Peak																																																																																																			
	4	255.04	28.75	46.00	-17.25	40.55	19.11	2.14	33.05	0.00	--- Peak																																																																																																			
	5	379.20	27.88	46.00	-18.12	36.82	21.35	2.90	33.19	0.00	--- Peak																																																																																																			
6	719.67	27.26	46.00	-18.74	29.71	27.01	4.00	33.46	0.00	--- Peak																																																																																																				
Vertical																																																																																																														
																																																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>23.66</td><td>40.00</td><td>-16.34</td><td>30.11</td><td>25.74</td><td>0.76</td><td>32.95</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>61.04</td><td>31.04</td><td>40.00</td><td>-8.96</td><td>50.20</td><td>12.48</td><td>1.08</td><td>32.72</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>166.77</td><td>27.34</td><td>43.50</td><td>-16.16</td><td>42.13</td><td>16.04</td><td>1.88</td><td>32.71</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>249.22</td><td>23.64</td><td>46.00</td><td>-22.36</td><td>36.19</td><td>18.44</td><td>2.09</td><td>33.08</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>363.68</td><td>26.58</td><td>46.00</td><td>-19.42</td><td>35.09</td><td>20.96</td><td>2.82</td><td>33.09</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>765.26</td><td>28.63</td><td>46.00</td><td>-17.37</td><td>30.11</td><td>27.68</td><td>4.12</td><td>33.28</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	23.66	40.00	-16.34	30.11	25.74	0.76	32.95	0.00	--- Peak	2	61.04	31.04	40.00	-8.96	50.20	12.48	1.08	32.72	0.00	--- Peak	3	166.77	27.34	43.50	-16.16	42.13	16.04	1.88	32.71	0.00	--- Peak	4	249.22	23.64	46.00	-22.36	36.19	18.44	2.09	33.08	0.00	--- Peak	5	363.68	26.58	46.00	-19.42	35.09	20.96	2.82	33.09	0.00	--- Peak	6	765.26	28.63	46.00	-17.37	30.11	27.68	4.12	33.28	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	30.00	23.66	40.00	-16.34	30.11	25.74	0.76	32.95	0.00	--- Peak																																																																																																				
2	61.04	31.04	40.00	-8.96	50.20	12.48	1.08	32.72	0.00	--- Peak																																																																																																				
3	166.77	27.34	43.50	-16.16	42.13	16.04	1.88	32.71	0.00	--- Peak																																																																																																				
4	249.22	23.64	46.00	-22.36	36.19	18.44	2.09	33.08	0.00	--- Peak																																																																																																				
5	363.68	26.58	46.00	-19.42	35.09	20.96	2.82	33.09	0.00	--- Peak																																																																																																				
6	765.26	28.63	46.00	-17.37	30.11	27.68	4.12	33.28	0.00	--- Peak																																																																																																				

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot



DH5 on time (Count Pulses) Plot



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.