





11BE40MIMO_Ant6_7005_242Tone_RU61




11BE40MIMO_Ant7_7005_242Tone_RU61






11BE40MIMO_Ant6_7085_242Tone_RU62




11BE40MIMO_Ant7_7085_242Tone_RU62






11BE80MIMO_Ant6_5985_484Tone_RU65




11BE80MIMO_Ant7_5985_484Tone_RU65






11BE80MIMO_Ant6_6225_484Tone_RU65




11BE80MIMO_Ant7_6225_484Tone_RU65






11BE80MIMO_Ant6_6385_484Tone_RU66




11BE80MIMO_Ant7_6385_484Tone_RU66






11BE80MIMO_Ant6_6465_484Tone_RU65




11BE80MIMO_Ant7_6465_484Tone_RU65






11BE80MIMO_Ant6_6545_484Tone_RU66




11BE80MIMO_Ant7_6545_484Tone_RU66






11BE80MIMO_Ant6_6625_484Tone_RU65




11BE80MIMO_Ant7_6625_484Tone_RU65






11BE80MIMO_Ant6_6705_484Tone_RU65




11BE80MIMO_Ant7_6705_484Tone_RU65






11BE80MIMO_Ant6_6785_484Tone_RU66




11BE80MIMO_Ant7_6785_484Tone_RU66






11BE80MIMO_Ant6_6865_484Tone_RU66




11BE80MIMO_Ant7_6865_484Tone_RU66






11BE80MIMO_Ant6_6945_484Tone_RU65




11BE80MIMO_Ant7_6945_484Tone_RU65






11BE80MIMO_Ant6_7025_484Tone_RU66




11BE80MIMO_Ant7_7025_484Tone_RU66






11BE160MIMO_Ant6_6025_996Tone_RU67




11BE160MIMO_Ant7_6025_996Tone_RU67






11BE160MIMO_Ant6_6185_996Tone_RU67




11BE160MIMO_Ant7_6185_996Tone_RU67






11BE160MIMO_Ant6_6345_996Tone_RU68




11BE160MIMO_Ant7_6345_996Tone_RU68






11BE160MIMO_Ant6_6505_996Tone_RU67




11BE160MIMO_Ant7_6505_996Tone_RU67






11BE160MIMO_Ant6_6665_996Tone_RU68




11BE160MIMO_Ant7_6665_996Tone_RU68






11BE160MIMO_Ant6_6825_996Tone_RU67




11BE160MIMO_Ant7_6825_996Tone_RU67






11BE160MIMO_Ant6_6985_996Tone_RU68



11BE160MIMO_Ant7_6985_996Tone_RU68





<Small RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20MIMO	Ant6	5955	52Tone+26Tone	RU38+RU1	-6.90	0.20	-6.70	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-6.17	0.20	-5.97	≤-1.00	PASS
	Ant7	5955	52Tone+26Tone	RU38+RU1	-7.05	-0.30	-7.35	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.99	-0.30	-6.29	≤-1.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	-3.96	-0.04	-4.00	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-3.07	-0.04	-3.11	≤-1.00	PASS
	Ant6	6435	52Tone+26Tone	RU38+RU1	-6.97	0.60	-6.37	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.46	0.60	-4.86	≤-1.00	PASS
	Ant7	6435	52Tone+26Tone	RU38+RU1	-6.88	-0.60	-7.48	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.37	-0.60	-5.97	≤-1.00	PASS
	total	6435	52Tone+26Tone	RU38+RU1	-3.91	0.04	-3.87	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.40	0.04	-2.36	≤-1.00	PASS
	Ant6	6535	52Tone+26Tone	RU38+RU1	-6.69	0.00	-6.69	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.12	0.00	-5.12	≤-1.00	PASS
	Ant7	6535	52Tone+26Tone	RU38+RU1	-7.00	-0.40	-7.40	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.55	-0.40	-5.95	≤-1.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	-3.83	-0.20	-4.03	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.32	-0.20	-2.52	≤-1.00	PASS
	Ant6	7095	52Tone+26Tone	RU39+RU7	-6.81	-0.50	-7.31	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-5.27	-0.50	-5.77	≤-1.00	PASS
	Ant7	7095	52Tone+26Tone	RU39+RU7	-6.82	-0.20	-7.02	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-5.21	-0.20	-5.41	≤-1.00	PASS
	total	7095	52Tone+26Tone	RU39+RU7	-3.80	-0.35	-4.15	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-2.23	-0.35	-2.58	≤-1.00	PASS
	Ant6	7115	52Tone+26Tone	RU39+RU7	-20.79	-0.50	-21.29	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-19.22	-0.50	-19.72	≤-1.00	PASS
	Ant7	7115	52Tone+26Tone	RU39+RU7	-20.52	-0.20	-20.72	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-18.85	-0.20	-19.05	≤-1.00	PASS
	total	7115	52Tone+26Tone	RU39+RU7	-17.64	-0.35	-17.99	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-16.02	-0.35	-16.37	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant7_5955_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_5955_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_7095_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant7_7095_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant6_7115_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_7115_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_7115_52Tone+26Tone_RU39+RU7



11BE20MIMO_Ant7_7115_106Tone+26Tone_RU54+RU4





<Large RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE320 MIMO	Ant6	6105	3*996Tone	RU4	-4.85	0.20	-4.65	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-4.74	0.20	-4.54	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-4.94	0.20	-4.74	≤-1.00	PASS
	Ant7	6105	3*996Tone	RU4	-5.02	-0.30	-5.32	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-4.88	-0.30	-5.18	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-4.96	-0.30	-5.26	≤-1.00	PASS
	total	6105	3*996Tone	RU4	-1.92	-0.04	-1.96	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-1.8	-0.04	-1.84	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-1.94	-0.04	-1.98	≤-1.00	PASS
	Ant6	6585	3*996Tone	RU4	-5.19	0.60	-4.59	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.24	0.60	-4.64	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.28	0.60	-4.68	≤-1.00	PASS
	Ant7	6585	3*996Tone	RU4	-5.54	-0.60	-6.14	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.6	-0.60	-6.20	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.66	-0.60	-6.26	≤-1.00	PASS
	total	6585	3*996Tone	RU4	-2.35	0.04	-2.31	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-2.41	0.04	-2.37	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-2.46	0.04	-2.42	≤-1.00	PASS
	Ant6	6745	3*996Tone	RU4	-5.01	0.00	-5.01	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.23	0.00	-5.23	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-4.93	0.00	-4.93	≤-1.00	PASS
	Ant7	6745	3*996Tone	RU4	-4.3	-0.40	-4.70	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-4.27	-0.40	-4.67	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-4.26	-0.40	-4.66	≤-1.00	PASS
	total	6745	3*996Tone	RU4	-1.63	-0.20	-1.83	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-1.71	-0.20	-1.91	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-1.57	-0.20	-1.77	≤-1.00	PASS
	Ant6	6905	3*996Tone+484Tone	RU1	-6.9	0.00	-6.90	≤-1.00	PASS
			3*996Tone	RU1	-6.83	0.00	-6.83	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-6.73	0.00	-6.73	≤-1.00	PASS
	Ant7	6905	3*996Tone	RU1	-6.45	-0.40	-6.85	≤-1.00	PASS
			3*996Tone+484Tone	RU1	-6.61	-0.40	-7.01	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-6.19	-0.40	-6.59	≤-1.00	PASS
	total	6905	3*996Tone	RU1	-3.63	-0.20	-3.83	≤-1.00	PASS




			3*996Tone+484Tone	RU1	-3.74	-0.20	-3.94	≤ -1.00	PASS
			2*996Tone+484Tone	RU7	-3.44	-0.20	-3.64	≤ -1.00	PASS
11BE80 MIMO	Ant6	5985	484Tone+242Tone	RU4	-4.54	0.20	-4.34	≤ -1.00	PASS
	Ant7	5985	484Tone+242Tone	RU4	-5.00	-0.30	-5.30	≤ -1.00	PASS
	total	5985	484Tone+242Tone	RU4	-1.75	-0.04	-1.79	≤ -1.00	PASS
	Ant6	6465	484Tone+242Tone	RU4	-4.33	0.60	-3.73	≤ -1.00	PASS
	Ant7	6465	484Tone+242Tone	RU4	-4.3	-0.60	-4.90	≤ -1.00	PASS
	total	6465	484Tone+242Tone	RU4	-1.3	0.04	-1.26	≤ -1.00	PASS
	Ant6	6625	484Tone+242Tone	RU4	-4.56	0.00	-4.56	≤ -1.00	PASS
	Ant7	6625	484Tone+242Tone	RU4	-4.32	-0.40	-4.72	≤ -1.00	PASS
	total	6625	484Tone+242Tone	RU4	-1.43	-0.20	-1.63	≤ -1.00	PASS
	Ant6	7025	484Tone+242Tone	RU1	-4.12	-0.50	-4.62	≤ -1.00	PASS
	Ant7	7025	484Tone+242Tone	RU1	-4.46	-0.20	-4.66	≤ -1.00	PASS
	total	7025	484Tone+242Tone	RU1	-1.28	-0.35	-1.63	≤ -1.00	PASS
11BE160 MIMO	Ant6	6025	996Tone+484Tone	RU4	-4.41	0.20	-4.21	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-4.2	0.20	-4.00	≤ -1.00	PASS
	Ant7	6025	996Tone+484Tone	RU4	-5.14	-0.30	-5.44	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.01	-0.30	-5.31	≤ -1.00	PASS
	total	6025	996Tone+484Tone	RU4	-1.75	-0.04	-1.79	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-1.58	-0.04	-1.62	≤ -1.00	PASS
	Ant6	6505	996Tone+484Tone	RU4	-4.57	0.60	-3.97	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-4.9	0.60	-4.30	≤ -1.00	PASS
	Ant7	6505	996Tone+484Tone	RU4	-4.84	-0.60	-5.44	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.22	-0.60	-5.82	≤ -1.00	PASS
	total	6505	996Tone+484Tone	RU4	-1.69	0.04	-1.65	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-2.05	0.04	-2.01	≤ -1.00	PASS
	Ant6	6665	996Tone+484Tone	RU4	-4.63	0.00	-4.63	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.21	0.00	-5.21	≤ -1.00	PASS
	Ant7	6665	996Tone+484Tone	RU4	-4.41	-0.40	-4.81	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-4.65	-0.40	-5.05	≤ -1.00	PASS
	total	6665	996Tone+484Tone	RU4	-1.51	-0.20	-1.71	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-1.91	-0.20	-2.11	≤ -1.00	PASS
	Ant6	6985	996Tone+484Tone	RU1	-4.16	-0.50	-4.66	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU1	-4.28	-0.50	-4.78	≤ -1.00	PASS
	Ant7	6985	996Tone+484Tone242Tone	RU1	-4.71	-0.20	-4.91	≤ -1.00	PASS
			996Tone+484Tone	RU1	-4.82	-0.20	-5.02	≤ -1.00	PASS
	total	6985	996Tone+484Tone242Tone	RU1	-1.48	-0.35	-1.83	≤ -1.00	PASS
			996Tone+484Tone	RU1	-1.47	-0.35	-1.82	≤ -1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_3*996Tone+484Tone_RU8



11BE320MIMO_Ant7_6105_3*996Tone_RU4





11BE320MIMO_Ant7_6105_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6105_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6585_3*996Tone_RU4




11BE320MIMO_Ant6_6585_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6585_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6585_3*996Tone_RU4






11BE320MIMO_Ant7_6585_2*996Tone+484Tone_RU6



11BE320MIMO_Ant7_6585_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6745_3*996Tone_RU4




11BE320MIMO_Ant6_6745_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6745_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6745_3*996Tone_RU4






11BE320MIMO_Ant7_6745_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6745_3*996Tone+484Tone_RU8





11BE320MIMO_Ant6_6905_3*996Tone+484Tone_RU1



11BE320MIMO_Ant6_6905_3*996Tone_RU1





11BE320MIMO_Ant6_6905_2*996Tone+484Tone_RU7




11BE320MIMO_Ant7_6905_3*996Tone_RU1






11BE320MIMO_Ant7_6905_3*996Tone+484Tone_RU1




11BE320MIMO_Ant7_6905_2*996Tone+484Tone_RU7






11BE80MIMO_Ant6_5985_484Tone+242Tone_RU4




11BE80MIMO_Ant7_5985_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6465_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6465_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6625_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6625_484Tone+242Tone_RU4






11BE80MIMO_Ant6_7025_484Tone+242Tone_RU1




11BE80MIMO_Ant7_7025_484Tone+242Tone_RU1






11BE160MIMO_Ant6_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6985_996Tone+484Tone_RU1




11BE160MIMO_Ant6_6985_996Tone+484Tone242Tone_RU1






11BE160MIMO_Ant7_6985_996Tone+484Tone242Tone_RU1



11BE160MIMO_Ant7_6985_996Tone+484Tone_RU1





<Puncturing RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	Puncturing 80M	RU4	-5.96	0.20	-5.76	≤ -1.00	PASS
			Puncturing 80+40M	RU6	-6.44	0.20	-6.24	≤ -1.00	PASS
			Puncturing 40M	RU8	-5.13	0.20	-4.93	≤ -1.00	PASS
	Ant7	6105	Puncturing 80M	RU4	-6.16	-0.30	-6.46	≤ -1.00	PASS
			Puncturing 80+40M	RU6	-6.71	-0.30	-7.01	≤ -1.00	PASS
			Puncturing 40M	RU8	-5.48	-0.30	-5.78	≤ -1.00	PASS
	total	6105	Puncturing 80M	RU4	-3.05	-0.04	-3.09	≤ -1.00	PASS
			Puncturing 80+40M	RU6	-3.56	-0.04	-3.60	≤ -1.00	PASS
			Puncturing 40M	RU8	-2.29	-0.04	-2.33	≤ -1.00	PASS
	Ant6	6585	Puncturing 80M	RU4	-6.50	0.60	-5.90	≤ -1.00	PASS
			Puncturing 80+40M	RU6	-7.07	0.60	-6.47	≤ -1.00	PASS
			Puncturing 40M	RU8	-5.40	0.60	-4.80	≤ -1.00	PASS
	Ant7	6585	Puncturing 80M	RU4	-6.76	-0.60	-7.36	≤ -1.00	PASS
			Puncturing 80+40M	RU6	-7.34	-0.60	-7.94	≤ -1.00	PASS
			Puncturing 40M	RU8	-5.72	-0.60	-6.32	≤ -1.00	PASS
	total	6585	Puncturing 80M	RU4	-3.62	0.04	-3.58	≤ -1.00	PASS
			Puncturing 80+40M	RU6	-4.19	0.04	-4.15	≤ -1.00	PASS
			Puncturing 40M	RU8	-2.55	0.04	-2.51	≤ -1.00	PASS
	Ant6	6745	Puncturing 80M	RU4	-6.72	0.00	-6.72	≤ -1.00	PASS
			Puncturing 80+40M	RU6	-7.32	0.00	-7.32	≤ -1.00	PASS
			Puncturing 40M	RU8	-5.70	0.00	-5.70	≤ -1.00	PASS
	Ant7	6745	Puncturing 80M	RU4	-6.26	-0.40	-6.66	≤ -1.00	PASS
			Puncturing 80+40M	RU6	-6.75	-0.40	-7.15	≤ -1.00	PASS
			Puncturing 40M	RU8	-4.92	-0.40	-5.32	≤ -1.00	PASS
	total	6745	Puncturing 80M	RU4	-3.47	-0.20	-3.67	≤ -1.00	PASS
			Puncturing 80+40M	RU6	-4.02	-0.20	-4.22	≤ -1.00	PASS
			Puncturing 40M	RU8	-2.28	-0.20	-2.48	≤ -1.00	PASS
	Ant6	6905	Puncturing 40M	RU1	-6.91	0.00	-6.91	≤ -1.00	PASS
			Puncturing 80M	RU1	-7.82	0.00	-7.82	≤ -1.00	PASS
			Puncturing 80+40M	RU7	-8.22	0.00	-8.22	≤ -1.00	PASS
	Ant7	6905	Puncturing 80M	RU1	-7.26	-0.40	-7.66	≤ -1.00	PASS
			Puncturing 40M	RU1	-6.61	-0.40	-7.01	≤ -1.00	PASS
			Puncturing 80+40M	RU7	-7.62	-0.40	-8.02	≤ -1.00	PASS
	total	6905	Puncturing 80M	RU1	-4.52	-0.20	-4.72	≤ -1.00	PASS
			Puncturing 40M	RU1	-3.75	-0.20	-3.95	≤ -1.00	PASS




			Puncturing 80+40M	RU7	-4.90	-0.20	-5.10	≤ -1.00	PASS
11BE80MI MO	Ant6	5985	Puncturing 20M	RU4	-5.48	0.20	-5.28	≤ -1.00	PASS
	Ant7	5985	Puncturing 20M	RU4	-6.06	-0.30	-6.36	≤ -1.00	PASS
	total	5985	Puncturing 20M	RU4	-2.75	-0.04	-2.79	≤ -1.00	PASS
	Ant6	6465	Puncturing 20M	RU4	-5.66	0.60	-5.06	≤ -1.00	PASS
	Ant7	6465	Puncturing 20M	RU4	-5.58	-0.60	-6.18	≤ -1.00	PASS
	total	6465	Puncturing 20M	RU4	-2.61	0.04	-2.57	≤ -1.00	PASS
	Ant6	6625	Puncturing 20M	RU4	-5.86	0.00	-5.86	≤ -1.00	PASS
	Ant7	6625	Puncturing 20M	RU4	-5.49	-0.40	-5.89	≤ -1.00	PASS
	total	6625	Puncturing 20M	RU4	-2.66	-0.20	-2.86	≤ -1.00	PASS
	Ant6	7025	Puncturing 20M	RU1	-4.46	-0.50	-4.96	≤ -1.00	PASS
	Ant7	7025	Puncturing 20M	RU1	-5.00	-0.20	-5.20	≤ -1.00	PASS
	total	7025	Puncturing 20M	RU1	-1.71	-0.35	-2.06	≤ -1.00	PASS
11BE160 MIMO	Ant6	6025	Puncturing 40M	RU4	-4.62	0.20	-4.42	≤ -1.00	PASS
			Puncturing 20M	RU8	-4.62	0.20	-4.42	≤ -1.00	PASS
	Ant7	6025	Puncturing 40M	RU4	-5.60	-0.30	-5.90	≤ -1.00	PASS
			Puncturing 20M	RU8	-5.65	-0.30	-5.95	≤ -1.00	PASS
	total	6025	Puncturing 40M	RU4	-2.07	-0.04	-2.11	≤ -1.00	PASS
			Puncturing 20M	RU8	-2.09	-0.04	-2.13	≤ -1.00	PASS
	Ant6	6505	Puncturing 40M	RU4	-4.74	0.60	-4.14	≤ -1.00	PASS
			Puncturing 20M	RU8	-4.89	0.60	-4.29	≤ -1.00	PASS
	Ant7	6505	Puncturing 40M	RU4	-5.29	-0.60	-5.89	≤ -1.00	PASS
			Puncturing 20M	RU8	-5.24	-0.60	-5.84	≤ -1.00	PASS
	total	6505	Puncturing 40M	RU4	-2.00	0.04	-1.96	≤ -1.00	PASS
			Puncturing 20M	RU8	-2.05	0.04	-2.01	≤ -1.00	PASS
	Ant6	6665	Puncturing 40M	RU4	-5.10	0.00	-5.10	≤ -1.00	PASS
			Puncturing 20M	RU8	-5.24	0.00	-5.24	≤ -1.00	PASS
	Ant7	6665	Puncturing 40M	RU4	-4.66	-0.40	-5.06	≤ -1.00	PASS
			Puncturing 20M	RU8	-4.69	-0.40	-5.09	≤ -1.00	PASS
	total	6665	Puncturing 40M	RU4	-1.86	-0.20	-2.06	≤ -1.00	PASS
			Puncturing 20M	RU8	-1.95	-0.20	-2.15	≤ -1.00	PASS
	Ant6	6985	Puncturing 20M	RU1	-4.26	-0.50	-4.76	≤ -1.00	PASS
			Puncturing 40M	RU1	-4.30	-0.50	-4.80	≤ -1.00	PASS
	Ant7	6985	Puncturing 40M	RU1	-5.09	-0.20	-5.29	≤ -1.00	PASS
			Puncturing 20M	RU1	-4.96	-0.20	-5.16	≤ -1.00	PASS
	total	6985	Puncturing 40M	RU1	-1.67	-0.35	-2.02	≤ -1.00	PASS
			Puncturing 20M	RU1	-1.59	-0.35	-1.94	≤ -1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs





11BE320MIMO_Ant6_6105_Puncturing 40M_RU8



Date: 29.JUL.2025 07:21:35

11BE320MIMO_Ant7_6105_Puncturing 80M_RU4



Date: 29.JUL.2025 07:38:26



11BE320MIMO_Ant7_6105_Puncturing 80+40M_RU6



11BE320MIMO_Ant7_6105_Puncturing 40M_RU8






11BE320MIMO_Ant6_6585_Puncturing 80M_RU4




11BE320MIMO_Ant6_6585_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6585_Puncturing 40M_RU8




11BE320MIMO_Ant7_6585_Puncturing 80M_RU4






11BE320MIMO_Ant7_6585_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6585_Puncturing 40M_RU8






11BE320MIMO_Ant6_6745_Puncturing 80M_RU4




11BE320MIMO_Ant6_6745_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6745_Puncturing 40M_RU8




11BE320MIMO_Ant7_6745_Puncturing 80M_RU4






11BE320MIMO_Ant7_6745_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6745_Puncturing 40M_RU8





11BE320MIMO_Ant6_6905_Puncturing 40M_RU1



Date: 5.AUG.2025 11:57:19


11BE320MIMO_Ant6_6905_Puncturing 80M_RU1



Date: 5.AUG.2025 12:00:06



11BE320MIMO_Ant6_6905_Puncturing 80+40M_RU7




11BE320MIMO_Ant7_6905_Puncturing 80M_RU1






11BE320MIMO_Ant7_6905_Puncturing 40M_RU1




11BE320MIMO_Ant7_6905_Puncturing 80+40M_RU7





11BE80MIMO_Ant6_5985_Puncturing 20M_RU4




11BE80MIMO_Ant7_5985_Puncturing 20M_RU4






11BE80MIMO_Ant6_6465_Puncturing 20M_RU4




11BE80MIMO_Ant7_6465_Puncturing 20M_RU4






11BE80MIMO_Ant6_6625_Puncturing 20M_RU4



Date: 29.JUL.2025 04:59:09


11BE80MIMO_Ant7_6625_Puncturing 20M_RU4



Date: 29.JUL.2025 04:59:24




11BE80MIMO_Ant6_7025_Puncturing 20M_RU1



Date: 29.JUL.2025 04:56:15


11BE80MIMO_Ant7_7025_Puncturing 20M_RU1



Date: 29.JUL.2025 04:56:53




11BE160MIMO_Ant6_6025_Puncturing 40M_RU4



Date: 29.JUL.2025 05:12:52


11BE160MIMO_Ant6_6025_Puncturing 20M_RU8




Date: 29.JUL.2025 05:13:36



11BE160MIMO_Ant7_6025_Puncturing 40M_RU4




11BE160MIMO_Ant7_6025_Puncturing 20M_RU8






11BE160MIMO_Ant6_6505_Puncturing 40M_RU4




11BE160MIMO_Ant6_6505_Puncturing 20M_RU8






11BE160MIMO_Ant7_6505_Puncturing 40M_RU4



Date: 29.JUL.2025 05:19:39


11BE160MIMO_Ant7_6505_Puncturing 20M_RU8




Date: 29.JUL.2025 05:16:03



11BE160MIMO_Ant6_6665_Puncturing 40M_RU4




11BE160MIMO_Ant6_6665_Puncturing 20M_RU8






11BE160MIMO_Ant7_6665_Puncturing 40M_RU4




11BE160MIMO_Ant7_6665_Puncturing 20M_RU8






11BE160MIMO_Ant6_6985_Puncturing 20M_RU1




11BE160MIMO_Ant6_6985_Puncturing 40M_RU1






11BE160MIMO_Ant7_6985_Puncturing 40M_RU1




11BE160MIMO_Ant7_6985_Puncturing 20M_RU1





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.153	55.18	-10.64	65.82	44.50	0.23	10.45	QP
2	0.153	37.28	-18.54	55.82	26.60	0.23	10.45	Average
3	0.169	50.90	-14.09	64.99	40.20	0.25	10.45	QP
4	0.169	31.90	-23.09	54.99	21.20	0.25	10.45	Average
5	0.237	42.24	-19.98	62.22	31.50	0.27	10.47	QP
6	0.237	27.04	-25.18	52.22	16.30	0.27	10.47	Average
7	0.260	38.26	-23.16	61.42	27.50	0.29	10.47	QP
8	0.260	22.26	-29.16	51.42	11.50	0.29	10.47	Average
9	2.346	35.45	-20.55	56.00	24.80	0.42	10.23	QP
10	2.346	25.85	-20.15	46.00	15.20	0.42	10.23	Average
11	2.567	35.75	-20.25	56.00	25.10	0.42	10.23	QP
12	2.567	27.95	-18.05	46.00	17.30	0.42	10.23	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.153	52.88	-12.94	65.82	42.20	0.23	10.45	QP
2	0.153	36.18	-19.64	55.82	25.50	0.23	10.45	Average
3	0.169	43.90	-21.09	64.99	33.20	0.25	10.45	QP
4	0.169	27.30	-27.69	54.99	16.60	0.25	10.45	Average
5	0.244	39.24	-22.71	61.95	28.50	0.27	10.47	QP
6	0.244	24.34	-27.61	51.95	13.60	0.27	10.47	Average
7	2.225	37.83	-18.17	56.00	27.20	0.39	10.24	QP
8	2.225	29.53	-16.47	46.00	18.90	0.39	10.24	Average
9	2.435	38.82	-17.18	56.00	28.20	0.39	10.23	QP
10	2.435	31.22	-14.78	46.00	20.60	0.39	10.23	Average
11	2.664	38.82	-17.18	56.00	28.20	0.39	10.23	QP
12	2.664	31.82	-14.18	46.00	21.20	0.39	10.23	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jake zhou	Relative Humidity :	51 ~ 53 %
		Temperature :	22 ~ 26 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Sample
Mode 1	U-NII-5	5.925-6.425	A6+A7	802.11a	1	5955	6Mbps	-	1
Mode 2	U-NII-5	5.925-6.425	A6+A7	802.11a	49	6195	6Mbps	-	1
Mode 3	U-NII-5	5.925-6.425	A6+A7	802.11a	93	6415	6Mbps	-	1
Mode 4	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	-	1
Mode 5	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	RU106/53	1
Mode 6	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	49	6195	MCS0	-	1
Mode 7	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	93	6415	MCS0	-	1
Mode 8	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	-	1
Mode 9	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	RU242/61	1
Mode 10	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	51	6205	MCS0	-	1
Mode 11	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	91	6405	MCS0	-	1
Mode 12	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Full	1
Mode 13	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	RU484/65	1
Mode 14	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	55	6225	MCS0	Full	1
Mode 15	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	87	6385	MCS0	Full	1
Mode 16	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Full	1
Mode 17	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	RU996/67	1
Mode 18	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	47	6185	MCS0	Full	1
Mode 19	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	79	6345	MCS0	Full	1
Mode 20	U-NII-6	6.425-6.525	A6+A7	802.11a	97	6435	6Mbps	-	1
Mode 21	U-NII-6	6.425-6.525	A6+A7	802.11a	105	6475	6Mbps	-	1
Mode 22	U-NII-6	6.425-6.525	A6+A7	802.11a	113	6515	6Mbps	-	1
Mode 23	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	97	6435	MCS0	-	1
Mode 24	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	105	6475	MCS0	-	1
Mode 25	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	113	6515	MCS0	-	1
Mode 26	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	99	6445	MCS0	Full	1
Mode 27	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	107	6485	MCS0	Full	1
Mode 28	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	115	6525	MCS0	-	1
Mode 29	U-NII-6	6.425-6.525	A6+A7	802.11be EHT80	103	6465	MCS0	Full	1
Mode 30	U-NII-6	6.425-6.525	A6+A7	802.11be EHT160	111	6505	MCS0	-	1
Mode 31	U-NII-7	6.525-6.875	A6+A7	802.11a	117	6535	6Mbps	Full	1
Mode 32	U-NII-7	6.525-6.875	A6+A7	802.11a	149	6695	6Mbps	Full	1
Mode 33	U-NII-8	6.525-7.125	A6+A7	802.11a	185	6875	6Mbps	-	1



Mode 34	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	117	6535	MCS0	Full	1
Mode 35	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	149	6695	MCS0	Full	1
Mode 36	U-NII-8	6.525-7.125	A6+A7	802.11be EHT20	185	6875	MCS0	-	1
Mode 37	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	123	6565	MCS0	Full	1
Mode 38	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	147	6685	MCS0	Full	1
Mode 39	U-NII-8	6.525-7.125	A6+A7	802.11be EHT40	187	6885	MCS0	-	1
Mode 40	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	135	6625	MCS0	Full	1
Mode 41	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	151	6705	MCS0	Full	1
Mode 42	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	183	6865	MCS0	-	1
Mode 43	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	143	6665	MCS0	Full	1
Mode 44	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	175	6825	MCS0	-	1
Mode 45	U-NII-8	6.875-7.125	A6+A7	802.11a	189	6895	6Mbps	Full	1
Mode 46	U-NII-8	6.875-7.125	A6+A7	802.11a	209	6995	6Mbps	Full	1
Mode 47	U-NII-8	6.875-7.125	A6+A7	802.11a	229	7095	6Mbps	-	1
Mode 48	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	189	6895	MCS0	Full	1
Mode 49	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	209	6995	MCS0	Full	1
Mode 50	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	-	1
Mode 51	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	RU106/54	1
Mode 52	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	195	6925	MCS0	Full	1
Mode 53	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	211	7005	MCS0	Full	1
Mode 54	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	-	1
Mode 55	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	RU242/62	1
Mode 56	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	199	6945	MCS0	Full	1
Mode 57	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	-	1
Mode 58	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	RU484/66	1
Mode 59	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	-	1
Mode 60	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	RU996/68	1
Mode 61	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	-	1
Mode 62	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	RU996*2/69	1
Mode 63	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	95	6425	MCS0	-	1
Mode 64	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	159	6745	MCS0	-	1
Mode 65	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	-	1
Mode 66	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	RU996*2/69	1
Mode 67	U-NII-7	6.425-6.875	A6+A7	802.11be EHT320	127	6585	MCS0	-	1
Mode 68	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	-	1
Mode 69	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	RU996*2/70	1
Mode 70	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	Index 38+1	1
Mode 71	U-NII-5	6.425-6.525	A6+A7	802.11be EHT20	1	5955	MCS0	Index 53+4	1
Mode 72	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	Index 39+7	1
Mode 73	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	-	MCS0	-	1
Mode 74	U-NII-5	6.425-6.525	A6+A7	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	1
Mode 75	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	1



Mode 76	U-NII-5	6.425-6.525	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	1
Mode 77	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 40M ①	1
Mode 78	U-NII-5	6.425-6.525	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	1
Mode 79	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	1
Mode 80	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M +40M⑥	1
Mode 81	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M⑦	1
Mode 82	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	1
Mode 83	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	1
Mode 84	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	1
Mode 85	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	1
Mode 86	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	1
Mode 87	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ①	1
Mode 88	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	1
Mode 89	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ①	1
Mode 90	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484+242 ⑧	1
Mode 91	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484+242 ①	1
Mode 92	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	1
Mode 93	U-NII-8	6.525-6.875	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑦	1
Mode 94	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	1
Mode 95	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	1
Mode 96	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ①	1
Mode 97	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ①	1
Mode 98	U-NII-8	6.875-7.125	A6+A7	802.11a	233	7115	6Mbps	-	1
Mode 99	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	1
Mode 100	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	RU106/54	1
Mode 101	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 39+7	1
Mode 102	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 54+4	1
Mode 107	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	2
Mode 108	U-NII-7	6.525-6.875	A6+A7	802.11a	181	6855	6Mbps	Full	1
Mode 109	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	181	6855	MCS0	Full	1
Mode 110	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	179	6845	MCS0	Full	1
Mode 111	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	167	6785	MCS0	Full	1

**Co-location**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 103	2400-2483.5	2400-2483.5	6	Bluetooth-LE_GSKF	39	2480	2Mbps	-	1
	2400-2483.5	2400-2483.5	7	802.11b	11	2462	MCS0	Full RU	1
	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	1
Mode 104	2400-2483.5	2400-2483.5	A6+A7	802.11b	11	2462	MCS0	Full RU	1
	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	1
Mode 105	2400-2483.5	2400-2483.5	6	Bluetooth-LE_GSKF	39	2480	2Mbps	-	1
	U-NII-2A	5.15-5.35	A6+A7	802.11be EHT160	50	5250	MCS0	RU 996/67	1
	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	1
Mode 106	2400-2483.5	2400-2483.5	7	Bluetooth-LE_GSKF	39	2480	2Mbps	Full RU	1
	U-NII-2A	5.15-5.35	A6+A7	802.11be EHT160	50	5250	MCS0	RU 996/67	1
	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	1



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5923.41	66.69	68.20	-1.51	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	44.81	74.00	-29.19	V	PEAK	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	44.40	54.00	-9.60	V	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.32	88.20	-41.88	V	PEAK	Pass	Harmonic
4	802.11be EHT20	1	5919.64	66.03	68.20	-2.17	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	1	11910.00	45.67	74.00	-28.33	V	PEAK	Pass	Harmonic
5	802.11be EHT20	1	5924.97	57.52	68.20	-10.68	V	AVERAGE	Pass	Band Edge
5	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT20	49	-	-	-	-	-	-	-	Band Edge
6	802.11be EHT20	49	12390.00	45.28	74.00	-28.72	H	PEAK	Pass	Harmonic
7	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
7	802.11be EHT20	93	12830.00	45.30	88.20	-42.90	H	PEAK	Pass	Harmonic
8	802.11be EHT40	3	5920.20	64.18	68.20	-4.02	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	3	11930.00	44.94	74.00	-29.06	H	PEAK	Pass	Harmonic
9	802.11be EHT40	3	5924.96	61.09	68.20	-7.11	H	AVERAGE	Pass	Band Edge
9	802.11be EHT40	3	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT40	51	-	-	-	-	-	-	-	Band Edge
10	802.11be EHT40	51	12410.00	45.59	74.00	-28.41	V	PEAK	Pass	Harmonic
11	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT40	91	12810.00	44.65	88.20	-43.55	V	PEAK	Pass	Harmonic
12	802.11be EHT80	7	5916.36	55.87	68.20	-12.33	H	AVERAGE	Pass	Band Edge
12	802.11be EHT80	7	11970.00	44.03	74.00	-29.97	H	PEAK	Pass	Harmonic
13	802.11be EHT80	7	5925.00	59.97	68.20	-8.23	H	AVERAGE	Pass	Band Edge
13	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
14	802.11be EHT80	55	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT80	55	12450.00	44.32	74.00	-29.68	H	PEAK	Pass	Harmonic
15	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT80	87	12770.00	43.81	88.20	-44.39	H	PEAK	Pass	Harmonic
16	802.11be EHT160	15	5925.00	51.82	68.20	-16.38	H	AVERAGE	Pass	Band Edge
16	802.11be EHT160	15	12050.00	44.58	74.00	-29.42	V	PEAK	Pass	Harmonic
17	802.11be EHT160	15	5918.20	56.70	68.20	-11.50	H	AVERAGE	Pass	Band Edge
17	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
18	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT160	47	12370.00	44.96	74.00	-29.04	V	PEAK	Pass	Harmonic
19	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT160	79	12690.00	44.48	74.00	-29.52	V	PEAK	Pass	Harmonic
20	802.11a	97	-	-	-	-	-	-	-	Band Edge



20	802.11a	97	12870.00	44.66	88.20	-43.54	V	PEAK	Pass	Harmonic
21	802.11a	105	-	-	-	-	-	-	-	Band Edge
21	802.11a	105	12950.00	48.40	88.20	-39.80	V	PEAK	Pass	Harmonic
22	802.11a	113	-	-	-	-	-	-	-	Band Edge
22	802.11a	113	13030.00	45.94	88.20	-42.26	H	PEAK	Pass	Harmonic
23	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
23	802.11be EHT20	97	12870.00	44.21	88.20	-43.99	H	PEAK	Pass	Harmonic
24	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT20	105	12950.00	18.86	88.20	-69.34	H	PEAK	Pass	Harmonic
25	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
25	802.11be EHT20	113	13030.00	46.27	88.20	-41.93	V	PEAK	Pass	Harmonic
26	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT40	99	12890.00	45.23	88.20	-42.97	V	PEAK	Pass	Harmonic
27	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT40	107	12970.00	45.45	88.20	-42.75	H	PEAK	Pass	Harmonic
28	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT40	115	13050.00	45.65	88.20	-42.55	V	PEAK	Pass	Harmonic
29	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT80	103	12930.00	45.06	88.20	-43.14	V	PEAK	Pass	Harmonic
30	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT160	111	13010.00	46.12	88.20	-42.08	H	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	47.30	88.20	-40.90	V	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	42.86	54.00	-11.14	V	AVERAGE	Pass	Harmonic
33	802.11a	185	-	-	-	-	-	-	-	Band Edge
33	802.11a	185	13750.00	45.60	88.20	-42.60	V	PEAK	Pass	Harmonic
34	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT20	117	13070.00	48.00	88.20	-40.20	V	PEAK	Pass	Harmonic
35	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT20	149	13390.00	38.55	54.00	-15.45	V	AVERAGE	Pass	Harmonic
36	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	185	13750.00	45.51	88.20	-42.69	V	PEAK	Pass	Harmonic
37	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT40	123	13130.00	45.78	88.20	-42.42	H	PEAK	Pass	Harmonic
38	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT40	147	13370.00	45.68	74.00	-28.32	V	PEAK	Pass	Harmonic
39	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT40	187	13770.00	46.18	88.20	-42.02	H	PEAK	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	45.14	74.00	-28.86	V	PEAK	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge



41	802.11be EHT80	151	13410.00	45.87	88.20	-42.33	H	PEAK	Pass	Harmonic
42	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	183	13730.00	44.39	88.20	-43.81	H	PEAK	Pass	Harmonic
43	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT160	143	13330.00	44.42	74.00	-29.58	V	PEAK	Pass	Harmonic
44	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT160	175	13650.00	45.55	88.20	-42.65	H	PEAK	Pass	Harmonic
45	802.11a	189	-	-	-	-	-	-	-	Band Edge
45	802.11a	189	13790.00	46.47	88.20	-41.73	V	PEAK	Pass	Harmonic
46	802.11a	209	-	-	-	-	-	-	-	Band Edge
46	802.11a	209	13990.00	45.65	88.20	-42.55	H	PEAK	Pass	Harmonic
47	802.11a	229	7243.72	39.06	68.20	-29.14	H	AVERAGE	Pass	Band Edge
47	802.11a	229	14190.00	45.64	88.20	-42.56	H	PEAK	Pass	Harmonic
48	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT20	189	13790.00	46.42	88.20	-41.78	H	PEAK	Pass	Harmonic
49	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
49	802.11be EHT20	209	13990.00	45.27	88.20	-42.93	V	PEAK	Pass	Harmonic
50	802.11be EHT20	229	7133.80	39.37	68.20	-28.83	H	AVERAGE	Pass	Band Edge
50	802.11be EHT20	229	14190.00	46.04	88.20	-42.16	V	PEAK	Pass	Harmonic
51	802.11be EHT20	229	7179.72	39.25	68.20	-28.95	H	AVERAGE	Pass	Band Edge
51	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
52	802.11be EHT40	195	13850.00	44.86	88.20	-43.34	V	PEAK	Pass	Harmonic
53	802.11be EHT40	211	-	-	-	-	-	-	-	Band Edge
53	802.11be EHT40	211	14010.00	44.67	88.20	-43.53	H	PEAK	Pass	Harmonic
54	802.11be EHT40	227	7125.16	40.05	68.20	-28.15	H	AVERAGE	Pass	Band Edge
54	802.11be EHT40	227	14170.00	45.49	88.20	-42.71	H	PEAK	Pass	Harmonic
55	802.11be EHT40	227	7178.60	39.55	68.20	-28.65	H	AVERAGE	Pass	Band Edge
55	802.11be EHT40	227	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
56	802.11be EHT80	199	13890.00	44.55	88.20	-43.65	H	PEAK	Pass	Harmonic
57	802.11be EHT80	215	7178.56	40.59	68.20	-27.61	H	AVERAGE	Pass	Band Edge
57	802.11be EHT80	215	14050.00	44.92	88.20	-43.28	H	PEAK	Pass	Harmonic
58	802.11be EHT80	215	7178.56	40.43	68.20	-27.77	H	AVERAGE	Pass	Band Edge
58	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT160	207	7127.08	48.27	68.20	-19.93	H	AVERAGE	Pass	Band Edge
59	802.11be EHT160	207	13970.00	45.06	88.20	-43.14	V	PEAK	Pass	Harmonic
60	802.11be EHT160	207	7125.40	48.64	68.20	-19.56	H	AVERAGE	Pass	Band Edge
60	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT320	31	5924.84	65.07	68.20	-3.13	H	AVERAGE	Pass	Band Edge
61	802.11be EHT320	31	12210.00	45.07	74.00	-28.93	V	PEAK	Pass	Harmonic
62	802.11be EHT320	31	5924.84	65.13	68.20	-3.07	H	AVERAGE	Pass	Band Edge



62	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT320	95	12850.00	45.82	88.20	-42.38	H	PEAK	Pass	Harmonic
64	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT320	159	13490.00	46.90	88.20	-41.30	H	PEAK	Pass	Harmonic
65	802.11be EHT320	63	5924.52	65.81	68.20	-2.39	H	AVERAGE	Pass	Band Edge
65	802.11be EHT320	63	12530.00	44.67	74.00	-29.33	H	PEAK	Pass	Harmonic
66	802.11be EHT320	63	5919.40	54.98	68.20	-13.22	V	AVERAGE	Pass	Band Edge
66	802.11be EHT320	63	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT320	127	13170.00	45.23	88.20	-42.97	H	PEAK	Pass	Harmonic
68	802.11be EHT320	191	7250.44	49.27	54.00	-4.73	H	AVERAGE	Pass	Band Edge
68	802.11be EHT320	191	13810.00	45.04	88.20	-43.16	H	PEAK	Pass	Harmonic
69	802.11be EHT320	191	7254.76	47.52	54.00	-6.48	H	AVERAGE	Pass	Band Edge
69	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT20	1	5924.06	48.06	68.20	-20.14	H	AVERAGE	Pass	Band Edge
70	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT20	1	5922.63	77.17	88.20	-11.03	H	PEAK	Pass	Band Edge
71	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT20	229	7126.12	39.82	68.20	-28.38	H	AVERAGE	Pass	Band Edge
72	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT20	229	7141.48	39.36	68.20	-28.84	H	AVERAGE	Pass	Band Edge
73	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	7	5924.68	61.34	68.20	-6.86	H	AVERAGE	Pass	Band Edge
74	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT80	215	7178.56	40.45	68.20	-27.75	H	AVERAGE	Pass	Band Edge
75	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT160	15	5920.80	59.12	68.20	-9.08	H	AVERAGE	Pass	Band Edge
76	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT160	207	7125.64	49.68	68.20	-18.52	H	AVERAGE	Pass	Band Edge
77	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT160	15	5921.20	58.27	68.20	-9.93	H	AVERAGE	Pass	Band Edge
78	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT160	207	7125.16	53.27	68.20	-14.93	H	AVERAGE	Pass	Band Edge
79	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT320	31	5891.88	62.41	68.20	-5.79	H	AVERAGE	Pass	Band Edge
80	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT320	191	7251.16	43.60	54.00	-10.40	H	AVERAGE	Pass	Band Edge
81	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT320	31	5915.24	65.94	68.20	-2.26	H	AVERAGE	Pass	Band Edge
82	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT320	191	7250.44	45.44	54.00	-8.56	H	AVERAGE	Pass	Band Edge



83	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT320	31	5916.52	64.91	68.20	-3.29	H	AVERAGE	Pass	Band Edge
84	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT320	191	7250.44	48.01	54.00	-5.99	H	AVERAGE	Pass	Band Edge
85	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT80	7	5914.92	64.68	68.20	-3.52	H	AVERAGE	Pass	Band Edge
86	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT80	215	7178.56	41.47	68.20	-26.73	H	AVERAGE	Pass	Band Edge
87	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT160	15	5915.20	57.58	68.20	-10.62	H	AVERAGE	Pass	Band Edge
88	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT160	207	7131.16	54.55	68.20	-13.65	H	AVERAGE	Pass	Band Edge
89	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT160	15	5914.60	58.13	68.20	-10.07	H	AVERAGE	Pass	Band Edge
90	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT160	207	7127.08	52.91	68.20	-15.29	H	AVERAGE	Pass	Band Edge
91	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT320	31	5913.64	63.38	68.20	-4.82	H	AVERAGE	Pass	Band Edge
92	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
93	802.11be EHT320	191	7264.12	48.38	54.00	-5.62	H	AVERAGE	Pass	Band Edge
93	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT320	31	5917.48	66.26	68.20	-1.94	H	AVERAGE	Pass	Band Edge
94	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
95	802.11be EHT320	31	5910.12	65.24	68.20	-2.96	H	AVERAGE	Pass	Band Edge
95	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
96	802.11be EHT320	191	7269.16	51.16	54.00	-2.84	H	AVERAGE	Pass	Band Edge
96	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
97	802.11be EHT320	191	7269.16	51.55	54.00	-2.45	H	AVERAGE	Pass	Band Edge
97	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
98	802.11a	233	7125.01	62.14	68.20	-6.06	H	AVERAGE	Pass	Band Edge
98	802.11a	233	14230.00	46.41	88.20	-41.79	H	PEAK	Pass	Harmonic
99	802.11be EHT20	233	7125.01	66.80	68.20	-1.40	H	AVERAGE	Pass	Band Edge
99	802.11be EHT20	233	14230.00	46.53	88.20	-41.67	H	PEAK	Pass	Harmonic
100	802.11be EHT20	233	7125.01	66.45	68.20	-1.75	H	AVERAGE	Pass	Band Edge
100	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
101	802.11be EHT20	233	7125.01	60.69	68.20	-7.51	H	AVERAGE	Pass	Band Edge
101	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
102	802.11be EHT20	233	7125.01	66.43	68.20	-1.77	H	AVERAGE	Pass	Band Edge
102	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
107	802.11be EHT20	233	7125.01	65.80	68.20	-2.40	H	AVERAGE	Pass	Band Edge
107	802.11be EHT20	233	14230.00	44.71	88.20	-43.49	V	PEAK	Pass	Harmonic
108	802.11a	181	-	-	-	-	-	-	-	Band Edge







108	802.11a	181	13710.00	44.70	88.20	-43.50	V	PEAK	Pass	Harmonic
109	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
109	802.11be EHT20	181	13710.00	44.16	88.20	-44.04	V	PEAK	Pass	Harmonic
110	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
110	802.11be EHT40	179	13690.00	44.56	88.20	-43.64	V	PEAK	Pass	Harmonic
111	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
111	802.11be EHT80	167	13570.00	44.80	88.20	-43.40	H	PEAK	Pass	Harmonic

Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
103	Bluetooth-LE_GSKF	39	2483.50	49.43	54.00	-4.57	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	42.02	74.00	-31.98	H	PEAK	Pass	Harmonic
	802.11b	11	2483.50	42.97	54.00	-11.03	H	AVERAGE	Pass	Band Edge
	802.11b	11	7386.00	41.67	74.00	-32.33	V	PEAK	Pass	Harmonic
	802.11be EHT20	233	7125.01	66.71	68.20	-1.49	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	233	14230.00	46.16	88.20	-42.04	V	PEAK	Pass	Harmonic
104	802.11b	11	2483.50	42.73	54.00	-11.27	H	AVERAGE	Pass	Band Edge
	802.11b	11	7386.00	43.80	74.00	-30.20	V	PEAK	Pass	Harmonic
	802.11be EHT20	233	7125.01	66.27	68.20	-1.93	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	233	14230.00	46.55	88.20	-41.65	V	PEAK	Pass	Harmonic
105	Bluetooth-LE_GSKF	39	2483.50	48.95	54.00	-5.05	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	42.66	74.00	-31.34	H	PEAK	Pass	Harmonic
	802.11be EHT160	50	5150.00	52.40	54.00	-1.60	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	50	10500.00	45.47	68.20	-22.73	H	PEAK	Pass	Harmonic
	802.11be EHT20	233	7125.01	63.58	68.20	-4.62	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	233	14230.00	46.16	88.20	-42.04	H	PEAK	Pass	Harmonic
106	Bluetooth-LE_GSKF	39	2483.50	49.12	54.00	-4.88	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	42.28	74.00	-31.72	V	PEAK	Pass	Harmonic
	802.11be EHT160	50	5150.00	52.43	54.00	-1.57	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	50	10500.00	45.62	68.20	-22.58	H	PEAK	Pass	Harmonic
	802.11be EHT20	233	7125.01	64.59	68.20	-3.61	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	233	14230.00	46.25	88.20	-41.95	V	PEAK	Pass	Harmonic



Mode	1																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																							
ANT	A6+A7																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.15</td><td>78.60</td><td>88.20</td><td>-9.60</td><td>69.74</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>32 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.15	78.60	88.20	-9.60	69.74	34.97	11.55	37.66	0.00	100	32 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.15	78.60	88.20	-9.60	69.74	34.97	11.55	37.66	0.00	100	32 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>112.92</td><td>-----</td><td>-----</td><td>103.92</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>100</td><td>32 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.92	-----	-----	103.92	35.05	11.57	37.62	0.00	100	32 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	112.92	-----	-----	103.92	35.05	11.57	37.62	0.00	100	32 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.41</td><td>66.69</td><td>68.20</td><td>-1.51</td><td>57.83</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>32 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.41	66.69	68.20	-1.51	57.83	34.97	11.55	37.66	0.00	100	32 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.41	66.69	68.20	-1.51	57.83	34.97	11.55	37.66	0.00	100	32 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.88</td><td>-----</td><td>-----</td><td>95.88</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>100</td><td>32 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.88	-----	-----	95.88	35.05	11.57	37.62	0.00	100	32 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	104.88	-----	-----	95.88	35.05	11.57	37.62	0.00	100	32 AVERAGE																																													