





11BE160MIMO_Ant6_6345_996Tone_RUS67




11BE160MIMO_Ant7_6345_996Tone_RUS67






11BE160MIMO_Ant6_6665_996Tone_RUS67



11BE160MIMO_Ant7_6665_996Tone_RUS67





In-Band Emissions

Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11BE320 MIMO	Ant6	6105	2*996Tone	RU69	See test graph	See test graph	PASS
	Ant7	6105	2*996Tone	RU69	See test graph	See test graph	PASS
	Ant6	6265	2*996Tone	RU69	See test graph	See test graph	PASS
	Ant7	6265	2*996Tone	RU69	See test graph	See test graph	PASS
11BE20 MIMO	Ant6	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6195	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6195	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant7	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant6	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant6	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant7	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS



	Ant6	6855	106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant7	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
11BE40 MIMO	Ant6	5965	242Tone	RU61	See test graph	See test graph	PASS
	Ant7	5965	242Tone	RU61	See test graph	See test graph	PASS
	Ant6	6205	242Tone	RU61	See test graph	See test graph	PASS
	Ant7	6205	242Tone	RU61	See test graph	See test graph	PASS
	Ant6	6405	242Tone	RU62	See test graph	See test graph	PASS
	Ant7	6405	242Tone	RU62	See test graph	See test graph	PASS
	Ant6	6565	242Tone	RU61	See test graph	See test graph	PASS
	Ant7	6565	242Tone	RU61	See test graph	See test graph	PASS
	Ant6	6685	242Tone	RU61	See test graph	See test graph	PASS
	Ant7	6685	242Tone	RU61	See test graph	See test graph	PASS
	Ant6	6845	242Tone	RU62	See test graph	See test graph	PASS
	Ant7	6845	242Tone	RU62	See test graph	See test graph	PASS
11BE80 MIMO	Ant6	5985	484Tone	RU65	See test graph	See test graph	PASS
	Ant7	5985	484Tone	RU65	See test graph	See test graph	PASS
	Ant6	6225	484Tone	RU65	See test graph	See test graph	PASS
	Ant7	6225	484Tone	RU65	See test graph	See test graph	PASS
	Ant6	6385	484Tone	RU66	See test graph	See test graph	PASS
	Ant7	6385	484Tone	RU66	See test graph	See test graph	PASS
	Ant6	6625	484Tone	RU65	See test graph	See test graph	PASS
	Ant7	6625	484Tone	RU65	See test graph	See test graph	PASS
	Ant6	6705	484Tone	RU65	See test graph	See test graph	PASS
	Ant7	6705	484Tone	RU65	See test graph	See test graph	PASS
	Ant6	6785	484Tone	RU66	See test graph	See test graph	PASS
	Ant7	6785	484Tone	RU66	See test graph	See test graph	PASS
11BE160 MIMO	Ant6	6025	996Tone	RU67	See test graph	See test graph	PASS
	Ant7	6025	996Tone	RU67	See test graph	See test graph	PASS
	Ant6	6185	996Tone	RU67	See test graph	See test graph	PASS
	Ant7	6185	996Tone	RU67	See test graph	See test graph	PASS
	Ant6	6345	996Tone	RUS67	See test graph	See test graph	PASS
	Ant7	6345	996Tone	RUS67	See test graph	See test graph	PASS
	Ant6	6665	996Tone	RUS67	See test graph	See test graph	PASS
	Ant7	6665	996Tone	RUS67	See test graph	See test graph	PASS




Test Graphs






11BE320MIMO_Ant6_6265_2*996Tone_RU69




11BE320MIMO_Ant7_6265_2*996Tone_RU69






11BE20MIMO_Ant6_5955_26Tone_RU0



Date: 13.SEP.2025 12:19:12


11BE20MIMO_Ant6_5955_52Tone_RU37



Date: 13.SEP.2025 12:20:16




11BE20MIMO_Ant6_5955_106Tone_RU53



Date: 13.SEP.2025 12:21:23


11BE20MIMO_Ant7_5955_26Tone_RU0



Date: 13.SEP.2025 12:19:39




11BE20MIMO_Ant7_5955_52Tone_RU37



Date: 13.SEP.2025 12:20:43


11BE20MIMO_Ant7_5955_106Tone_RU53




Date: 13.SEP.2025 12:21:50



11BE20MIMO_Ant6_6195_26Tone_RU0




11BE20MIMO_Ant6_6195_52Tone_RU37






11BE20MIMO_Ant6_6195_106Tone_RU53



Date: 13.SEP.2025 12:25:13


11BE20MIMO_Ant7_6195_26Tone_RU60



Date: 13.SEP.2025 12:23:16




11BE20MIMO_Ant7_6195_52Tone_RU37



Date: 13.SEP.2025 12:24:32


11BE20MIMO_Ant7_6195_106Tone_RU53



Date: 13.SEP.2025 12:25:40




11BE20MIMO_Ant6_6415_26Tone_RU8



Date: 13.SEP.2025 12:26:39


11BE20MIMO_Ant6_6415_52Tone_RU40



Date: 13.SEP.2025 12:27:45




11BE20MIMO_Ant6_6415_106Tone_RU54



Date: 13.SEP.2025 12:28:49


11BE20MIMO_Ant7_6415_26Tone_RU6



Date: 13.SEP.2025 12:27:05




11BE20MIMO_Ant7_6415_52Tone_RU40



Date: 13.SEP.2025 12:28:12


11BE20MIMO_Ant7_6415_106Tone_RU54




Date: 13.SEP.2025 12:29:16



11BE20MIMO_Ant6_6535_26Tone_RU0




11BE20MIMO_Ant6_6535_52Tone_RU37






11BE20MIMO_Ant6_6535_106Tone_RU53



Date: 13.SEP.2025 12:57:30


11BE20MIMO_Ant7_6535_26Tone_RU0




Date: 13.SEP.2025 12:55:28



11BE20MIMO_Ant7_6535_52Tone_RU37




11BE20MIMO_Ant7_6535_106Tone_RU53






11BE20MIMO_Ant6_6695_26Tone_RU0



Date: 13.SEP.2025 12:59:47


11BE20MIMO_Ant6_6695_52Tone_RU37



Date: 13.SEP.2025 13:00:50




11BE20MIMO_Ant6_6695_106Tone_RU53



Date: 13.SEP.2025 13:02:23


11BE20MIMO_Ant7_6695_26Tone_RU0




Date: 13.SEP.2025 13:00:14



11BE20MIMO_Ant7_6695_52Tone_RU37




11BE20MIMO_Ant7_6695_106Tone_RU53






11BE20MIMO_Ant6_6855_26Tone_RU8



Date: 13.SEP.2025 13:04:16


11BE20MIMO_Ant6_6855_52Tone_RU40



Date: 13.SEP.2025 13:05:19




11BE20MIMO_Ant6_6855_106Tone_RU54



Date: 13.SEP.2025 13:06:48


11BE20MIMO_Ant7_6855_26Tone_RU8



Date: 13.SEP.2025 13:04:43




11BE20MIMO_Ant7_6855_52Tone_RU40



Date: 13.SEP.2025 13:05:45


11BE20MIMO_Ant7_6855_106Tone_RU54




Date: 13.SEP.2025 13:07:15



11BE40MIMO_Ant6_5965_242Tone_RU61




11BE40MIMO_Ant7_5965_242Tone_RU61






11BE40MIMO_Ant6_6205_242Tone_RU61




11BE40MIMO_Ant7_6205_242Tone_RU61






11BE40MIMO_Ant6_6405_242Tone_RU62




11BE40MIMO_Ant7_6405_242Tone_RU62






11BE40MIMO_Ant6_6565_242Tone_RU61




11BE40MIMO_Ant7_6565_242Tone_RU61






11BE40MIMO_Ant6_6685_242Tone_RU61




11BE40MIMO_Ant7_6685_242Tone_RU61






11BE40MIMO_Ant6_6845_242Tone_RU62




11BE40MIMO_Ant7_6845_242Tone_RU62






11BE80MIMO_Ant6_5985_484Tone_RU65




11BE80MIMO_Ant7_5985_484Tone_RU65






11BE80MIMO_Ant6_6225_484Tone_RU65




11BE80MIMO_Ant7_6225_484Tone_RU65






11BE80MIMO_Ant6_6385_484Tone_RU66




11BE80MIMO_Ant7_6385_484Tone_RU66






11BE80MIMO_Ant6_6625_484Tone_RU65




11BE80MIMO_Ant7_6625_484Tone_RU65






11BE80MIMO_Ant6_6705_484Tone_RU65




11BE80MIMO_Ant7_6705_484Tone_RU65






11BE80MIMO_Ant6_6785_484Tone_RU66




11BE80MIMO_Ant7_6785_484Tone_RU66






11BE160MIMO_Ant6_6025_996Tone_RU67




11BE160MIMO_Ant7_6025_996Tone_RU67






11BE160MIMO_Ant6_6185_996Tone_RU67




11BE160MIMO_Ant7_6185_996Tone_RU67






11BE160MIMO_Ant6_6345_996Tone_RUS67




11BE160MIMO_Ant7_6345_996Tone_RUS67






11BE160MIMO_Ant6_6665_996Tone_RUS67



11BE160MIMO_Ant7_6665_996Tone_RUS67





<Small RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant6	5955	52Tone+26Tone	RU38+RU1	4.60	0.20	4.80	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.88	0.20	6.08	≤17.00	PASS
	Ant7	5955	52Tone+26Tone	RU38+RU1	4.50	-0.30	4.20	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.99	-0.30	5.69	≤17.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	7.56	2.96	10.52	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	8.95	2.96	11.91	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	8.98	3.03	12.01	≤17.00	PASS
	Ant6	6535	52Tone+26Tone	RU38+RU1	4.37	0.00	4.37	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.99	0.00	5.99	≤17.00	PASS
	Ant7	6535	52Tone+26Tone	RU38+RU1	4.20	-0.40	3.80	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	5.60	-0.40	5.20	≤17.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	7.30	2.81	10.11	≤17.00	PASS
			106Tone+26Tone	RU53+RU4	8.81	2.81	11.62	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant7_5955_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_5955_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6535_52Tone+26Tone_RU38+RU1



11BE20MIMO_Ant7_6535_106Tone+26Tone_RU53+RU4





<Large RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	3*996Tone	RU4	-4.93	0.20	-4.73	≤17.00	PASS
			2*996Tone+484Tone	RU6	-4.80	0.20	-4.60	≤17.00	PASS
			3*996Tone+484Tone	RU8	-5.08	0.20	-4.88	≤17.00	PASS
	Ant7	6105	3*996Tone	RU4	-4.97	-0.30	-5.27	≤17.00	PASS
			2*996Tone+484Tone	RU6	-5.03	-0.30	-5.33	≤17.00	PASS
			3*996Tone+484Tone	RU8	-5.25	-0.30	-5.55	≤17.00	PASS
	total	6105	3*996Tone	RU4	-1.94	2.96	1.02	≤17.00	PASS
			2*996Tone+484Tone	RU6	-1.90	2.96	1.06	≤17.00	PASS
			3*996Tone+484Tone	RU8	-2.15	2.96	0.81	≤17.00	PASS
11BE80 MIMO	Ant6	5985	484Tone+242Tone	RU4	0.64	0.20	0.84	≤17.00	PASS
	Ant7	5985	484Tone+242Tone	RU4	0.37	-0.30	0.07	≤17.00	PASS
	total	5985	484Tone+242Tone	RU4	3.52	2.96	6.48	≤17.00	PASS
	Ant6	6625	484Tone+242Tone	RU4	0.24	0.00	0.24	≤17.00	PASS
	Ant7	6625	484Tone+242Tone	RU4	0.46	-0.40	0.06	≤17.00	PASS
	total	6625	484Tone+242Tone	RU4	3.36	2.81	6.17	≤17.00	PASS
11BE160 MIMO	Ant6	6025	996Tone+484Tone	RU4	-3.13	0.20	-2.93	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-3.25	0.20	-3.05	≤17.00	PASS
	Ant7	6025	996Tone+484Tone	RU4	-3.76	-0.30	-4.06	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-3.96	-0.30	-4.26	≤17.00	PASS
	total	6025	996Tone+484Tone	RU4	-0.42	2.96	2.54	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-0.58	2.96	2.38	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-1.28	3.03	1.84	≤17.00	PASS
	Ant6	6665	996Tone+484Tone	RU4	-3.94	0.00	-3.94	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-4.37	0.00	-4.37	≤17.00	PASS
	Ant7	6665	996Tone+484Tone	RU4	-3.41	-0.40	-3.81	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-3.70	-0.40	-4.10	≤17.00	PASS
	total	6665	996Tone+484Tone	RU4	-0.66	2.81	2.15	≤17.00	PASS
			996Tone+484Tone242Tone	RU8	-1.01	2.81	1.80	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6105_3*996Tone_RU4






11BE320MIMO_Ant7_6105_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6105_3*996Tone+484Tone_RU8






11BE80MIMO_Ant6_5985_484Tone+242Tone_RU4




11BE80MIMO_Ant7_5985_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6625_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6625_484Tone+242Tone_RU4






11BE160MIMO_Ant6_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6665_996Tone+484Tone_RU4



Date: 4.AUG.2025 14:37:51


11BE160MIMO_Ant6_6665_996Tone+484Tone242Tone_RU8



Date: 4.AUG.2025 14:44:18



11BE160MIMO_Ant7_6665_996Tone+484Tone_RU4



11BE160MIMO_Ant7_6665_996Tone+484Tone242Tone_RU8





<Puncturing RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm/ MHz]	Limit [dBm /MHz]	Verdict
11BE320 MIMO	Ant6	6105	Puncturing 80M	RU4	-4.85	0.20	-4.65	≤17.00	PASS
			Puncturing 80+40M	RU6	-4.79	0.20	-4.59	≤17.00	PASS
			Puncturing 40M	RU8	-4.88	0.20	-4.68	≤17.00	PASS
	Ant7	6105	Puncturing 80M	RU4	-5.06	-0.30	-5.36	≤17.00	PASS
			Puncturing 80+40M	RU6	-4.85	-0.30	-5.15	≤17.00	PASS
			Puncturing 40M	RU8	-5.09	-0.30	-5.39	≤17.00	PASS
	total	6105	Puncturing 80M	RU4	-1.94	2.96	1.02	≤17.00	PASS
			Puncturing 80+40M	RU6	-1.81	2.96	1.15	≤17.00	PASS
			Puncturing 40M	RU8	-1.97	2.96	0.99	≤17.00	PASS
11BE80 MIMO	Ant6	5985	Puncturing 20M	RU4	0.96	0.20	1.16	≤17.00	PASS
	Ant7	5985	Puncturing 20M	RU4	0.54	-0.30	0.24	≤17.00	PASS
	total	5985	Puncturing 20M	RU4	3.77	2.96	6.73	≤17.00	PASS
	Ant6	6625	Puncturing 20M	RU4	0.31	0.00	0.31	≤17.00	PASS
	Ant7	6625	Puncturing 20M	RU4	0.60	-0.40	0.20	≤17.00	PASS
	total	6625	Puncturing 20M	RU4	3.47	2.81	6.28	≤17.00	PASS
11BE160 MIMO	Ant6	6025	Puncturing 40M	RU4	-2.92	0.20	-2.72	≤17.00	PASS
			Puncturing 20M	RU8	-3.24	0.20	-3.04	≤17.00	PASS
	Ant7	6025	Puncturing 40M	RU4	-3.62	-0.30	-3.92	≤17.00	PASS
			Puncturing 20M	RU8	-4.11	-0.30	-4.41	≤17.00	PASS
	total	6025	Puncturing 40M	RU4	-0.25	2.96	2.71	≤17.00	PASS
			Puncturing 20M	RU8	-0.64	2.96	2.32	≤17.00	PASS
	Ant6	6665	Puncturing 40M	RU4	-3.98	0.00	-3.98	≤17.00	PASS
			Puncturing 20M	RU8	-4.09	0.00	-4.09	≤17.00	PASS
	Ant7	6665	Puncturing 40M	RU4	-3.35	-0.40	-3.75	≤17.00	PASS
			Puncturing 20M	RU8	-3.64	-0.40	-4.04	≤17.00	PASS
	total	6665	Puncturing 40M	RU4	-0.64	2.81	2.17	≤17.00	PASS
			Puncturing 20M	RU8	-0.85	2.81	1.96	≤17.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_Puncturing 40M_RU8



11BE320MIMO_Ant7_6105_Puncturing 80M_RU4





11BE320MIMO_Ant7_6105_Puncturing 80+40M_RU6



Date: 4.AUG.2025 13:43:27


11BE320MIMO_Ant7_6105_Puncturing 40M_RU8




Date: 4.AUG.2025 13:40:35



11BE80MIMO_Ant6_5985_Puncturing 20M_RU4




11BE80MIMO_Ant7_5985_Puncturing 20M_RU4






11BE80MIMO_Ant6_6625_Puncturing 20M_RU4




11BE80MIMO_Ant7_6625_Puncturing 20M_RU4






11BE160MIMO_Ant6_6025_Puncturing 40M_RU4




11BE160MIMO_Ant6_6025_Puncturing 20M_RU8






11BE160MIMO_Ant7_6025_Puncturing 40M_RU4



Date: 4.AUG.2025 13:28:20


11BE160MIMO_Ant7_6025_Puncturing 20M_RU8



Date: 4.AUG.2025 13:26:58




11BE160MIMO_Ant6_6665_Puncturing 40M_RU4



Date: 4.AUG.2025 13:35:17


11BE160MIMO_Ant6_6665_Puncturing 20M_RU8




Date: 4.AUG.2025 13:33:45



11BE160MIMO_Ant7_6665_Puncturing 40M_RU4




11BE160MIMO_Ant7_6665_Puncturing 20M_RU8





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.153	55.18	-10.64	65.82	44.50	0.23	10.45	QP
2	0.153	37.28	-18.54	55.82	26.60	0.23	10.45	Average
3	0.169	50.90	-14.09	64.99	40.20	0.25	10.45	QP
4	0.169	31.90	-23.09	54.99	21.20	0.25	10.45	Average
5	0.237	42.24	-19.98	62.22	31.50	0.27	10.47	QP
6	0.237	27.04	-25.18	52.22	16.30	0.27	10.47	Average
7	0.260	38.26	-23.16	61.42	27.50	0.29	10.47	QP
8	0.260	22.26	-29.16	51.42	11.50	0.29	10.47	Average
9	2.346	35.45	-20.55	56.00	24.80	0.42	10.23	QP
10	2.346	25.85	-20.15	46.00	15.20	0.42	10.23	Average
11	2.567	35.75	-20.25	56.00	25.10	0.42	10.23	QP
12	2.567	27.95	-18.05	46.00	17.30	0.42	10.23	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.153	52.88	-12.94	65.82	42.20	0.23	10.45	QP
2	0.153	36.18	-19.64	55.82	25.50	0.23	10.45	Average
3	0.169	43.90	-21.09	64.99	33.20	0.25	10.45	QP
4	0.169	27.30	-27.69	54.99	16.60	0.25	10.45	Average
5	0.244	39.24	-22.71	61.95	28.50	0.27	10.47	QP
6	0.244	24.34	-27.61	51.95	13.60	0.27	10.47	Average
7	2.225	37.83	-18.17	56.00	27.20	0.39	10.24	QP
8	2.225	29.53	-16.47	46.00	18.90	0.39	10.24	Average
9	2.435	38.82	-17.18	56.00	28.20	0.39	10.23	QP
10	2.435	31.22	-14.78	46.00	20.60	0.39	10.23	Average
11	2.664	38.82	-17.18	56.00	28.20	0.39	10.23	QP
12	2.664	31.82	-14.18	46.00	21.20	0.39	10.23	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jake zhou	Relative Humidity :	51 ~ 53 %
		Temperature :	22 ~ 26 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Sample
Mode 1	U-NII-5	5.925-6.425	A6+A7	802.11a	1	5955	6Mbps	-	1
Mode 2	U-NII-5	5.925-6.425	A6+A7	802.11a	49	6195	6Mbps	-	1
Mode 3	U-NII-5	5.925-6.425	A6+A7	802.11a	93	6415	6Mbps	-	1
Mode 4	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	-	1
Mode 5	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	RU106/53	1
Mode 6	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	49	6195	MCS0	-	1
Mode 7	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	93	6415	MCS0	-	1
Mode 8	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	-	1
Mode 9	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	RU242/61	1
Mode 10	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	51	6205	MCS0	-	1
Mode 11	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	91	6405	MCS0	-	1
Mode 12	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Full	1
Mode 13	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	RU484/65	1
Mode 14	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	55	6225	MCS0	Full	1
Mode 15	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	87	6385	MCS0	Full	1
Mode 16	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Full	1
Mode 17	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	RU996/67	1
Mode 18	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	47	6185	MCS0	Full	1
Mode 19	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	79	6345	MCS0	Full	1
Mode 31	U-NII-7	6.525-6.875	A6+A7	802.11a	117	6535	6Mbps	Full	1
Mode 32	U-NII-7	6.525-6.875	A6+A7	802.11a	149	6695	6Mbps	Full	1
Mode 34	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	117	6535	MCS0	Full	1
Mode 35	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	149	6695	MCS0	Full	1
Mode 37	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	123	6565	MCS0	Full	1
Mode 38	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	147	6685	MCS0	Full	1
Mode 40	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	135	6625	MCS0	Full	1
Mode 41	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	151	6705	MCS0	Full	1
Mode 43	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	143	6665	MCS0	Full	1
Mode 61	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	-	1
Mode 62	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	RU996*2/69	1
Mode 65	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	-	1
Mode 66	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	RU996*2/69	1
Mode 70	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	Index 38+1	1



Mode 71	U-NII-5	6.425-6.525	A6+A7	802.11be EHT20	1	5955	MCS0	Index 53+4	1
Mode 74	U-NII-5	6.425-6.525	A6+A7	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	1
Mode 76	U-NII-5	6.425-6.525	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	1
Mode 78	U-NII-5	6.425-6.525	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	1
Mode 80	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M +40M⑥	1
Mode 82	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	1
Mode 84	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	1
Mode 86	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	1
Mode 88	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	1
Mode 90	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484+242 ⑧	1
Mode 92	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	1
Mode 94	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	1
Mode 95	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	1
Mode 108	U-NII-7	6.525-6.875	A6+A7	802.11a	181	6855	6Mbps	Full	1
Mode 109	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	181	6855	MCS0	Full	1
Mode 110	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	179	6845	MCS0	Full	1
Mode 111	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	167	6785	MCS0	Full	1



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5923.41	66.69	68.20	-1.51	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	44.81	74.00	-29.19	V	PEAK	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	44.40	54.00	-9.60	V	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.32	88.20	-41.88	V	PEAK	Pass	Harmonic
4	802.11be EHT20	1	5919.64	66.03	68.20	-2.17	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	1	11910.00	45.67	74.00	-28.33	V	PEAK	Pass	Harmonic
5	802.11be EHT20	1	5924.97	57.52	68.20	-10.68	V	AVERAGE	Pass	Band Edge
5	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT20	49	-	-	-	-	-	-	-	Band Edge
6	802.11be EHT20	49	12390.00	45.28	74.00	-28.72	H	PEAK	Pass	Harmonic
7	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
7	802.11be EHT20	93	12830.00	45.30	88.20	-42.90	H	PEAK	Pass	Harmonic
8	802.11be EHT40	3	5920.20	64.18	68.20	-4.02	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	3	11930.00	44.94	74.00	-29.06	H	PEAK	Pass	Harmonic
9	802.11be EHT40	3	5924.96	61.09	68.20	-7.11	H	AVERAGE	Pass	Band Edge
9	802.11be EHT40	3	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT40	51	-	-	-	-	-	-	-	Band Edge
10	802.11be EHT40	51	12410.00	45.59	74.00	-28.41	V	PEAK	Pass	Harmonic
11	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT40	91	12810.00	44.65	88.20	-43.55	V	PEAK	Pass	Harmonic
12	802.11be EHT80	7	5916.36	55.87	68.20	-12.33	H	AVERAGE	Pass	Band Edge
12	802.11be EHT80	7	11970.00	44.03	74.00	-29.97	H	PEAK	Pass	Harmonic
13	802.11be EHT80	7	5925.00	59.97	68.20	-8.23	H	AVERAGE	Pass	Band Edge
13	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
14	802.11be EHT80	55	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT80	55	12450.00	44.32	74.00	-29.68	H	PEAK	Pass	Harmonic
15	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT80	87	12770.00	43.81	88.20	-44.39	H	PEAK	Pass	Harmonic
16	802.11be EHT160	15	5925.00	51.82	68.20	-16.38	H	AVERAGE	Pass	Band Edge
16	802.11be EHT160	15	12050.00	44.58	74.00	-29.42	V	PEAK	Pass	Harmonic
17	802.11be EHT160	15	5918.20	56.70	68.20	-11.50	H	AVERAGE	Pass	Band Edge
17	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
18	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT160	47	12370.00	44.96	74.00	-29.04	V	PEAK	Pass	Harmonic
19	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT160	79	12690.00	44.48	74.00	-29.52	V	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge







31	802.11a	117	13070.00	47.30	88.20	-40.90	V	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	42.86	54.00	-11.14	V	AVERAGE	Pass	Harmonic
34	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT20	117	13070.00	48.00	88.20	-40.20	V	PEAK	Pass	Harmonic
35	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT20	149	13390.00	38.55	54.00	-15.45	V	AVERAGE	Pass	Harmonic
37	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT40	123	13130.00	45.78	88.20	-42.42	H	PEAK	Pass	Harmonic
38	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT40	147	13370.00	45.68	74.00	-28.32	V	PEAK	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	45.14	74.00	-28.86	V	PEAK	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT80	151	13410.00	45.87	88.20	-42.33	H	PEAK	Pass	Harmonic
43	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT160	143	13330.00	44.42	74.00	-29.58	V	PEAK	Pass	Harmonic
61	802.11be EHT320	31	5924.84	65.07	68.20	-3.13	H	AVERAGE	Pass	Band Edge
61	802.11be EHT320	31	12210.00	45.07	74.00	-28.93	V	PEAK	Pass	Harmonic
62	802.11be EHT320	31	5924.84	65.13	68.20	-3.07	H	AVERAGE	Pass	Band Edge
62	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT320	63	5924.52	65.81	68.20	-2.39	H	AVERAGE	Pass	Band Edge
65	802.11be EHT320	63	12530.00	44.67	74.00	-29.33	H	PEAK	Pass	Harmonic
66	802.11be EHT320	63	5919.40	54.98	68.20	-13.22	V	AVERAGE	Pass	Band Edge
66	802.11be EHT320	63	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT20	1	5924.06	48.06	68.20	-20.14	H	AVERAGE	Pass	Band Edge
70	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT20	1	5922.63	77.17	88.20	-11.03	H	PEAK	Pass	Band Edge
71	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	7	5924.68	61.34	68.20	-6.86	H	AVERAGE	Pass	Band Edge
74	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT160	15	5920.80	59.12	68.20	-9.08	H	AVERAGE	Pass	Band Edge
76	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT160	15	5921.20	58.27	68.20	-9.93	H	AVERAGE	Pass	Band Edge
78	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT320	31	5891.88	62.41	68.20	-5.79	H	AVERAGE	Pass	Band Edge
80	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT320	31	5915.24	65.94	68.20	-2.26	H	AVERAGE	Pass	Band Edge
82	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT320	31	5916.52	64.91	68.20	-3.29	H	AVERAGE	Pass	Band Edge
84	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT80	7	5914.92	64.68	68.20	-3.52	H	AVERAGE	Pass	Band Edge







86	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT160	15	5915.20	57.58	68.20	-10.62	H	AVERAGE	Pass	Band Edge
88	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT160	15	5914.60	58.13	68.20	-10.07	H	AVERAGE	Pass	Band Edge
90	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT320	31	5913.64	63.38	68.20	-4.82	H	AVERAGE	Pass	Band Edge
92	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT320	31	5917.48	66.26	68.20	-1.94	H	AVERAGE	Pass	Band Edge
94	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
95	802.11be EHT320	31	5910.12	65.24	68.20	-2.96	H	AVERAGE	Pass	Band Edge
95	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
108	802.11a	181	-	-	-	-	-	-	-	Band Edge
108	802.11a	181	13710.00	44.70	88.20	-43.50	V	PEAK	Pass	Harmonic
109	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
109	802.11be EHT20	181	13710.00	44.16	88.20	-44.04	V	PEAK	Pass	Harmonic
110	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
110	802.11be EHT40	179	13690.00	44.56	88.20	-43.64	V	PEAK	Pass	Harmonic
111	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
111	802.11be EHT80	167	13570.00	44.80	88.20	-43.40	H	PEAK	Pass	Harmonic





Mode	1																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.15</td><td>78.60</td><td>88.20</td><td>-9.60</td><td>69.74</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>32 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.15	78.60	88.20	-9.60	69.74	34.97	11.55	37.66	0.00	100	32 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>112.92</td><td>-----</td><td>-----</td><td>103.92</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>100</td><td>32 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.92	-----	-----	103.92	35.05	11.57	37.62	0.00	100	32 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5923.15	78.60	88.20	-9.60	69.74	34.97	11.55	37.66	0.00	100	32 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	112.92	-----	-----	103.92	35.05	11.57	37.62	0.00	100	32 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.41</td><td>66.69</td><td>68.20</td><td>-1.51</td><td>57.83</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>32 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.41	66.69	68.20	-1.51	57.83	34.97	11.55	37.66	0.00	100	32 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.88</td><td>-----</td><td>-----</td><td>95.88</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>100</td><td>32 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.88	-----	-----	95.88	35.05	11.57	37.62	0.00	100	32 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5923.41	66.69	68.20	-1.51	57.83	34.97	11.55	37.66	0.00	100	32 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	104.88	-----	-----	95.88	35.05	11.57	37.62	0.00	100	32 AVERAGE																																																																																										





Mode	1																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.07</td><td>78.41</td><td>88.20</td><td>-9.79</td><td>69.56</td><td>34.96</td><td>11.55</td><td>37.66</td><td>0.00</td><td>300</td><td>29 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.07	78.41	88.20	-9.79	69.56	34.96	11.55	37.66	0.00	300	29 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.34</td><td>-----</td><td>-----</td><td>100.34</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>300</td><td>29 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.34	-----	-----	100.34	35.05	11.57	37.62	0.00	300	29 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5921.07	78.41	88.20	-9.79	69.56	34.96	11.55	37.66	0.00	300	29 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	109.34	-----	-----	100.34	35.05	11.57	37.62	0.00	300	29 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>66.01</td><td>68.20</td><td>-2.19</td><td>57.15</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>300</td><td>29 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	66.01	68.20	-2.19	57.15	34.97	11.55	37.66	0.00	300	29 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.77</td><td>-----</td><td>-----</td><td>91.77</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>300</td><td>29 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.77	-----	-----	91.77	35.05	11.57	37.62	0.00	300	29 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.97	66.01	68.20	-2.19	57.15	34.97	11.55	37.66	0.00	300	29 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	100.77	-----	-----	91.77	35.05	11.57	37.62	0.00	300	29 AVERAGE																																																																																										





Mode	1																																																																																																			
	Harmonic																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																			
ANT	A6+A7																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>55.46</td><td>38.62</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	44.54	74.00	-29.46	55.46	38.62	16.42	65.96	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>55.73</td><td>38.62</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	44.81	74.00	-29.19	55.73	38.62	16.42	65.96	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11910.00	44.54	74.00	-29.46	55.46	38.62	16.42	65.96	0.00	---	PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11910.00	44.81	74.00	-29.19	55.73	38.62	16.42	65.96	0.00	---	PEAK																																																																																									







Mode	2																																																																																																																
	Harmonic																																																																																																																
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																
ANT	A6+A7																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>44.84</td><td>74.00</td><td>-29.16</td><td>55.29</td><td>38.86</td><td>16.80</td><td>66.11</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	44.84	74.00	-29.16	55.29	38.86	16.80	66.11	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>49.56</td><td>74.00</td><td>-24.44</td><td>60.01</td><td>38.86</td><td>16.80</td><td>66.11</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>44.40</td><td>54.00</td><td>-9.60</td><td>54.85</td><td>38.86</td><td>16.80</td><td>66.11</td><td>0.00</td><td>100</td><td>240 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	49.56	74.00	-24.44	60.01	38.86	16.80	66.11	0.00	100	240 PEAK	2	12390.00	44.40	54.00	-9.60	54.85	38.86	16.80	66.11	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	12390.00	44.84	74.00	-29.16	55.29	38.86	16.80	66.11	0.00	---	PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	12390.00	49.56	74.00	-24.44	60.01	38.86	16.80	66.11	0.00	100	240 PEAK																																																																																																						
2	12390.00	44.40	54.00	-9.60	54.85	38.86	16.80	66.11	0.00	100	240 AVERAGE																																																																																																						







		3																																																										
Mode		Harmonic																																																										
		U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																										
ANT		A6+A7																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>44.56</td><td>88.20</td><td>-43.64</td><td>53.92</td><td>39.03</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	44.56	88.20	-43.64	53.92	39.03	17.15	65.54	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1	12830.00	44.56	88.20	-43.64	53.92	39.03	17.15	65.54	0.00	---	---	PEAK																																																
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.32</td><td>88.20</td><td>-41.88</td><td>55.68</td><td>39.03</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.32	88.20	-41.88	55.68	39.03	17.15	65.54	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	12830.00	46.32	88.20	-41.88	55.68	39.03	17.15	65.54	0.00	---	---	PEAK																																																





Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																		
ANT	A6+A7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.13</td><td>78.90</td><td>88.20</td><td>-9.30</td><td>70.08</td><td>34.95</td><td>11.54</td><td>37.67</td><td>0.00</td><td>124 179 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.13	78.90	88.20	-9.30	70.08	34.95	11.54	37.67	0.00	124 179 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>115.83</td><td>-----</td><td>-----</td><td>106.83</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>124 179 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.83	-----	-----	106.83	35.05	11.57	37.62	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.13	78.90	88.20	-9.30	70.08	34.95	11.54	37.67	0.00	124 179 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	115.83	-----	-----	106.83	35.05	11.57	37.62	0.00	124 179 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.64</td><td>66.03</td><td>68.20</td><td>-2.17</td><td>57.19</td><td>34.96</td><td>11.55</td><td>37.67</td><td>0.00</td><td>124 179 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.64	66.03	68.20	-2.17	57.19	34.96	11.55	37.67	0.00	124 179 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.69</td><td>-----</td><td>-----</td><td>96.64</td><td>35.08</td><td>11.58</td><td>37.61</td><td>0.00</td><td>124 179 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.69	-----	-----	96.64	35.08	11.58	37.61	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5919.64	66.03	68.20	-2.17	57.19	34.96	11.55	37.67	0.00	124 179 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	105.69	-----	-----	96.64	35.08	11.58	37.61	0.00	124 179 AVERAGE																																																																																									







Mode	4																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																											
ANT	A6+A7																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.33</td><td>78.15</td><td>88.20</td><td>-10.05</td><td>69.30</td><td>34.96</td><td>11.55</td><td>37.66</td><td>0.00</td><td>111</td><td>117 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.33	78.15	88.20	-10.05	69.30	34.96	11.55	37.66	0.00	111	117 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.02</td><td>-----</td><td>-----</td><td>100.97</td><td>35.08</td><td>11.58</td><td>37.61</td><td>0.00</td><td>111</td><td>117 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.02	-----	-----	100.97	35.08	11.58	37.61	0.00	111	117 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5921.33	78.15	88.20	-10.05	69.30	34.96	11.55	37.66	0.00	111	117 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	110.02	-----	-----	100.97	35.08	11.58	37.61	0.00	111	117 PEAK																																																																																	
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.59</td><td>62.10</td><td>68.20</td><td>-6.10</td><td>53.25</td><td>34.96</td><td>11.55</td><td>37.66</td><td>0.00</td><td>111</td><td>117 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.59	62.10	68.20	-6.10	53.25	34.96	11.55	37.66	0.00	111	117 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.62</td><td>-----</td><td>-----</td><td>91.57</td><td>35.08</td><td>11.58</td><td>37.61</td><td>0.00</td><td>111</td><td>117 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.62	-----	-----	91.57	35.08	11.58	37.61	0.00	111	117 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5921.59	62.10	68.20	-6.10	53.25	34.96	11.55	37.66	0.00	111	117 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	100.62	-----	-----	91.57	35.08	11.58	37.61	0.00	111	117 AVERAGE																																																																																	







Mode	4																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																								
ANT	A6+A7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.98</td><td>74.00</td><td>-29.02</td><td>55.90</td><td>38.62</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	44.98	74.00	-29.02	55.90	38.62	16.42	65.96	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>56.59</td><td>38.62</td><td>16.42</td><td>65.96</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.67	74.00	-28.33	56.59	38.62	16.42	65.96	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11910.00	44.98	74.00	-29.02	55.90	38.62	16.42	65.96	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11910.00	45.67	74.00	-28.33	56.59	38.62	16.42	65.96	0.00	---	---	PEAK																																																																																													





Mode	5																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.30</td><td>68.29</td><td>88.20</td><td>-19.91</td><td>59.47</td><td>34.95</td><td>11.54</td><td>37.67</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.30	68.29	88.20	-19.91	59.47	34.95	11.54	37.67	0.00	100	35 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.30</td><td>-----</td><td>-----</td><td>108.30</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.30	-----	-----	108.30	35.05	11.57	37.62	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5917.30	68.29	88.20	-19.91	59.47	34.95	11.54	37.67	0.00	100	35 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	117.30	-----	-----	108.30	35.05	11.57	37.62	0.00	100	35 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>54.08</td><td>68.20</td><td>-14.12</td><td>45.22</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>35 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	54.08	68.20	-14.12	45.22	34.97	11.55	37.66	0.00	100	35 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.76</td><td>-----</td><td>-----</td><td>98.76</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>100</td><td>35 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.76	-----	-----	98.76	35.05	11.57	37.62	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.97	54.08	68.20	-14.12	45.22	34.97	11.55	37.66	0.00	100	35 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	107.76	-----	-----	98.76	35.05	11.57	37.62	0.00	100	35 AVERAGE																																																																																										




		5																																																					
Mode		Band Edge																																																					
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																					
ANT		A6+A7																																																					
Pol.		Vertical					Fundamental																																																
Peak																																																							
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>71.90</td><td>88.20</td><td>-16.30</td><td>63.04</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>381</td><td>20 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	71.90	88.20	-16.30	63.04	34.97	11.55	37.66	0.00	381
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.97	71.90	88.20	-16.30	63.04	34.97	11.55	37.66	0.00	381	20 PEAK																																												
																																																							
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.06</td><td>-----</td><td>-----</td><td>102.86</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>381</td><td>20 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.06	-----	-----	102.86	35.05	11.57	37.62	0.00	381
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	111.06	-----	-----	102.86	35.05	11.57	37.62	0.00	381	20 PEAK																																												
Avg																																																							
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>57.52</td><td>68.20</td><td>-10.68</td><td>48.66</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>381</td><td>20 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	57.52	68.20	-10.68	48.66	34.97	11.55	37.66	0.00	381
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.97	57.52	68.20	-10.68	48.66	34.97	11.55	37.66	0.00	381	20 AVERAGE																																												
																																																							
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.12</td><td>-----</td><td>-----</td><td>94.12</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>381</td><td>20 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.12	-----	-----	94.12	35.05	11.57	37.62	0.00	381
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	103.12	-----	-----	94.12	35.05	11.57	37.62	0.00	381	20 AVERAGE																																												







		6																																												
Mode		Harmonic																																												
		U-NII-5_5.925-6.425_802.11be EHT20_CH49_6195MHz																																												
ANT		A6+A7																																												
Pol.		Horizontal																																												
Peak Avg																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	45.28	74.00	-28.72	55.73	38.86	16.80	66.11	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	12390.00	45.28	74.00	-28.72	55.73	38.86	16.80	66.11	0.00	---	---	PEAK																																		
		Vertical																																												
Peak Avg																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	44.21	74.00	-29.79	54.66	38.86	16.80	66.11	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	12390.00	44.21	74.00	-29.79	54.66	38.86	16.80	66.11	0.00	---	---	PEAK																																		







		7																																																																																																									
Mode		Harmonic																																																																																																									
		U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																																																									
ANT		A6+A7																																																																																																									
Pol.		Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.30</td><td>88.20</td><td>-42.90</td><td>54.66</td><td>39.03</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.04</td><td>88.20</td><td>-43.16</td><td>54.40</td><td>39.03</td><td>17.15</td><td>65.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	45.30	88.20	-42.90	54.66	39.03	17.15	65.54	0.00	---	---	PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	45.04	88.20	-43.16	54.40	39.03	17.15	65.54	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	12830.00	45.30	88.20	-42.90	54.66	39.03	17.15	65.54	0.00	---	---	PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	12830.00	45.04	88.20	-43.16	54.40	39.03	17.15	65.54	0.00	---	---	PEAK																																																																																															





Mode	8																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																																																		
ANT	A6+A7																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.94</td><td>76.16</td><td>88.20</td><td>-12.04</td><td>67.32</td><td>34.96</td><td>11.55</td><td>37.67</td><td>0.00</td><td>115</td><td>174</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.94	76.16	88.20	-12.04	67.32	34.96	11.55	37.67	0.00	115	174	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>111.53</td><td>-----</td><td>-----</td><td>102.45</td><td>35.10</td><td>11.58</td><td>37.60</td><td>0.00</td><td>115</td><td>174</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	111.53	-----	-----	102.45	35.10	11.58	37.60	0.00	115	174
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5918.94	76.16	88.20	-12.04	67.32	34.96	11.55	37.67	0.00	115	174	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5965.00	111.53	-----	-----	102.45	35.10	11.58	37.60	0.00	115	174	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.20</td><td>64.18</td><td>68.20</td><td>-4.02</td><td>55.34</td><td>34.96</td><td>11.55</td><td>37.67</td><td>0.00</td><td>115</td><td>174</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.20	64.18	68.20	-4.02	55.34	34.96	11.55	37.67	0.00	115	174	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.07</td><td>-----</td><td>-----</td><td>93.02</td><td>35.08</td><td>11.58</td><td>37.61</td><td>0.00</td><td>115</td><td>174</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.07	-----	-----	93.02	35.08	11.58	37.61	0.00	115	174
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5920.20	64.18	68.20	-4.02	55.34	34.96	11.55	37.67	0.00	115	174	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5965.00	102.07	-----	-----	93.02	35.08	11.58	37.61	0.00	115	174	AVERAGE																																																																																																							







Mode	8																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																							
ANT	A6+A7																																																							
Pol.	Vertical																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.40</td><td>73.06</td><td>88.20</td><td>-15.14</td><td>64.20</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>106</td><td>119 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.40	73.06	88.20	-15.14	64.20	34.97	11.55	37.66	0.00	106	119 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.40	73.06	88.20	-15.14	64.20	34.97	11.55	37.66	0.00	106	119 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.75</td><td>-----</td><td>-----</td><td>96.61</td><td>35.13</td><td>11.59</td><td>37.58</td><td>0.00</td><td>106</td><td>119 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.75	-----	-----	96.61	35.13	11.59	37.58	0.00	106	119 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5965.00	105.75	-----	-----	96.61	35.13	11.59	37.58	0.00	106	119 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>62.80</td><td>68.20</td><td>-5.40</td><td>53.94</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>106</td><td>119 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	62.80	68.20	-5.40	53.94	34.97	11.55	37.66	0.00	106	119 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.96	62.80	68.20	-5.40	53.94	34.97	11.55	37.66	0.00	106	119 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>96.52</td><td>-----</td><td>-----</td><td>87.44</td><td>35.10</td><td>11.58</td><td>37.60</td><td>0.00</td><td>106</td><td>119 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.52	-----	-----	87.44	35.10	11.58	37.60	0.00	106	119 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5965.00	96.52	-----	-----	87.44	35.10	11.58	37.60	0.00	106	119 AVERAGE																																													



Mode	8																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																																					
ANT	A6+A7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11930.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>55.79</td><td>38.64</td><td>16.44</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11930.00	44.94	74.00	-29.06	55.79	38.64	16.44	65.93	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11930.00</td><td>44.62</td><td>74.00</td><td>-29.38</td><td>55.47</td><td>38.64</td><td>16.44</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11930.00	44.62	74.00	-29.38	55.47	38.64	16.44	65.93	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11930.00	44.94	74.00	-29.06	55.79	38.64	16.44	65.93	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11930.00	44.62	74.00	-29.38	55.47	38.64	16.44	65.93	0.00	---	---	PEAK																																																																																											



Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_RU242/61_5965MHz																																																																																																		
ANT	A6+A7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>73.19</td><td>88.20</td><td>-15.01</td><td>64.33</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>115 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	73.19	88.20	-15.01	64.33	34.97	11.55	37.66	0.00	115 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>113.73</td><td>-----</td><td>-----</td><td>104.73</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>115 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	113.73	-----	-----	104.73	35.05	11.57	37.62	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.82	73.19	88.20	-15.01	64.33	34.97	11.55	37.66	0.00	115 360 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	113.73	-----	-----	104.73	35.05	11.57	37.62	0.00	115 360 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>61.09</td><td>68.20</td><td>-7.11</td><td>52.23</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>115 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	61.09	68.20	-7.11	52.23	34.97	11.55	37.66	0.00	115 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>104.96</td><td>-----</td><td>-----</td><td>95.96</td><td>35.05</td><td>11.57</td><td>37.62</td><td>0.00</td><td>115 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.96	-----	-----	95.96	35.05	11.57	37.62	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	61.09	68.20	-7.11	52.23	34.97	11.55	37.66	0.00	115 360 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	104.96	-----	-----	95.96	35.05	11.57	37.62	0.00	115 360 AVERAGE																																																																																									