





11BE20MIMO_Ant6_5500_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_5500_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_5500_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_5500_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_5700_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_5700_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_5700_52Tone+26Tone_RU39+RU7



Date: 18.AUG.2025 21:34:12


11BE20MIMO_Ant7_5700_106Tone+26Tone_RU54+RU4




Date: 18.AUG.2025 21:34:48



11BE20MIMO_Ant6_5745_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_5745_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_5745_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_5745_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_5825_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_5825_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_5825_52Tone+26Tone_RU39+RU7



11BE20MIMO_Ant7_5825_106Tone+26Tone_RU54+RU4





<Large RU>

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm /MHz]	Verdict
11BE80 MIMO	Ant6	5210	484Tone+242Tone	RU4	-1.13	≤11.00	PASS
	Ant7	5210	484Tone+242Tone	RU4	-0.91	≤11.00	PASS
	total	5210	484Tone+242Tone	RU4	1.99	≤11.00	PASS
	Ant6	5290	484Tone+242Tone	RU1	-0.91	≤11.00	PASS
	Ant7	5290	484Tone+242Tone	RU1	-1.21	≤11.00	PASS
	total	5290	484Tone+242Tone	RU1	1.95	≤11.00	PASS
	Ant6	5530	484Tone+242Tone	RU4	-1.21	≤11.00	PASS
	Ant7	5530	484Tone+242Tone	RU4	-1.39	≤11.00	PASS
	total	5530	484Tone+242Tone	RU4	1.71	≤11.00	PASS
	Ant6	5610	484Tone+242Tone	RU1	-0.92	≤11.00	PASS
	Ant7	5610	484Tone+242Tone	RU1	-1.47	≤11.00	PASS
	total	5610	484Tone+242Tone	RU1	1.82	≤11.00	PASS
	Ant6	5775	484Tone+242Tone	RU1	-3.53	≤30.00	PASS
				RU4	-3.59	≤30.00	PASS
	Ant7	5775	484Tone+242Tone	RU1	-4.02	≤30.00	PASS
				RU4	-3.65	≤30.00	PASS
	total	5775	484Tone+242Tone	RU1	-0.76	≤30.00	PASS
				RU4	-0.61	≤30.00	PASS
11BE160 MIMO	Ant6	5250	996Tone+484Tone	RU1	-4.38	≤11.00	PASS
			996Tone+484Tone+242Tone	RU1	-3.99	≤11.00	PASS
			996Tone+484Tone	RU4	-4.20	≤11.00	PASS
			996Tone+484Tone+242Tone	RU8	-4.31	≤11.00	PASS
	Ant7	5250	996Tone+484Tone+242Tone	RU1	-3.96	≤11.00	PASS
			996Tone+484Tone	RU1	-4.32	≤11.00	PASS
			996Tone+484Tone	RU4	-4.09	≤11.00	PASS
			996Tone+484Tone+242Tone	RU8	-4.21	≤11.00	PASS
	total	5250	996Tone+484Tone	RU1	-1.34	≤11.00	PASS
			996Tone+484Tone+242Tone	RU1	-0.96	≤11.00	PASS
			996Tone+484Tone	RU4	-1.13	≤11.00	PASS
			996Tone+484Tone+242Tone	RU8	-1.25	≤11.00	PASS
	Ant6	5570	996Tone+484Tone+242Tone	RU1	-3.73	≤11.00	PASS
			996Tone+484Tone	RU1	-3.59	≤11.00	PASS
			996Tone+484Tone	RU4	-3.79	≤11.00	PASS
			996Tone+484Tone+242Tone	RU8	-4.09	≤11.00	PASS
	Ant7	5570	996Tone+484Tone	RU1	-4.30	≤11.00	PASS
			996Tone+484Tone+242Tone	RU1	-4.36	≤11.00	PASS
			996Tone+484Tone	RU4	-4.50	≤11.00	PASS
			996Tone+484Tone+242Tone	RU8	-4.70	≤11.00	PASS
	total	5570	996Tone+484Tone	RU1	-0.92	≤11.00	PASS
			996Tone+484Tone+242Tone	RU1	-1.02	≤11.00	PASS
			996Tone+484Tone	RU4	-1.12	≤11.00	PASS
			996Tone+484Tone+242Tone	RU8	-1.37	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE80MIMO_Ant6_5290_484Tone+242Tone_RU1




11BE80MIMO_Ant7_5290_484Tone+242Tone_RU1






11BE80MIMO_Ant6_5530_484Tone+242Tone_RU4




11BE80MIMO_Ant7_5530_484Tone+242Tone_RU4







11BE80MIMO_Ant6_5610_484Tone+242Tone_RU1




11BE80MIMO_Ant7_5610_484Tone+242Tone_RU1








11BE80MIMO_Ant7_5775_484Tone+242Tone_RU1




11BE80MIMO_Ant7_5775_484Tone+242Tone_RU4






11BE160MIMO_Ant6_5250_996Tone+484Tone_RU1




11BE160MIMO_Ant6_5250_996Tone+484Tone+242Tone_RU1






11BE160MIMO_Ant6_5250_996Tone+484Tone_RU4




11BE160MIMO_Ant6_5250_996Tone+484Tone+242Tone_RU8





11BE160MIMO_Ant7_5250_996Tone+484Tone+242Tone_RU1



Date: 19.AUG.2025 02:25:57


11BE160MIMO_Ant7_5250_996Tone+484Tone_RU1




Date: 19.AUG.2025 02:23:15



11BE160MIMO_Ant7_5250_996Tone+484Tone_RU4



11BE160MIMO_Ant7_5250_996Tone+484Tone+242Tone_RU8





11BE160MIMO_Ant6_5570_996Tone+484Tone+242Tone_RU1



Date: 19.AUG.2025 02:37:39


11BE160MIMO_Ant6_5570_996Tone+484Tone_RU1




Date: 19.AUG.2025 02:30:17



11BE160MIMO_Ant6_5570_996Tone+484Tone_RU4



11BE160MIMO_Ant6_5570_996Tone+484Tone+242Tone_RU8






11BE160MIMO_Ant7_5570_996Tone+484Tone_RU1




11BE160MIMO_Ant7_5570_996Tone+484Tone+242Tone_RU1






11BE160MIMO_Ant7_5570_996Tone+484Tone_RU4



11BE160MIMO_Ant7_5570_996Tone+484Tone+242Tone_RU8



<Puncturing>

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant6	5210	Puncturing 20M	RU4	-1.00	≤11.00	PASS
	Ant7	5210	Puncturing 20M	RU4	-0.97	≤11.00	PASS
	total	5210	Puncturing 20M	RU4	2.03	≤11.00	PASS
	Ant6	5290	Puncturing 20M	RU1	-0.65	≤11.00	PASS
	Ant7	5290	Puncturing 20M	RU1	-1.11	≤11.00	PASS
	total	5290	Puncturing 20M	RU1	2.14	≤11.00	PASS
	Ant6	5530	Puncturing 20M	RU4	-1.02	≤11.00	PASS
	Ant7	5530	Puncturing 20M	RU4	-1.10	≤11.00	PASS
	total	5530	Puncturing 20M	RU4	1.95	≤11.00	PASS
	Ant6	5610	Puncturing 20M	RU1	-0.61	≤11.00	PASS
	Ant7	5610	Puncturing 20M	RU1	-1.13	≤11.00	PASS
	total	5610	Puncturing 20M	RU1	2.15	≤11.00	PASS
	Ant6	5775	Puncturing 20M	RU1	-3.63	≤30.00	PASS
				RU4	-3.69	≤30.00	PASS
	Ant7	5775	Puncturing 20M	RU1	-3.91	≤30.00	PASS
				RU4	-4.03	≤30.00	PASS
	total	5775	Puncturing 20M	RU1	-0.76	≤30.00	PASS
				RU4	-0.85	≤30.00	PASS
11BE160MIMO	Ant6	5250	Puncturing 40M	RU1	-4.10	≤11.00	PASS
			Puncturing 20M	RU1	-4.07	≤11.00	PASS
			Puncturing 40M	RU4	-4.32	≤11.00	PASS
			Puncturing 20M	RU8	-4.44	≤11.00	PASS
	Ant7	5250	Puncturing 40M	RU1	-4.21	≤11.00	PASS
			Puncturing 20M	RU1	-4.01	≤11.00	PASS
			Puncturing 40M	RU4	-4.25	≤11.00	PASS
			Puncturing 20M	RU8	-4.38	≤11.00	PASS
	total	5250	Puncturing 40M	RU1	-1.14	≤11.00	PASS
			Puncturing 20M	RU1	-1.03	≤11.00	PASS
			Puncturing 40M	RU4	-1.27	≤11.00	PASS
			Puncturing 20M	RU8	-1.40	≤11.00	PASS
	Ant6	5570	Puncturing 40M	RU1	-3.77	≤11.00	PASS
			Puncturing 20M	RU1	-3.82	≤11.00	PASS
			Puncturing 40M	RU4	-3.89	≤11.00	PASS
			Puncturing 20M	RU8	-4.15	≤11.00	PASS
	Ant7	5570	Puncturing 20M	RU1	-4.44	≤11.00	PASS
			Puncturing 40M	RU1	-4.49	≤11.00	PASS
			Puncturing 20M	RU4	-4.61	≤11.00	PASS
			Puncturing 20M	RU8	-4.66	≤11.00	PASS
	total	5570	Puncturing 20M	RU1	-1.11	≤11.00	PASS
			Puncturing 40M	RU1	-1.10	≤11.00	PASS
			Puncturing 40M	RU4	-1.22	≤11.00	PASS
			Puncturing 20M	RU8	-1.39	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.



Test Graphs





11BE80MIMO_Ant6_5290_Puncturing 20M_RU1



11BE80MIMO_Ant7_5290_Puncturing 20M_RU1





11BE80MIMO_Ant6_5530_Puncturing 20M_RU4




11BE80MIMO_Ant7_5530_Puncturing 20M_RU4






11BE80MIMO_Ant6_5610_Puncturing 20M_RU1



Date: 19.AUG.2025 00:54:55


11BE80MIMO_Ant7_5610_Puncturing 20M_RU1




Date: 19.AUG.2025 00:55:11



11BE80MIMO_Ant6_5775_Puncturing 20M_RU1



11BE80MIMO_Ant6_5775_Puncturing 20M_RU4





11BE80MIMO_Ant7_5775_Puncturing 20M_RU1




11BE80MIMO_Ant7_5775_Puncturing 20M_RU4






11BE160MIMO_Ant6_5250_Puncturing 40M_RU1




11BE160MIMO_Ant6_5250_Puncturing 20M_RU1






11BE160MIMO_Ant6_5250_Puncturing 40M_RU4




11BE160MIMO_Ant6_5250_Puncturing 20M_RU8






11BE160MIMO_Ant7_5250_Puncturing 40M_RU1




11BE160MIMO_Ant7_5250_Puncturing 20M_RU1






11BE160MIMO_Ant7_5250_Puncturing 40M_RU4



11BE160MIMO_Ant7_5250_Puncturing 20M_RU8






11BE160MIMO_Ant6_5570_Puncturing 40M_RU1




11BE160MIMO_Ant6_5570_Puncturing 20M_RU1






11BE160MIMO_Ant6_5570_Puncturing 40M_RU4



11BE160MIMO_Ant6_5570_Puncturing 20M_RU8





11BE160MIMO_Ant7_5570_Puncturing 20M_RU1




11BE160MIMO_Ant7_5570_Puncturing 40M_RU1






11BE160MIMO_Ant7_5570_Puncturing 40M_RU4




11BE160MIMO_Ant7_5570_Puncturing 20M_RU8






Appendix B. AC Conducted Emission Test Results



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.156	55.99	-9.66	65.65	45.30	0.24	10.45	QP
2	0.156	41.49	-14.16	55.65	30.80	0.24	10.45	Average
3	0.162	56.30	-9.04	65.34	45.61	0.24	10.45	QP
4	0.162	41.30	-14.04	55.34	30.61	0.24	10.45	Average
5	1.810	40.83	-15.47	56.00	29.91	0.38	10.24	QP
6	1.810	35.23	-10.77	46.00	24.61	0.38	10.24	Average
7	2.297	43.53	-12.47	56.00	32.91	0.39	10.23	QP
8	2.297	38.73	-7.27	46.00	28.11	0.39	10.23	Average
9	2.622	44.72	-11.28	56.00	34.10	0.39	10.23	QP
10 *	2.622	39.72	-6.28	46.00	29.10	0.39	10.23	Average
11	2.824	43.82	-12.18	56.00	33.21	0.39	10.22	QP
12	2.824	38.92	-7.08	46.00	28.31	0.39	10.22	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	46~48%
		Temperature :	26.2~27.5℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 6+7	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 6+7	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 6+7	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	Full	-
Mode 5	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	RU106/53	-
Mode 6	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	44	5220	MCS0	Full	-
Mode 7	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	48	5240	MCS0	Full	-
Mode 8	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT40	38	5190	MCS0	Full	-
Mode 9	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT40	38	5190	MCS0	RU242/61	-
Mode 10	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT40	46	5230	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	RU484/65	-
Mode 13	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Full	-
Mode 14	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	RU996/67	-
Mode 15	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	RU996/68	-
Mode 16	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	52	5260	6Mbps	-	-
Mode 17	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	60	5300	6Mbps	-	-
Mode 18	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	64	5320	6Mbps	-	-
Mode 19	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	52	5260	MCS0	Full	-
Mode 20	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	60	5300	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	RU106/54	-
Mode 23	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT40	54	5270	MCS0	Full	-
Mode 24	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT40	62	5310	MCS0	Full	-
Mode 25	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT40	62	5310	MCS0	RU242/62	-
Mode 26	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	Full	-
Mode 27	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	RU484/66	-
Mode 28	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	100	5500	6Mbps	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	116	5580	6Mbps	-	-
Mode 30	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	140	5700	6Mbps	-	-
Mode 31	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	-	-
Mode 32	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	RU106/53	-
Mode 33	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	116	5580	MCS0	-	-
Mode 34	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	-	-
Mode 35	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	RU106/54	-
Mode 36	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	102	5510	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	102	5510	MCS0	RU242/61	-
Mode 38	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	110	5550	MCS0	Full	-
Mode 39	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	134	5670	MCS0	Full	-



Mode 40	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	134	5670	MCS0	RU242/62	-
Mode 41	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	Full	-
Mode 42	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	RU484/65	-
Mode 43	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	Full	-
Mode 44	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	RU484/66	-
Mode 45	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Full	-
Mode 46	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	RU996/67	-
Mode 47	U-NII-2C	5.47-5.85	CDD 6+7	802.11a	144	5720	6Mbps	-	-
Mode 48	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT20	144	5720	MCS0	-	-
Mode 49	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT40	142	5710	MCS0	-	-
Mode 50	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT80	138	5690	MCS0	-	-
Mode 51	U-NII-3	5.725-5.85	CDD 6+7	802.11a	149	5745	6Mbps	-	-
Mode 52	U-NII-3	5.725-5.85	CDD 6+7	802.11a	157	5785	6Mbps	-	-
Mode 53	U-NII-3	5.725-5.85	CDD 6+7	802.11a	165	5825	6Mbps	-	-
Mode 54	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	Full	-
Mode 55	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	RU106/53	-
Mode 56	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	157	5785	MCS0	Full	-
Mode 57	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	Full	-
Mode 58	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	RU106/54	-
Mode 59	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	151	5755	MCS0	RU242/61	-
Mode 60	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	151	5755	MCS0	Full	-
Mode 61	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	159	5795	MCS0	Full	-
Mode 62	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	159	5795	MCS0	RU242/62	-
Mode 63	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Full	-
Mode 64	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	RU484/65	-
Mode 65	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	RU484/66	-
Mode 66	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	Index 38+1	-
Mode 67	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	Index 53+4	-
Mode 68	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	Index 39+7	-
Mode 69	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	Index 54+4	-
Mode 70	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	Index 38+1	-
Mode 71	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	Index 53+4	-
Mode 72	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	Index 39+7	-
Mode 73	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	Index 54+4	-
Mode 74	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	Index 38+1	-
Mode 75	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	Index 53+4	-
Mode 76	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	Index 39+7	-
Mode 77	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	Index 54+4	-
Mode 78	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	Puncturing 20M ④	-
Mode 79	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	Puncturing 20M ①	-
Mode 80	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	Puncturing 20M ④	-
Mode 81	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	Puncturing 20M ①	-
Mode 82	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 40M ④	-
Mode 83	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 40M ①	-
Mode 84	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 40M ④	-
Mode 85	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 40M ①	-
Mode 86	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 20M ①	-
Mode 87	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 20M ⑧	-
Mode 88	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 20M ①	-
Mode 89	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 20M ⑧	-
Mode 90	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Puncturing 20M ①	-
Mode 91	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Puncturing 20M ④	-



Mode 92	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	Large RU 484+242 ⁴	-
Mode 93	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	Large RU 484+242 ¹	-
Mode 94	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	Large RU 484+242 ⁴	-
Mode 95	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	Large RU 484+242 ¹	-
Mode 96	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ⁴	-
Mode 97	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ¹	-
Mode 98	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ⁴	-
Mode 99	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ¹	-
Mode 100	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484+242 ⁸	-
Mode 101	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484+242 ¹	-
Mode 102	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484+242 ⁸	-
Mode 103	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484+242 ¹	-
Mode 104	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ⁴	-
Mode 105	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ¹	-
Mode 106	-	2400-2483.5	6	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	RU996/67	-
	-	2400-2483.5	7	802.11b	11	2462	1Mbps	-	-
Mode 107	-	2400-2483.5	CDD 6+7	802.11b	11	2462	1Mbps	-	-
	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	RU996/67	-
Mode 108	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	RU996/67	-
	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT160	114	5570	MCS0	-	-
	-	2400-2483.5	6	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
Mode 109	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	RU996/67	-
	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT160	114	5570	MCS0	-	-
	-	2400-2483.5	7	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
Mode 110	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	RU996/67	-

Note: mode 1-109 for sample1; mode 110 for sample2



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5136.95	47.00	54.00	-7.00	H	AVERAGE	Pass	Band Edge
1	802.11a	36	6665.00	56.32	68.20	-11.88	V	PEAK	Pass	Harmonic
2	802.11a	44	5136.30	47.07	54.00	-6.93	H	AVERAGE	Pass	Band Edge
2	802.11a	44	6711.00	54.71	68.20	-13.49	V	PEAK	Pass	Harmonic
3	802.11a	48	5393.90	45.79	54.00	-8.21	H	AVERAGE	Pass	Band Edge
3	802.11a	48	11988.00	40.87	54.00	-13.13	V	AVERAGE	Pass	Harmonic
4	802.11be EHT20	36	5147.45	47.41	54.00	-6.59	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	36	11988.00	40.74	54.00	-13.26	V	AVERAGE	Pass	Harmonic
5	802.11be EHT20	36	5101.45	46.90	54.00	-7.10	H	AVERAGE	Pass	Band Edge
5	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT20	44	5113.42	47.03	54.00	-6.97	H	AVERAGE	Pass	Band Edge
6	802.11be EHT20	44	11988.00	40.89	54.00	-13.11	V	AVERAGE	Pass	Harmonic
7	802.11be EHT20	48	5449.56	45.87	54.00	-8.13	H	AVERAGE	Pass	Band Edge
7	802.11be EHT20	48	11988.00	38.64	54.00	-15.36	V	AVERAGE	Pass	Harmonic
8	802.11be EHT40	38	5148.86	48.02	54.00	-5.98	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	38	11988.00	41.44	54.00	-12.56	H	AVERAGE	Pass	Harmonic
9	802.11be EHT40	38	5142.33	46.92	54.00	-7.08	H	AVERAGE	Pass	Band Edge
9	802.11be EHT40	38	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT40	46	5131.77	48.30	54.00	-5.70	H	AVERAGE	Pass	Band Edge
10	802.11be EHT40	46	11988.00	38.34	54.00	-15.66	H	AVERAGE	Pass	Harmonic
11	802.11be EHT80	42	5149.20	48.13	54.00	-5.87	H	AVERAGE	Pass	Band Edge
11	802.11be EHT80	42	11988.00	36.09	54.00	-17.91	V	AVERAGE	Pass	Harmonic
12	802.11be EHT80	42	5150.00	47.68	54.00	-6.32	H	AVERAGE	Pass	Band Edge
12	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
13	802.11be EHT160	50	5451.28	51.21	54.00	-2.79	H	AVERAGE	Pass	Band Edge
13	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
14	802.11be EHT160	50	5147.13	52.98	54.00	-1.02	V	AVERAGE	Pass	Band Edge
14	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
15	802.11be EHT160	50	5350.91	49.62	54.00	-4.38	H	AVERAGE	Pass	Band Edge
15	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
16	802.11a	52	5101.35	47.01	54.00	-6.99	H	AVERAGE	Pass	Band Edge
16	802.11a	52	11988.00	40.89	54.00	-13.11	V	AVERAGE	Pass	Harmonic
17	802.11a	60	5101.56	46.92	54.00	-7.08	H	AVERAGE	Pass	Band Edge
17	802.11a	60	11988.00	40.06	54.00	-13.94	V	AVERAGE	Pass	Harmonic
18	802.11a	64	5395.65	45.68	54.00	-8.32	H	AVERAGE	Pass	Band Edge
18	802.11a	64	11988.00	40.74	54.00	-13.26	V	AVERAGE	Pass	Harmonic
19	802.11be EHT20	52	5103.13	47.18	54.00	-6.82	H	AVERAGE	Pass	Band Edge
19	802.11be EHT20	52	11988.00	40.45	54.00	-13.55	V	AVERAGE	Pass	Harmonic
20	802.11be EHT20	60	5071.26	46.79	54.00	-7.21	H	AVERAGE	Pass	Band Edge
20	802.11be EHT20	60	11988.00	39.65	54.00	-14.35	V	AVERAGE	Pass	Harmonic
21	802.11be EHT20	64	5355.35	45.63	54.00	-8.37	H	AVERAGE	Pass	Band Edge
21	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
22	802.11be EHT20	64	5391.35	45.41	54.00	-8.59	H	AVERAGE	Pass	Band Edge
22	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
23	802.11be EHT40	54	5350.47	47.49	54.00	-6.51	H	AVERAGE	Pass	Band Edge
23	802.11be EHT40	54	11988.00	38.61	54.00	-15.39	H	AVERAGE	Pass	Harmonic
24	802.11be EHT40	62	5352.43	47.32	54.00	-6.68	H	AVERAGE	Pass	Band Edge
24	802.11be EHT40	62	11988.00	41.92	54.00	-12.08	V	AVERAGE	Pass	Harmonic



25	802.11be EHT40	62	5350.25	46.88	54.00	-7.12	H	AVERAGE	Pass	Band Edge
25	802.11be EHT40	62	-	-	-	-	-	-	-	Harmonic
26	802.11be EHT80	58	5136.56	47.45	54.00	-6.55	H	AVERAGE	Pass	Band Edge
26	802.11be EHT80	58	11988.00	43.81	54.00	-10.19	H	AVERAGE	Pass	Harmonic
27	802.11be EHT80	58	5124.57	46.86	54.00	-7.14	H	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
28	802.11a	100	5459.05	46.31	54.00	-7.69	H	AVERAGE	Pass	Band Edge
28	802.11a	100	11988.00	39.38	54.00	-14.62	V	AVERAGE	Pass	Harmonic
29	802.11a	116	5456.81	45.78	54.00	-8.22	H	AVERAGE	Pass	Band Edge
29	802.11a	116	11988.00	40.25	54.00	-13.75	V	AVERAGE	Pass	Harmonic
30	802.11a	140	5740.48	57.86	68.20	-10.34	H	PEAK	Pass	Band Edge
30	802.11a	140	11988.00	40.77	54.00	-13.23	V	AVERAGE	Pass	Harmonic
31	802.11be EHT20	100	5459.85	46.26	54.00	-7.74	H	AVERAGE	Pass	Band Edge
31	802.11be EHT20	100	11988.00	40.33	54.00	-13.67	V	AVERAGE	Pass	Harmonic
32	802.11be EHT20	100	5452.17	46.18	54.00	-7.82	H	AVERAGE	Pass	Band Edge
32	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
33	802.11be EHT20	116	5459.53	45.86	54.00	-8.14	H	AVERAGE	Pass	Band Edge
33	802.11be EHT20	116	11988.00	40.76	54.00	-13.24	V	AVERAGE	Pass	Harmonic
34	802.11be EHT20	140	5744.88	58.11	68.20	-10.09	V	PEAK	Pass	Band Edge
34	802.11be EHT20	140	11988.00	40.44	54.00	-13.56	V	AVERAGE	Pass	Harmonic
35	802.11be EHT20	140	5739.44	57.66	68.20	-10.54	H	PEAK	Pass	Band Edge
35	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
36	802.11be EHT40	102	5459.85	47.53	54.00	-6.47	H	AVERAGE	Pass	Band Edge
36	802.11be EHT40	102	11988.00	42.56	54.00	-11.44	H	AVERAGE	Pass	Harmonic
37	802.11be EHT40	102	5451.21	47.06	54.00	-6.94	H	AVERAGE	Pass	Band Edge
37	802.11be EHT40	102	-	-	-	-	-	-	-	Harmonic
38	802.11be EHT40	110	5450.71	46.51	54.00	-7.49	H	AVERAGE	Pass	Band Edge
38	802.11be EHT40	110	11988.00	40.64	54.00	-13.36	V	AVERAGE	Pass	Harmonic
39	802.11be EHT40	134	5457.13	45.81	54.00	-8.19	H	AVERAGE	Pass	Band Edge
39	802.11be EHT40	134	11988.00	39.75	54.00	-14.25	V	AVERAGE	Pass	Harmonic
40	802.11be EHT40	134	5444.96	45.62	54.00	-8.38	H	AVERAGE	Pass	Band Edge
40	802.11be EHT40	134	-	-	-	-	-	-	-	Harmonic
41	802.11be EHT80	106	5446.09	47.18	54.00	-6.82	H	AVERAGE	Pass	Band Edge
41	802.11be EHT80	106	11988.00	40.24	54.00	-13.76	V	AVERAGE	Pass	Harmonic
42	802.11be EHT80	106	5451.85	46.20	54.00	-7.80	H	AVERAGE	Pass	Band Edge
42	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
43	802.11be EHT80	122	5456.17	46.64	54.00	-7.36	H	AVERAGE	Pass	Band Edge
43	802.11be EHT80	122	11988.00	39.42	54.00	-14.58	V	AVERAGE	Pass	Harmonic
44	802.11be EHT80	122	5456.45	46.17	54.00	-7.83	H	AVERAGE	Pass	Band Edge
44	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
45	802.11be EHT160	114	5427.56	50.84	54.00	-3.16	H	AVERAGE	Pass	Band Edge
45	802.11be EHT160	114	11988.00	40.57	54.00	-13.43	V	AVERAGE	Pass	Harmonic
46	802.11be EHT160	114	5454.84	47.67	54.00	-6.33	H	AVERAGE	Pass	Band Edge
46	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
47	802.11a	144	-	-	-	-	-	-	-	Band Edge
47	802.11a	144	11988.00	40.01	54.00	-13.99	V	AVERAGE	Pass	Harmonic
48	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT20	144	11988.00	37.75	54.00	-16.25	H	AVERAGE	Pass	Harmonic
49	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
49	802.11be EHT40	142	11988.00	39.42	54.00	-14.58	V	AVERAGE	Pass	Harmonic
50	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
50	802.11be EHT80	138	11988.00	39.75	54.00	-14.25	V	AVERAGE	Pass	Harmonic



51	802.11a	149	5608.80	57.12	68.20	-11.08	H	PEAK	Pass	Band Edge
51	802.11a	149	11988.00	41.05	54.00	-12.95	V	AVERAGE	Pass	Harmonic
52	802.11a	157	5989.20	58.07	68.20	-10.13	V	PEAK	Pass	Band Edge
52	802.11a	157	11988.00	39.09	54.00	-14.91	V	AVERAGE	Pass	Harmonic
53	802.11a	165	5939.60	56.84	68.20	-11.36	V	PEAK	Pass	Band Edge
53	802.11a	165	11988.00	39.49	54.00	-14.51	V	AVERAGE	Pass	Harmonic
54	802.11be EHT20	149	5619.20	57.37	68.20	-10.83	V	PEAK	Pass	Band Edge
54	802.11be EHT20	149	11988.00	40.31	54.00	-13.69	V	AVERAGE	Pass	Harmonic
55	802.11be EHT20	149	5609.20	56.25	68.20	-11.95	H	PEAK	Pass	Band Edge
55	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	157	5616.00	57.18	68.20	-11.02	H	PEAK	Pass	Band Edge
56	802.11be EHT20	157	11988.00	39.60	54.00	-14.40	V	AVERAGE	Pass	Harmonic
57	802.11be EHT20	165	5940.80	57.20	68.20	-11.00	H	PEAK	Pass	Band Edge
57	802.11be EHT20	165	11988.00	40.01	54.00	-13.99	V	AVERAGE	Pass	Harmonic
58	802.11be EHT20	165	5934.80	57.65	68.20	-10.55	V	PEAK	Pass	Band Edge
58	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT40	151	5628.52	57.35	68.20	-10.85	H	PEAK	Pass	Band Edge
59	802.11be EHT40	151	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT40	151	5602.79	57.57	68.20	-10.63	V	PEAK	Pass	Band Edge
60	802.11be EHT40	151	11988.00	42.25	54.00	-11.75	H	AVERAGE	Pass	Harmonic
61	802.11be EHT40	159	5604.80	57.93	68.20	-10.27	H	PEAK	Pass	Band Edge
61	802.11be EHT40	159	11988.00	44.24	54.00	-9.76	H	AVERAGE	Pass	Harmonic
62	802.11be EHT40	159	5954.80	57.82	68.20	-10.38	H	PEAK	Pass	Band Edge
62	802.11be EHT40	159	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT80	155	5635.20	57.38	68.20	-10.82	H	PEAK	Pass	Band Edge
63	802.11be EHT80	155	11990.07	40.71	54.00	-13.29	V	AVERAGE	Pass	Harmonic
64	802.11be EHT80	155	5945.20	57.60	68.20	-10.60	H	PEAK	Pass	Band Edge
64	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT80	155	5927.60	56.87	68.20	-11.33	H	PEAK	Pass	Band Edge
65	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	36	5148.35	47.52	54.00	-6.48	H	AVERAGE	Pass	Band Edge
66	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT20	36	5104.95	46.92	54.00	-7.08	H	AVERAGE	Pass	Band Edge
67	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT20	64	5350.35	46.21	54.00	-7.79	H	AVERAGE	Pass	Band Edge
68	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT20	64	5396.55	45.58	54.00	-8.42	H	AVERAGE	Pass	Band Edge
69	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT20	100	5458.41	46.84	54.00	-7.16	H	AVERAGE	Pass	Band Edge
70	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT20	100	5459.69	46.24	54.00	-7.76	H	AVERAGE	Pass	Band Edge
71	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT20	140	5757.52	57.26	68.20	-10.94	H	PEAK	Pass	Band Edge
72	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT20	140	5725.28	56.93	68.20	-11.27	H	PEAK	Pass	Band Edge
73	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT20	149	5613.41	56.83	68.20	-11.37	H	PEAK	Pass	Band Edge
74	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT20	149	5648.40	56.56	68.20	-11.64	H	PEAK	Pass	Band Edge
75	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT20	165	5993.20	57.12	68.20	-11.08	V	PEAK	Pass	Band Edge
76	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic







77	802.11be EHT20	165	5952.00	59.05	68.20	-9.15	V	PEAK	Pass	Band Edge
77	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT80	42	5149.83	49.35	54.00	-4.65	H	AVERAGE	Pass	Band Edge
78	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT80	58	5353.42	51.14	54.00	-2.86	H	AVERAGE	Pass	Band Edge
79	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT80	106	5468.17	61.09	68.20	-7.11	H	PEAK	Pass	Band Edge
80	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT80	122	5456.17	45.56	54.00	-8.44	H	AVERAGE	Pass	Band Edge
81	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	50	5145.88	52.61	54.00	-1.39	V	AVERAGE	Pass	Band Edge
82	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT160	50	5149.88	49.57	54.00	-4.43	H	AVERAGE	Pass	Band Edge
83	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT160	114	5459.99	52.05	54.00	-1.95	H	AVERAGE	Pass	Band Edge
84	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT160	114	5453.96	49.57	54.00	-4.43	H	AVERAGE	Pass	Band Edge
85	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT160	50	5149.78	50.51	54.00	-3.49	H	AVERAGE	Pass	Band Edge
86	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT160	50	5130.38	51.88	54.00	-2.12	H	AVERAGE	Pass	Band Edge
87	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT160	114	5447.50	50.11	54.00	-3.89	H	AVERAGE	Pass	Band Edge
88	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT160	114	5447.58	52.28	54.00	-1.72	H	AVERAGE	Pass	Band Edge
89	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT80	155	5615.20	57.77	68.20	-10.43	H	PEAK	Pass	Band Edge
90	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT80	155	5946.80	57.88	68.20	-10.32	H	PEAK	Pass	Band Edge
91	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT80	42	5149.53	52.24	54.00	-1.76	H	AVERAGE	Pass	Band Edge
92	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
93	802.11be EHT80	58	5357.35	50.03	54.00	-3.97	H	AVERAGE	Pass	Band Edge
93	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT80	106	5452.81	50.00	54.00	-4.00	H	AVERAGE	Pass	Band Edge
94	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
95	802.11be EHT80	122	5448.65	46.11	54.00	-7.89	H	AVERAGE	Pass	Band Edge
95	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
96	802.11be EHT160	50	5135.13	50.68	54.00	-3.32	H	AVERAGE	Pass	Band Edge
96	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
97	802.11be EHT160	50	5403.62	52.16	54.00	-1.84	V	AVERAGE	Pass	Band Edge
97	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
98	802.11be EHT160	114	5450.00	50.79	54.00	-3.21	H	AVERAGE	Pass	Band Edge
98	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
99	802.11be EHT160	114	5453.74	50.08	54.00	-3.92	H	AVERAGE	Pass	Band Edge
99	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
100	802.11be EHT160	50	5145.63	51.70	54.00	-2.30	H	AVERAGE	Pass	Band Edge
100	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
101	802.11be EHT160	50	5125.88	51.20	54.00	-2.80	H	AVERAGE	Pass	Band Edge
101	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
102	802.11be EHT160	114	5448.00	50.10	54.00	-3.90	H	AVERAGE	Pass	Band Edge
102	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic







103	802.11be EHT160	114	5745.37	64.71	68.20	-3.49	H	PEAK	Pass	Band Edge
103	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
104	802.11be EHT80	155	5929.20	57.82	68.20	-10.38	H	PEAK	Pass	Band Edge
104	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
105	802.11be EHT80	155	5948.40	57.86	68.20	-10.34	H	PEAK	Pass	Band Edge
105	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
106	Bluetooth-LE_GSFK	39	2483.56	45.43	54.00	-8.57	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	39	4960.00	45.94	54.00	-8.06	V	AVERAGE	Pass	Harmonic
	802.11be EHT160	50	5149.57	47.46	54.00	-6.54	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	50	7386.00	40.82	54.00	-13.18	H	AVERAGE	Pass	Harmonic
	802.11b	11	2483.80	44.27	54.00	-9.73	V	AVERAGE	Pass	Band Edge
	802.11b	11	4924.00	48.01	54.00	-5.99	H	AVERAGE	Pass	Harmonic
107	802.11b	11	2483.50	45.55	54.00	-8.45	V	AVERAGE	Pass	Band Edge
	802.11b	11	4924.00	49.57	54.00	-4.43	-	AVERAGE	Pass	Harmonic
	802.11be EHT160	50	5145.35	52.47	54.00	-1.53	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	50	10500.00	44.64	68.20	-23.56	H	PEAK	Pass	Harmonic
108	802.11be EHT160	50	5149.63	49.58	54.00	-4.42	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	50	10500.00	44.42	68.20	-23.78	V	PEAK	Pass	Harmonic
	802.11be EHT160	114	5456.60	47.75	54.00	-6.25	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	114	11140.00	43.94	74.00	-30.06	V	PEAK	Pass	Harmonic
	Bluetooth-LE_GSFK	39	2484.9	44.62	54.00	-9.38	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	39	4960.00	47.08	54.00	-6.92	H	AVERAGE	Pass	Harmonic
109	802.11be EHT160	50	5148.07	51.95	54.00	-2.05	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	50	10500.00	44.65	68.20	-23.55	V	PEAK	Pass	Harmonic
	802.11be EHT160	114	5735.85	62.40	68.20	-5.80	H	PEAK	Pass	Band Edge
	802.11be EHT160	114	11140.00	44.14	74.00	-29.86	V	PEAK	Pass	Harmonic
	Bluetooth-LE_GSFK	39	2483.50	46.36	54.00	-7.64	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	39	4960.00	46.69	54.00	-7.31	V	AVERAGE	Pass	Harmonic
110	802.11be EHT160	50	5150.00	46.98	54.00	-7.02	H	AVERAGE	Pass	Band Edge
110	802.11be EHT160	50	10500.00	44.19	68.20	-24.01	V	PEAK	Pass	Harmonic





Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5115.04</td><td>57.81</td><td>74.00</td><td>-16.19</td><td>41.38</td><td>34.40</td><td>11.89</td><td>29.86</td><td>0.00</td><td>135</td><td>187</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5115.04	57.81	74.00	-16.19	41.38	34.40	11.89	29.86	0.00	135	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5115.04	57.81	74.00	-16.19	41.38	34.40	11.89	29.86	0.00	135	187	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.66</td><td>-----</td><td>-----</td><td>92.14</td><td>34.46</td><td>11.94</td><td>29.88</td><td>0.00</td><td>135</td><td>187</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.66	-----	-----	92.14	34.46	11.94	29.88	0.00	135	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	108.66	-----	-----	92.14	34.46	11.94	29.88	0.00	135	187	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.95</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>30.55</td><td>34.40</td><td>11.91</td><td>29.86</td><td>0.00</td><td>135</td><td>187</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.95	47.00	54.00	-7.00	30.55	34.40	11.91	29.86	0.00	135	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5136.95	47.00	54.00	-7.00	30.55	34.40	11.91	29.86	0.00	135	187	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.15</td><td>-----</td><td>-----</td><td>84.63</td><td>34.46</td><td>11.94</td><td>29.88</td><td>0.00</td><td>135</td><td>187</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.15	-----	-----	84.63	34.46	11.94	29.88	0.00	135	187
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	101.15	-----	-----	84.63	34.46	11.94	29.88	0.00	135	187	AVERAGE																																											







Mode	1																																																													
	Band Edge																																																													
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																													
ANT	CDD 6+7																																																													
Pol.	Vertical						Fundamental																																																							
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5134.75</td><td>57.61</td><td>74.00</td><td>-16.39</td><td>41.17</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>100</td><td>128</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5134.75	57.61	74.00	-16.39	41.17	34.40	11.90	29.86	0.00	100	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5134.75	57.61	74.00	-16.39	41.17	34.40	11.90	29.86	0.00	100	128	PEAK																																																		
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>103.73</td><td>-----</td><td>-----</td><td>87.21</td><td>34.46</td><td>11.94</td><td>29.88</td><td>0.00</td><td>100</td><td>128</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5180.00	103.73	-----	-----	87.21	34.46	11.94	29.88	0.00	100	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5180.00	103.73	-----	-----	87.21	34.46	11.94	29.88	0.00	100	128	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5109.05</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>30.41</td><td>34.40</td><td>11.89</td><td>29.85</td><td>0.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5109.05	46.85	54.00	-7.15	30.41	34.40	11.89	29.85	0.00	100	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5109.05	46.85	54.00	-7.15	30.41	34.40	11.89	29.85	0.00	100	128	AVERAGE																																																		
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5180.00</td><td>95.76</td><td>-----</td><td>-----</td><td>79.24</td><td>34.46</td><td>11.94</td><td>29.88</td><td>0.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5180.00	95.76	-----	-----	79.24	34.46	11.94	29.88	0.00	100	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5180.00	95.76	-----	-----	79.24	34.46	11.94	29.88	0.00	100	128	AVERAGE																																																		





Mode	1																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																							
ANT	CDD 6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>52.63</td><td>68.20</td><td>-15.57</td><td>67.40</td><td>35.67</td><td>13.63</td><td>64.07</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>50.48</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>164</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>36.51</td><td>54.00</td><td>-17.49</td><td>40.47</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>100</td><td>164</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	52.63	68.20	-15.57	67.40	35.67	13.63	64.07	0.00	100	164	PEAK	2	11988.00	46.55	74.00	-27.45	50.48	38.69	18.27	60.89	0.00	100	164	PEAK	3	11988.00	36.51	54.00	-17.49	40.47	38.68	18.26	60.90	0.00	100	164	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>56.32</td><td>68.20</td><td>-11.88</td><td>71.09</td><td>35.67</td><td>13.63</td><td>64.07</td><td>0.00</td><td>142</td><td>301</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>53.59</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>38.31</td><td>54.00</td><td>-15.69</td><td>42.27</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>100</td><td>114</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6665.00	56.32	68.20	-11.88	71.09	35.67	13.63	64.07	0.00	142	301	PEAK	2	11988.00	49.66	74.00	-24.34	53.59	38.69	18.27	60.89	0.00	100	114	PEAK	3	11988.00	38.31	54.00	-15.69	42.27	38.68	18.26	60.90	0.00	100	114	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	6665.00	52.63	68.20	-15.57	67.40	35.67	13.63	64.07	0.00	100	164	PEAK																																																																																																																																												
2	11988.00	46.55	74.00	-27.45	50.48	38.69	18.27	60.89	0.00	100	164	PEAK																																																																																																																																												
3	11988.00	36.51	54.00	-17.49	40.47	38.68	18.26	60.90	0.00	100	164	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	6665.00	56.32	68.20	-11.88	71.09	35.67	13.63	64.07	0.00	142	301	PEAK																																																																																																																																												
2	11988.00	49.66	74.00	-24.34	53.59	38.69	18.27	60.89	0.00	100	114	PEAK																																																																																																																																												
3	11988.00	38.31	54.00	-15.69	42.27	38.68	18.26	60.90	0.00	100	114	AVERAGE																																																																																																																																												







Mode	2																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5118.26</td><td>58.58</td><td>74.00</td><td>-15.42</td><td>42.15</td><td>34.40</td><td>11.89</td><td>29.86</td><td>0.00</td><td>133</td><td>185</td><td colspan="3">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5118.26	58.58	74.00	-15.42	42.15	34.40	11.89	29.86	0.00	133	185	PEAK			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5220.00</td><td>110.26</td><td>-----</td><td>-----</td><td>93.63</td><td>34.55</td><td>11.98</td><td>29.90</td><td>0.00</td><td>133</td><td>185</td><td colspan="3">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5220.00	110.26	-----	-----	93.63	34.55	11.98	29.90	0.00	133	185	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5118.26	58.58	74.00	-15.42	42.15	34.40	11.89	29.86	0.00	133	185	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5220.00	110.26	-----	-----	93.63	34.55	11.98	29.90	0.00	133	185	PEAK																																																																																																																							
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5136.30</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>30.62</td><td>34.40</td><td>11.91</td><td>29.86</td><td>0.00</td><td>133</td><td>185</td><td colspan="3">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5136.30	47.07	54.00	-6.93	30.62	34.40	11.91	29.86	0.00	133	185	AVERAGE			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5220.00</td><td>102.57</td><td>-----</td><td>-----</td><td>85.96</td><td>34.53</td><td>11.97</td><td>29.89</td><td>0.00</td><td>133</td><td>185</td><td colspan="3">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5220.00	102.57	-----	-----	85.96	34.53	11.97	29.89	0.00	133	185	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5136.30	47.07	54.00	-6.93	30.62	34.40	11.91	29.86	0.00	133	185	AVERAGE																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5220.00	102.57	-----	-----	85.96	34.53	11.97	29.89	0.00	133	185	AVERAGE																																																																																																																							





Mode	2																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.25</td><td>57.70</td><td>74.00</td><td>-16.30</td><td>40.53</td><td>34.00</td><td>12.23</td><td>29.06</td><td>0.00</td><td>133</td><td>185</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.25	57.70	74.00	-16.30	40.53	34.00	12.23	29.06	0.00	133	185	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5451.25	57.70	74.00	-16.30	40.53	34.00	12.23	29.06	0.00	133	185	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.41</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>28.54</td><td>34.79</td><td>12.22</td><td>29.06</td><td>0.00</td><td>133</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.41	45.69	54.00	-8.31	28.54	34.79	12.22	29.06	0.00	133	185	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5447.41	45.69	54.00	-8.31	28.54	34.79	12.22	29.06	0.00	133	185	AVERAGE																																												





	2																																																																																												
Mode	Band Edge - L																																																																																												
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																												
ANT	CDD 6+7																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5059.74</td><td>57.97</td><td>74.00</td><td>-16.03</td><td>41.63</td><td>34.32</td><td>11.85</td><td>29.83</td><td>0.00</td><td>383</td><td>250 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5059.74	57.97	74.00	-16.03	41.63	34.32	11.85	29.83	0.00	383	250 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5220.00</td><td>106.59</td><td>-----</td><td>-----</td><td>91.97</td><td>34.54</td><td>11.97</td><td>29.89</td><td>0.00</td><td>383</td><td>250 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5220.00	106.59	-----	-----	91.97	34.54	11.97	29.89	0.00	383
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5059.74	57.97	74.00	-16.03	41.63	34.32	11.85	29.83	0.00	383	250 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5220.00	106.59	-----	-----	91.97	34.54	11.97	29.89	0.00	383	250 PEAK																																																																																			
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5023.66</td><td>46.96</td><td>54.00</td><td>-7.04</td><td>30.65</td><td>34.30</td><td>11.83</td><td>29.82</td><td>0.00</td><td>383</td><td>250 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5023.66	46.96	54.00	-7.04	30.65	34.30	11.83	29.82	0.00	383	250 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5220.00</td><td>99.96</td><td>-----</td><td>-----</td><td>83.34</td><td>34.54</td><td>11.97</td><td>29.89</td><td>0.00</td><td>383</td><td>250 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5220.00	99.96	-----	-----	83.34	34.54	11.97	29.89	0.00	383
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5023.66	46.96	54.00	-7.04	30.65	34.30	11.83	29.82	0.00	383	250 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5220.00	99.96	-----	-----	83.34	34.54	11.97	29.89	0.00	383	250 AVERAGE																																																																																			







Mode	2																																																											
	Band Edge - R																																																											
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																											
ANT	CDD 6+7																																																											
Pol.	Vertical																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5454.85</td><td>56.64</td><td>74.00</td><td>-17.36</td><td>39.49</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>383</td><td>250 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5454.85	56.64	74.00	-17.36	39.49	34.79	12.23	29.87	0.00	383	250 PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1	5454.85	56.64	74.00	-17.36	39.49	34.79	12.23	29.87	0.00	383	250 PEAK																																																	
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5451.25</td><td>45.76</td><td>54.00</td><td>-8.24</td><td>28.59</td><td>34.00</td><td>12.23</td><td>29.86</td><td>0.00</td><td>383</td><td>250 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5451.25	45.76	54.00	-8.24	28.59	34.00	12.23	29.86	0.00	383	250 AVERAGE	Blank
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																		
1	5451.25	45.76	54.00	-8.24	28.59	34.00	12.23	29.86	0.00	383	250 AVERAGE																																																	







Mode	2																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																																							
ANT	CDD 6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6711.00</td><td>50.69</td><td>68.20</td><td>-17.51</td><td>65.46</td><td>35.62</td><td>13.66</td><td>64.05</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>47.68</td><td>74.00</td><td>-26.32</td><td>51.61</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>36.60</td><td>54.00</td><td>-17.40</td><td>40.53</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6711.00	50.69	68.20	-17.51	65.46	35.62	13.66	64.05	0.00	--	--	PEAK	2	11988.00	47.68	74.00	-26.32	51.61	38.69	18.27	60.89	0.00	300	360	PEAK	3	11988.00	36.60	54.00	-17.40	40.53	38.69	18.27	60.89	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6711.00</td><td>54.71</td><td>68.20</td><td>-13.49</td><td>69.48</td><td>35.62</td><td>13.66</td><td>64.05</td><td>0.00</td><td>194</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>56.11</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>230</td><td>56</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>39.96</td><td>54.00</td><td>-14.04</td><td>43.92</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>230</td><td>56</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6711.00	54.71	68.20	-13.49	69.48	35.62	13.66	64.05	0.00	194	266	PEAK	2	11988.00	52.18	74.00	-21.82	56.11	38.69	18.27	60.89	0.00	230	56	PEAK	3	11988.00	39.96	54.00	-14.04	43.92	38.68	18.26	60.90	0.00	230	56	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	6711.00	50.69	68.20	-17.51	65.46	35.62	13.66	64.05	0.00	--	--	PEAK																																																																																																																																												
2	11988.00	47.68	74.00	-26.32	51.61	38.69	18.27	60.89	0.00	300	360	PEAK																																																																																																																																												
3	11988.00	36.60	54.00	-17.40	40.53	38.69	18.27	60.89	0.00	300	360	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	6711.00	54.71	68.20	-13.49	69.48	35.62	13.66	64.05	0.00	194	266	PEAK																																																																																																																																												
2	11988.00	52.18	74.00	-21.82	56.11	38.69	18.27	60.89	0.00	230	56	PEAK																																																																																																																																												
3	11988.00	39.96	54.00	-14.04	43.92	38.68	18.26	60.90	0.00	230	56	AVERAGE																																																																																																																																												





Mode	3																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.37</td><td>55.70</td><td>74.00</td><td>-18.30</td><td>38.56</td><td>34.77</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.37	55.70	74.00	-18.30	38.56	34.77	12.21	29.84	0.00	100	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5437.37	55.70	74.00	-18.30	38.56	34.77	12.21	29.84	0.00	100	199	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>111.76</td><td>-----</td><td>-----</td><td>95.10</td><td>34.57</td><td>11.99</td><td>29.90</td><td>0.00</td><td>100</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	111.76	-----	-----	95.10	34.57	11.99	29.90	0.00	100	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5240.00	111.76	-----	-----	95.10	34.57	11.99	29.90	0.00	100	199	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.90</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>28.74</td><td>34.68</td><td>12.16</td><td>29.79</td><td>0.00</td><td>100</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.90	45.79	54.00	-8.21	28.74	34.68	12.16	29.79	0.00	100	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5393.90	45.79	54.00	-8.21	28.74	34.68	12.16	29.79	0.00	100	199	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>102.79</td><td>-----</td><td>-----</td><td>86.13</td><td>34.57</td><td>11.99</td><td>29.90</td><td>0.00</td><td>100</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	102.79	-----	-----	86.13	34.57	11.99	29.90	0.00	100	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5240.00	102.79	-----	-----	86.13	34.57	11.99	29.90	0.00	100	199	AVERAGE																																											







Mode	3																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																									
ANT	CDD 6+7																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.52</td><td>55.82</td><td>74.00</td><td>-18.18</td><td>38.74</td><td>34.69</td><td>12.17</td><td>29.78</td><td>0.00</td><td>300</td><td>258</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.52	55.82	74.00	-18.18	38.74	34.69	12.17	29.78	0.00	300	258	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>106.03</td><td>-----</td><td>-----</td><td>89.36</td><td>34.58</td><td>11.99</td><td>29.90</td><td>0.00</td><td>300</td><td>258</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	106.03	-----	-----	89.36	34.58	11.99	29.90	0.00	300	258	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5398.52	55.82	74.00	-18.18	38.74	34.69	12.17	29.78	0.00	300	258	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5240.00	106.03	-----	-----	89.36	34.58	11.99	29.90	0.00	300	258	PEAK																																																																														
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.92</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>28.48</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>300</td><td>258</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.92	45.62	54.00	-8.38	28.48	34.78	12.23	29.87	0.00	300	258	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>99.62</td><td>-----</td><td>-----</td><td>82.96</td><td>34.57</td><td>11.99</td><td>29.90</td><td>0.00</td><td>300</td><td>258</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	99.62	-----	-----	82.96	34.57	11.99	29.90	0.00	300	258	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5457.92	45.62	54.00	-8.38	28.48	34.78	12.23	29.87	0.00	300	258	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5240.00	99.62	-----	-----	82.96	34.57	11.99	29.90	0.00	300	258	AVERAGE																																																																														







Mode	3																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																																									
ANT	CDD 6+7																																																																																																																																																																									
Pol.	Horizontal												Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6733.00</td><td>50.81</td><td>68.20</td><td>-17.39</td><td>65.51</td><td>35.67</td><td>13.67</td><td>64.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>50.04</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>36.10</td><td>54.00</td><td>-17.90</td><td>40.83</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6733.00	50.81	68.20	-17.39	65.51	35.67	13.67	64.04	0.00	--	--	PEAK	2	11988.00	46.11	74.00	-27.89	50.04	38.69	18.27	60.89	0.00	100	0	PEAK	3	11988.00	36.10	54.00	-17.90	40.83	38.69	18.27	60.89	0.00	100	0	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6733.00</td><td>53.67</td><td>68.20</td><td>-14.53</td><td>68.37</td><td>35.67</td><td>13.67</td><td>64.04</td><td>0.00</td><td>100</td><td>265</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>53.51</td><td>74.00</td><td>-20.49</td><td>57.44</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>264</td><td>52</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.87</td><td>54.00</td><td>-13.13</td><td>44.83</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>264</td><td>52</td><td>AVERAGE</td></tr></table>						Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6733.00	53.67	68.20	-14.53	68.37	35.67	13.67	64.04	0.00	100	265	PEAK	2	11988.00	53.51	74.00	-20.49	57.44	38.69	18.27	60.89	0.00	264	52	PEAK	3	11988.00	40.87	54.00	-13.13	44.83	38.68	18.26	60.90	0.00	264	52	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																															
1	6733.00	50.81	68.20	-17.39	65.51	35.67	13.67	64.04	0.00	--	--	PEAK																																																																																																																																																														
2	11988.00	46.11	74.00	-27.89	50.04	38.69	18.27	60.89	0.00	100	0	PEAK																																																																																																																																																														
3	11988.00	36.10	54.00	-17.90	40.83	38.69	18.27	60.89	0.00	100	0	AVERAGE																																																																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																															
1	6733.00	53.67	68.20	-14.53	68.37	35.67	13.67	64.04	0.00	100	265	PEAK																																																																																																																																																														
2	11988.00	53.51	74.00	-20.49	57.44	38.69	18.27	60.89	0.00	264	52	PEAK																																																																																																																																																														
3	11988.00	40.87	54.00	-13.13	44.83	38.68	18.26	60.90	0.00	264	52	AVERAGE																																																																																																																																																														





	4																																																																																																														
Mode	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.95</td><td>58.11</td><td>74.00</td><td>-15.89</td><td>41.67</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>100</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.95	58.11	74.00	-15.89	41.67	34.40	11.90	29.86	0.00	100	199	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.41</td><td>-----</td><td>-----</td><td>91.68</td><td>34.47</td><td>11.94</td><td>29.88</td><td>0.00</td><td>100</td><td>199</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.41	-----	-----	91.68	34.47	11.94	29.88	0.00	100	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5130.95	58.11	74.00	-15.89	41.67	34.40	11.90	29.86	0.00	100	199	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	100.41	-----	-----	91.68	34.47	11.94	29.88	0.00	100	199	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.45</td><td>47.41</td><td>54.00</td><td>-6.59</td><td>30.97</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>100</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.45	47.41	54.00	-6.59	30.97	34.40	11.91	29.87	0.00	100	199	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.15</td><td>-----</td><td>-----</td><td>83.63</td><td>34.46</td><td>11.94</td><td>29.88</td><td>0.00</td><td>100</td><td>199</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.15	-----	-----	83.63	34.46	11.94	29.88	0.00	100	199
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.45	47.41	54.00	-6.59	30.97	34.40	11.91	29.87	0.00	100	199	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	100.15	-----	-----	83.63	34.46	11.94	29.88	0.00	100	199	AVERAGE																																																																																																			







	4																																																																																														
Mode	Band Edge																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																														
ANT	CDD 6+7																																																																																														
Pol.	Vertical					Fundamental																																																																																									
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5123.35</td><td>57.88</td><td>74.00</td><td>-16.12</td><td>41.44</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>100</td><td>134</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5123.35	57.88	74.00	-16.12	41.44	34.40	11.90	29.86	0.00	100	134	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>104.34</td><td>-----</td><td>-----</td><td>87.82</td><td>34.46</td><td>11.94</td><td>29.88</td><td>0.00</td><td>100</td><td>134</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	104.34	-----	-----	87.82	34.46	11.94	29.88	0.00	100	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5123.35	57.88	74.00	-16.12	41.44	34.40	11.90	29.86	0.00	100	134	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5180.00	104.34	-----	-----	87.82	34.46	11.94	29.88	0.00	100	134	PEAK																																																																																				
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5103.65</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>30.26</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>100</td><td>134</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5103.65	46.69	54.00	-7.31	30.26	34.40	11.88	29.85	0.00	100	134	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>95.23</td><td>-----</td><td>-----</td><td>78.71</td><td>34.46</td><td>11.94</td><td>29.88</td><td>0.00</td><td>100</td><td>134</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	95.23	-----	-----	78.71	34.46	11.94	29.88	0.00	100	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5103.65	46.69	54.00	-7.31	30.26	34.40	11.88	29.85	0.00	100	134	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5180.00	95.23	-----	-----	78.71	34.46	11.94	29.88	0.00	100	134	AVERAGE																																																																																				







Mode	4																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																																																															
ANT	CDD 6+7																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>49.08</td><td>68.20</td><td>-19.12</td><td>63.85</td><td>35.67</td><td>13.63</td><td>64.07</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>50.12</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>36.03</td><td>54.00</td><td>-17.97</td><td>39.99</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6665.00	49.08	68.20	-19.12	63.85	35.67	13.63	64.07	0.00	--	PEAK	2	11988.00	46.19	74.00	-27.81	50.12	38.69	18.27	60.89	0.00	100	0 PEAK	3	11988.00	36.03	54.00	-17.97	39.99	38.68	18.26	60.90	0.00	100	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6665.00</td><td>46.25</td><td>68.20</td><td>-21.95</td><td>61.02</td><td>35.67</td><td>13.63</td><td>64.07</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.64</td><td>74.00</td><td>-21.36</td><td>56.57</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>338</td><td>51 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.74</td><td>54.00</td><td>-13.26</td><td>44.70</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>338</td><td>51 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6665.00	46.25	68.20	-21.95	61.02	35.67	13.63	64.07	0.00	--	PEAK	2	11988.00	52.64	74.00	-21.36	56.57	38.69	18.27	60.89	0.00	338	51 PEAK	3	11988.00	40.74	54.00	-13.26	44.70	38.68	18.26	60.90	0.00	338
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	6665.00	49.08	68.20	-19.12	63.85	35.67	13.63	64.07	0.00	--	PEAK																																																																																																																																					
2	11988.00	46.19	74.00	-27.81	50.12	38.69	18.27	60.89	0.00	100	0 PEAK																																																																																																																																					
3	11988.00	36.03	54.00	-17.97	39.99	38.68	18.26	60.90	0.00	100	0 AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	6665.00	46.25	68.20	-21.95	61.02	35.67	13.63	64.07	0.00	--	PEAK																																																																																																																																					
2	11988.00	52.64	74.00	-21.36	56.57	38.69	18.27	60.89	0.00	338	51 PEAK																																																																																																																																					
3	11988.00	40.74	54.00	-13.26	44.70	38.68	18.26	60.90	0.00	338	51 AVERAGE																																																																																																																																					







Mode	5																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_RU106/53_5180MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.35</td><td>57.89</td><td>74.00</td><td>-16.11</td><td>41.45</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>105</td><td>197</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.35	57.89	74.00	-16.11	41.45	34.40	11.91	29.87	0.00	105	197	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>111.25</td><td>-----</td><td>-----</td><td>94.75</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>105</td><td>197</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.25	-----	-----	94.75	34.45	11.93	29.88	0.00	105	197
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.35	57.89	74.00	-16.11	41.45	34.40	11.91	29.87	0.00	105	197	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	111.25	-----	-----	94.75	34.45	11.93	29.88	0.00	105	197	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5101.45</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>30.47</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>105</td><td>197</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.45	46.90	54.00	-7.10	30.47	34.40	11.88	29.85	0.00	105	197	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>102.85</td><td>-----</td><td>-----</td><td>86.35</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>105</td><td>197</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.85	-----	-----	86.35	34.45	11.93	29.88	0.00	105	197
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5101.45	46.90	54.00	-7.10	30.47	34.40	11.88	29.85	0.00	105	197	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	102.85	-----	-----	86.35	34.45	11.93	29.88	0.00	105	197	AVERAGE																																																																																																			





	5																																																																																																																
Mode	Band Edge																																																																																																																
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_RU106/53_5180MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5120.55</td><td>58.24</td><td>74.00</td><td>-15.76</td><td>41.81</td><td>34.40</td><td>11.89</td><td>29.86</td><td>0.00</td><td>295</td><td>287</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5120.55	58.24	74.00	-15.76	41.81	34.40	11.89	29.86	0.00	295	287	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>106.37</td><td>-----</td><td>-----</td><td>89.89</td><td>34.43</td><td>11.93</td><td>29.88</td><td>0.00</td><td>295</td><td>287</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	106.37	-----	-----	89.89	34.43	11.93	29.88	0.00	295	287	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5120.55	58.24	74.00	-15.76	41.81	34.40	11.89	29.86	0.00	295	287	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5180.00	106.37	-----	-----	89.89	34.43	11.93	29.88	0.00	295	287	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5107.15</td><td>46.62</td><td>54.00</td><td>-7.38</td><td>30.18</td><td>34.40</td><td>11.89</td><td>29.85</td><td>0.00</td><td>295</td><td>287</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5107.15	46.62	54.00	-7.38	30.18	34.40	11.89	29.85	0.00	295	287	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>98.09</td><td>-----</td><td>-----</td><td>81.61</td><td>34.43</td><td>11.93</td><td>29.88</td><td>0.00</td><td>295</td><td>287</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	98.09	-----	-----	81.61	34.43	11.93	29.88	0.00	295	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5107.15	46.62	54.00	-7.38	30.18	34.40	11.89	29.85	0.00	295	287	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																						
1	5180.00	98.09	-----	-----	81.61	34.43	11.93	29.88	0.00	295	287	AVERAGE																																																																																																					







Mode	6																																																																																												
	Band Edge - L																																																																																												
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																																																												
ANT	CDD 6+7																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5036.64</td><td>57.57</td><td>74.00</td><td>-16.43</td><td>41.25</td><td>34.30</td><td>11.84</td><td>29.82</td><td>0.00</td><td>115 183 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5036.64	57.57	74.00	-16.43	41.25	34.30	11.84	29.82	0.00	115 183 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>111.67</td><td>-----</td><td>-----</td><td>95.05</td><td>34.54</td><td>11.97</td><td>29.89</td><td>0.00</td><td>115 183 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5220.00	111.67	-----	-----	95.05	34.54	11.97	29.89	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5036.64	57.57	74.00	-16.43	41.25	34.30	11.84	29.82	0.00	115 183 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5220.00	111.67	-----	-----	95.05	34.54	11.97	29.89	0.00	115 183 PEAK																																																																																			
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5113.42</td><td>47.03</td><td>54.00</td><td>-6.97</td><td>30.60</td><td>34.40</td><td>11.89</td><td>29.86</td><td>0.00</td><td>115 183 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5113.42	47.03	54.00	-6.97	30.60	34.40	11.89	29.86	0.00	115 183 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>102.18</td><td>-----</td><td>-----</td><td>85.56</td><td>34.54</td><td>11.97</td><td>29.89</td><td>0.00</td><td>115 183 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5220.00	102.18	-----	-----	85.56	34.54	11.97	29.89	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5113.42	47.03	54.00	-6.97	30.60	34.40	11.89	29.86	0.00	115 183 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5220.00	102.18	-----	-----	85.56	34.54	11.97	29.89	0.00	115 183 AVERAGE																																																																																			





Mode	6																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.21</td><td>57.85</td><td>74.00</td><td>-16.15</td><td>40.69</td><td>34.79</td><td>12.22</td><td>29.85</td><td>0.00</td><td>115</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.21	57.85	74.00	-16.15	40.69	34.79	12.22	29.85	0.00	115	183	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5446.21	57.85	74.00	-16.15	40.69	34.79	12.22	29.85	0.00	115	183	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.85</td><td>45.74</td><td>54.00</td><td>-8.26</td><td>28.59</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>115</td><td>183</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.85	45.74	54.00	-8.26	28.59	34.79	12.23	29.87	0.00	115	183	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5454.85	45.74	54.00	-8.26	28.59	34.79	12.23	29.87	0.00	115	183	AVERAGE																																											





Mode	6																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5072.94</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>41.05</td><td>34.35</td><td>11.86</td><td>29.84</td><td>0.00</td><td>341</td><td>247</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5072.94	57.42	74.00	-16.58	41.05	34.35	11.86	29.84	0.00	341	247
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5072.94	57.42	74.00	-16.58	41.05	34.35	11.86	29.84	0.00	341	247	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>106.69</td><td>-----</td><td>-----</td><td>90.10</td><td>34.52</td><td>11.96</td><td>29.89</td><td>0.00</td><td>341</td><td>247</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	106.69	-----	-----	90.10	34.52	11.96	29.89	0.00	341	247
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5220.00	106.69	-----	-----	90.10	34.52	11.96	29.89	0.00	341	247	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5109.68</td><td>46.74</td><td>54.00</td><td>-7.26</td><td>30.30</td><td>34.40</td><td>11.89</td><td>29.85</td><td>0.00</td><td>341</td><td>247</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5109.68	46.74	54.00	-7.26	30.30	34.40	11.89	29.85	0.00	341	247
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5109.68	46.74	54.00	-7.26	30.30	34.40	11.89	29.85	0.00	341	247	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>98.66</td><td>-----</td><td>-----</td><td>82.07</td><td>34.52</td><td>11.96</td><td>29.89</td><td>0.00</td><td>341</td><td>247</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	98.66	-----	-----	82.07	34.52	11.96	29.89	0.00	341	247
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5220.00	98.66	-----	-----	82.07	34.52	11.96	29.89	0.00	341	247	AVERAGE																																											







Mode	6																																																									
	Band Edge - R																																																									
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																									
ANT	CDD 6+7																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5429.65</td><td>56.11</td><td>74.00</td><td>-17.89</td><td>38.98</td><td>34.76</td><td>12.20</td><td>29.83</td><td>0.00</td><td>341</td><td>247</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5429.65	56.11	74.00	-17.89	38.98	34.76	12.20	29.83	0.00	341	247	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5429.65	56.11	74.00	-17.89	38.98	34.76	12.20	29.83	0.00	341	247	PEAK																																														
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.01</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>28.45</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>341</td><td>247</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.01	45.60	54.00	-8.40	28.45	34.79	12.23	29.87	0.00	341	247	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5457.01	45.60	54.00	-8.40	28.45	34.79	12.23	29.87	0.00	341	247	AVERAGE																																														







		6																																																																																								
Mode		Harmonic																																																																																								
		U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																																																								
ANT		CDD 6+7																																																																																								
Pol.		Horizontal						Vertical																																																																																		
Peak Avg																																																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6711.00</td><td>48.51</td><td>68.20</td><td>-19.69</td><td>63.28</td><td>35.62</td><td>13.66</td><td>64.05</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>49.74</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6711.00	48.51	68.20	-19.69	63.28	35.62	13.66	64.05	0.00	--	--	PEAK	2	11988.00	45.81	74.00	-28.19	49.74	38.69	18.27	60.89	0.00	--	--	PEAK													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1	6711.00	48.51	68.20	-19.69	63.28	35.62	13.66	64.05	0.00	--	--	PEAK																																																																														
2	11988.00	45.81	74.00	-28.19	49.74	38.69	18.27	60.89	0.00	--	--	PEAK																																																																														
																																																																																										
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6711.00</td><td>44.36</td><td>68.20</td><td>-23.84</td><td>59.13</td><td>35.62</td><td>13.66</td><td>64.05</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>57.07</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>317</td><td>52</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.89</td><td>54.00</td><td>-13.11</td><td>44.85</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>317</td><td>52</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6711.00	44.36	68.20	-23.84	59.13	35.62	13.66	64.05	0.00	--	--	PEAK	2	11988.00	53.14	74.00	-20.86	57.07	38.69	18.27	60.89	0.00	317	52	PEAK	3	11988.00	40.89	54.00	-13.11	44.85	38.68	18.26	60.90	0.00	317	52	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1	6711.00	44.36	68.20	-23.84	59.13	35.62	13.66	64.05	0.00	--	--	PEAK																																																																														
2	11988.00	53.14	74.00	-20.86	57.07	38.69	18.27	60.89	0.00	317	52	PEAK																																																																														
3	11988.00	40.89	54.00	-13.11	44.85	38.68	18.26	60.90	0.00	317	52	AVERAGE																																																																														





	7																																																																																																														
Mode	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.00</td><td>56.00</td><td>74.00</td><td>-18.00</td><td>38.83</td><td>34.00</td><td>12.23</td><td>29.86</td><td>0.00</td><td>101</td><td>198</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	56.00	74.00	-18.00	38.83	34.00	12.23	29.86	0.00	101	198	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>111.88</td><td>-----</td><td>-----</td><td>95.22</td><td>34.57</td><td>11.99</td><td>29.90</td><td>0.00</td><td>101</td><td>198</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	111.88	-----	-----	95.22	34.57	11.99	29.90	0.00	101	198
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5450.00	56.00	74.00	-18.00	38.83	34.00	12.23	29.86	0.00	101	198	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	111.88	-----	-----	95.22	34.57	11.99	29.90	0.00	101	198	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.56</td><td>45.87</td><td>54.00</td><td>-8.13</td><td>28.71</td><td>34.00</td><td>12.22</td><td>29.86</td><td>0.00</td><td>101</td><td>198</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.56	45.87	54.00	-8.13	28.71	34.00	12.22	29.86	0.00	101	198	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>102.68</td><td>-----</td><td>-----</td><td>86.02</td><td>34.57</td><td>11.99</td><td>29.90</td><td>0.00</td><td>101</td><td>198</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	102.68	-----	-----	86.02	34.57	11.99	29.90	0.00	101	198
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5449.56	45.87	54.00	-8.13	28.71	34.00	12.22	29.86	0.00	101	198	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	102.68	-----	-----	86.02	34.57	11.99	29.90	0.00	101	198	AVERAGE																																																																																																			



	7																																																																																												
Mode	Band Edge																																																																																												
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																																												
ANT	CDD 6+7																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5439.88</td><td>55.61</td><td>74.00</td><td>-18.39</td><td>38.46</td><td>34.78</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>251 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5439.88	55.61	74.00	-18.39	38.46	34.78	12.21	29.84	0.00	300	251 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5240.00</td><td>108.67</td><td>-----</td><td>-----</td><td>92.01</td><td>34.57</td><td>11.99</td><td>29.90</td><td>0.00</td><td>300</td><td>251 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5240.00	108.67	-----	-----	92.01	34.57	11.99	29.90	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5439.88	55.61	74.00	-18.39	38.46	34.78	12.21	29.84	0.00	300	251 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5240.00	108.67	-----	-----	92.01	34.57	11.99	29.90	0.00	300	251 PEAK																																																																																			
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5453.96</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>28.50</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>300</td><td>251 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5453.96	45.65	54.00	-8.35	28.50	34.79	12.23	29.87	0.00	300	251 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5240.00</td><td>99.32</td><td>-----</td><td>-----</td><td>82.66</td><td>34.57</td><td>11.99</td><td>29.90</td><td>0.00</td><td>300</td><td>251 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5240.00	99.32	-----	-----	82.66	34.57	11.99	29.90	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5453.96	45.65	54.00	-8.35	28.50	34.79	12.23	29.87	0.00	300	251 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5240.00	99.32	-----	-----	82.66	34.57	11.99	29.90	0.00	300	251 AVERAGE																																																																																			



		7																																																																																	
Mode		Harmonic																																																																																	
		U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																																	
ANT		CDD 6+7																																																																																	
Pol.		Horizontal						Vertical																																																																											
Peak Avg																																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6733.00</td><td>47.23</td><td>68.20</td><td>-20.97</td><td>61.93</td><td>35.67</td><td>13.67</td><td>64.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>50.12</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>36.14</td><td>54.00</td><td>-17.86</td><td>40.10</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6733.00	47.23	68.20	-20.97	61.93	35.67	13.67	64.04	0.00	--	--	PEAK	2	11988.00	46.19	74.00	-27.81	50.12	38.69	18.27	60.89	0.00	100	0	PEAK	3	11988.00	36.14	54.00	-17.86	40.10	38.68	18.26	60.90	0.00	100	0	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	6733.00	47.23	68.20	-20.97	61.93	35.67	13.67	64.04	0.00	--	--	PEAK																																																																							
2	11988.00	46.19	74.00	-27.81	50.12	38.69	18.27	60.89	0.00	100	0	PEAK																																																																							
3	11988.00	36.14	54.00	-17.86	40.10	38.68	18.26	60.90	0.00	100	0	AVERAGE																																																																							
																																																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6733.00</td><td>44.14</td><td>68.20</td><td>-24.06</td><td>58.84</td><td>35.67</td><td>13.67</td><td>64.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>55.28</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>114</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>38.64</td><td>54.00</td><td>-15.36</td><td>42.61</td><td>38.68</td><td>18.26</td><td>60.91</td><td>0.00</td><td>100</td><td>114</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6733.00	44.14	68.20	-24.06	58.84	35.67	13.67	64.04	0.00	--	--	PEAK	2	11988.00	51.35	74.00	-22.65	55.28	38.69	18.27	60.89	0.00	100	114	PEAK	3	11988.00	38.64	54.00	-15.36	42.61	38.68	18.26	60.91	0.00	100	114	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	6733.00	44.14	68.20	-24.06	58.84	35.67	13.67	64.04	0.00	--	--	PEAK																																																																							
2	11988.00	51.35	74.00	-22.65	55.28	38.69	18.27	60.89	0.00	100	114	PEAK																																																																							
3	11988.00	38.64	54.00	-15.36	42.61	38.68	18.26	60.91	0.00	100	114	AVERAGE																																																																							



Mode	8																																																													
	Band Edge - L																																																													
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																													
ANT	CDD 6+7																																																													
Pol.	Horizontal						Fundamental																																																							
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5145.53</td><td>58.06</td><td>74.00</td><td>-15.94</td><td>41.62</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>144</td><td>194</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5145.53	58.06	74.00	-15.94	41.62	34.40	11.91	29.87	0.00	144	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5145.53	58.06	74.00	-15.94	41.62	34.40	11.91	29.87	0.00	144	194	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5148.86</td><td>48.02</td><td>54.00</td><td>-5.98</td><td>31.58</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>144</td><td>194</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5148.86	48.02	54.00	-5.98	31.58	34.40	11.91	29.87	0.00	144	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5148.86	48.02	54.00	-5.98	31.58	34.40	11.91	29.87	0.00	144	194	AVERAGE																																																		
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5190.00</td><td>107.17</td><td>-----</td><td>-----</td><td>90.64</td><td>34.47</td><td>11.94</td><td>29.88</td><td>0.00</td><td>144</td><td>194</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5190.00	107.17	-----	-----	90.64	34.47	11.94	29.88	0.00	144	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5190.00	107.17	-----	-----	90.64	34.47	11.94	29.88	0.00	144	194	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5190.00</td><td>98.86</td><td>-----</td><td>-----</td><td>82.33</td><td>34.47</td><td>11.94</td><td>29.88</td><td>0.00</td><td>144</td><td>194</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5190.00	98.86	-----	-----	82.33	34.47	11.94	29.88	0.00	144	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5190.00	98.86	-----	-----	82.33	34.47	11.94	29.88	0.00	144	194	AVERAGE																																																		



Mode	8																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.43</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>38.49</td><td>34.78</td><td>12.21</td><td>29.84</td><td>0.00</td><td>144</td><td>194</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.43	55.64	74.00	-18.36	38.49	34.78	12.21	29.84	0.00	144	194	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5440.43	55.64	74.00	-18.36	38.49	34.78	12.21	29.84	0.00	144	194	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.97</td><td>45.83</td><td>54.00</td><td>-8.17</td><td>28.68</td><td>34.78</td><td>12.22</td><td>29.85</td><td>0.00</td><td>144</td><td>194</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.97	45.83	54.00	-8.17	28.68	34.78	12.22	29.85	0.00	144	194	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5440.97	45.83	54.00	-8.17	28.68	34.78	12.22	29.85	0.00	144	194	AVERAGE																																												

Mode

ANT

Pol.

Peak

Avg

8

Band Edge - L

U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz

CDD 6+7

Vertical

Fundamental

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5100

5132

5164

5196

5228

5260

1

5141.53

57.49

74.00

-16.51

41.05

34.40

11.91

29.87

0.00

102

129

PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

1

5190.00

103.16

86.63

34.47

11.94

29.88

0.00

102

129

PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5100

5132

5164

5196

5228

5260

1

5149.69

46.88

54.00

-7.12

30.44

34.40

11.91

29.87

0.00

102

129

AVERAGE

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

1

5190.00

94.38

77.85

34.47

11.94

29.88



0.00

102



129

AVERAGE







Mode	8																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5415.32</td><td>56.33</td><td>74.00</td><td>-17.67</td><td>39.21</td><td>34.73</td><td>12.19</td><td>29.80</td><td>0.00</td><td>102</td><td>129</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5415.32	56.33	74.00	-17.67	39.21	34.73	12.19	29.80	0.00	102	129	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5415.32	56.33	74.00	-17.67	39.21	34.73	12.19	29.80	0.00	102	129	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.63</td><td>45.83</td><td>54.00</td><td>-8.17</td><td>28.68</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>102</td><td>129</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.63	45.83	54.00	-8.17	28.68	34.79	12.23	29.87	0.00	102	129	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5456.63	45.83	54.00	-8.17	28.68	34.79	12.23	29.87	0.00	102	129	AVERAGE																																												





Mode	8																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_Full_5190MHz																																																																																																																																																						
ANT	CDD 6+7																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6663.00</td><td>46.80</td><td>68.20</td><td>-21.40</td><td>61.58</td><td>35.67</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>50.76</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>41.44</td><td>54.00</td><td>-12.56</td><td>45.33</td><td>38.70</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6663.00	46.80	68.20	-21.40	61.58	35.67	13.63	64.08	0.00	--	--	PEAK	2	11988.00	46.83	74.00	-27.17	50.76	38.69	18.27	60.89	0.00	300	360	PEAK	3	11988.00	41.44	54.00	-12.56	45.33	38.70	18.28	60.87	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6663.00</td><td>47.97</td><td>68.20</td><td>-20.23</td><td>62.75</td><td>35.67</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>56.23</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>249</td><td>120</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.16</td><td>54.00</td><td>-13.84</td><td>44.12</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>249</td><td>120</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6663.00	47.97	68.20	-20.23	62.75	35.67	13.63	64.08	0.00	--	--	PEAK	2	11988.00	52.30	74.00	-21.70	56.23	38.69	18.27	60.89	0.00	249	120	PEAK	3	11988.00	40.16	54.00	-13.84	44.12	38.68	18.26	60.90	0.00	249	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	6663.00	46.80	68.20	-21.40	61.58	35.67	13.63	64.08	0.00	--	--	PEAK																																																																																																																																											
2	11988.00	46.83	74.00	-27.17	50.76	38.69	18.27	60.89	0.00	300	360	PEAK																																																																																																																																											
3	11988.00	41.44	54.00	-12.56	45.33	38.70	18.28	60.87	0.00	300	360	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	6663.00	47.97	68.20	-20.23	62.75	35.67	13.63	64.08	0.00	--	--	PEAK																																																																																																																																											
2	11988.00	52.30	74.00	-21.70	56.23	38.69	18.27	60.89	0.00	249	120	PEAK																																																																																																																																											
3	11988.00	40.16	54.00	-13.84	44.12	38.68	18.26	60.90	0.00	249	120	AVERAGE																																																																																																																																											







Mode	9																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_RU242/61_5190MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5125.69</td><td>57.71</td><td>74.00</td><td>-16.29</td><td>41.27</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>100</td><td>185</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.69	57.71	74.00	-16.29	41.27	34.40	11.90	29.86	0.00	100	185	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>107.16</td><td>-----</td><td>-----</td><td>90.66</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>100</td><td>185</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	107.16	-----	-----	90.66	34.45	11.93	29.88	0.00	100	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5125.69	57.71	74.00	-16.29	41.27	34.40	11.90	29.86	0.00	100	185	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	107.16	-----	-----	90.66	34.45	11.93	29.88	0.00	100	185	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.33</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>30.48</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>100</td><td>185</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.33	46.92	54.00	-7.08	30.48	34.40	11.91	29.87	0.00	100	185	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>99.57</td><td>-----</td><td>-----</td><td>83.07</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>100</td><td>185</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	99.57	-----	-----	83.07	34.45	11.93	29.88	0.00	100	185
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5142.33	46.92	54.00	-7.08	30.48	34.40	11.91	29.87	0.00	100	185	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5190.00	99.57	-----	-----	83.07	34.45	11.93	29.88	0.00	100	185	AVERAGE																																																																																																			





Mode	9																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_RU242/61_5190MHz																																									
ANT	CDD 6+7																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5378.06</td><td>55.53</td><td>74.00</td><td>-18.47</td><td>38.58</td><td>34.61</td><td>12.15</td><td>29.81</td><td>0.00</td><td>100 185 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5378.06	55.53	74.00	-18.47	38.58	34.61	12.15	29.81	0.00	100 185 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1 5378.06	55.53	74.00	-18.47	38.58	34.61	12.15	29.81	0.00	100 185 PEAK																																	
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5458.78</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>28.44</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>100 185 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5458.78	45.58	54.00	-8.42	28.44	34.78	12.23	29.87	0.00	100 185 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1 5458.78	45.58	54.00	-8.42	28.44	34.78	12.23	29.87	0.00	100 185 AVERAGE																																	



Mode	9																																																																																														
	Band Edge - L																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_RU242/61_5190MHz																																																																																														
ANT	CDD 6+7																																																																																														
Pol.	Vertical					Fundamental																																																																																									
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5105.21</td><td>57.80</td><td>74.00</td><td>-16.20</td><td>41.37</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>344</td><td>246</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5105.21	57.80	74.00	-16.20	41.37	34.40	11.88	29.85	0.00	344	246	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>105.02</td><td>-----</td><td>-----</td><td>88.49</td><td>34.47</td><td>11.94</td><td>29.88</td><td>0.00</td><td>344</td><td>246</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	105.02	-----	-----	88.49	34.47	11.94	29.88	0.00	344	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5105.21	57.80	74.00	-16.20	41.37	34.40	11.88	29.85	0.00	344	246	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5190.00	105.02	-----	-----	88.49	34.47	11.94	29.88	0.00	344	246	PEAK																																																																																				
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5128.57</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>30.31</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>344</td><td>246</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5128.57	46.75	54.00	-7.25	30.31	34.40	11.90	29.86	0.00	344	246	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>96.64</td><td>-----</td><td>-----</td><td>80.12</td><td>34.46</td><td>11.94</td><td>29.88</td><td>0.00</td><td>344</td><td>246</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5190.00	96.64	-----	-----	80.12	34.46	11.94	29.88	0.00	344	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5128.57	46.75	54.00	-7.25	30.31	34.40	11.90	29.86	0.00	344	246	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5190.00	96.64	-----	-----	80.12	34.46	11.94	29.88	0.00	344	246	AVERAGE																																																																																				



Mode	9																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT40_CH38_RU242/61_5190MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5393.18</td><td>55.81</td><td>74.00</td><td>-18.19</td><td>38.77</td><td>34.67</td><td>12.16</td><td>29.79</td><td>0.00</td><td>344 246 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.18	55.81	74.00	-18.19	38.77	34.67	12.16	29.79	0.00	344 246 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5393.18	55.81	74.00	-18.19	38.77	34.67	12.16	29.79	0.00	344 246 PEAK																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5433.95</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>28.30</td><td>34.77</td><td>12.21</td><td>29.83</td><td>0.00</td><td>344 246 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.95	45.45	54.00	-8.55	28.30	34.77	12.21	29.83	0.00	344 246 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5433.95	45.45	54.00	-8.55	28.30	34.77	12.21	29.83	0.00	344 246 AVERAGE																																													