




Mode	37																																																																										
	Band Edge - L																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz																																																																										
ANT	CDD 6+7																																																																										
Pol.	Horizontal						Fundamental																																																																				
Peak																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5449.28</td><td>57.74</td><td>74.00</td><td>-16.26</td><td>40.58</td><td>34.00</td><td>12.22</td><td>29.86</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5468.65</td><td>58.95</td><td>68.20</td><td>-9.25</td><td>41.83</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5449.28	57.74	74.00	-16.26	40.58	34.00	12.22	29.86	0.00	100	176	PEAK	2	5468.65	58.95	68.20	-9.25	41.83	34.76	12.25	29.89	0.00	100	176
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5449.28	57.74	74.00	-16.26	40.58	34.00	12.22	29.86	0.00	100	176	PEAK																																																															
2	5468.65	58.95	68.20	-9.25	41.83	34.76	12.25	29.89	0.00	100	176	PEAK																																																															
Avg																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5451.21</td><td>47.06</td><td>54.00</td><td>-6.94</td><td>29.89</td><td>34.00</td><td>12.23</td><td>29.86</td><td>0.00</td><td>100</td><td>176</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5451.21	47.06	54.00	-6.94	29.89	34.00	12.23	29.86	0.00	100	176	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5451.21	47.06	54.00	-6.94	29.89	34.00	12.23	29.86	0.00	100	176	AVERAGE																																																															
Peak																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5510.00</td><td>109.77</td><td>-----</td><td>-----</td><td>92.72</td><td>34.70</td><td>12.28</td><td>29.93</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5510.00	109.77	-----	-----	92.72	34.70	12.28	29.93	0.00	100	176	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5510.00	109.77	-----	-----	92.72	34.70	12.28	29.93	0.00	100	176	PEAK																																																															
Avg																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5510.00</td><td>101.45</td><td>-----</td><td>-----</td><td>84.40</td><td>34.70</td><td>12.28</td><td>29.93</td><td>0.00</td><td>100</td><td>176</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5510.00	101.45	-----	-----	84.40	34.70	12.28	29.93	0.00	100	176	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5510.00	101.45	-----	-----	84.40	34.70	12.28	29.93	0.00	100	176	AVERAGE																																																															




Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.12</td><td>57.13</td><td>68.20</td><td>-11.07</td><td>39.60</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.12	57.13	68.20	-11.07	39.60	34.89	12.53	29.89	0.00	100	176	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5743.12	57.13	68.20	-11.07	39.60	34.89	12.53	29.89	0.00	100	176	PEAK																																												



		37										
Mode		Band Edge - L										
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz										
ANT		CDD 6+7										
Pol.		Fundamental										
Peak	Vertical	Fundamental										




Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.48</td><td>56.27</td><td>68.20</td><td>-11.93</td><td>38.76</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.48	56.27	68.20	-11.93	38.76	34.88	12.53	29.90	0.00	100	122	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5748.48	56.27	68.20	-11.93	38.76	34.88	12.53	29.90	0.00	100	122	PEAK																																												







Mode	38																																																																													
	Band Edge - L																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																													
ANT	CDD 6+7																																																																													
Pol.	Horizontal						Fundamental																																																																							
Peak																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5457.51</td><td>56.69</td><td>74.00</td><td>-17.31</td><td>39.55</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>103</td><td>172</td><td colspan="2">PEAK</td></tr><tr><td>2</td><td>5463.71</td><td>55.81</td><td>68.20</td><td>-12.39</td><td>38.68</td><td>34.77</td><td>12.24</td><td>29.88</td><td>0.00</td><td>103</td><td>172</td><td colspan="2">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5457.51	56.69	74.00	-17.31	39.55	34.78	12.23	29.87	0.00	103	172	PEAK		2	5463.71	55.81	68.20	-12.39	38.68	34.77	12.24	29.88	0.00	103	172	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5457.51	56.69	74.00	-17.31	39.55	34.78	12.23	29.87	0.00	103	172	PEAK																																																																		
2	5463.71	55.81	68.20	-12.39	38.68	34.77	12.24	29.88	0.00	103	172	PEAK																																																																		
Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5450.71</td><td>46.51</td><td>54.00</td><td>-7.49</td><td>29.34</td><td>34.80</td><td>12.23</td><td>29.86</td><td>0.00</td><td>103</td><td>172</td><td colspan="2">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5450.71	46.51	54.00	-7.49	29.34	34.80	12.23	29.86	0.00	103	172	AVERAGE															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5450.71	46.51	54.00	-7.49	29.34	34.80	12.23	29.86	0.00	103	172	AVERAGE																																																																		
Peak																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5550.00</td><td>107.79</td><td>-----</td><td>-----</td><td>90.61</td><td>34.70</td><td>12.33</td><td>29.85</td><td>0.00</td><td>103</td><td>172</td><td colspan="2">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5550.00	107.79	-----	-----	90.61	34.70	12.33	29.85	0.00	103	172	PEAK															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5550.00	107.79	-----	-----	90.61	34.70	12.33	29.85	0.00	103	172	PEAK																																																																		
Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5550.00</td><td>99.97</td><td>-----</td><td>-----</td><td>82.79</td><td>34.70</td><td>12.33</td><td>29.85</td><td>0.00</td><td>103</td><td>172</td><td colspan="2">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5550.00	99.97	-----	-----	82.79	34.70	12.33	29.85	0.00	103	172	AVERAGE															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5550.00	99.97	-----	-----	82.79	34.70	12.33	29.85	0.00	103	172	AVERAGE																																																																		




Mode	38																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.51</td><td>56.47</td><td>68.20</td><td>-11.73</td><td>38.89</td><td>34.91</td><td>12.54</td><td>29.87</td><td>0.00</td><td>103</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5753.51	56.47	68.20	-11.73	38.89	34.91	12.54	29.87	0.00	103	172	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5753.51	56.47	68.20	-11.73	38.89	34.91	12.54	29.87	0.00	103	172	PEAK																																												





Mode	38																																																																										
	Band Edge - L																																																																										
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																										
ANT	CDD 6+7																																																																										
Pol.	Vertical						Fundamental																																																																				
Peak																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5445.31</td><td>56.66</td><td>74.00</td><td>-17.34</td><td>39.50</td><td>34.79</td><td>12.22</td><td>29.85</td><td>0.00</td><td>356</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>5464.11</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>38.82</td><td>34.77</td><td>12.24</td><td>29.88</td><td>0.00</td><td>356</td><td>246</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5445.31	56.66	74.00	-17.34	39.50	34.79	12.22	29.85	0.00	356	246	PEAK	2	5464.11	55.95	68.20	-12.25	38.82	34.77	12.24	29.88	0.00	356	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5445.31	56.66	74.00	-17.34	39.50	34.79	12.22	29.85	0.00	356	246	PEAK																																																															
2	5464.11	55.95	68.20	-12.25	38.82	34.77	12.24	29.88	0.00	356	246	PEAK																																																															
Avg																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5451.31</td><td>45.82</td><td>54.00</td><td>-8.18</td><td>28.65</td><td>34.00</td><td>12.23</td><td>29.86</td><td>0.00</td><td>356</td><td>246</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5451.31	45.82	54.00	-8.18	28.65	34.00	12.23	29.86	0.00	356	246	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5451.31	45.82	54.00	-8.18	28.65	34.00	12.23	29.86	0.00	356	246	AVERAGE																																																															
Peak																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5550.00</td><td>104.21</td><td>-----</td><td>-----</td><td>87.03</td><td>34.70</td><td>12.33</td><td>29.85</td><td>0.00</td><td>356</td><td>246</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5550.00	104.21	-----	-----	87.03	34.70	12.33	29.85	0.00	356	246	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5550.00	104.21	-----	-----	87.03	34.70	12.33	29.85	0.00	356	246	PEAK																																																															
Avg																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="2"></th></tr><tr><td>1</td><td>5550.00</td><td>95.59</td><td>-----</td><td>-----</td><td>78.41</td><td>34.70</td><td>12.33</td><td>29.85</td><td>0.00</td><td>356</td><td>246</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5550.00	95.59	-----	-----	78.41	34.70	12.33	29.85	0.00	356	246	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1	5550.00	95.59	-----	-----	78.41	34.70	12.33	29.85	0.00	356	246	AVERAGE																																																															



Mode	38																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																									
ANT	CDD 6+7																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5737.17</td><td>56.14</td><td>68.20</td><td>-12.06</td><td>38.65</td><td>34.87</td><td>12.53</td><td>29.91</td><td>0.00</td><td>356 246 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5737.17	56.14	68.20	-12.06	38.65	34.87	12.53	29.91	0.00	356 246 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5737.17	56.14	68.20	-12.06	38.65	34.87	12.53	29.91	0.00	356 246 PEAK																																	



Mode	38																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																																																																													
ANT	CDD 6+7																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>44.17</td><td>74.00</td><td>-29.83</td><td>50.48</td><td>38.10</td><td>17.50</td><td>61.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>50.05</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>36.29</td><td>54.00</td><td>-17.71</td><td>40.16</td><td>38.78</td><td>18.26</td><td>60.91</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	44.17	74.00	-29.83	50.48	38.10	17.50	61.91	0.00	--	--	PEAK	2	11988.00	46.22	74.00	-27.78	50.05	38.79	18.27	60.89	0.00	100	0	PEAK	3	11988.00	36.29	54.00	-17.71	40.16	38.78	18.26	60.91	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>50.74</td><td>38.10</td><td>17.50</td><td>61.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.32</td><td>74.00</td><td>-21.68</td><td>56.15</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>268</td><td>55</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.64</td><td>54.00</td><td>-13.36</td><td>44.51</td><td>38.78</td><td>18.26</td><td>60.91</td><td>0.00</td><td>268</td><td>55</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	44.43	74.00	-29.57	50.74	38.10	17.50	61.91	0.00	--	--	PEAK	2	11988.00	52.32	74.00	-21.68	56.15	38.79	18.27	60.89	0.00	268	55	PEAK	3	11988.00	40.64	54.00	-13.36	44.51	38.78	18.26	60.91	0.00	268	55	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																				
1	11100.00	44.17	74.00	-29.83	50.48	38.10	17.50	61.91	0.00	--	--	PEAK																																																																																																																																																		
2	11988.00	46.22	74.00	-27.78	50.05	38.79	18.27	60.89	0.00	100	0	PEAK																																																																																																																																																		
3	11988.00	36.29	54.00	-17.71	40.16	38.78	18.26	60.91	0.00	100	0	AVERAGE																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																				
1	11100.00	44.43	74.00	-29.57	50.74	38.10	17.50	61.91	0.00	--	--	PEAK																																																																																																																																																		
2	11988.00	52.32	74.00	-21.68	56.15	38.79	18.27	60.89	0.00	268	55	PEAK																																																																																																																																																		
3	11988.00	40.64	54.00	-13.36	44.51	38.78	18.26	60.91	0.00	268	55	AVERAGE																																																																																																																																																		

Mode

39

Band Edge - L

U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz

ANT

CDD 6+7

Pol.

Horizontal

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5382

5414

5446

5478

5510

Frequency (MHz)

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5379.69

55.85

74.00

-18.15

38.89

34.62

12.15

29.81

0.00

135

175

PEAK

2

5461.93

56.06

68.20

-12.14

38.92

34.78

12.24

29.88

0.00

135

175

PEAK

Fundamental

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

Frequency (MHz)

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5670.00

108.14

90.86

34.74

12.46

29.92

0.00

135

175

PEAK

Avg

Horizontal

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5382

5414

5446

5478

5510

Frequency (MHz)

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5457.13

45.81

54.00

-8.19

28.66

34.79

12.23

29.87

0.00

135

175

AVERAGE

Fundamental

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

Frequency (MHz)

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5670.00

99.40

82.12

34.73

12.46

29.91


0.00

135





175

AVERAGE




Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.72</td><td>56.89</td><td>68.20</td><td>-11.31</td><td>39.44</td><td>34.86</td><td>12.52</td><td>29.93</td><td>0.00</td><td>135</td><td>175</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.72	56.89	68.20	-11.31	39.44	34.86	12.52	29.93	0.00	135	175	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5728.72	56.89	68.20	-11.31	39.44	34.86	12.52	29.93	0.00	135	175	PEAK																																												





Mode	39																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5439.69</td><td>56.81</td><td>74.00</td><td>-17.19</td><td>39.66</td><td>34.78</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>5468.65</td><td>55.42</td><td>68.20</td><td>-12.78</td><td>38.30</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.69	56.81	74.00	-17.19	39.66	34.78	12.21	29.84	0.00	300	243	PEAK	2	5468.65	55.42	68.20	-12.78	38.30	34.76	12.25	29.89	0.00	300	243	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>102.66</td><td>-----</td><td>-----</td><td>85.38</td><td>34.73</td><td>12.46</td><td>29.91</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	102.66	-----	-----	85.38	34.73	12.46	29.91	0.00	300	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5439.69	56.81	74.00	-17.19	39.66	34.78	12.21	29.84	0.00	300	243	PEAK																																																																																																				
2	5468.65	55.42	68.20	-12.78	38.30	34.76	12.25	29.89	0.00	300	243	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	102.66	-----	-----	85.38	34.73	12.46	29.91	0.00	300	243	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.81</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>28.51</td><td>34.00</td><td>12.22</td><td>29.86</td><td>0.00</td><td>300</td><td>243</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.81	45.67	54.00	-8.33	28.51	34.00	12.22	29.86	0.00	300	243	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.45</td><td>-----</td><td>-----</td><td>77.17</td><td>34.73</td><td>12.46</td><td>29.91</td><td>0.00</td><td>300</td><td>243</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.45	-----	-----	77.17	34.73	12.46	29.91	0.00	300	243	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5448.81	45.67	54.00	-8.33	28.51	34.00	12.22	29.86	0.00	300	243	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	94.45	-----	-----	77.17	34.73	12.46	29.91	0.00	300	243	AVERAGE																																																																																																				







Mode	39																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																													
ANT	CDD 6+7																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.56</td><td>57.55</td><td>68.20</td><td>-10.65</td><td>40.07</td><td>34.87</td><td>12.52</td><td>29.91</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.56	57.55	68.20	-10.65	40.07	34.87	12.52	29.91	0.00	300	243	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5734.56	57.55	68.20	-10.65	40.07	34.87	12.52	29.91	0.00	300	243	PEAK																																		




Mode	39																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																																																							
ANT	CDD 6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11340.00</td><td>43.86</td><td>74.00</td><td>-30.14</td><td>49.88</td><td>38.04</td><td>17.71</td><td>61.77</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>49.71</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11340.00	43.86	74.00	-30.14	49.88	38.04	17.71	61.77	0.00	--	--	--	PEAK	2 11988.00	45.88	74.00	-28.12	49.71	38.79	18.27	60.89	0.00	--	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11340.00</td><td>44.01</td><td>74.00</td><td>-29.99</td><td>50.03</td><td>38.04</td><td>17.71</td><td>61.77</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>51.35</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>236</td><td>356</td><td>356</td><td>PEAK</td></tr><tr><td>3 11988.00</td><td>39.75</td><td>54.00</td><td>-14.25</td><td>43.54</td><td>38.80</td><td>18.28</td><td>60.87</td><td>0.00</td><td>236</td><td>356</td><td>356</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11340.00	44.01	74.00	-29.99	50.03	38.04	17.71	61.77	0.00	--	--	--	PEAK	2 11988.00	47.52	74.00	-26.48	51.35	38.79	18.27	60.89	0.00	236	356	356	PEAK	3 11988.00	39.75	54.00	-14.25	43.54	38.80	18.28	60.87	0.00	236	356	356
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1 11340.00	43.86	74.00	-30.14	49.88	38.04	17.71	61.77	0.00	--	--	--	PEAK																																																																																																																																												
2 11988.00	45.88	74.00	-28.12	49.71	38.79	18.27	60.89	0.00	--	--	--	PEAK																																																																																																																																												
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																													
1 11340.00	44.01	74.00	-29.99	50.03	38.04	17.71	61.77	0.00	--	--	--	PEAK																																																																																																																																												
2 11988.00	47.52	74.00	-26.48	51.35	38.79	18.27	60.89	0.00	236	356	356	PEAK																																																																																																																																												
3 11988.00	39.75	54.00	-14.25	43.54	38.80	18.28	60.87	0.00	236	356	356	AVERAGE																																																																																																																																												







Mode	40																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5437.93</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>38.04</td><td>34.78</td><td>12.21</td><td>29.84</td><td>0.00</td><td>124</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5463.05</td><td>54.96</td><td>68.20</td><td>-13.24</td><td>37.83</td><td>34.77</td><td>12.24</td><td>29.88</td><td>0.00</td><td>124</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.93	55.19	74.00	-18.81	38.04	34.78	12.21	29.84	0.00	124	178	PEAK	2	5463.05	54.96	68.20	-13.24	37.83	34.77	12.24	29.88	0.00	124	178	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>108.08</td><td>-----</td><td>-----</td><td>90.80</td><td>34.74</td><td>12.46</td><td>29.92</td><td>0.00</td><td>124</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.08	-----	-----	90.80	34.74	12.46	29.92	0.00	124	178	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5437.93	55.19	74.00	-18.81	38.04	34.78	12.21	29.84	0.00	124	178	PEAK																																																																																																					
2	5463.05	54.96	68.20	-13.24	37.83	34.77	12.24	29.88	0.00	124	178	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	108.08	-----	-----	90.80	34.74	12.46	29.92	0.00	124	178	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.96</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>28.46</td><td>34.79</td><td>12.22</td><td>29.85</td><td>0.00</td><td>124</td><td>178</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.96	45.62	54.00	-8.38	28.46	34.79	12.22	29.85	0.00	124	178	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.28</td><td>-----</td><td>-----</td><td>83.00</td><td>34.73</td><td>12.46</td><td>29.91</td><td>0.00</td><td>124</td><td>178</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.28	-----	-----	83.00	34.73	12.46	29.91	0.00	124	178	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5444.96	45.62	54.00	-8.38	28.46	34.79	12.22	29.85	0.00	124	178	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	100.28	-----	-----	83.00	34.73	12.46	29.91	0.00	124	178	AVERAGE																																																																																																					




Mode	40																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.80</td><td>57.46</td><td>68.20</td><td>-10.74</td><td>39.88</td><td>34.91</td><td>12.54</td><td>29.87</td><td>0.00</td><td>124</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5752.80	57.46	68.20	-10.74	39.88	34.91	12.54	29.87	0.00	124	178	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5752.80	57.46	68.20	-10.74	39.88	34.91	12.54	29.87	0.00	124	178	PEAK																																											







Mode	40																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5416.81</td><td>56.05</td><td>74.00</td><td>-17.95</td><td>38.94</td><td>34.73</td><td>12.19</td><td>29.81</td><td>0.00</td><td>392</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>5462.73</td><td>55.83</td><td>68.20</td><td>-12.37</td><td>38.70</td><td>34.77</td><td>12.24</td><td>29.88</td><td>0.00</td><td>392</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.81	56.05	74.00	-17.95	38.94	34.73	12.19	29.81	0.00	392	246	PEAK	2	5462.73	55.83	68.20	-12.37	38.70	34.77	12.24	29.88	0.00	392	246	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>103.68</td><td>-----</td><td>-----</td><td>86.39</td><td>34.77</td><td>12.47</td><td>29.95</td><td>0.00</td><td>392</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.68	-----	-----	86.39	34.77	12.47	29.95	0.00	392	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5416.81	56.05	74.00	-17.95	38.94	34.73	12.19	29.81	0.00	392	246	PEAK																																																																																																				
2	5462.73	55.83	68.20	-12.37	38.70	34.77	12.24	29.88	0.00	392	246	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	103.68	-----	-----	86.39	34.77	12.47	29.95	0.00	392	246	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.61</td><td>45.48</td><td>54.00</td><td>-8.52</td><td>28.32</td><td>34.79</td><td>12.22</td><td>29.85</td><td>0.00</td><td>392</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.61	45.48	54.00	-8.52	28.32	34.79	12.22	29.85	0.00	392	246	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.82</td><td>-----</td><td>-----</td><td>77.53</td><td>34.77</td><td>12.47</td><td>29.95</td><td>0.00</td><td>392</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.82	-----	-----	77.53	34.77	12.47	29.95	0.00	392	246	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5445.61	45.48	54.00	-8.52	28.32	34.79	12.22	29.85	0.00	392	246	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	94.82	-----	-----	77.53	34.77	12.47	29.95	0.00	392	246	AVERAGE																																																																																																				




Mode	40																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.12</td><td>56.96</td><td>68.20</td><td>-11.24</td><td>39.36</td><td>34.91</td><td>12.55</td><td>29.86</td><td>0.00</td><td>392</td><td>246</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.12	56.96	68.20	-11.24	39.36	34.91	12.55	29.86	0.00	392	246	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5755.12	56.96	68.20	-11.24	39.36	34.91	12.55	29.86	0.00	392	246	PEAK																																											







Mode	41																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5441.93</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>39.15</td><td>34.78</td><td>12.22</td><td>29.85</td><td>0.00</td><td>120</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>57.73</td><td>68.20</td><td>-10.47</td><td>40.61</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>120</td><td>171</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5441.93	56.30	74.00	-17.70	39.15	34.78	12.22	29.85	0.00	120	171	PEAK	2	5469.13	57.73	68.20	-10.47	40.61	34.76	12.25	29.89	0.00	120	171	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>104.58</td><td>-----</td><td>-----</td><td>87.40</td><td>34.70</td><td>12.33</td><td>29.85</td><td>0.00</td><td>120</td><td>171</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5530.00	104.58	-----	-----	87.40	34.70	12.33	29.85	0.00	120	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5441.93	56.30	74.00	-17.70	39.15	34.78	12.22	29.85	0.00	120	171	PEAK																																																																																																					
2	5469.13	57.73	68.20	-10.47	40.61	34.76	12.25	29.89	0.00	120	171	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																						
1	5530.00	104.58	-----	-----	87.40	34.70	12.33	29.85	0.00	120	171	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.09</td><td>47.18</td><td>54.00</td><td>-6.82</td><td>30.02</td><td>34.79</td><td>12.22</td><td>29.85</td><td>0.00</td><td>120</td><td>171</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5446.09	47.18	54.00	-6.82	30.02	34.79	12.22	29.85	0.00	120	171	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.16</td><td>-----</td><td>-----</td><td>79.03</td><td>34.70</td><td>12.31</td><td>29.88</td><td>0.00</td><td>120</td><td>171</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5530.00	96.16	-----	-----	79.03	34.70	12.31	29.88	0.00	120	171	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																						
1	5446.09	47.18	54.00	-6.82	30.02	34.79	12.22	29.85	0.00	120	171	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																						
1	5530.00	96.16	-----	-----	79.03	34.70	12.31	29.88	0.00	120	171	AVERAGE																																																																																																					



Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.24</td><td>57.45</td><td>68.20</td><td>-10.75</td><td>39.97</td><td>34.87</td><td>12.52</td><td>29.91</td><td>0.00</td><td>120</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.24	57.45	68.20	-10.75	39.97	34.87	12.52	29.91	0.00	120	171	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.24	57.45	68.20	-10.75	39.97	34.87	12.52	29.91	0.00	120	171	PEAK																																												



Mode	41																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																						
ANT	CDD 6+7																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5419.69</td><td>56.59</td><td>74.00</td><td>-17.41</td><td>39.47</td><td>34.74</td><td>12.19</td><td>29.81</td><td>0.00</td><td>357</td><td>246 PEAK</td></tr><tr><td>2</td><td>5468.65</td><td>55.21</td><td>68.20</td><td>-12.99</td><td>38.09</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>357</td><td>246 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5419.69	56.59	74.00	-17.41	39.47	34.74	12.19	29.81	0.00	357	246 PEAK	2	5468.65	55.21	68.20	-12.99	38.09	34.76	12.25	29.89	0.00	357
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5419.69	56.59	74.00	-17.41	39.47	34.74	12.19	29.81	0.00	357	246 PEAK																																																												
2	5468.65	55.21	68.20	-12.99	38.09	34.76	12.25	29.89	0.00	357	246 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5443.85</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>28.81</td><td>34.79</td><td>12.22</td><td>29.85</td><td>0.00</td><td>357</td><td>246 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5443.85	45.97	54.00	-8.03	28.81	34.79	12.22	29.85	0.00	357	246 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5443.85	45.97	54.00	-8.03	28.81	34.79	12.22	29.85	0.00	357	246 AVERAGE																																																												
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5530.00</td><td>101.05</td><td>-----</td><td>-----</td><td>83.95</td><td>34.70</td><td>12.30</td><td>29.90</td><td>0.00</td><td>357</td><td>246 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	101.05	-----	-----	83.95	34.70	12.30	29.90	0.00	357	246 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5530.00	101.05	-----	-----	83.95	34.70	12.30	29.90	0.00	357	246 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5530.00</td><td>92.75</td><td>-----</td><td>-----</td><td>75.65</td><td>34.70</td><td>12.30</td><td>29.90</td><td>0.00</td><td>357</td><td>246 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	92.75	-----	-----	75.65	34.70	12.30	29.90	0.00	357	246 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5530.00	92.75	-----	-----	75.65	34.70	12.30	29.90	0.00	357	246 AVERAGE																																																												



Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5761.28</td><td>57.02</td><td>68.20</td><td>-11.18</td><td>39.40</td><td>34.92</td><td>12.55</td><td>29.85</td><td>0.00</td><td>357</td><td>246</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5761.28	57.02	68.20	-11.18	39.40	34.92	12.55	29.85	0.00	357	246	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5761.28	57.02	68.20	-11.18	39.40	34.92	12.55	29.85	0.00	357	246	PEAK																																												



Mode	41																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																																				
ANT	CDD 6+7																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>51.28</td><td>38.06</td><td>17.46</td><td>61.93</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>49.22</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.87	74.00	-29.13	51.28	38.06	17.46	61.93	0.00	--	PEAK	2	11988.00	45.39	74.00	-28.61	49.22	38.79	18.27	60.89	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.56</td><td>74.00</td><td>-30.44</td><td>49.97</td><td>38.06</td><td>17.46</td><td>61.93</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>48.75</td><td>74.00</td><td>-25.25</td><td>52.58</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>25 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.24</td><td>54.00</td><td>-13.76</td><td>44.03</td><td>38.80</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td><td>25 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	43.56	74.00	-30.44	49.97	38.06	17.46	61.93	0.00	--	PEAK	2	11988.00	48.75	74.00	-25.25	52.58	38.79	18.27	60.89	0.00	300	25 PEAK	3	11988.00	40.24	54.00	-13.76	44.03	38.80	18.28	60.87	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	11060.00	44.87	74.00	-29.13	51.28	38.06	17.46	61.93	0.00	--	PEAK																																																																																																																										
2	11988.00	45.39	74.00	-28.61	49.22	38.79	18.27	60.89	0.00	--	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	11060.00	43.56	74.00	-30.44	49.97	38.06	17.46	61.93	0.00	--	PEAK																																																																																																																										
2	11988.00	48.75	74.00	-25.25	52.58	38.79	18.27	60.89	0.00	300	25 PEAK																																																																																																																										
3	11988.00	40.24	54.00	-13.76	44.03	38.80	18.28	60.87	0.00	300	25 AVERAGE																																																																																																																										

Mode

42

Band Edge - L

U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz

ANT

CDD 6+7

Pol.

Horizontal

Fundamental

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5382

5414

5446

5478

5510

Frequency (MHz)

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5432.17

55.92

74.00

-18.08

30.78

34.76

12.21

29.83

0.00

100

175

PEAK

2

5469.77

60.12

68.20

-8.08

43.00

34.76

12.25

29.89

0.00

100

175

PEAK

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5530.00

105.82

88.77

34.70

12.28

29.93

0.00

100

175

PEAK

Avg

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5382

5414

5446

5478

5510

Frequency (MHz)

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5451.85

46.20

54.00

-7.80

29.03

34.80

12.23

29.86

0.00

100

175

AVERAGE

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5530.00

97.00

79.95

34.70

12.28

29.93


0.00

100



175

AVERAGE




Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.04</td><td>56.24</td><td>68.20</td><td>-11.96</td><td>38.78</td><td>34.86</td><td>12.52</td><td>29.92</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.04	56.24	68.20	-11.96	38.78	34.86	12.52	29.92	0.00	100	175	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5731.04	56.24	68.20	-11.96	38.78	34.86	12.52	29.92	0.00	100	175	PEAK																																												







		42																																																																		
Mode		Band Edge - L																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz																																																																		
ANT		CDD 6+7																																																																		
Pol.		Fundamental																																																																		
Peak	Vertical	Fundamental																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.93</td><td>57.17</td><td>74.00</td><td>-16.83</td><td>40.02</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>338</td><td>256</td><td>PEAK</td></tr><tr><td>2</td><td>5466.89</td><td>55.89</td><td>68.20</td><td>-12.31</td><td>38.77</td><td>34.77</td><td>12.24</td><td>29.89</td><td>0.00</td><td>338</td><td>256</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.93	57.17	74.00	-16.83	40.02	34.79	12.23	29.87	0.00	338	256	PEAK	2	5466.89	55.89	68.20	-12.31	38.77	34.77	12.24	29.89	0.00	338	256
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5453.93	57.17	74.00	-16.83	40.02	34.79	12.23	29.87	0.00	338	256	PEAK																																																								
2	5466.89	55.89	68.20	-12.31	38.77	34.77	12.24	29.89	0.00	338	256	PEAK																																																								
Avg	Vertical	Fundamental																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.49</td><td>45.63</td><td>54.00</td><td>-8.37</td><td>28.47</td><td>34.00</td><td>12.22</td><td>29.86</td><td>0.00</td><td>338</td><td>256</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.49	45.63	54.00	-8.37	28.47	34.00	12.22	29.86	0.00	338	256	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5448.49	45.63	54.00	-8.37	28.47	34.00	12.22	29.86	0.00	338	256	AVERAGE																																																								




Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.76</td><td>56.14</td><td>68.20</td><td>-12.06</td><td>38.58</td><td>34.90</td><td>12.54</td><td>29.88</td><td>0.00</td><td>338</td><td>256</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5749.76	56.14	68.20	-12.06	38.58	34.90	12.54	29.88	0.00	338	256	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5749.76	56.14	68.20	-12.06	38.58	34.90	12.54	29.88	0.00	338	256	PEAK																																												







Mode	43																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5418.25</td><td>56.53</td><td>74.00</td><td>-17.47</td><td>39.41</td><td>34.74</td><td>12.19</td><td>29.81</td><td>0.00</td><td>100</td><td>174</td><td>PEAK</td></tr><tr><td>2</td><td>5462.09</td><td>56.82</td><td>68.20</td><td>-11.38</td><td>39.68</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>100</td><td>174</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5418.25	56.53	74.00	-17.47	39.41	34.74	12.19	29.81	0.00	100	174	PEAK	2	5462.09	56.82	68.20	-11.38	39.68	34.78	12.24	29.88	0.00	100	174	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>105.74</td><td>-----</td><td>-----</td><td>88.38</td><td>34.70</td><td>12.40</td><td>29.74</td><td>0.00</td><td>100</td><td>174</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.74	-----	-----	88.38	34.70	12.40	29.74	0.00	100	174	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5418.25	56.53	74.00	-17.47	39.41	34.74	12.19	29.81	0.00	100	174	PEAK																																																																																																					
2	5462.09	56.82	68.20	-11.38	39.68	34.78	12.24	29.88	0.00	100	174	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	105.74	-----	-----	88.38	34.70	12.40	29.74	0.00	100	174	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.17</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>29.49</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>100</td><td>174</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.17	46.64	54.00	-7.36	29.49	34.79	12.23	29.87	0.00	100	174	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.50</td><td>-----</td><td>-----</td><td>80.14</td><td>34.70</td><td>12.40</td><td>29.74</td><td>0.00</td><td>100</td><td>174</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.50	-----	-----	80.14	34.70	12.40	29.74	0.00	100	174	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.17	46.64	54.00	-7.36	29.49	34.79	12.23	29.87	0.00	100	174	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	97.50	-----	-----	80.14	34.70	12.40	29.74	0.00	100	174	AVERAGE																																																																																																					




Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.80</td><td>58.41</td><td>68.20</td><td>-9.79</td><td>40.94</td><td>34.87</td><td>12.52</td><td>29.92</td><td>0.00</td><td>100</td><td>174</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.80	58.41	68.20	-9.79	40.94	34.87	12.52	29.92	0.00	100	174	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.80	58.41	68.20	-9.79	40.94	34.87	12.52	29.92	0.00	100	174	PEAK																																												



Mode	43																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5431.21</td><td>56.62</td><td>74.00</td><td>-17.38</td><td>39.49</td><td>34.76</td><td>12.20</td><td>29.83</td><td>0.00</td><td>291</td><td>249</td><td>PEAK</td></tr><tr><td>2</td><td>5467.53</td><td>55.89</td><td>68.20</td><td>-12.31</td><td>38.78</td><td>34.76</td><td>12.24</td><td>29.89</td><td>0.00</td><td>291</td><td>249</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.21	56.62	74.00	-17.38	39.49	34.76	12.20	29.83	0.00	291	249	PEAK	2	5467.53	55.89	68.20	-12.31	38.78	34.76	12.24	29.89	0.00	291	249	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.54</td><td>-----</td><td>-----</td><td>85.18</td><td>34.70</td><td>12.40</td><td>29.74</td><td>0.00</td><td>291</td><td>249</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.54	-----	-----	85.18	34.70	12.40	29.74	0.00	291	249
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5431.21	56.62	74.00	-17.38	39.49	34.76	12.20	29.83	0.00	291	249	PEAK																																																																																																				
2	5467.53	55.89	68.20	-12.31	38.78	34.76	12.24	29.89	0.00	291	249	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	102.54	-----	-----	85.18	34.70	12.40	29.74	0.00	291	249	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.57</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>28.78</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>291</td><td>249</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.57	45.93	54.00	-8.07	28.78	34.79	12.23	29.87	0.00	291	249	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>91.60</td><td>-----</td><td>-----</td><td>74.24</td><td>34.70</td><td>12.40</td><td>29.74</td><td>0.00</td><td>291</td><td>249</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	91.60	-----	-----	74.24	34.70	12.40	29.74	0.00	291	249	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5454.57	45.93	54.00	-8.07	28.78	34.79	12.23	29.87	0.00	291	249	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	91.60	-----	-----	74.24	34.70	12.40	29.74	0.00	291	249	AVERAGE																																																																																																				







Mode	43																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.36</td><td>56.67</td><td>68.20</td><td>-11.53</td><td>39.24</td><td>34.85</td><td>12.52</td><td>29.94</td><td>0.00</td><td>291</td><td>249</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.36	56.67	68.20	-11.53	39.24	34.85	12.52	29.94	0.00	291	249	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.36	56.67	68.20	-11.53	39.24	34.85	12.52	29.94	0.00	291	249	PEAK																																											




Mode	43																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																																
ANT	CDD 6+7																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11220.00</td><td>43.85</td><td>74.00</td><td>-30.15</td><td>50.09</td><td>38.00</td><td>17.60</td><td>61.84</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 11988.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>49.70</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11220.00	43.85	74.00	-30.15	50.09	38.00	17.60	61.84	0.00	--	-- PEAK	2 11988.00	45.87	74.00	-28.13	49.70	38.79	18.27	60.89	0.00	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11220.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>51.00</td><td>38.00</td><td>17.60</td><td>61.84</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 11988.00</td><td>51.27</td><td>74.00</td><td>-22.73</td><td>55.10</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>17 PEAK</td></tr><tr><td>3 11988.00</td><td>39.42</td><td>54.00</td><td>-14.58</td><td>43.27</td><td>38.78</td><td>18.27</td><td>60.90</td><td>0.00</td><td>100</td><td>17 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11220.00	45.56	74.00	-28.44	51.00	38.00	17.60	61.84	0.00	--	-- PEAK	2 11988.00	51.27	74.00	-22.73	55.10	38.79	18.27	60.89	0.00	100	17 PEAK	3 11988.00	39.42	54.00	-14.58	43.27	38.78	18.27	60.90	0.00	100	17 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1 11220.00	43.85	74.00	-30.15	50.09	38.00	17.60	61.84	0.00	--	-- PEAK																																																																																																																							
2 11988.00	45.87	74.00	-28.13	49.70	38.79	18.27	60.89	0.00	--	-- PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1 11220.00	45.56	74.00	-28.44	51.00	38.00	17.60	61.84	0.00	--	-- PEAK																																																																																																																							
2 11988.00	51.27	74.00	-22.73	55.10	38.79	18.27	60.89	0.00	100	17 PEAK																																																																																																																							
3 11988.00	39.42	54.00	-14.58	43.27	38.78	18.27	60.90	0.00	100	17 AVERAGE																																																																																																																							







Mode	44																																																														
	Band Edge - L																																																														
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																														
ANT	CDD 6+7																																																														
Pol.	Horizontal																																																														
Peak																																																															
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5398.41</td><td>57.52</td><td>74.00</td><td>-16.48</td><td>40.44</td><td>34.69</td><td>12.17</td><td>29.78</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr><tr><td>2 5465.29</td><td>55.46</td><td>68.20</td><td>-12.74</td><td>38.33</td><td>34.77</td><td>12.24</td><td>29.88</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5398.41	57.52	74.00	-16.48	40.44	34.69	12.17	29.78	0.00	100	183 PEAK	2 5465.29	55.46	68.20	-12.74	38.33	34.77	12.24	29.88	0.00	100	183 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 5398.41	57.52	74.00	-16.48	40.44	34.69	12.17	29.78	0.00	100	183 PEAK																																																					
2 5465.29	55.46	68.20	-12.74	38.33	34.77	12.24	29.88	0.00	100	183 PEAK																																																					
Avg																																																															
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5456.45</td><td>46.17</td><td>54.00</td><td>-7.83</td><td>29.02</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>100</td><td>183 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5456.45	46.17	54.00	-7.83	29.02	34.79	12.23	29.87	0.00	100	183 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 5456.45	46.17	54.00	-7.83	29.02	34.79	12.23	29.87	0.00	100	183 AVERAGE																																																					
Fundamental																																																															
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5610.00</td><td>105.31</td><td>-----</td><td>-----</td><td>88.00</td><td>34.70</td><td>12.42</td><td>29.81</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5610.00	105.31	-----	-----	88.00	34.70	12.42	29.81	0.00	100	183 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 5610.00	105.31	-----	-----	88.00	34.70	12.42	29.81	0.00	100	183 PEAK																																																					
Avg																																																															
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5610.00</td><td>96.95</td><td>-----</td><td>-----</td><td>79.61</td><td>34.70</td><td>12.40</td><td>29.76</td><td>0.00</td><td>100</td><td>183 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5610.00	96.95	-----	-----	79.61	34.70	12.40	29.76	0.00	100	183 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1 5610.00	96.95	-----	-----	79.61	34.70	12.40	29.76	0.00	100	183 AVERAGE																																																					




Mode	44																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.08</td><td>56.46</td><td>68.20</td><td>-11.74</td><td>38.86</td><td>34.91</td><td>12.55</td><td>29.86</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.08	56.46	68.20	-11.74	38.86	34.91	12.55	29.86	0.00	100	183	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5756.08	56.46	68.20	-11.74	38.86	34.91	12.55	29.86	0.00	100	183	PEAK																																												







Mode	44																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.89	55.78	74.00	-18.22	38.63	34.79	12.23	29.87	0.00	100	119	PEAK	2	5463.53	55.73	68.20	-12.47	38.60	34.77	12.24	29.88	0.00	100	119	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>100.20</td><td>-----</td><td>-----</td><td>82.87</td><td>34.70</td><td>12.41</td><td>29.78</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.20	-----	-----	82.87	34.70	12.41	29.78	0.00	100	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5454.89	55.78	74.00	-18.22	38.63	34.79	12.23	29.87	0.00	100	119	PEAK																																																																																									
2	5463.53	55.73	68.20	-12.47	38.60	34.77	12.24	29.88	0.00	100	119	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5610.00	100.20	-----	-----	82.87	34.70	12.41	29.78	0.00	100	119	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.45	45.83	54.00	-8.17	28.67	34.79	12.22	29.85	0.00	100	119	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>91.19</td><td>-----</td><td>-----</td><td>73.85</td><td>34.70</td><td>12.40</td><td>29.76</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	91.19	-----	-----	73.85	34.70	12.40	29.76	0.00	100	119	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5445.45	45.83	54.00	-8.17	28.67	34.79	12.22	29.85	0.00	100	119	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5610.00	91.19	-----	-----	73.85	34.70	12.40	29.76	0.00	100	119	AVERAGE																																																																																									




Mode	44																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5761.76</td><td>56.56</td><td>68.20</td><td>-11.64</td><td>38.94</td><td>34.92</td><td>12.55</td><td>29.85</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5761.76	56.56	68.20	-11.64	38.94	34.92	12.55	29.85	0.00	100	119	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5761.76	56.56	68.20	-11.64	38.94	34.92	12.55	29.85	0.00	100	119	PEAK																																												







		45																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-1_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																																																																			
ANT		CDD 6+7																																																																																																			
Pol.		Horizontal						Fundamental																																																																																													
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.16	62.41	74.00	-11.59	45.28	34.75	12.20	29.82	0.00	105	190	PEAK	2	5467.38	61.23	68.20	-6.97	44.11	34.77	12.24	29.89	0.00	105	190	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>103.12</td><td>-----</td><td>-----</td><td>85.90</td><td>34.70</td><td>12.34</td><td>29.82</td><td>0.00</td><td>105</td><td>190</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	103.12	-----	-----	85.90	34.70	12.34	29.82	0.00	105	190
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5423.16	62.41	74.00	-11.59	45.28	34.75	12.20	29.82	0.00	105	190	PEAK																																																																																									
2	5467.38	61.23	68.20	-6.97	44.11	34.77	12.24	29.89	0.00	105	190	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	103.12	-----	-----	85.90	34.70	12.34	29.82	0.00	105	190	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.56	50.84	54.00	-3.16	33.70	34.76	12.20	29.82	0.00	105	190	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>94.58</td><td>-----</td><td>-----</td><td>77.34</td><td>34.70</td><td>12.35</td><td>29.81</td><td>0.00</td><td>105</td><td>190</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	94.58	-----	-----	77.34	34.70	12.35	29.81	0.00	105	190	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5427.56	50.84	54.00	-3.16	33.70	34.76	12.20	29.82	0.00	105	190	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5570.00	94.58	-----	-----	77.34	34.70	12.35	29.81	0.00	105	190	AVERAGE																																																																																									




Mode	45																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.87</td><td>59.84</td><td>68.20</td><td>-8.36</td><td>42.31</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>105</td><td>190</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.87	59.84	68.20	-8.36	42.31	34.89	12.53	29.89	0.00	105	190	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5742.87	59.84	68.20	-8.36	42.31	34.89	12.53	29.89	0.00	105	190	PEAK																																												





Mode	45																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5428.00</td><td>59.90</td><td>74.00</td><td>-14.10</td><td>42.76</td><td>34.76</td><td>12.20</td><td>29.82</td><td>0.00</td><td>373</td><td>248</td><td>PEAK</td></tr><tr><td>2</td><td>5465.18</td><td>57.58</td><td>68.20</td><td>-10.62</td><td>40.45</td><td>34.77</td><td>12.24</td><td>29.88</td><td>0.00</td><td>373</td><td>248</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.00	59.90	74.00	-14.10	42.76	34.76	12.20	29.82	0.00	373	248	PEAK	2	5465.18	57.58	68.20	-10.62	40.45	34.77	12.24	29.88	0.00	373	248	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>90.43</td><td>-----</td><td>-----</td><td>81.21</td><td>34.70</td><td>12.34</td><td>29.82</td><td>0.00</td><td>373</td><td>248</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.43	-----	-----	81.21	34.70	12.34	29.82	0.00	373	248
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5428.00	59.90	74.00	-14.10	42.76	34.76	12.20	29.82	0.00	373	248	PEAK																																																																																																				
2	5465.18	57.58	68.20	-10.62	40.45	34.77	12.24	29.88	0.00	373	248	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	90.43	-----	-----	81.21	34.70	12.34	29.82	0.00	373	248	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5426.00</td><td>48.43</td><td>54.00</td><td>-5.57</td><td>31.30</td><td>34.75</td><td>12.20</td><td>29.82</td><td>0.00</td><td>373</td><td>248</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.00	48.43	54.00	-5.57	31.30	34.75	12.20	29.82	0.00	373	248	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>90.18</td><td>-----</td><td>-----</td><td>72.94</td><td>34.70</td><td>12.35</td><td>29.81</td><td>0.00</td><td>373</td><td>248</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.18	-----	-----	72.94	34.70	12.35	29.81	0.00	373	248	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5426.00	48.43	54.00	-5.57	31.30	34.75	12.20	29.82	0.00	373	248	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	90.18	-----	-----	72.94	34.70	12.35	29.81	0.00	373	248	AVERAGE																																																																																																				







Mode	45																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																												
ANT	CDD 6+7																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.48</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>40.29</td><td>34.88</td><td>12.53</td><td>29.89</td><td>0.00</td><td>373</td><td>248</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.48	57.81	68.20	-10.39	40.29	34.88	12.53	29.89	0.00	373	248	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5742.48	57.81	68.20	-10.39	40.29	34.88	12.53	29.89	0.00	373	248	PEAK																																	




		45																																																																													
Mode		Harmonic																																																																													
		U-NII-1_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																																													
ANT		CDD 6+7																																																																													
Pol.		Horizontal																																																																													
Peak Avg																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>43.53</td><td>74.00</td><td>-30.47</td><td>49.83</td><td>38.06</td><td>17.53</td><td>61.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>49.17</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	43.53	74.00	-30.47	49.83	38.06	17.53	61.89	0.00	--	PEAK	2	11988.00	45.34	74.00	-28.66	49.17	38.79	18.27	60.89	0.00	--	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	11140.00	43.53	74.00	-30.47	49.83	38.06	17.53	61.89	0.00	--	PEAK																																																																				
2	11988.00	45.34	74.00	-28.66	49.17	38.79	18.27	60.89	0.00	--	PEAK																																																																				
		Vertical																																																																													
																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>43.94</td><td>74.00</td><td>-30.06</td><td>50.24</td><td>38.06</td><td>17.53</td><td>61.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>56.64</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>127</td><td>121 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.57</td><td>54.00</td><td>-13.43</td><td>44.44</td><td>38.78</td><td>18.26</td><td>60.91</td><td>0.00</td><td>127</td><td>121 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	43.94	74.00	-30.06	50.24	38.06	17.53	61.89	0.00	--	PEAK	2	11988.00	52.81	74.00	-21.19	56.64	38.79	18.27	60.89	0.00	127	121 PEAK	3	11988.00	40.57	54.00	-13.43	44.44	38.78	18.26	60.91	0.00	127	121 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	11140.00	43.94	74.00	-30.06	50.24	38.06	17.53	61.89	0.00	--	PEAK																																																																				
2	11988.00	52.81	74.00	-21.19	56.64	38.79	18.27	60.89	0.00	127	121 PEAK																																																																				
3	11988.00	40.57	54.00	-13.43	44.44	38.78	18.26	60.91	0.00	127	121 AVERAGE																																																																				







Mode	46																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5457.04</td><td>56.83</td><td>74.00</td><td>-17.17</td><td>39.68</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>100</td><td>194 PEAK</td></tr><tr><td>2</td><td>5468.26</td><td>58.21</td><td>68.20</td><td>-9.99</td><td>41.09</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>100</td><td>194 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.04	56.83	74.00	-17.17	39.68	34.79	12.23	29.87	0.00	100	194 PEAK	2	5468.26	58.21	68.20	-9.99	41.09	34.76	12.25	29.89	0.00	100	194 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>103.79</td><td>-----</td><td>-----</td><td>86.63</td><td>34.70</td><td>12.32</td><td>29.86</td><td>0.00</td><td>100</td><td>194 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	103.79	-----	-----	86.63	34.70	12.32	29.86	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5457.04	56.83	74.00	-17.17	39.68	34.79	12.23	29.87	0.00	100	194 PEAK																																																																																																																								
2	5468.26	58.21	68.20	-9.99	41.09	34.76	12.25	29.89	0.00	100	194 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5570.00	103.79	-----	-----	86.63	34.70	12.32	29.86	0.00	100	194 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5454.04</td><td>47.67</td><td>54.00</td><td>-6.33</td><td>30.52</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>100</td><td>194 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5454.04	47.67	54.00	-6.33	30.52	34.79	12.23	29.87	0.00	100	194 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>94.19</td><td>-----</td><td>-----</td><td>77.03</td><td>34.70</td><td>12.32</td><td>29.86</td><td>0.00</td><td>100</td><td>194 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5570.00	94.19	-----	-----	77.03	34.70	12.32	29.86	0.00	100	194 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5454.04	47.67	54.00	-6.33	30.52	34.79	12.23	29.87	0.00	100	194 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5570.00	94.19	-----	-----	77.03	34.70	12.32	29.86	0.00	100	194 AVERAGE																																																																																																																								




Mode	46																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz																																									
ANT	CDD 6+7																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5752.43</td><td>56.00</td><td>68.20</td><td>-12.20</td><td>38.43</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00 100 194 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5752.43	56.00	68.20	-12.20	38.43	34.90	12.54	29.87	0.00 100 194 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																	
1	5752.43	56.00	68.20	-12.20	38.43	34.90	12.54	29.87	0.00 100 194 PEAK																																	





Mode	46																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5431.52</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>39.42</td><td>34.76</td><td>12.20</td><td>29.83</td><td>0.00</td><td>392</td><td>247</td><td>PEAK</td></tr><tr><td>2</td><td>5461.88</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>38.81</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>392</td><td>247</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.52	56.55	74.00	-17.45	39.42	34.76	12.20	29.83	0.00	392	247	PEAK	2	5461.88	55.95	68.20	-12.25	38.81	34.78	12.24	29.88	0.00	392	247	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>99.31</td><td>-----</td><td>-----</td><td>82.07</td><td>34.70</td><td>12.35</td><td>29.81</td><td>0.00</td><td>392</td><td>247</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.31	-----	-----	82.07	34.70	12.35	29.81	0.00	392	247
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5431.52	56.55	74.00	-17.45	39.42	34.76	12.20	29.83	0.00	392	247	PEAK																																																																																																				
2	5461.88	55.95	68.20	-12.25	38.81	34.78	12.24	29.88	0.00	392	247	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	99.31	-----	-----	82.07	34.70	12.35	29.81	0.00	392	247	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.98</td><td>46.33</td><td>54.00</td><td>-7.67</td><td>29.16</td><td>34.00</td><td>12.23</td><td>29.86</td><td>0.00</td><td>392</td><td>247</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.98	46.33	54.00	-7.67	29.16	34.00	12.23	29.86	0.00	392	247	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>90.37</td><td>-----</td><td>-----</td><td>73.13</td><td>34.70</td><td>12.35</td><td>29.81</td><td>0.00</td><td>392</td><td>247</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.37	-----	-----	73.13	34.70	12.35	29.81	0.00	392	247	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5451.98	46.33	54.00	-7.67	29.16	34.00	12.23	29.86	0.00	392	247	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	90.37	-----	-----	73.13	34.70	12.35	29.81	0.00	392	247	AVERAGE																																																																																																				





Mode	46																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz																																									
ANT	CDD 6+7																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5729.81</td><td>55.91</td><td>68.20</td><td>-12.29</td><td>38.46</td><td>34.86</td><td>12.52</td><td>29.93</td><td>0.00</td><td>392 247 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5729.81	55.91	68.20	-12.29	38.46	34.86	12.52	29.93	0.00	392 247 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5729.81	55.91	68.20	-12.29	38.46	34.86	12.52	29.93	0.00	392 247 PEAK																																	



Mode	47																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																					
ANT	CDD 6+7																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>51.57</td><td>38.14</td><td>17.79</td><td>61.71</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>49.64</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.79	74.00	-28.21	51.57	38.14	17.79	61.71	0.00	--	PEAK	2	11988.00	45.81	74.00	-28.19	49.64	38.79	18.27	60.89	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>50.49</td><td>38.14</td><td>17.79</td><td>61.71</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.26</td><td>74.00</td><td>-21.74</td><td>56.09</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>121</td><td>120 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.01</td><td>54.00</td><td>-13.99</td><td>43.87</td><td>38.78</td><td>18.26</td><td>60.90</td><td>0.00</td><td>121</td><td>120 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.71	74.00	-29.29	50.49	38.14	17.79	61.71	0.00	--	PEAK	2	11988.00	52.26	74.00	-21.74	56.09	38.79	18.27	60.89	0.00	121	120 PEAK	3	11988.00	40.01	54.00	-13.99	43.87	38.78	18.26	60.90	0.00	121	120 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	11440.00	45.79	74.00	-28.21	51.57	38.14	17.79	61.71	0.00	--	PEAK																																																																																																																											
2	11988.00	45.81	74.00	-28.19	49.64	38.79	18.27	60.89	0.00	--	PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	11440.00	44.71	74.00	-29.29	50.49	38.14	17.79	61.71	0.00	--	PEAK																																																																																																																											
2	11988.00	52.26	74.00	-21.74	56.09	38.79	18.27	60.89	0.00	121	120 PEAK																																																																																																																											
3	11988.00	40.01	54.00	-13.99	43.87	38.78	18.26	60.90	0.00	121	120 AVERAGE																																																																																																																											





Mode	48																																																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																																																		
	U-NII-2C_5.47-5.85_802.11be EHT20_CH144_5720MHz																																																																																																																																																																																																																																		
ANT	CDD 6+7																																																																																																																																																																																																																																		
Pol.	Horizontal								Vertical																																																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th><th></th></tr><tr><td>1 11440.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>50.95</td><td>38.14</td><td>17.79</td><td>61.71</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="5"></td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>53.72</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>38</td><td>356</td><td colspan="5"></td><td>PEAK</td></tr><tr><td>3 11988.00</td><td>37.75</td><td>54.00</td><td>-16.25</td><td>41.61</td><td>38.78</td><td>18.26</td><td>60.90</td><td>0.00</td><td>300</td><td>38</td><td>356</td><td colspan="5"></td><td>AVERAGE</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg							1 11440.00	45.17	74.00	-28.83	50.95	38.14	17.79	61.71	0.00	--	--	--						PEAK	2 11988.00	49.89	74.00	-24.11	53.72	38.79	18.27	60.89	0.00	300	38	356						PEAK	3 11988.00	37.75	54.00	-16.25	41.61	38.78	18.26	60.90	0.00	300	38	356						AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th><th></th></tr><tr><td>1 11440.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>51.55</td><td>38.14</td><td>17.79</td><td>61.71</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="5"></td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>53.02</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>170</td><td>356</td><td>356</td><td colspan="5"></td><td>PEAK</td></tr><tr><td>3 11988.00</td><td>37.72</td><td>54.00</td><td>-16.28</td><td>41.54</td><td>38.79</td><td>18.27</td><td>60.88</td><td>0.00</td><td>170</td><td>356</td><td>356</td><td colspan="5"></td><td>AVERAGE</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg							1 11440.00	45.77	74.00	-28.23	51.55	38.14	17.79	61.71	0.00	--	--	--						PEAK	2 11988.00	49.19	74.00	-24.81	53.02	38.79	18.27	60.89	0.00	170	356	356						PEAK	3 11988.00	37.72	54.00	-16.28	41.54	38.79	18.27	60.88	0.00	170	356	356					
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																								
1 11440.00	45.17	74.00	-28.83	50.95	38.14	17.79	61.71	0.00	--	--	--						PEAK																																																																																																																																																																																																																		
2 11988.00	49.89	74.00	-24.11	53.72	38.79	18.27	60.89	0.00	300	38	356						PEAK																																																																																																																																																																																																																		
3 11988.00	37.75	54.00	-16.25	41.61	38.78	18.26	60.90	0.00	300	38	356						AVERAGE																																																																																																																																																																																																																		
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																								
1 11440.00	45.77	74.00	-28.23	51.55	38.14	17.79	61.71	0.00	--	--	--						PEAK																																																																																																																																																																																																																		
2 11988.00	49.19	74.00	-24.81	53.02	38.79	18.27	60.89	0.00	170	356	356						PEAK																																																																																																																																																																																																																		
3 11988.00	37.72	54.00	-16.28	41.54	38.79	18.27	60.88	0.00	170	356	356						AVERAGE																																																																																																																																																																																																																		






Mode	49																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2C_5.47-5.85_802.11be EHT40_CH142_5710MHz																																																																																																																					
ANT	CDD 6+7																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11420.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>50.60</td><td>38.12</td><td>17.78</td><td>61.72</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 11988.00</td><td>45.64</td><td>74.00</td><td>-28.36</td><td>49.47</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11420.00	44.78	74.00	-29.22	50.60	38.12	17.78	61.72	0.00	--	-- PEAK	2 11988.00	45.64	74.00	-28.36	49.47	38.79	18.27	60.89	0.00	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11420.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>50.47</td><td>38.12</td><td>17.78</td><td>61.72</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 11988.00</td><td>52.02</td><td>74.00</td><td>-21.98</td><td>55.85</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>152</td><td>360 PEAK</td></tr><tr><td>3 11988.00</td><td>39.42</td><td>54.00</td><td>-14.58</td><td>43.29</td><td>38.78</td><td>18.26</td><td>60.91</td><td>0.00</td><td>152</td><td>360 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11420.00	44.65	74.00	-29.35	50.47	38.12	17.78	61.72	0.00	--	-- PEAK	2 11988.00	52.02	74.00	-21.98	55.85	38.79	18.27	60.89	0.00	152	360 PEAK	3 11988.00	39.42	54.00	-14.58	43.29	38.78	18.26	60.91	0.00	152
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 11420.00	44.78	74.00	-29.22	50.60	38.12	17.78	61.72	0.00	--	-- PEAK																																																																																																												
2 11988.00	45.64	74.00	-28.36	49.47	38.79	18.27	60.89	0.00	--	-- PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 11420.00	44.65	74.00	-29.35	50.47	38.12	17.78	61.72	0.00	--	-- PEAK																																																																																																												
2 11988.00	52.02	74.00	-21.98	55.85	38.79	18.27	60.89	0.00	152	360 PEAK																																																																																																												
3 11988.00	39.42	54.00	-14.58	43.29	38.78	18.26	60.91	0.00	152	360 AVERAGE																																																																																																												






Mode	50																																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																																														
	U-NII-2C_5.47-5.85_802.11be EHT80_CH138_5690MHz																																																																																																																																																																																																																														
ANT	CDD 6+7																																																																																																																																																																																																																														
Pol.	Horizontal									Vertical																																																																																																																																																																																																																					
Peak Avg																																																																																																																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>50.55</td><td>38.08</td><td>17.74</td><td>61.74</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>49.23</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>											Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg	1	11380.00	44.63	74.00	-29.37	50.55	38.08	17.74	61.74	0.00	--	--	--	--	--	--	--	--	PEAK	2	11988.00	45.40	74.00	-28.60	49.23	38.79	18.27	60.89	0.00	--	--	--	--	--	--	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>50.24</td><td>38.08</td><td>17.74</td><td>61.74</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>50.01</td><td>74.00</td><td>-23.99</td><td>53.84</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>39.75</td><td>54.00</td><td>-14.25</td><td>43.54</td><td>38.80</td><td>18.28</td><td>60.87</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>AVERAGE</td></tr></table>											Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg	1	11380.00	44.32	74.00	-29.68	50.24	38.08	17.74	61.74	0.00	--	--	--	--	--	--	--	--	PEAK	2	11988.00	50.01	74.00	-23.99	53.84	38.79	18.27	60.89	0.00	--	--	--	--	--	--	--	--	PEAK	3	11988.00	39.75	54.00	-14.25	43.54	38.80	18.28	60.87	0.00	--	--	--	--	--	--	--	--	AVERAGE
			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																												
	Freq		Level	Line Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																																																																																																																													
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																														
1	11380.00	44.63	74.00	-29.37	50.55	38.08	17.74	61.74	0.00	--	--	--	--	--	--	--	--	PEAK																																																																																																																																																																																																													
2	11988.00	45.40	74.00	-28.60	49.23	38.79	18.27	60.89	0.00	--	--	--	--	--	--	--	--	PEAK																																																																																																																																																																																																													
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																													
Freq		Level	Line Margin	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																																																																																																																														
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																														
1	11380.00	44.32	74.00	-29.68	50.24	38.08	17.74	61.74	0.00	--	--	--	--	--	--	--	--	PEAK																																																																																																																																																																																																													
2	11988.00	50.01	74.00	-23.99	53.84	38.79	18.27	60.89	0.00	--	--	--	--	--	--	--	--	PEAK																																																																																																																																																																																																													
3	11988.00	39.75	54.00	-14.25	43.54	38.80	18.28	60.87	0.00	--	--	--	--	--	--	--	--	AVERAGE																																																																																																																																																																																																													






	51																																																																																																																								
Mode	Band Edge																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																								
ANT	CDD 6+7																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5608.00</td><td>57.12</td><td>68.20</td><td>-11.08</td><td>39.77</td><td>34.70</td><td>12.40</td><td>29.75</td><td>0.00</td><td>101</td><td>175</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>55.20</td><td>69.09</td><td>-13.89</td><td>37.93</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>101</td><td>175</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>55.11</td><td>105.86</td><td>-50.75</td><td>37.82</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>101</td><td>175</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.42</td><td>110.90</td><td>-57.48</td><td>36.02</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>101</td><td>175</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5608.00	57.12	68.20	-11.08	39.77	34.70	12.40	29.75	0.00	101	175	PEAK	2	5651.20	55.20	69.09	-13.89	37.93	34.70	12.44	29.87	0.00	101	175	PEAK	3	5702.00	55.11	105.86	-50.75	37.82	34.80	12.49	30.00	0.00	101	175	PEAK	4	5720.00	53.42	110.90	-57.48	36.02	34.84	12.51	29.95	0.00	101	175	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.15</td><td>-----</td><td>-----</td><td>91.61</td><td>34.89</td><td>12.54</td><td>29.89</td><td>0.00</td><td>101</td><td>175</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	109.15	-----	-----	91.61	34.89	12.54	29.89	0.00	101	175	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																															
1	5608.00	57.12	68.20	-11.08	39.77	34.70	12.40	29.75	0.00	101	175	PEAK																																																																																																													
2	5651.20	55.20	69.09	-13.89	37.93	34.70	12.44	29.87	0.00	101	175	PEAK																																																																																																													
3	5702.00	55.11	105.86	-50.75	37.82	34.80	12.49	30.00	0.00	101	175	PEAK																																																																																																													
4	5720.00	53.42	110.90	-57.48	36.02	34.84	12.51	29.95	0.00	101	175	PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																															
1	5745.00	109.15	-----	-----	91.61	34.89	12.54	29.89	0.00	101	175	PEAK																																																																																																													
Avg	Blank																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.33</td><td>-----</td><td>-----</td><td>83.79</td><td>34.89</td><td>12.54</td><td>29.89</td><td>0.00</td><td>101</td><td>175</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	101.33	-----	-----	83.79	34.89	12.54	29.89	0.00	101	175	AVERAGE																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																															
1	5745.00	101.33	-----	-----	83.79	34.89	12.54	29.89	0.00	101	175	AVERAGE																																																																																																													




Mode	51																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue trace with a peak at 5745 MHz. Four points are marked on the trace. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.80</td><td>56.76</td><td>68.20</td><td>-11.44</td><td>39.45</td><td>34.70</td><td>12.42</td><td>29.81</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.44</td><td>68.20</td><td>-13.76</td><td>37.16</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5702.80</td><td>56.00</td><td>106.09</td><td>-50.09</td><td>38.69</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>53.54</td><td>110.90</td><td>-57.36</td><td>36.14</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5638.80	56.76	68.20	-11.44	39.45	34.70	12.42	29.81	0.00	100	113	PEAK	2	5650.00	54.44	68.20	-13.76	37.16	34.70	12.44	29.86	0.00	100	113	PEAK	3	5702.80	56.00	106.09	-50.09	38.69	34.81	12.49	29.99	0.00	100	113	PEAK	4	5728.00	53.54	110.90	-57.36	36.14	34.84	12.51	29.95	0.00	100	113	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5745 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.42</td><td>-----</td><td>-----</td><td>83.91</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.42	-----	-----	83.91	34.88	12.53	29.90	0.00	100	113	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5638.80	56.76	68.20	-11.44	39.45	34.70	12.42	29.81	0.00	100	113	PEAK																																																																																																																															
2	5650.00	54.44	68.20	-13.76	37.16	34.70	12.44	29.86	0.00	100	113	PEAK																																																																																																																															
3	5702.80	56.00	106.09	-50.09	38.69	34.81	12.49	29.99	0.00	100	113	PEAK																																																																																																																															
4	5728.00	53.54	110.90	-57.36	36.14	34.84	12.51	29.95	0.00	100	113	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	101.42	-----	-----	83.91	34.88	12.53	29.90	0.00	100	113	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5745 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.03</td><td>-----</td><td>-----</td><td>76.52</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	94.03	-----	-----	76.52	34.88	12.53	29.90	0.00	100	113	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	94.03	-----	-----	76.52	34.88	12.53	29.90	0.00	100	113	AVERAGE																																																																																																																															








	52																																																																																																																																		
Mode	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5689.20</td><td>57.26</td><td>68.20</td><td>-10.94</td><td>39.91</td><td>34.70</td><td>12.40</td><td>29.75</td><td>0.00</td><td>100</td><td>176 PEAK</td></tr><tr><td>2 5654.40</td><td>56.79</td><td>71.48</td><td>-14.69</td><td>39.52</td><td>34.71</td><td>12.44</td><td>29.88</td><td>0.00</td><td>100</td><td>176 PEAK</td></tr><tr><td>3 5780.40</td><td>54.61</td><td>105.41</td><td>-50.80</td><td>37.32</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>176 PEAK</td></tr><tr><td>4 5720.00</td><td>54.31</td><td>110.90</td><td>-56.59</td><td>36.91</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>176 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5689.20	57.26	68.20	-10.94	39.91	34.70	12.40	29.75	0.00	100	176 PEAK	2 5654.40	56.79	71.48	-14.69	39.52	34.71	12.44	29.88	0.00	100	176 PEAK	3 5780.40	54.61	105.41	-50.80	37.32	34.80	12.49	30.00	0.00	100	176 PEAK	4 5720.00	54.31	110.90	-56.59	36.91	34.84	12.51	29.95	0.00	100	176 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>110.79</td><td>-----</td><td>-----</td><td>93.06</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td><td>100</td><td>176 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	110.79	-----	-----	93.06	34.96	12.57	29.80	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5689.20	57.26	68.20	-10.94	39.91	34.70	12.40	29.75	0.00	100	176 PEAK																																																																																																																									
2 5654.40	56.79	71.48	-14.69	39.52	34.71	12.44	29.88	0.00	100	176 PEAK																																																																																																																									
3 5780.40	54.61	105.41	-50.80	37.32	34.80	12.49	30.00	0.00	100	176 PEAK																																																																																																																									
4 5720.00	54.31	110.90	-56.59	36.91	34.84	12.51	29.95	0.00	100	176 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5785.00	110.79	-----	-----	93.06	34.96	12.57	29.80	0.00	100	176 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>102.40</td><td>-----</td><td>-----</td><td>84.67</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td><td>100</td><td>176 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	102.40	-----	-----	84.67	34.96	12.57	29.80	0.00	100	176 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5785.00	102.40	-----	-----	84.67	34.96	12.57	29.80	0.00	100	176 AVERAGE																																																																																																																									




Mode	52																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.85</td><td>111.36</td><td>-56.51</td><td>37.00</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>55.05</td><td>106.25</td><td>-51.20</td><td>37.19</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>56.73</td><td>68.35</td><td>-11.62</td><td>38.70</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5971.60</td><td>57.65</td><td>68.20</td><td>-10.55</td><td>39.28</td><td>35.33</td><td>12.85</td><td>29.81</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	54.85	111.36	-56.51	37.00	35.00	12.67	29.82	0.00	100	176	PEAK	2	5871.60	55.05	106.25	-51.20	37.19	35.00	12.70	29.84	0.00	100	176	PEAK	3	5924.80	56.73	68.35	-11.62	38.70	35.10	12.78	29.85	0.00	100	176	PEAK	4	5971.60	57.65	68.20	-10.55	39.28	35.33	12.85	29.81	0.00	100	176	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.80	54.85	111.36	-56.51	37.00	35.00	12.67	29.82	0.00	100	176	PEAK																																																																																		
2	5871.60	55.05	106.25	-51.20	37.19	35.00	12.70	29.84	0.00	100	176	PEAK																																																																																		
3	5924.80	56.73	68.35	-11.62	38.70	35.10	12.78	29.85	0.00	100	176	PEAK																																																																																		
4	5971.60	57.65	68.20	-10.55	39.28	35.33	12.85	29.81	0.00	100	176	PEAK																																																																																		





Mode	52																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Vertical					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.00</td><td>56.12</td><td>68.20</td><td>-12.08</td><td>38.83</td><td>34.70</td><td>12.43</td><td>29.84</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.04</td><td>68.80</td><td>-13.76</td><td>37.77</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>54.85</td><td>105.86</td><td>-51.01</td><td>37.56</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.85</td><td>110.90</td><td>-57.05</td><td>36.45</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5640.00	56.12	68.20	-12.08	38.83	34.70	12.43	29.84	0.00	100	105	PEAK	2	5650.00	55.04	68.80	-13.76	37.77	34.70	12.44	29.87	0.00	100	105	PEAK	3	5702.00	54.85	105.86	-51.01	37.56	34.80	12.49	30.00	0.00	100	105	PEAK	4	5720.00	53.85	110.90	-57.05	36.45	34.84	12.51	29.95	0.00	100	105	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>103.70</td><td>-----</td><td>-----</td><td>85.92</td><td>34.98</td><td>12.58</td><td>29.78</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	103.70	-----	-----	85.92	34.98	12.58	29.78	0.00	100	105	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5640.00	56.12	68.20	-12.08	38.83	34.70	12.43	29.84	0.00	100	105	PEAK																																																																																																																													
2	5650.00	55.04	68.80	-13.76	37.77	34.70	12.44	29.87	0.00	100	105	PEAK																																																																																																																													
3	5702.00	54.85	105.86	-51.01	37.56	34.80	12.49	30.00	0.00	100	105	PEAK																																																																																																																													
4	5720.00	53.85	110.90	-57.05	36.45	34.84	12.51	29.95	0.00	100	105	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5785.00	103.70	-----	-----	85.92	34.98	12.58	29.78	0.00	100	105	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>96.43</td><td>-----</td><td>-----</td><td>78.70</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	96.43	-----	-----	78.70	34.96	12.57	29.80	0.00	100	105	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5785.00	96.43	-----	-----	78.70	34.96	12.57	29.80	0.00	100	105	AVERAGE																																																																																																																													






Mode	52																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>53.94</td><td>111.36</td><td>-57.42</td><td>36.09</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>55.27</td><td>105.80</td><td>-50.53</td><td>37.41</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>5921.20</td><td>56.53</td><td>71.01</td><td>-14.48</td><td>38.53</td><td>35.00</td><td>12.77</td><td>29.85</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>4</td><td>5989.20</td><td>58.07</td><td>68.20</td><td>-10.13</td><td>39.56</td><td>35.44</td><td>12.87</td><td>29.80</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	53.94	111.36	-57.42	36.09	35.00	12.67	29.82	0.00	100	105	PEAK	2	5873.20	55.27	105.80	-50.53	37.41	35.00	12.70	29.84	0.00	100	105	PEAK	3	5921.20	56.53	71.01	-14.48	38.53	35.00	12.77	29.85	0.00	100	105	PEAK	4	5989.20	58.07	68.20	-10.13	39.56	35.44	12.87	29.80	0.00	100	105	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	53.94	111.36	-57.42	36.09	35.00	12.67	29.82	0.00	100	105	PEAK																																																																																		
2	5873.20	55.27	105.80	-50.53	37.41	35.00	12.70	29.84	0.00	100	105	PEAK																																																																																		
3	5921.20	56.53	71.01	-14.48	38.53	35.00	12.77	29.85	0.00	100	105	PEAK																																																																																		
4	5989.20	58.07	68.20	-10.13	39.56	35.44	12.87	29.80	0.00	100	105	PEAK																																																																																		






Mode	52																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																							
ANT	CDD 6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>51.07</td><td>38.20</td><td>17.91</td><td>61.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>50.17</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>36.20</td><td>54.00</td><td>-17.80</td><td>40.02</td><td>38.79</td><td>18.27</td><td>60.88</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.62	74.00	-28.38	51.07	38.20	17.91	61.56	0.00	--	--	PEAK	2	11988.00	46.34	74.00	-27.66	50.17	38.79	18.27	60.89	0.00	300	0	PEAK	3	11988.00	36.20	54.00	-17.80	40.02	38.79	18.27	60.88	0.00	300	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>50.98</td><td>38.20</td><td>17.91</td><td>61.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>50.69</td><td>74.00</td><td>-23.31</td><td>54.52</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>5</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>39.09</td><td>54.00</td><td>-14.91</td><td>42.95</td><td>38.78</td><td>18.26</td><td>60.90</td><td>0.00</td><td>100</td><td>5</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.53	74.00	-28.47	50.98	38.20	17.91	61.56	0.00	--	--	PEAK	2	11988.00	50.69	74.00	-23.31	54.52	38.79	18.27	60.89	0.00	100	5	PEAK	3	11988.00	39.09	54.00	-14.91	42.95	38.78	18.26	60.90	0.00	100	5	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	11570.00	45.62	74.00	-28.38	51.07	38.20	17.91	61.56	0.00	--	--	PEAK																																																																																																																																												
2	11988.00	46.34	74.00	-27.66	50.17	38.79	18.27	60.89	0.00	300	0	PEAK																																																																																																																																												
3	11988.00	36.20	54.00	-17.80	40.02	38.79	18.27	60.88	0.00	300	0	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	11570.00	45.53	74.00	-28.47	50.98	38.20	17.91	61.56	0.00	--	--	PEAK																																																																																																																																												
2	11988.00	50.69	74.00	-23.31	54.52	38.79	18.27	60.89	0.00	100	5	PEAK																																																																																																																																												
3	11988.00	39.09	54.00	-14.91	42.95	38.78	18.26	60.90	0.00	100	5	AVERAGE																																																																																																																																												





Mode	53																																																																																																				
	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5854.00</td><td>56.83</td><td>111.36</td><td>-54.53</td><td>38.98</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td></tr><tr><td>2 5873.20</td><td>54.97</td><td>105.80</td><td>-50.83</td><td>37.11</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td></tr><tr><td>3 5924.40</td><td>53.74</td><td>68.64</td><td>-14.90</td><td>35.71</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td></tr><tr><td>4 5984.00</td><td>56.51</td><td>68.20</td><td>-11.69</td><td>38.04</td><td>35.40</td><td>12.87</td><td>29.80</td><td>0.00</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5854.00	56.83	111.36	-54.53	38.98	35.00	12.67	29.82	0.00	2 5873.20	54.97	105.80	-50.83	37.11	35.00	12.70	29.84	0.00	3 5924.40	53.74	68.64	-14.90	35.71	35.10	12.78	29.85	0.00	4 5984.00	56.51	68.20	-11.69	38.04	35.40	12.87	29.80	0.00	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.76</td><td>-----</td><td>-----</td><td>89.91</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5825.00	107.76	-----	-----	89.91	35.00	12.63	29.78	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																													
1 5854.00	56.83	111.36	-54.53	38.98	35.00	12.67	29.82	0.00																																																																																													
2 5873.20	54.97	105.80	-50.83	37.11	35.00	12.70	29.84	0.00																																																																																													
3 5924.40	53.74	68.64	-14.90	35.71	35.10	12.78	29.85	0.00																																																																																													
4 5984.00	56.51	68.20	-11.69	38.04	35.40	12.87	29.80	0.00																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																													
1 5825.00	107.76	-----	-----	89.91	35.00	12.63	29.78	0.00																																																																																													
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.54</td><td>-----</td><td>-----</td><td>82.69</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5825.00	100.54	-----	-----	82.69	35.00	12.63	29.78	0.00																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																													
1 5825.00	100.54	-----	-----	82.69	35.00	12.63	29.78	0.00																																																																																													






Mode	53																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>52.94</td><td>111.36</td><td>-58.42</td><td>35.09</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>282</td><td>252 PEAK</td></tr><tr><td>2 5869.20</td><td>55.23</td><td>106.92</td><td>-51.69</td><td>37.37</td><td>35.00</td><td>12.69</td><td>29.83</td><td>0.00</td><td>282</td><td>252 PEAK</td></tr><tr><td>3 5922.40</td><td>55.44</td><td>70.12</td><td>-14.68</td><td>37.43</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>282</td><td>252 PEAK</td></tr><tr><td>4 5939.60</td><td>56.84</td><td>68.20</td><td>-11.36</td><td>38.72</td><td>35.16</td><td>12.80</td><td>29.84</td><td>0.00</td><td>282</td><td>252 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	52.94	111.36	-58.42	35.09	35.00	12.67	29.82	0.00	282	252 PEAK	2 5869.20	55.23	106.92	-51.69	37.37	35.00	12.69	29.83	0.00	282	252 PEAK	3 5922.40	55.44	70.12	-14.68	37.43	35.09	12.77	29.85	0.00	282	252 PEAK	4 5939.60	56.84	68.20	-11.36	38.72	35.16	12.80	29.84	0.00	282	252 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.87</td><td>-----</td><td>-----</td><td>83.02</td><td>35.00</td><td>12.62</td><td>29.77</td><td>0.00</td><td>282</td><td>252 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.87	-----	-----	83.02	35.00	12.62	29.77	0.00	282	252 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	52.94	111.36	-58.42	35.09	35.00	12.67	29.82	0.00	282	252 PEAK																																																																																																																										
2 5869.20	55.23	106.92	-51.69	37.37	35.00	12.69	29.83	0.00	282	252 PEAK																																																																																																																										
3 5922.40	55.44	70.12	-14.68	37.43	35.09	12.77	29.85	0.00	282	252 PEAK																																																																																																																										
4 5939.60	56.84	68.20	-11.36	38.72	35.16	12.80	29.84	0.00	282	252 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	100.87	-----	-----	83.02	35.00	12.62	29.77	0.00	282	252 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>94.73</td><td>-----</td><td>-----</td><td>76.88</td><td>35.00</td><td>12.62</td><td>29.77</td><td>0.00</td><td>282</td><td>252 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	94.73	-----	-----	76.88	35.00	12.62	29.77	0.00	282	252 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	94.73	-----	-----	76.88	35.00	12.62	29.77	0.00	282	252 AVERAGE																																																																																																																										






Mode	53																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																																				
ANT	CDD 6+7																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>50.27</td><td>38.30</td><td>17.98</td><td>61.43</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>52.18</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>38</td><td>17</td><td>PEAK</td></tr><tr><td>3 11988.00</td><td>37.69</td><td>54.00</td><td>-16.31</td><td>41.55</td><td>38.78</td><td>18.26</td><td>60.90</td><td>0.00</td><td>300</td><td>38</td><td>17</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11650.00	45.12	74.00	-28.88	50.27	38.30	17.98	61.43	0.00	--	--	--	PEAK	2 11988.00	48.35	74.00	-25.65	52.18	38.79	18.27	60.89	0.00	300	38	17	PEAK	3 11988.00	37.69	54.00	-16.31	41.55	38.78	18.26	60.90	0.00	300	38	17	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>50.44</td><td>38.30</td><td>17.98</td><td>61.43</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>51.41</td><td>74.00</td><td>-22.59</td><td>55.24</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>100</td><td>17</td><td>PEAK</td></tr><tr><td>3 11988.00</td><td>39.49</td><td>54.00</td><td>-14.51</td><td>43.34</td><td>38.78</td><td>18.27</td><td>60.90</td><td>0.00</td><td>100</td><td>100</td><td>17</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11650.00	45.29	74.00	-28.71	50.44	38.30	17.98	61.43	0.00	--	--	--	PEAK	2 11988.00	51.41	74.00	-22.59	55.24	38.79	18.27	60.89	0.00	100	100	17	PEAK	3 11988.00	39.49	54.00	-14.51	43.34	38.78	18.27	60.90	0.00	100	100	17
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1 11650.00	45.12	74.00	-28.88	50.27	38.30	17.98	61.43	0.00	--	--	--	PEAK																																																																																																																																																									
2 11988.00	48.35	74.00	-25.65	52.18	38.79	18.27	60.89	0.00	300	38	17	PEAK																																																																																																																																																									
3 11988.00	37.69	54.00	-16.31	41.55	38.78	18.26	60.90	0.00	300	38	17	AVERAGE																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1 11650.00	45.29	74.00	-28.71	50.44	38.30	17.98	61.43	0.00	--	--	--	PEAK																																																																																																																																																									
2 11988.00	51.41	74.00	-22.59	55.24	38.79	18.27	60.89	0.00	100	100	17	PEAK																																																																																																																																																									
3 11988.00	39.49	54.00	-14.51	43.34	38.78	18.27	60.90	0.00	100	100	17	AVERAGE																																																																																																																																																									



Mode	54																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5629.60</td><td>57.00</td><td>68.20</td><td>-11.20</td><td>39.69</td><td>34.70</td><td>12.42</td><td>29.81</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.43</td><td>68.20</td><td>-13.77</td><td>37.15</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>55.42</td><td>105.64</td><td>-50.22</td><td>38.13</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>56.20</td><td>111.81</td><td>-55.61</td><td>38.80</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5629.60	57.00	68.20	-11.20	39.69	34.70	12.42	29.81	0.00	100	177	PEAK	2	5650.00	54.43	68.20	-13.77	37.15	34.70	12.44	29.86	0.00	100	177	PEAK	3	5701.20	55.42	105.64	-50.22	38.13	34.80	12.49	30.00	0.00	100	177	PEAK	4	5720.40	56.20	111.81	-55.61	38.80	34.84	12.51	29.95	0.00	100	177	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.18</td><td>-----</td><td>-----</td><td>91.67</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.18	-----	-----	91.67	34.88	12.53	29.90	0.00	100	177	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5629.60	57.00	68.20	-11.20	39.69	34.70	12.42	29.81	0.00	100	177	PEAK																																																																																																																															
2	5650.00	54.43	68.20	-13.77	37.15	34.70	12.44	29.86	0.00	100	177	PEAK																																																																																																																															
3	5701.20	55.42	105.64	-50.22	38.13	34.80	12.49	30.00	0.00	100	177	PEAK																																																																																																																															
4	5720.40	56.20	111.81	-55.61	38.80	34.84	12.51	29.95	0.00	100	177	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	109.18	-----	-----	91.67	34.88	12.53	29.90	0.00	100	177	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.75</td><td>-----</td><td>-----</td><td>83.21</td><td>34.89</td><td>12.54</td><td>29.89</td><td>0.00</td><td>100</td><td>177</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.75	-----	-----	83.21	34.89	12.54	29.89	0.00	100	177	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	100.75	-----	-----	83.21	34.89	12.54	29.89	0.00	100	177	AVERAGE																																																																																																																															






Mode	54																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal with peaks at 5619.20, 5650.40, 5700.40, and 5720.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5619.20</td><td>57.37</td><td>68.20</td><td>-10.83</td><td>40.04</td><td>34.70</td><td>12.41</td><td>29.78</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>2 5650.40</td><td>52.89</td><td>68.50</td><td>-15.61</td><td>35.62</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>3 5700.40</td><td>54.06</td><td>105.41</td><td>-51.35</td><td>36.77</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>4 5720.00</td><td>51.70</td><td>110.90</td><td>-59.20</td><td>34.30</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5619.20	57.37	68.20	-10.83	40.04	34.70	12.41	29.78	0.00	100	111 PEAK	2 5650.40	52.89	68.50	-15.61	35.62	34.70	12.44	29.87	0.00	100	111 PEAK	3 5700.40	54.06	105.41	-51.35	36.77	34.00	12.49	30.00	0.00	100	111 PEAK	4 5720.00	51.70	110.90	-59.20	34.30	34.84	12.51	29.95	0.00	100	111 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal with a peak at 5745.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>103.49</td><td>-----</td><td>-----</td><td>85.98</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	103.49	-----	-----	85.98	34.88	12.53	29.90	0.00	100	111 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5619.20	57.37	68.20	-10.83	40.04	34.70	12.41	29.78	0.00	100	111 PEAK																																																																																																																										
2 5650.40	52.89	68.50	-15.61	35.62	34.70	12.44	29.87	0.00	100	111 PEAK																																																																																																																										
3 5700.40	54.06	105.41	-51.35	36.77	34.00	12.49	30.00	0.00	100	111 PEAK																																																																																																																										
4 5720.00	51.70	110.90	-59.20	34.30	34.84	12.51	29.95	0.00	100	111 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	103.49	-----	-----	85.98	34.88	12.53	29.90	0.00	100	111 PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal with an average peak at 5745.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>94.91</td><td>-----</td><td>-----</td><td>77.37</td><td>34.89</td><td>12.54</td><td>29.89</td><td>0.00</td><td>100</td><td>111 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	94.91	-----	-----	77.37	34.89	12.54	29.89	0.00	100	111 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	94.91	-----	-----	77.37	34.89	12.54	29.89	0.00	100	111 AVERAGE																																																																																																																										






Mode	54																																																																																																																																																					
	Harmonic																																																																																																																																																					
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																																					
ANT	CDD 6+7																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																															
Peak Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>50.88</td><td>38.19</td><td>17.84</td><td>61.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>50.18</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>36.20</td><td>54.00</td><td>-17.80</td><td>40.06</td><td>38.78</td><td>18.26</td><td>60.90</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	45.23	74.00	-28.77	50.88	38.19	17.84	61.68	0.00	--	--	PEAK	2	11988.00	46.35	74.00	-27.65	50.18	38.79	18.27	60.89	0.00	100	0	PEAK	3	11988.00	36.20	54.00	-17.80	40.06	38.78	18.26	60.90	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>51.23</td><td>38.19</td><td>17.84</td><td>61.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>56.23</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>133</td><td>120</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.31</td><td>54.00</td><td>-13.69</td><td>44.18</td><td>38.78</td><td>18.26</td><td>60.91</td><td>0.00</td><td>133</td><td>120</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	45.58	74.00	-28.42	51.23	38.19	17.84	61.68	0.00	--	--	PEAK	2	11988.00	52.40	74.00	-21.60	56.23	38.79	18.27	60.89	0.00	133	120	PEAK	3	11988.00	40.31	54.00	-13.69	44.18	38.78	18.26	60.91	0.00	133	120	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	11490.00	45.23	74.00	-28.77	50.88	38.19	17.84	61.68	0.00	--	--	PEAK																																																																																																																																										
2	11988.00	46.35	74.00	-27.65	50.18	38.79	18.27	60.89	0.00	100	0	PEAK																																																																																																																																										
3	11988.00	36.20	54.00	-17.80	40.06	38.78	18.26	60.90	0.00	100	0	AVERAGE																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	11490.00	45.58	74.00	-28.42	51.23	38.19	17.84	61.68	0.00	--	--	PEAK																																																																																																																																										
2	11988.00	52.40	74.00	-21.60	56.23	38.79	18.27	60.89	0.00	133	120	PEAK																																																																																																																																										
3	11988.00	40.31	54.00	-13.69	44.18	38.78	18.26	60.91	0.00	133	120	AVERAGE																																																																																																																																										







	55																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_RU106/53_5745MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5689.20</td><td>56.25</td><td>68.20</td><td>-11.95</td><td>38.90</td><td>34.70</td><td>12.40</td><td>29.75</td><td>0.00</td><td>101</td><td>176 PEAK</td></tr><tr><td>2 5650.00</td><td>53.47</td><td>68.20</td><td>-14.73</td><td>36.19</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>101</td><td>176 PEAK</td></tr><tr><td>3 5700.40</td><td>54.39</td><td>105.41</td><td>-51.02</td><td>37.10</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>101</td><td>176 PEAK</td></tr><tr><td>4 5720.00</td><td>53.17</td><td>110.90</td><td>-57.73</td><td>35.77</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>101</td><td>176 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5689.20	56.25	68.20	-11.95	38.90	34.70	12.40	29.75	0.00	101	176 PEAK	2 5650.00	53.47	68.20	-14.73	36.19	34.70	12.44	29.86	0.00	101	176 PEAK	3 5700.40	54.39	105.41	-51.02	37.10	34.80	12.49	30.00	0.00	101	176 PEAK	4 5720.00	53.17	110.90	-57.73	35.77	34.84	12.51	29.95	0.00	101	176 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>111.30</td><td>-----</td><td>-----</td><td>93.79</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>101</td><td>176 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	111.30	-----	-----	93.79	34.88	12.53	29.90	0.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5689.20	56.25	68.20	-11.95	38.90	34.70	12.40	29.75	0.00	101	176 PEAK																																																																																																																									
2 5650.00	53.47	68.20	-14.73	36.19	34.70	12.44	29.86	0.00	101	176 PEAK																																																																																																																									
3 5700.40	54.39	105.41	-51.02	37.10	34.80	12.49	30.00	0.00	101	176 PEAK																																																																																																																									
4 5720.00	53.17	110.90	-57.73	35.77	34.84	12.51	29.95	0.00	101	176 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	111.30	-----	-----	93.79	34.88	12.53	29.90	0.00	101	176 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>103.31</td><td>-----</td><td>-----</td><td>85.00</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>101</td><td>176 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	103.31	-----	-----	85.00	34.88	12.53	29.90	0.00	101	176 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	103.31	-----	-----	85.00	34.88	12.53	29.90	0.00	101	176 AVERAGE																																																																																																																									




	55																																																																																																																																									
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_RU106/53_5745MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5613.60</td><td>56.22</td><td>68.20</td><td>-11.98</td><td>38.89</td><td>34.70</td><td>12.40</td><td>29.77</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>54.62</td><td>68.50</td><td>-13.88</td><td>37.35</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>55.30</td><td>106.53</td><td>-51.23</td><td>37.99</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.72</td><td>110.90</td><td>-58.18</td><td>35.32</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5613.60	56.22	68.20	-11.98	38.89	34.70	12.40	29.77	0.00	100	112	PEAK	2	5650.40	54.62	68.50	-13.88	37.35	34.70	12.44	29.87	0.00	100	112	PEAK	3	5704.40	55.30	106.53	-51.23	37.99	34.81	12.49	29.99	0.00	100	112	PEAK	4	5720.00	52.72	110.90	-58.18	35.32	34.84	12.51	29.95	0.00	100	112	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.92</td><td>-----</td><td>-----</td><td>87.41</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.92	-----	-----	87.41	34.88	12.53	29.90	0.00	100	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5613.60	56.22	68.20	-11.98	38.89	34.70	12.40	29.77	0.00	100	112	PEAK																																																																																																																														
2	5650.40	54.62	68.50	-13.88	37.35	34.70	12.44	29.87	0.00	100	112	PEAK																																																																																																																														
3	5704.40	55.30	106.53	-51.23	37.99	34.81	12.49	29.99	0.00	100	112	PEAK																																																																																																																														
4	5720.00	52.72	110.90	-58.18	35.32	34.84	12.51	29.95	0.00	100	112	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	104.92	-----	-----	87.41	34.88	12.53	29.90	0.00	100	112	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.86</td><td>-----</td><td>-----</td><td>79.35</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>100</td><td>112</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.86	-----	-----	79.35	34.88	12.53	29.90	0.00	100	112	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	96.86	-----	-----	79.35	34.88	12.53	29.90	0.00	100	112	AVERAGE																																																																																																																														






Mode	56																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.00</td><td>57.18</td><td>68.20</td><td>-11.02</td><td>39.84</td><td>34.70</td><td>12.41</td><td>29.77</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr><tr><td>2</td><td>5653.20</td><td>56.07</td><td>70.58</td><td>-14.51</td><td>38.79</td><td>34.71</td><td>12.44</td><td>29.87</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>55.97</td><td>105.30</td><td>-49.33</td><td>38.68</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>54.44</td><td>111.81</td><td>-57.37</td><td>37.04</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5616.00	57.18	68.20	-11.02	39.84	34.70	12.41	29.77	0.00	100	175	PEAK	2	5653.20	56.07	70.58	-14.51	38.79	34.71	12.44	29.87	0.00	100	175	PEAK	3	5700.00	55.97	105.30	-49.33	38.68	34.00	12.49	30.00	0.00	100	175	PEAK	4	5720.40	54.44	111.81	-57.37	37.04	34.84	12.51	29.95	0.00	100	175	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>112.11</td><td>-----</td><td>-----</td><td>94.38</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	112.11	-----	-----	94.38	34.96	12.57	29.80	0.00	100	175
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5616.00	57.18	68.20	-11.02	39.84	34.70	12.41	29.77	0.00	100	175	PEAK																																																																																																																														
2	5653.20	56.07	70.58	-14.51	38.79	34.71	12.44	29.87	0.00	100	175	PEAK																																																																																																																														
3	5700.00	55.97	105.30	-49.33	38.68	34.00	12.49	30.00	0.00	100	175	PEAK																																																																																																																														
4	5720.40	54.44	111.81	-57.37	37.04	34.84	12.51	29.95	0.00	100	175	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	112.11	-----	-----	94.38	34.96	12.57	29.80	0.00	100	175	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>103.29</td><td>-----</td><td>-----</td><td>85.56</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td><td>100</td><td>175</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	103.29	-----	-----	85.56	34.96	12.57	29.80	0.00	100	175	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>112.11</td><td>-----</td><td>-----</td><td>94.38</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	112.11	-----	-----	94.38	34.96	12.57	29.80	0.00	100	175	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	103.29	-----	-----	85.56	34.96	12.57	29.80	0.00	100	175	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	112.11	-----	-----	94.38	34.96	12.57	29.80	0.00	100	175	PEAK																																																																																																																														




Mode	56																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.08</td><td>111.36</td><td>-56.28</td><td>37.23</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>56.74</td><td>106.47</td><td>-49.73</td><td>38.87</td><td>35.00</td><td>12.70</td><td>29.83</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.79</td><td>68.94</td><td>-15.15</td><td>35.76</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr><tr><td>4</td><td>5990.40</td><td>56.95</td><td>68.20</td><td>-11.25</td><td>38.43</td><td>35.44</td><td>12.88</td><td>29.80</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	55.08	111.36	-56.28	37.23	35.00	12.67	29.82	0.00	100	175	PEAK	2	5870.80	56.74	106.47	-49.73	38.87	35.00	12.70	29.83	0.00	100	175	PEAK	3	5924.00	53.79	68.94	-15.15	35.76	35.10	12.78	29.85	0.00	100	175	PEAK	4	5990.40	56.95	68.20	-11.25	38.43	35.44	12.88	29.80	0.00	100	175	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	55.08	111.36	-56.28	37.23	35.00	12.67	29.82	0.00	100	175	PEAK																																																																									
2	5870.80	56.74	106.47	-49.73	38.87	35.00	12.70	29.83	0.00	100	175	PEAK																																																																									
3	5924.00	53.79	68.94	-15.15	35.76	35.10	12.78	29.85	0.00	100	175	PEAK																																																																									
4	5990.40	56.95	68.20	-11.25	38.43	35.44	12.88	29.80	0.00	100	175	PEAK																																																																									





Mode	56																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5607.20</td><td>56.80</td><td>68.20</td><td>-11.40</td><td>39.45</td><td>34.70</td><td>12.40</td><td>29.75</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>54.48</td><td>69.39</td><td>-14.91</td><td>37.21</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>56.10</td><td>105.41</td><td>-49.31</td><td>38.81</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.89</td><td>110.90</td><td>-57.01</td><td>36.49</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5607.20	56.80	68.20	-11.40	39.45	34.70	12.40	29.75	0.00	100	105	PEAK	2	5651.60	54.48	69.39	-14.91	37.21	34.70	12.44	29.87	0.00	100	105	PEAK	3	5700.40	56.10	105.41	-49.31	38.81	34.80	12.49	30.00	0.00	100	105	PEAK	4	5720.00	53.89	110.90	-57.01	36.49	34.84	12.51	29.95	0.00	100	105	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>104.77</td><td>-----</td><td>-----</td><td>87.04</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	104.77	-----	-----	87.04	34.96	12.57	29.80	0.00	100	105	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5607.20	56.80	68.20	-11.40	39.45	34.70	12.40	29.75	0.00	100	105	PEAK																																																																																																																															
2	5651.60	54.48	69.39	-14.91	37.21	34.70	12.44	29.87	0.00	100	105	PEAK																																																																																																																															
3	5700.40	56.10	105.41	-49.31	38.81	34.80	12.49	30.00	0.00	100	105	PEAK																																																																																																																															
4	5720.00	53.89	110.90	-57.01	36.49	34.84	12.51	29.95	0.00	100	105	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	104.77	-----	-----	87.04	34.96	12.57	29.80	0.00	100	105	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>96.80</td><td>-----</td><td>-----</td><td>79.07</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	96.80	-----	-----	79.07	34.96	12.57	29.80	0.00	100	105	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	96.80	-----	-----	79.07	34.96	12.57	29.80	0.00	100	105	AVERAGE																																																																																																																															






Mode	56																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																														
ANT	CDD 6+7																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>53.43</td><td>111.36</td><td>-57.93</td><td>35.58</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>55.92</td><td>106.36</td><td>-50.44</td><td>38.06</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.14</td><td>68.35</td><td>-14.21</td><td>36.11</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>4</td><td>5974.00</td><td>56.96</td><td>68.20</td><td>-11.24</td><td>38.58</td><td>35.34</td><td>12.85</td><td>29.81</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	53.43	111.36	-57.93	35.58	35.00	12.67	29.82	0.00	100	105	PEAK	2	5871.20	55.92	106.36	-50.44	38.06	35.00	12.70	29.84	0.00	100	105	PEAK	3	5924.00	54.14	68.35	-14.21	36.11	35.10	12.78	29.85	0.00	100	105	PEAK	4	5974.00	56.96	68.20	-11.24	38.58	35.34	12.85	29.81	0.00	100	105	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.00	53.43	111.36	-57.93	35.58	35.00	12.67	29.82	0.00	100	105	PEAK																																																																																			
2	5871.20	55.92	106.36	-50.44	38.06	35.00	12.70	29.84	0.00	100	105	PEAK																																																																																			
3	5924.00	54.14	68.35	-14.21	36.11	35.10	12.78	29.85	0.00	100	105	PEAK																																																																																			
4	5974.00	56.96	68.20	-11.24	38.58	35.34	12.85	29.81	0.00	100	105	PEAK																																																																																			






Mode	56																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																																								
ANT	CDD 6+7																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>49.92</td><td>38.20</td><td>17.91</td><td>61.56</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>49.53</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11570.00	44.47	74.00	-29.53	49.92	38.20	17.91	61.56	0.00	--	--	--	PEAK	2 11988.00	45.70	74.00	-28.30	49.53	38.79	18.27	60.89	0.00	--	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>50.78</td><td>38.20</td><td>17.91</td><td>61.56</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>55.72</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>17</td><td>17</td><td>PEAK</td></tr><tr><td>3 11988.00</td><td>39.60</td><td>54.00</td><td>-14.40</td><td>43.46</td><td>38.78</td><td>18.26</td><td>60.90</td><td>0.00</td><td>100</td><td>17</td><td>17</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11570.00	45.33	74.00	-28.67	50.78	38.20	17.91	61.56	0.00	--	--	--	PEAK	2 11988.00	51.89	74.00	-22.11	55.72	38.79	18.27	60.89	0.00	100	17	17	PEAK	3 11988.00	39.60	54.00	-14.40	43.46	38.78	18.26	60.90	0.00	100	17	17	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																														
1 11570.00	44.47	74.00	-29.53	49.92	38.20	17.91	61.56	0.00	--	--	--	PEAK																																																																																																																																													
2 11988.00	45.70	74.00	-28.30	49.53	38.79	18.27	60.89	0.00	--	--	--	PEAK																																																																																																																																													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																														
1 11570.00	45.33	74.00	-28.67	50.78	38.20	17.91	61.56	0.00	--	--	--	PEAK																																																																																																																																													
2 11988.00	51.89	74.00	-22.11	55.72	38.79	18.27	60.89	0.00	100	17	17	PEAK																																																																																																																																													
3 11988.00	39.60	54.00	-14.40	43.46	38.78	18.26	60.90	0.00	100	17	17	AVERAGE																																																																																																																																													



Mode	57																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.80</td><td>54.12</td><td>111.36</td><td>-57.24</td><td>36.27</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>56.70</td><td>105.69</td><td>-48.99</td><td>38.84</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.47</td><td>68.35</td><td>-13.88</td><td>36.44</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5940.80</td><td>57.20</td><td>68.20</td><td>-11.00</td><td>39.08</td><td>35.16</td><td>12.80</td><td>29.84</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	54.12	111.36	-57.24	36.27	35.00	12.67	29.82	0.00	100	176	PEAK	2	5873.60	56.70	105.69	-48.99	38.84	35.00	12.70	29.84	0.00	100	176	PEAK	3	5924.80	54.47	68.35	-13.88	36.44	35.10	12.78	29.85	0.00	100	176	PEAK	4	5940.80	57.20	68.20	-11.00	39.08	35.16	12.80	29.84	0.00	100	176	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.75</td><td>-----</td><td>-----</td><td>90.90</td><td>35.00</td><td>12.62</td><td>29.77</td><td>0.00</td><td>100</td><td>176</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.75	-----	-----	90.90	35.00	12.62	29.77	0.00	100	176	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.80	54.12	111.36	-57.24	36.27	35.00	12.67	29.82	0.00	100	176	PEAK																																																																																																																													
2	5873.60	56.70	105.69	-48.99	38.84	35.00	12.70	29.84	0.00	100	176	PEAK																																																																																																																													
3	5924.80	54.47	68.35	-13.88	36.44	35.10	12.78	29.85	0.00	100	176	PEAK																																																																																																																													
4	5940.80	57.20	68.20	-11.00	39.08	35.16	12.80	29.84	0.00	100	176	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	108.75	-----	-----	90.90	35.00	12.62	29.77	0.00	100	176	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.30</td><td>-----</td><td>-----</td><td>82.45</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>100</td><td>176</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.30	-----	-----	82.45	35.00	12.63	29.78	0.00	100	176	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	100.30	-----	-----	82.45	35.00	12.63	29.78	0.00	100	176	AVERAGE																																																																																																																													






Mode	57																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>53.47</td><td>112.27</td><td>-58.80</td><td>35.62</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>300</td><td>252 PEAK</td></tr><tr><td>2 5872.00</td><td>56.59</td><td>106.14</td><td>-49.55</td><td>38.73</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>300</td><td>252 PEAK</td></tr><tr><td>3 5923.60</td><td>54.47</td><td>69.23</td><td>-14.76</td><td>36.45</td><td>35.09</td><td>12.78</td><td>29.85</td><td>0.00</td><td>300</td><td>252 PEAK</td></tr><tr><td>4 5969.60</td><td>56.90</td><td>68.20</td><td>-11.30</td><td>38.55</td><td>35.32</td><td>12.84</td><td>29.81</td><td>0.00</td><td>300</td><td>252 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	53.47	112.27	-58.80	35.62	35.00	12.67	29.82	0.00	300	252 PEAK	2 5872.00	56.59	106.14	-49.55	38.73	35.00	12.70	29.84	0.00	300	252 PEAK	3 5923.60	54.47	69.23	-14.76	36.45	35.09	12.78	29.85	0.00	300	252 PEAK	4 5969.60	56.90	68.20	-11.30	38.55	35.32	12.84	29.81	0.00	300	252 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.85</td><td>-----</td><td>-----</td><td>85.00</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>300</td><td>252 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	102.85	-----	-----	85.00	35.00	12.63	29.78	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.40	53.47	112.27	-58.80	35.62	35.00	12.67	29.82	0.00	300	252 PEAK																																																																																																																									
2 5872.00	56.59	106.14	-49.55	38.73	35.00	12.70	29.84	0.00	300	252 PEAK																																																																																																																									
3 5923.60	54.47	69.23	-14.76	36.45	35.09	12.78	29.85	0.00	300	252 PEAK																																																																																																																									
4 5969.60	56.90	68.20	-11.30	38.55	35.32	12.84	29.81	0.00	300	252 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	102.85	-----	-----	85.00	35.00	12.63	29.78	0.00	300	252 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>94.49</td><td>-----</td><td>-----</td><td>76.64</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>300</td><td>252 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	94.49	-----	-----	76.64	35.00	12.63	29.78	0.00	300	252 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	94.49	-----	-----	76.64	35.00	12.63	29.78	0.00	300	252 AVERAGE																																																																																																																									






		57																																																																																							
Mode		Harmonic																																																																																							
		U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																							
ANT		CDD 6+7																																																																																							
Pol.		Horizontal						Vertical																																																																																	
Peak Avg																																																																																									
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 11650.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>51.04</td><td>38.30</td><td>17.98</td><td>61.43</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>50.02</td><td>74.00</td><td>-23.98</td><td>53.85</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>38</td><td>38</td><td>PEAK</td></tr><tr><td>3 11988.00</td><td>38.49</td><td>54.00</td><td>-15.51</td><td>42.33</td><td>38.78</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>38</td><td>38</td><td>AVERAGE</td></tr></tbody></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	45.89	74.00	-28.11	51.04	38.30	17.98	61.43	0.00	--	--	--	PEAK	2 11988.00	50.02	74.00	-23.98	53.85	38.79	18.27	60.89	0.00	300	38	38	PEAK	3 11988.00	38.49	54.00	-15.51	42.33	38.78	18.27	60.89	0.00	300	38	38	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 11650.00	45.89	74.00	-28.11	51.04	38.30	17.98	61.43	0.00	--	--	--	PEAK																																																																													
2 11988.00	50.02	74.00	-23.98	53.85	38.79	18.27	60.89	0.00	300	38	38	PEAK																																																																													
3 11988.00	38.49	54.00	-15.51	42.33	38.78	18.27	60.89	0.00	300	38	38	AVERAGE																																																																													
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 11650.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>50.03</td><td>38.30</td><td>17.98</td><td>61.43</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>56.16</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>175</td><td>357</td><td>357</td><td>PEAK</td></tr><tr><td>3 11988.00</td><td>40.01</td><td>54.00</td><td>-13.99</td><td>43.87</td><td>38.78</td><td>18.26</td><td>60.90</td><td>0.00</td><td>175</td><td>357</td><td>357</td><td>AVERAGE</td></tr></tbody></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	44.88	74.00	-29.12	50.03	38.30	17.98	61.43	0.00	--	--	--	PEAK	2 11988.00	52.33	74.00	-21.67	56.16	38.79	18.27	60.89	0.00	175	357	357	PEAK	3 11988.00	40.01	54.00	-13.99	43.87	38.78	18.26	60.90	0.00	175	357	357	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1 11650.00	44.88	74.00	-29.12	50.03	38.30	17.98	61.43	0.00	--	--	--	PEAK																																																																													
2 11988.00	52.33	74.00	-21.67	56.16	38.79	18.27	60.89	0.00	175	357	357	PEAK																																																																													
3 11988.00	40.01	54.00	-13.99	43.87	38.78	18.26	60.90	0.00	175	357	357	AVERAGE																																																																													






Mode	58																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_RU106/54_5825MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.80</td><td>54.71</td><td>111.36</td><td>-56.65</td><td>36.86</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>105 185 PEAK</td></tr><tr><td>2 5872.80</td><td>55.27</td><td>105.92</td><td>-50.65</td><td>37.41</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>105 185 PEAK</td></tr><tr><td>3 5924.80</td><td>55.55</td><td>68.35</td><td>-12.80</td><td>37.52</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>105 185 PEAK</td></tr><tr><td>4 5969.60</td><td>57.21</td><td>68.20</td><td>-10.99</td><td>38.06</td><td>35.32</td><td>12.84</td><td>29.81</td><td>0.00</td><td>105 185 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.80	54.71	111.36	-56.65	36.86	35.00	12.67	29.82	0.00	105 185 PEAK	2 5872.80	55.27	105.92	-50.65	37.41	35.00	12.70	29.84	0.00	105 185 PEAK	3 5924.80	55.55	68.35	-12.80	37.52	35.10	12.78	29.85	0.00	105 185 PEAK	4 5969.60	57.21	68.20	-10.99	38.06	35.32	12.84	29.81	0.00	105 185 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and labeled U-NII-3. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.81</td><td>-----</td><td>-----</td><td>91.96</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>105 185 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5825.00	109.81	-----	-----	91.96	35.00	12.64	29.79	0.00	105 185 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																							
1 5854.80	54.71	111.36	-56.65	36.86	35.00	12.67	29.82	0.00	105 185 PEAK																																																																																																							
2 5872.80	55.27	105.92	-50.65	37.41	35.00	12.70	29.84	0.00	105 185 PEAK																																																																																																							
3 5924.80	55.55	68.35	-12.80	37.52	35.10	12.78	29.85	0.00	105 185 PEAK																																																																																																							
4 5969.60	57.21	68.20	-10.99	38.06	35.32	12.84	29.81	0.00	105 185 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																							
1 5825.00	109.81	-----	-----	91.96	35.00	12.64	29.79	0.00	105 185 PEAK																																																																																																							
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and labeled U-NII-3(AVG). <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.45</td><td>-----</td><td>-----</td><td>84.60</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>105 185 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5825.00	102.45	-----	-----	84.60	35.00	12.64	29.79	0.00	105 185 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																							
1 5825.00	102.45	-----	-----	84.60	35.00	12.64	29.79	0.00	105 185 AVERAGE																																																																																																							




Mode	58																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_RU106/54_5825MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>54.52</td><td>111.36</td><td>-56.84</td><td>36.67</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>56.23</td><td>106.14</td><td>-49.91</td><td>38.37</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>57.18</td><td>68.35</td><td>-11.17</td><td>39.15</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>57.65</td><td>68.20</td><td>-10.55</td><td>39.56</td><td>35.14</td><td>12.79</td><td>29.84</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	54.52	111.36	-56.84	36.67	35.00	12.67	29.82	0.00	100	122	PEAK	2	5872.00	56.23	106.14	-49.91	38.37	35.00	12.70	29.84	0.00	100	122	PEAK	3	5924.00	57.18	68.35	-11.17	39.15	35.10	12.78	29.85	0.00	100	122	PEAK	4	5934.00	57.65	68.20	-10.55	39.56	35.14	12.79	29.84	0.00	100	122	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.47</td><td>-----</td><td>-----</td><td>85.62</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>100</td><td>122</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.47	-----	-----	85.62	35.00	12.64	29.79	0.00	100	122
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.00	54.52	111.36	-56.84	36.67	35.00	12.67	29.82	0.00	100	122	PEAK																																																																																																																														
2	5872.00	56.23	106.14	-49.91	38.37	35.00	12.70	29.84	0.00	100	122	PEAK																																																																																																																														
3	5924.00	57.18	68.35	-11.17	39.15	35.10	12.78	29.85	0.00	100	122	PEAK																																																																																																																														
4	5934.00	57.65	68.20	-10.55	39.56	35.14	12.79	29.84	0.00	100	122	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	103.47	-----	-----	85.62	35.00	12.64	29.79	0.00	100	122	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.54</td><td>-----</td><td>-----</td><td>77.69</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>100</td><td>122</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.54	-----	-----	77.69	35.00	12.64	29.79	0.00	100	122	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	95.54	-----	-----	77.69	35.00	12.64	29.79	0.00	100	122	AVERAGE																																																																																																																														






Mode	59																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5628.52</td><td>57.35</td><td>68.20</td><td>-10.85</td><td>40.04</td><td>34.70</td><td>12.42</td><td>29.81</td><td>0.00</td><td>113</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>55.35</td><td>68.94</td><td>-13.59</td><td>38.08</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>113</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5701.84</td><td>55.13</td><td>105.81</td><td>-50.68</td><td>37.84</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>113</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>54.11</td><td>111.19</td><td>-57.08</td><td>36.71</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>113</td><td>176</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.52	57.35	68.20	-10.85	40.04	34.70	12.42	29.81	0.00	113	176	PEAK	2	5651.00	55.35	68.94	-13.59	38.08	34.70	12.44	29.87	0.00	113	176	PEAK	3	5701.84	55.13	105.81	-50.68	37.84	34.80	12.49	30.00	0.00	113	176	PEAK	4	5720.13	54.11	111.19	-57.08	36.71	34.84	12.51	29.95	0.00	113	176	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>108.23</td><td>-----</td><td>-----</td><td>90.66</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>113</td><td>176</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	108.23	-----	-----	90.66	34.90	12.54	29.87	0.00	113	176	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5628.52	57.35	68.20	-10.85	40.04	34.70	12.42	29.81	0.00	113	176	PEAK																																																																																																																															
2	5651.00	55.35	68.94	-13.59	38.08	34.70	12.44	29.87	0.00	113	176	PEAK																																																																																																																															
3	5701.84	55.13	105.81	-50.68	37.84	34.80	12.49	30.00	0.00	113	176	PEAK																																																																																																																															
4	5720.13	54.11	111.19	-57.08	36.71	34.84	12.51	29.95	0.00	113	176	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	108.23	-----	-----	90.66	34.90	12.54	29.87	0.00	113	176	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>99.85</td><td>-----</td><td>-----</td><td>82.28</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>113</td><td>176</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	99.85	-----	-----	82.28	34.90	12.54	29.87	0.00	113	176	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	99.85	-----	-----	82.28	34.90	12.54	29.87	0.00	113	176	AVERAGE																																																																																																																															




Mode	59																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>56.43</td><td>111.26</td><td>-54.83</td><td>38.58</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>113</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5870.64</td><td>55.55</td><td>106.52</td><td>-50.97</td><td>37.68</td><td>35.00</td><td>12.70</td><td>29.83</td><td>0.00</td><td>113</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>54.72</td><td>68.31</td><td>-13.59</td><td>36.69</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>113</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5943.18</td><td>56.74</td><td>68.20</td><td>-11.46</td><td>38.61</td><td>35.17</td><td>12.80</td><td>29.84</td><td>0.00</td><td>113</td><td>176</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	56.43	111.26	-54.83	38.58	35.00	12.67	29.82	0.00	113	176	PEAK	2	5870.64	55.55	106.52	-50.97	37.68	35.00	12.70	29.83	0.00	113	176	PEAK	3	5924.85	54.72	68.31	-13.59	36.69	35.10	12.78	29.85	0.00	113	176	PEAK	4	5943.18	56.74	68.20	-11.46	38.61	35.17	12.80	29.84	0.00	113	176	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	56.43	111.26	-54.83	38.58	35.00	12.67	29.82	0.00	113	176	PEAK																																																																									
2	5870.64	55.55	106.52	-50.97	37.68	35.00	12.70	29.83	0.00	113	176	PEAK																																																																									
3	5924.85	54.72	68.31	-13.59	36.69	35.10	12.78	29.85	0.00	113	176	PEAK																																																																									
4	5943.18	56.74	68.20	-11.46	38.61	35.17	12.80	29.84	0.00	113	176	PEAK																																																																									






Mode	59																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5601.40</td><td>57.33</td><td>68.20</td><td>-10.87</td><td>39.97</td><td>34.70</td><td>12.39</td><td>29.73</td><td>0.00</td><td>101</td><td>119 PEAK</td></tr><tr><td>2 5650.38</td><td>55.34</td><td>68.48</td><td>-13.14</td><td>38.07</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>101</td><td>119 PEAK</td></tr><tr><td>3 5700.13</td><td>54.82</td><td>105.34</td><td>-50.52</td><td>37.53</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>101</td><td>119 PEAK</td></tr><tr><td>4 5720.28</td><td>54.79</td><td>111.54</td><td>-56.75</td><td>37.39</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>101</td><td>119 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5601.40	57.33	68.20	-10.87	39.97	34.70	12.39	29.73	0.00	101	119 PEAK	2 5650.38	55.34	68.48	-13.14	38.07	34.70	12.44	29.87	0.00	101	119 PEAK	3 5700.13	54.82	105.34	-50.52	37.53	34.00	12.49	30.00	0.00	101	119 PEAK	4 5720.28	54.79	111.54	-56.75	37.39	34.84	12.51	29.95	0.00	101	119 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>102.06</td><td>-----</td><td>-----</td><td>84.55</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>101</td><td>119 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	102.06	-----	-----	84.55	34.88	12.53	29.90	0.00	101	119 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1 5601.40	57.33	68.20	-10.87	39.97	34.70	12.39	29.73	0.00	101	119 PEAK																																																																																																																										
2 5650.38	55.34	68.48	-13.14	38.07	34.70	12.44	29.87	0.00	101	119 PEAK																																																																																																																										
3 5700.13	54.82	105.34	-50.52	37.53	34.00	12.49	30.00	0.00	101	119 PEAK																																																																																																																										
4 5720.28	54.79	111.54	-56.75	37.39	34.84	12.51	29.95	0.00	101	119 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	102.06	-----	-----	84.55	34.88	12.53	29.90	0.00	101	119 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>94.00</td><td>-----</td><td>-----</td><td>76.49</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>101</td><td>119 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	94.00	-----	-----	76.49	34.88	12.53	29.90	0.00	101	119 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	94.00	-----	-----	76.49	34.88	12.53	29.90	0.00	101	119 AVERAGE																																																																																																																										




Mode	59																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>55.40</td><td>111.71</td><td>-56.31</td><td>37.55</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>101</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>5871.42</td><td>55.37</td><td>106.30</td><td>-50.93</td><td>37.51</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>101</td><td>119</td><td>PEAK</td></tr><tr><td>3</td><td>5923.09</td><td>55.64</td><td>69.61</td><td>-13.97</td><td>37.63</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>101</td><td>119</td><td>PEAK</td></tr><tr><td>4</td><td>5940.06</td><td>56.42</td><td>68.20</td><td>-11.78</td><td>38.30</td><td>35.16</td><td>12.80</td><td>29.84</td><td>0.00</td><td>101</td><td>119</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	55.40	111.71	-56.31	37.55	35.00	12.67	29.82	0.00	101	119	PEAK	2	5871.42	55.37	106.30	-50.93	37.51	35.00	12.70	29.84	0.00	101	119	PEAK	3	5923.09	55.64	69.61	-13.97	37.63	35.09	12.77	29.85	0.00	101	119	PEAK	4	5940.06	56.42	68.20	-11.78	38.30	35.16	12.80	29.84	0.00	101	119	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.65	55.40	111.71	-56.31	37.55	35.00	12.67	29.82	0.00	101	119	PEAK																																																																									
2	5871.42	55.37	106.30	-50.93	37.51	35.00	12.70	29.84	0.00	101	119	PEAK																																																																									
3	5923.09	55.64	69.61	-13.97	37.63	35.09	12.77	29.85	0.00	101	119	PEAK																																																																									
4	5940.06	56.42	68.20	-11.78	38.30	35.16	12.80	29.84	0.00	101	119	PEAK																																																																									






Mode	60																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																							
ANT	CDD 6+7																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5605.43</td><td>57.18</td><td>68.20</td><td>-11.02</td><td>39.82</td><td>34.70</td><td>12.40</td><td>29.74</td><td>0.00</td><td>115 175 PEAK</td></tr><tr><td>2 5650.69</td><td>56.05</td><td>68.71</td><td>-12.66</td><td>38.78</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>115 175 PEAK</td></tr><tr><td>3 5703.08</td><td>55.24</td><td>106.16</td><td>-50.92</td><td>37.93</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>115 175 PEAK</td></tr><tr><td>4 5720.28</td><td>55.27</td><td>111.54</td><td>-56.27</td><td>37.87</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>115 175 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5605.43	57.18	68.20	-11.02	39.82	34.70	12.40	29.74	0.00	115 175 PEAK	2 5650.69	56.05	68.71	-12.66	38.78	34.70	12.44	29.87	0.00	115 175 PEAK	3 5703.08	55.24	106.16	-50.92	37.93	34.81	12.49	29.99	0.00	115 175 PEAK	4 5720.28	55.27	111.54	-56.27	37.87	34.84	12.51	29.95	0.00	115 175 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>107.92</td><td>-----</td><td>-----</td><td>90.35</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>115 175 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	107.92	-----	-----	90.35	34.90	12.54	29.87	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5605.43	57.18	68.20	-11.02	39.82	34.70	12.40	29.74	0.00	115 175 PEAK																																																																																																															
2 5650.69	56.05	68.71	-12.66	38.78	34.70	12.44	29.87	0.00	115 175 PEAK																																																																																																															
3 5703.08	55.24	106.16	-50.92	37.93	34.81	12.49	29.99	0.00	115 175 PEAK																																																																																																															
4 5720.28	55.27	111.54	-56.27	37.87	34.84	12.51	29.95	0.00	115 175 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1 5755.00	107.92	-----	-----	90.35	34.90	12.54	29.87	0.00	115 175 PEAK																																																																																																															
Avg	Blank																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>98.84</td><td>-----</td><td>-----</td><td>81.27</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>115 175 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	98.84	-----	-----	81.27	34.90	12.54	29.87	0.00	115 175 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1 5755.00	98.84	-----	-----	81.27	34.90	12.54	29.87	0.00	115 175 AVERAGE																																																																																																															




Mode	60																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>55.88</td><td>112.60</td><td>-56.72</td><td>38.03</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>115</td><td>175</td><td>PEAK</td></tr><tr><td>2</td><td>5872.59</td><td>56.38</td><td>105.98</td><td>-49.60</td><td>38.52</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>115</td><td>175</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>56.10</td><td>68.75</td><td>-12.65</td><td>38.07</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>115</td><td>175</td><td>PEAK</td></tr><tr><td>4</td><td>5948.44</td><td>56.75</td><td>68.20</td><td>-11.45</td><td>38.58</td><td>35.19</td><td>12.81</td><td>29.83</td><td>0.00</td><td>115</td><td>175</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.26	55.88	112.60	-56.72	38.03	35.00	12.67	29.82	0.00	115	175	PEAK	2	5872.59	56.38	105.98	-49.60	38.52	35.00	12.70	29.84	0.00	115	175	PEAK	3	5924.26	56.10	68.75	-12.65	38.07	35.10	12.78	29.85	0.00	115	175	PEAK	4	5948.44	56.75	68.20	-11.45	38.58	35.19	12.81	29.83	0.00	115	175	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.26	55.88	112.60	-56.72	38.03	35.00	12.67	29.82	0.00	115	175	PEAK																																																																									
2	5872.59	56.38	105.98	-49.60	38.52	35.00	12.70	29.84	0.00	115	175	PEAK																																																																									
3	5924.26	56.10	68.75	-12.65	38.07	35.10	12.78	29.85	0.00	115	175	PEAK																																																																									
4	5948.44	56.75	68.20	-11.45	38.58	35.19	12.81	29.83	0.00	115	175	PEAK																																																																									




Mode	60																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																				
ANT	CDD 6+7																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5602.79</td><td>57.57</td><td>68.20</td><td>-10.63</td><td>40.22</td><td>34.70</td><td>12.39</td><td>29.74</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>2 5651.77</td><td>55.94</td><td>69.52</td><td>-13.58</td><td>38.67</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>3 5704.32</td><td>56.40</td><td>106.51</td><td>-50.11</td><td>39.09</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>4 5728.28</td><td>55.54</td><td>111.54</td><td>-56.00</td><td>38.14</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5602.79	57.57	68.20	-10.63	40.22	34.70	12.39	29.74	0.00	100	111	PEAK	2 5651.77	55.94	69.52	-13.58	38.67	34.70	12.44	29.87	0.00	100	111	PEAK	3 5704.32	56.40	106.51	-50.11	39.09	34.81	12.49	29.99	0.00	100	111	PEAK	4 5728.28	55.54	111.54	-56.00	38.14	34.84	12.51	29.95	0.00	100	111	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>100.10</td><td>-----</td><td>-----</td><td>82.53</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	100.10	-----	-----	82.53	34.90	12.54	29.87	0.00	100	111	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5602.79	57.57	68.20	-10.63	40.22	34.70	12.39	29.74	0.00	100	111	PEAK																																																																																																																										
2 5651.77	55.94	69.52	-13.58	38.67	34.70	12.44	29.87	0.00	100	111	PEAK																																																																																																																										
3 5704.32	56.40	106.51	-50.11	39.09	34.81	12.49	29.99	0.00	100	111	PEAK																																																																																																																										
4 5728.28	55.54	111.54	-56.00	38.14	34.84	12.51	29.95	0.00	100	111	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5755.00	100.10	-----	-----	82.53	34.90	12.54	29.87	0.00	100	111	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>92.44</td><td>-----</td><td>-----</td><td>74.87</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>100</td><td>111</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	92.44	-----	-----	74.87	34.90	12.54	29.87	0.00	100	111	AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5755.00	92.44	-----	-----	74.87	34.90	12.54	29.87	0.00	100	111	AVERAGE																																																																																																																										






Mode	60																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>54.82</td><td>111.71</td><td>-56.89</td><td>36.97</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>54.90</td><td>105.48</td><td>-50.58</td><td>37.04</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>55.57</td><td>68.60</td><td>-13.03</td><td>37.54</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5933.43</td><td>56.80</td><td>68.20</td><td>-11.40</td><td>38.72</td><td>35.13</td><td>12.79</td><td>29.84</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	54.82	111.71	-56.89	36.97	35.00	12.67	29.82	0.00	100	111	PEAK	2	5874.34	54.90	105.48	-50.58	37.04	35.00	12.70	29.84	0.00	100	111	PEAK	3	5924.46	55.57	68.60	-13.03	37.54	35.10	12.78	29.85	0.00	100	111	PEAK	4	5933.43	56.80	68.20	-11.40	38.72	35.13	12.79	29.84	0.00	100	111	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.65	54.82	111.71	-56.89	36.97	35.00	12.67	29.82	0.00	100	111	PEAK																																																																																		
2	5874.34	54.90	105.48	-50.58	37.04	35.00	12.70	29.84	0.00	100	111	PEAK																																																																																		
3	5924.46	55.57	68.60	-13.03	37.54	35.10	12.78	29.85	0.00	100	111	PEAK																																																																																		
4	5933.43	56.80	68.20	-11.40	38.72	35.13	12.79	29.84	0.00	100	111	PEAK																																																																																		




Mode	60																																																																																							
	Harmonic																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6658.40</td><td>49.74</td><td>68.20</td><td>-18.46</td><td>64.49</td><td>35.70</td><td>13.63</td><td>64.08</td><td>0.00</td><td>--</td></tr><tr><td>2</td><td>11510.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>50.29</td><td>38.20</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td></tr><tr><td>3</td><td>11988.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>50.08</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td></tr><tr><td>4</td><td>11988.00</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>46.04</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--	2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--	3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300	4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	6658.40	49.74	68.20	-18.46	64.49	35.70	13.63	64.08	0.00	--																																																																														
2	11510.00	44.69	74.00	-29.31	50.29	38.20	17.85	61.65	0.00	--																																																																														
3	11988.00	46.25	74.00	-27.75	50.08	38.79	18.27	60.89	0.00	300																																																																														
4	11988.00	42.25	54.00	-11.75	46.04	38.00	18.28	60.87	0.00	300																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m																																																																																							






Mode	61																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																				
ANT	CDD 6+7																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are identified and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5604.00</td><td>57.93</td><td>68.20</td><td>-10.27</td><td>40.58</td><td>34.70</td><td>12.39</td><td>29.74</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>55.35</td><td>68.20</td><td>-12.85</td><td>38.07</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr><tr><td>3 5708.00</td><td>59.03</td><td>107.54</td><td>-48.51</td><td>41.69</td><td>34.82</td><td>12.50</td><td>29.98</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr><tr><td>4 5720.80</td><td>55.12</td><td>112.72</td><td>-57.60</td><td>37.72</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5604.00	57.93	68.20	-10.27	40.58	34.70	12.39	29.74	0.00	100	183	PEAK	2 5650.00	55.35	68.20	-12.85	38.07	34.70	12.44	29.86	0.00	100	183	PEAK	3 5708.00	59.03	107.54	-48.51	41.69	34.82	12.50	29.98	0.00	100	183	PEAK	4 5720.80	55.12	112.72	-57.60	37.72	34.84	12.51	29.95	0.00	100	183	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>106.30</td><td>-----</td><td>-----</td><td>88.46</td><td>35.00</td><td>12.59</td><td>29.75</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	106.30	-----	-----	88.46	35.00	12.59	29.75	0.00	100	183	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5604.00	57.93	68.20	-10.27	40.58	34.70	12.39	29.74	0.00	100	183	PEAK																																																																																																																										
2 5650.00	55.35	68.20	-12.85	38.07	34.70	12.44	29.86	0.00	100	183	PEAK																																																																																																																										
3 5708.00	59.03	107.54	-48.51	41.69	34.82	12.50	29.98	0.00	100	183	PEAK																																																																																																																										
4 5720.80	55.12	112.72	-57.60	37.72	34.84	12.51	29.95	0.00	100	183	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5795.00	106.30	-----	-----	88.46	35.00	12.59	29.75	0.00	100	183	PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>98.80</td><td>-----</td><td>-----</td><td>80.96</td><td>35.00</td><td>12.59</td><td>29.75</td><td>0.00</td><td>100</td><td>183</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	98.80	-----	-----	80.96	35.00	12.59	29.75	0.00	100	183	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5795.00	98.80	-----	-----	80.96	35.00	12.59	29.75	0.00	100	183	AVERAGE																																																																																																																										




Mode	61																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>56.27</td><td>112.27</td><td>-56.00</td><td>38.42</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>54.78</td><td>105.47</td><td>-50.69</td><td>36.92</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.09</td><td>68.35</td><td>-14.26</td><td>36.06</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5992.80</td><td>57.33</td><td>68.20</td><td>-10.87</td><td>38.79</td><td>35.46</td><td>12.88</td><td>29.80</td><td>0.00</td><td>100</td><td>183</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	56.27	112.27	-56.00	38.42	35.00	12.67	29.82	0.00	100	183	PEAK	2	5874.40	54.78	105.47	-50.69	36.92	35.00	12.70	29.84	0.00	100	183	PEAK	3	5924.80	54.09	68.35	-14.26	36.06	35.10	12.78	29.85	0.00	100	183	PEAK	4	5992.80	57.33	68.20	-10.87	38.79	35.46	12.88	29.80	0.00	100	183	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.40	56.27	112.27	-56.00	38.42	35.00	12.67	29.82	0.00	100	183	PEAK																																																																									
2	5874.40	54.78	105.47	-50.69	36.92	35.00	12.70	29.84	0.00	100	183	PEAK																																																																									
3	5924.80	54.09	68.35	-14.26	36.06	35.10	12.78	29.85	0.00	100	183	PEAK																																																																									
4	5992.80	57.33	68.20	-10.87	38.79	35.46	12.88	29.80	0.00	100	183	PEAK																																																																									





Mode	61																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																							
ANT	CDD 6+7																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5616.40</td><td>56.97</td><td>68.20</td><td>-11.23</td><td>39.63</td><td>34.70</td><td>12.41</td><td>29.77</td><td>0.00</td><td>303 210 PEAK</td></tr><tr><td>2 5650.40</td><td>54.87</td><td>68.50</td><td>-13.63</td><td>37.60</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>303 210 PEAK</td></tr><tr><td>3 5701.20</td><td>55.01</td><td>105.64</td><td>-50.63</td><td>37.72</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>303 210 PEAK</td></tr><tr><td>4 5720.00</td><td>53.38</td><td>110.90</td><td>-57.52</td><td>35.98</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>303 210 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5616.40	56.97	68.20	-11.23	39.63	34.70	12.41	29.77	0.00	303 210 PEAK	2 5650.40	54.87	68.50	-13.63	37.60	34.70	12.44	29.87	0.00	303 210 PEAK	3 5701.20	55.01	105.64	-50.63	37.72	34.00	12.49	30.00	0.00	303 210 PEAK	4 5720.00	53.38	110.90	-57.52	35.98	34.84	12.51	29.95	0.00	303 210 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5795.00</td><td>100.19</td><td>-----</td><td>-----</td><td>82.38</td><td>34.99</td><td>12.58</td><td>29.76</td><td>0.00</td><td>303 210 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5795.00	100.19	-----	-----	82.38	34.99	12.58	29.76	0.00	303 210 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																															
1 5616.40	56.97	68.20	-11.23	39.63	34.70	12.41	29.77	0.00	303 210 PEAK																																																																																																															
2 5650.40	54.87	68.50	-13.63	37.60	34.70	12.44	29.87	0.00	303 210 PEAK																																																																																																															
3 5701.20	55.01	105.64	-50.63	37.72	34.00	12.49	30.00	0.00	303 210 PEAK																																																																																																															
4 5720.00	53.38	110.90	-57.52	35.98	34.84	12.51	29.95	0.00	303 210 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																															
1 5795.00	100.19	-----	-----	82.38	34.99	12.58	29.76	0.00	303 210 PEAK																																																																																																															
Avg	Blank					 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5795.00</td><td>92.56</td><td>-----</td><td>-----</td><td>74.75</td><td>34.99</td><td>12.58</td><td>29.76</td><td>0.00</td><td>303 210 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5795.00	92.56	-----	-----	74.75	34.99	12.58	29.76	0.00	303 210 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																															
1 5795.00	92.56	-----	-----	74.75	34.99	12.58	29.76	0.00	303 210 AVERAGE																																																																																																															






Mode	61																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>52.70</td><td>111.36</td><td>-58.66</td><td>34.85</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>303</td><td>210</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>56.22</td><td>105.47</td><td>-49.25</td><td>38.36</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>303</td><td>210</td><td>PEAK</td></tr><tr><td>3</td><td>5921.60</td><td>56.13</td><td>70.71</td><td>-14.58</td><td>38.12</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>303</td><td>210</td><td>PEAK</td></tr><tr><td>4</td><td>5979.20</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>38.38</td><td>35.38</td><td>12.86</td><td>29.81</td><td>0.00</td><td>303</td><td>210</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	52.70	111.36	-58.66	34.85	35.00	12.67	29.82	0.00	303	210	PEAK	2	5874.40	56.22	105.47	-49.25	38.36	35.00	12.70	29.84	0.00	303	210	PEAK	3	5921.60	56.13	70.71	-14.58	38.12	35.09	12.77	29.85	0.00	303	210	PEAK	4	5979.20	56.81	68.20	-11.39	38.38	35.38	12.86	29.81	0.00	303	210	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	52.70	111.36	-58.66	34.85	35.00	12.67	29.82	0.00	303	210	PEAK																																																																									
2	5874.40	56.22	105.47	-49.25	38.36	35.00	12.70	29.84	0.00	303	210	PEAK																																																																									
3	5921.60	56.13	70.71	-14.58	38.12	35.09	12.77	29.85	0.00	303	210	PEAK																																																																									
4	5979.20	56.81	68.20	-11.39	38.38	35.38	12.86	29.81	0.00	303	210	PEAK																																																																									




Mode	61																																																																												
	Harmonic																																																																												
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																												
ANT	CDD 6+7																																																																												
Pol.	Horizontal												Vertical																																																																
Peak Avg																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11988.00</td><td>48.19</td><td>74.00</td><td>-25.81</td><td>52.02</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td><td></td></tr><tr><td>2 11988.00</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>48.03</td><td>38.00</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td><td></td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11988.00	48.19	74.00	-25.81	52.02	38.79	18.27	60.89	0.00	300	0	PEAK		2 11988.00	44.24	54.00	-9.76	48.03	38.00	18.28	60.87	0.00	300	0	AVERAGE	
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 11988.00	48.19	74.00	-25.81	52.02	38.79	18.27	60.89	0.00	300	0	PEAK																																																																		
2 11988.00	44.24	54.00	-9.76	48.03	38.00	18.28	60.87	0.00	300	0	AVERAGE																																																																		
																																																																													
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11988.00</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>56.40</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>225</td><td>1</td><td>PEAK</td><td></td></tr><tr><td>2 11988.00</td><td>40.60</td><td>54.00</td><td>-13.40</td><td>44.47</td><td>38.78</td><td>18.26</td><td>60.91</td><td>0.00</td><td>225</td><td>1</td><td>AVERAGE</td><td></td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11988.00	52.57	74.00	-21.43	56.40	38.79	18.27	60.89	0.00	225	1	PEAK		2 11988.00	40.60	54.00	-13.40	44.47	38.78	18.26	60.91	0.00	225	1	AVERAGE		
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 11988.00	52.57	74.00	-21.43	56.40	38.79	18.27	60.89	0.00	225	1	PEAK																																																																		
2 11988.00	40.60	54.00	-13.40	44.47	38.78	18.26	60.91	0.00	225	1	AVERAGE																																																																		






Mode	62																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																																																							
ANT	CDD 6+7																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are identified and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5607.20</td><td>56.63</td><td>68.20</td><td>-11.57</td><td>39.28</td><td>34.70</td><td>12.40</td><td>29.75</td><td>0.00</td><td>128 185 PEAK</td></tr><tr><td>2 5651.60</td><td>55.23</td><td>69.39</td><td>-14.16</td><td>37.96</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>128 185 PEAK</td></tr><tr><td>3 5702.00</td><td>55.68</td><td>106.09</td><td>-50.41</td><td>38.37</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>128 185 PEAK</td></tr><tr><td>4 5720.00</td><td>53.41</td><td>110.90</td><td>-57.49</td><td>36.01</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>128 185 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5607.20	56.63	68.20	-11.57	39.28	34.70	12.40	29.75	0.00	128 185 PEAK	2 5651.60	55.23	69.39	-14.16	37.96	34.70	12.44	29.87	0.00	128 185 PEAK	3 5702.00	55.68	106.09	-50.41	38.37	34.81	12.49	29.99	0.00	128 185 PEAK	4 5720.00	53.41	110.90	-57.49	36.01	34.84	12.51	29.95	0.00	128 185 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single sharp peak is visible at 5795 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>108.37</td><td>-----</td><td>-----</td><td>90.53</td><td>35.00</td><td>12.59</td><td>29.75</td><td>0.00</td><td>128 185 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5795.00	108.37	-----	-----	90.53	35.00	12.59	29.75	0.00	128 185 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1 5607.20	56.63	68.20	-11.57	39.28	34.70	12.40	29.75	0.00	128 185 PEAK																																																																																																															
2 5651.60	55.23	69.39	-14.16	37.96	34.70	12.44	29.87	0.00	128 185 PEAK																																																																																																															
3 5702.00	55.68	106.09	-50.41	38.37	34.81	12.49	29.99	0.00	128 185 PEAK																																																																																																															
4 5720.00	53.41	110.90	-57.49	36.01	34.84	12.51	29.95	0.00	128 185 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1 5795.00	108.37	-----	-----	90.53	35.00	12.59	29.75	0.00	128 185 PEAK																																																																																																															
Avg	Blank					 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single sharp peak is visible at 5795 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>99.93</td><td>-----</td><td>-----</td><td>82.09</td><td>35.00</td><td>12.59</td><td>29.75</td><td>0.00</td><td>128 185 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5795.00	99.93	-----	-----	82.09	35.00	12.59	29.75	0.00	128 185 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1 5795.00	99.93	-----	-----	82.09	35.00	12.59	29.75	0.00	128 185 AVERAGE																																																																																																															




Mode	62																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>53.86</td><td>111.36</td><td>-57.50</td><td>36.01</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>128</td><td>185</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>54.45</td><td>105.47</td><td>-51.02</td><td>36.59</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>128</td><td>185</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.38</td><td>68.35</td><td>-12.97</td><td>37.35</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>128</td><td>185</td><td>PEAK</td></tr><tr><td>4</td><td>5954.80</td><td>57.82</td><td>68.20</td><td>-10.38</td><td>39.60</td><td>35.23</td><td>12.82</td><td>29.83</td><td>0.00</td><td>128</td><td>185</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	53.86	111.36	-57.50	36.01	35.00	12.67	29.82	0.00	128	185	PEAK	2	5874.40	54.45	105.47	-51.02	36.59	35.00	12.70	29.84	0.00	128	185	PEAK	3	5924.80	55.38	68.35	-12.97	37.35	35.10	12.78	29.85	0.00	128	185	PEAK	4	5954.80	57.82	68.20	-10.38	39.60	35.23	12.82	29.83	0.00	128	185	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	53.86	111.36	-57.50	36.01	35.00	12.67	29.82	0.00	128	185	PEAK																																																																									
2	5874.40	54.45	105.47	-51.02	36.59	35.00	12.70	29.84	0.00	128	185	PEAK																																																																									
3	5924.80	55.38	68.35	-12.97	37.35	35.10	12.78	29.85	0.00	128	185	PEAK																																																																									
4	5954.80	57.82	68.20	-10.38	39.60	35.23	12.82	29.83	0.00	128	185	PEAK																																																																									






Mode	62																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.80</td><td>56.62</td><td>68.20</td><td>-11.58</td><td>39.27</td><td>34.70</td><td>12.40</td><td>29.75</td><td>0.00</td><td>301</td><td>210</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.33</td><td>68.20</td><td>-13.87</td><td>37.05</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>301</td><td>210</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>53.56</td><td>105.41</td><td>-51.85</td><td>36.27</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>301</td><td>210</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.10</td><td>110.90</td><td>-56.80</td><td>36.70</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>301</td><td>210</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5606.80	56.62	68.20	-11.58	39.27	34.70	12.40	29.75	0.00	301	210	PEAK	2	5650.00	54.33	68.20	-13.87	37.05	34.70	12.44	29.86	0.00	301	210	PEAK	3	5700.40	53.56	105.41	-51.85	36.27	34.80	12.49	30.00	0.00	301	210	PEAK	4	5720.00	54.10	110.90	-56.80	36.70	34.84	12.51	29.95	0.00	301	210	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>102.08</td><td>-----</td><td>-----</td><td>84.27</td><td>34.99</td><td>12.58</td><td>29.76</td><td>0.00</td><td>301</td><td>210</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	102.08	-----	-----	84.27	34.99	12.58	29.76	0.00	301	210
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5606.80	56.62	68.20	-11.58	39.27	34.70	12.40	29.75	0.00	301	210	PEAK																																																																																																																														
2	5650.00	54.33	68.20	-13.87	37.05	34.70	12.44	29.86	0.00	301	210	PEAK																																																																																																																														
3	5700.40	53.56	105.41	-51.85	36.27	34.80	12.49	30.00	0.00	301	210	PEAK																																																																																																																														
4	5720.00	54.10	110.90	-56.80	36.70	34.84	12.51	29.95	0.00	301	210	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	102.08	-----	-----	84.27	34.99	12.58	29.76	0.00	301	210	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.70</td><td>-----</td><td>-----</td><td>75.86</td><td>35.00</td><td>12.59</td><td>29.75</td><td>0.00</td><td>301</td><td>210</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	93.70	-----	-----	75.86	35.00	12.59	29.75	0.00	301	210	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	93.70	-----	-----	75.86	35.00	12.59	29.75	0.00	301	210	AVERAGE																																																																																																																														




Mode	62																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>53.76</td><td>111.36</td><td>-57.60</td><td>35.91</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>301</td><td>210</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>54.54</td><td>105.58</td><td>-51.04</td><td>36.68</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>301</td><td>210</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.52</td><td>68.94</td><td>-14.42</td><td>36.49</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>301</td><td>210</td><td>PEAK</td></tr><tr><td>4</td><td>5966.40</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>38.79</td><td>35.30</td><td>12.84</td><td>29.82</td><td>0.00</td><td>301</td><td>210</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.76	111.36	-57.60	35.91	35.00	12.67	29.82	0.00	301	210	PEAK	2	5874.00	54.54	105.58	-51.04	36.68	35.00	12.70	29.84	0.00	301	210	PEAK	3	5924.00	54.52	68.94	-14.42	36.49	35.10	12.78	29.85	0.00	301	210	PEAK	4	5966.40	57.11	68.20	-11.09	38.79	35.30	12.84	29.82	0.00	301	210	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.00	53.76	111.36	-57.60	35.91	35.00	12.67	29.82	0.00	301	210	PEAK																																																																																		
2	5874.00	54.54	105.58	-51.04	36.68	35.00	12.70	29.84	0.00	301	210	PEAK																																																																																		
3	5924.00	54.52	68.94	-14.42	36.49	35.10	12.78	29.85	0.00	301	210	PEAK																																																																																		
4	5966.40	57.11	68.20	-11.09	38.79	35.30	12.84	29.82	0.00	301	210	PEAK																																																																																		






Mode	63																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5635.20</td><td>57.38</td><td>68.20</td><td>-10.82</td><td>40.08</td><td>34.70</td><td>12.43</td><td>29.83</td><td>0.00</td><td>101</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.43</td><td>68.20</td><td>-12.77</td><td>38.15</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>101</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>57.39</td><td>106.20</td><td>-48.81</td><td>40.08</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>101</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.49</td><td>110.90</td><td>-52.41</td><td>41.09</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>101</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.20	57.38	68.20	-10.82	40.08	34.70	12.43	29.83	0.00	101	183	PEAK	2	5650.00	55.43	68.20	-12.77	38.15	34.70	12.44	29.86	0.00	101	183	PEAK	3	5703.20	57.39	106.20	-48.81	40.08	34.81	12.49	29.99	0.00	101	183	PEAK	4	5720.00	58.49	110.90	-52.41	41.09	34.84	12.51	29.95	0.00	101	183	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>102.86</td><td>-----</td><td>-----</td><td>85.15</td><td>34.95</td><td>12.57</td><td>29.81</td><td>0.00</td><td>101</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	102.86	-----	-----	85.15	34.95	12.57	29.81	0.00	101	183	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5635.20	57.38	68.20	-10.82	40.08	34.70	12.43	29.83	0.00	101	183	PEAK																																																																																																																															
2	5650.00	55.43	68.20	-12.77	38.15	34.70	12.44	29.86	0.00	101	183	PEAK																																																																																																																															
3	5703.20	57.39	106.20	-48.81	40.08	34.81	12.49	29.99	0.00	101	183	PEAK																																																																																																																															
4	5720.00	58.49	110.90	-52.41	41.09	34.84	12.51	29.95	0.00	101	183	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	102.86	-----	-----	85.15	34.95	12.57	29.81	0.00	101	183	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>94.88</td><td>-----</td><td>-----</td><td>77.17</td><td>34.95</td><td>12.57</td><td>29.81</td><td>0.00</td><td>101</td><td>183</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	94.88	-----	-----	77.17	34.95	12.57	29.81	0.00	101	183	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	94.88	-----	-----	77.17	34.95	12.57	29.81	0.00	101	183	AVERAGE																																																																																																																															




Mode	63																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																							
ANT	CDD 6+7																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.80</td><td>54.27</td><td>111.36</td><td>-57.09</td><td>36.42</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>101 183 PEAK</td></tr><tr><td>2 5873.60</td><td>56.56</td><td>105.69</td><td>-49.13</td><td>38.70</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>101 183 PEAK</td></tr><tr><td>3 5923.20</td><td>56.69</td><td>69.53</td><td>-12.84</td><td>38.68</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>101 183 PEAK</td></tr><tr><td>4 5936.00</td><td>57.09</td><td>68.20</td><td>-11.11</td><td>39.00</td><td>35.14</td><td>12.79</td><td>29.84</td><td>0.00</td><td>101 183 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.80	54.27	111.36	-57.09	36.42	35.00	12.67	29.82	0.00	101 183 PEAK	2 5873.60	56.56	105.69	-49.13	38.70	35.00	12.70	29.84	0.00	101 183 PEAK	3 5923.20	56.69	69.53	-12.84	38.68	35.09	12.77	29.85	0.00	101 183 PEAK	4 5936.00	57.09	68.20	-11.11	39.00	35.14	12.79	29.84	0.00	101 183 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5854.80	54.27	111.36	-57.09	36.42	35.00	12.67	29.82	0.00	101 183 PEAK																																																															
2 5873.60	56.56	105.69	-49.13	38.70	35.00	12.70	29.84	0.00	101 183 PEAK																																																															
3 5923.20	56.69	69.53	-12.84	38.68	35.09	12.77	29.85	0.00	101 183 PEAK																																																															
4 5936.00	57.09	68.20	-11.11	39.00	35.14	12.79	29.84	0.00	101 183 PEAK																																																															





Mode	63																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5626.80</td><td>56.35</td><td>68.20</td><td>-11.85</td><td>39.03</td><td>34.70</td><td>12.42</td><td>29.80</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>2 5650.40</td><td>53.56</td><td>68.50</td><td>-14.94</td><td>36.29</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>3 5702.40</td><td>55.58</td><td>105.97</td><td>-50.39</td><td>38.28</td><td>34.80</td><td>12.49</td><td>29.99</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>4 5720.40</td><td>55.85</td><td>111.81</td><td>-55.96</td><td>38.45</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5626.80	56.35	68.20	-11.85	39.03	34.70	12.42	29.80	0.00	100	116 PEAK	2 5650.40	53.56	68.50	-14.94	36.29	34.70	12.44	29.87	0.00	100	116 PEAK	3 5702.40	55.58	105.97	-50.39	38.28	34.80	12.49	29.99	0.00	100	116 PEAK	4 5720.40	55.85	111.81	-55.96	38.45	34.84	12.51	29.95	0.00	100	116 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>96.02</td><td>-----</td><td>-----</td><td>78.18</td><td>35.00</td><td>12.59</td><td>29.75</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	96.02	-----	-----	78.18	35.00	12.59	29.75	0.00	100	116 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5626.80	56.35	68.20	-11.85	39.03	34.70	12.42	29.80	0.00	100	116 PEAK																																																																																																																										
2 5650.40	53.56	68.50	-14.94	36.29	34.70	12.44	29.87	0.00	100	116 PEAK																																																																																																																										
3 5702.40	55.58	105.97	-50.39	38.28	34.80	12.49	29.99	0.00	100	116 PEAK																																																																																																																										
4 5720.40	55.85	111.81	-55.96	38.45	34.84	12.51	29.95	0.00	100	116 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	96.02	-----	-----	78.18	35.00	12.59	29.75	0.00	100	116 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>87.64</td><td>-----</td><td>-----</td><td>69.93</td><td>34.95</td><td>12.57</td><td>29.81</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	87.64	-----	-----	69.93	34.95	12.57	29.81	0.00	100	116 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	87.64	-----	-----	69.93	34.95	12.57	29.81	0.00	100	116 AVERAGE																																																																																																																										






Mode	63																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>54.79</td><td>112.27</td><td>-57.48</td><td>36.94</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>55.38</td><td>106.03</td><td>-50.65</td><td>37.52</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>56.75</td><td>69.53</td><td>-12.78</td><td>38.74</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5936.40</td><td>56.60</td><td>68.20</td><td>-11.60</td><td>38.50</td><td>35.15</td><td>12.79</td><td>29.84</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	54.79	112.27	-57.48	36.94	35.00	12.67	29.82	0.00	100	116	PEAK	2	5872.40	55.38	106.03	-50.65	37.52	35.00	12.70	29.84	0.00	100	116	PEAK	3	5923.20	56.75	69.53	-12.78	38.74	35.09	12.77	29.85	0.00	100	116	PEAK	4	5936.40	56.60	68.20	-11.60	38.50	35.15	12.79	29.84	0.00	100	116	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.40	54.79	112.27	-57.48	36.94	35.00	12.67	29.82	0.00	100	116	PEAK																																																																																		
2	5872.40	55.38	106.03	-50.65	37.52	35.00	12.70	29.84	0.00	100	116	PEAK																																																																																		
3	5923.20	56.75	69.53	-12.78	38.74	35.09	12.77	29.85	0.00	100	116	PEAK																																																																																		
4	5936.40	56.60	68.20	-11.60	38.50	35.15	12.79	29.84	0.00	100	116	PEAK																																																																																		




Mode	63																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																											
ANT	CDD 6+7																																																																																																											
Pol.	Horizontal						Vertical																																																																																																					
Peak Avg																																																																																																												
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11990.07</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>49.82</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11990.07	45.99	74.00	-28.01	49.82	38.79	18.27	60.89	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11990.07</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>56.16</td><td>38.79</td><td>18.27</td><td>60.89</td><td>0.00</td><td>212</td><td>1 PEAK</td></tr><tr><td>2 11990.07</td><td>40.71</td><td>54.00</td><td>-13.29</td><td>44.57</td><td>38.78</td><td>18.26</td><td>60.90</td><td>0.00</td><td>212</td><td>1 AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11990.07	52.33	74.00	-21.67	56.16	38.79	18.27	60.89	0.00	212	1 PEAK	2 11990.07	40.71	54.00	-13.29	44.57	38.78	18.26	60.90	0.00	212
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 11990.07	45.99	74.00	-28.01	49.82	38.79	18.27	60.89	0.00	--	-- PEAK																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1 11990.07	52.33	74.00	-21.67	56.16	38.79	18.27	60.89	0.00	212	1 PEAK																																																																																																		
2 11990.07	40.71	54.00	-13.29	44.57	38.78	18.26	60.90	0.00	212	1 AVERAGE																																																																																																		






Mode	64																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.60</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>39.51</td><td>34.70</td><td>12.43</td><td>29.83</td><td>0.00</td><td>114</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.37</td><td>68.20</td><td>-13.83</td><td>37.09</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>114</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>55.54</td><td>106.53</td><td>-50.99</td><td>38.23</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>114</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>58.74</td><td>113.64</td><td>-54.90</td><td>41.34</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>114</td><td>176</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.60	56.81	68.20	-11.39	39.51	34.70	12.43	29.83	0.00	114	176	PEAK	2	5650.00	54.37	68.20	-13.83	37.09	34.70	12.44	29.86	0.00	114	176	PEAK	3	5704.40	55.54	106.53	-50.99	38.23	34.81	12.49	29.99	0.00	114	176	PEAK	4	5721.20	58.74	113.64	-54.90	41.34	34.84	12.51	29.95	0.00	114	176	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.28</td><td>-----</td><td>-----</td><td>87.71</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>114</td><td>176</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	105.28	-----	-----	87.71	34.90	12.54	29.87	0.00	114	176	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5637.60	56.81	68.20	-11.39	39.51	34.70	12.43	29.83	0.00	114	176	PEAK																																																																																																																															
2	5650.00	54.37	68.20	-13.83	37.09	34.70	12.44	29.86	0.00	114	176	PEAK																																																																																																																															
3	5704.40	55.54	106.53	-50.99	38.23	34.81	12.49	29.99	0.00	114	176	PEAK																																																																																																																															
4	5721.20	58.74	113.64	-54.90	41.34	34.84	12.51	29.95	0.00	114	176	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	105.28	-----	-----	87.71	34.90	12.54	29.87	0.00	114	176	PEAK																																																																																																																															
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.21</td><td>-----</td><td>-----</td><td>78.64</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>114</td><td>176</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	96.21	-----	-----	78.64	34.90	12.54	29.87	0.00	114	176	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	96.21	-----	-----	78.64	34.90	12.54	29.87	0.00	114	176	AVERAGE																																																																																																																															




Mode	64																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																																														
ANT	CDD 6+7																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>54.67</td><td>112.27</td><td>-57.60</td><td>36.82</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>114</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>59.74</td><td>107.15</td><td>-47.41</td><td>41.88</td><td>35.00</td><td>12.69</td><td>29.83</td><td>0.00</td><td>114</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.42</td><td>68.35</td><td>-12.93</td><td>37.39</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>114</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>57.60</td><td>68.20</td><td>-10.60</td><td>39.44</td><td>35.18</td><td>12.81</td><td>29.83</td><td>0.00</td><td>114</td><td>176</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	54.67	112.27	-57.60	36.82	35.00	12.67	29.82	0.00	114	176	PEAK	2	5868.40	59.74	107.15	-47.41	41.88	35.00	12.69	29.83	0.00	114	176	PEAK	3	5924.80	55.42	68.35	-12.93	37.39	35.10	12.78	29.85	0.00	114	176	PEAK	4	5945.20	57.60	68.20	-10.60	39.44	35.18	12.81	29.83	0.00	114	176	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.40	54.67	112.27	-57.60	36.82	35.00	12.67	29.82	0.00	114	176	PEAK																																																																																			
2	5868.40	59.74	107.15	-47.41	41.88	35.00	12.69	29.83	0.00	114	176	PEAK																																																																																			
3	5924.80	55.42	68.35	-12.93	37.39	35.10	12.78	29.85	0.00	114	176	PEAK																																																																																			
4	5945.20	57.60	68.20	-10.60	39.44	35.18	12.81	29.83	0.00	114	176	PEAK																																																																																			






		64																																																																																
Mode		Band Edge - L																																																																																
		U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																																
ANT		CDD 6+7																																																																																
Pol.		Vertical																																																																																
Peak																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.60	56.38	68.20	-11.82	39.08	34.70	12.43	29.83	0.00	100	119	PEAK	2	5650.40	52.29	68.50	-16.21	35.02	34.70	12.44	29.87	0.00	100	119	PEAK	3	5701.20	55.08	105.64	-50.56	37.79	34.00	12.49	30.00	0.00	100	119	PEAK	4	5721.20	53.84	113.64	-59.80	36.44	34.84	12.51	29.95	0.00	100	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	5637.60	56.38	68.20	-11.82	39.08	34.70	12.43	29.83	0.00	100	119	PEAK																																																																						
2	5650.40	52.29	68.50	-16.21	35.02	34.70	12.44	29.87	0.00	100	119	PEAK																																																																						
3	5701.20	55.08	105.64	-50.56	37.79	34.00	12.49	30.00	0.00	100	119	PEAK																																																																						
4	5721.20	53.84	113.64	-59.80	36.44	34.84	12.51	29.95	0.00	100	119	PEAK																																																																						
Fundamental																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	99.26	-----	-----	81.75	34.88	12.53	29.90	0.00	100	119	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	5775.00	99.26	-----	-----	81.75	34.88	12.53	29.90	0.00	100	119	PEAK																																																																						
Avg	Blank																																																																																	
																																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>90.50</td><td>-----</td><td>-----</td><td>72.99</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	90.50	-----	-----	72.99	34.88	12.53	29.90	0.00	100	119	AVERAGE																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	5775.00	90.50	-----	-----	72.99	34.88	12.53	29.90	0.00	100	119	AVERAGE																																																																						




Mode	64																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>53.11</td><td>111.36</td><td>-58.25</td><td>35.26</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>55.54</td><td>105.36</td><td>-49.82</td><td>37.68</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>3</td><td>5920.00</td><td>57.48</td><td>71.90</td><td>-14.42</td><td>39.48</td><td>35.00</td><td>12.77</td><td>29.85</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>55.96</td><td>68.20</td><td>-12.24</td><td>37.87</td><td>35.14</td><td>12.79</td><td>29.84</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	53.11	111.36	-58.25	35.26	35.00	12.67	29.82	0.00	100	119	PEAK	2	5874.00	55.54	105.36	-49.82	37.68	35.00	12.70	29.84	0.00	100	119	PEAK	3	5920.00	57.48	71.90	-14.42	39.48	35.00	12.77	29.85	0.00	100	119	PEAK	4	5934.00	55.96	68.20	-12.24	37.87	35.14	12.79	29.84	0.00	100	119	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	53.11	111.36	-58.25	35.26	35.00	12.67	29.82	0.00	100	119	PEAK																																																																																		
2	5874.00	55.54	105.36	-49.82	37.68	35.00	12.70	29.84	0.00	100	119	PEAK																																																																																		
3	5920.00	57.48	71.90	-14.42	39.48	35.00	12.77	29.85	0.00	100	119	PEAK																																																																																		
4	5934.00	55.96	68.20	-12.24	37.87	35.14	12.79	29.84	0.00	100	119	PEAK																																																																																		






Mode	65																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5639.60</td><td>56.35</td><td>68.20</td><td>-11.85</td><td>39.06</td><td>34.70</td><td>12.43</td><td>29.84</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>2 5651.20</td><td>54.73</td><td>69.09</td><td>-14.36</td><td>37.46</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>3 5700.00</td><td>55.07</td><td>105.30</td><td>-50.23</td><td>37.78</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>4 5720.00</td><td>53.62</td><td>110.90</td><td>-57.28</td><td>36.22</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5639.60	56.35	68.20	-11.85	39.06	34.70	12.43	29.84	0.00	100	177 PEAK	2 5651.20	54.73	69.09	-14.36	37.46	34.70	12.44	29.87	0.00	100	177 PEAK	3 5700.00	55.07	105.30	-50.23	37.78	34.80	12.49	30.00	0.00	100	177 PEAK	4 5720.00	53.62	110.90	-57.28	36.22	34.84	12.51	29.95	0.00	100	177 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>104.11</td><td>-----</td><td>-----</td><td>86.26</td><td>35.00</td><td>12.61</td><td>29.76</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	104.11	-----	-----	86.26	35.00	12.61	29.76	0.00	100	177 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5639.60	56.35	68.20	-11.85	39.06	34.70	12.43	29.84	0.00	100	177 PEAK																																																																																																																										
2 5651.20	54.73	69.09	-14.36	37.46	34.70	12.44	29.87	0.00	100	177 PEAK																																																																																																																										
3 5700.00	55.07	105.30	-50.23	37.78	34.80	12.49	30.00	0.00	100	177 PEAK																																																																																																																										
4 5720.00	53.62	110.90	-57.28	36.22	34.84	12.51	29.95	0.00	100	177 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	104.11	-----	-----	86.26	35.00	12.61	29.76	0.00	100	177 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>96.03</td><td>-----</td><td>-----</td><td>78.22</td><td>34.99</td><td>12.58</td><td>29.76</td><td>0.00</td><td>100</td><td>177 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	96.03	-----	-----	78.22	34.99	12.58	29.76	0.00	100	177 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	96.03	-----	-----	78.22	34.99	12.58	29.76	0.00	100	177 AVERAGE																																																																																																																										




Mode	65																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>54.60</td><td>111.36</td><td>-56.76</td><td>36.75</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>56.54</td><td>105.58</td><td>-49.04</td><td>38.68</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>57.15</td><td>70.42</td><td>-13.27</td><td>39.14</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>56.87</td><td>68.20</td><td>-11.33</td><td>38.83</td><td>35.11</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	54.60	111.36	-56.76	36.75	35.00	12.67	29.82	0.00	100	177	PEAK	2	5874.00	56.54	105.58	-49.04	38.68	35.00	12.70	29.84	0.00	100	177	PEAK	3	5922.00	57.15	70.42	-13.27	39.14	35.09	12.77	29.85	0.00	100	177	PEAK	4	5927.60	56.87	68.20	-11.33	38.83	35.11	12.78	29.85	0.00	100	177	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	54.60	111.36	-56.76	36.75	35.00	12.67	29.82	0.00	100	177	PEAK																																																																									
2	5874.00	56.54	105.58	-49.04	38.68	35.00	12.70	29.84	0.00	100	177	PEAK																																																																									
3	5922.00	57.15	70.42	-13.27	39.14	35.09	12.77	29.85	0.00	100	177	PEAK																																																																									
4	5927.60	56.87	68.20	-11.33	38.83	35.11	12.78	29.85	0.00	100	177	PEAK																																																																									





Mode	65																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																																																																																				
ANT	CDD 6+7																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5600.00</td><td>56.37</td><td>68.20</td><td>-11.83</td><td>39.01</td><td>34.70</td><td>12.39</td><td>29.73</td><td>0.00</td><td>300</td><td>208</td><td>PEAK</td></tr><tr><td>2 5650.40</td><td>55.36</td><td>68.50</td><td>-13.14</td><td>38.09</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>300</td><td>208</td><td>PEAK</td></tr><tr><td>3 5702.80</td><td>55.26</td><td>106.09</td><td>-50.83</td><td>37.95</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>300</td><td>208</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>53.64</td><td>110.90</td><td>-57.26</td><td>36.24</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>300</td><td>208</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5600.00	56.37	68.20	-11.83	39.01	34.70	12.39	29.73	0.00	300	208	PEAK	2 5650.40	55.36	68.50	-13.14	38.09	34.70	12.44	29.87	0.00	300	208	PEAK	3 5702.80	55.26	106.09	-50.83	37.95	34.81	12.49	29.99	0.00	300	208	PEAK	4 5720.00	53.64	110.90	-57.26	36.24	34.84	12.51	29.95	0.00	300	208	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>100.38</td><td>-----</td><td>-----</td><td>82.54</td><td>35.00</td><td>12.59</td><td>29.75</td><td>0.00</td><td>300</td><td>208</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	100.38	-----	-----	82.54	35.00	12.59	29.75	0.00	300	208	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5600.00	56.37	68.20	-11.83	39.01	34.70	12.39	29.73	0.00	300	208	PEAK																																																																																																																										
2 5650.40	55.36	68.50	-13.14	38.09	34.70	12.44	29.87	0.00	300	208	PEAK																																																																																																																										
3 5702.80	55.26	106.09	-50.83	37.95	34.81	12.49	29.99	0.00	300	208	PEAK																																																																																																																										
4 5720.00	53.64	110.90	-57.26	36.24	34.84	12.51	29.95	0.00	300	208	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5775.00	100.38	-----	-----	82.54	35.00	12.59	29.75	0.00	300	208	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>89.76</td><td>-----</td><td>-----</td><td>71.95</td><td>34.99</td><td>12.58</td><td>29.76</td><td>0.00</td><td>300</td><td>208</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	89.76	-----	-----	71.95	34.99	12.58	29.76	0.00	300	208	AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5775.00	89.76	-----	-----	71.95	34.99	12.58	29.76	0.00	300	208	AVERAGE																																																																																																																										







Mode	65																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																																														
ANT	CDD 6+7																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>53.29</td><td>111.36</td><td>-58.07</td><td>35.44</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>300</td><td>200</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>54.43</td><td>105.36</td><td>-50.93</td><td>36.57</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>300</td><td>200</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.90</td><td>68.35</td><td>-12.45</td><td>37.87</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>300</td><td>200</td><td>PEAK</td></tr><tr><td>4</td><td>5935.20</td><td>56.64</td><td>68.20</td><td>-11.56</td><td>38.55</td><td>35.14</td><td>12.79</td><td>29.84</td><td>0.00</td><td>300</td><td>200</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	53.29	111.36	-58.07	35.44	35.00	12.67	29.82	0.00	300	200	PEAK	2	5874.80	54.43	105.36	-50.93	36.57	35.00	12.70	29.84	0.00	300	200	PEAK	3	5924.80	55.90	68.35	-12.45	37.87	35.10	12.78	29.85	0.00	300	200	PEAK	4	5935.20	56.64	68.20	-11.56	38.55	35.14	12.79	29.84	0.00	300	200	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.80	53.29	111.36	-58.07	35.44	35.00	12.67	29.82	0.00	300	200	PEAK																																																																																			
2	5874.80	54.43	105.36	-50.93	36.57	35.00	12.70	29.84	0.00	300	200	PEAK																																																																																			
3	5924.80	55.90	68.35	-12.45	37.87	35.10	12.78	29.85	0.00	300	200	PEAK																																																																																			
4	5935.20	56.64	68.20	-11.56	38.55	35.14	12.79	29.84	0.00	300	200	PEAK																																																																																			







		66																																																						
Mode		Band Edge																																																						
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 38+1_5180MHz																																																						
ANT		CDD 6+7																																																						
Pol.		Horizontal																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.55</td><td>58.79</td><td>74.00</td><td>-15.21</td><td>42.35</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>146</td><td>196</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5135.55	58.79	74.00	-15.21	42.35	34.40	11.90	29.86	0.00	146	196	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5135.55	58.79	74.00	-15.21	42.35	34.40	11.90	29.86	0.00	146	196	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.68</td><td>-----</td><td>-----</td><td>96.18</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>146</td><td>196</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	112.68	-----	-----	96.18	34.45	11.93	29.88	0.00	146	196	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5180.00	112.68	-----	-----	96.18	34.45	11.93	29.88	0.00	146	196	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.35</td><td>47.52</td><td>54.00</td><td>-6.48</td><td>31.00</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>146</td><td>196</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.35	47.52	54.00	-6.48	31.00	34.40	11.91	29.87	0.00	146	196	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5148.35	47.52	54.00	-6.48	31.00	34.40	11.91	29.87	0.00	146	196	AVERAGE																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.09</td><td>-----</td><td>-----</td><td>88.59</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>146</td><td>196</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	105.09	-----	-----	88.59	34.45	11.93	29.88	0.00	146	196	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5180.00	105.09	-----	-----	88.59	34.45	11.93	29.88	0.00	146	196	AVERAGE																																												







Mode	66																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 38+1_5180MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5124.45</td><td>58.35</td><td>74.00</td><td>-15.65</td><td>41.91</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>344</td><td>244</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.45	58.35	74.00	-15.65	41.91	34.40	11.90	29.86	0.00	344	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5124.45	58.35	74.00	-15.65	41.91	34.40	11.90	29.86	0.00	344	244	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.99</td><td>-----</td><td>-----</td><td>93.49</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>344</td><td>244</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.99	-----	-----	93.49	34.45	11.93	29.88	0.00	344	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	109.99	-----	-----	93.49	34.45	11.93	29.88	0.00	344	244	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5108.35</td><td>46.70</td><td>54.00</td><td>-7.30</td><td>30.26</td><td>34.40</td><td>11.89</td><td>29.85</td><td>0.00</td><td>344</td><td>244</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5108.35	46.70	54.00	-7.30	30.26	34.40	11.89	29.85	0.00	344	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5108.35	46.70	54.00	-7.30	30.26	34.40	11.89	29.85	0.00	344	244	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.45</td><td>-----</td><td>-----</td><td>84.95</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>344</td><td>244</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.45	-----	-----	84.95	34.45	11.93	29.88	0.00	344	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	101.45	-----	-----	84.95	34.45	11.93	29.88	0.00	344	244	AVERAGE																																											







Mode	67																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 53+4_5180MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5127.85</td><td>57.59</td><td>74.00</td><td>-16.41</td><td>41.15</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>157</td><td>192</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5127.85	57.59	74.00	-16.41	41.15	34.40	11.90	29.86	0.00	157	192	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.95</td><td>-----</td><td>-----</td><td>96.47</td><td>34.43</td><td>11.93</td><td>29.88</td><td>0.00</td><td>157</td><td>192</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.95	-----	-----	96.47	34.43	11.93	29.88	0.00	157	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5127.85	57.59	74.00	-16.41	41.15	34.40	11.90	29.86	0.00	157	192	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	112.95	-----	-----	96.47	34.43	11.93	29.88	0.00	157	192	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.95</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>30.49</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>157</td><td>192</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.95	46.92	54.00	-7.08	30.49	34.40	11.88	29.85	0.00	157	192	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.56</td><td>-----</td><td>-----</td><td>85.07</td><td>34.44</td><td>11.93</td><td>29.88</td><td>0.00</td><td>157</td><td>192</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.56	-----	-----	85.07	34.44	11.93	29.88	0.00	157	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5104.95	46.92	54.00	-7.08	30.49	34.40	11.88	29.85	0.00	157	192	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	101.56	-----	-----	85.07	34.44	11.93	29.88	0.00	157	192	AVERAGE																																																																																																			







		67																																																																																																												
Mode		Band Edge																																																																																																												
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 53+4_5180MHz																																																																																																												
ANT		CDD 6+7																																																																																																												
Pol.		Vertical											Fundamental																																																																																																	
Peak																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5188.65</td><td>56.69</td><td>74.00</td><td>-17.31</td><td>40.25</td><td>34.40</td><td>11.89</td><td>29.85</td><td>0.00</td><td>298</td><td>287</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5188.65	56.69	74.00	-17.31	40.25	34.40	11.89	29.85	0.00	298	287	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.52</td><td>-----</td><td>-----</td><td>89.04</td><td>34.43</td><td>11.93</td><td>29.88</td><td>0.00</td><td>298</td><td>287</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.52	-----	-----	89.04	34.43	11.93	29.88	0.00	298	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5188.65	56.69	74.00	-17.31	40.25	34.40	11.89	29.85	0.00	298	287	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5180.00	105.52	-----	-----	89.04	34.43	11.93	29.88	0.00	298	287	PEAK																																																																																																		
Avg																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.45</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>30.20</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>298</td><td>287</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.45	46.63	54.00	-7.37	30.20	34.40	11.88	29.85	0.00	298	287	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.44</td><td>-----</td><td>-----</td><td>80.96</td><td>34.43</td><td>11.93</td><td>29.88</td><td>0.00</td><td>298</td><td>287</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.44	-----	-----	80.96	34.43	11.93	29.88	0.00	298	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5180.45	46.63	54.00	-7.37	30.20	34.40	11.88	29.85	0.00	298	287	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5180.00	97.44	-----	-----	80.96	34.43	11.93	29.88	0.00	298	287	AVERAGE																																																																																																		







		68																																									
Mode		Band Edge																																									
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Index 39+7_5320MHz																																									
ANT		CDD 6+7																																									
Pol.		Horizontal																																									
Peak																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.25	55.96	74.00	-18.04	39.18	34.50	12.12	29.84	0.00	100	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5350.25	55.96	74.00	-18.04	39.18	34.50	12.12	29.84	0.00	100	188	PEAK																															
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.46	-----	-----	95.75	34.50	12.09	29.88	0.00	100	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5320.00	112.46	-----	-----	95.75	34.50	12.09	29.88	0.00	100	188	PEAK																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.35	46.21	54.00	-7.79	29.43	34.50	12.12	29.84	0.00	100	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5350.35	46.21	54.00	-7.79	29.43	34.50	12.12	29.84	0.00	100	188	AVERAGE																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.65	-----	-----	87.94	34.50	12.09	29.88	0.00	100	188
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5320.00	104.65	-----	-----	87.94	34.50	12.09	29.88	0.00	100	188	AVERAGE																															







		68																																													
Mode		Band Edge																																													
		U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Index 39+7_5320MHz																																													
ANT		CDD 6+7																																													
Pol.		Vertical																																													
Peak																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5383.35	55.42	74.00	-18.58	38.44	34.63	12.15	29.80	0.00	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5383.35	55.42	74.00	-18.58	38.44	34.63	12.15	29.80	0.00	310	358 PEAK																																				
Fundamental																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	107.28	-----	-----	90.59	34.50	12.08	29.89	0.00	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5320.00	107.28	-----	-----	90.59	34.50	12.08	29.89	0.00	310	358 PEAK																																				
Avg																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5397.55	45.39	54.00	-8.61	28.31	34.69	12.17	29.78	0.00	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5397.55	45.39	54.00	-8.61	28.31	34.69	12.17	29.78	0.00	310	358 AVERAGE																																				
Avg																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	99.36	-----	-----	82.65	34.50	12.09	29.88	0.00	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5320.00	99.36	-----	-----	82.65	34.50	12.09	29.88	0.00	310	358 AVERAGE																																				







Mode	69																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Index 54+4_5320MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.55</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>39.47</td><td>34.53</td><td>12.12</td><td>29.84</td><td>0.00</td><td>110</td><td>181</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.55	56.28	74.00	-17.72	39.47	34.53	12.12	29.84	0.00	110	181	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>111.52</td><td>-----</td><td>-----</td><td>94.81</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>110</td><td>181</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.52	-----	-----	94.81	34.50	12.09	29.88	0.00	110	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5357.55	56.28	74.00	-17.72	39.47	34.53	12.12	29.84	0.00	110	181	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	111.52	-----	-----	94.81	34.50	12.09	29.88	0.00	110	181	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.55</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>28.50</td><td>34.69</td><td>12.17</td><td>29.78</td><td>0.00</td><td>110</td><td>181</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.55	45.58	54.00	-8.42	28.50	34.69	12.17	29.78	0.00	110	181	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.88</td><td>-----</td><td>-----</td><td>86.19</td><td>34.50</td><td>12.08</td><td>29.89</td><td>0.00</td><td>110</td><td>181</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.88	-----	-----	86.19	34.50	12.08	29.89	0.00	110	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5396.55	45.58	54.00	-8.42	28.50	34.69	12.17	29.78	0.00	110	181	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	102.88	-----	-----	86.19	34.50	12.08	29.89	0.00	110	181	AVERAGE																																																																																																			







Mode	69																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Index 54+4_5320MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.65</td><td>55.49</td><td>74.00</td><td>-18.51</td><td>38.70</td><td>34.51</td><td>12.12</td><td>29.84</td><td>0.00</td><td>310</td><td>357</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.65	55.49	74.00	-18.51	38.70	34.51	12.12	29.84	0.00	310	357
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.65	55.49	74.00	-18.51	38.70	34.51	12.12	29.84	0.00	310	357	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.12</td><td>-----</td><td>-----</td><td>89.41</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>310</td><td>357</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.12	-----	-----	89.41	34.50	12.09	29.88	0.00	310	357
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	106.12	-----	-----	89.41	34.50	12.09	29.88	0.00	310	357	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.15</td><td>45.09</td><td>54.00</td><td>-8.91</td><td>28.27</td><td>34.53</td><td>12.12</td><td>29.83</td><td>0.00</td><td>310</td><td>357</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.15	45.09	54.00	-8.91	28.27	34.53	12.12	29.83	0.00	310	357
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5358.15	45.09	54.00	-8.91	28.27	34.53	12.12	29.83	0.00	310	357	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.48</td><td>-----</td><td>-----</td><td>80.77</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>310</td><td>357</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.48	-----	-----	80.77	34.50	12.09	29.88	0.00	310	357
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	97.48	-----	-----	80.77	34.50	12.09	29.88	0.00	310	357	AVERAGE																																											







		70																																																									
Mode		Band Edge																																																									
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 38+1_5500MHz																																																									
ANT		CDD 6+7																																																									
Pol.		Horizontal																																																									
Peak																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5452.17	56.25	74.00	-17.75	39.08	34.00	12.23	29.86	0.00	108	176 PEAK	2	5464.97	57.78	68.20	-10.42	40.65	34.77	12.24	29.88	0.00	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5452.17	56.25	74.00	-17.75	39.08	34.00	12.23	29.86	0.00	108	176 PEAK																																																
2	5464.97	57.78	68.20	-10.42	40.65	34.77	12.24	29.88	0.00	108	176 PEAK																																																
Fundamental																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	115.17	-----	-----	98.12	34.71	12.28	29.94	0.00	108	176 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5500.00	115.17	-----	-----	98.12	34.71	12.28	29.94	0.00	108	176 PEAK																																																
Avg																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.41	46.84	54.00	-7.16	29.70	34.78	12.23	29.87	0.00	108	176 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5458.41	46.84	54.00	-7.16	29.70	34.78	12.23	29.87	0.00	108	176 AVERAGE																																																
AVERAGE																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	105.07	-----	-----	88.01	34.71	12.28	29.93	0.00	108	176 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5500.00	105.07	-----	-----	88.01	34.71	12.28	29.93	0.00	108	176 AVERAGE																																																



		70																																																																																																																																	
Mode	Band Edge																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 38+1_5500MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5448.97</td><td>56.17</td><td>74.00</td><td>-17.83</td><td>39.01</td><td>34.00</td><td>12.22</td><td>29.86</td><td>0.00</td><td>359</td><td>254 PEAK</td></tr><tr><td>2</td><td>5467.05</td><td>56.65</td><td>68.20</td><td>-11.55</td><td>39.53</td><td>34.77</td><td>12.24</td><td>29.89</td><td>0.00</td><td>359</td><td>254 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5448.97	56.17	74.00	-17.83	39.01	34.00	12.22	29.86	0.00	359	254 PEAK	2	5467.05	56.65	68.20	-11.55	39.53	34.77	12.24	29.89	0.00	359	254 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>109.73</td><td>-----</td><td>-----</td><td>92.68</td><td>34.71</td><td>12.28</td><td>29.94</td><td>0.00</td><td>359</td><td>254 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	109.73	-----	-----	92.68	34.71	12.28	29.94	0.00	359
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5448.97	56.17	74.00	-17.83	39.01	34.00	12.22	29.86	0.00	359	254 PEAK																																																																																																																								
2	5467.05	56.65	68.20	-11.55	39.53	34.77	12.24	29.89	0.00	359	254 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5500.00	109.73	-----	-----	92.68	34.71	12.28	29.94	0.00	359	254 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5454.73</td><td>45.86</td><td>54.00</td><td>-8.14</td><td>28.71</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>359</td><td>254 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5454.73	45.86	54.00	-8.14	28.71	34.79	12.23	29.87	0.00	359	254 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>100.98</td><td>-----</td><td>-----</td><td>83.92</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>359</td><td>254 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	100.98	-----	-----	83.92	34.72	12.27	29.93	0.00	359	254 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5454.73	45.86	54.00	-8.14	28.71	34.79	12.23	29.87	0.00	359	254 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5500.00	100.98	-----	-----	83.92	34.72	12.27	29.93	0.00	359	254 AVERAGE																																																																																																																								



		71																																																																																																							
Mode		Band Edge																																																																																																							
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 53+4_5500MHz																																																																																																							
ANT		CDD 6+7																																																																																																							
Pol.		Horizontal					Fundamental																																																																																																		
Peak																																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	56.48	74.00	-17.52	39.34	34.78	12.24	29.88	0.00	112	193	PEAK	2	5460.17	56.15	68.20	-12.05	39.01	34.78	12.24	29.88	0.00	112	193	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.77</td><td>-----</td><td>-----</td><td>94.71</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>112</td><td>193</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.77	-----	-----	94.71	34.72	12.27	29.93	0.00	112	193
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5459.69	56.48	74.00	-17.52	39.34	34.78	12.24	29.88	0.00	112	193	PEAK																																																																																													
2	5460.17	56.15	68.20	-12.05	39.01	34.78	12.24	29.88	0.00	112	193	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5500.00	111.77	-----	-----	94.71	34.72	12.27	29.93	0.00	112	193	PEAK																																																																																													
Avg																																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	46.24	54.00	-7.76	29.10	34.78	12.24	29.88	0.00	112	193	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.00</td><td>-----</td><td>-----</td><td>85.94</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>112</td><td>193</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.00	-----	-----	85.94	34.72	12.27	29.93	0.00	112	193	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5459.69	46.24	54.00	-7.76	29.10	34.78	12.24	29.88	0.00	112	193	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5500.00	103.00	-----	-----	85.94	34.72	12.27	29.93	0.00	112	193	AVERAGE																																																																																													



		71																																																																																																														
Mode	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 53+4_5500MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.57</td><td>56.27</td><td>74.00</td><td>-17.73</td><td>39.12</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>341</td><td>257</td><td>PEAK</td></tr><tr><td>2</td><td>5468.97</td><td>55.42</td><td>68.20</td><td>-12.78</td><td>38.30</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>341</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.57	56.27	74.00	-17.73	39.12	34.79	12.23	29.87	0.00	341	257	PEAK	2	5468.97	55.42	68.20	-12.78	38.30	34.76	12.25	29.89	0.00	341	257	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>107.37</td><td>-----</td><td>-----</td><td>90.31</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>341</td><td>257</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.37	-----	-----	90.31	34.72	12.27	29.93	0.00	341	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5454.57	56.27	74.00	-17.73	39.12	34.79	12.23	29.87	0.00	341	257	PEAK																																																																																																				
2	5468.97	55.42	68.20	-12.78	38.30	34.76	12.25	29.89	0.00	341	257	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	107.37	-----	-----	90.31	34.72	12.27	29.93	0.00	341	257	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.20</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>28.45</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>341</td><td>257</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.20	45.60	54.00	-8.40	28.45	34.79	12.23	29.87	0.00	341	257	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>99.28</td><td>-----</td><td>-----</td><td>82.22</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>341</td><td>257</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.28	-----	-----	82.22	34.72	12.27	29.93	0.00	341	257	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5455.20	45.60	54.00	-8.40	28.45	34.79	12.23	29.87	0.00	341	257	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	99.28	-----	-----	82.22	34.72	12.27	29.93	0.00	341	257	AVERAGE																																																																																																				