



Appendix C1. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23°C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Sample
Mode 1	2400-2483.5	6	Bluetooth BR_GFSK	0	2402	-	-	1
Mode 2	2400-2483.5	6	Bluetooth BR_GFSK	39	2441	-	-	1
Mode 3	2400-2483.5	6	Bluetooth BR_GFSK	78	2478	-	-	1
Mode 10	2400-2483.5	7	Bluetooth BR_GFSK	0	2402	-	-	1
Mode 11	2400-2483.5	7	Bluetooth BR_GFSK	39	2441	-	-	1
Mode 12	2400-2483.5	7	Bluetooth BR_GFSK	78	2478	-	-	1
Mode 13	2400-2483.5	7	Bluetooth BR_GFSK	78	2480	-	-	2

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2362.13	49.64	74.00	-24.36	V	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	0	4804.00	40.12	74.00	-33.88	V	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	2496.46	50.53	74.00	-23.47	V	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	39	7323.00	42.81	74.00	-31.19	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2483.89	50.36	74.00	-23.64	H	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	78	7434.00	41.97	74.00	-32.03	H	PEAK	Pass	Harmonic
10	Bluetooth BR_GFSK	0	2362.65	53.76	74.00	-20.24	V	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	0	4804.00	41.04	74.00	-32.96	H	PEAK	Pass	Harmonic
11	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
	Bluetooth BR_GFSK	39	7323.00	42.64	74.00	-31.36	H	PEAK	Pass	Harmonic
12	Bluetooth BR_GFSK	78	2489.44	54.35	74.00	-19.65	V	PEAK	Pass	Band Edge
12	Bluetooth BR_GFSK	78	7434.00	42.26	74.00	-31.74	V	PEAK	Pass	Harmonic
13	Bluetooth BR_GFSK	78	2483.66	51.03	74.00	-22.97	H	PEAK	Pass	Band Edge
13	Bluetooth BR_GFSK	78	7440.00	50.03	74.00	-23.97	H	PEAK	Pass	Harmonic





Mode	1																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																	
ANT	6																																																																	
Pol.	Horizontal																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2377.08</td><td>49.50</td><td>74.00</td><td>-24.50</td><td>41.25</td><td>32.16</td><td>7.09</td><td>37.00</td><td>6.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>2</td><td>2377.08</td><td>24.74</td><td>54.00</td><td>-29.26</td><td>16.49</td><td>32.16</td><td>7.09</td><td>37.00</td><td>6.00</td><td>100</td><td>262 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2377.08	49.50	74.00	-24.50	41.25	32.16	7.09	37.00	6.00	100	262 PEAK	2	2377.08	24.74	54.00	-29.26	16.49	32.16	7.09	37.00	6.00	100	262 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2377.08	49.50	74.00	-24.50	41.25	32.16	7.09	37.00	6.00	100	262 PEAK																																																							
2	2377.08	24.74	54.00	-29.26	16.49	32.16	7.09	37.00	6.00	100	262 AVERAGE																																																							
Fundamental																																																																		
																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>106.22</td><td>-----</td><td>-----</td><td>97.77</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>81.46</td><td>-----</td><td>-----</td><td>73.01</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>100</td><td>262 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	106.22	-----	-----	97.77	32.32	7.12	36.99	6.00	100	262 PEAK	2	2402.00	81.46	-----	-----	73.01	32.32	7.12	36.99	6.00	100	262 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2402.00	106.22	-----	-----	97.77	32.32	7.12	36.99	6.00	100	262 PEAK																																																							
2	2402.00	81.46	-----	-----	73.01	32.32	7.12	36.99	6.00	100	262 AVERAGE																																																							





Mode	1																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																			
ANT	6																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2362.13</td><td>49.64</td><td>74.00</td><td>-24.36</td><td>41.51</td><td>32.07</td><td>7.06</td><td>37.00</td><td>6.00</td><td>397</td><td>64 PEAK</td></tr><tr><td>2</td><td>2362.13</td><td>24.88</td><td>54.00</td><td>-29.12</td><td>16.75</td><td>32.07</td><td>7.06</td><td>37.00</td><td>6.00</td><td>397</td><td>64 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2362.13	49.64	74.00	-24.36	41.51	32.07	7.06	37.00	6.00	397	64 PEAK	2	2362.13	24.88	54.00	-29.12	16.75	32.07	7.06	37.00	6.00	397	64 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2362.13	49.64	74.00	-24.36	41.51	32.07	7.06	37.00	6.00	397	64 PEAK																																																									
2	2362.13	24.88	54.00	-29.12	16.75	32.07	7.06	37.00	6.00	397	64 AVERAGE																																																									
Pol.	Fundamental																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>103.87</td><td>-----</td><td>-----</td><td>95.42</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>397</td><td>64 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.11</td><td>-----</td><td>-----</td><td>70.66</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>397</td><td>64 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.87	-----	-----	95.42	32.32	7.12	36.99	6.00	397	64 PEAK	2	2402.00	79.11	-----	-----	70.66	32.32	7.12	36.99	6.00	397	64 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2402.00	103.87	-----	-----	95.42	32.32	7.12	36.99	6.00	397	64 PEAK																																																									
2	2402.00	79.11	-----	-----	70.66	32.32	7.12	36.99	6.00	397	64 AVERAGE																																																									




Mode	1																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.58</td><td>74.00</td><td>-34.42</td><td>60.72</td><td>33.99</td><td>10.20</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.58	74.00	-34.42	60.72	33.99	10.20	65.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.12</td><td>74.00</td><td>-33.88</td><td>61.26</td><td>33.99</td><td>10.20</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	40.12	74.00	-33.88	61.26	33.99	10.20	65.33	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4804.00	39.58	74.00	-34.42	60.72	33.99	10.20	65.33	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4804.00	40.12	74.00	-33.88	61.26	33.99	10.20	65.33	0.00	---	---	PEAK																																																																																														



Mode	2																																																																																																																								
	Band Edge - L																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2360.96</td><td>49.34</td><td>74.00</td><td>-24.66</td><td>41.21</td><td>32.07</td><td>7.06</td><td>37.00</td><td>6.00</td><td>123</td><td>259 PEAK</td></tr><tr><td>2</td><td>2360.96</td><td>24.58</td><td>54.00</td><td>-29.42</td><td>16.45</td><td>32.07</td><td>7.06</td><td>37.00</td><td>6.00</td><td>123</td><td>259 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2360.96	49.34	74.00	-24.66	41.21	32.07	7.06	37.00	6.00	123	259 PEAK	2	2360.96	24.58	54.00	-29.42	16.45	32.07	7.06	37.00	6.00	123	259 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2441.00</td><td>105.44</td><td>-----</td><td>-----</td><td>96.47</td><td>32.80</td><td>7.19</td><td>37.02</td><td>6.00</td><td>123</td><td>259 PEAK</td></tr><tr><td>2</td><td>2441.00</td><td>80.68</td><td>-----</td><td>-----</td><td>71.71</td><td>32.80</td><td>7.19</td><td>37.02</td><td>6.00</td><td>123</td><td>259 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2441.00	105.44	-----	-----	96.47	32.80	7.19	37.02	6.00	123	259 PEAK	2	2441.00	80.68	-----	-----	71.71	32.80	7.19	37.02	6.00	123	259 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2360.96	49.34	74.00	-24.66	41.21	32.07	7.06	37.00	6.00	123	259 PEAK																																																																																																														
2	2360.96	24.58	54.00	-29.42	16.45	32.07	7.06	37.00	6.00	123	259 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2441.00	105.44	-----	-----	96.47	32.80	7.19	37.02	6.00	123	259 PEAK																																																																																																														
2	2441.00	80.68	-----	-----	71.71	32.80	7.19	37.02	6.00	123	259 AVERAGE																																																																																																														




Mode	2																																																										
	Band Edge - R																																																										
	2400-2483.5 Bluetooth BR_GFSK_CH39_2441MHz																																																										
ANT	6																																																										
Pol.	Horizontal	Fundamental																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.26</td><td>49.75</td><td>74.00</td><td>-24.25</td><td>41.05</td><td>32.48</td><td>7.27</td><td>37.05</td><td>6.00</td><td>123</td><td>259 PEAK</td></tr><tr><td>2</td><td>2492.26</td><td>24.99</td><td>54.00</td><td>-29.01</td><td>16.29</td><td>32.48</td><td>7.27</td><td>37.05</td><td>6.00</td><td>123</td><td>259 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.26	49.75	74.00	-24.25	41.05	32.48	7.27	37.05	6.00	123	259 PEAK	2	2492.26	24.99	54.00	-29.01	16.29	32.48	7.27	37.05	6.00	123	259 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2492.26	49.75	74.00	-24.25	41.05	32.48	7.27	37.05	6.00	123	259 PEAK																																																
2	2492.26	24.99	54.00	-29.01	16.29	32.48	7.27	37.05	6.00	123	259 AVERAGE																																																





Mode	2																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5 Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.87</td><td>49.79</td><td>74.00</td><td>-24.21</td><td>41.45</td><td>32.23</td><td>7.10</td><td>36.99</td><td>6.00</td><td>383</td><td>34 PEAK</td></tr><tr><td>2</td><td>2387.87</td><td>25.03</td><td>54.00</td><td>-28.97</td><td>16.69</td><td>32.23</td><td>7.10</td><td>36.99</td><td>6.00</td><td>383</td><td>34 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.87	49.79	74.00	-24.21	41.45	32.23	7.10	36.99	6.00	383	34 PEAK	2	2387.87	25.03	54.00	-28.97	16.69	32.23	7.10	36.99	6.00	383	34 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2441.00</td><td>103.06</td><td>-----</td><td>-----</td><td>94.09</td><td>32.80</td><td>7.19</td><td>37.02</td><td>6.00</td><td>383</td><td>34 PEAK</td></tr><tr><td>2</td><td>2441.00</td><td>78.30</td><td>-----</td><td>-----</td><td>69.33</td><td>32.80</td><td>7.19</td><td>37.02</td><td>6.00</td><td>383</td><td>34 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2441.00	103.06	-----	-----	94.09	32.80	7.19	37.02	6.00	383	34 PEAK	2	2441.00	78.30	-----	-----	69.33	32.80	7.19	37.02	6.00	383	34 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2387.87	49.79	74.00	-24.21	41.45	32.23	7.10	36.99	6.00	383	34 PEAK																																																																																																																		
2	2387.87	25.03	54.00	-28.97	16.69	32.23	7.10	36.99	6.00	383	34 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2441.00	103.06	-----	-----	94.09	32.80	7.19	37.02	6.00	383	34 PEAK																																																																																																																		
2	2441.00	78.30	-----	-----	69.33	32.80	7.19	37.02	6.00	383	34 AVERAGE																																																																																																																		





Mode	2																																																																			
	Band Edge - R																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																			
ANT	6																																																																			
Pol.	Vertical						Fundamental																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.46</td><td>50.53</td><td>74.00</td><td>-23.47</td><td>41.87</td><td>32.44</td><td>7.28</td><td>37.06</td><td>6.00</td><td>383</td><td>34 PEAK</td></tr><tr><td>2</td><td>2496.46</td><td>25.77</td><td>54.00</td><td>-28.23</td><td>17.11</td><td>32.44</td><td>7.28</td><td>37.06</td><td>6.00</td><td>383</td><td>34 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.46	50.53	74.00	-23.47	41.87	32.44	7.28	37.06	6.00	383	34 PEAK	2	2496.46	25.77	54.00	-28.23	17.11	32.44	7.28	37.06	6.00	383	34 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2496.46	50.53	74.00	-23.47	41.87	32.44	7.28	37.06	6.00	383	34 PEAK																																																									
2	2496.46	25.77	54.00	-28.23	17.11	32.44	7.28	37.06	6.00	383	34 AVERAGE																																																									





Mode	2																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5 Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4882.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>61.23</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.03</td><td>74.00</td><td>-31.97</td><td>59.52</td><td>35.00</td><td>12.72</td><td>66.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.86	74.00	-34.14	61.23	33.90	10.30	65.57	0.00	---	PEAK	2	7323.00	42.03	74.00	-31.97	59.52	35.00	12.72	66.01	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4882.00</td><td>39.58</td><td>74.00</td><td>-34.42</td><td>60.95</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>60.30</td><td>35.80</td><td>12.72</td><td>66.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.58	74.00	-34.42	60.95	33.90	10.30	65.57	0.00	---	PEAK	2	7323.00	42.81	74.00	-31.19	60.30	35.80	12.72	66.01	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4882.00	39.86	74.00	-34.14	61.23	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																		
2	7323.00	42.03	74.00	-31.97	59.52	35.00	12.72	66.01	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4882.00	39.58	74.00	-34.42	60.95	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																		
2	7323.00	42.81	74.00	-31.19	60.30	35.80	12.72	66.01	0.00	---	PEAK																																																																																																																		





Mode	3																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5 Bluetooth BR_GFSK_CH78_2478MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.89</td><td>50.36</td><td>74.00</td><td>-23.64</td><td>41.59</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>133</td><td>253</td><td>PEAK</td></tr><tr><td>2</td><td>2483.89</td><td>25.60</td><td>54.00</td><td>-28.40</td><td>16.83</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>133</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.89	50.36	74.00	-23.64	41.59	32.56	7.26	37.05	6.00	133	253	PEAK	2	2483.89	25.60	54.00	-28.40	16.83	32.56	7.26	37.05	6.00	133	253	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>106.45</td><td>-----</td><td>-----</td><td>97.65</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>133</td><td>253</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>81.69</td><td>-----</td><td>-----</td><td>72.89</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>133</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	106.45	-----	-----	97.65	32.60	7.25	37.05	6.00	133	253	PEAK	2	2478.00	81.69	-----	-----	72.89	32.60	7.25	37.05	6.00	133	253	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.89	50.36	74.00	-23.64	41.59	32.56	7.26	37.05	6.00	133	253	PEAK																																																																																																																		
2	2483.89	25.60	54.00	-28.40	16.83	32.56	7.26	37.05	6.00	133	253	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	106.45	-----	-----	97.65	32.60	7.25	37.05	6.00	133	253	PEAK																																																																																																																		
2	2478.00	81.69	-----	-----	72.89	32.60	7.25	37.05	6.00	133	253	AVERAGE																																																																																																																		



Mode	3																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH78_2478MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.60</td><td>50.32</td><td>74.00</td><td>-23.68</td><td>41.55</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>368</td><td>53 PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>25.56</td><td>54.00</td><td>-28.44</td><td>16.79</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>368</td><td>53 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	50.32	74.00	-23.68	41.55	32.56	7.26	37.05	6.00	368	53 PEAK	2	2483.60	25.56	54.00	-28.44	16.79	32.56	7.26	37.05	6.00	368	53 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>103.80</td><td>-----</td><td>-----</td><td>95.00</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>368</td><td>53 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>79.04</td><td>-----</td><td>-----</td><td>70.24</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>368</td><td>53 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	103.80	-----	-----	95.00	32.60	7.25	37.05	6.00	368	53 PEAK	2	2478.00	79.04	-----	-----	70.24	32.60	7.25	37.05	6.00	368	53 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2483.60	50.32	74.00	-23.68	41.55	32.56	7.26	37.05	6.00	368	53 PEAK																																																																																																																		
2	2483.60	25.56	54.00	-28.44	16.79	32.56	7.26	37.05	6.00	368	53 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2478.00	103.80	-----	-----	95.00	32.60	7.25	37.05	6.00	368	53 PEAK																																																																																																																		
2	2478.00	79.04	-----	-----	70.24	32.60	7.25	37.05	6.00	368	53 AVERAGE																																																																																																																		





Mode	3																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5 Bluetooth BR_GFSK_CH78_2478MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>41.05</td><td>74.00</td><td>-32.95</td><td>62.18</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>41.97</td><td>74.00</td><td>-32.03</td><td>59.64</td><td>35.00</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	41.05	74.00	-32.95	62.18	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	41.97	74.00	-32.03	59.64	35.00	12.78	66.25	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.99</td><td>74.00</td><td>-33.01</td><td>62.12</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>41.64</td><td>74.00</td><td>-32.36</td><td>59.31</td><td>35.80</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.99	74.00	-33.01	62.12	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	41.64	74.00	-32.36	59.31	35.80	12.78	66.25	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4956.00	41.05	74.00	-32.95	62.18	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																		
2	7434.00	41.97	74.00	-32.03	59.64	35.00	12.78	66.25	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4956.00	40.99	74.00	-33.01	62.12	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																		
2	7434.00	41.64	74.00	-32.36	59.31	35.80	12.78	66.25	0.00	---	PEAK																																																																																																																		





Mode	10																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.86</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>45.48</td><td>32.01</td><td>7.05</td><td>37.00</td><td>6.00</td><td>128</td><td>33 PEAK</td></tr><tr><td>2</td><td>2351.86</td><td>28.78</td><td>54.00</td><td>-25.22</td><td>20.72</td><td>32.01</td><td>7.05</td><td>37.00</td><td>6.00</td><td>128</td><td>33 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.86	53.54	74.00	-20.46	45.48	32.01	7.05	37.00	6.00	128	33 PEAK	2	2351.86	28.78	54.00	-25.22	20.72	32.01	7.05	37.00	6.00	128	33 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>107.66</td><td>-----</td><td>-----</td><td>99.21</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>128</td><td>33 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>82.90</td><td>-----</td><td>-----</td><td>74.45</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>128</td><td>33 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	107.66	-----	-----	99.21	32.32	7.12	36.99	6.00	128	33 PEAK	2	2402.00	82.90	-----	-----	74.45	32.32	7.12	36.99	6.00	128	33 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2351.86	53.54	74.00	-20.46	45.48	32.01	7.05	37.00	6.00	128	33 PEAK																																																																																																																		
2	2351.86	28.78	54.00	-25.22	20.72	32.01	7.05	37.00	6.00	128	33 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2402.00	107.66	-----	-----	99.21	32.32	7.12	36.99	6.00	128	33 PEAK																																																																																																																		
2	2402.00	82.90	-----	-----	74.45	32.32	7.12	36.99	6.00	128	33 AVERAGE																																																																																																																		





Mode	10																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2362.65</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>45.62</td><td>32.00</td><td>7.06</td><td>37.00</td><td>6.00</td><td>397</td><td>332 PEAK</td></tr><tr><td>2</td><td>2362.65</td><td>29.00</td><td>54.00</td><td>-25.00</td><td>20.06</td><td>32.00</td><td>7.06</td><td>37.00</td><td>6.00</td><td>397</td><td>332 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2362.65	53.76	74.00	-20.24	45.62	32.00	7.06	37.00	6.00	397	332 PEAK	2	2362.65	29.00	54.00	-25.00	20.06	32.00	7.06	37.00	6.00	397	332 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>107.80</td><td>-----</td><td>-----</td><td>99.35</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>397</td><td>332 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>83.04</td><td>-----</td><td>-----</td><td>74.59</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>397</td><td>332 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	107.80	-----	-----	99.35	32.32	7.12	36.99	6.00	397	332 PEAK	2	2402.00	83.04	-----	-----	74.59	32.32	7.12	36.99	6.00	397	332 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2362.65	53.76	74.00	-20.24	45.62	32.00	7.06	37.00	6.00	397	332 PEAK																																																																																																																		
2	2362.65	29.00	54.00	-25.00	20.06	32.00	7.06	37.00	6.00	397	332 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2402.00	107.80	-----	-----	99.35	32.32	7.12	36.99	6.00	397	332 PEAK																																																																																																																		
2	2402.00	83.04	-----	-----	74.59	32.32	7.12	36.99	6.00	397	332 AVERAGE																																																																																																																		





Mode	10																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																								
ANT	7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.04</td><td>74.00</td><td>-32.96</td><td>62.18</td><td>33.99</td><td>10.20</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.04	74.00	-32.96	62.18	33.99	10.20	65.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.68</td><td>74.00</td><td>-34.32</td><td>60.82</td><td>33.99</td><td>10.20</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.68	74.00	-34.32	60.82	33.99	10.20	65.33	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	41.04	74.00	-32.96	62.18	33.99	10.20	65.33	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	39.68	74.00	-34.32	60.82	33.99	10.20	65.33	0.00	---	---	PEAK																																																																																													





Mode	11																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5 Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>61.99</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.64</td><td>74.00</td><td>-31.36</td><td>60.13</td><td>35.00</td><td>12.72</td><td>66.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.62	74.00	-33.38	61.99	33.90	10.30	65.57	0.00	---	PEAK	2	7323.00	42.64	74.00	-31.36	60.13	35.00	12.72	66.01	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.76</td><td>74.00</td><td>-33.24</td><td>62.13</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.43</td><td>74.00</td><td>-31.57</td><td>59.92</td><td>35.80</td><td>12.72</td><td>66.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.76	74.00	-33.24	62.13	33.90	10.30	65.57	0.00	---	PEAK	2	7323.00	42.43	74.00	-31.57	59.92	35.80	12.72	66.01	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4882.00	40.62	74.00	-33.38	61.99	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																			
2	7323.00	42.64	74.00	-31.36	60.13	35.00	12.72	66.01	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4882.00	40.76	74.00	-33.24	62.13	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																			
2	7323.00	42.43	74.00	-31.57	59.92	35.80	12.72	66.01	0.00	---	PEAK																																																																																																																			





Mode	12																																																																																																																								
	Band Edge																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH78_2478MHz																																																																																																																								
ANT	7																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.99</td><td>53.34</td><td>74.00</td><td>-20.66</td><td>44.69</td><td>32.43</td><td>7.28</td><td>37.06</td><td>6.00</td><td>122</td><td>27 PEAK</td></tr><tr><td>2</td><td>2496.99</td><td>28.58</td><td>54.00</td><td>-25.42</td><td>19.93</td><td>32.43</td><td>7.28</td><td>37.06</td><td>6.00</td><td>122</td><td>27 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.99	53.34	74.00	-20.66	44.69	32.43	7.28	37.06	6.00	122	27 PEAK	2	2496.99	28.58	54.00	-25.42	19.93	32.43	7.28	37.06	6.00	122	27 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>106.74</td><td>-----</td><td>-----</td><td>97.94</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>122</td><td>27 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>81.98</td><td>-----</td><td>-----</td><td>73.18</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>122</td><td>27 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	106.74	-----	-----	97.94	32.60	7.25	37.05	6.00	122	27 PEAK	2	2478.00	81.98	-----	-----	73.18	32.60	7.25	37.05	6.00	122	27 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2496.99	53.34	74.00	-20.66	44.69	32.43	7.28	37.06	6.00	122	27 PEAK																																																																																																														
2	2496.99	28.58	54.00	-25.42	19.93	32.43	7.28	37.06	6.00	122	27 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2478.00	106.74	-----	-----	97.94	32.60	7.25	37.05	6.00	122	27 PEAK																																																																																																														
2	2478.00	81.98	-----	-----	73.18	32.60	7.25	37.05	6.00	122	27 AVERAGE																																																																																																														





Mode	12																																																																			
	Band Edge																																																																			
	2400-2483.5 Bluetooth BR_GFSK_CH78_2478MHz																																																																			
ANT	7																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.44</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>45.62</td><td>32.51</td><td>7.27</td><td>37.05</td><td>6.00</td><td>364</td><td>322 PEAK</td></tr><tr><td>2</td><td>2489.44</td><td>29.59</td><td>54.00</td><td>-24.41</td><td>20.86</td><td>32.51</td><td>7.27</td><td>37.05</td><td>6.00</td><td>364</td><td>322 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.44	54.35	74.00	-19.65	45.62	32.51	7.27	37.05	6.00	364	322 PEAK	2	2489.44	29.59	54.00	-24.41	20.86	32.51	7.27	37.05	6.00	364	322 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2489.44	54.35	74.00	-19.65	45.62	32.51	7.27	37.05	6.00	364	322 PEAK																																																									
2	2489.44	29.59	54.00	-24.41	20.86	32.51	7.27	37.05	6.00	364	322 AVERAGE																																																									
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>106.00</td><td>-----</td><td>-----</td><td>97.28</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>364</td><td>322 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>81.32</td><td>-----</td><td>-----</td><td>72.52</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>364</td><td>322 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	106.00	-----	-----	97.28	32.60	7.25	37.05	6.00	364	322 PEAK	2	2478.00	81.32	-----	-----	72.52	32.60	7.25	37.05	6.00	364	322 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2478.00	106.00	-----	-----	97.28	32.60	7.25	37.05	6.00	364	322 PEAK																																																									
2	2478.00	81.32	-----	-----	72.52	32.60	7.25	37.05	6.00	364	322 AVERAGE																																																									





Mode	12																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5 Bluetooth BR_GFSK_CH78_2478MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.12</td><td>74.00</td><td>-33.88</td><td>61.25</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>42.22</td><td>74.00</td><td>-31.78</td><td>59.89</td><td>35.00</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.12	74.00	-33.88	61.25	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	42.22	74.00	-31.78	59.89	35.00	12.78	66.25	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.91</td><td>74.00</td><td>-34.09</td><td>61.04</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>42.26</td><td>74.00</td><td>-31.74</td><td>59.93</td><td>35.80</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	39.91	74.00	-34.09	61.04	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	42.26	74.00	-31.74	59.93	35.80	12.78	66.25	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4956.00	40.12	74.00	-33.88	61.25	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																		
2	7434.00	42.22	74.00	-31.78	59.89	35.00	12.78	66.25	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4956.00	39.91	74.00	-34.09	61.04	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																		
2	7434.00	42.26	74.00	-31.74	59.93	35.80	12.78	66.25	0.00	---	PEAK																																																																																																																		





Mode	12	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2478MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG)	 Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG)





Mode	12																																																																																																																																																																																																																	
	30-1G																																																																																																																																																																																																																	
	2400-2483.5 Bluetooth BR_GFSK_CH78_2478MHz																																																																																																																																																																																																																	
ANT	7																																																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																																																											
Peak																																																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>21.66</td><td>40.00</td><td>-18.34</td><td>27.90</td><td>25.14</td><td>0.83</td><td>32.21</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>123.12</td><td>24.20</td><td>43.50</td><td>-19.30</td><td>37.05</td><td>17.52</td><td>1.69</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>191.75</td><td>19.17</td><td>43.50</td><td>-24.33</td><td>34.44</td><td>14.71</td><td>2.10</td><td>32.08</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>259.89</td><td>17.65</td><td>46.00</td><td>-28.35</td><td>27.32</td><td>19.78</td><td>2.47</td><td>31.92</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>640.37</td><td>26.21</td><td>46.00</td><td>-19.79</td><td>28.20</td><td>26.27</td><td>3.87</td><td>32.13</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>855.96</td><td>29.53</td><td>46.00</td><td>-16.47</td><td>26.85</td><td>29.71</td><td>4.44</td><td>31.47</td><td>0.00</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	21.66	40.00	-18.34	27.90	25.14	0.83	32.21	0.00	--- Peak	2	123.12	24.20	43.50	-19.30	37.05	17.52	1.69	32.06	0.00	--- Peak	3	191.75	19.17	43.50	-24.33	34.44	14.71	2.10	32.08	0.00	--- Peak	4	259.89	17.65	46.00	-28.35	27.32	19.78	2.47	31.92	0.00	--- Peak	5	640.37	26.21	46.00	-19.79	28.20	26.27	3.87	32.13	0.00	--- Peak	6	855.96	29.53	46.00	-16.47	26.85	29.71	4.44	31.47	0.00	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>49.89</td><td>30.01</td><td>40.00</td><td>-9.99</td><td>46.76</td><td>14.25</td><td>1.08</td><td>32.08</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>136.70</td><td>19.76</td><td>43.50</td><td>-23.74</td><td>32.56</td><td>17.48</td><td>1.78</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>252.13</td><td>17.14</td><td>46.00</td><td>-28.86</td><td>27.84</td><td>18.72</td><td>2.43</td><td>31.85</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>561.08</td><td>25.47</td><td>46.00</td><td>-20.53</td><td>28.22</td><td>26.01</td><td>3.60</td><td>32.36</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>721.13</td><td>26.47</td><td>46.00</td><td>-19.53</td><td>27.43</td><td>27.09</td><td>4.09</td><td>32.14</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>854.50</td><td>29.51</td><td>46.00</td><td>-16.49</td><td>26.85</td><td>29.70</td><td>4.44</td><td>31.48</td><td>0.00</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	49.89	30.01	40.00	-9.99	46.76	14.25	1.08	32.08	0.00	--- Peak	2	136.70	19.76	43.50	-23.74	32.56	17.48	1.78	32.06	0.00	--- Peak	3	252.13	17.14	46.00	-28.86	27.84	18.72	2.43	31.85	0.00	--- Peak	4	561.08	25.47	46.00	-20.53	28.22	26.01	3.60	32.36	0.00	--- Peak	5	721.13	26.47	46.00	-19.53	27.43	27.09	4.09	32.14	0.00	--- Peak	6	854.50	29.51	46.00	-16.49	26.85	29.70	4.44	31.48	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																								
1	30.00	21.66	40.00	-18.34	27.90	25.14	0.83	32.21	0.00	--- Peak																																																																																																																																																																																																								
2	123.12	24.20	43.50	-19.30	37.05	17.52	1.69	32.06	0.00	--- Peak																																																																																																																																																																																																								
3	191.75	19.17	43.50	-24.33	34.44	14.71	2.10	32.08	0.00	--- Peak																																																																																																																																																																																																								
4	259.89	17.65	46.00	-28.35	27.32	19.78	2.47	31.92	0.00	--- Peak																																																																																																																																																																																																								
5	640.37	26.21	46.00	-19.79	28.20	26.27	3.87	32.13	0.00	--- Peak																																																																																																																																																																																																								
6	855.96	29.53	46.00	-16.47	26.85	29.71	4.44	31.47	0.00	--- Peak																																																																																																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																								
1	49.89	30.01	40.00	-9.99	46.76	14.25	1.08	32.08	0.00	--- Peak																																																																																																																																																																																																								
2	136.70	19.76	43.50	-23.74	32.56	17.48	1.78	32.06	0.00	--- Peak																																																																																																																																																																																																								
3	252.13	17.14	46.00	-28.86	27.84	18.72	2.43	31.85	0.00	--- Peak																																																																																																																																																																																																								
4	561.08	25.47	46.00	-20.53	28.22	26.01	3.60	32.36	0.00	--- Peak																																																																																																																																																																																																								
5	721.13	26.47	46.00	-19.53	27.43	27.09	4.09	32.14	0.00	--- Peak																																																																																																																																																																																																								
6	854.50	29.51	46.00	-16.49	26.85	29.70	4.44	31.48	0.00	--- Peak																																																																																																																																																																																																								





Mode	13																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	7																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>51.03</td><td>74.00</td><td>-22.97</td><td>42.26</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>156</td><td>311 PEAK</td></tr><tr><td>2</td><td>2483.66</td><td>26.27</td><td>54.00</td><td>-27.73</td><td>17.50</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>156</td><td>311 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	51.03	74.00	-22.97	42.26	32.56	7.26	37.05	6.00	156	311 PEAK	2	2483.66	26.27	54.00	-27.73	17.50	32.56	7.26	37.05	6.00	156	311 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2483.66	51.03	74.00	-22.97	42.26	32.56	7.26	37.05	6.00	156	311 PEAK																																																									
2	2483.66	26.27	54.00	-27.73	17.50	32.56	7.26	37.05	6.00	156	311 AVERAGE																																																									
Fundamental																																																																				
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.41</td><td>-----</td><td>-----</td><td>95.61</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>156</td><td>311 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.65</td><td>-----</td><td>-----</td><td>70.85</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>156</td><td>311 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.41	-----	-----	95.61	32.60	7.25	37.05	6.00	156	311 PEAK	2	2480.00	79.65	-----	-----	70.85	32.60	7.25	37.05	6.00	156	311 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	104.41	-----	-----	95.61	32.60	7.25	37.05	6.00	156	311 PEAK																																																									
2	2480.00	79.65	-----	-----	70.85	32.60	7.25	37.05	6.00	156	311 AVERAGE																																																									



Mode	13																																																																																																																																									
	Band Edge																																																																																																																																									
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																									
ANT	7																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.37</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>41.72</td><td>32.53</td><td>7.26</td><td>37.05</td><td>6.00</td><td>288</td><td>260 PEAK</td></tr><tr><td>2</td><td>2487.37</td><td>25.70</td><td>54.00</td><td>-28.30</td><td>16.96</td><td>32.53</td><td>7.26</td><td>37.05</td><td>6.00</td><td>288</td><td>260 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.37	50.46	74.00	-23.54	41.72	32.53	7.26	37.05	6.00	288	260 PEAK	2	2487.37	25.70	54.00	-28.30	16.96	32.53	7.26	37.05	6.00	288	260 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.20</td><td>-----</td><td>-----</td><td>95.40</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>288</td><td>260 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.44</td><td>-----</td><td>-----</td><td>70.64</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>288</td><td>260 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.20	-----	-----	95.40	32.60	7.25	37.05	6.00	288	260 PEAK	2	2480.00	79.44	-----	-----	70.64	32.60	7.25	37.05	6.00	288	260 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	2487.37	50.46	74.00	-23.54	41.72	32.53	7.26	37.05	6.00	288	260 PEAK																																																																																																																															
2	2487.37	25.70	54.00	-28.30	16.96	32.53	7.26	37.05	6.00	288	260 AVERAGE																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	2480.00	104.20	-----	-----	95.40	32.60	7.25	37.05	6.00	288	260 PEAK																																																																																																																															
2	2480.00	79.44	-----	-----	70.64	32.60	7.25	37.05	6.00	288	260 AVERAGE																																																																																																																															



Mode		13																																																																																																																																																																				
		Harmonic																																																																																																																																																																				
		2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																				
ANT		7																																																																																																																																																																				
Pol.		Horizontal											Vertical																																																																																																																																																									
Peak Avg																																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.13</td><td>74.00</td><td>-32.87</td><td>62.23</td><td>33.92</td><td>10.40</td><td>65.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>67.72</td><td>35.00</td><td>12.78</td><td>66.27</td><td>0.00</td><td>214</td><td>157</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>25.27</td><td>54.00</td><td>-28.73</td><td>42.96</td><td>35.00</td><td>12.78</td><td>66.27</td><td>0.00</td><td>214</td><td>157</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.13	74.00	-32.87	62.23	33.92	10.40	65.42	0.00	---	---	PEAK	2	7440.00	50.03	74.00	-23.97	67.72	35.00	12.78	66.27	0.00	214	157	PEAK	3	7440.00	25.27	54.00	-28.73	42.96	35.00	12.78	66.27	0.00	214	157	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.66</td><td>74.00</td><td>-34.34</td><td>60.76</td><td>33.92</td><td>10.40</td><td>65.42</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>49.38</td><td>74.00</td><td>-24.62</td><td>67.07</td><td>35.00</td><td>12.78</td><td>66.27</td><td>0.00</td><td>101</td><td>343</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>24.62</td><td>54.00</td><td>-29.38</td><td>42.31</td><td>35.00</td><td>12.78</td><td>66.27</td><td>0.00</td><td>101</td><td>343</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.66	74.00	-34.34	60.76	33.92	10.40	65.42	0.00	---	---	PEAK	2	7440.00	49.38	74.00	-24.62	67.07	35.00	12.78	66.27	0.00	101	343	PEAK	3	7440.00	24.62	54.00	-29.38	42.31	35.00	12.78	66.27	0.00	101	343	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	4960.00	41.13	74.00	-32.87	62.23	33.92	10.40	65.42	0.00	---	---	PEAK																																																																																																																																																										
2	7440.00	50.03	74.00	-23.97	67.72	35.00	12.78	66.27	0.00	214	157	PEAK																																																																																																																																																										
3	7440.00	25.27	54.00	-28.73	42.96	35.00	12.78	66.27	0.00	214	157	AVERAGE																																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	4960.00	39.66	74.00	-34.34	60.76	33.92	10.40	65.42	0.00	---	---	PEAK																																																																																																																																																										
2	7440.00	49.38	74.00	-24.62	67.07	35.00	12.78	66.27	0.00	101	343	PEAK																																																																																																																																																										
3	7440.00	24.62	54.00	-29.38	42.31	35.00	12.78	66.27	0.00	101	343	AVERAGE																																																																																																																																																										



Appendix C2. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23°C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Sample
Mode 43	2400-2483.5	6	Bluetooth LE ASK Tx	2	2404	-	-	1
Mode 44	2400-2483.5	6	Bluetooth LE ASK Tx	38	2440	-	-	1
Mode 45	2400-2483.5	6	Bluetooth LE ASK Tx	76	2478	-	-	1
Mode 52	2400-2483.5	7	Bluetooth LE ASK Tx	2	2404	-	-	1
Mode 53	2400-2483.5	7	Bluetooth LE ASK Tx	38	2440	-	-	1
Mode 54	2400-2483.5	7	Bluetooth LE ASK Tx	76	2478	-	-	1
Mode 56	2400-2483.5	7	Bluetooth LE ASK Tx	76	2478	-	-	2



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
43	Bluetooth LE ASK Tx	2	2363.43	49.60	74.00	-24.40	H	PEAK	Pass	Band Edge
43	Bluetooth LE ASK Tx	2	4808.00	39.91	74.00	-34.09	H	PEAK	Pass	Harmonic
44	Bluetooth LE ASK Tx	38	2494.72	50.01	74.00	-23.99	V	PEAK	Pass	Band Edge
44	Bluetooth LE ASK Tx	38	7320.00	42.84	74.00	-31.16	H	PEAK	Pass	Harmonic
45	Bluetooth LE ASK Tx	76	2483.80	50.03	74.00	-23.97	H	PEAK	Pass	Band Edge
45	Bluetooth LE ASK Tx	76	7434.00	43.80	74.00	-30.20	H	PEAK	Pass	Harmonic
52	Bluetooth LE ASK Tx	2	2376.04	49.71	74.00	-24.29	V	PEAK	Pass	Band Edge
52	Bluetooth LE ASK Tx	2	4808.00	39.81	74.00	-34.19	H	PEAK	Pass	Harmonic
53	Bluetooth LE ASK Tx	38	2484.64	49.66	74.00	-24.34	H	PEAK	Pass	Band Edge
53	Bluetooth LE ASK Tx	38	7320.00	41.86	74.00	-32.14	H	PEAK	Pass	Harmonic
54	Bluetooth LE ASK Tx	76	2489.38	50.37	74.00	-23.63	V	PEAK	Pass	Band Edge
54	Bluetooth LE ASK Tx	76	7434.00	42.58	74.00	-31.42	H	PEAK	Pass	Harmonic
56	Bluetooth LE ASK Tx	76	2490.94	49.84	74.00	-24.16	V	PEAK	Pass	Band Edge
56	Bluetooth LE ASK Tx	76	7434.00	43.25	74.00	-30.75	V	PEAK	Pass	Harmonic





Mode	43																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_2404MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2363.43</td><td>49.60</td><td>74.00</td><td>-24.40</td><td>41.46</td><td>32.08</td><td>7.06</td><td>37.00</td><td>6.00</td><td>348</td><td>312 PEAK</td></tr><tr><td>2</td><td>2363.43</td><td>26.94</td><td>54.00</td><td>-27.06</td><td>18.80</td><td>32.08</td><td>7.06</td><td>37.00</td><td>6.00</td><td>348</td><td>312 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2363.43	49.60	74.00	-24.40	41.46	32.08	7.06	37.00	6.00	348	312 PEAK	2	2363.43	26.94	54.00	-27.06	18.80	32.08	7.06	37.00	6.00	348	312 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>101.76</td><td>-----</td><td>-----</td><td>93.27</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>348</td><td>312 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>79.10</td><td>-----</td><td>-----</td><td>70.61</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>348</td><td>312 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	101.76	-----	-----	93.27	32.35	7.13	36.99	6.00	348	312 PEAK	2	2404.00	79.10	-----	-----	70.61	32.35	7.13	36.99	6.00	348	312 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2363.43	49.60	74.00	-24.40	41.46	32.08	7.06	37.00	6.00	348	312 PEAK																																																																																																																		
2	2363.43	26.94	54.00	-27.06	18.80	32.08	7.06	37.00	6.00	348	312 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2404.00	101.76	-----	-----	93.27	32.35	7.13	36.99	6.00	348	312 PEAK																																																																																																																		
2	2404.00	79.10	-----	-----	70.61	32.35	7.13	36.99	6.00	348	312 AVERAGE																																																																																																																		





Mode	43																																																																				
	Band Edge																																																																				
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_ 2404MHz																																																																				
ANT	6																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2380.59</td><td>49.02</td><td>74.00</td><td>-24.98</td><td>40.75</td><td>32.18</td><td>7.09</td><td>37.00</td><td>6.00</td><td>136</td><td>0 PEAK</td></tr><tr><td>2</td><td>2380.59</td><td>26.36</td><td>54.00</td><td>-27.64</td><td>18.09</td><td>32.18</td><td>7.09</td><td>37.00</td><td>6.00</td><td>136</td><td>0 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2380.59	49.02	74.00	-24.98	40.75	32.18	7.09	37.00	6.00	136	0 PEAK	2	2380.59	26.36	54.00	-27.64	18.09	32.18	7.09	37.00	6.00	136	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2380.59	49.02	74.00	-24.98	40.75	32.18	7.09	37.00	6.00	136	0 PEAK																																																										
2	2380.59	26.36	54.00	-27.64	18.09	32.18	7.09	37.00	6.00	136	0 AVERAGE																																																										
																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>99.10</td><td>-----</td><td>-----</td><td>90.61</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>136</td><td>0 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>76.44</td><td>-----</td><td>-----</td><td>67.95</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>136</td><td>0 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	99.10	-----	-----	90.61	32.35	7.13	36.99	6.00	136	0 PEAK	2	2404.00	76.44	-----	-----	67.95	32.35	7.13	36.99	6.00	136	0 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2404.00	99.10	-----	-----	90.61	32.35	7.13	36.99	6.00	136	0 PEAK																																																										
2	2404.00	76.44	-----	-----	67.95	32.35	7.13	36.99	6.00	136	0 AVERAGE																																																										




Mode	43																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_ 2404MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 4888.00</td><td>39.91</td><td>74.00</td><td>-34.09</td><td>61.06</td><td>33.98</td><td>10.21</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4888.00	39.91	74.00	-34.09	61.06	33.98	10.21	65.34	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 4888.00</td><td>39.29</td><td>74.00</td><td>-34.71</td><td>60.44</td><td>33.98</td><td>10.21</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4888.00	39.29	74.00	-34.71	60.44	33.98	10.21	65.34	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 4888.00	39.91	74.00	-34.09	61.06	33.98	10.21	65.34	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 4888.00	39.29	74.00	-34.71	60.44	33.98	10.21	65.34	0.00	---	---	PEAK																																																																																											





Mode	44																																																																																																																								
	Band Edge - L																																																																																																																								
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.38</td><td>49.79</td><td>74.00</td><td>-24.21</td><td>41.53</td><td>32.17</td><td>7.09</td><td>37.00</td><td>6.00</td><td>304</td><td>317 PEAK</td></tr><tr><td>2</td><td>2378.38</td><td>27.13</td><td>54.00</td><td>-26.87</td><td>18.87</td><td>32.17</td><td>7.09</td><td>37.00</td><td>6.00</td><td>304</td><td>317 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.38	49.79	74.00	-24.21	41.53	32.17	7.09	37.00	6.00	304	317 PEAK	2	2378.38	27.13	54.00	-26.87	18.87	32.17	7.09	37.00	6.00	304	317 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>101.50</td><td>-----</td><td>-----</td><td>92.55</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>304</td><td>317 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>78.84</td><td>-----</td><td>-----</td><td>69.89</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>304</td><td>317 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.50	-----	-----	92.55	32.78	7.19	37.02	6.00	304	317 PEAK	2	2440.00	78.84	-----	-----	69.89	32.78	7.19	37.02	6.00	304	317 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2378.38	49.79	74.00	-24.21	41.53	32.17	7.09	37.00	6.00	304	317 PEAK																																																																																																														
2	2378.38	27.13	54.00	-26.87	18.87	32.17	7.09	37.00	6.00	304	317 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2440.00	101.50	-----	-----	92.55	32.78	7.19	37.02	6.00	304	317 PEAK																																																																																																														
2	2440.00	78.84	-----	-----	69.89	32.78	7.19	37.02	6.00	304	317 AVERAGE																																																																																																														




Mode	44																																																																			
	Band Edge - R																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_ 2440MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.80</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>41.00</td><td>32.44</td><td>7.28</td><td>37.06</td><td>6.00</td><td>304</td><td>317 PEAK</td></tr><tr><td>2</td><td>2495.80</td><td>27.00</td><td>54.00</td><td>-27.00</td><td>18.34</td><td>32.44</td><td>7.28</td><td>37.06</td><td>6.00</td><td>304</td><td>317 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.80	49.66	74.00	-24.34	41.00	32.44	7.28	37.06	6.00	304	317 PEAK	2	2495.80	27.00	54.00	-27.00	18.34	32.44	7.28	37.06	6.00	304	317 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2495.80	49.66	74.00	-24.34	41.00	32.44	7.28	37.06	6.00	304	317 PEAK																																																									
2	2495.80	27.00	54.00	-27.00	18.34	32.44	7.28	37.06	6.00	304	317 AVERAGE																																																									





Mode	44																																																																				
	Band Edge - L																																																																				
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																				
ANT	6																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.41</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>40.91</td><td>32.19</td><td>7.09</td><td>37.00</td><td>6.00</td><td>207</td><td>0 PEAK</td></tr><tr><td>2</td><td>2382.41</td><td>26.53</td><td>54.00</td><td>-27.47</td><td>18.25</td><td>32.19</td><td>7.09</td><td>37.00</td><td>6.00</td><td>207</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.41	49.19	74.00	-24.81	40.91	32.19	7.09	37.00	6.00	207	0 PEAK	2	2382.41	26.53	54.00	-27.47	18.25	32.19	7.09	37.00	6.00	207	0 AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2382.41	49.19	74.00	-24.81	40.91	32.19	7.09	37.00	6.00	207	0 PEAK																																																										
2	2382.41	26.53	54.00	-27.47	18.25	32.19	7.09	37.00	6.00	207	0 AVERAGE																																																										
																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>98.62</td><td>-----</td><td>-----</td><td>89.67</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>207</td><td>0 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>75.96</td><td>-----</td><td>-----</td><td>67.81</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>207</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2440.00	98.62	-----	-----	89.67	32.78	7.19	37.02	6.00	207	0 PEAK	2	2440.00	75.96	-----	-----	67.81	32.78	7.19	37.02	6.00	207	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2440.00	98.62	-----	-----	89.67	32.78	7.19	37.02	6.00	207	0 PEAK																																																										
2	2440.00	75.96	-----	-----	67.81	32.78	7.19	37.02	6.00	207	0 AVERAGE																																																										



Mode	44																																																																			
	Band Edge - R																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_ 2440MHz																																																																			
ANT	6																																																																			
Pol.	Vertical										Fundamental																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.72</td><td>50.01</td><td>74.00</td><td>-23.99</td><td>41.35</td><td>32.45</td><td>7.27</td><td>37.06</td><td>6.00</td><td>207</td><td>0 PEAK</td></tr><tr><td>2</td><td>2494.72</td><td>27.35</td><td>54.00</td><td>-26.65</td><td>18.69</td><td>32.45</td><td>7.27</td><td>37.06</td><td>6.00</td><td>207</td><td>0 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.72	50.01	74.00	-23.99	41.35	32.45	7.27	37.06	6.00	207	0 PEAK	2	2494.72	27.35	54.00	-26.65	18.69	32.45	7.27	37.06	6.00	207	0 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2494.72	50.01	74.00	-23.99	41.35	32.45	7.27	37.06	6.00	207	0 PEAK																																																									
2	2494.72	27.35	54.00	-26.65	18.69	32.45	7.27	37.06	6.00	207	0 AVERAGE																																																									





Mode	44																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.61</td><td>74.00</td><td>-34.39</td><td>60.98</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.84</td><td>74.00</td><td>-31.16</td><td>60.32</td><td>35.00</td><td>12.72</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.61	74.00	-34.39	60.98	33.90	10.30	65.57	0.00	---	PEAK	2	7320.00	42.84	74.00	-31.16	60.32	35.00	12.72	66.00	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>61.18</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.56</td><td>74.00</td><td>-31.44</td><td>60.04</td><td>35.80</td><td>12.72</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.81	74.00	-34.19	61.18	33.90	10.30	65.57	0.00	---	PEAK	2	7320.00	42.56	74.00	-31.44	60.04	35.80	12.72	66.00	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4880.00	39.61	74.00	-34.39	60.98	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																			
2	7320.00	42.84	74.00	-31.16	60.32	35.00	12.72	66.00	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4880.00	39.81	74.00	-34.19	61.18	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																			
2	7320.00	42.56	74.00	-31.44	60.04	35.80	12.72	66.00	0.00	---	PEAK																																																																																																																			





		45																																																																
Mode		Band Edge																																																																
		2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																
ANT		6																																																																
Pol.		Horizontal					Fundamental																																																											
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.00</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>41.26</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>333 324 PEAK</td></tr><tr><td>2</td><td>2483.00</td><td>27.37</td><td>54.00</td><td>-26.63</td><td>18.60</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>333 324 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.00	50.03	74.00	-23.97	41.26	32.56	7.26	37.05	6.00	333 324 PEAK	2	2483.00	27.37	54.00	-26.63	18.60	32.56	7.26	37.05	6.00	333 324 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	2483.00	50.03	74.00	-23.97	41.26	32.56	7.26	37.05	6.00	333 324 PEAK																																																								
2	2483.00	27.37	54.00	-26.63	18.60	32.56	7.26	37.05	6.00	333 324 AVERAGE																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>100.13</td><td>-----</td><td>-----</td><td>91.30</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>333 324 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>77.47</td><td>-----</td><td>-----</td><td>68.64</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>333 324 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2478.00	100.13	-----	-----	91.30	32.62	7.25	37.04	6.00	333 324 PEAK	2	2478.00	77.47	-----	-----	68.64	32.62	7.25	37.04	6.00	333 324 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	2478.00	100.13	-----	-----	91.30	32.62	7.25	37.04	6.00	333 324 PEAK																																																								
2	2478.00	77.47	-----	-----	68.64	32.62	7.25	37.04	6.00	333 324 AVERAGE																																																								





Mode	45																																																						
	Band Edge																																																						
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																						
ANT	6																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>2484.82</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>40.66</td><td>32.55</td><td>7.26</td><td>37.05</td><td>6.00</td><td>205</td><td>0 Peak</td></tr><tr><td>2</td><td>2484.82</td><td>26.76</td><td>54.00</td><td>-27.24</td><td>18.00</td><td>32.55</td><td>7.26</td><td>37.05</td><td>6.00</td><td>205</td><td>0 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1	2484.82	49.42	74.00	-24.58	40.66	32.55	7.26	37.05	6.00	205	0 Peak	2	2484.82	26.76	54.00	-27.24	18.00	32.55	7.26	37.05	6.00	205	0 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
1	2484.82	49.42	74.00	-24.58	40.66	32.55	7.26	37.05	6.00	205	0 Peak																																												
2	2484.82	26.76	54.00	-27.24	18.00	32.55	7.26	37.05	6.00	205	0 Average																																												
																																																							
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>2478.00</td><td>98.53</td><td>-----</td><td>-----</td><td>89.70</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>205</td><td>0 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>75.87</td><td>-----</td><td>-----</td><td>67.04</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>205</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1	2478.00	98.53	-----	-----	89.70	32.62	7.25	37.04	6.00	205	0 PEAK	2	2478.00	75.87	-----	-----	67.04	32.62	7.25	37.04	6.00	205	0 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
1	2478.00	98.53	-----	-----	89.70	32.62	7.25	37.04	6.00	205	0 PEAK																																												
2	2478.00	75.87	-----	-----	67.04	32.62	7.25	37.04	6.00	205	0 AVERAGE																																												



Mode	45																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.54</td><td>74.00</td><td>-34.46</td><td>60.67</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>43.80</td><td>74.00</td><td>-30.20</td><td>61.47</td><td>35.80</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	39.54	74.00	-34.46	60.67	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	43.80	74.00	-30.20	61.47	35.80	12.78	66.25	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.90</td><td>74.00</td><td>-33.10</td><td>62.03</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>41.74</td><td>74.00</td><td>-32.26</td><td>59.41</td><td>35.80</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.90	74.00	-33.10	62.03	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	41.74	74.00	-32.26	59.41	35.80	12.78	66.25	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4956.00	39.54	74.00	-34.46	60.67	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																		
2	7434.00	43.80	74.00	-30.20	61.47	35.80	12.78	66.25	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4956.00	40.90	74.00	-33.10	62.03	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																		
2	7434.00	41.74	74.00	-32.26	59.41	35.80	12.78	66.25	0.00	---	PEAK																																																																																																																		





Mode	52																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_2404MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.82</td><td>49.23</td><td>74.00</td><td>-24.77</td><td>40.98</td><td>32.16</td><td>7.09</td><td>37.00</td><td>6.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>2</td><td>2376.82</td><td>26.57</td><td>54.00</td><td>-27.43</td><td>18.32</td><td>32.16</td><td>7.09</td><td>37.00</td><td>6.00</td><td>100</td><td>203 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.82	49.23	74.00	-24.77	40.98	32.16	7.09	37.00	6.00	100	203 PEAK	2	2376.82	26.57	54.00	-27.43	18.32	32.16	7.09	37.00	6.00	100	203 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>101.52</td><td>-----</td><td>-----</td><td>93.03</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>78.86</td><td>-----</td><td>-----</td><td>70.37</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>100</td><td>203 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	101.52	-----	-----	93.03	32.35	7.13	36.99	6.00	100	203 PEAK	2	2404.00	78.86	-----	-----	70.37	32.35	7.13	36.99	6.00	100	203 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2376.82	49.23	74.00	-24.77	40.98	32.16	7.09	37.00	6.00	100	203 PEAK																																																																																																																		
2	2376.82	26.57	54.00	-27.43	18.32	32.16	7.09	37.00	6.00	100	203 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2404.00	101.52	-----	-----	93.03	32.35	7.13	36.99	6.00	100	203 PEAK																																																																																																																		
2	2404.00	78.86	-----	-----	70.37	32.35	7.13	36.99	6.00	100	203 AVERAGE																																																																																																																		



Mode	52																																																																	
	Band Edge																																																																	
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_2404MHz																																																																	
ANT	7																																																																	
Pol.	Vertical						Fundamental																																																											
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.04</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>41.47</td><td>32.16</td><td>7.00</td><td>37.00</td><td>6.00</td><td>378 143 PEAK</td></tr><tr><td>2</td><td>2376.04</td><td>27.05</td><td>54.00</td><td>-26.95</td><td>18.81</td><td>32.16</td><td>7.00</td><td>37.00</td><td>6.00</td><td>378 143 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2376.04	49.71	74.00	-24.29	41.47	32.16	7.00	37.00	6.00	378 143 PEAK	2	2376.04	27.05	54.00	-26.95	18.81	32.16	7.00	37.00	6.00	378 143 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2376.04	49.71	74.00	-24.29	41.47	32.16	7.00	37.00	6.00	378 143 PEAK																																																								
2	2376.04	27.05	54.00	-26.95	18.81	32.16	7.00	37.00	6.00	378 143 AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>100.42</td><td>-----</td><td>-----</td><td>91.93</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>378 143 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>77.76</td><td>-----</td><td>-----</td><td>69.27</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>378 143 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	100.42	-----	-----	91.93	32.35	7.13	36.99	6.00	378 143 PEAK	2	2404.00	77.76	-----	-----	69.27	32.35	7.13	36.99	6.00	378 143 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2404.00	100.42	-----	-----	91.93	32.35	7.13	36.99	6.00	378 143 PEAK																																																								
2	2404.00	77.76	-----	-----	69.27	32.35	7.13	36.99	6.00	378 143 AVERAGE																																																								




Mode	52																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_ 2404MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4888.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>60.96</td><td>33.98</td><td>10.21</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4888.00	39.81	74.00	-34.19	60.96	33.98	10.21	65.34	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4888.00</td><td>39.41</td><td>74.00</td><td>-34.59</td><td>60.56</td><td>33.98</td><td>10.21</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4888.00	39.41	74.00	-34.59	60.56	33.98	10.21	65.34	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4888.00	39.81	74.00	-34.19	60.96	33.98	10.21	65.34	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4888.00	39.41	74.00	-34.59	60.56	33.98	10.21	65.34	0.00	---	---	PEAK																																																																																														





Mode	53																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2370.19</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>41.13</td><td>32.12</td><td>7.00</td><td>37.00</td><td>6.00</td><td>193</td><td>202 PEAK</td></tr><tr><td>2</td><td>2370.19</td><td>26.67</td><td>54.00</td><td>-27.33</td><td>18.47</td><td>32.12</td><td>7.00</td><td>37.00</td><td>6.00</td><td>193</td><td>202 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2370.19	49.33	74.00	-24.67	41.13	32.12	7.00	37.00	6.00	193	202 PEAK	2	2370.19	26.67	54.00	-27.33	18.47	32.12	7.00	37.00	6.00	193	202 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>102.59</td><td>-----</td><td>-----</td><td>93.64</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>193</td><td>202 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>79.93</td><td>-----</td><td>-----</td><td>70.98</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>193</td><td>202 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.59	-----	-----	93.64	32.78	7.19	37.02	6.00	193	202 PEAK	2	2440.00	79.93	-----	-----	70.98	32.78	7.19	37.02	6.00	193	202 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2370.19	49.33	74.00	-24.67	41.13	32.12	7.00	37.00	6.00	193	202 PEAK																																																																																																																		
2	2370.19	26.67	54.00	-27.33	18.47	32.12	7.00	37.00	6.00	193	202 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	102.59	-----	-----	93.64	32.78	7.19	37.02	6.00	193	202 PEAK																																																																																																																		
2	2440.00	79.93	-----	-----	70.98	32.78	7.19	37.02	6.00	193	202 AVERAGE																																																																																																																		




Mode	53																																																																			
	Band Edge - R																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_ 2440MHz																																																																			
ANT	7																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.64</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>40.90</td><td>32.55</td><td>7.26</td><td>37.05</td><td>6.00</td><td>193</td><td>202 PEAK</td></tr><tr><td>2</td><td>2484.64</td><td>27.00</td><td>54.00</td><td>-27.00</td><td>18.24</td><td>32.55</td><td>7.26</td><td>37.05</td><td>6.00</td><td>193</td><td>202 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.64	49.66	74.00	-24.34	40.90	32.55	7.26	37.05	6.00	193	202 PEAK	2	2484.64	27.00	54.00	-27.00	18.24	32.55	7.26	37.05	6.00	193	202 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2484.64	49.66	74.00	-24.34	40.90	32.55	7.26	37.05	6.00	193	202 PEAK																																																									
2	2484.64	27.00	54.00	-27.00	18.24	32.55	7.26	37.05	6.00	193	202 AVERAGE																																																									





Mode	53																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2372.14</td><td>49.49</td><td>74.00</td><td>-24.51</td><td>41.28</td><td>32.13</td><td>7.00</td><td>37.00</td><td>6.00</td><td>363</td><td>137 PEAK</td></tr><tr><td>2</td><td>2372.14</td><td>26.83</td><td>54.00</td><td>-27.17</td><td>18.62</td><td>32.13</td><td>7.00</td><td>37.00</td><td>6.00</td><td>363</td><td>137 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2372.14	49.49	74.00	-24.51	41.28	32.13	7.00	37.00	6.00	363	137 PEAK	2	2372.14	26.83	54.00	-27.17	18.62	32.13	7.00	37.00	6.00	363	137 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>102.97</td><td>-----</td><td>-----</td><td>94.02</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>363</td><td>137 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>80.31</td><td>-----</td><td>-----</td><td>71.36</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>363</td><td>137 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.97	-----	-----	94.02	32.78	7.19	37.02	6.00	363	137 PEAK	2	2440.00	80.31	-----	-----	71.36	32.78	7.19	37.02	6.00	363	137 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2372.14	49.49	74.00	-24.51	41.28	32.13	7.00	37.00	6.00	363	137 PEAK																																																																																																																		
2	2372.14	26.83	54.00	-27.17	18.62	32.13	7.00	37.00	6.00	363	137 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	102.97	-----	-----	94.02	32.78	7.19	37.02	6.00	363	137 PEAK																																																																																																																		
2	2440.00	80.31	-----	-----	71.36	32.78	7.19	37.02	6.00	363	137 AVERAGE																																																																																																																		





Mode	53																																																										
	Band Edge - R																																																										
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_ 2440MHz																																																										
ANT	7																																																										
Pol.	Vertical	Fundamental																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.38</td><td>49.10</td><td>74.00</td><td>-24.90</td><td>40.35</td><td>32.54</td><td>7.26</td><td>37.05</td><td>6.00</td><td>363</td><td>137</td><td>PEAK</td></tr><tr><td>2</td><td>2486.38</td><td>26.44</td><td>54.00</td><td>-27.56</td><td>17.69</td><td>32.54</td><td>7.26</td><td>37.05</td><td>6.00</td><td>363</td><td>137</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.38	49.10	74.00	-24.90	40.35	32.54	7.26	37.05	6.00	363	137	PEAK	2	2486.38	26.44	54.00	-27.56	17.69	32.54	7.26	37.05	6.00	363	137	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2486.38	49.10	74.00	-24.90	40.35	32.54	7.26	37.05	6.00	363	137	PEAK																																															
2	2486.38	26.44	54.00	-27.56	17.69	32.54	7.26	37.05	6.00	363	137	AVERAGE																																															




Mode	53																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.56</td><td>74.00</td><td>-34.44</td><td>60.93</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>41.86</td><td>74.00</td><td>-32.14</td><td>59.34</td><td>35.00</td><td>12.72</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.56	74.00	-34.44	60.93	33.90	10.30	65.57	0.00	---	PEAK	2	7320.00	41.86	74.00	-32.14	59.34	35.00	12.72	66.00	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.94</td><td>74.00</td><td>-34.06</td><td>61.31</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>41.70</td><td>74.00</td><td>-32.30</td><td>59.18</td><td>35.80</td><td>12.72</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.94	74.00	-34.06	61.31	33.90	10.30	65.57	0.00	---	PEAK	2	7320.00	41.70	74.00	-32.30	59.18	35.80	12.72	66.00	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4880.00	39.56	74.00	-34.44	60.93	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																		
2	7320.00	41.86	74.00	-32.14	59.34	35.00	12.72	66.00	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4880.00	39.94	74.00	-34.06	61.31	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																		
2	7320.00	41.70	74.00	-32.30	59.18	35.80	12.72	66.00	0.00	---	PEAK																																																																																																																		





Mode	54																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>49.56</td><td>74.00</td><td>-24.44</td><td>40.79</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>384</td><td>211 PEAK</td></tr><tr><td>2</td><td>2483.62</td><td>26.90</td><td>54.00</td><td>-27.10</td><td>18.13</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>384</td><td>211 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	49.56	74.00	-24.44	40.79	32.56	7.26	37.05	6.00	384	211 PEAK	2	2483.62	26.90	54.00	-27.10	18.13	32.56	7.26	37.05	6.00	384	211 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>102.16</td><td>-----</td><td>-----</td><td>93.33</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>384</td><td>211 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>79.50</td><td>-----</td><td>-----</td><td>70.67</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>384</td><td>211 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	102.16	-----	-----	93.33	32.62	7.25	37.04	6.00	384	211 PEAK	2	2478.00	79.50	-----	-----	70.67	32.62	7.25	37.04	6.00	384	211 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2483.62	49.56	74.00	-24.44	40.79	32.56	7.26	37.05	6.00	384	211 PEAK																																																																																																																		
2	2483.62	26.90	54.00	-27.10	18.13	32.56	7.26	37.05	6.00	384	211 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2478.00	102.16	-----	-----	93.33	32.62	7.25	37.04	6.00	384	211 PEAK																																																																																																																		
2	2478.00	79.50	-----	-----	70.67	32.62	7.25	37.04	6.00	384	211 AVERAGE																																																																																																																		





Mode	54																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																			
ANT	7																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.38</td><td>50.37</td><td>74.00</td><td>-23.63</td><td>41.64</td><td>32.51</td><td>7.27</td><td>37.05</td><td>6.00</td><td>392</td><td>170 PEAK</td></tr><tr><td>2</td><td>2489.38</td><td>27.71</td><td>54.00</td><td>-26.29</td><td>18.98</td><td>32.51</td><td>7.27</td><td>37.05</td><td>6.00</td><td>392</td><td>170 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.38	50.37	74.00	-23.63	41.64	32.51	7.27	37.05	6.00	392	170 PEAK	2	2489.38	27.71	54.00	-26.29	18.98	32.51	7.27	37.05	6.00	392	170 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2489.38	50.37	74.00	-23.63	41.64	32.51	7.27	37.05	6.00	392	170 PEAK																																																									
2	2489.38	27.71	54.00	-26.29	18.98	32.51	7.27	37.05	6.00	392	170 AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>99.80</td><td>-----</td><td>-----</td><td>90.97</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>392</td><td>170 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>77.14</td><td>-----</td><td>-----</td><td>68.31</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>392</td><td>170 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	99.80	-----	-----	90.97	32.62	7.25	37.04	6.00	392	170 PEAK	2	2478.00	77.14	-----	-----	68.31	32.62	7.25	37.04	6.00	392	170 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2478.00	99.80	-----	-----	90.97	32.62	7.25	37.04	6.00	392	170 PEAK																																																									
2	2478.00	77.14	-----	-----	68.31	32.62	7.25	37.04	6.00	392	170 AVERAGE																																																									





Mode	54																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.93</td><td>74.00</td><td>-34.07</td><td>61.06</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>42.58</td><td>74.00</td><td>-31.42</td><td>60.25</td><td>35.00</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	39.93	74.00	-34.07	61.06	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	42.58	74.00	-31.42	60.25	35.00	12.78	66.25	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>61.67</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>41.81</td><td>74.00</td><td>-32.19</td><td>59.48</td><td>35.80</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.54	74.00	-33.46	61.67	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	41.81	74.00	-32.19	59.48	35.80	12.78	66.25	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4956.00	39.93	74.00	-34.07	61.06	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																		
2	7434.00	42.58	74.00	-31.42	60.25	35.00	12.78	66.25	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4956.00	40.54	74.00	-33.46	61.67	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																		
2	7434.00	41.81	74.00	-32.19	59.48	35.80	12.78	66.25	0.00	---	PEAK																																																																																																																		





Mode	56																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx_CH76_2478MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.40</td><td>49.20</td><td>74.00</td><td>-24.80</td><td>40.43</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>333</td><td>162 PEAK</td></tr><tr><td>2</td><td>2484.40</td><td>26.54</td><td>54.00</td><td>-27.46</td><td>17.77</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>333</td><td>162 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.40	49.20	74.00	-24.80	40.43	32.56	7.26	37.05	6.00	333	162 PEAK	2	2484.40	26.54	54.00	-27.46	17.77	32.56	7.26	37.05	6.00	333	162 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>97.80</td><td>-----</td><td>-----</td><td>88.97</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>333</td><td>162 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>75.14</td><td>-----</td><td>-----</td><td>66.31</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>333</td><td>162 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	97.80	-----	-----	88.97	32.62	7.25	37.04	6.00	333	162 PEAK	2	2478.00	75.14	-----	-----	66.31	32.62	7.25	37.04	6.00	333	162 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2484.40	49.20	74.00	-24.80	40.43	32.56	7.26	37.05	6.00	333	162 PEAK																																																																																																																		
2	2484.40	26.54	54.00	-27.46	17.77	32.56	7.26	37.05	6.00	333	162 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2478.00	97.80	-----	-----	88.97	32.62	7.25	37.04	6.00	333	162 PEAK																																																																																																																		
2	2478.00	75.14	-----	-----	66.31	32.62	7.25	37.04	6.00	333	162 AVERAGE																																																																																																																		




Mode	56																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx_CH76_2478MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.94</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>41.13</td><td>32.49</td><td>7.27</td><td>37.05</td><td>6.00</td><td>174</td><td>259 PEAK</td></tr><tr><td>2</td><td>2498.94</td><td>27.18</td><td>54.00</td><td>-26.82</td><td>18.47</td><td>32.49</td><td>7.27</td><td>37.05</td><td>6.00</td><td>174</td><td>259 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.94	49.84	74.00	-24.16	41.13	32.49	7.27	37.05	6.00	174	259 PEAK	2	2498.94	27.18	54.00	-26.82	18.47	32.49	7.27	37.05	6.00	174	259 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>101.16</td><td>-----</td><td>-----</td><td>92.33</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>174</td><td>259 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>78.50</td><td>-----</td><td>-----</td><td>69.67</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>174</td><td>259 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	101.16	-----	-----	92.33	32.62	7.25	37.04	6.00	174	259 PEAK	2	2478.00	78.50	-----	-----	69.67	32.62	7.25	37.04	6.00	174	259 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2498.94	49.84	74.00	-24.16	41.13	32.49	7.27	37.05	6.00	174	259 PEAK																																																																																																																		
2	2498.94	27.18	54.00	-26.82	18.47	32.49	7.27	37.05	6.00	174	259 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2478.00	101.16	-----	-----	92.33	32.62	7.25	37.04	6.00	174	259 PEAK																																																																																																																		
2	2478.00	78.50	-----	-----	69.67	32.62	7.25	37.04	6.00	174	259 AVERAGE																																																																																																																		




Mode	56																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx_CH76_2478MHz																																																																																																																																			
ANT	7																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>60.95</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>42.73</td><td>74.00</td><td>-31.27</td><td>60.40</td><td>35.00</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	39.82	74.00	-34.18	60.95	33.91	10.39	65.43	0.00	---	---	PEAK	2	7434.00	42.73	74.00	-31.27	60.40	35.00	12.78	66.25	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>61.11</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>43.25</td><td>74.00</td><td>-30.75</td><td>60.92</td><td>35.80</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	39.98	74.00	-34.02	61.11	33.91	10.39	65.43	0.00	---	---	PEAK	2	7434.00	43.25	74.00	-30.75	60.92	35.80	12.78	66.25	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4956.00	39.82	74.00	-34.18	60.95	33.91	10.39	65.43	0.00	---	---	PEAK																																																																																																																								
2	7434.00	42.73	74.00	-31.27	60.40	35.00	12.78	66.25	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	4956.00	39.98	74.00	-34.02	61.11	33.91	10.39	65.43	0.00	---	---	PEAK																																																																																																																								
2	7434.00	43.25	74.00	-30.75	60.92	35.80	12.78	66.25	0.00	---	---	PEAK																																																																																																																								

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 39_Ant6




DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

DH5 on time (One Pulse) Plot on Channel 39_Ant7




DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

DH5 on time (One Pulse) Plot on Channel 2 ASK_Ant 6




DH5 on time (Count Pulses) Plot on Channel 2 ASK




Note:

1. Worst case Duty cycle = on time/100 milliseconds = 160 * 0.046 / 100 = 7.36 %
2. Worst case Duty cycle correction factor = 20*log(Duty cycle) = -22.66 dB

DH5 on time (One Pulse) Plot on Channel 2 ASK_Ant 7



DH5 on time (Count Pulses) Plot on Channel 2 ASK



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $160 * 0.046 / 100 = 7.36 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -22.66 \text{ dB}$