







Mode	2																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>60.76</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.61</td><td>74.00</td><td>-31.39</td><td>60.10</td><td>35.00</td><td>12.72</td><td>66.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.39	74.00	-34.61	60.76	33.90	10.30	65.57	0.00	---	PEAK	2	7323.00	42.61	74.00	-31.39	60.10	35.00	12.72	66.01	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.03</td><td>74.00</td><td>-33.97</td><td>61.40</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.83</td><td>74.00</td><td>-32.17</td><td>59.32</td><td>35.80</td><td>12.72</td><td>66.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.03	74.00	-33.97	61.40	33.90	10.30	65.57	0.00	---	PEAK	2	7323.00	41.83	74.00	-32.17	59.32	35.80	12.72	66.01	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4882.00	39.39	74.00	-34.61	60.76	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																		
2	7323.00	42.61	74.00	-31.39	60.10	35.00	12.72	66.01	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4882.00	40.03	74.00	-33.97	61.40	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																		
2	7323.00	41.83	74.00	-32.17	59.32	35.80	12.72	66.01	0.00	---	PEAK																																																																																																																		





Mode	3																																																																																																																													
	Band Edge - L																																																																																																																													
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.72</td><td>49.87</td><td>74.00</td><td>-24.13</td><td>41.10</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>105</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>2483.72</td><td>25.08</td><td>54.00</td><td>-28.92</td><td>16.31</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>105</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.72	49.87	74.00	-24.13	41.10	32.56	7.26	37.05	6.00	105	303	PEAK	2	2483.72	25.08	54.00	-28.92	16.31	32.56	7.26	37.05	6.00	105	303	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>104.04</td><td>-----</td><td>-----</td><td>95.24</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>105</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>79.25</td><td>-----</td><td>-----</td><td>70.45</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>105</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	104.04	-----	-----	95.24	32.60	7.25	37.05	6.00	105	303	PEAK	2	2478.00	79.25	-----	-----	70.45	32.60	7.25	37.05	6.00	105	303	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2483.72	49.87	74.00	-24.13	41.10	32.56	7.26	37.05	6.00	105	303	PEAK																																																																																																																		
2	2483.72	25.08	54.00	-28.92	16.31	32.56	7.26	37.05	6.00	105	303	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	104.04	-----	-----	95.24	32.60	7.25	37.05	6.00	105	303	PEAK																																																																																																																		
2	2478.00	79.25	-----	-----	70.45	32.60	7.25	37.05	6.00	105	303	AVERAGE																																																																																																																		





Mode	3																																																																			
	Band Edge - L																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	6																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.83</td><td>50.29</td><td>74.00</td><td>-23.71</td><td>41.52</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>244</td><td>76 PEAK</td></tr><tr><td>2</td><td>2483.83</td><td>25.50</td><td>54.00</td><td>-28.50</td><td>16.73</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>244</td><td>76 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.83	50.29	74.00	-23.71	41.52	32.56	7.26	37.05	6.00	244	76 PEAK	2	2483.83	25.50	54.00	-28.50	16.73	32.56	7.26	37.05	6.00	244	76 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2483.83	50.29	74.00	-23.71	41.52	32.56	7.26	37.05	6.00	244	76 PEAK																																																									
2	2483.83	25.50	54.00	-28.50	16.73	32.56	7.26	37.05	6.00	244	76 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.67</td><td>-----</td><td>-----</td><td>96.87</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>244</td><td>76 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>80.88</td><td>-----</td><td>-----</td><td>72.08</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>244</td><td>76 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2478.00	105.67	-----	-----	96.87	32.60	7.25	37.05	6.00	244	76 PEAK	2	2478.00	80.88	-----	-----	72.08	32.60	7.25	37.05	6.00	244	76 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2478.00	105.67	-----	-----	96.87	32.60	7.25	37.05	6.00	244	76 PEAK																																																									
2	2478.00	80.88	-----	-----	72.08	32.60	7.25	37.05	6.00	244	76 AVERAGE																																																									



Mode	3																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																															
ANT	6																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.47</td><td>74.00</td><td>-34.53</td><td>60.60</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>41.82</td><td>74.00</td><td>-32.18</td><td>59.49</td><td>35.00</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	39.47	74.00	-34.53	60.60	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	41.82	74.00	-32.18	59.49	35.00	12.78	66.25	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.19</td><td>74.00</td><td>-33.81</td><td>61.32</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>42.21</td><td>74.00</td><td>-31.79</td><td>59.88</td><td>35.80</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	40.19	74.00	-33.81	61.32	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	42.21	74.00	-31.79	59.88	35.80	12.78	66.25	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4956.00	39.47	74.00	-34.53	60.60	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																					
2	7434.00	41.82	74.00	-32.18	59.49	35.00	12.78	66.25	0.00	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4956.00	40.19	74.00	-33.81	61.32	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																					
2	7434.00	42.21	74.00	-31.79	59.88	35.80	12.78	66.25	0.00	---	PEAK																																																																																																																					





Mode	4																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																			
ANT	7																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2360.31</td><td>49.06</td><td>74.00</td><td>-24.94</td><td>40.94</td><td>32.06</td><td>7.06</td><td>37.00</td><td>6.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>2</td><td>2360.31</td><td>24.27</td><td>54.00</td><td>-29.73</td><td>16.15</td><td>32.06</td><td>7.06</td><td>37.00</td><td>6.00</td><td>100</td><td>116 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2360.31	49.06	74.00	-24.94	40.94	32.06	7.06	37.00	6.00	100	116 PEAK	2	2360.31	24.27	54.00	-29.73	16.15	32.06	7.06	37.00	6.00	100	116 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2360.31	49.06	74.00	-24.94	40.94	32.06	7.06	37.00	6.00	100	116 PEAK																																																									
2	2360.31	24.27	54.00	-29.73	16.15	32.06	7.06	37.00	6.00	100	116 AVERAGE																																																									
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.24</td><td>-----</td><td>-----</td><td>92.79</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>76.45</td><td>-----</td><td>-----</td><td>68.00</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>100</td><td>116 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.24	-----	-----	92.79	32.32	7.12	36.99	6.00	100	116 PEAK	2	2402.00	76.45	-----	-----	68.00	32.32	7.12	36.99	6.00	100	116 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2402.00	101.24	-----	-----	92.79	32.32	7.12	36.99	6.00	100	116 PEAK																																																									
2	2402.00	76.45	-----	-----	68.00	32.32	7.12	36.99	6.00	100	116 AVERAGE																																																									





Mode	4																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																	
ANT	7																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>49.28</td><td>74.00</td><td>-24.72</td><td>40.93</td><td>32.24</td><td>7.10</td><td>36.99</td><td>6.00</td><td>125 335 PEAK</td></tr><tr><td>2</td><td>2389.17</td><td>24.49</td><td>54.00</td><td>-29.51</td><td>16.14</td><td>32.24</td><td>7.10</td><td>36.99</td><td>6.00</td><td>125 335 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	49.28	74.00	-24.72	40.93	32.24	7.10	36.99	6.00	125 335 PEAK	2	2389.17	24.49	54.00	-29.51	16.14	32.24	7.10	36.99	6.00	125 335 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2389.17	49.28	74.00	-24.72	40.93	32.24	7.10	36.99	6.00	125 335 PEAK																																																								
2	2389.17	24.49	54.00	-29.51	16.14	32.24	7.10	36.99	6.00	125 335 AVERAGE																																																								
Fundamental																																																																		
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.38</td><td>-----</td><td>-----</td><td>96.93</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>125 335 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>80.59</td><td>-----</td><td>-----</td><td>72.14</td><td>32.32</td><td>7.12</td><td>36.99</td><td>6.00</td><td>125 335 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.38	-----	-----	96.93	32.32	7.12	36.99	6.00	125 335 PEAK	2	2402.00	80.59	-----	-----	72.14	32.32	7.12	36.99	6.00	125 335 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2402.00	105.38	-----	-----	96.93	32.32	7.12	36.99	6.00	125 335 PEAK																																																								
2	2402.00	80.59	-----	-----	72.14	32.32	7.12	36.99	6.00	125 335 AVERAGE																																																								





Mode	4																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																								
ANT	7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.95</td><td>74.00</td><td>-34.05</td><td>61.09</td><td>33.99</td><td>10.20</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.95	74.00	-34.05	61.09	33.99	10.20	65.33	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.64</td><td>74.00</td><td>-34.36</td><td>60.78</td><td>33.99</td><td>10.20</td><td>65.33</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	39.64	74.00	-34.36	60.78	33.99	10.20	65.33	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	39.95	74.00	-34.05	61.09	33.99	10.20	65.33	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	4804.00	39.64	74.00	-34.36	60.78	33.99	10.20	65.33	0.00	---	---	PEAK																																																																																													





Mode	5																																																																	
	Harmonic																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																	
ANT	7																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.21</td><td>74.00</td><td>-33.79</td><td>61.58</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.04</td><td>74.00</td><td>-30.96</td><td>60.53</td><td>35.00</td><td>12.72</td><td>66.01</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.21	74.00	-33.79	61.58	33.90	10.30	65.57	0.00	--- PEAK	2	7323.00	43.04	74.00	-30.96	60.53	35.00	12.72	66.01	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4882.00	40.21	74.00	-33.79	61.58	33.90	10.30	65.57	0.00	--- PEAK																																																								
2	7323.00	43.04	74.00	-30.96	60.53	35.00	12.72	66.01	0.00	--- PEAK																																																								
Vertical																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.40</td><td>74.00</td><td>-34.60</td><td>60.77</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.61</td><td>74.00</td><td>-32.39</td><td>59.10</td><td>35.80</td><td>12.72</td><td>66.01</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.40	74.00	-34.60	60.77	33.90	10.30	65.57	0.00	--- PEAK	2	7323.00	41.61	74.00	-32.39	59.10	35.80	12.72	66.01	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4882.00	39.40	74.00	-34.60	60.77	33.90	10.30	65.57	0.00	--- PEAK																																																								
2	7323.00	41.61	74.00	-32.39	59.10	35.80	12.72	66.01	0.00	--- PEAK																																																								





Mode	6																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	7																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.72</td><td>50.67</td><td>74.00</td><td>-23.33</td><td>41.90</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>392</td><td>40 PEAK</td></tr><tr><td>2</td><td>2483.72</td><td>25.88</td><td>54.00</td><td>-28.12</td><td>17.11</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>392</td><td>40 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.72	50.67	74.00	-23.33	41.90	32.56	7.26	37.05	6.00	392	40 PEAK	2	2483.72	25.88	54.00	-28.12	17.11	32.56	7.26	37.05	6.00	392	40 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2483.72	50.67	74.00	-23.33	41.90	32.56	7.26	37.05	6.00	392	40 PEAK																																																									
2	2483.72	25.88	54.00	-28.12	17.11	32.56	7.26	37.05	6.00	392	40 AVERAGE																																																									
																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.65</td><td>-----</td><td>-----</td><td>91.85</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>392</td><td>40 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>75.86</td><td>-----</td><td>-----</td><td>67.06</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>392</td><td>40 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.65	-----	-----	91.85	32.60	7.25	37.05	6.00	392	40 PEAK	2	2480.00	75.86	-----	-----	67.06	32.60	7.25	37.05	6.00	392	40 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	100.65	-----	-----	91.85	32.60	7.25	37.05	6.00	392	40 PEAK																																																									
2	2480.00	75.86	-----	-----	67.06	32.60	7.25	37.05	6.00	392	40 AVERAGE																																																									





Mode	6																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>44.79</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>302</td><td>334 PEAK</td></tr><tr><td>2</td><td>2483.54</td><td>28.77</td><td>54.00</td><td>-25.23</td><td>20.00</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>302</td><td>334 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	53.56	74.00	-20.44	44.79	32.56	7.26	37.05	6.00	302	334 PEAK	2	2483.54	28.77	54.00	-25.23	20.00	32.56	7.26	37.05	6.00	302	334 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.52</td><td>-----</td><td>-----</td><td>98.72</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>302</td><td>334 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>82.73</td><td>-----</td><td>-----</td><td>73.93</td><td>32.60</td><td>7.25</td><td>37.05</td><td>6.00</td><td>302</td><td>334 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.52	-----	-----	98.72	32.60	7.25	37.05	6.00	302	334 PEAK	2	2480.00	82.73	-----	-----	73.93	32.60	7.25	37.05	6.00	302	334 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2483.54	53.56	74.00	-20.44	44.79	32.56	7.26	37.05	6.00	302	334 PEAK																																																																																																																		
2	2483.54	28.77	54.00	-25.23	20.00	32.56	7.26	37.05	6.00	302	334 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2480.00	107.52	-----	-----	98.72	32.60	7.25	37.05	6.00	302	334 PEAK																																																																																																																		
2	2480.00	82.73	-----	-----	73.93	32.60	7.25	37.05	6.00	302	334 AVERAGE																																																																																																																		





Mode	6																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																									
ANT	7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.28</td><td>74.00</td><td>-33.72</td><td>61.38</td><td>33.92</td><td>10.40</td><td>65.42</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.54</td><td>74.00</td><td>-31.46</td><td>60.23</td><td>35.00</td><td>12.78</td><td>66.27</td><td>0.00</td><td>--- PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.28	74.00	-33.72	61.38	33.92	10.40	65.42	0.00	--- PEAK	2	7440.00	42.54	74.00	-31.46	60.23	35.00	12.78	66.27	0.00	--- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>61.21</td><td>33.92</td><td>10.40</td><td>65.42</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.06</td><td>74.00</td><td>-31.94</td><td>59.75</td><td>35.80</td><td>12.78</td><td>66.27</td><td>0.00</td><td>--- PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.11	74.00	-33.89	61.21	33.92	10.40	65.42	0.00	--- PEAK	2	7440.00	42.06	74.00	-31.94	59.75	35.80	12.78	66.27	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	40.28	74.00	-33.72	61.38	33.92	10.40	65.42	0.00	--- PEAK																																																																																																																
2	7440.00	42.54	74.00	-31.46	60.23	35.00	12.78	66.27	0.00	--- PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	40.11	74.00	-33.89	61.21	33.92	10.40	65.42	0.00	--- PEAK																																																																																																																
2	7440.00	42.06	74.00	-31.94	59.75	35.80	12.78	66.27	0.00	--- PEAK																																																																																																																





Mode	6	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	6																																																																																																																																																																																																																
	30-1G																																																																																																																																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																																																
ANT	7																																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																																										
Peak																																																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.24</td><td>20.44</td><td>40.00</td><td>-19.56</td><td>26.80</td><td>25.02</td><td>0.83</td><td>32.21</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>122.39</td><td>22.93</td><td>43.50</td><td>-20.57</td><td>35.79</td><td>17.52</td><td>1.68</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>158.28</td><td>23.13</td><td>43.50</td><td>-20.37</td><td>36.89</td><td>16.39</td><td>1.92</td><td>32.07</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>194.42</td><td>22.19</td><td>43.50</td><td>-21.31</td><td>37.44</td><td>14.71</td><td>2.12</td><td>32.08</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>456.56</td><td>21.52</td><td>46.00</td><td>-24.48</td><td>27.55</td><td>23.00</td><td>3.26</td><td>32.29</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>729.86</td><td>27.00</td><td>46.00</td><td>-19.00</td><td>27.23</td><td>27.68</td><td>4.11</td><td>32.02</td><td>0.00</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.24	20.44	40.00	-19.56	26.80	25.02	0.83	32.21	0.00	--- Peak	2	122.39	22.93	43.50	-20.57	35.79	17.52	1.68	32.06	0.00	--- Peak	3	158.28	23.13	43.50	-20.37	36.89	16.39	1.92	32.07	0.00	--- Peak	4	194.42	22.19	43.50	-21.31	37.44	14.71	2.12	32.08	0.00	--- Peak	5	456.56	21.52	46.00	-24.48	27.55	23.00	3.26	32.29	0.00	--- Peak	6	729.86	27.00	46.00	-19.00	27.23	27.68	4.11	32.02	0.00	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>49.64</td><td>30.41</td><td>40.00</td><td>-9.59</td><td>47.07</td><td>14.35</td><td>1.08</td><td>32.09</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>91.11</td><td>20.01</td><td>43.50</td><td>-23.49</td><td>35.79</td><td>14.75</td><td>1.46</td><td>31.99</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>188.11</td><td>19.61</td><td>43.50</td><td>-23.89</td><td>34.89</td><td>14.72</td><td>2.08</td><td>32.08</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>487.84</td><td>23.30</td><td>46.00</td><td>-22.70</td><td>28.40</td><td>23.67</td><td>3.37</td><td>32.14</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>753.38</td><td>27.64</td><td>46.00</td><td>-18.36</td><td>27.13</td><td>28.07</td><td>4.18</td><td>31.74</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>851.59</td><td>30.51</td><td>46.00</td><td>-15.49</td><td>27.89</td><td>29.67</td><td>4.43</td><td>31.48</td><td>0.00</td><td>--- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	49.64	30.41	40.00	-9.59	47.07	14.35	1.08	32.09	0.00	--- Peak	2	91.11	20.01	43.50	-23.49	35.79	14.75	1.46	31.99	0.00	--- Peak	3	188.11	19.61	43.50	-23.89	34.89	14.72	2.08	32.08	0.00	--- Peak	4	487.84	23.30	46.00	-22.70	28.40	23.67	3.37	32.14	0.00	--- Peak	5	753.38	27.64	46.00	-18.36	27.13	28.07	4.18	31.74	0.00	--- Peak	6	851.59	30.51	46.00	-15.49	27.89	29.67	4.43	31.48	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	30.24	20.44	40.00	-19.56	26.80	25.02	0.83	32.21	0.00	--- Peak																																																																																																																																																																																																							
2	122.39	22.93	43.50	-20.57	35.79	17.52	1.68	32.06	0.00	--- Peak																																																																																																																																																																																																							
3	158.28	23.13	43.50	-20.37	36.89	16.39	1.92	32.07	0.00	--- Peak																																																																																																																																																																																																							
4	194.42	22.19	43.50	-21.31	37.44	14.71	2.12	32.08	0.00	--- Peak																																																																																																																																																																																																							
5	456.56	21.52	46.00	-24.48	27.55	23.00	3.26	32.29	0.00	--- Peak																																																																																																																																																																																																							
6	729.86	27.00	46.00	-19.00	27.23	27.68	4.11	32.02	0.00	--- Peak																																																																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	49.64	30.41	40.00	-9.59	47.07	14.35	1.08	32.09	0.00	--- Peak																																																																																																																																																																																																							
2	91.11	20.01	43.50	-23.49	35.79	14.75	1.46	31.99	0.00	--- Peak																																																																																																																																																																																																							
3	188.11	19.61	43.50	-23.89	34.89	14.72	2.08	32.08	0.00	--- Peak																																																																																																																																																																																																							
4	487.84	23.30	46.00	-22.70	28.40	23.67	3.37	32.14	0.00	--- Peak																																																																																																																																																																																																							
5	753.38	27.64	46.00	-18.36	27.13	28.07	4.18	31.74	0.00	--- Peak																																																																																																																																																																																																							
6	851.59	30.51	46.00	-15.49	27.89	29.67	4.43	31.48	0.00	--- Peak																																																																																																																																																																																																							





Mode	7																																																																	
	Band Edge																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																	
ANT	7																																																																	
Pol.	Horizontal																																																																	
Peak	 Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 2480 MHz. A red line indicates the FCC PART 15C limit at 74.00 dBuV/m. The peak level is 50.57 dBuV/m. The plot also shows a noise floor around 48.8 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.84</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>40.98</td><td>32.53</td><td>8.11</td><td>37.05</td><td>6.00</td><td>330</td><td>42 PEAK</td></tr><tr><td>2</td><td>2486.84</td><td>25.81</td><td>54.00</td><td>-28.19</td><td>16.22</td><td>32.53</td><td>8.11</td><td>37.05</td><td>6.00</td><td>330</td><td>42 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.84	50.57	74.00	-23.43	40.98	32.53	8.11	37.05	6.00	330	42 PEAK	2	2486.84	25.81	54.00	-28.19	16.22	32.53	8.11	37.05	6.00	330	42 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2486.84	50.57	74.00	-23.43	40.98	32.53	8.11	37.05	6.00	330	42 PEAK																																																							
2	2486.84	25.81	54.00	-28.19	16.22	32.53	8.11	37.05	6.00	330	42 AVERAGE																																																							
Fundamental	 Fundamental Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 2480 MHz. A red line indicates the FCC PART 15C limit at 74.00 dBuV/m. The peak level is 103.11 dBuV/m. The plot also shows a noise floor around 48.8 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>103.11</td><td>-----</td><td>-----</td><td>93.46</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>330</td><td>42 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>78.36</td><td>-----</td><td>-----</td><td>68.71</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>330</td><td>42 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.11	-----	-----	93.46	32.60	8.10	37.05	6.00	330	42 PEAK	2	2480.00	78.36	-----	-----	68.71	32.60	8.10	37.05	6.00	330	42 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	2480.00	103.11	-----	-----	93.46	32.60	8.10	37.05	6.00	330	42 PEAK																																																							
2	2480.00	78.36	-----	-----	68.71	32.60	8.10	37.05	6.00	330	42 AVERAGE																																																							





Mode	7																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.60</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>42.08</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>302</td><td>332 PEAK</td></tr><tr><td>2</td><td>2483.60</td><td>26.93</td><td>54.00</td><td>-27.07</td><td>17.32</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>302</td><td>332 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.60	51.69	74.00	-22.31	42.08	32.56	8.10	37.05	6.00	302	332 PEAK	2	2483.60	26.93	54.00	-27.07	17.32	32.56	8.10	37.05	6.00	302	332 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>107.11</td><td>-----</td><td>-----</td><td>97.46</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>302</td><td>332 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>82.35</td><td>-----</td><td>-----</td><td>72.70</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>302</td><td>332 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.11	-----	-----	97.46	32.60	8.10	37.05	6.00	302	332 PEAK	2	2480.00	82.35	-----	-----	72.70	32.60	8.10	37.05	6.00	302	332 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2483.60	51.69	74.00	-22.31	42.08	32.56	8.10	37.05	6.00	302	332 PEAK																																																																																																																		
2	2483.60	26.93	54.00	-27.07	17.32	32.56	8.10	37.05	6.00	302	332 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2480.00	107.11	-----	-----	97.46	32.60	8.10	37.05	6.00	302	332 PEAK																																																																																																																		
2	2480.00	82.35	-----	-----	72.70	32.60	8.10	37.05	6.00	302	332 AVERAGE																																																																																																																		



Mode	7																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5 Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.31</td><td>74.00</td><td>-33.69</td><td>60.22</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.55</td><td>74.00</td><td>-30.45</td><td>59.79</td><td>35.00</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.31	74.00	-33.69	60.22	33.92	11.59	65.42	0.00	---	PEAK	2	7440.00	43.55	74.00	-30.45	59.79	35.00	14.23	66.27	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.61</td><td>74.00</td><td>-33.39</td><td>60.52</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>60.13</td><td>35.80</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.61	74.00	-33.39	60.52	33.92	11.59	65.42	0.00	---	PEAK	2	7440.00	43.89	74.00	-30.11	60.13	35.80	14.23	66.27	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.31	74.00	-33.69	60.22	33.92	11.59	65.42	0.00	---	PEAK																																																																																																																			
2	7440.00	43.55	74.00	-30.45	59.79	35.00	14.23	66.27	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.61	74.00	-33.39	60.52	33.92	11.59	65.42	0.00	---	PEAK																																																																																																																			
2	7440.00	43.89	74.00	-30.11	60.13	35.80	14.23	66.27	0.00	---	PEAK																																																																																																																			





Mode	8																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_2404MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak																																																																				
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>49.44</td><td>74.00</td><td>-24.56</td><td>41.09</td><td>32.24</td><td>7.10</td><td>36.99</td><td>6.00</td><td>127</td><td>249 PEAK</td></tr><tr><td>2</td><td>2389.56</td><td>26.39</td><td>54.00</td><td>-27.61</td><td>18.04</td><td>32.24</td><td>7.10</td><td>36.99</td><td>6.00</td><td>127</td><td>249 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.56	49.44	74.00	-24.56	41.09	32.24	7.10	36.99	6.00	127	249 PEAK	2	2389.56	26.39	54.00	-27.61	18.04	32.24	7.10	36.99	6.00	127	249 AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2389.56	49.44	74.00	-24.56	41.09	32.24	7.10	36.99	6.00	127	249 PEAK																																																									
2	2389.56	26.39	54.00	-27.61	18.04	32.24	7.10	36.99	6.00	127	249 AVERAGE																																																									
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>104.54</td><td>-----</td><td>-----</td><td>96.05</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>127</td><td>249 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>81.49</td><td>-----</td><td>-----</td><td>73.00</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>127</td><td>249 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2404.00	104.54	-----	-----	96.05	32.35	7.13	36.99	6.00	127	249 PEAK	2	2404.00	81.49	-----	-----	73.00	32.35	7.13	36.99	6.00	127	249 AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2404.00	104.54	-----	-----	96.05	32.35	7.13	36.99	6.00	127	249 PEAK																																																									
2	2404.00	81.49	-----	-----	73.00	32.35	7.13	36.99	6.00	127	249 AVERAGE																																																									





Mode	8																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_ 2404MHz																																																																			
ANT	6																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.15</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>41.11</td><td>32.19</td><td>7.09</td><td>37.00</td><td>6.00</td><td>323</td><td>296 PEAK</td></tr><tr><td>2</td><td>2382.15</td><td>26.34</td><td>54.00</td><td>-27.66</td><td>18.06</td><td>32.19</td><td>7.09</td><td>37.00</td><td>6.00</td><td>323</td><td>296 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.15	49.39	74.00	-24.61	41.11	32.19	7.09	37.00	6.00	323	296 PEAK	2	2382.15	26.34	54.00	-27.66	18.06	32.19	7.09	37.00	6.00	323	296 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2382.15	49.39	74.00	-24.61	41.11	32.19	7.09	37.00	6.00	323	296 PEAK																																																									
2	2382.15	26.34	54.00	-27.66	18.06	32.19	7.09	37.00	6.00	323	296 AVERAGE																																																									
Fundamental																																																																				
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>100.88</td><td>-----</td><td>-----</td><td>92.39</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>323</td><td>296 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>77.83</td><td>-----</td><td>-----</td><td>69.34</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>323</td><td>296 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	100.88	-----	-----	92.39	32.35	7.13	36.99	6.00	323	296 PEAK	2	2404.00	77.83	-----	-----	69.34	32.35	7.13	36.99	6.00	323	296 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2404.00	100.88	-----	-----	92.39	32.35	7.13	36.99	6.00	323	296 PEAK																																																									
2	2404.00	77.83	-----	-----	69.34	32.35	7.13	36.99	6.00	323	296 AVERAGE																																																									




Mode	8																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_ 2404MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>61.29</td><td>33.98</td><td>10.21</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4808.00	40.14	74.00	-33.86	61.29	33.98	10.21	65.34	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>61.33</td><td>33.98</td><td>10.21</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4808.00	40.18	74.00	-33.82	61.33	33.98	10.21	65.34	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4808.00	40.14	74.00	-33.86	61.29	33.98	10.21	65.34	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4808.00	40.18	74.00	-33.82	61.33	33.98	10.21	65.34	0.00	---	---	PEAK																																																																																														



Mode	9																																																																			
	Band Edge - L																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>49.28</td><td>74.00</td><td>-24.72</td><td>40.95</td><td>32.22</td><td>7.10</td><td>36.99</td><td>6.00</td><td>101</td><td>250 PEAK</td></tr><tr><td>2</td><td>2387.22</td><td>26.23</td><td>54.00</td><td>-27.77</td><td>17.90</td><td>32.22</td><td>7.10</td><td>36.99</td><td>6.00</td><td>101</td><td>250 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	49.28	74.00	-24.72	40.95	32.22	7.10	36.99	6.00	101	250 PEAK	2	2387.22	26.23	54.00	-27.77	17.90	32.22	7.10	36.99	6.00	101	250 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2387.22	49.28	74.00	-24.72	40.95	32.22	7.10	36.99	6.00	101	250 PEAK																																																									
2	2387.22	26.23	54.00	-27.77	17.90	32.22	7.10	36.99	6.00	101	250 AVERAGE																																																									
	Fundamental																																																																			
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>105.26</td><td>-----</td><td>-----</td><td>96.31</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>101</td><td>250 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>82.21</td><td>-----</td><td>-----</td><td>73.26</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>101</td><td>250 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	105.26	-----	-----	96.31	32.78	7.19	37.02	6.00	101	250 PEAK	2	2440.00	82.21	-----	-----	73.26	32.78	7.19	37.02	6.00	101	250 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2440.00	105.26	-----	-----	96.31	32.78	7.19	37.02	6.00	101	250 PEAK																																																									
2	2440.00	82.21	-----	-----	73.26	32.78	7.19	37.02	6.00	101	250 AVERAGE																																																									



Mode	9																																																																			
	Band Edge - R																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx K_CH38_2440MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.16</td><td>49.38</td><td>74.00</td><td>-24.62</td><td>40.66</td><td>32.50</td><td>7.27</td><td>37.05</td><td>6.00</td><td>101</td><td>250 PEAK</td></tr><tr><td>2</td><td>2490.16</td><td>26.33</td><td>54.00</td><td>-27.67</td><td>17.61</td><td>32.50</td><td>7.27</td><td>37.05</td><td>6.00</td><td>101</td><td>250 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.16	49.38	74.00	-24.62	40.66	32.50	7.27	37.05	6.00	101	250 PEAK	2	2490.16	26.33	54.00	-27.67	17.61	32.50	7.27	37.05	6.00	101	250 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2490.16	49.38	74.00	-24.62	40.66	32.50	7.27	37.05	6.00	101	250 PEAK																																																									
2	2490.16	26.33	54.00	-27.67	17.61	32.50	7.27	37.05	6.00	101	250 AVERAGE																																																									



Mode	9																																																																			
	Band Edge - L																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																			
ANT	6																																																																			
Pol.	Vertical																																																																			
Peak	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2372.66</td><td>49.15</td><td>74.00</td><td>-24.85</td><td>40.93</td><td>32.14</td><td>7.00</td><td>37.00</td><td>6.00</td><td>388</td><td>263 PEAK</td></tr><tr><td>2</td><td>2372.66</td><td>26.10</td><td>54.00</td><td>-27.90</td><td>17.88</td><td>32.14</td><td>7.00</td><td>37.00</td><td>6.00</td><td>388</td><td>263 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2372.66	49.15	74.00	-24.85	40.93	32.14	7.00	37.00	6.00	388	263 PEAK	2	2372.66	26.10	54.00	-27.90	17.88	32.14	7.00	37.00	6.00	388	263 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	2372.66	49.15	74.00	-24.85	40.93	32.14	7.00	37.00	6.00	388	263 PEAK																																																									
2	2372.66	26.10	54.00	-27.90	17.88	32.14	7.00	37.00	6.00	388	263 AVERAGE																																																									
	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>100.66</td><td>-----</td><td>-----</td><td>91.71</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>388</td><td>263 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>77.61</td><td>-----</td><td>-----</td><td>68.66</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>388</td><td>263 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	100.66	-----	-----	91.71	32.78	7.19	37.02	6.00	388	263 PEAK	2	2440.00	77.61	-----	-----	68.66	32.78	7.19	37.02	6.00	388	263 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2440.00	100.66	-----	-----	91.71	32.78	7.19	37.02	6.00	388	263 PEAK																																																									
2	2440.00	77.61	-----	-----	68.66	32.78	7.19	37.02	6.00	388	263 AVERAGE																																																									





Mode	9																																																																			
	Band Edge - R																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_ 2440MHz																																																																			
ANT	6																																																																			
Pol.	Vertical							Fundamental																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.00</td><td>49.26</td><td>74.00</td><td>-24.74</td><td>40.50</td><td>32.55</td><td>7.26</td><td>37.05</td><td>6.00</td><td>388</td><td>263 PEAK</td></tr><tr><td>2</td><td>2485.00</td><td>26.21</td><td>54.00</td><td>-27.79</td><td>17.45</td><td>32.55</td><td>7.26</td><td>37.05</td><td>6.00</td><td>388</td><td>263 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.00	49.26	74.00	-24.74	40.50	32.55	7.26	37.05	6.00	388	263 PEAK	2	2485.00	26.21	54.00	-27.79	17.45	32.55	7.26	37.05	6.00	388	263 AVERAGE	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2485.00	49.26	74.00	-24.74	40.50	32.55	7.26	37.05	6.00	388	263 PEAK																																																									
2	2485.00	26.21	54.00	-27.79	17.45	32.55	7.26	37.05	6.00	388	263 AVERAGE																																																									





Mode	9																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_ Bluetooth LE ASK Tx K_CH38_2440MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>61.19</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>61.54</td><td>35.00</td><td>12.72</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.82	74.00	-34.18	61.19	33.90	10.30	65.57	0.00	---	PEAK	2	7320.00	44.06	74.00	-29.94	61.54	35.00	12.72	66.00	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.73</td><td>74.00</td><td>-33.27</td><td>62.10</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>41.70</td><td>74.00</td><td>-32.30</td><td>59.18</td><td>35.00</td><td>12.72</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.73	74.00	-33.27	62.10	33.90	10.30	65.57	0.00	---	PEAK	2	7320.00	41.70	74.00	-32.30	59.18	35.00	12.72	66.00	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4880.00	39.82	74.00	-34.18	61.19	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																			
2	7320.00	44.06	74.00	-29.94	61.54	35.00	12.72	66.00	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4880.00	40.73	74.00	-33.27	62.10	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																			
2	7320.00	41.70	74.00	-32.30	59.18	35.00	12.72	66.00	0.00	---	PEAK																																																																																																																			





Mode	10																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																			
ANT	6																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>50.25</td><td>74.00</td><td>-23.75</td><td>41.48</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>104</td><td>247 PEAK</td></tr><tr><td>2</td><td>2483.56</td><td>27.20</td><td>54.00</td><td>-26.80</td><td>18.43</td><td>32.56</td><td>7.26</td><td>37.05</td><td>6.00</td><td>104</td><td>247 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	50.25	74.00	-23.75	41.48	32.56	7.26	37.05	6.00	104	247 PEAK	2	2483.56	27.20	54.00	-26.80	18.43	32.56	7.26	37.05	6.00	104	247 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2483.56	50.25	74.00	-23.75	41.48	32.56	7.26	37.05	6.00	104	247 PEAK																																																									
2	2483.56	27.20	54.00	-26.80	18.43	32.56	7.26	37.05	6.00	104	247 AVERAGE																																																									
Fundamental																																																																				
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.13</td><td>-----</td><td>-----</td><td>96.30</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>104</td><td>247 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>82.00</td><td>-----</td><td>-----</td><td>73.25</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>104</td><td>247 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	105.13	-----	-----	96.30	32.62	7.25	37.04	6.00	104	247 PEAK	2	2478.00	82.00	-----	-----	73.25	32.62	7.25	37.04	6.00	104	247 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2478.00	105.13	-----	-----	96.30	32.62	7.25	37.04	6.00	104	247 PEAK																																																									
2	2478.00	82.00	-----	-----	73.25	32.62	7.25	37.04	6.00	104	247 AVERAGE																																																									





Mode	10																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																			
ANT	6																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.18</td><td>49.34</td><td>74.00</td><td>-24.66</td><td>40.61</td><td>32.52</td><td>7.26</td><td>37.05</td><td>6.00</td><td>382</td><td>296 PEAK</td></tr><tr><td>2</td><td>2488.18</td><td>26.29</td><td>54.00</td><td>-27.71</td><td>17.56</td><td>32.52</td><td>7.26</td><td>37.05</td><td>6.00</td><td>382</td><td>296 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.18	49.34	74.00	-24.66	40.61	32.52	7.26	37.05	6.00	382	296 PEAK	2	2488.18	26.29	54.00	-27.71	17.56	32.52	7.26	37.05	6.00	382	296 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2488.18	49.34	74.00	-24.66	40.61	32.52	7.26	37.05	6.00	382	296 PEAK																																																									
2	2488.18	26.29	54.00	-27.71	17.56	32.52	7.26	37.05	6.00	382	296 AVERAGE																																																									
	Fundamental																																																																			
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>102.07</td><td>-----</td><td>-----</td><td>93.24</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>382</td><td>296 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>79.02</td><td>-----</td><td>-----</td><td>70.19</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>382</td><td>296 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	102.07	-----	-----	93.24	32.62	7.25	37.04	6.00	382	296 PEAK	2	2478.00	79.02	-----	-----	70.19	32.62	7.25	37.04	6.00	382	296 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2478.00	102.07	-----	-----	93.24	32.62	7.25	37.04	6.00	382	296 PEAK																																																									
2	2478.00	79.02	-----	-----	70.19	32.62	7.25	37.04	6.00	382	296 AVERAGE																																																									



Mode	10																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.80</td><td>74.00</td><td>-34.20</td><td>60.93</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>42.97</td><td>74.00</td><td>-31.03</td><td>60.64</td><td>35.00</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	39.80	74.00	-34.20	60.93	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	42.97	74.00	-31.03	60.64	35.00	12.78	66.25	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>61.68</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>42.64</td><td>74.00</td><td>-31.36</td><td>60.31</td><td>35.80</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.55	74.00	-33.45	61.68	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	42.64	74.00	-31.36	60.31	35.80	12.78	66.25	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4956.00	39.80	74.00	-34.20	60.93	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																			
2	7434.00	42.97	74.00	-31.03	60.64	35.00	12.78	66.25	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4956.00	40.55	74.00	-33.45	61.68	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																			
2	7434.00	42.64	74.00	-31.36	60.31	35.80	12.78	66.25	0.00	---	PEAK																																																																																																																			





Mode	11																																																																					
	Band Edge																																																																					
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_2404MHz																																																																					
ANT	7																																																																					
Pol.	Horizontal																																																																					
Peak																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2380.20</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>41.05</td><td>32.18</td><td>7.09</td><td>37.00</td><td>6.00</td><td>104</td><td>154</td><td>PEAK</td></tr><tr><td>2</td><td>2380.20</td><td>26.27</td><td>54.00</td><td>-27.73</td><td>18.00</td><td>32.18</td><td>7.09</td><td>37.00</td><td>6.00</td><td>104</td><td>154</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2380.20	49.32	74.00	-24.68	41.05	32.18	7.09	37.00	6.00	104	154	PEAK	2	2380.20	26.27	54.00	-27.73	18.00	32.18	7.09	37.00	6.00	104	154	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2380.20	49.32	74.00	-24.68	41.05	32.18	7.09	37.00	6.00	104	154	PEAK																																																										
2	2380.20	26.27	54.00	-27.73	18.00	32.18	7.09	37.00	6.00	104	154	AVERAGE																																																										
Fundamental																																																																						
																																																																						
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>104.67</td><td>-----</td><td>-----</td><td>96.18</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>104</td><td>154</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>81.62</td><td>-----</td><td>-----</td><td>73.13</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>104</td><td>154</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2404.00	104.67	-----	-----	96.18	32.35	7.13	36.99	6.00	104	154	PEAK	2	2404.00	81.62	-----	-----	73.13	32.35	7.13	36.99	6.00	104	154	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2404.00	104.67	-----	-----	96.18	32.35	7.13	36.99	6.00	104	154	PEAK																																																										
2	2404.00	81.62	-----	-----	73.13	32.35	7.13	36.99	6.00	104	154	AVERAGE																																																										





Mode	11																																																																						
	Band Edge																																																																						
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_2404MHz																																																																						
ANT	7																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2382.28</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>40.89</td><td>32.19</td><td>7.09</td><td>37.00</td><td>6.00</td><td>221</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>2382.28</td><td>26.12</td><td>54.00</td><td>-27.88</td><td>17.84</td><td>32.19</td><td>7.09</td><td>37.00</td><td>6.00</td><td>221</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.28	49.17	74.00	-24.83	40.89	32.19	7.09	37.00	6.00	221	360	PEAK	2	2382.28	26.12	54.00	-27.88	17.84	32.19	7.09	37.00	6.00	221	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2382.28	49.17	74.00	-24.83	40.89	32.19	7.09	37.00	6.00	221	360	PEAK																																																											
2	2382.28	26.12	54.00	-27.88	17.84	32.19	7.09	37.00	6.00	221	360	AVERAGE																																																											
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>98.62</td><td>-----</td><td>-----</td><td>90.13</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>221</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>75.57</td><td>-----</td><td>-----</td><td>67.08</td><td>32.35</td><td>7.13</td><td>36.99</td><td>6.00</td><td>221</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	98.62	-----	-----	90.13	32.35	7.13	36.99	6.00	221	360	PEAK	2	2404.00	75.57	-----	-----	67.08	32.35	7.13	36.99	6.00	221	360	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2404.00	98.62	-----	-----	90.13	32.35	7.13	36.99	6.00	221	360	PEAK																																																											
2	2404.00	75.57	-----	-----	67.08	32.35	7.13	36.99	6.00	221	360	AVERAGE																																																											



Mode	11																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_ 2404MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4088.00</td><td>40.53</td><td>74.00</td><td>-33.47</td><td>61.68</td><td>33.98</td><td>10.21</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4088.00	40.53	74.00	-33.47	61.68	33.98	10.21	65.34	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4088.00</td><td>40.10</td><td>74.00</td><td>-33.90</td><td>61.25</td><td>33.98</td><td>10.21</td><td>65.34</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4088.00	40.10	74.00	-33.90	61.25	33.98	10.21	65.34	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4088.00	40.53	74.00	-33.47	61.68	33.98	10.21	65.34	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4088.00	40.10	74.00	-33.90	61.25	33.98	10.21	65.34	0.00	---	---	PEAK																																																																																														





Mode	12																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.02</td><td>49.41</td><td>74.00</td><td>-24.59</td><td>41.13</td><td>32.19</td><td>7.09</td><td>37.00</td><td>6.00</td><td>209</td><td>117 PEAK</td></tr><tr><td>2</td><td>2382.02</td><td>26.36</td><td>54.00</td><td>-27.64</td><td>18.00</td><td>32.19</td><td>7.09</td><td>37.00</td><td>6.00</td><td>209</td><td>117 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.02	49.41	74.00	-24.59	41.13	32.19	7.09	37.00	6.00	209	117 PEAK	2	2382.02	26.36	54.00	-27.64	18.00	32.19	7.09	37.00	6.00	209	117 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>106.64</td><td>-----</td><td>-----</td><td>97.69</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>209</td><td>117 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>83.59</td><td>-----</td><td>-----</td><td>74.64</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>209</td><td>117 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	106.64	-----	-----	97.69	32.78	7.19	37.02	6.00	209	117 PEAK	2	2440.00	83.59	-----	-----	74.64	32.78	7.19	37.02	6.00	209	117 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2382.02	49.41	74.00	-24.59	41.13	32.19	7.09	37.00	6.00	209	117 PEAK																																																																																																																		
2	2382.02	26.36	54.00	-27.64	18.00	32.19	7.09	37.00	6.00	209	117 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	106.64	-----	-----	97.69	32.78	7.19	37.02	6.00	209	117 PEAK																																																																																																																		
2	2440.00	83.59	-----	-----	74.64	32.78	7.19	37.02	6.00	209	117 AVERAGE																																																																																																																		



Mode	12																																																																			
	Band Edge - R																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_ 2440MHz																																																																			
ANT	7																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2500.00</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>41.83</td><td>32.40</td><td>7.28</td><td>37.06</td><td>6.00</td><td>209</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>2500.00</td><td>27.40</td><td>54.00</td><td>-26.60</td><td>18.78</td><td>32.40</td><td>7.28</td><td>37.06</td><td>6.00</td><td>209</td><td>117</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2500.00	50.45	74.00	-23.55	41.83	32.40	7.28	37.06	6.00	209	117	PEAK	2	2500.00	27.40	54.00	-26.60	18.78	32.40	7.28	37.06	6.00	209	117	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2500.00	50.45	74.00	-23.55	41.83	32.40	7.28	37.06	6.00	209	117	PEAK																																																								
2	2500.00	27.40	54.00	-26.60	18.78	32.40	7.28	37.06	6.00	209	117	AVERAGE																																																								





Mode	12																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2370.06</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>41.14</td><td>32.12</td><td>7.07</td><td>37.00</td><td>6.00</td><td>315</td><td>360 PEAK</td></tr><tr><td>2</td><td>2370.06</td><td>26.28</td><td>54.00</td><td>-27.72</td><td>18.09</td><td>32.12</td><td>7.07</td><td>37.00</td><td>6.00</td><td>315</td><td>360 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2370.06	49.33	74.00	-24.67	41.14	32.12	7.07	37.00	6.00	315	360 PEAK	2	2370.06	26.28	54.00	-27.72	18.09	32.12	7.07	37.00	6.00	315	360 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>101.11</td><td>-----</td><td>-----</td><td>92.16</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>315</td><td>360 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>78.06</td><td>-----</td><td>-----</td><td>69.11</td><td>32.78</td><td>7.19</td><td>37.02</td><td>6.00</td><td>315</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.11	-----	-----	92.16	32.78	7.19	37.02	6.00	315	360 PEAK	2	2440.00	78.06	-----	-----	69.11	32.78	7.19	37.02	6.00	315	360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2370.06	49.33	74.00	-24.67	41.14	32.12	7.07	37.00	6.00	315	360 PEAK																																																																																																																		
2	2370.06	26.28	54.00	-27.72	18.09	32.12	7.07	37.00	6.00	315	360 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	101.11	-----	-----	92.16	32.78	7.19	37.02	6.00	315	360 PEAK																																																																																																																		
2	2440.00	78.06	-----	-----	69.11	32.78	7.19	37.02	6.00	315	360 AVERAGE																																																																																																																		





Mode	12																																																																					
	Band Edge - R																																																																					
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_ 2440MHz																																																																					
ANT	7																																																																					
Pol.	Vertical						Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.90</td><td>49.07</td><td>74.00</td><td>-24.93</td><td>40.32</td><td>32.54</td><td>7.26</td><td>37.05</td><td>6.00</td><td>315</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>2485.90</td><td>26.02</td><td>54.00</td><td>-27.98</td><td>17.27</td><td>32.54</td><td>7.26</td><td>37.05</td><td>6.00</td><td>315</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.90	49.07	74.00	-24.93	40.32	32.54	7.26	37.05	6.00	315	360	PEAK	2	2485.90	26.02	54.00	-27.98	17.27	32.54	7.26	37.05	6.00	315	360	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	2485.90	49.07	74.00	-24.93	40.32	32.54	7.26	37.05	6.00	315	360	PEAK																																																										
2	2485.90	26.02	54.00	-27.98	17.27	32.54	7.26	37.05	6.00	315	360	AVERAGE																																																										





Mode	12																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																															
ANT	7																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.84</td><td>74.00</td><td>-34.16</td><td>61.21</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>60.29</td><td>35.00</td><td>12.72</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	39.84	74.00	-34.16	61.21	33.90	10.30	65.57	0.00	---	PEAK	2	7320.00	42.81	74.00	-31.19	60.29	35.00	12.72	66.00	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.30</td><td>74.00</td><td>-33.70</td><td>61.67</td><td>33.90</td><td>10.30</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>59.77</td><td>35.80</td><td>12.72</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	40.30	74.00	-33.70	61.67	33.90	10.30	65.57	0.00	---	PEAK	2	7320.00	42.29	74.00	-31.71	59.77	35.80	12.72	66.00	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4880.00	39.84	74.00	-34.16	61.21	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																					
2	7320.00	42.81	74.00	-31.19	60.29	35.00	12.72	66.00	0.00	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4880.00	40.30	74.00	-33.70	61.67	33.90	10.30	65.57	0.00	---	PEAK																																																																																																																					
2	7320.00	42.29	74.00	-31.71	59.77	35.80	12.72	66.00	0.00	---	PEAK																																																																																																																					





Mode	13																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.30</td><td>49.82</td><td>74.00</td><td>-24.18</td><td>41.06</td><td>32.55</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>130</td><td>PEAK</td></tr><tr><td>2</td><td>2485.30</td><td>26.77</td><td>54.00</td><td>-27.23</td><td>18.01</td><td>32.55</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>130</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.30	49.82	74.00	-24.18	41.06	32.55	7.26	37.05	6.00	100	130	PEAK	2	2485.30	26.77	54.00	-27.23	18.01	32.55	7.26	37.05	6.00	100	130	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.42</td><td>-----</td><td>-----</td><td>96.59</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>100</td><td>130</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>82.37</td><td>-----</td><td>-----</td><td>73.54</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>100</td><td>130</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	105.42	-----	-----	96.59	32.62	7.25	37.04	6.00	100	130	PEAK	2	2478.00	82.37	-----	-----	73.54	32.62	7.25	37.04	6.00	100	130	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2485.30	49.82	74.00	-24.18	41.06	32.55	7.26	37.05	6.00	100	130	PEAK																																																																																																																		
2	2485.30	26.77	54.00	-27.23	18.01	32.55	7.26	37.05	6.00	100	130	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	105.42	-----	-----	96.59	32.62	7.25	37.04	6.00	100	130	PEAK																																																																																																																		
2	2478.00	82.37	-----	-----	73.54	32.62	7.25	37.04	6.00	100	130	AVERAGE																																																																																																																		





Mode	13																																																																				
	Band Edge																																																																				
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																				
ANT	7																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.42</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>40.63</td><td>32.55</td><td>7.26</td><td>37.05</td><td>6.00</td><td>274</td><td>360 PEAK</td></tr><tr><td>2</td><td>2485.42</td><td>26.34</td><td>54.00</td><td>-27.66</td><td>17.58</td><td>32.55</td><td>7.26</td><td>37.05</td><td>6.00</td><td>274</td><td>360 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.42	49.39	74.00	-24.61	40.63	32.55	7.26	37.05	6.00	274	360 PEAK	2	2485.42	26.34	54.00	-27.66	17.58	32.55	7.26	37.05	6.00	274	360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2485.42	49.39	74.00	-24.61	40.63	32.55	7.26	37.05	6.00	274	360 PEAK																																																										
2	2485.42	26.34	54.00	-27.66	17.58	32.55	7.26	37.05	6.00	274	360 AVERAGE																																																										
																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>102.38</td><td>-----</td><td>-----</td><td>93.55</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>274</td><td>360 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>79.33</td><td>-----</td><td>-----</td><td>70.50</td><td>32.62</td><td>7.25</td><td>37.04</td><td>6.00</td><td>274</td><td>360 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	102.38	-----	-----	93.55	32.62	7.25	37.04	6.00	274	360 PEAK	2	2478.00	79.33	-----	-----	70.50	32.62	7.25	37.04	6.00	274	360 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2478.00	102.38	-----	-----	93.55	32.62	7.25	37.04	6.00	274	360 PEAK																																																										
2	2478.00	79.33	-----	-----	70.50	32.62	7.25	37.04	6.00	274	360 AVERAGE																																																										



Mode	13																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.80</td><td>74.00</td><td>-33.20</td><td>61.93</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>60.83</td><td>35.00</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.80	74.00	-33.20	61.93	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	43.16	74.00	-30.84	60.83	35.00	12.78	66.25	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.17</td><td>74.00</td><td>-33.83</td><td>61.30</td><td>33.91</td><td>10.39</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>43.23</td><td>74.00</td><td>-30.77</td><td>60.90</td><td>35.80</td><td>12.78</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.17	74.00	-33.83	61.30	33.91	10.39	65.43	0.00	---	PEAK	2	7434.00	43.23	74.00	-30.77	60.90	35.80	12.78	66.25	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4956.00	40.80	74.00	-33.20	61.93	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																			
2	7434.00	43.16	74.00	-30.84	60.83	35.00	12.78	66.25	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4956.00	40.17	74.00	-33.83	61.30	33.91	10.39	65.43	0.00	---	PEAK																																																																																																																			
2	7434.00	43.23	74.00	-30.77	60.90	35.80	12.78	66.25	0.00	---	PEAK																																																																																																																			



Mode	59																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.34</td><td>49.95</td><td>74.00</td><td>-24.05</td><td>41.04</td><td>32.01</td><td>7.90</td><td>37.00</td><td>6.00</td><td>300</td><td>35 PEAK</td></tr><tr><td>2</td><td>2351.34</td><td>26.90</td><td>54.00</td><td>-27.10</td><td>17.99</td><td>32.01</td><td>7.90</td><td>37.00</td><td>6.00</td><td>300</td><td>35 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.34	49.95	74.00	-24.05	41.04	32.01	7.90	37.00	6.00	300	35 PEAK	2	2351.34	26.90	54.00	-27.10	17.99	32.01	7.90	37.00	6.00	300	35 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>95.56</td><td>-----</td><td>-----</td><td>85.76</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>300</td><td>35 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>72.51</td><td>-----</td><td>-----</td><td>62.71</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>300</td><td>35 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	95.56	-----	-----	85.76	32.78	8.04	37.02	6.00	300	35 PEAK	2	2440.00	72.51	-----	-----	62.71	32.78	8.04	37.02	6.00	300	35 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2351.34	49.95	74.00	-24.05	41.04	32.01	7.90	37.00	6.00	300	35 PEAK																																																																																																																		
2	2351.34	26.90	54.00	-27.10	17.99	32.01	7.90	37.00	6.00	300	35 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	95.56	-----	-----	85.76	32.78	8.04	37.02	6.00	300	35 PEAK																																																																																																																		
2	2440.00	72.51	-----	-----	62.71	32.78	8.04	37.02	6.00	300	35 AVERAGE																																																																																																																		



Mode	59																																																										
	Band Edge - R																																																										
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																										
ANT	7																																																										
Pol.	Horizontal	Fundamental																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.82</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>41.81</td><td>32.52</td><td>8.11</td><td>37.05</td><td>6.00</td><td>300</td><td>35 PEAK</td></tr><tr><td>2</td><td>2487.82</td><td>28.34</td><td>54.00</td><td>-25.66</td><td>18.76</td><td>32.52</td><td>8.11</td><td>37.05</td><td>6.00</td><td>300</td><td>35 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.82	51.39	74.00	-22.61	41.81	32.52	8.11	37.05	6.00	300	35 PEAK	2	2487.82	28.34	54.00	-25.66	18.76	32.52	8.11	37.05	6.00	300	35 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2487.82	51.39	74.00	-22.61	41.81	32.52	8.11	37.05	6.00	300	35 PEAK																																																
2	2487.82	28.34	54.00	-25.66	18.76	32.52	8.11	37.05	6.00	300	35 AVERAGE																																																





Mode	59																																																																																																																												
	Band Edge - L																																																																																																																												
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.99</td><td>49.76</td><td>74.00</td><td>-24.24</td><td>40.85</td><td>32.01</td><td>7.90</td><td>37.00</td><td>6.00</td><td>295</td><td>306 PEAK</td></tr><tr><td>2</td><td>2351.99</td><td>26.71</td><td>54.00</td><td>-27.29</td><td>17.80</td><td>32.01</td><td>7.90</td><td>37.00</td><td>6.00</td><td>295</td><td>306 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.99	49.76	74.00	-24.24	40.85	32.01	7.90	37.00	6.00	295	306 PEAK	2	2351.99	26.71	54.00	-27.29	17.80	32.01	7.90	37.00	6.00	295	306 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>100.86</td><td>-----</td><td>-----</td><td>91.06</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>295</td><td>306 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>77.81</td><td>-----</td><td>-----</td><td>68.01</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>295</td><td>306 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	100.86	-----	-----	91.06	32.78	8.04	37.02	6.00	295	306 PEAK	2	2440.00	77.81	-----	-----	68.01	32.78	8.04	37.02	6.00	295	306 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2351.99	49.76	74.00	-24.24	40.85	32.01	7.90	37.00	6.00	295	306 PEAK																																																																																																																		
2	2351.99	26.71	54.00	-27.29	17.80	32.01	7.90	37.00	6.00	295	306 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2440.00	100.86	-----	-----	91.06	32.78	8.04	37.02	6.00	295	306 PEAK																																																																																																																		
2	2440.00	77.81	-----	-----	68.01	32.78	8.04	37.02	6.00	295	306 AVERAGE																																																																																																																		




Mode	59																																																													
	Band Edge - R																																																													
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																													
ANT	7																																																													
Pol.	Vertical	Fundamental																																																												
Peak	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.58</td><td>50.67</td><td>74.00</td><td>-23.33</td><td>41.09</td><td>32.52</td><td>8.11</td><td>37.05</td><td>6.00</td><td>295</td><td>306</td><td>PEAK</td></tr><tr><td>2</td><td>2487.58</td><td>27.62</td><td>54.00</td><td>-26.38</td><td>18.04</td><td>32.52</td><td>8.11</td><td>37.05</td><td>6.00</td><td>295</td><td>306</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2487.58	50.67	74.00	-23.33	41.09	32.52	8.11	37.05	6.00	295	306	PEAK	2	2487.58	27.62	54.00	-26.38	18.04	32.52	8.11	37.05	6.00	295	306	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2487.58	50.67	74.00	-23.33	41.09	32.52	8.11	37.05	6.00	295	306	PEAK																																																		
2	2487.58	27.62	54.00	-26.38	18.04	32.52	8.11	37.05	6.00	295	306	AVERAGE																																																		




Mode	59																																																																			
	Harmonic																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																			
ANT	7																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.28</td><td>74.00</td><td>-32.72</td><td>61.47</td><td>33.90</td><td>11.48</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>43.26</td><td>74.00</td><td>-30.74</td><td>59.32</td><td>35.00</td><td>14.14</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.28	74.00	-32.72	61.47	33.90	11.48	65.57	0.00	---	PEAK	2	7320.00	43.26	74.00	-30.74	59.32	35.00	14.14	66.00	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4880.00	41.28	74.00	-32.72	61.47	33.90	11.48	65.57	0.00	---	PEAK																																																									
2	7320.00	43.26	74.00	-30.74	59.32	35.00	14.14	66.00	0.00	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.86</td><td>74.00</td><td>-33.14</td><td>61.05</td><td>33.90</td><td>11.48</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>59.60</td><td>35.80</td><td>14.14</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.86	74.00	-33.14	61.05	33.90	11.48	65.57	0.00	---	PEAK	2	7320.00	43.54	74.00	-30.46	59.60	35.80	14.14	66.00	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	4880.00	40.86	74.00	-33.14	61.05	33.90	11.48	65.57	0.00	---	PEAK																																																									
2	7320.00	43.54	74.00	-30.46	59.60	35.80	14.14	66.00	0.00	---	PEAK																																																									

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 39_Ant 6/7




DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.

BLE ASK on time (One Pulse) Plot on Channel 2_Ant 6/7



BLE ASK on time (Count Pulses) Plot on Channel 2



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $160 * 0.044 / 100 = 7.04 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -23.05 \text{ dB}$