





11BE80MIMO_Ant6_6385_484Tone_RU66



Date: 9.AUG.2025 07:06:45


11BE80MIMO_Ant7_6385_484Tone_RU66



Date: 9.AUG.2025 07:08:16




11BE80MIMO_Ant6_6465_484Tone_RU65



Date: 9.AUG.2025 07:10:28


11BE80MIMO_Ant7_6465_484Tone_RU65



Date: 9.AUG.2025 07:11:53




11BE80MIMO_Ant6_6545_484Tone_RU66



Date: 9.AUG.2025 07:14:30


11BE80MIMO_Ant7_6545_484Tone_RU66



Date: 9.AUG.2025 07:15:53




11BE80MIMO_Ant6_6625_484Tone_RU65



Date: 9.AUG.2025 07:34:26


11BE80MIMO_Ant7_6625_484Tone_RU65



Date: 9.AUG.2025 07:35:39




11BE80MIMO_Ant6_6705_484Tone_RU65



Date: 9.AUG.2025 07:42:17


11BE80MIMO_Ant7_6705_484Tone_RU65



Date: 9.AUG.2025 07:43:30




11BE80MIMO_Ant6_6785_484Tone_RU66



Date: 9.AUG.2025 07:47:03


11BE80MIMO_Ant7_6785_484Tone_RU66




Date: 9.AUG.2025 07:48:16



11BE80MIMO_Ant6_6865_484Tone_RU66




11BE80MIMO_Ant7_6865_484Tone_RU66






11BE80MIMO_Ant6_6945_484Tone_RU65



Date: 9.AUG.2025 11:23:28


11BE80MIMO_Ant7_6945_484Tone_RU65



Date: 9.AUG.2025 11:24:42




11BE80MIMO_Ant6_7025_484Tone_RU66



Date: 9.AUG.2025 11:26:54


11BE80MIMO_Ant7_7025_484Tone_RU66




Date: 9.AUG.2025 11:28:10



11BE160MIMO_Ant6_6025_996Tone_RU67




11BE160MIMO_Ant7_6025_996Tone_RU67






11BE160MIMO_Ant6_6185_996Tone_RU67




11BE160MIMO_Ant7_6185_996Tone_RU67






11BE160MIMO_Ant6_6345_996Tone_RUS67



Date: 9.AUG.2025 11:44:15


11BE160MIMO_Ant7_6345_996Tone_RUS67




Date: 9.AUG.2025 11:46:00



11BE160MIMO_Ant6_6505_996Tone_RU67




11BE160MIMO_Ant7_6505_996Tone_RU67






11BE160MIMO_Ant6_6665_996Tone_RUS67




11BE160MIMO_Ant7_6665_996Tone_RUS67






11BE160MIMO_Ant6_6825_996Tone_RU67




11BE160MIMO_Ant7_6825_996Tone_RU67






11BE160MIMO_Ant6_6985_996Tone_RUS67



11BE160MIMO_Ant7_6985_996Tone_RUS67





<Small RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm/ MHz]	Verdict
11BE20MIMO	Ant6	5955	52Tone+26Tone	RU38+RU1	-7.26	-0.30	-7.56	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.08	-0.30	-5.38	≤-1.00	PASS
	Ant7	5955	52Tone+26Tone	RU38+RU1	-7.00	1.01	-5.99	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.41	1.01	-4.40	≤-1.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	-4.12	0.40	-3.72	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.23	0.40	-1.83	≤-1.00	PASS
	Ant6	6435	52Tone+26Tone	RU38+RU1	-6.66	-0.41	-7.07	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.36	-0.41	-5.77	≤-1.00	PASS
	Ant7	6435	52Tone+26Tone	RU38+RU1	-7.11	0.02	-7.09	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.92	0.02	-5.90	≤-1.00	PASS
	total	6435	52Tone+26Tone	RU38+RU1	-3.87	-0.19	-4.06	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.62	-0.19	-2.81	≤-1.00	PASS
	Ant6	6535	52Tone+26Tone	RU38+RU1	-6.82	0.54	-6.28	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.14	0.54	-4.60	≤-1.00	PASS
	Ant7	6535	52Tone+26Tone	RU38+RU1	-7.01	0.23	-6.78	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-6.05	0.23	-5.82	≤-1.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	-3.90	0.39	-3.51	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.56	0.39	-2.17	≤-1.00	PASS
	Ant6	7095	52Tone+26Tone	RU39+RU7	-7.57	-0.20	-7.77	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-5.74	-0.20	-5.94	≤-1.00	PASS
	Ant7	7095	52Tone+26Tone	RU39+RU7	-8.14	0.01	-8.13	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-6.02	0.01	-6.01	≤-1.00	PASS
	total	7095	52Tone+26Tone	RU39+RU7	-4.84	-0.09	-4.93	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-2.87	-0.09	-2.96	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant7_5955_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_5955_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_7095_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_7095_52Tone+26Tone_RU39+RU7



11BE20MIMO_Ant7_7095_106Tone+26Tone_RU54+RU4





<Large RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant6	6105	3*996Tone	RU4	-5.12	-0.30	-5.42	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.2	-0.30	-5.50	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.49	-0.30	-5.79	≤-1.00	PASS
	Ant7	6105	3*996Tone	RU4	-5.56	1.01	-4.55	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.63	1.01	-4.62	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.86	1.01	-4.85	≤-1.00	PASS
	total	6105	3*996Tone	RU4	-2.32	0.40	-1.92	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-2.40	0.40	-2.00	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-2.66	0.40	-2.26	≤-1.00	PASS
	Ant6	6585	3*996Tone	RU4	-5.16	0.54	-4.62	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-4.78	0.54	-4.24	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-4.97	0.54	-4.43	≤-1.00	PASS
	Ant7	6585	3*996Tone	RU4	-5.63	0.23	-5.40	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.37	0.23	-5.14	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.17	0.23	-4.94	≤-1.00	PASS
	total	6585	3*996Tone	RU4	-2.38	0.39	-1.99	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-2.05	0.39	-1.66	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-2.06	0.39	-1.67	≤-1.00	PASS
	Ant6	6745	3*996Tone	RU4	-6.02	0.54	-5.48	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.66	0.54	-5.12	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.34	0.54	-4.80	≤-1.00	PASS
	Ant7	6745	3*996Tone	RU4	-5.68	0.23	-5.45	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-5.25	0.23	-5.02	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-5.23	0.23	-5.00	≤-1.00	PASS
	total	6745	3*996Tone	RU4	-2.84	0.39	-2.45	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-2.44	0.39	-2.05	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-2.27	0.39	-1.88	≤-1.00	PASS
	Ant6	6905	3*996Tone+484Tone	RU1	-5.3	0.54	-4.76	≤-1.00	PASS
			3*996Tone	RU1	-5.54	0.54	-5.00	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-5.62	0.54	-5.08	≤-1.00	PASS
	Ant7	6905	3*996Tone+484Tone	RU1	-5.38	0.23	-5.15	≤-1.00	PASS



			3*996Tone	RU1	-5.43	0.23	-5.20	≤ -1.00	PASS
			2*996Tone+484Tone	RU7	-5.52	0.23	-5.29	≤ -1.00	PASS
			3*996Tone+484Tone	RU1	-2.33	0.39	-1.94	≤ -1.00	PASS
			3*996Tone	RU1	-2.47	0.39	-2.08	≤ -1.00	PASS
			2*996Tone+484Tone	RU7	-2.56	0.39	-2.17	≤ -1.00	PASS
11BE80 MIMO	Ant6	5985	484Tone+242Tone	RU4	-4.87	-0.30	-5.17	≤ -1.00	PASS
	Ant7	5985	484Tone+242Tone	RU4	-5.58	1.01	-4.57	≤ -1.00	PASS
	total	5985	484Tone+242Tone	RU4	-2.20	0.40	-1.80	≤ -1.00	PASS
	Ant6	6465	484Tone+242Tone	RU4	-4.01	-0.41	-4.42	≤ -1.00	PASS
	Ant7	6465	484Tone+242Tone	RU4	-4.31	0.02	-4.29	≤ -1.00	PASS
	total	6465	484Tone+242Tone	RU4	-1.15	-0.19	-1.34	≤ -1.00	PASS
	Ant6	6625	484Tone+242Tone	RU4	-5.27	0.54	-4.73	≤ -1.00	PASS
	Ant7	6625	484Tone+242Tone	RU4	-4.67	0.23	-4.44	≤ -1.00	PASS
	total	6625	484Tone+242Tone	RU4	-1.95	0.39	-1.56	≤ -1.00	PASS
	Ant6	7025	484Tone+242Tone	RU1	-4.59	-0.20	-4.79	≤ -1.00	PASS
	Ant7	7025	484Tone+242Tone	RU1	-5.22	0.01	-5.21	≤ -1.00	PASS
	total	7025	484Tone+242Tone	RU1	-1.88	-0.09	-1.97	≤ -1.00	PASS
11BE160 MIMO	Ant6	6025	996Tone+484Tone	RU4	-4.79	-0.30	-5.09	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-4.92	-0.30	-5.22	≤ -1.00	PASS
	Ant7	6025	996Tone+484Tone	RU4	-5.64	1.01	-4.63	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.76	1.01	-4.75	≤ -1.00	PASS
	total	6025	996Tone+484Tone	RU4	-2.18	0.40	-1.78	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-2.31	0.40	-1.91	≤ -1.00	PASS
	Ant6	6505	996Tone+484Tone	RU4	-5	0.54	-4.46	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-4.86	0.54	-4.32	≤ -1.00	PASS
	Ant7	6505	996Tone+484Tone	RU4	-5.18	0.23	-4.95	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.04	0.23	-4.81	≤ -1.00	PASS
	total	6505	996Tone+484Tone	RU4	-2.08	0.39	-1.69	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-1.94	0.39	-1.55	≤ -1.00	PASS
	Ant6	6665	996Tone+484Tone	RU4	-5.29	0.54	-4.75	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.57	0.54	-5.03	≤ -1.00	PASS
	Ant7	6665	996Tone+484Tone	RU4	-5.22	0.23	-4.99	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-5.32	0.23	-5.09	≤ -1.00	PASS
	total	6665	996Tone+484Tone	RU4	-2.24	0.39	-1.85	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU8	-2.43	0.39	-2.04	≤ -1.00	PASS
	Ant6	6985	996Tone+484Tone242Tone	RU1	-4.76	-0.20	-4.96	≤ -1.00	PASS
			996Tone+484Tone	RU1	-4.43	-0.20	-4.63	≤ -1.00	PASS
	Ant7	6985	996Tone+484Tone	RU1	-4.84	0.01	-4.83	≤ -1.00	PASS
			996Tone+484Tone242Tone	RU1	-5.33	0.01	-5.32	≤ -1.00	PASS




	total	6985	996Tone+484Tone	RU1	-1.62	-0.09	-1.71	≤-1.00	PASS
			996Tone+484Tone242Tone	RU1	-2.03	-0.09	-2.12	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6105_3*996Tone_RU4






11BE320MIMO_Ant7_6105_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6105_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6585_3*996Tone_RU4




11BE320MIMO_Ant6_6585_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6585_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6585_3*996Tone_RU4






11BE320MIMO_Ant7_6585_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6585_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6745_3*996Tone_RU4




11BE320MIMO_Ant6_6745_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6745_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6745_3*996Tone_RU4






11BE320MIMO_Ant7_6745_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6745_3*996Tone+484Tone_RU8





11BE320MIMO_Ant6_6905_3*996Tone+484Tone_RU1




11BE320MIMO_Ant6_6905_3*996Tone_RU1






11BE320MIMO_Ant6_6905_2*996Tone+484Tone_RU7




11BE320MIMO_Ant7_6905_3*996Tone+484Tone_RU1






11BE320MIMO_Ant7_6905_3*996Tone_RU1




11BE320MIMO_Ant7_6905_2*996Tone+484Tone_RU7






11BE80MIMO_Ant6_5985_484Tone+242Tone_RU4




11BE80MIMO_Ant7_5985_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6465_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6465_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6625_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6625_484Tone+242Tone_RU4






11BE80MIMO_Ant6_7025_484Tone+242Tone_RU1




11BE80MIMO_Ant7_7025_484Tone+242Tone_RU1






11BE160MIMO_Ant6_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6985_996Tone+484Tone242Tone_RU1




11BE160MIMO_Ant6_6985_996Tone+484Tone_RU1






11BE160MIMO_Ant7_6985_996Tone+484Tone_RU1



11BE160MIMO_Ant7_6985_996Tone+484Tone242Tone_RU1





<Puncturing RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE320 MIMO	Ant6	6105	Puncturing 80M	RU4	-5.99	-0.30	-6.29	≤-1.00	PASS
			Puncturing 80+40M	RU6	-6.35	-0.30	-6.65	≤-1.00	PASS
			Puncturing 40M	RU8	-5.26	-0.30	-5.56	≤-1.00	PASS
	Ant7	6105	Puncturing 80M	RU4	-6.37	1.01	-5.36	≤-1.00	PASS
			Puncturing 80+40M	RU6	-6.86	1.01	-5.85	≤-1.00	PASS
			Puncturing 40M	RU8	-5.57	1.01	-4.56	≤-1.00	PASS
	total	6105	Puncturing 80M	RU4	-3.17	0.40	-2.77	≤-1.00	PASS
			Puncturing 80+40M	RU6	-3.59	0.40	-3.19	≤-1.00	PASS
			Puncturing 40M	RU8	-2.40	0.40	-2.00	≤-1.00	PASS
	Ant6	6585	Puncturing 80M	RU4	-5.94	0.54	-5.40	≤-1.00	PASS
			Puncturing 80+40M	RU6	-6.58	0.54	-6.04	≤-1.00	PASS
			Puncturing 40M	RU8	-5.1	0.54	-4.56	≤-1.00	PASS
	Ant7	6585	Puncturing 80M	RU4	-6.5	0.23	-6.27	≤-1.00	PASS
			Puncturing 80+40M	RU6	-6.87	0.23	-6.64	≤-1.00	PASS
			Puncturing 40M	RU8	-5.38	0.23	-5.15	≤-1.00	PASS
	total	6585	Puncturing 80M	RU4	-3.20	0.39	-2.81	≤-1.00	PASS
			Puncturing 80+40M	RU6	-3.71	0.39	-3.32	≤-1.00	PASS
			Puncturing 40M	RU8	-2.23	0.39	-1.84	≤-1.00	PASS
	Ant6	6745	Puncturing 80M	RU4	-6.91	0.54	-6.37	≤-1.00	PASS
			Puncturing 80+40M	RU6	-7.27	0.54	-6.73	≤-1.00	PASS
			Puncturing 40M	RU8	-5.68	0.54	-5.14	≤-1.00	PASS
	Ant7	6745	Puncturing 80M	RU4	-6.4	0.23	-6.17	≤-1.00	PASS
			Puncturing 80+40M	RU6	-7.07	0.23	-6.84	≤-1.00	PASS
			Puncturing 40M	RU8	-5.37	0.23	-5.14	≤-1.00	PASS
	total	6745	Puncturing 80M	RU4	-3.64	0.39	-3.25	≤-1.00	PASS
			Puncturing 80+40M	RU6	-4.16	0.39	-3.77	≤-1.00	PASS
			Puncturing 40M	RU8	-2.51	0.39	-2.12	≤-1.00	PASS
	Ant6	6905	Puncturing 40M	RU1	-5.34	0.54	-4.80	≤-1.00	PASS
			Puncturing 80M	RU1	-6.57	0.54	-6.03	≤-1.00	PASS
			Puncturing 80+40M	RU7	-7.37	0.54	-6.83	≤-1.00	PASS



	Ant7	6905	Puncturing 40M	RU1	-5.47	0.23	-5.24	≤-1.00	PASS
			Puncturing 80M	RU1	-6.59	0.23	-6.36	≤-1.00	PASS
			Puncturing 80+40M	RU7	-7.23	0.23	-7.00	≤-1.00	PASS
	total	6905	Puncturing 40M	RU1	-2.39	0.39	-2.00	≤-1.00	PASS
			Puncturing 80M	RU1	-3.57	0.39	-3.18	≤-1.00	PASS
			Puncturing 80+40M	RU7	-4.29	0.39	-3.90	≤-1.00	PASS
11BE80MIMO	Ant6	5985	Puncturing 20M	RU4	-5.38	-0.30	-5.68	≤-1.00	PASS
	Ant7	5985	Puncturing 20M	RU4	-5.96	1.01	-4.95	≤-1.00	PASS
	total	5985	Puncturing 20M	RU4	-2.65	0.40	-2.25	≤-1.00	PASS
	Ant6	6465	Puncturing 20M	RU4	-4.25	-0.41	-4.66	≤-1.00	PASS
	Ant7	6465	Puncturing 20M	RU4	-4.57	0.02	-4.55	≤-1.00	PASS
	total	6465	Puncturing 20M	RU4	-1.40	-0.19	-1.59	≤-1.00	PASS
	Ant6	6625	Puncturing 20M	RU4	-5.52	0.54	-4.98	≤-1.00	PASS
	Ant7	6625	Puncturing 20M	RU4	-4.89	0.23	-4.66	≤-1.00	PASS
	total	6625	Puncturing 20M	RU4	-2.18	0.39	-1.79	≤-1.00	PASS
	Ant6	7025	Puncturing 20M	RU1	-5.01	-0.20	-5.21	≤-1.00	PASS
	Ant7	7025	Puncturing 20M	RU1	-5.61	0.01	-5.60	≤-1.00	PASS
	total	7025	Puncturing 20M	RU1	-2.29	-0.09	-2.38	≤-1.00	PASS
11BE160MIMO	Ant6	6025	Puncturing 40M	RU4	-4.34	-0.30	-4.64	≤-1.00	PASS
			Puncturing 20M	RU8	-4.53	-0.30	-4.83	≤-1.00	PASS
	Ant7	6025	Puncturing 40M	RU4	-5.48	1.01	-4.47	≤-1.00	PASS
			Puncturing 20M	RU8	-5.38	1.01	-4.37	≤-1.00	PASS
	total	6025	Puncturing 40M	RU4	-1.86	0.40	-1.46	≤-1.00	PASS
			Puncturing 20M	RU8	-1.92	0.40	-1.52	≤-1.00	PASS
	Ant6	6505	Puncturing 40M	RU4	-4.75	0.54	-4.21	≤-1.00	PASS
			Puncturing 20M	RU8	-4.36	0.54	-3.82	≤-1.00	PASS
	Ant7	6505	Puncturing 40M	RU4	-5.17	0.23	-4.94	≤-1.00	PASS
			Puncturing 20M	RU8	-4.81	0.23	-4.58	≤-1.00	PASS
	total	6505	Puncturing 40M	RU4	-1.94	0.39	-1.55	≤-1.00	PASS
			Puncturing 20M	RU8	-1.57	0.39	-1.18	≤-1.00	PASS
	Ant6	6665	Puncturing 40M	RU4	-4.99	0.54	-4.45	≤-1.00	PASS
			Puncturing 20M	RU8	-5.15	0.54	-4.61	≤-1.00	PASS
	Ant7	6665	Puncturing 40M	RU4	-4.97	0.23	-4.74	≤-1.00	PASS
			Puncturing 20M	RU8	-4.88	0.23	-4.65	≤-1.00	PASS
	total	6665	Puncturing 40M	RU4	-1.97	0.39	-1.58	≤-1.00	PASS
			Puncturing 20M	RU8	-2.00	0.39	-1.61	≤-1.00	PASS
	Ant6	6985	Puncturing 40M	RU1	-4.05	-0.20	-4.25	≤-1.00	PASS
			Puncturing 20M	RU1	-4.19	-0.20	-4.39	≤-1.00	PASS
	Ant7	6985	Puncturing 20M	RU1	-4.77	0.01	-4.76	≤-1.00	PASS




			Puncturing 40M	RU1	-4.56	0.01	-4.55	≤-1.00	PASS
	total	6985	Puncturing 20M	RU1	-1.46	-0.09	-1.55	≤-1.00	PASS
			Puncturing 40M	RU1	-1.29	-0.09	-1.38	≤-1.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_Puncturing 40M_RU8




11BE320MIMO_Ant7_6105_Puncturing 80M_RU4






11BE320MIMO_Ant7_6105_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6105_Puncturing 40M_RU8






11BE320MIMO_Ant6_6585_Puncturing 80M_RU4




11BE320MIMO_Ant6_6585_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6585_Puncturing 40M_RU8




11BE320MIMO_Ant7_6585_Puncturing 80M_RU4






11BE320MIMO_Ant7_6585_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6585_Puncturing 40M_RU8






11BE320MIMO_Ant6_6745_Puncturing 80M_RU4




11BE320MIMO_Ant6_6745_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6745_Puncturing 40M_RU8




11BE320MIMO_Ant7_6745_Puncturing 80M_RU4






11BE320MIMO_Ant7_6745_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6745_Puncturing 40M_RU8






11BE320MIMO_Ant6_6905_Puncturing 40M_RU1




11BE320MIMO_Ant6_6905_Puncturing 80M_RU1






11BE320MIMO_Ant6_6905_Puncturing 80+40M_RU7




11BE320MIMO_Ant7_6905_Puncturing 40M_RU1






11BE320MIMO_Ant7_6905_Puncturing 80M_RU1




11BE320MIMO_Ant7_6905_Puncturing 80+40M_RU7






11BE80MIMO_Ant6_5985_Puncturing 20M_RU4




11BE80MIMO_Ant7_5985_Puncturing 20M_RU4






11BE80MIMO_Ant6_6465_Puncturing 20M_RU4




11BE80MIMO_Ant7_6465_Puncturing 20M_RU4






11BE80MIMO_Ant6_6625_Puncturing 20M_RU4




11BE80MIMO_Ant7_6625_Puncturing 20M_RU4






11BE80MIMO_Ant6_7025_Puncturing 20M_RU1




11BE80MIMO_Ant7_7025_Puncturing 20M_RU1






11BE160MIMO_Ant6_6025_Puncturing 40M_RU4




11BE160MIMO_Ant6_6025_Puncturing 20M_RU8






11BE160MIMO_Ant7_6025_Puncturing 40M_RU4




11BE160MIMO_Ant7_6025_Puncturing 20M_RU8






11BE160MIMO_Ant6_6505_Puncturing 40M_RU4




11BE160MIMO_Ant6_6505_Puncturing 20M_RU8






11BE160MIMO_Ant7_6505_Puncturing 40M_RU4




11BE160MIMO_Ant7_6505_Puncturing 20M_RU8






11BE160MIMO_Ant6_6665_Puncturing 40M_RU4




11BE160MIMO_Ant6_6665_Puncturing 20M_RU8






11BE160MIMO_Ant7_6665_Puncturing 40M_RU4




11BE160MIMO_Ant7_6665_Puncturing 20M_RU8






11BE160MIMO_Ant6_6985_Puncturing 40M_RU1




11BE160MIMO_Ant6_6985_Puncturing 20M_RU1






11BE160MIMO_Ant7_6985_Puncturing 20M_RU1




11BE160MIMO_Ant7_6985_Puncturing 40M_RU1





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.150	57.58	-8.42	66.00	46.90	0.23	10.45	QP
2	0.150	38.78	-17.22	56.00	28.10	0.23	10.45	Average
3	0.162	55.29	-10.09	65.38	44.60	0.24	10.45	QP
4	0.162	38.59	-16.79	55.38	27.90	0.24	10.45	Average
5	0.171	51.90	-13.00	64.90	41.20	0.25	10.45	QP
6	0.171	33.30	-21.60	54.90	22.60	0.25	10.45	Average
7	0.234	45.94	-16.36	62.30	35.20	0.27	10.47	QP
8	0.234	29.04	-23.26	52.30	18.30	0.27	10.47	Average
9	0.256	42.26	-19.30	61.56	31.50	0.29	10.47	QP
10	0.256	25.36	-26.20	51.56	14.60	0.29	10.47	Average
11	2.422	35.85	-20.15	56.00	25.20	0.42	10.23	QP
12	2.422	26.95	-19.05	46.00	16.30	0.42	10.23	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.154	55.88	-9.90	65.78	45.20	0.23	10.45	QP
2	0.154	38.48	-17.30	55.78	27.80	0.23	10.45	Average
3	0.164	54.50	-10.75	65.25	43.81	0.24	10.45	QP
4	0.164	37.00	-18.25	55.25	26.31	0.24	10.45	Average
5	0.171	51.90	-13.00	64.90	41.20	0.25	10.45	QP
6	0.171	33.00	-21.90	54.90	22.30	0.25	10.45	Average
7	0.248	43.94	-17.88	61.82	33.20	0.27	10.47	QP
8	0.248	28.04	-23.78	51.82	17.30	0.27	10.47	Average
9	2.422	38.82	-17.18	56.00	28.20	0.39	10.23	QP
10	2.422	31.92	-14.08	46.00	21.30	0.39	10.23	Average
11	2.636	39.42	-16.58	56.00	28.80	0.39	10.23	QP
12	2.636	32.82	-13.18	46.00	22.20	0.39	10.23	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jake zhou	Relative Humidity :	51 ~ 53 %
		Temperature :	22 ~ 26 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Sample
Mode 1	U-NII-5	5.925-6.425	A6+A7	802.11a	1	5955	MCS0	-	1
Mode 2	U-NII-5	5.925-6.425	A6+A7	802.11a	49	6195	MCS0	-	1
Mode 3	U-NII-5	5.925-6.425	A6+A7	802.11a	93	6415	MCS0	-	1
Mode 4	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	-	1
Mode 5	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	RU106/53	1
Mode 6	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	49	6195	MCS0	-	1
Mode 7	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	93	6415	MCS0	-	1
Mode 8	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	-	1
Mode 9	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	RU242/61	1
Mode 10	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	51	6205	MCS0	-	1
Mode 11	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	91	6405	MCS0	-	1
Mode 12	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Full	1
Mode 13	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	RU484/65	1
Mode 14	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	55	6225	MCS0	Full	1
Mode 15	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	87	6385	MCS0	Full	1
Mode 16	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Full	1
Mode 17	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	RU996/67	1
Mode 18	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	47	6185	MCS0	Full	1
Mode 19	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	79	6345	MCS0	Full	1
Mode 20	U-NII-6	6.425-6.525	A6+A7	802.11a	97	6435	MCS0	-	1
Mode 21	U-NII-6	6.425-6.525	A6+A7	802.11a	105	6475	MCS0	-	1
Mode 22	U-NII-6	6.425-6.525	A6+A7	802.11a	113	6515	MCS0	-	1
Mode 23	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	97	6435	MCS0	-	1
Mode 24	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	105	6475	MCS0	-	1
Mode 25	U-NII-6	6.425-6.525	A6+A7	802.11be EHT20	113	6515	MCS0	-	1
Mode 26	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	99	6445	MCS0	Full	1
Mode 27	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	107	6485	MCS0	Full	1
Mode 28	U-NII-6	6.425-6.525	A6+A7	802.11be EHT40	115	6525	MCS0	-	1
Mode 29	U-NII-6	6.425-6.525	A6+A7	802.11be EHT80	103	6465	MCS0	Full	1
Mode 30	U-NII-6	6.425-6.525	A6+A7	802.11be EHT160	111	6505	MCS0	-	1
Mode 31	U-NII-7	6.525-6.875	A6+A7	802.11a	117	6535	MCS0	Full	1
Mode 32	U-NII-7	6.525-6.875	A6+A7	802.11a	149	6695	MCS0	Full	1
Mode 33	U-NII-7	6.525-6.875	A6+A7	802.11a	185	6875	MCS0	-	1



Mode 34	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	117	6535	MCS0	Full	1
Mode 35	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	149	6695	MCS0	Full	1
Mode 36	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	185	6875	MCS0	-	1
Mode 37	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	123	6565	MCS0	Full	1
Mode 38	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	147	6685	MCS0	Full	1
Mode 39	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	187	6885	MCS0	-	1
Mode 40	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	135	6625	MCS0	Full	1
Mode 41	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	151	6705	MCS0	Full	1
Mode 42	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	183	6865	MCS0	-	1
Mode 43	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	143	6665	MCS0	Full	1
Mode 44	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	175	6825	MCS0	-	1
Mode 45	U-NII-8	6.875-7.125	A6+A7	802.11a	189	6895	MCS0	Full	1
Mode 46	U-NII-8	6.875-7.125	A6+A7	802.11a	209	6995	MCS0	Full	1
Mode 47	U-NII-8	6.875-7.125	A6+A7	802.11a	229	7095	MCS0	-	1
Mode 48	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	189	6895	MCS0	Full	1
Mode 49	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	209	6995	MCS0	Full	1
Mode 50	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	-	1
Mode 51	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	RU106/54	1
Mode 52	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	195	6925	MCS0	Full	1
Mode 53	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	211	7005	MCS0	Full	1
Mode 54	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	-	1
Mode 55	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	RU242/62	1
Mode 56	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	199	6945	MCS0	Full	1
Mode 57	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	-	1
Mode 58	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	RU484/66	1
Mode 59	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	-	1
Mode 60	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	RU996/68	1
Mode 61	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	-	1
Mode 62	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	RU996*2/69	1
Mode 63	UNII-5-6	5.925-6.525	A6+A7	802.11be EHT320	95	6425	MCS0	-	1
Mode 64	UNII-7-8	6.875-7.125	A6+A7	802.11be EHT320	159	6745	MCS0	-	1
Mode 65	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	-	1
Mode 66	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	63	6265	MCS0	RU996*2/69	1
Mode 67	UNII-6-7	6.425-6.875	A6+A7	802.11be EHT320	127	6585	MCS0	-	1
Mode 68	UNII-7-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	-	1
Mode 69	UNII-7-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	RU996*2/70	1
Mode 70	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	Index 38+1	1
Mode 71	U-NII-5	6.425-6.525	A6+A7	802.11be EHT20	1	5955	MCS0	Index 53+4	1
Mode 72	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	Index 39+7	1
Mode 73	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	-	MCS0	Index 54+4	1
Mode 74	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	1
Mode 75	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	1



Mode 76	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	1
Mode 77	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 40M ①	1
Mode 78	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	1
Mode 79	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	1
Mode 80	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M +40M⑥	1
Mode 81	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M⑦	1
Mode 82	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	1
Mode 83	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	1
Mode 84	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	1
Mode 85	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	1
Mode 86	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	1
Mode 87	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ①	1
Mode 88	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	1
Mode 89	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ①	1
Mode 90	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484+242 ⑧	1
Mode 91	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484+242 ①	1
Mode 92	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	1
Mode 93	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑦	1
Mode 94	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	1
Mode 95	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	1
Mode 96	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ①	1
Mode 97	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ①	1
Mode 98	U-NII-8	6.875-7.125	A6+A7	802.11a	233	7115	MCS0	-	1
Mode 99	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	1
Mode 100	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	RU106/54	1
Mode 101	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 39+7	1
Mode 102	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 54+4	1
Mode 103	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	2
Mode 108	U-NII-7	6.525-6.875	A6+A7	802.11a	181	6855	6Mbps	Full	1
Mode 109	U-NII-7	6.525-6.875	A6+A7	802.11BE EHT20	181	6855	MCS0	Full	1
Mode 110	U-NII-7	6.525-6.875	A6+A7	802.11BE EHT40	179	6845	MCS0	Full	1
Mode 111	U-NII-7	6.525-6.875	A6+A7	802.11BE EHT80	167	6785	MCS0	Full	1

**Co-location**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Sample
Mode 104	2400-2483.5	2400-2483.5	6	Bluetooth-LE_GSKF	39	2480	2Mbps	-	1
	2400-2483.5	2400-2483.5	7	802.11b	1	2412	MCS0	Full RU	1
	U-NII-8	6.875-7.125	A6+A7	802.11BE EHT20	233	7115	MCS0	-	1
	NFC								1
Mode 105	2400-2483.5	2400-2483.5	A6+A7	802.11b	1	2412	MCS0	Full RU	1
	U-NII-8	6.875-7.125	A6+A7	802.11BE EHT20	233	7115	MCS0	-	1
	NFC								1
Mode 106	2400-2483.5	2400-2483.5	6	Bluetooth-LE_GSKF	39	2480	2Mbps	-	1
	U-NII-2A	5.15-5.35	A6+A7	802.11BE EHT160	50	5250	MCS0	-	1
	U-NII-8	6.875-7.125	A6+A7	802.11BE EHT20	233	7115	MCS0	-	1
	NFC								1
Mode 107	2400-2483.5	2400-2483.5	7	Bluetooth-LE_GSKF	39	2480	2Mbps	-	1
	U-NII-2A	5.15-5.35	A6+A7	802.11BE EHT160	50	5250	MCS0	-	1
	U-NII-8	6.875-7.125	A6+A7	802.11BE EHT20	233	7115	MCS0	-	1
	NFC								1



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	52.54	68.20	-15.66	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	44.19	54.00	-9.81	H	AVERAGE	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	48.15	54.00	-5.85	H	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	48.37	88.20	-39.83	H	PEAK	Pass	Harmonic
4	802.11be EHT20	1	5924.84	56.36	68.20	-11.84	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	1	11910.00	38.45	54.00	-15.55	H	AVERAGE	Pass	Harmonic
5	802.11be EHT20	1	5924.32	63.02	68.20	-5.18	H	AVERAGE	Pass	Band Edge
5	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT20	49	-	-	-	-	-	-	-	Band Edge
6	802.11be EHT20	49	12390.00	43.03	54.00	-10.97	H	AVERAGE	Pass	Harmonic
7	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
7	802.11be EHT20	93	12830.00	47.94	88.20	-40.26	V	PEAK	Pass	Harmonic
8	802.11be EHT40	3	5921.04	58.26	68.20	-9.94	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	3	11930.00	36.27	54.00	-17.73	V	AVERAGE	Pass	Harmonic
9	802.11be EHT40	3	5924.96	56.05	68.20	-12.15	H	AVERAGE	Pass	Band Edge
9	802.11be EHT40	3	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT40	51	-	-	-	-	-	-	-	Band Edge
10	802.11be EHT40	51	12410.00	37.10	54.00	-16.90	V	AVERAGE	Pass	Harmonic
11	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT40	91	12810.00	46.93	88.20	-41.27	H	PEAK	Pass	Harmonic
12	802.11be EHT80	7	5916.36	59.98	68.20	-8.22	H	AVERAGE	Pass	Band Edge
12	802.11be EHT80	7	11970.00	36.44	54.00	-17.56	V	AVERAGE	Pass	Harmonic
13	802.11be EHT80	7	5925.00	57.28	68.20	-10.92	V	AVERAGE	Pass	Band Edge
13	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
14	802.11be EHT80	55	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT80	55	12450.00	37.12	54.00	-16.88	V	AVERAGE	Pass	Harmonic
15	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT80	87	12770.00	46.43	88.20	-41.77	V	PEAK	Pass	Harmonic
16	802.11be EHT160	15	5877.00	50.36	68.20	-17.84	H	AVERAGE	Pass	Band Edge
16	802.11be EHT160	15	12050.00	45.76	74.00	-28.24	V	PEAK	Pass	Harmonic
17	802.11be EHT160	15	5909.00	45.79	68.20	-22.41	H	AVERAGE	Pass	Band Edge
17	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
18	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT160	47	12370.00	46.68	74.00	-27.32	V	PEAK	Pass	Harmonic
19	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT160	79	12690.00	46.49	74.00	-27.51	H	PEAK	Pass	Harmonic
20	802.11a	97	-	-	-	-	-	-	-	Band Edge



20	802.11a	97	12870.00	48.01	88.20	-40.19	H	PEAK	Pass	Harmonic
21	802.11a	105	-	-	-	-	-	-	-	Band Edge
21	802.11a	105	12950.00	48.31	88.20	-39.89	V	PEAK	Pass	Harmonic
22	802.11a	113	-	-	-	-	-	-	-	Band Edge
22	802.11a	113	13030.00	49.50	88.20	-38.70	H	PEAK	Pass	Harmonic
23	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
23	802.11be EHT20	97	12870.00	48.63	88.20	-39.57	H	PEAK	Pass	Harmonic
24	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT20	105	12950.00	47.87	88.20	-40.33	H	PEAK	Pass	Harmonic
25	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
25	802.11be EHT20	113	13030.00	49.13	88.20	-39.07	H	PEAK	Pass	Harmonic
26	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT40	99	12890.00	48.06	88.20	-40.14	H	PEAK	Pass	Harmonic
27	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT40	107	12970.00	47.15	88.20	-41.05	H	PEAK	Pass	Harmonic
28	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT40	115	13050.00	48.34	88.20	-39.86	H	PEAK	Pass	Harmonic
29	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT80	103	12930.00	46.92	88.20	-41.28	H	PEAK	Pass	Harmonic
30	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT160	111	13010.00	45.98	88.20	-42.22	V	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	39.85	68.20	-28.35	H	AVERAGE	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	45.63	54.00	-8.37	H	AVERAGE	Pass	Harmonic
33	802.11a	185	-	-	-	-	-	-	-	Band Edge
33	802.11a	185	13750.00	47.03	88.20	-41.17	H	PEAK	Pass	Harmonic
34	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT20	117	13070.00	47.89	88.20	-40.31	V	PEAK	Pass	Harmonic
35	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT20	149	13390.00	40.59	54.00	-13.41	H	AVERAGE	Pass	Harmonic
36	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	185	13750.00	39.11	68.20	-29.09	V	AVERAGE	Pass	Harmonic
37	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
37	802.11be EHT40	123	13130.00	46.49	88.20	-41.71	V	PEAK	Pass	Harmonic
38	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
38	802.11be EHT40	147	13370.00	38.35	54.00	-15.65	H	AVERAGE	Pass	Harmonic
39	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT40	187	13770.00	47.25	88.20	-40.95	V	PEAK	Pass	Harmonic
40	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT80	135	13250.00	46.74	74.00	-27.26	H	PEAK	Pass	Harmonic
41	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge



41	802.11be EHT80	151	13410.00	46.02	88.20	-42.18	V	PEAK	Pass	Harmonic
42	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	183	13730.00	45.63	88.20	-42.57	V	PEAK	Pass	Harmonic
43	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT160	143	13330.00	46.19	74.00	-27.81	V	PEAK	Pass	Harmonic
44	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT160	175	13650.00	45.99	88.20	-42.21	V	PEAK	Pass	Harmonic
45	802.11a	189	-	-	-	-	-	-	-	Band Edge
45	802.11a	189	13790.00	46.31	88.20	-41.89	H	PEAK	Pass	Harmonic
46	802.11a	209	-	-	-	-	-	-	-	Band Edge
46	802.11a	209	13990.00	45.94	88.20	-42.26	V	PEAK	Pass	Harmonic
47	802.11a	229	7192.36	40.93	68.20	-27.27	V	AVERAGE	Pass	Band Edge
47	802.11a	229	14190.00	45.88	88.20	-42.32	H	PEAK	Pass	Harmonic
48	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT20	189	13790.00	45.58	88.20	-42.62	H	PEAK	Pass	Harmonic
49	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
49	802.11be EHT20	209	13990.00	46.09	88.20	-42.11	H	PEAK	Pass	Harmonic
50	802.11be EHT20	229	7136.04	41.20	68.20	-27.00	H	AVERAGE	Pass	Band Edge
50	802.11be EHT20	229	14190.00	46.21	88.20	-41.99	H	PEAK	Pass	Harmonic
51	802.11be EHT20	229	7180.68	41.34	68.20	-26.86	H	AVERAGE	Pass	Band Edge
51	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
52	802.11be EHT40	195	13850.00	45.87	88.20	-42.33	V	PEAK	Pass	Harmonic
53	802.11be EHT40	211	-	-	-	-	-	-	-	Band Edge
53	802.11be EHT40	211	14010.00	46.28	88.20	-41.92	V	PEAK	Pass	Harmonic
54	802.11be EHT40	227	7125.96	41.49	68.20	-26.71	H	AVERAGE	Pass	Band Edge
54	802.11be EHT40	227	14170.00	46.92	88.20	-41.28	V	PEAK	Pass	Harmonic
55	802.11be EHT40	227	7170.44	41.67	68.20	-26.53	H	AVERAGE	Pass	Band Edge
55	802.11be EHT40	227	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
56	802.11be EHT80	199	13890.00	45.79	88.20	-42.41	V	PEAK	Pass	Harmonic
57	802.11be EHT80	215	7196.38	41.69	68.20	-26.51	H	AVERAGE	Pass	Band Edge
57	802.11be EHT80	215	14050.00	45.89	88.20	-42.31	V	PEAK	Pass	Harmonic
58	802.11be EHT80	215	7170.20	41.67	68.20	-26.53	H	AVERAGE	Pass	Band Edge
58	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT160	207	7127.32	50.46	68.20	-17.74	H	AVERAGE	Pass	Band Edge
59	802.11be EHT160	207	13970.00	45.55	88.20	-42.65	V	PEAK	Pass	Harmonic
60	802.11be EHT160	207	7178.44	42.86	68.20	-25.34	H	AVERAGE	Pass	Band Edge
60	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT320	31	5836.20	63.47	68.20	-4.73	H	AVERAGE	Pass	Band Edge
61	802.11be EHT320	31	12210.00	35.74	54.00	-18.26	V	AVERAGE	Pass	Harmonic
62	802.11be EHT320	31	5897.32	58.79	68.20	-9.41	H	AVERAGE	Pass	Band Edge



62	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT320	95	12850.00	47.03	88.20	-41.17	H	PEAK	Pass	Harmonic
64	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT320	159	13490.00	46.19	88.20	-42.01	H	PEAK	Pass	Harmonic
65	802.11be EHT320	63	5921.32	65.12	68.20	-3.08	H	AVERAGE	Pass	Band Edge
65	802.11be EHT320	63	12530.00	36.30	54.00	-17.70	H	AVERAGE	Pass	Harmonic
66	802.11be EHT320	63	7251.48	42.62	54.00	-11.38	H	AVERAGE	Pass	Band Edge
66	802.11be EHT320	63	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT320	127	13170.00	46.00	88.20	-42.20	V	PEAK	Pass	Harmonic
68	802.11be EHT320	191	7287.16	49.14	54.00	-4.86	H	AVERAGE	Pass	Band Edge
68	802.11be EHT320	191	13810.00	46.43	88.20	-41.77	H	PEAK	Pass	Harmonic
69	802.11be EHT320	191	7259.08	47.37	54.00	-6.63	V	AVERAGE	Pass	Band Edge
69	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT20	1	5924.97	43.17	68.20	-25.03	H	AVERAGE	Pass	Band Edge
70	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT20	1	5924.84	41.75	68.20	-26.45	H	AVERAGE	Pass	Band Edge
71	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT20	229	7125.00	49.38	68.20	-18.82	H	AVERAGE	Pass	Band Edge
72	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT20	229	7151.88	49.00	68.20	-19.20	H	AVERAGE	Pass	Band Edge
73	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	7	5919.72	58.43	68.20	-9.77	H	AVERAGE	Pass	Band Edge
74	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT80	215	7174.16	48.98	68.20	-19.22	H	AVERAGE	Pass	Band Edge
75	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT160	15	5915.60	51.72	68.20	-16.48	H	AVERAGE	Pass	Band Edge
76	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT160	207	7130.44	55.64	68.20	-12.56	H	AVERAGE	Pass	Band Edge
77	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT160	15	5881.00	50.97	68.20	-17.23	H	AVERAGE	Pass	Band Edge
78	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT160	207	7169.32	59.13	68.20	-9.07	H	AVERAGE	Pass	Band Edge
79	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT320	31	5918.76	63.14	68.20	-5.06	H	AVERAGE	Pass	Band Edge
80	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT320	191	7272.04	52.19	54.00	-1.81	H	AVERAGE	Pass	Band Edge
81	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT320	31	5914.60	63.21	68.20	-4.99	H	AVERAGE	Pass	Band Edge
82	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT320	191	7269.16	51.17	54.00	-2.83	H	AVERAGE	Pass	Band Edge



83	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT320	31	5898.92	61.77	68.20	-6.43	H	AVERAGE	Pass	Band Edge
84	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT320	191	7254.76	52.10	54.00	-1.90	H	AVERAGE	Pass	Band Edge
85	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT80	7	5917.48	60.46	68.20	-7.74	H	AVERAGE	Pass	Band Edge
86	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT80	215	7190.66	42.06	68.20	-26.14	H	AVERAGE	Pass	Band Edge
87	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT160	15	5918.00	59.65	68.20	-8.55	H	AVERAGE	Pass	Band Edge
88	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT160	207	7197.40	60.52	68.20	-7.68	H	AVERAGE	Pass	Band Edge
89	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT160	15	5909.40	48.94	68.20	-19.26	H	AVERAGE	Pass	Band Edge
90	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT160	207	7173.88	59.13	68.20	-9.07	H	AVERAGE	Pass	Band Edge
91	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT320	31	5918.44	63.20	68.20	-5.00	H	AVERAGE	Pass	Band Edge
92	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
93	802.11be EHT320	191	7251.16	51.52	54.00	-2.48	H	AVERAGE	Pass	Band Edge
93	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT320	31	5918.76	64.96	68.20	-3.24	H	AVERAGE	Pass	Band Edge
94	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
95	802.11be EHT320	31	5918.44	62.63	68.20	-5.57	H	AVERAGE	Pass	Band Edge
95	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
96	802.11be EHT320	191	7251.16	52.04	54.00	-1.96	H	AVERAGE	Pass	Band Edge
96	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
97	802.11be EHT320	191	7279.96	51.75	54.00	-2.25	H	AVERAGE	Pass	Band Edge
97	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
98	802.11a	233	7125.00	56.85	68.20	-11.35	V	AVERAGE	Pass	Band Edge
98	802.11a	233	14230.00	46.51	88.20	-41.69	H	PEAK	Pass	Harmonic
99	802.11be EHT20	233	7125.00	67.17	68.20	-1.03	H	AVERAGE	Pass	Band Edge
99	802.11be EHT20	233	14230.00	46.53	88.20	-41.67	V	PEAK	Pass	Harmonic
100	802.11be EHT20	233	7125.00	66.42	68.20	-1.78	H	AVERAGE	Pass	Band Edge
100	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
101	802.11be EHT20	233	7125.00	61.04	68.20	-7.16	H	AVERAGE	Pass	Band Edge
101	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
102	802.11be EHT20	233	7125.00	66.77	68.20	-1.43	H	AVERAGE	Pass	Band Edge
102	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
103	802.11be EHT20	233	7125.00	63.61	68.20	-4.59	H	AVERAGE	Pass	Band Edge
103	802.11be EHT20	233	14230.00	46.67	88.20	-41.53	V	PEAK	Pass	Harmonic
108	802.11a	181	-	-	-	-	-	-	-	Band Edge







108	802.11a	181	13710.00	47.22	88.20	-40.98	V	PEAK	Pass	Harmonic
109	802.11BE EHT20	181	-	-	-	-	-	-	-	Band Edge
109	802.11BE EHT20	181	13710.00	46.29	88.20	-41.91	H	PEAK	Pass	Harmonic
110	802.11BE EHT40	179	-	-	-	-	-	-	-	Band Edge
110	802.11BE EHT40	179	13690.00	46.71	88.20	-41.49	V	PEAK	Pass	Harmonic
111	802.11BE EHT80	167	-	-	-	-	-	-	-	Band Edge
111	802.11BE EHT80	167	13570.00	46.00	88.20	-42.20	V	PEAK	Pass	Harmonic





Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
104	Bluetooth-LE_GSKF	39	2483.50	46.35	54.00	-7.65	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	43.16	74.00	-30.84	V	PEAK	Pass	Harmonic
	802.11b	1	2389.43	45.98	54.00	-8.02	V	AVERAGE	Pass	Band Edge
	802.11b	1	4824.00	45.26	74.00	-28.74	V	PEAK	Pass	Harmonic
	802.11BE EHT20	233	7125.00	66.50	68.20	-1.7	H	AVERAGE	Pass	Band Edge
	802.11BE EHT20	233	14230.00	45.29	88.20	-42.91	H	PEAK	Pass	Harmonic
105	802.11b	1	2387.48	51.94	54.00	-2.06	H	AVERAGE	Pass	Band Edge
	802.11b	1	4824.00	45.48	74.00	-28.52	H	PEAK	Pass	Harmonic
	802.11BE EHT20	233	7125.00	63.55	68.20	-4.65	H	AVERAGE	Pass	Band Edge
	802.11BE EHT20	233	14230.00	46.04	88.20	-42.16	V	PEAK	Pass	Harmonic
106	Bluetooth-LE_GSKF	39	2483.50	43.06	54.00	-10.94	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	43.29	74.00	-30.71	V	PEAK	Pass	Harmonic
	802.11BE EHT160	50	5146.75	49.78	54.00	-4.22	H	AVERAGE	Pass	Band Edge
	802.11BE EHT160	50	10500.00	42.27	68.20	-25.93	V	PEAK	Pass	Harmonic
	802.11BE EHT20	233	7125.00	66.00	68.2	-2.20	V	AVERAGE	Pass	Band Edge
	802.11BE EHT20	233	14230.00	45.01	88.20	-43.19	H	PEAK	Pass	Harmonic
107	Bluetooth-LE_GSKF	39	2483.50	42.62	54.00	-11.38	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	7440.00	42.60	74.00	-31.40	H	PEAK	Pass	Harmonic
	802.11BE EHT160	50	5143.75	52.39	54.00	-1.61	H	AVERAGE	Pass	Band Edge
	802.11BE EHT160	50	10500.00	43.26	68.20	-24.94	V	PEAK	Pass	Harmonic
	802.11BE EHT20	233	7125.00	67.08	68.2	-1.12	H	AVERAGE	Pass	Band Edge
	802.11BE EHT20	233	14230.00	45.51	88.20	-42.69	H	PEAK	Pass	Harmonic





Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT	A6+A7																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.59</td><td>63.58</td><td>88.20</td><td>-24.62</td><td>53.69</td><td>35.30</td><td>11.40</td><td>36.81</td><td>0.00</td><td>171 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.59	63.58	88.20	-24.62	53.69	35.30	11.40	36.81	0.00	171 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>113.51</td><td>-----</td><td>-----</td><td>103.76</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>171 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.51	-----	-----	103.76	35.30	11.43	36.98	0.00	171 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5921.59	63.58	88.20	-24.62	53.69	35.30	11.40	36.81	0.00	171 360 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	113.51	-----	-----	103.76	35.30	11.43	36.98	0.00	171 360 PEAK																																																																																
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>52.54</td><td>68.20</td><td>-15.66</td><td>42.66</td><td>35.30</td><td>11.40</td><td>36.82</td><td>0.00</td><td>171 360 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	52.54	68.20	-15.66	42.66	35.30	11.40	36.82	0.00	171 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.29</td><td>-----</td><td>-----</td><td>94.54</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>171 360 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.29	-----	-----	94.54	35.30	11.43	36.98	0.00	171 360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.97	52.54	68.20	-15.66	42.66	35.30	11.40	36.82	0.00	171 360 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	104.29	-----	-----	94.54	35.30	11.43	36.98	0.00	171 360 AVERAGE																																																																																





		1																																																																																																					
Mode	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.41</td><td>60.81</td><td>88.20</td><td>-27.39</td><td>50.93</td><td>35.30</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.41	60.81	88.20	-27.39	50.93	35.30	11.40	36.82	0.00	100	317 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.52</td><td>-----</td><td>-----</td><td>99.73</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	109.52	-----	-----	99.73	35.30	11.43	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5923.41	60.81	88.20	-27.39	50.93	35.30	11.40	36.82	0.00	100	317 PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5955.00	109.52	-----	-----	99.73	35.30	11.43	36.94	0.00	100	317 PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.28</td><td>50.52</td><td>68.20</td><td>-17.68</td><td>40.63</td><td>35.30</td><td>11.40</td><td>36.81</td><td>0.00</td><td>100</td><td>317 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.28	50.52	68.20	-17.68	40.63	35.30	11.40	36.81	0.00	100	317 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.34</td><td>-----</td><td>-----</td><td>91.55</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>100</td><td>317 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	101.34	-----	-----	91.55	35.30	11.43	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5923.28	50.52	68.20	-17.68	40.63	35.30	11.40	36.81	0.00	100	317 AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5955.00	101.34	-----	-----	91.55	35.30	11.43	36.94	0.00	100	317 AVERAGE																																																																																												





Mode	1																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																									
ANT	A6+A7																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>54.22</td><td>74.00</td><td>-19.78</td><td>65.27</td><td>38.61</td><td>16.62</td><td>66.28</td><td>0.00</td><td>143</td><td>57 PEAK</td></tr><tr><td>2 11910.00</td><td>44.19</td><td>54.00</td><td>-9.81</td><td>55.24</td><td>38.61</td><td>16.62</td><td>66.28</td><td>0.00</td><td>143</td><td>57 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	54.22	74.00	-19.78	65.27	38.61	16.62	66.28	0.00	143	57 PEAK	2 11910.00	44.19	54.00	-9.81	55.24	38.61	16.62	66.28	0.00	143	57 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11910.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>58.87</td><td>38.61</td><td>16.62</td><td>66.28</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2 11910.00</td><td>37.87</td><td>54.00</td><td>-16.13</td><td>48.93</td><td>38.61</td><td>16.62</td><td>66.29</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11910.00	47.82	74.00	-26.18	58.87	38.61	16.62	66.28	0.00	300	0 PEAK	2 11910.00	37.87	54.00	-16.13	48.93	38.61	16.62	66.29	0.00	300	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 11910.00	54.22	74.00	-19.78	65.27	38.61	16.62	66.28	0.00	143	57 PEAK																																																																																																																
2 11910.00	44.19	54.00	-9.81	55.24	38.61	16.62	66.28	0.00	143	57 AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 11910.00	47.82	74.00	-26.18	58.87	38.61	16.62	66.28	0.00	300	0 PEAK																																																																																																																
2 11910.00	37.87	54.00	-16.13	48.93	38.61	16.62	66.29	0.00	300	0 AVERAGE																																																																																																																







Mode	2																																																																				
	Harmonic																																																																				
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																				
ANT	A6+A7																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>54.22</td><td>74.00</td><td>-19.78</td><td>64.20</td><td>38.80</td><td>16.93</td><td>65.71</td><td>0.00</td><td>135</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>48.15</td><td>54.00</td><td>-5.85</td><td>58.13</td><td>38.80</td><td>16.93</td><td>65.71</td><td>0.00</td><td>135</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	54.22	74.00	-19.78	64.20	38.80	16.93	65.71	0.00	135	0	PEAK	2	12390.00	48.15	54.00	-5.85	58.13	38.80	16.93	65.71	0.00	135	0	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12390.00	54.22	74.00	-19.78	64.20	38.80	16.93	65.71	0.00	135	0	PEAK																																																									
2	12390.00	48.15	54.00	-5.85	58.13	38.80	16.93	65.71	0.00	135	0	AVERAGE																																																									
																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>50.64</td><td>74.00</td><td>-23.36</td><td>60.62</td><td>38.80</td><td>16.93</td><td>65.71</td><td>0.00</td><td>244</td><td>5</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>44.36</td><td>54.00</td><td>-9.64</td><td>54.34</td><td>38.80</td><td>16.93</td><td>65.71</td><td>0.00</td><td>244</td><td>5</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	50.64	74.00	-23.36	60.62	38.80	16.93	65.71	0.00	244	5	PEAK	2	12390.00	44.36	54.00	-9.64	54.34	38.80	16.93	65.71	0.00	244	5	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12390.00	50.64	74.00	-23.36	60.62	38.80	16.93	65.71	0.00	244	5	PEAK																																																									
2	12390.00	44.36	54.00	-9.64	54.34	38.80	16.93	65.71	0.00	244	5	AVERAGE																																																									



Mode	3																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																									
ANT	A6+A7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.37</td><td>88.20</td><td>-39.83</td><td>57.75</td><td>39.20</td><td>17.22</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	48.37	88.20	-39.83	57.75	39.20	17.22	65.80	0.00	---	---	PEAK																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12830.00	48.37	88.20	-39.83	57.75	39.20	17.22	65.80	0.00	---	---	PEAK																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.37</td><td>88.20</td><td>-41.83</td><td>55.75</td><td>39.20</td><td>17.22</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.37	88.20	-41.83	55.75	39.20	17.22	65.80	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.37</td><td>88.20</td><td>-41.83</td><td>55.75</td><td>39.20</td><td>17.22</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.37	88.20	-41.83	55.75	39.20	17.22	65.80	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12830.00	46.37	88.20	-41.83	55.75	39.20	17.22	65.80	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12830.00	46.37	88.20	-41.83	55.75	39.20	17.22	65.80	0.00	---	---	PEAK																																																																																														



Mode	4																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																											
ANT	A6+A7																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.37</td><td>70.32</td><td>88.20</td><td>-17.88</td><td>60.43</td><td>35.30</td><td>11.40</td><td>36.81</td><td>0.00</td><td>190</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.37	70.32	88.20	-17.88	60.43	35.30	11.40	36.81	0.00	190	0 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>112.98</td><td>-----</td><td>-----</td><td>103.23</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>190</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.98	-----	-----	103.23	35.30	11.43	36.98	0.00	190	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5922.37	70.32	88.20	-17.88	60.43	35.30	11.40	36.81	0.00	190	0 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	112.98	-----	-----	103.23	35.30	11.43	36.98	0.00	190	0 PEAK																																																																																	
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>56.36</td><td>68.20</td><td>-11.84</td><td>46.48</td><td>35.30</td><td>11.40</td><td>36.82</td><td>0.00</td><td>190</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	56.36	68.20	-11.84	46.48	35.30	11.40	36.82	0.00	190	0 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.58</td><td>-----</td><td>-----</td><td>93.83</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>190</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.58	-----	-----	93.83	35.30	11.43	36.98	0.00	190	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.84	56.36	68.20	-11.84	46.48	35.30	11.40	36.82	0.00	190	0 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	103.58	-----	-----	93.83	35.30	11.43	36.98	0.00	190	0 AVERAGE																																																																																	



		4																																																																																																					
Mode	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.80</td><td>67.20</td><td>88.20</td><td>-21.00</td><td>57.32</td><td>35.30</td><td>11.40</td><td>36.82</td><td>0.00</td><td>127</td><td>315</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.80	67.20	88.20	-21.00	57.32	35.30	11.40	36.82	0.00	127	315	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.44</td><td>-----</td><td>-----</td><td>100.69</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>127</td><td>315</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.44	-----	-----	100.69	35.30	11.43	36.98	0.00	127	315
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5923.80	67.20	88.20	-21.00	57.32	35.30	11.40	36.82	0.00	127	315	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	110.44	-----	-----	100.69	35.30	11.43	36.98	0.00	127	315	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>53.46</td><td>68.20</td><td>-14.74</td><td>43.58</td><td>35.30</td><td>11.40</td><td>36.82</td><td>0.00</td><td>127</td><td>315</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	53.46	68.20	-14.74	43.58	35.30	11.40	36.82	0.00	127	315	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>101.41</td><td>-----</td><td>-----</td><td>91.66</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>127</td><td>315</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.41	-----	-----	91.66	35.30	11.43	36.98	0.00	127	315
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.84	53.46	68.20	-14.74	43.58	35.30	11.40	36.82	0.00	127	315	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	101.41	-----	-----	91.66	35.30	11.43	36.98	0.00	127	315	AVERAGE																																																																																											