













Mode	104																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																																																																																																
ANT	A6+A7																																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																																										
Peak																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>73.50</td><td>88.20</td><td>-14.70</td><td>60.53</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>303</td><td>310</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.00	73.50	88.20	-14.70	60.53	35.70	13.98	36.71	0.00	303	310	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2413.00</td><td>106.69</td><td>-----</td><td>-----</td><td>103.23</td><td>32.46</td><td>8.00</td><td>37.00</td><td>0.00</td><td>303</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>2485.00</td><td>83.72</td><td>-----</td><td>-----</td><td>80.12</td><td>32.55</td><td>8.10</td><td>37.05</td><td>0.00</td><td>303</td><td>310</td><td>PEAK</td></tr><tr><td>3</td><td>7111.00</td><td>89.66</td><td>-----</td><td>-----</td><td>76.69</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>303</td><td>310</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2413.00	106.69	-----	-----	103.23	32.46	8.00	37.00	0.00	303	310	PEAK	2	2485.00	83.72	-----	-----	80.12	32.55	8.10	37.05	0.00	303	310	PEAK	3	7111.00	89.66	-----	-----	76.69	35.70	13.97	36.70	0.00	303	310
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7125.00	73.50	88.20	-14.70	60.53	35.70	13.98	36.71	0.00	303	310	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2413.00	106.69	-----	-----	103.23	32.46	8.00	37.00	0.00	303	310	PEAK																																																																																																																					
2	2485.00	83.72	-----	-----	80.12	32.55	8.10	37.05	0.00	303	310	PEAK																																																																																																																					
3	7111.00	89.66	-----	-----	76.69	35.70	13.97	36.70	0.00	303	310	PEAK																																																																																																																					
Avg																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>66.50</td><td>68.20</td><td>-1.70</td><td>53.53</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>303</td><td>310</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.00	66.50	68.20	-1.70	53.53	35.70	13.98	36.71	0.00	303	310	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2413.00</td><td>102.51</td><td>-----</td><td>-----</td><td>99.05</td><td>32.46</td><td>8.00</td><td>37.00</td><td>0.00</td><td>303</td><td>310</td><td>AVERAGE</td></tr><tr><td>2</td><td>2476.00</td><td>78.96</td><td>-----</td><td>-----</td><td>75.27</td><td>32.64</td><td>8.09</td><td>37.04</td><td>0.00</td><td>303</td><td>310</td><td>AVERAGE</td></tr><tr><td>3</td><td>7111.00</td><td>79.42</td><td>-----</td><td>-----</td><td>66.45</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>303</td><td>310</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2413.00	102.51	-----	-----	99.05	32.46	8.00	37.00	0.00	303	310	AVERAGE	2	2476.00	78.96	-----	-----	75.27	32.64	8.09	37.04	0.00	303	310	AVERAGE	3	7111.00	79.42	-----	-----	66.45	35.70	13.97	36.70	0.00	303	310
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7125.00	66.50	68.20	-1.70	53.53	35.70	13.98	36.71	0.00	303	310	AVERAGE																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2413.00	102.51	-----	-----	99.05	32.46	8.00	37.00	0.00	303	310	AVERAGE																																																																																																																					
2	2476.00	78.96	-----	-----	75.27	32.64	8.09	37.04	0.00	303	310	AVERAGE																																																																																																																					
3	7111.00	79.42	-----	-----	66.45	35.70	13.97	36.70	0.00	303	310	AVERAGE																																																																																																																					







		104																																																																																																																											
Mode	Band Edge - L																																																																																																																												
	U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																																																																																												
ANT	A6+A7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>75.47</td><td>88.20</td><td>-12.73</td><td>62.50</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>100</td><td>334 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	75.47	88.20	-12.73	62.50	35.70	13.98	36.71	0.00	100	334 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2413.00</td><td>94.93</td><td>-----</td><td>-----</td><td>91.47</td><td>32.46</td><td>8.00</td><td>37.00</td><td>0.00</td><td>100</td><td>334 PEAK</td></tr><tr><td>2</td><td>2476.00</td><td>101.00</td><td>-----</td><td>-----</td><td>97.39</td><td>32.64</td><td>8.00</td><td>37.04</td><td>0.00</td><td>100</td><td>334 PEAK</td></tr><tr><td>3</td><td>7120.00</td><td>85.52</td><td>-----</td><td>-----</td><td>72.55</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>100</td><td>334 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2413.00	94.93	-----	-----	91.47	32.46	8.00	37.00	0.00	100	334 PEAK	2	2476.00	101.00	-----	-----	97.39	32.64	8.00	37.04	0.00	100	334 PEAK	3	7120.00	85.52	-----	-----	72.55	35.70	13.98	36.71	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7125.00	75.47	88.20	-12.73	62.50	35.70	13.98	36.71	0.00	100	334 PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2413.00	94.93	-----	-----	91.47	32.46	8.00	37.00	0.00	100	334 PEAK																																																																																																																		
2	2476.00	101.00	-----	-----	97.39	32.64	8.00	37.04	0.00	100	334 PEAK																																																																																																																		
3	7120.00	85.52	-----	-----	72.55	35.70	13.98	36.71	0.00	100	334 PEAK																																																																																																																		
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>66.21</td><td>68.20</td><td>-1.99</td><td>53.24</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>100</td><td>334 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	66.21	68.20	-1.99	53.24	35.70	13.98	36.71	0.00	100	334 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2413.00</td><td>90.91</td><td>-----</td><td>-----</td><td>87.45</td><td>32.46</td><td>8.00</td><td>37.00</td><td>0.00</td><td>100</td><td>334 AVERAGE</td></tr><tr><td>2</td><td>2476.00</td><td>97.00</td><td>-----</td><td>-----</td><td>93.39</td><td>32.64</td><td>8.00</td><td>37.04</td><td>0.00</td><td>100</td><td>334 AVERAGE</td></tr><tr><td>3</td><td>7102.00</td><td>76.64</td><td>-----</td><td>-----</td><td>63.66</td><td>35.70</td><td>13.96</td><td>36.68</td><td>0.00</td><td>100</td><td>334 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2413.00	90.91	-----	-----	87.45	32.46	8.00	37.00	0.00	100	334 AVERAGE	2	2476.00	97.00	-----	-----	93.39	32.64	8.00	37.04	0.00	100	334 AVERAGE	3	7102.00	76.64	-----	-----	63.66	35.70	13.96	36.68	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7125.00	66.21	68.20	-1.99	53.24	35.70	13.98	36.71	0.00	100	334 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2413.00	90.91	-----	-----	87.45	32.46	8.00	37.00	0.00	100	334 AVERAGE																																																																																																																		
2	2476.00	97.00	-----	-----	93.39	32.64	8.00	37.04	0.00	100	334 AVERAGE																																																																																																																		
3	7102.00	76.64	-----	-----	63.66	35.70	13.96	36.68	0.00	100	334 AVERAGE																																																																																																																		







Mode	104																																																																																																					
	Harmonic																																																																																																					
	U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																																																																					
ANT	A6+A7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 14230.00</td><td>45.29</td><td>88.20</td><td>-42.91</td><td>51.35</td><td>38.86</td><td>19.89</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 14230.00	45.29	88.20	-42.91	51.35	38.86	19.89	64.81	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 14230.00</td><td>44.89</td><td>88.20</td><td>-43.31</td><td>50.95</td><td>38.86</td><td>19.89</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 14230.00	44.89	88.20	-43.31	50.95	38.86	19.89	64.81	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 14230.00	45.29	88.20	-42.91	51.35	38.86	19.89	64.81	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 14230.00	44.89	88.20	-43.31	50.95	38.86	19.89	64.81	0.00	---	---	PEAK																																																																																											





Mode	105																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_2400-2483.5_802.11b_CH1_Full RU_2412MHz																																																																																																			
ANT	A6+A7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.26</td><td>61.68</td><td>74.00</td><td>-12.32</td><td>52.48</td><td>32.23</td><td>7.96</td><td>36.99</td><td>6.00</td><td>118</td><td>240 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.26	61.68	74.00	-12.32	52.48	32.23	7.96	36.99	6.00	118	240 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>117.26</td><td>-----</td><td>-----</td><td>107.82</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>118</td><td>240 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	117.26	-----	-----	107.82	32.44	8.00	37.00	6.00	118
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.26	61.68	74.00	-12.32	52.48	32.23	7.96	36.99	6.00	118	240 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	117.26	-----	-----	107.82	32.44	8.00	37.00	6.00	118	240 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>51.94</td><td>54.00</td><td>-2.06</td><td>42.75</td><td>32.22</td><td>7.96</td><td>36.99</td><td>6.00</td><td>118</td><td>240 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.48	51.94	54.00	-2.06	42.75	32.22	7.96	36.99	6.00	118	240 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>112.86</td><td>-----</td><td>-----</td><td>103.42</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>118</td><td>240 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.86	-----	-----	103.42	32.44	8.00	37.00	6.00	118
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2387.48	51.94	54.00	-2.06	42.75	32.22	7.96	36.99	6.00	118	240 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2412.00	112.86	-----	-----	103.42	32.44	8.00	37.00	6.00	118	240 AVERAGE																																																																																									







		105																																																																																																	
Mode		Band Edge																																																																																																	
		2400-2483.5_2400-2483.5_802.11b_CH1_Full RU_2412MHz																																																																																																	
ANT		A6+A7																																																																																																	
Pol.		Vertical					Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.57</td><td>59.66</td><td>74.00</td><td>-14.34</td><td>50.47</td><td>32.22</td><td>7.96</td><td>36.99</td><td>6.00</td><td>358</td><td>290 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.57	59.66	74.00	-14.34	50.47	32.22	7.96	36.99	6.00	358	290 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>113.67</td><td>-----</td><td>-----</td><td>104.23</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>358</td><td>290 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	113.67	-----	-----	104.23	32.44	8.00	37.00	6.00	358
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.57	59.66	74.00	-14.34	50.47	32.22	7.96	36.99	6.00	358	290 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	113.67	-----	-----	104.23	32.44	8.00	37.00	6.00	358	290 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.35</td><td>49.76</td><td>54.00</td><td>-4.24</td><td>40.57</td><td>32.22</td><td>7.96</td><td>36.99</td><td>6.00</td><td>358</td><td>290 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.35	49.76	54.00	-4.24	40.57	32.22	7.96	36.99	6.00	358	290 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.05</td><td>-----</td><td>-----</td><td>99.61</td><td>32.44</td><td>8.00</td><td>37.00</td><td>6.00</td><td>358</td><td>290 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.05	-----	-----	99.61	32.44	8.00	37.00	6.00	358
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.35	49.76	54.00	-4.24	40.57	32.22	7.96	36.99	6.00	358	290 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	109.05	-----	-----	99.61	32.44	8.00	37.00	6.00	358	290 AVERAGE																																																																																								



		105																																																						
Mode		Harmonic																																																						
		2400-2483.5_2400-2483.5_802.11b_CH1_Full RU_2412MHz																																																						
ANT		A6+A7																																																						
Pol.		Horizontal					Vertical																																																	
Peak Avg																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>45.48</td><td>74.00</td><td>-28.52</td><td>65.52</td><td>33.95</td><td>11.40</td><td>65.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	45.48	74.00	-28.52	65.52	33.95	11.40	65.39	0.00	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	4824.00	45.48	74.00	-28.52	65.52	33.95	11.40	65.39	0.00	---	PEAK																																													
																																																								
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>44.53</td><td>74.00</td><td>-29.47</td><td>64.57</td><td>33.95</td><td>11.40</td><td>65.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	44.53	74.00	-29.47	64.57	33.95	11.40	65.39	0.00	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	4824.00	44.53	74.00	-29.47	64.57	33.95	11.40	65.39	0.00	---	PEAK																																													





Mode	105																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																																																																																
ANT	A6+A7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>71.67</td><td>88.20</td><td>-16.53</td><td>58.70</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	71.67	88.20	-16.53	58.70	35.70	13.98	36.71	0.00	100	314 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2413.00</td><td>110.19</td><td>-----</td><td>-----</td><td>106.73</td><td>32.46</td><td>8.00</td><td>37.00</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr><tr><td>2</td><td>7111.00</td><td>88.89</td><td>-----</td><td>-----</td><td>75.92</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>100</td><td>314 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2413.00	110.19	-----	-----	106.73	32.46	8.00	37.00	0.00	100	314 PEAK	2	7111.00	88.89	-----	-----	75.92	35.70	13.97	36.70	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7125.00	71.67	88.20	-16.53	58.70	35.70	13.98	36.71	0.00	100	314 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2413.00	110.19	-----	-----	106.73	32.46	8.00	37.00	0.00	100	314 PEAK																																																																																																						
2	7111.00	88.89	-----	-----	75.92	35.70	13.97	36.70	0.00	100	314 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>63.55</td><td>68.20</td><td>-4.65</td><td>50.58</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	63.55	68.20	-4.65	50.58	35.70	13.98	36.71	0.00	100	314 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2413.00</td><td>106.05</td><td>-----</td><td>-----</td><td>102.59</td><td>32.46</td><td>8.00</td><td>37.00</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr><tr><td>2</td><td>7111.00</td><td>79.00</td><td>-----</td><td>-----</td><td>66.03</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>100</td><td>314 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2413.00	106.05	-----	-----	102.59	32.46	8.00	37.00	0.00	100	314 AVERAGE	2	7111.00	79.00	-----	-----	66.03	35.70	13.97	36.70	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7125.00	63.55	68.20	-4.65	50.58	35.70	13.98	36.71	0.00	100	314 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2413.00	106.05	-----	-----	102.59	32.46	8.00	37.00	0.00	100	314 AVERAGE																																																																																																						
2	7111.00	79.00	-----	-----	66.03	35.70	13.97	36.70	0.00	100	314 AVERAGE																																																																																																						







Mode	105																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																																																																																			
ANT	A6+A7																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>70.55</td><td>88.20</td><td>-17.65</td><td>57.58</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>156</td><td>327</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	70.55	88.20	-17.65	57.58	35.70	13.98	36.71	0.00	156	327	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2413.00</td><td>100.45</td><td>-----</td><td>-----</td><td>96.99</td><td>32.46</td><td>8.00</td><td>37.00</td><td>0.00</td><td>156</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7111.00</td><td>85.66</td><td>-----</td><td>-----</td><td>72.69</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>156</td><td>327</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2413.00	100.45	-----	-----	96.99	32.46	8.00	37.00	0.00	156	327	PEAK	2	7111.00	85.66	-----	-----	72.69	35.70	13.97	36.70	0.00	156	327
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	7125.00	70.55	88.20	-17.65	57.58	35.70	13.98	36.71	0.00	156	327	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2413.00	100.45	-----	-----	96.99	32.46	8.00	37.00	0.00	156	327	PEAK																																																																																																								
2	7111.00	85.66	-----	-----	72.69	35.70	13.97	36.70	0.00	156	327	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>62.61</td><td>68.20</td><td>-5.59</td><td>49.64</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>156</td><td>327</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	62.61	68.20	-5.59	49.64	35.70	13.98	36.71	0.00	156	327	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2413.00</td><td>96.20</td><td>-----</td><td>-----</td><td>92.74</td><td>32.46</td><td>8.00</td><td>37.00</td><td>0.00</td><td>156</td><td>327</td><td>AVERAGE</td></tr><tr><td>2</td><td>7111.00</td><td>76.40</td><td>-----</td><td>-----</td><td>63.43</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>156</td><td>327</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2413.00	96.20	-----	-----	92.74	32.46	8.00	37.00	0.00	156	327	AVERAGE	2	7111.00	76.40	-----	-----	63.43	35.70	13.97	36.70	0.00	156	327
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	7125.00	62.61	68.20	-5.59	49.64	35.70	13.98	36.71	0.00	156	327	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2413.00	96.20	-----	-----	92.74	32.46	8.00	37.00	0.00	156	327	AVERAGE																																																																																																								
2	7111.00	76.40	-----	-----	63.43	35.70	13.97	36.70	0.00	156	327	AVERAGE																																																																																																								







		105																																																							
Mode		Harmonic																																																							
		U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																							
ANT		A6+A7																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>45.49</td><td>88.20</td><td>-42.71</td><td>51.55</td><td>38.86</td><td>19.89</td><td>64.81</td><td>0.00</td><td>--- --- PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	45.49	88.20	-42.71	51.55	38.86	19.89	64.81	0.00	--- --- PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	14230.00	45.49	88.20	-42.71	51.55	38.86	19.89	64.81	0.00	--- --- PEAK																																															
																																																									
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>46.04</td><td>88.20</td><td>-42.16</td><td>52.10</td><td>38.86</td><td>19.89</td><td>64.81</td><td>0.00</td><td>--- --- PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	46.04	88.20	-42.16	52.10	38.86	19.89	64.81	0.00	--- --- PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	14230.00	46.04	88.20	-42.16	52.10	38.86	19.89	64.81	0.00	--- --- PEAK																																															





Mode	106																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>52.58</td><td>74.00</td><td>-21.42</td><td>42.97</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>126</td><td>235 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	52.58	74.00	-21.42	42.97	32.56	8.10	37.05	6.00	126	235 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.92</td><td>-----</td><td>-----</td><td>94.27</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>126</td><td>235 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.92	-----	-----	94.27	32.60	8.10	37.05	6.00	126	235 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2483.68	52.58	74.00	-21.42	42.97	32.56	8.10	37.05	6.00	126	235 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2480.00	103.92	-----	-----	94.27	32.60	8.10	37.05	6.00	126	235 PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>42.53</td><td>54.00</td><td>-11.47</td><td>32.92</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>126</td><td>235 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	42.53	54.00	-11.47	32.92	32.56	8.10	37.05	6.00	126	235 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.09</td><td>-----</td><td>-----</td><td>92.44</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>126</td><td>235 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.09	-----	-----	92.44	32.60	8.10	37.05	6.00	126	235 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2483.56	42.53	54.00	-11.47	32.92	32.56	8.10	37.05	6.00	126	235 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2480.00	102.09	-----	-----	92.44	32.60	8.10	37.05	6.00	126	235 AVERAGE																																																																																											







Mode	106																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>45.06</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>376</td><td>45 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	54.67	74.00	-19.33	45.06	32.56	8.10	37.05	6.00	376	45 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.45</td><td>-----</td><td>-----</td><td>94.80</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>376</td><td>45 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.45	-----	-----	94.80	32.60	8.10	37.05	6.00	376
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.50	54.67	74.00	-19.33	45.06	32.56	8.10	37.05	6.00	376	45 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	104.45	-----	-----	94.80	32.60	8.10	37.05	6.00	376	45 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>43.06</td><td>54.00</td><td>-10.94</td><td>33.45</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>376</td><td>45 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	43.06	54.00	-10.94	33.45	32.56	8.10	37.05	6.00	376	45 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.63</td><td>-----</td><td>-----</td><td>92.98</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>376</td><td>45 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.63	-----	-----	92.98	32.60	8.10	37.05	6.00	376
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.50	43.06	54.00	-10.94	33.45	32.56	8.10	37.05	6.00	376	45 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	102.63	-----	-----	92.98	32.60	8.10	37.05	6.00	376	45 AVERAGE																																																																																										





Mode	106																																																																																																																																																												
	Harmonic																																																																																																																																																												
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																												
ANT	6																																																																																																																																																												
Pol.	Horizontal										Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.94</td><td>74.00</td><td>-33.06</td><td>60.85</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>55.38</td><td>74.00</td><td>-18.62</td><td>74.63</td><td>34.50</td><td>11.89</td><td>65.64</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>43.13</td><td>74.00</td><td>-30.87</td><td>59.37</td><td>35.00</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.94	74.00	-33.06	60.85	33.92	11.59	65.42	0.00	---	PEAK	2	5250.00	55.38	74.00	-18.62	74.63	34.50	11.89	65.64	0.00	---	PEAK	3	7440.00	43.13	74.00	-30.87	59.37	35.00	14.23	66.27	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.66</td><td>74.00</td><td>-33.34</td><td>60.57</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>52.68</td><td>74.00</td><td>-21.32</td><td>71.93</td><td>34.50</td><td>11.89</td><td>65.64</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>43.29</td><td>74.00</td><td>-30.71</td><td>59.53</td><td>35.00</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.66	74.00	-33.34	60.57	33.92	11.59	65.42	0.00	---	PEAK	2	5250.00	52.68	74.00	-21.32	71.93	34.50	11.89	65.64	0.00	---	PEAK	3	7440.00	43.29	74.00	-30.71	59.53	35.00	14.23	66.27	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4960.00	40.94	74.00	-33.06	60.85	33.92	11.59	65.42	0.00	---	PEAK																																																																																																																																																		
2	5250.00	55.38	74.00	-18.62	74.63	34.50	11.89	65.64	0.00	---	PEAK																																																																																																																																																		
3	7440.00	43.13	74.00	-30.87	59.37	35.00	14.23	66.27	0.00	---	PEAK																																																																																																																																																		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4960.00	40.66	74.00	-33.34	60.57	33.92	11.59	65.42	0.00	---	PEAK																																																																																																																																																		
2	5250.00	52.68	74.00	-21.32	71.93	34.50	11.89	65.64	0.00	---	PEAK																																																																																																																																																		
3	7440.00	43.29	74.00	-30.71	59.53	35.00	14.23	66.27	0.00	---	PEAK																																																																																																																																																		







		106																																																																																																																					
Mode		Band Edge - L																																																																																																																					
		U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_5250MHz																																																																																																																					
ANT		A6+A7																																																																																																																					
Pol.	Horizontal										Fundamental																																																																																																												
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.75</td><td>61.22</td><td>74.00</td><td>-12.78</td><td>52.34</td><td>34.10</td><td>11.80</td><td>37.02</td><td>0.00</td><td>100</td><td>347 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.75	61.22	74.00	-12.78	52.34	34.10	11.80	37.02	0.00	100	347 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>92.23</td><td>-----</td><td>88.60</td><td>32.58</td><td>8.10</td><td>37.05</td><td>0.00</td><td>100</td><td>347 PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>101.47</td><td>-----</td><td>92.43</td><td>34.32</td><td>11.85</td><td>37.13</td><td>0.00</td><td>100</td><td>347 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	92.23	-----	88.60	32.58	8.10	37.05	0.00	100	347 PEAK	2	5250.00	101.47	-----	92.43	34.32	11.85	37.13	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5147.75	61.22	74.00	-12.78	52.34	34.10	11.80	37.02	0.00	100	347 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2482.00	92.23	-----	88.60	32.58	8.10	37.05	0.00	100	347 PEAK																																																																																																													
2	5250.00	101.47	-----	92.43	34.32	11.85	37.13	0.00	100	347 PEAK																																																																																																													
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.75</td><td>49.78</td><td>54.00</td><td>-4.22</td><td>40.91</td><td>34.09</td><td>11.80</td><td>37.02</td><td>0.00</td><td>100</td><td>347 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.75	49.78	54.00	-4.22	40.91	34.09	11.80	37.02	0.00	100	347 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>88.17</td><td>-----</td><td>84.54</td><td>32.58</td><td>8.10</td><td>37.05</td><td>0.00</td><td>100</td><td>347 AVERAGE</td></tr><tr><td>2</td><td>5250.00</td><td>91.86</td><td>-----</td><td>82.25</td><td>34.53</td><td>11.90</td><td>36.82</td><td>0.00</td><td>100</td><td>347 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	88.17	-----	84.54	32.58	8.10	37.05	0.00	100	347 AVERAGE	2	5250.00	91.86	-----	82.25	34.53	11.90	36.82	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5146.75	49.78	54.00	-4.22	40.91	34.09	11.80	37.02	0.00	100	347 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	2482.00	88.17	-----	84.54	32.58	8.10	37.05	0.00	100	347 AVERAGE																																																																																																													
2	5250.00	91.86	-----	82.25	34.53	11.90	36.82	0.00	100	347 AVERAGE																																																																																																													





Mode	106																																																							
	Band Edge - R																																																							
	U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_5250MHz																																																							
ANT	A6+A7																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.56</td><td>57.13</td><td>74.00</td><td>-16.87</td><td>47.04</td><td>34.60</td><td>11.98</td><td>36.49</td><td>0.00</td><td>100</td><td>347 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.56	57.13	74.00	-16.87	47.04	34.60	11.98	36.49	0.00	100	347 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5362.56	57.13	74.00	-16.87	47.04	34.60	11.98	36.49	0.00	100	347 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.19</td><td>47.77</td><td>54.00</td><td>-6.23</td><td>37.68</td><td>34.60</td><td>11.98</td><td>36.49</td><td>0.00</td><td>100</td><td>347 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.19	47.77	54.00	-6.23	37.68	34.60	11.98	36.49	0.00	100	347 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5363.19	47.77	54.00	-6.23	37.68	34.60	11.98	36.49	0.00	100	347 AVERAGE																																													





		106																																																																																																						
Mode		Band Edge - L																																																																																																						
		U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_5250MHz																																																																																																						
ANT		A6+A7																																																																																																						
Pol.		Vertical					Fundamental																																																																																																	
Peak																																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.25	58.84	74.00	-15.16	49.97	34.08	11.79	37.00	0.00	290	44 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	99.11	-----	95.48	32.58	8.10	37.05	0.00	290	44 PEAK	2	5250.00	99.87	-----	90.35	34.51	11.89	36.88	0.00	290	44 PEAK				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5138.25	58.84	74.00	-15.16	49.97	34.08	11.79	37.00	0.00	290	44 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2482.00	99.11	-----	95.48	32.58	8.10	37.05	0.00	290	44 PEAK																																																																																														
2	5250.00	99.87	-----	90.35	34.51	11.89	36.88	0.00	290	44 PEAK																																																																																														
Avg																																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.75	48.12	54.00	-5.88	39.25	34.08	11.79	37.00	0.00	290	44 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	95.36	-----	91.73	32.58	8.10	37.05	0.00	290	44 AVERAGE	2	5250.00	90.73	-----	81.24	34.50	11.89	36.90	0.00	290	44 AVERAGE				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5138.75	48.12	54.00	-5.88	39.25	34.08	11.79	37.00	0.00	290	44 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2482.00	95.36	-----	91.73	32.58	8.10	37.05	0.00	290	44 AVERAGE																																																																																														
2	5250.00	90.73	-----	81.24	34.50	11.89	36.90	0.00	290	44 AVERAGE																																																																																														







Mode	106																																																							
	Band Edge - R																																																							
	U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_5250MHz																																																							
ANT	A6+A7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.05</td><td>58.39</td><td>74.00</td><td>-15.61</td><td>48.33</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>290</td><td>44 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.05	58.39	74.00	-15.61	48.33	34.60	11.97	36.51	0.00	290	44 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5356.05	58.39	74.00	-15.61	48.33	34.60	11.97	36.51	0.00	290	44 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.16</td><td>47.88</td><td>54.00</td><td>-6.12</td><td>37.82</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>290</td><td>44 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.16	47.88	54.00	-6.12	37.82	34.60	11.97	36.51	0.00	290	44 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5354.16	47.88	54.00	-6.12	37.82	34.60	11.97	36.51	0.00	290	44 AVERAGE																																													







Mode	106																																																																																																									
	Harmonic																																																																																																									
	U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_5250MHz																																																																																																									
ANT	A6+A7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>42.23</td><td>68.20</td><td>-25.97</td><td>54.92</td><td>37.44</td><td>16.92</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10500.00	42.23	68.20	-25.97	54.92	37.44	16.92	67.05	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>42.27</td><td>68.20</td><td>-25.93</td><td>54.82</td><td>37.55</td><td>16.97</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10500.00	42.27	68.20	-25.93	54.82	37.55	16.97	67.07	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10500.00	42.23	68.20	-25.97	54.92	37.44	16.92	67.05	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10500.00	42.27	68.20	-25.93	54.82	37.55	16.97	67.07	0.00	---	---	PEAK																																																																																														





		106																																																																																																																														
Mode	Band Edge - L																																																																																																																															
	U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																																																																																															
ANT	A6+A7																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>72.12</td><td>88.20</td><td>-16.08</td><td>59.15</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.00	72.12	88.20	-16.08	59.15	35.70	13.98	36.71	0.00	100	325	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>94.26</td><td>-----</td><td>90.57</td><td>32.64</td><td>8.09</td><td>37.04</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>2</td><td>5257.00</td><td>100.37</td><td>-----</td><td>90.82</td><td>34.51</td><td>11.90</td><td>36.86</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>3</td><td>7111.00</td><td>85.45</td><td>-----</td><td>72.48</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2476.00	94.26	-----	90.57	32.64	8.09	37.04	0.00	100	235	PEAK	2	5257.00	100.37	-----	90.82	34.51	11.90	36.86	0.00	100	235	PEAK	3	7111.00	85.45	-----	72.48	35.70	13.97	36.70	0.00	100	235
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7125.00	72.12	88.20	-16.08	59.15	35.70	13.98	36.71	0.00	100	325	PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	2476.00	94.26	-----	90.57	32.64	8.09	37.04	0.00	100	235	PEAK																																																																																																																					
2	5257.00	100.37	-----	90.82	34.51	11.90	36.86	0.00	100	235	PEAK																																																																																																																					
3	7111.00	85.45	-----	72.48	35.70	13.97	36.70	0.00	100	235	PEAK																																																																																																																					
Avg																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>65.11</td><td>68.20</td><td>-3.09</td><td>52.14</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>100</td><td>325</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.00	65.11	68.20	-3.09	52.14	35.70	13.98	36.71	0.00	100	325	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>90.54</td><td>-----</td><td>86.85</td><td>32.64</td><td>8.09</td><td>37.04</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr><tr><td>2</td><td>5239.00</td><td>91.03</td><td>-----</td><td>81.65</td><td>34.46</td><td>11.88</td><td>36.96</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr><tr><td>3</td><td>7111.00</td><td>77.09</td><td>-----</td><td>64.12</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2476.00	90.54	-----	86.85	32.64	8.09	37.04	0.00	100	235	AVERAGE	2	5239.00	91.03	-----	81.65	34.46	11.88	36.96	0.00	100	235	AVERAGE	3	7111.00	77.09	-----	64.12	35.70	13.97	36.70	0.00	100	235
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7125.00	65.11	68.20	-3.09	52.14	35.70	13.98	36.71	0.00	100	325	AVERAGE																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	2476.00	90.54	-----	86.85	32.64	8.09	37.04	0.00	100	235	AVERAGE																																																																																																																					
2	5239.00	91.03	-----	81.65	34.46	11.88	36.96	0.00	100	235	AVERAGE																																																																																																																					
3	7111.00	77.09	-----	64.12	35.70	13.97	36.70	0.00	100	235	AVERAGE																																																																																																																					







		106																																																																																																																																				
Mode		Band Edge - L																																																																																																																																				
		U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																																																																																																				
ANT		A6+A7																																																																																																																																				
Pol.		Fundamental																																																																																																																																				
Peak	Vertical																																																																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>76.03</td><td>88.20</td><td>-12.17</td><td>63.06</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>106</td><td>341 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	76.03	88.20	-12.17	63.06	35.70	13.98	36.71	0.00	106	341 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>98.13</td><td>-----</td><td>-----</td><td>94.44</td><td>32.64</td><td>8.09</td><td>37.04</td><td>0.00</td><td>106</td><td>341 PEAK</td></tr><tr><td>2</td><td>5266.00</td><td>92.39</td><td>-----</td><td>-----</td><td>82.78</td><td>34.53</td><td>11.90</td><td>36.82</td><td>0.00</td><td>106</td><td>341 PEAK</td></tr><tr><td>3</td><td>7120.00</td><td>86.96</td><td>-----</td><td>-----</td><td>73.99</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>106</td><td>341 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	98.13	-----	-----	94.44	32.64	8.09	37.04	0.00	106	341 PEAK	2	5266.00	92.39	-----	-----	82.78	34.53	11.90	36.82	0.00	106	341 PEAK	3	7120.00	86.96	-----	-----	73.99	35.70	13.98	36.71	0.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	7125.00	76.03	88.20	-12.17	63.06	35.70	13.98	36.71	0.00	106	341 PEAK																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	2476.00	98.13	-----	-----	94.44	32.64	8.09	37.04	0.00	106	341 PEAK																																																																																																																											
2	5266.00	92.39	-----	-----	82.78	34.53	11.90	36.82	0.00	106	341 PEAK																																																																																																																											
3	7120.00	86.96	-----	-----	73.99	35.70	13.98	36.71	0.00	106	341 PEAK																																																																																																																											
Avg	Vertical																																																																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>66.00</td><td>68.20</td><td>-2.20</td><td>53.03</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>106</td><td>341 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	66.00	68.20	-2.20	53.03	35.70	13.98	36.71	0.00	106	341 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>94.31</td><td>-----</td><td>-----</td><td>90.62</td><td>32.64</td><td>8.09</td><td>37.04</td><td>0.00</td><td>106</td><td>341 AVERAGE</td></tr><tr><td>2</td><td>5266.00</td><td>83.34</td><td>-----</td><td>-----</td><td>73.79</td><td>34.51</td><td>11.90</td><td>36.86</td><td>0.00</td><td>106</td><td>341 AVERAGE</td></tr><tr><td>3</td><td>7120.00</td><td>77.95</td><td>-----</td><td>-----</td><td>64.98</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>106</td><td>341 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	94.31	-----	-----	90.62	32.64	8.09	37.04	0.00	106	341 AVERAGE	2	5266.00	83.34	-----	-----	73.79	34.51	11.90	36.86	0.00	106	341 AVERAGE	3	7120.00	77.95	-----	-----	64.98	35.70	13.98	36.71	0.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	7125.00	66.00	68.20	-2.20	53.03	35.70	13.98	36.71	0.00	106	341 AVERAGE																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	2476.00	94.31	-----	-----	90.62	32.64	8.09	37.04	0.00	106	341 AVERAGE																																																																																																																											
2	5266.00	83.34	-----	-----	73.79	34.51	11.90	36.86	0.00	106	341 AVERAGE																																																																																																																											
3	7120.00	77.95	-----	-----	64.98	35.70	13.98	36.71	0.00	106	341 AVERAGE																																																																																																																											







Mode	106																																																																																																					
	Harmonic																																																																																																					
	U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																																																																					
ANT	A6+A7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 14230.00</td><td>45.01</td><td>88.20</td><td>-43.19</td><td>51.07</td><td>38.86</td><td>19.89</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 14230.00	45.01	88.20	-43.19	51.07	38.86	19.89	64.81	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 14230.00</td><td>44.60</td><td>88.20</td><td>-43.60</td><td>50.66</td><td>38.86</td><td>19.89</td><td>64.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 14230.00	44.60	88.20	-43.60	50.66	38.86	19.89	64.81	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 14230.00	45.01	88.20	-43.19	51.07	38.86	19.89	64.81	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 14230.00	44.60	88.20	-43.60	50.66	38.86	19.89	64.81	0.00	---	---	PEAK																																																																																											





Mode	107																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																					
ANT	7																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>54.49</td><td>74.00</td><td>-19.51</td><td>44.88</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>138 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	54.49	74.00	-19.51	44.88	32.56	8.10	37.05	6.00	100	138 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>105.26</td><td>-----</td><td>-----</td><td>95.61</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>138 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.26	-----	-----	95.61	32.60	8.10	37.05	6.00	100	138 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2483.50	54.49	74.00	-19.51	44.88	32.56	8.10	37.05	6.00	100	138 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2480.00	105.26	-----	-----	95.61	32.60	8.10	37.05	6.00	100	138 PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>33.01</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>138 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	42.62	54.00	-11.38	33.01	32.56	8.10	37.05	6.00	100	138 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.41</td><td>-----</td><td>-----</td><td>93.76</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>138 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.41	-----	-----	93.76	32.60	8.10	37.05	6.00	100	138 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2483.50	42.62	54.00	-11.38	33.01	32.56	8.10	37.05	6.00	100	138 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2480.00	103.41	-----	-----	93.76	32.60	8.10	37.05	6.00	100	138 AVERAGE																																																																																											







Mode	107																																																																																																						
	Band Edge																																																																																																						
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																						
ANT	7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>53.48</td><td>74.00</td><td>-20.52</td><td>43.87</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>382</td><td>175</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	53.48	74.00	-20.52	43.87	32.56	8.10	37.05	6.00	382	175	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.35</td><td>-----</td><td>-----</td><td>94.70</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>382</td><td>175</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.35	-----	-----	94.70	32.60	8.10	37.05	6.00	382	175
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2483.50	53.48	74.00	-20.52	43.87	32.56	8.10	37.05	6.00	382	175	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2480.00	104.35	-----	-----	94.70	32.60	8.10	37.05	6.00	382	175	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>32.72</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>382</td><td>175</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	42.33	54.00	-11.67	32.72	32.56	8.10	37.05	6.00	382	175	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.47</td><td>-----</td><td>-----</td><td>92.82</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>382</td><td>175</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.47	-----	-----	92.82	32.60	8.10	37.05	6.00	382	175
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2483.50	42.33	54.00	-11.67	32.72	32.56	8.10	37.05	6.00	382	175	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2480.00	102.47	-----	-----	92.82	32.60	8.10	37.05	6.00	382	175	AVERAGE																																																																																											



Mode	107																																																																																																																																																												
	Harmonic																																																																																																																																																												
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																												
ANT	7																																																																																																																																																												
Pol.	Horizontal										Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.24</td><td>74.00</td><td>-33.76</td><td>60.15</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>69.41</td><td>34.50</td><td>11.89</td><td>65.64</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>42.60</td><td>74.00</td><td>-31.40</td><td>50.84</td><td>35.00</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.24	74.00	-33.76	60.15	33.92	11.59	65.42	0.00	---	PEAK	2	5250.00	50.16	74.00	-23.84	69.41	34.50	11.89	65.64	0.00	---	PEAK	3	7440.00	42.60	74.00	-31.40	50.84	35.00	14.23	66.27	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.01</td><td>74.00</td><td>-33.99</td><td>59.92</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>72.79</td><td>34.50</td><td>11.89</td><td>65.64</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>42.56</td><td>74.00</td><td>-31.44</td><td>50.80</td><td>35.00</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.01	74.00	-33.99	59.92	33.92	11.59	65.42	0.00	---	PEAK	2	5250.00	53.54	74.00	-20.46	72.79	34.50	11.89	65.64	0.00	---	PEAK	3	7440.00	42.56	74.00	-31.44	50.80	35.00	14.23	66.27	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4960.00	40.24	74.00	-33.76	60.15	33.92	11.59	65.42	0.00	---	PEAK																																																																																																																																																		
2	5250.00	50.16	74.00	-23.84	69.41	34.50	11.89	65.64	0.00	---	PEAK																																																																																																																																																		
3	7440.00	42.60	74.00	-31.40	50.84	35.00	14.23	66.27	0.00	---	PEAK																																																																																																																																																		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4960.00	40.01	74.00	-33.99	59.92	33.92	11.59	65.42	0.00	---	PEAK																																																																																																																																																		
2	5250.00	53.54	74.00	-20.46	72.79	34.50	11.89	65.64	0.00	---	PEAK																																																																																																																																																		
3	7440.00	42.56	74.00	-31.44	50.80	35.00	14.23	66.27	0.00	---	PEAK																																																																																																																																																		







		107																																																																
Mode		Band Edge - L																																																																
		U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_5250MHz																																																																
ANT		A6+A7																																																																
Pol.		Horizontal																																																																
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.75</td><td>65.51</td><td>74.00</td><td>-8.49</td><td>56.64</td><td>34.08</td><td>11.79</td><td>37.00</td><td>0.00</td><td>300</td><td>320 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.75	65.51	74.00	-8.49	56.64	34.08	11.79	37.00	0.00	300	320 PEAK									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5139.75	65.51	74.00	-8.49	56.64	34.08	11.79	37.00	0.00	300	320 PEAK																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>101.67</td><td>-----</td><td>98.04</td><td>32.58</td><td>8.10</td><td>37.05</td><td>0.00</td><td>300</td><td>320 PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>102.89</td><td>-----</td><td>93.32</td><td>34.52</td><td>11.90</td><td>36.85</td><td>0.00</td><td>300</td><td>320 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	101.67	-----	98.04	32.58	8.10	37.05	0.00	300	320 PEAK	2	5250.00	102.89	-----	93.32	34.52	11.90	36.85	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2482.00	101.67	-----	98.04	32.58	8.10	37.05	0.00	300	320 PEAK																																																								
2	5250.00	102.89	-----	93.32	34.52	11.90	36.85	0.00	300	320 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.75</td><td>52.39</td><td>54.00</td><td>-1.61</td><td>43.52</td><td>34.09</td><td>11.79</td><td>37.01</td><td>0.00</td><td>300</td><td>320 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.75	52.39	54.00	-1.61	43.52	34.09	11.79	37.01	0.00	300	320 AVERAGE									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5143.75	52.39	54.00	-1.61	43.52	34.09	11.79	37.01	0.00	300	320 AVERAGE																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>97.96</td><td>-----</td><td>94.33</td><td>32.58</td><td>8.10</td><td>37.05</td><td>0.00</td><td>300</td><td>320 AVERAGE</td></tr><tr><td>2</td><td>5250.00</td><td>93.15</td><td>-----</td><td>83.66</td><td>34.50</td><td>11.89</td><td>36.90</td><td>0.00</td><td>300</td><td>320 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	97.96	-----	94.33	32.58	8.10	37.05	0.00	300	320 AVERAGE	2	5250.00	93.15	-----	83.66	34.50	11.89	36.90	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2482.00	97.96	-----	94.33	32.58	8.10	37.05	0.00	300	320 AVERAGE																																																								
2	5250.00	93.15	-----	83.66	34.50	11.89	36.90	0.00	300	320 AVERAGE																																																								





Mode	107										
	Band Edge - R										
	U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_5250MHz										
ANT	A6+A7										
Pol.	Horizontal										
Peak	<										







		107																																																																																																						
Mode		Band Edge - L																																																																																																						
		U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_5250MHz																																																																																																						
ANT		A6+A7																																																																																																						
Pol.		Vertical					Fundamental																																																																																																	
Peak																																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.25	60.99	74.00	-13.01	52.13	34.07	11.79	37.00	0.00	300	33 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	97.42	-----	93.79	32.58	8.10	37.05	0.00	300	33 PEAK	2	5250.00	100.64	-----	91.12	34.51	11.89	36.88	0.00	300	33 PEAK				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5137.25	60.99	74.00	-13.01	52.13	34.07	11.79	37.00	0.00	300	33 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2482.00	97.42	-----	93.79	32.58	8.10	37.05	0.00	300	33 PEAK																																																																																														
2	5250.00	100.64	-----	91.12	34.51	11.89	36.88	0.00	300	33 PEAK																																																																																														
Avg																																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.50	50.39	54.00	-3.61	41.52	34.08	11.79	37.00	0.00	300	33 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	93.64	-----	90.01	32.58	8.10	37.05	0.00	300	33 AVERAGE	2	5250.00	91.71	-----	82.22	34.50	11.89	36.90	0.00	300	33 AVERAGE				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5137.50	50.39	54.00	-3.61	41.52	34.08	11.79	37.00	0.00	300	33 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2482.00	93.64	-----	90.01	32.58	8.10	37.05	0.00	300	33 AVERAGE																																																																																														
2	5250.00	91.71	-----	82.22	34.50	11.89	36.90	0.00	300	33 AVERAGE																																																																																														







Mode	107																																																							
	Band Edge - R																																																							
	U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_5250MHz																																																							
ANT	A6+A7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.79</td><td>61.04</td><td>74.00</td><td>-12.96</td><td>50.98</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>300</td><td>33 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.79	61.04	74.00	-12.96	50.98	34.60	11.97	36.51	0.00	300	33 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5354.79	61.04	74.00	-12.96	50.98	34.60	11.97	36.51	0.00	300	33 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.16</td><td>48.76</td><td>54.00</td><td>-5.24</td><td>38.70</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>300</td><td>33 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.16	48.76	54.00	-5.24	38.70	34.60	11.97	36.51	0.00	300	33 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5354.16	48.76	54.00	-5.24	38.70	34.60	11.97	36.51	0.00	300	33 AVERAGE																																													







Mode	107	
	Harmonic	
	U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_5250MHz	
ANT	A6+A7	
Pol.	Horizontal	Vertical
Peak		
Avg		





		107																																																																																																																							
Mode		Band Edge - L																																																																																																																							
		U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																																																																																							
ANT		A6+A7																																																																																																																							
Pol.		Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.00	74.93	88.20	-13.27	61.96	35.70	13.98	36.71	0.00	291	318	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>100.52</td><td>-----</td><td>96.83</td><td>32.64</td><td>8.09</td><td>37.04</td><td>0.00</td><td>291</td><td>318</td><td>PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>102.26</td><td>-----</td><td>92.77</td><td>34.50</td><td>11.89</td><td>36.90</td><td>0.00</td><td>291</td><td>318</td><td>PEAK</td></tr><tr><td>3</td><td>7115.00</td><td>88.06</td><td>-----</td><td>75.09</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>291</td><td>318</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2476.00	100.52	-----	96.83	32.64	8.09	37.04	0.00	291	318	PEAK	2	5250.00	102.26	-----	92.77	34.50	11.89	36.90	0.00	291	318	PEAK	3	7115.00	88.06	-----	75.09	35.70	13.97	36.70	0.00	291	318
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	7125.00	74.93	88.20	-13.27	61.96	35.70	13.98	36.71	0.00	291	318	PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2476.00	100.52	-----	96.83	32.64	8.09	37.04	0.00	291	318	PEAK																																																																																																														
2	5250.00	102.26	-----	92.77	34.50	11.89	36.90	0.00	291	318	PEAK																																																																																																														
3	7115.00	88.06	-----	75.09	35.70	13.97	36.70	0.00	291	318	PEAK																																																																																																														
Avg																																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.00	67.08	68.20	-1.12	54.11	35.70	13.98	36.71	0.00	291	318	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>96.63</td><td>-----</td><td>92.94</td><td>32.64</td><td>8.09</td><td>37.04</td><td>0.00</td><td>291</td><td>318</td><td>AVERAGE</td></tr><tr><td>2</td><td>5250.00</td><td>91.87</td><td>-----</td><td>82.38</td><td>34.50</td><td>11.89</td><td>36.90</td><td>0.00</td><td>291</td><td>318</td><td>AVERAGE</td></tr><tr><td>3</td><td>7115.00</td><td>79.08</td><td>-----</td><td>66.11</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>291</td><td>318</td><td>AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2476.00	96.63	-----	92.94	32.64	8.09	37.04	0.00	291	318	AVERAGE	2	5250.00	91.87	-----	82.38	34.50	11.89	36.90	0.00	291	318	AVERAGE	3	7115.00	79.08	-----	66.11	35.70	13.97	36.70	0.00	291	318
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	7125.00	67.08	68.20	-1.12	54.11	35.70	13.98	36.71	0.00	291	318	AVERAGE																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2476.00	96.63	-----	92.94	32.64	8.09	37.04	0.00	291	318	AVERAGE																																																																																																														
2	5250.00	91.87	-----	82.38	34.50	11.89	36.90	0.00	291	318	AVERAGE																																																																																																														
3	7115.00	79.08	-----	66.11	35.70	13.97	36.70	0.00	291	318	AVERAGE																																																																																																														



		107																																																																										
Mode		Band Edge - L																																																																										
		U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																																										
ANT		A6+A7																																																																										
Pol.		Vertical					Fundamental																																																																					
Peak																																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>73.72</td><td>88.20</td><td>-14.48</td><td>60.75</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>100</td><td>154 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	73.72	88.20	-14.48	60.75	35.70	13.98	36.71	0.00	100	154 PEAK																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	7125.00	73.72	88.20	-14.48	60.75	35.70	13.98	36.71	0.00	100	154 PEAK																																																																	
Avg																																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>66.50</td><td>68.20</td><td>-1.70</td><td>53.53</td><td>35.70</td><td>13.98</td><td>36.71</td><td>0.00</td><td>100</td><td>154 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	66.50	68.20	-1.70	53.53	35.70	13.98	36.71	0.00	100	154 AVERAGE																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	7125.00	66.50	68.20	-1.70	53.53	35.70	13.98	36.71	0.00	100	154 AVERAGE																																																																	
																																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2476.00</td><td>93.76</td><td>-----</td><td>90.07</td><td>32.64</td><td>8.09</td><td>37.04</td><td>0.00</td><td>100</td><td>154 PEAK</td></tr><tr><td>2</td><td>5250.00</td><td>94.14</td><td>-----</td><td>84.65</td><td>34.50</td><td>11.89</td><td>36.90</td><td>0.00</td><td>100</td><td>154 PEAK</td></tr><tr><td>3</td><td>7115.00</td><td>85.40</td><td>-----</td><td>72.43</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>100</td><td>154 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	93.76	-----	90.07	32.64	8.09	37.04	0.00	100	154 PEAK	2	5250.00	94.14	-----	84.65	34.50	11.89	36.90	0.00	100	154 PEAK	3	7115.00	85.40	-----	72.43	35.70	13.97	36.70	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	2476.00	93.76	-----	90.07	32.64	8.09	37.04	0.00	100	154 PEAK																																																																		
2	5250.00	94.14	-----	84.65	34.50	11.89	36.90	0.00	100	154 PEAK																																																																		
3	7115.00	85.40	-----	72.43	35.70	13.97	36.70	0.00	100	154 PEAK																																																																		
																																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2476.00</td><td>89.93</td><td>-----</td><td>86.24</td><td>32.64</td><td>8.09</td><td>37.04</td><td>0.00</td><td>100</td><td>154 AVERAGE</td></tr><tr><td>2</td><td>5250.00</td><td>83.67</td><td>-----</td><td>74.18</td><td>34.50</td><td>11.89</td><td>36.90</td><td>0.00</td><td>100</td><td>154 AVERAGE</td></tr><tr><td>3</td><td>7115.00</td><td>76.17</td><td>-----</td><td>63.20</td><td>35.70</td><td>13.97</td><td>36.70</td><td>0.00</td><td>100</td><td>154 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	89.93	-----	86.24	32.64	8.09	37.04	0.00	100	154 AVERAGE	2	5250.00	83.67	-----	74.18	34.50	11.89	36.90	0.00	100	154 AVERAGE	3	7115.00	76.17	-----	63.20	35.70	13.97	36.70	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	2476.00	89.93	-----	86.24	32.64	8.09	37.04	0.00	100	154 AVERAGE																																																																		
2	5250.00	83.67	-----	74.18	34.50	11.89	36.90	0.00	100	154 AVERAGE																																																																		
3	7115.00	76.17	-----	63.20	35.70	13.97	36.70	0.00	100	154 AVERAGE																																																																		




Mode	107																																																							
	Harmonic																																																							
	U-NII-8_6.875-7.125_802.11BE EHT20_CH233_7115MHz																																																							
ANT	A6+A7																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
<table><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>14230.00</td><td>45.51</td><td>88.20</td><td>-42.69</td><td>51.57</td><td>38.86</td><td>19.89</td><td>64.81</td><td>0.00</td><td>--- PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	45.51	88.20	-42.69	51.57	38.86	19.89	64.81	0.00	--- PEAK	<table><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>14230.00</td><td>44.44</td><td>88.20</td><td>-43.76</td><td>50.50</td><td>38.86</td><td>19.89</td><td>64.81</td><td>0.00</td><td>--- PEAK</td></tr></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	44.44	88.20	-43.76	50.50	38.86	19.89	64.81	0.00	--- PEAK	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	14230.00	45.51	88.20	-42.69	51.57	38.86	19.89	64.81	0.00	--- PEAK																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	14230.00	44.44	88.20	-43.76	50.50	38.86	19.89	64.81	0.00	--- PEAK																																														


Appendix D. Duty Cycle Plots

Band	ANT	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	6+7	98.973	-	-	10Hz
802.11be EHT20	6+7	100	-	-	10Hz
802.11be EHT40	6+7	100	-	-	10Hz
802.11be EHT80	6+7	100	-	-	10Hz
802.11be EHT160	6+7	100	-	-	10Hz
802.11be EHT320	6+7	100	-	-	10Hz
802.11be EHT20 Partial RU 106	6+7	99.349	-	-	10Hz
802.11be EHT40 Partial RU 242	6+7	100	-	-	10Hz
802.11be EHT80 Partial RU 484	6+7	98.450	-	-	10Hz
802.11be EHT160 Partial RU 996	6+7	97.834	0.813	1.230	1.3KHz
802.11be EHT320 Partial RU 996x2	6+7	97.493	0.700	1.429	1.5KHz
802.11be EHT20 Partial RU 52+26	6+7	99.562	-	-	10Hz
802.11be EHT20 Partial RU 106+26	6+7	100	-	-	10Hz
802.11be EHT80 Puncturing 20M	6+7	100	-	-	10Hz
802.11be EHT160 Puncturing 20M	6+7	100	-	-	10Hz
802.11be EHT160 Puncturing 40M	6+7	100	-	-	10Hz
802.11be EHT320 Puncturing 40M	6+7	100	-	-	10Hz
802.11be EHT320 Puncturing 80M	6+7	100	-	-	10Hz
802.11be EHT320 Puncturing 80M+40M	6+7	96.980	0.578	1.730	1.8KHz
802.11be EHT160 Large RU 996+484	6+7	98.230	-	-	10Hz
802.11be EHT320 Large RU 996+484+242	6+7	97.895	0.930	1.075	1.1KHz
802.11be EHT80 Large RU 484+242	6+7	100	-	-	10Hz
802.11be EHT320 Large RU 996*2+484	6+7	100	-	-	10Hz
802.11be EHT320 Large RU 996*3	6+7	100	-	-	10Hz
802.11be EHT320 Large RU 996*3+484	6+7	100	-	-	10Hz

802.11a




802.11be EHT20







802.11be EHT40




802.11be EHT80



802.11be EHT160




802.11be EHT320







802.11be EHT20 Partial RU 106




802.11be EHT40 Partial RU 242






802.11be EHT160 Partial RU 996






802.11be EHT320 Partial RU 966x2




802.11be EHT20 Partial RU 52+26






802.11be EHT20 Partial RU 106+26




802.11be EHT80 Puncturing 20M







802.11be EHT160 Puncturing 20M




802.11be EHT160 Puncturing 40M



802.11be EHT320 Puncturing 40M




802.11be EHT320 Puncturing 80M






802.11be EHT320 Puncturing 80M+40M




802.11be EHT320 Large RU 996+484






802.11be EHT320 Large RU 996+484+242




802.11be EHT80 Large RU 484+242






802.11be EHT320 Large RU 996*2+484



802.11be EHT320 Large RU 996*3





802.11be EHT320 Large RU 996*3+484

