












		42																																																																	
Mode		Band Edge - L																																																																	
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz																																																																	
ANT		CDD 6+7																																																																	
Pol.		Fundamental																																																																	
Peak	Vertical																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.53</td><td>56.48</td><td>74.00</td><td>-17.52</td><td>39.34</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>100</td><td>44</td><td>PEAK</td></tr><tr><td>2</td><td>5465.93</td><td>56.08</td><td>68.20</td><td>-12.12</td><td>38.96</td><td>34.77</td><td>12.24</td><td>29.89</td><td>0.00</td><td>100</td><td>44</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.53	56.48	74.00	-17.52	39.34	34.78	12.24	29.88	0.00	100	44	PEAK	2	5465.93	56.08	68.20	-12.12	38.96	34.77	12.24	29.89	0.00	100	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.53	56.48	74.00	-17.52	39.34	34.78	12.24	29.88	0.00	100	44	PEAK																																																							
2	5465.93	56.08	68.20	-12.12	38.96	34.77	12.24	29.89	0.00	100	44	PEAK																																																							
Avg	Vertical																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>46.02</td><td>54.00</td><td>-7.98</td><td>28.88</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>100</td><td>44</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	46.02	54.00	-7.98	28.88	34.78	12.24	29.88	0.00	100	44	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5460.00	46.02	54.00	-7.98	28.88	34.78	12.24	29.88	0.00	100	44	AVERAGE																																																							
Peak	Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>100.55</td><td>-----</td><td>-----</td><td>83.49</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>100</td><td>44</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.55	-----	-----	83.49	34.72	12.27	29.93	0.00	100	44	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	100.55	-----	-----	83.49	34.72	12.27	29.93	0.00	100	44	PEAK																																																							
Avg	Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>91.79</td><td>-----</td><td>-----</td><td>74.73</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>100</td><td>44</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.79	-----	-----	74.73	34.72	12.27	29.93	0.00	100	44	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	91.79	-----	-----	74.73	34.72	12.27	29.93	0.00	100	44	AVERAGE																																																							




Mode	42																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz																																									
ANT	CDD 6+7																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5749.60</td><td>56.39</td><td>68.20</td><td>-11.81</td><td>38.83</td><td>34.90</td><td>12.54</td><td>29.88</td><td>0.00</td><td>100 44 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5749.60	56.39	68.20	-11.81	38.83	34.90	12.54	29.88	0.00	100 44 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5749.60	56.39	68.20	-11.81	38.83	34.90	12.54	29.88	0.00	100 44 PEAK																																	







Mode	43																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.01</td><td>57.25</td><td>74.00</td><td>-16.75</td><td>40.10</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>172</td><td>182</td><td>PEAK</td></tr><tr><td>2</td><td>5467.21</td><td>54.85</td><td>68.20</td><td>-13.35</td><td>37.73</td><td>34.77</td><td>12.24</td><td>29.89</td><td>0.00</td><td>172</td><td>182</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.01	57.25	74.00	-16.75	40.10	34.79	12.23	29.87	0.00	172	182	PEAK	2	5467.21	54.85	68.20	-13.35	37.73	34.77	12.24	29.89	0.00	172	182	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>105.00</td><td>-----</td><td>-----</td><td>87.76</td><td>34.70</td><td>12.41</td><td>29.79</td><td>0.00</td><td>172</td><td>182</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.00	-----	-----	87.76	34.70	12.41	29.79	0.00	172	182	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.01	57.25	74.00	-16.75	40.10	34.79	12.23	29.87	0.00	172	182	PEAK																																																																																																					
2	5467.21	54.85	68.20	-13.35	37.73	34.77	12.24	29.89	0.00	172	182	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	105.00	-----	-----	87.76	34.70	12.41	29.79	0.00	172	182	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.33</td><td>46.26</td><td>54.00</td><td>-7.74</td><td>29.11</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>172</td><td>182</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.33	46.26	54.00	-7.74	29.11	34.79	12.23	29.87	0.00	172	182	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.16</td><td>-----</td><td>-----</td><td>79.87</td><td>34.70</td><td>12.43</td><td>29.84</td><td>0.00</td><td>172</td><td>182</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.16	-----	-----	79.87	34.70	12.43	29.84	0.00	172	182	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.33	46.26	54.00	-7.74	29.11	34.79	12.23	29.87	0.00	172	182	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	97.16	-----	-----	79.87	34.70	12.43	29.84	0.00	172	182	AVERAGE																																																																																																					




Mode	43																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																									
ANT	CDD 6+7																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5740.48</td><td>57.83</td><td>68.20</td><td>-10.37</td><td>40.32</td><td>34.68</td><td>12.53</td><td>29.90</td><td>0.00</td><td>172 182 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5740.48	57.83	68.20	-10.37	40.32	34.68	12.53	29.90	0.00	172 182 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5740.48	57.83	68.20	-10.37	40.32	34.68	12.53	29.90	0.00	172 182 PEAK																																	





		43																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5386.41</td><td>55.41</td><td>74.00</td><td>-18.59</td><td>38.40</td><td>34.65</td><td>12.16</td><td>29.00</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>5464.65</td><td>55.59</td><td>68.20</td><td>-12.61</td><td>38.46</td><td>34.77</td><td>12.24</td><td>29.08</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5386.41	55.41	74.00	-18.59	38.40	34.65	12.16	29.00	0.00	100	49	PEAK	2	5464.65	55.59	68.20	-12.61	38.46	34.77	12.24	29.08	0.00	100	49	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>100.91</td><td>-----</td><td>-----</td><td>83.60</td><td>34.70</td><td>12.42</td><td>29.81</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.91	-----	-----	83.60	34.70	12.42	29.81	0.00	100	49
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5386.41	55.41	74.00	-18.59	38.40	34.65	12.16	29.00	0.00	100	49	PEAK																																																																																																				
2	5464.65	55.59	68.20	-12.61	38.46	34.77	12.24	29.08	0.00	100	49	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	100.91	-----	-----	83.60	34.70	12.42	29.81	0.00	100	49	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.73</td><td>45.84</td><td>54.00</td><td>-8.16</td><td>28.68</td><td>34.00</td><td>12.22</td><td>29.06</td><td>0.00</td><td>100</td><td>49</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.73	45.84	54.00	-8.16	28.68	34.00	12.22	29.06	0.00	100	49	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>91.91</td><td>-----</td><td>-----</td><td>74.57</td><td>34.70</td><td>12.40</td><td>29.76</td><td>0.00</td><td>100</td><td>49</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	91.91	-----	-----	74.57	34.70	12.40	29.76	0.00	100	49	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5449.73	45.84	54.00	-8.16	28.68	34.00	12.22	29.06	0.00	100	49	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	91.91	-----	-----	74.57	34.70	12.40	29.76	0.00	100	49	AVERAGE																																																																																																				







Mode	43																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.20</td><td>57.44</td><td>68.20</td><td>-10.76</td><td>39.93</td><td>34.68</td><td>12.53</td><td>29.90</td><td>0.00</td><td>100</td><td>49</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.20	57.44	68.20	-10.76	39.93	34.68	12.53	29.90	0.00	100	49	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5739.20	57.44	68.20	-10.76	39.93	34.68	12.53	29.90	0.00	100	49	PEAK																																											




		43																																																																																					
Mode		Harmonic																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																					
ANT		CDD 6+7																																																																																					
Pol.		Horizontal										Vertical																																																																											
Peak Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>50.21</td><td>37.82</td><td>17.60</td><td>61.84</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.62</td><td>74.00</td><td>-28.38</td><td>49.55</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	43.79	74.00	-30.21	50.21	37.82	17.60	61.84	0.00	--	--	PEAK	2	11988.00	45.62	74.00	-28.38	49.55	38.69	18.27	60.89	0.00	--	--	PEAK														
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	11220.00	43.79	74.00	-30.21	50.21	37.82	17.60	61.84	0.00	--	--	PEAK																																																																											
2	11988.00	45.62	74.00	-28.38	49.55	38.69	18.27	60.89	0.00	--	--	PEAK																																																																											
																																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11220.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>51.13</td><td>37.82</td><td>17.60</td><td>61.84</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>56.59</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>291</td><td>53</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>41.34</td><td>54.00</td><td>-12.66</td><td>45.30</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>291</td><td>53</td><td>AVERAGE</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11220.00	44.71	74.00	-29.29	51.13	37.82	17.60	61.84	0.00	--	--	PEAK	2	11988.00	52.66	74.00	-21.34	56.59	38.69	18.27	60.89	0.00	291	53	PEAK	3	11988.00	41.34	54.00	-12.66	45.30	38.68	18.26	60.90	0.00	291	53	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																												
1	11220.00	44.71	74.00	-29.29	51.13	37.82	17.60	61.84	0.00	--	--	PEAK																																																																											
2	11988.00	52.66	74.00	-21.34	56.59	38.69	18.27	60.89	0.00	291	53	PEAK																																																																											
3	11988.00	41.34	54.00	-12.66	45.30	38.68	18.26	60.90	0.00	291	53	AVERAGE																																																																											







Mode	44																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																																																																																																					
ANT	CDD 6+7																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5383.05</td><td>56.33</td><td>74.00</td><td>-17.67</td><td>39.35</td><td>34.63</td><td>12.15</td><td>29.00</td><td>0.00</td><td>171</td><td>182</td><td>PEAK</td></tr><tr><td>2</td><td>5467.69</td><td>55.88</td><td>68.20</td><td>-12.32</td><td>38.77</td><td>34.76</td><td>12.24</td><td>29.89</td><td>0.00</td><td>171</td><td>182</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5383.05	56.33	74.00	-17.67	39.35	34.63	12.15	29.00	0.00	171	182	PEAK	2	5467.69	55.88	68.20	-12.32	38.77	34.76	12.24	29.89	0.00	171	182	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>106.07</td><td>-----</td><td>-----</td><td>88.78</td><td>34.70</td><td>12.43</td><td>29.84</td><td>0.00</td><td>171</td><td>182</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	106.07	-----	-----	88.78	34.70	12.43	29.84	0.00	171	182
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5383.05	56.33	74.00	-17.67	39.35	34.63	12.15	29.00	0.00	171	182	PEAK																																																																																																																										
2	5467.69	55.88	68.20	-12.32	38.77	34.76	12.24	29.89	0.00	171	182	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5610.00	106.07	-----	-----	88.78	34.70	12.43	29.84	0.00	171	182	PEAK																																																																																																																										
Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5454.41</td><td>46.15</td><td>54.00</td><td>-7.85</td><td>29.00</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>171</td><td>182</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5454.41	46.15	54.00	-7.85	29.00	34.79	12.23	29.87	0.00	171	182	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>97.19</td><td>-----</td><td>-----</td><td>79.90</td><td>34.70</td><td>12.44</td><td>29.85</td><td>0.00</td><td>171</td><td>182</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	97.19	-----	-----	79.90	34.70	12.44	29.85	0.00	171	182	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5454.41	46.15	54.00	-7.85	29.00	34.79	12.23	29.87	0.00	171	182	AVERAGE																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5610.00	97.19	-----	-----	79.90	34.70	12.44	29.85	0.00	171	182	AVERAGE																																																																																																																										




Mode	44																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.64</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>39.54</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>171</td><td>182</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.64	57.11	68.20	-11.09	39.54	34.90	12.54	29.87	0.00	171	182	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5750.64	57.11	68.20	-11.09	39.54	34.90	12.54	29.87	0.00	171	182	PEAK																																												







Mode	44																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5394.41</td><td>56.00</td><td>74.00</td><td>-18.00</td><td>38.95</td><td>34.68</td><td>12.16</td><td>29.79</td><td>0.00</td><td>100</td><td>45</td><td>PEAK</td></tr><tr><td>2</td><td>5462.09</td><td>56.22</td><td>68.20</td><td>-11.98</td><td>39.08</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>100</td><td>45</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.41	56.00	74.00	-18.00	38.95	34.68	12.16	29.79	0.00	100	45	PEAK	2	5462.09	56.22	68.20	-11.98	39.08	34.78	12.24	29.88	0.00	100	45	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>99.85</td><td>-----</td><td>-----</td><td>82.54</td><td>34.70</td><td>12.42</td><td>29.81</td><td>0.00</td><td>100</td><td>45</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	99.85	-----	-----	82.54	34.70	12.42	29.81	0.00	100	45
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5394.41	56.00	74.00	-18.00	38.95	34.68	12.16	29.79	0.00	100	45	PEAK																																																																																																				
2	5462.09	56.22	68.20	-11.98	39.08	34.78	12.24	29.88	0.00	100	45	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	99.85	-----	-----	82.54	34.70	12.42	29.81	0.00	100	45	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.21</td><td>45.83</td><td>54.00</td><td>-8.17</td><td>28.68</td><td>34.79</td><td>12.22</td><td>29.86</td><td>0.00</td><td>100</td><td>45</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.21	45.83	54.00	-8.17	28.68	34.79	12.22	29.86	0.00	100	45	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>91.81</td><td>-----</td><td>-----</td><td>74.47</td><td>34.70</td><td>12.40</td><td>29.76</td><td>0.00</td><td>100</td><td>45</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	91.81	-----	-----	74.47	34.70	12.40	29.76	0.00	100	45	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5447.21	45.83	54.00	-8.17	28.68	34.79	12.22	29.86	0.00	100	45	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	91.81	-----	-----	74.47	34.70	12.40	29.76	0.00	100	45	AVERAGE																																																																																																				




Mode	44																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.72</td><td>56.56</td><td>68.20</td><td>-11.64</td><td>39.00</td><td>34.90</td><td>12.54</td><td>29.88</td><td>0.00</td><td>100</td><td>45</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.72	56.56	68.20	-11.64	39.00	34.90	12.54	29.88	0.00	100	45	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5748.72	56.56	68.20	-11.64	39.00	34.90	12.54	29.88	0.00	100	45	PEAK																																												







Mode	45																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5400.26</td><td>62.35</td><td>74.00</td><td>-11.65</td><td>45.26</td><td>34.70</td><td>12.17</td><td>29.78</td><td>0.00</td><td>150</td><td>213</td><td>PEAK</td></tr><tr><td>2</td><td>5464.30</td><td>61.15</td><td>68.20</td><td>-7.05</td><td>44.02</td><td>34.77</td><td>12.24</td><td>29.88</td><td>0.00</td><td>150</td><td>213</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5400.26	62.35	74.00	-11.65	45.26	34.70	12.17	29.78	0.00	150	213	PEAK	2	5464.30	61.15	68.20	-7.05	44.02	34.77	12.24	29.88	0.00	150	213	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>103.59</td><td>-----</td><td>-----</td><td>86.54</td><td>34.71</td><td>12.28</td><td>29.94</td><td>0.00</td><td>150</td><td>213</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	103.59	-----	-----	86.54	34.71	12.28	29.94	0.00	150	213	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5400.26	62.35	74.00	-11.65	45.26	34.70	12.17	29.78	0.00	150	213	PEAK																																																																																																					
2	5464.30	61.15	68.20	-7.05	44.02	34.77	12.24	29.88	0.00	150	213	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	103.59	-----	-----	86.54	34.71	12.28	29.94	0.00	150	213	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5402.48</td><td>52.48</td><td>54.00</td><td>-1.52</td><td>35.39</td><td>34.70</td><td>12.17</td><td>29.78</td><td>0.00</td><td>150</td><td>213</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.48	52.48	54.00	-1.52	35.39	34.70	12.17	29.78	0.00	150	213	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>93.58</td><td>-----</td><td>-----</td><td>76.36</td><td>34.70</td><td>12.34</td><td>29.82</td><td>0.00</td><td>150</td><td>213</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.58	-----	-----	76.36	34.70	12.34	29.82	0.00	150	213	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5402.48	52.48	54.00	-1.52	35.39	34.70	12.17	29.78	0.00	150	213	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	93.58	-----	-----	76.36	34.70	12.34	29.82	0.00	150	213	AVERAGE																																																																																																					




Mode	45																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.29</td><td>61.87</td><td>68.20</td><td>-6.33</td><td>44.39</td><td>34.87</td><td>12.52</td><td>29.91</td><td>0.00</td><td>150</td><td>213</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.29	61.87	68.20	-6.33	44.39	34.87	12.52	29.91	0.00	150	213	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5734.29	61.87	68.20	-6.33	44.39	34.87	12.52	29.91	0.00	150	213	PEAK																																											





		45																																																																		
Mode		Band Edge - L																																																																		
		U-NII-1_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																																		
ANT		CDD 6+7																																																																		
Pol.		Vertical																																																																		
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.84</td><td>59.08</td><td>74.00</td><td>-14.92</td><td>41.93</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>284</td><td>127</td><td>PEAK</td></tr><tr><td>2</td><td>5469.99</td><td>57.26</td><td>68.20</td><td>-10.94</td><td>40.14</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>284</td><td>127</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.84	59.08	74.00	-14.92	41.93	34.79	12.23	29.87	0.00	284	127	PEAK	2	5469.99	57.26	68.20	-10.94	40.14	34.76	12.25	29.89	0.00	284	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5454.84	59.08	74.00	-14.92	41.93	34.79	12.23	29.87	0.00	284	127	PEAK																																																								
2	5469.99	57.26	68.20	-10.94	40.14	34.76	12.25	29.89	0.00	284	127	PEAK																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>99.77</td><td>-----</td><td>-----</td><td>82.64</td><td>34.70</td><td>12.31</td><td>29.88</td><td>0.00</td><td>284</td><td>127</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.77	-----	-----	82.64	34.70	12.31	29.88	0.00	284	127	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	99.77	-----	-----	82.64	34.70	12.31	29.88	0.00	284	127	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.32</td><td>49.21</td><td>54.00</td><td>-4.79</td><td>32.13</td><td>34.69</td><td>12.17</td><td>29.78</td><td>0.00</td><td>284</td><td>127</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.32	49.21	54.00	-4.79	32.13	34.69	12.17	29.78	0.00	284	127	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5396.32	49.21	54.00	-4.79	32.13	34.69	12.17	29.78	0.00	284	127	AVERAGE																																																								
																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>90.03</td><td>-----</td><td>-----</td><td>72.79</td><td>34.70</td><td>12.35</td><td>29.81</td><td>0.00</td><td>284</td><td>127</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.03	-----	-----	72.79	34.70	12.35	29.81	0.00	284	127	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	90.03	-----	-----	72.79	34.70	12.35	29.81	0.00	284	127	AVERAGE																																																								







Mode	45																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.42</td><td>60.03</td><td>68.20</td><td>-8.17</td><td>42.41</td><td>34.92</td><td>12.55</td><td>29.85</td><td>0.00</td><td>284</td><td>127</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.42	60.03	68.20	-8.17	42.41	34.92	12.55	29.85	0.00	284	127	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5760.42	60.03	68.20	-8.17	42.41	34.92	12.55	29.85	0.00	284	127	PEAK																																												




		45																																																																																
Mode		Harmonic																																																																																
		U-NII-1_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																																																
ANT		CDD 6+7																																																																																
Pol.		Horizontal						Vertical																																																																										
Peak Avg																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11140.00</td><td>43.39</td><td>74.00</td><td>-30.61</td><td>49.95</td><td>37.00</td><td>17.53</td><td>61.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>49.27</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11140.00	43.39	74.00	-30.61	49.95	37.00	17.53	61.89	0.00	--	--	PEAK	2	11988.00	45.34	74.00	-28.66	49.27	38.69	18.27	60.89	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	11140.00	43.39	74.00	-30.61	49.95	37.00	17.53	61.89	0.00	--	--	PEAK																																																																						
2	11988.00	45.34	74.00	-28.66	49.27	38.69	18.27	60.89	0.00	--	--	PEAK																																																																						
																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11140.00</td><td>43.75</td><td>74.00</td><td>-30.25</td><td>50.31</td><td>37.00</td><td>17.53</td><td>61.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>52.01</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>7</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>39.25</td><td>54.00</td><td>-14.75</td><td>43.14</td><td>38.70</td><td>18.28</td><td>60.87</td><td>0.00</td><td>100</td><td>7</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11140.00	43.75	74.00	-30.25	50.31	37.00	17.53	61.89	0.00	--	--	PEAK	2	11988.00	48.08	74.00	-25.92	52.01	38.69	18.27	60.89	0.00	100	7	PEAK	3	11988.00	39.25	54.00	-14.75	43.14	38.70	18.28	60.87	0.00	100	7	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																									
1	11140.00	43.75	74.00	-30.25	50.31	37.00	17.53	61.89	0.00	--	--	PEAK																																																																						
2	11988.00	48.08	74.00	-25.92	52.01	38.69	18.27	60.89	0.00	100	7	PEAK																																																																						
3	11988.00	39.25	54.00	-14.75	43.14	38.70	18.28	60.87	0.00	100	7	AVERAGE																																																																						



		46																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-1_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz																																																																																																	
ANT		CDD 6+7																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak																																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.58	58.53	74.00	-15.47	41.39	34.78	12.23	29.87	0.00	138 207 PEAK	2	5461.66	57.93	68.20	-10.27	40.79	34.78	12.24	29.88	0.00	138 207 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	102.95	-----	-----	85.89	34.72	12.27	29.93	0.00	138 207 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5458.58	58.53	74.00	-15.47	41.39	34.78	12.23	29.87	0.00	138 207 PEAK																																																																																									
2	5461.66	57.93	68.20	-10.27	40.79	34.78	12.24	29.88	0.00	138 207 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5570.00	102.95	-----	-----	85.89	34.72	12.27	29.93	0.00	138 207 PEAK																																																																																									
Avg																																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	48.69	54.00	-5.31	31.55	34.78	12.23	29.87	0.00	138 207 AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	94.24	-----	-----	77.09	34.70	12.32	29.87	0.00	138 207 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5458.00	48.69	54.00	-5.31	31.55	34.78	12.23	29.87	0.00	138 207 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5570.00	94.24	-----	-----	77.09	34.70	12.32	29.87	0.00	138 207 AVERAGE																																																																																									



Mode	46																																																												
	Band Edge - R																																																												
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz																																																												
ANT	CDD 6+7																																																												
Pol.	Horizontal						Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5761.40</td><td>56.27</td><td>68.20</td><td>-11.93</td><td>38.65</td><td>34.92</td><td>12.55</td><td>29.85</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>138</td><td>207 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5761.40	56.27	68.20	-11.93	38.65	34.92	12.55	29.85	0.00									138	207 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																				
1	5761.40	56.27	68.20	-11.93	38.65	34.92	12.55	29.85	0.00																																																				
								138	207 PEAK																																																				

Mode

46

Band Edge - L

U-NII-1_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz

ANT

CDD 6+7

Pol.

Vertical

Fundamental

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5394.

5438.

5482.

5526.

5570

1

2

U-NII-1-U-NII-2A-U-NII-2C

Frequency (MHz)

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5452.86	57.35	74.00	-16.65	40.19	34.79	12.23	29.86	0.00	287 129 PEAK
2	5464.74	56.31	68.20	-11.89	39.18	34.77	12.24	29.88	0.00	287 129 PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200.

3400.

4600.

5800.

7000

1

U-NII-1-U-NII-2A-U-NII-2C

Frequency (MHz)

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5570.00	98.24	-----	-----	81.19	34.70	12.28	29.93	0.00	287 129 PEAK

Avg

Vertical

Fundamental

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5394.

5438.

5482.

5526.

5570

1

U-NII-1-U-NII-2A-U-NII-2C(AVG)

Frequency (MHz)

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5453.52	46.42	54.00	-7.58	29.27	34.79	12.23	29.87	0.00	287 129 AVERAGE

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200.

3400.

4600.

5800.

7000


1

U-NII-1-U-NII-2A-U-NII-2C(AVG)



Frequency (MHz)

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5570.00	90.09	-----	-----	72.91	34.70	12.33	29.85	0.00	287 129 AVERAGE





Mode	46																																																																					
	Band Edge - R																																																																					
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz																																																																					
ANT	CDD 6+7																																																																					
Pol.	Vertical					Fundamental																																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.85</td><td>56.28</td><td>68.20</td><td>-11.92</td><td>38.75</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>287</td><td>129</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5743.85	56.28	68.20	-11.92	38.75	34.89	12.53	29.89	0.00									287	129										PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																													
1	5743.85	56.28	68.20	-11.92	38.75	34.89	12.53	29.89	0.00																																																													
								287	129																																																													
									PEAK																																																													



Mode	47																																																																												
	Harmonic																																																																												
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																												
ANT	CDD 6+7																																																																												
Pol.	Horizontal																																																																												
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11440.00</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>50.34</td><td>38.06</td><td>17.79</td><td>61.71</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 11988.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>50.12</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3 11988.00</td><td>36.35</td><td>54.00</td><td>-17.65</td><td>40.31</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	44.48	74.00	-29.52	50.34	38.06	17.79	61.71	0.00	--	-- PEAK	2 11988.00	46.19	74.00	-27.81	50.12	38.69	18.27	60.89	0.00	300	0 PEAK	3 11988.00	36.35	54.00	-17.65	40.31	38.68	18.26	60.90	0.00	300	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 11440.00	44.48	74.00	-29.52	50.34	38.06	17.79	61.71	0.00	--	-- PEAK																																																																			
2 11988.00	46.19	74.00	-27.81	50.12	38.69	18.27	60.89	0.00	300	0 PEAK																																																																			
3 11988.00	36.35	54.00	-17.65	40.31	38.68	18.26	60.90	0.00	300	0 AVERAGE																																																																			
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11440.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>50.56</td><td>38.06</td><td>17.79</td><td>61.71</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 11988.00</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>55.64</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>103</td><td>12 PEAK</td></tr><tr><td>3 11988.00</td><td>39.58</td><td>54.00</td><td>-14.42</td><td>43.50</td><td>38.69</td><td>18.27</td><td>60.88</td><td>0.00</td><td>103</td><td>12 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	44.70	74.00	-29.30	50.56	38.06	17.79	61.71	0.00	--	-- PEAK	2 11988.00	51.71	74.00	-22.29	55.64	38.69	18.27	60.89	0.00	103	12 PEAK	3 11988.00	39.58	54.00	-14.42	43.50	38.69	18.27	60.88	0.00	103	12 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 11440.00	44.70	74.00	-29.30	50.56	38.06	17.79	61.71	0.00	--	-- PEAK																																																																			
2 11988.00	51.71	74.00	-22.29	55.64	38.69	18.27	60.89	0.00	103	12 PEAK																																																																			
3 11988.00	39.58	54.00	-14.42	43.50	38.69	18.27	60.88	0.00	103	12 AVERAGE																																																																			





Mode	48																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-2C_5.47-5.85_802.11be EHT20_CH144_5720MHz																																																																																																																																																
ANT	CDD 6+7																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.72</td><td>74.00</td><td>-29.28</td><td>50.58</td><td>38.06</td><td>17.79</td><td>61.71</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>50.59</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>36.43</td><td>54.00</td><td>-17.57</td><td>40.39</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.72	74.00	-29.28	50.58	38.06	17.79	61.71	0.00	--	PEAK	2	11988.00	46.66	74.00	-27.34	50.59	38.69	18.27	60.89	0.00	300	0 PEAK	3	11988.00	36.43	54.00	-17.57	40.39	38.68	18.26	60.90	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>51.00</td><td>38.06</td><td>17.79</td><td>61.71</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>53.56</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>50 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>38.07</td><td>54.00</td><td>-15.93</td><td>42.03</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>300</td><td>50 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.14	74.00	-28.86	51.00	38.06	17.79	61.71	0.00	--	PEAK	2	11988.00	49.63	74.00	-24.37	53.56	38.69	18.27	60.89	0.00	300	50 PEAK	3	11988.00	38.07	54.00	-15.93	42.03	38.68	18.26	60.90	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	11440.00	44.72	74.00	-29.28	50.58	38.06	17.79	61.71	0.00	--	PEAK																																																																																																																																						
2	11988.00	46.66	74.00	-27.34	50.59	38.69	18.27	60.89	0.00	300	0 PEAK																																																																																																																																						
3	11988.00	36.43	54.00	-17.57	40.39	38.68	18.26	60.90	0.00	300	0 AVERAGE																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	11440.00	45.14	74.00	-28.86	51.00	38.06	17.79	61.71	0.00	--	PEAK																																																																																																																																						
2	11988.00	49.63	74.00	-24.37	53.56	38.69	18.27	60.89	0.00	300	50 PEAK																																																																																																																																						
3	11988.00	38.07	54.00	-15.93	42.03	38.68	18.26	60.90	0.00	300	50 AVERAGE																																																																																																																																						






Mode	49																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-2C_5.47-5.85_802.11be EHT40_CH142_5710MHz																																																																																																																																																											
ANT	CDD 6+7																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>50.71</td><td>38.08</td><td>17.78</td><td>61.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>49.96</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>39.20</td><td>54.00</td><td>-14.80</td><td>43.09</td><td>38.70</td><td>18.28</td><td>60.87</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	44.85	74.00	-29.15	50.71	38.08	17.78	61.72	0.00	--	--	PEAK	2	11988.00	46.03	74.00	-27.97	49.96	38.69	18.27	60.89	0.00	100	0	PEAK	3	11988.00	39.20	54.00	-14.80	43.09	38.70	18.28	60.87	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>51.15</td><td>38.08</td><td>17.78</td><td>61.72</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>51.28</td><td>74.00</td><td>-22.72</td><td>55.21</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>114</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>39.61</td><td>54.00</td><td>-14.39</td><td>43.57</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>114</td><td>117</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.29	74.00	-28.71	51.15	38.08	17.78	61.72	0.00	--	--	PEAK	2	11988.00	51.28	74.00	-22.72	55.21	38.69	18.27	60.89	0.00	114	117	PEAK	3	11988.00	39.61	54.00	-14.39	43.57	38.68	18.26	60.90	0.00	114	117	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	11420.00	44.85	74.00	-29.15	50.71	38.08	17.78	61.72	0.00	--	--	PEAK																																																																																																																																																
2	11988.00	46.03	74.00	-27.97	49.96	38.69	18.27	60.89	0.00	100	0	PEAK																																																																																																																																																
3	11988.00	39.20	54.00	-14.80	43.09	38.70	18.28	60.87	0.00	100	0	AVERAGE																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	11420.00	45.29	74.00	-28.71	51.15	38.08	17.78	61.72	0.00	--	--	PEAK																																																																																																																																																
2	11988.00	51.28	74.00	-22.72	55.21	38.69	18.27	60.89	0.00	114	117	PEAK																																																																																																																																																
3	11988.00	39.61	54.00	-14.39	43.57	38.68	18.26	60.90	0.00	114	117	AVERAGE																																																																																																																																																






Mode	50																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_5.47-5.85_802.11be EHT80_CH138_5690MHz																																																																																																																																																						
ANT	CDD 6+7																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>43.94</td><td>74.00</td><td>-30.06</td><td>49.88</td><td>38.06</td><td>17.74</td><td>61.74</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>50.23</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>36.28</td><td>54.00</td><td>-17.72</td><td>40.34</td><td>38.65</td><td>18.24</td><td>60.95</td><td>0.00</td><td>300</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	43.94	74.00	-30.06	49.88	38.06	17.74	61.74	0.00	--	--	PEAK	2	11988.00	46.30	74.00	-27.70	50.23	38.69	18.27	60.89	0.00	300	359	PEAK	3	11988.00	36.28	54.00	-17.72	40.34	38.65	18.24	60.95	0.00	300	359	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>50.38</td><td>38.06</td><td>17.74</td><td>61.74</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.65</td><td>74.00</td><td>-21.35</td><td>56.58</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>294</td><td>53</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>41.57</td><td>54.00</td><td>-12.43</td><td>45.54</td><td>38.68</td><td>18.26</td><td>60.91</td><td>0.00</td><td>294</td><td>53</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	44.44	74.00	-29.56	50.38	38.06	17.74	61.74	0.00	--	--	PEAK	2	11988.00	52.65	74.00	-21.35	56.58	38.69	18.27	60.89	0.00	294	53	PEAK	3	11988.00	41.57	54.00	-12.43	45.54	38.68	18.26	60.91	0.00	294	53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11380.00	43.94	74.00	-30.06	49.88	38.06	17.74	61.74	0.00	--	--	PEAK																																																																																																																																											
2	11988.00	46.30	74.00	-27.70	50.23	38.69	18.27	60.89	0.00	300	359	PEAK																																																																																																																																											
3	11988.00	36.28	54.00	-17.72	40.34	38.65	18.24	60.95	0.00	300	359	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11380.00	44.44	74.00	-29.56	50.38	38.06	17.74	61.74	0.00	--	--	PEAK																																																																																																																																											
2	11988.00	52.65	74.00	-21.35	56.58	38.69	18.27	60.89	0.00	294	53	PEAK																																																																																																																																											
3	11988.00	41.57	54.00	-12.43	45.54	38.68	18.26	60.91	0.00	294	53	AVERAGE																																																																																																																																											





Mode	51																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5685.41</td><td>56.70</td><td>68.20</td><td>-11.50</td><td>39.34</td><td>34.70</td><td>12.40</td><td>29.74</td><td>0.00</td><td>199</td><td>179 PEAK</td></tr><tr><td>2 5653.01</td><td>55.78</td><td>70.45</td><td>-14.67</td><td>38.50</td><td>34.71</td><td>12.44</td><td>29.87</td><td>0.00</td><td>199</td><td>179 PEAK</td></tr><tr><td>3 5701.41</td><td>55.58</td><td>105.70</td><td>-50.12</td><td>38.29</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>199</td><td>179 PEAK</td></tr><tr><td>4 5720.61</td><td>55.07</td><td>112.30</td><td>-57.23</td><td>37.67</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>199</td><td>179 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5685.41	56.70	68.20	-11.50	39.34	34.70	12.40	29.74	0.00	199	179 PEAK	2 5653.01	55.78	70.45	-14.67	38.50	34.71	12.44	29.87	0.00	199	179 PEAK	3 5701.41	55.58	105.70	-50.12	38.29	34.00	12.49	30.00	0.00	199	179 PEAK	4 5720.61	55.07	112.30	-57.23	37.67	34.84	12.51	29.95	0.00	199	179 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>109.64</td><td>-----</td><td>-----</td><td>92.11</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>199</td><td>179 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	109.64	-----	-----	92.11	34.89	12.53	29.89	0.00	199	179 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5685.41	56.70	68.20	-11.50	39.34	34.70	12.40	29.74	0.00	199	179 PEAK																																																																																																																										
2 5653.01	55.78	70.45	-14.67	38.50	34.71	12.44	29.87	0.00	199	179 PEAK																																																																																																																										
3 5701.41	55.58	105.70	-50.12	38.29	34.00	12.49	30.00	0.00	199	179 PEAK																																																																																																																										
4 5720.61	55.07	112.30	-57.23	37.67	34.84	12.51	29.95	0.00	199	179 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	109.64	-----	-----	92.11	34.89	12.53	29.89	0.00	199	179 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.37</td><td>-----</td><td>-----</td><td>83.84</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>199</td><td>179 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.37	-----	-----	83.84	34.89	12.53	29.89	0.00	199	179 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	101.37	-----	-----	83.84	34.89	12.53	29.89	0.00	199	179 AVERAGE																																																																																																																										






Mode	51																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																		
ANT	CDD 6+7																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5648.61</td><td>55.73</td><td>68.20</td><td>-12.47</td><td>38.45</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>122</td><td>140</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>54.13</td><td>68.20</td><td>-14.07</td><td>36.85</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>122</td><td>140</td><td>PEAK</td></tr><tr><td>3 5700.21</td><td>55.32</td><td>105.36</td><td>-50.04</td><td>38.03</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>122</td><td>140</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>52.72</td><td>110.90</td><td>-58.18</td><td>35.32</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>122</td><td>140</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5648.61	55.73	68.20	-12.47	38.45	34.70	12.44	29.86	0.00	122	140	PEAK	2 5650.00	54.13	68.20	-14.07	36.85	34.70	12.44	29.86	0.00	122	140	PEAK	3 5700.21	55.32	105.36	-50.04	38.03	34.00	12.49	30.00	0.00	122	140	PEAK	4 5720.00	52.72	110.90	-58.18	35.32	34.84	12.51	29.95	0.00	122	140	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>104.12</td><td>-----</td><td>-----</td><td>86.59</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>122</td><td>140</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5745.00	104.12	-----	-----	86.59	34.89	12.53	29.89	0.00	122	140	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1 5648.61	55.73	68.20	-12.47	38.45	34.70	12.44	29.86	0.00	122	140	PEAK																																																																																																								
2 5650.00	54.13	68.20	-14.07	36.85	34.70	12.44	29.86	0.00	122	140	PEAK																																																																																																								
3 5700.21	55.32	105.36	-50.04	38.03	34.00	12.49	30.00	0.00	122	140	PEAK																																																																																																								
4 5720.00	52.72	110.90	-58.18	35.32	34.84	12.51	29.95	0.00	122	140	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1 5745.00	104.12	-----	-----	86.59	34.89	12.53	29.89	0.00	122	140	PEAK																																																																																																								
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>97.04</td><td>-----</td><td>-----</td><td>79.51</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>122</td><td>140</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5745.00	97.04	-----	-----	79.51	34.89	12.53	29.89	0.00	122	140	AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1 5745.00	97.04	-----	-----	79.51	34.89	12.53	29.89	0.00	122	140	AVERAGE																																																																																																								




Mode	51																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																											
ANT	CDD 6+7																																																																																																																											
Pol.	Horizontal								Vertical																																																																																																																			
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>51.06</td><td>38.01</td><td>17.84</td><td>61.68</td></tr><tr><td>2</td><td>11988.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>49.93</td><td>38.69</td><td>18.27</td><td>60.89</td></tr><tr><td>3</td><td>11988.00</td><td>36.31</td><td>54.00</td><td>-17.69</td><td>40.26</td><td>38.68</td><td>18.27</td><td>60.90</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	45.23	74.00	-28.77	51.06	38.01	17.84	61.68	2	11988.00	46.00	74.00	-28.00	49.93	38.69	18.27	60.89	3	11988.00	36.31	54.00	-17.69	40.26	38.68	18.27	60.90	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>51.53</td><td>38.01</td><td>17.84</td><td>61.68</td></tr><tr><td>2</td><td>11988.00</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>57.95</td><td>38.69</td><td>18.27</td><td>60.89</td></tr><tr><td>3</td><td>11988.00</td><td>41.24</td><td>54.00</td><td>-12.76</td><td>45.20</td><td>38.68</td><td>18.26</td><td>60.90</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	45.70	74.00	-28.30	51.53	38.01	17.84	61.68	2	11988.00	54.02	74.00	-19.98	57.95	38.69	18.27	60.89	3	11988.00	41.24	54.00	-12.76	45.20	38.68	18.26	60.90
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1	11490.00	45.23	74.00	-28.77	51.06	38.01	17.84	61.68																																																																																																																				
2	11988.00	46.00	74.00	-28.00	49.93	38.69	18.27	60.89																																																																																																																				
3	11988.00	36.31	54.00	-17.69	40.26	38.68	18.27	60.90																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																				
1	11490.00	45.70	74.00	-28.30	51.53	38.01	17.84	61.68																																																																																																																				
2	11988.00	54.02	74.00	-19.98	57.95	38.69	18.27	60.89																																																																																																																				
3	11988.00	41.24	54.00	-12.76	45.20	38.68	18.26	60.90																																																																																																																				






	52																																																																																																																																								
Mode	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5623.01</td><td>57.56</td><td>68.20</td><td>-10.64</td><td>40.24</td><td>34.70</td><td>12.41</td><td>29.79</td><td>0.00</td><td>199</td><td>185 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.95</td><td>68.20</td><td>-15.25</td><td>35.67</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>199</td><td>185 PEAK</td></tr><tr><td>3</td><td>5706.96</td><td>56.95</td><td>107.25</td><td>-50.30</td><td>39.62</td><td>34.81</td><td>12.50</td><td>29.98</td><td>0.00</td><td>199</td><td>185 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.96</td><td>110.90</td><td>-57.94</td><td>35.56</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>199</td><td>185 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5623.01	57.56	68.20	-10.64	40.24	34.70	12.41	29.79	0.00	199	185 PEAK	2	5650.00	52.95	68.20	-15.25	35.67	34.70	12.44	29.86	0.00	199	185 PEAK	3	5706.96	56.95	107.25	-50.30	39.62	34.81	12.50	29.98	0.00	199	185 PEAK	4	5720.00	52.96	110.90	-57.94	35.56	34.84	12.51	29.95	0.00	199	185 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>108.96</td><td>-----</td><td>-----</td><td>91.20</td><td>34.97</td><td>12.58</td><td>29.79</td><td>0.00</td><td>199</td><td>185 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	108.96	-----	-----	91.20	34.97	12.58	29.79	0.00	199	185 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5623.01	57.56	68.20	-10.64	40.24	34.70	12.41	29.79	0.00	199	185 PEAK																																																																																																																														
2	5650.00	52.95	68.20	-15.25	35.67	34.70	12.44	29.86	0.00	199	185 PEAK																																																																																																																														
3	5706.96	56.95	107.25	-50.30	39.62	34.81	12.50	29.98	0.00	199	185 PEAK																																																																																																																														
4	5720.00	52.96	110.90	-57.94	35.56	34.84	12.51	29.95	0.00	199	185 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5785.00	108.96	-----	-----	91.20	34.97	12.58	29.79	0.00	199	185 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>101.26</td><td>-----</td><td>-----</td><td>83.50</td><td>34.97</td><td>12.58</td><td>29.79</td><td>0.00</td><td>199</td><td>185 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	101.26	-----	-----	83.50	34.97	12.58	29.79	0.00	199	185 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5785.00	101.26	-----	-----	83.50	34.97	12.58	29.79	0.00	199	185 AVERAGE																																																																																																																														




Mode	52																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.70</td><td>110.93</td><td>-56.23</td><td>36.85</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>199</td><td>185</td><td>PEAK</td></tr><tr><td>2</td><td>5871.41</td><td>56.13</td><td>106.30</td><td>-50.17</td><td>38.27</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>199</td><td>185</td><td>PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>54.50</td><td>68.21</td><td>-13.71</td><td>36.47</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>199</td><td>185</td><td>PEAK</td></tr><tr><td>4</td><td>5991.01</td><td>56.74</td><td>68.20</td><td>-11.46</td><td>38.21</td><td>35.45</td><td>12.88</td><td>29.80</td><td>0.00</td><td>199</td><td>185</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	54.70	110.93	-56.23	36.85	35.00	12.67	29.82	0.00	199	185	PEAK	2	5871.41	56.13	106.30	-50.17	38.27	35.00	12.70	29.84	0.00	199	185	PEAK	3	5924.99	54.50	68.21	-13.71	36.47	35.10	12.78	29.85	0.00	199	185	PEAK	4	5991.01	56.74	68.20	-11.46	38.21	35.45	12.88	29.80	0.00	199	185	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.99	54.70	110.93	-56.23	36.85	35.00	12.67	29.82	0.00	199	185	PEAK																																																																									
2	5871.41	56.13	106.30	-50.17	38.27	35.00	12.70	29.84	0.00	199	185	PEAK																																																																									
3	5924.99	54.50	68.21	-13.71	36.47	35.10	12.78	29.85	0.00	199	185	PEAK																																																																									
4	5991.01	56.74	68.20	-11.46	38.21	35.45	12.88	29.80	0.00	199	185	PEAK																																																																									






Mode	52																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																		
ANT	CDD 6+7																																																																																																																		
Pol.	Vertical										Fundamental																																																																																																								
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5682.61</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>39.66</td><td>34.70</td><td>12.39</td><td>29.74</td><td>0.00</td></tr><tr><td>2 5650.61</td><td>54.31</td><td>68.66</td><td>-14.35</td><td>37.04</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td></tr><tr><td>3 5700.00</td><td>54.82</td><td>105.30</td><td>-50.48</td><td>37.53</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td></tr><tr><td>4 5720.00</td><td>52.48</td><td>110.90</td><td>-58.42</td><td>35.08</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td></tr></tbody></table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5682.61	57.01	68.20	-11.19	39.66	34.70	12.39	29.74	0.00	2 5650.61	54.31	68.66	-14.35	37.04	34.70	12.44	29.87	0.00	3 5700.00	54.82	105.30	-50.48	37.53	34.00	12.49	30.00	0.00	4 5720.00	52.48	110.90	-58.42	35.08	34.84	12.51	29.95	0.00	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5785.00</td><td>104.45</td><td>-----</td><td>-----</td><td>86.69</td><td>34.97</td><td>12.58</td><td>29.79</td><td>0.00</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5785.00	104.45	-----	-----	86.69	34.97	12.58	29.79	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																											
1 5682.61	57.01	68.20	-11.19	39.66	34.70	12.39	29.74	0.00																																																																																																											
2 5650.61	54.31	68.66	-14.35	37.04	34.70	12.44	29.87	0.00																																																																																																											
3 5700.00	54.82	105.30	-50.48	37.53	34.00	12.49	30.00	0.00																																																																																																											
4 5720.00	52.48	110.90	-58.42	35.08	34.84	12.51	29.95	0.00																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																											
1 5785.00	104.45	-----	-----	86.69	34.97	12.58	29.79	0.00																																																																																																											
Avg	Blank										 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5785.00</td><td>96.83</td><td>-----</td><td>-----</td><td>79.10</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5785.00	96.83	-----	-----	79.10	34.96	12.57	29.80	0.00																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																											
1 5785.00	96.83	-----	-----	79.10	34.96	12.57	29.80	0.00																																																																																																											






Mode	52																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.48</td><td>110.93</td><td>-56.45</td><td>36.63</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>112</td><td>137</td><td>PEAK</td></tr><tr><td>2</td><td>5870.21</td><td>56.05</td><td>106.64</td><td>-50.59</td><td>38.18</td><td>35.00</td><td>12.70</td><td>29.83</td><td>0.00</td><td>112</td><td>137</td><td>PEAK</td></tr><tr><td>3</td><td>5923.81</td><td>55.29</td><td>69.08</td><td>-13.79</td><td>37.26</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>112</td><td>137</td><td>PEAK</td></tr><tr><td>4</td><td>5928.61</td><td>57.79</td><td>68.20</td><td>-10.41</td><td>39.75</td><td>35.11</td><td>12.78</td><td>29.85</td><td>0.00</td><td>112</td><td>137</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	54.48	110.93	-56.45	36.63	35.00	12.67	29.82	0.00	112	137	PEAK	2	5870.21	56.05	106.64	-50.59	38.18	35.00	12.70	29.83	0.00	112	137	PEAK	3	5923.81	55.29	69.08	-13.79	37.26	35.10	12.78	29.85	0.00	112	137	PEAK	4	5928.61	57.79	68.20	-10.41	39.75	35.11	12.78	29.85	0.00	112	137	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.99	54.48	110.93	-56.45	36.63	35.00	12.67	29.82	0.00	112	137	PEAK																																																																									
2	5870.21	56.05	106.64	-50.59	38.18	35.00	12.70	29.83	0.00	112	137	PEAK																																																																									
3	5923.81	55.29	69.08	-13.79	37.26	35.10	12.78	29.85	0.00	112	137	PEAK																																																																									
4	5928.61	57.79	68.20	-10.41	39.75	35.11	12.78	29.85	0.00	112	137	PEAK																																																																									

Mode	52																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																												
ANT	CDD 6+7																																																																																																																																												
Pol.	Horizontal					Vertical																																																																																																																																							
Peak Avg	Horizontal Polarization Spectrum Plot (Peak). The y-axis is Level (dBuV/m) from 0 to 130. The x-axis is Frequency (MHz) from 7000 to 18000. A red line shows the U-NII-3 limit, a dashed red line shows the U-NII-3(AVG) limit, and a blue line shows the measured signal. Two vertical blue lines mark the frequency range 11370-11430 MHz.					Vertical Polarization Spectrum Plot (Peak). The y-axis is Level (dBuV/m) from 0 to 130. The x-axis is Frequency (MHz) from 7000 to 18000. A red line shows the U-NII-3 limit, a dashed red line shows the U-NII-3(AVG) limit, and a blue line shows the measured signal. Two vertical blue lines mark the frequency range 11370-11430 MHz.																																																																																																																																							
	<table> <tr> <th></th><th>Limit</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> <tr> <td>1 11570.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>50.47</td><td>38.14</td><td>17.91</td><td>61.56</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr> <tr> <td>2 11988.00</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>53.63</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>285</td><td>337 PEAK</td></tr> <tr> <td>3 11988.00</td><td>38.30</td><td>54.00</td><td>-15.70</td><td>42.26</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>285</td><td>337 AVERAGE</td></tr> </table>						Limit										Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	44.96	74.00	-29.04	50.47	38.14	17.91	61.56	0.00	--	-- PEAK	2 11988.00	49.70	74.00	-24.30	53.63	38.69	18.27	60.89	0.00	285	337 PEAK	3 11988.00	38.30	54.00	-15.70	42.26	38.68	18.26	60.90	0.00	285	337 AVERAGE	<table> <tr> <th></th><th>Limit</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> <tr> <td>1 11570.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>50.48</td><td>38.14</td><td>17.91</td><td>61.56</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr> <tr> <td>2 11988.00</td><td>52.28</td><td>74.00</td><td>-21.72</td><td>56.21</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>220</td><td>59 PEAK</td></tr> <tr> <td>3 11988.00</td><td>40.39</td><td>54.00</td><td>-13.61</td><td>44.35</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>220</td><td>59 AVERAGE</td></tr> </table>						Limit										Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	44.97	74.00	-29.03	50.48	38.14	17.91	61.56	0.00	--	-- PEAK	2 11988.00	52.28	74.00	-21.72	56.21	38.69	18.27	60.89	0.00	220	59 PEAK	3 11988.00	40.39	54.00	-13.61	44.35	38.68	18.26	60.90	0.00	220
	Limit																																																																																																																																												
Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 11570.00	44.96	74.00	-29.04	50.47	38.14	17.91	61.56	0.00	--	-- PEAK																																																																																																																																			
2 11988.00	49.70	74.00	-24.30	53.63	38.69	18.27	60.89	0.00	285	337 PEAK																																																																																																																																			
3 11988.00	38.30	54.00	-15.70	42.26	38.68	18.26	60.90	0.00	285	337 AVERAGE																																																																																																																																			
	Limit																																																																																																																																												
Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 11570.00	44.97	74.00	-29.03	50.48	38.14	17.91	61.56	0.00	--	-- PEAK																																																																																																																																			
2 11988.00	52.28	74.00	-21.72	56.21	38.69	18.27	60.89	0.00	220	59 PEAK																																																																																																																																			
3 11988.00	40.39	54.00	-13.61	44.35	38.68	18.26	60.90	0.00	220	59 AVERAGE																																																																																																																																			



Mode	53																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. Four peaks are identified and numbered 1 through 4. The test signal is labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>55.47</td><td>110.93</td><td>-55.46</td><td>37.62</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>217</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5873.41</td><td>55.44</td><td>105.74</td><td>-50.30</td><td>37.58</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>217</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>53.66</td><td>68.21</td><td>-14.55</td><td>35.63</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>217</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5973.81</td><td>57.92</td><td>68.20</td><td>-10.28</td><td>39.54</td><td>35.34</td><td>12.85</td><td>29.81</td><td>0.00</td><td>217</td><td>176</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	55.47	110.93	-55.46	37.62	35.00	12.67	29.82	0.00	217	176	PEAK	2	5873.41	55.44	105.74	-50.30	37.58	35.00	12.70	29.84	0.00	217	176	PEAK	3	5924.99	53.66	68.21	-14.55	35.63	35.10	12.78	29.85	0.00	217	176	PEAK	4	5973.81	57.92	68.20	-10.28	39.54	35.34	12.85	29.81	0.00	217	176	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. A single peak is identified and numbered 1. The test signal is labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.41</td><td>-----</td><td>-----</td><td>89.57</td><td>35.00</td><td>12.62</td><td>29.78</td><td>0.00</td><td>217</td><td>176</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.41	-----	-----	89.57	35.00	12.62	29.78	0.00	217	176	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5854.99	55.47	110.93	-55.46	37.62	35.00	12.67	29.82	0.00	217	176	PEAK																																																																																																																														
2	5873.41	55.44	105.74	-50.30	37.58	35.00	12.70	29.84	0.00	217	176	PEAK																																																																																																																														
3	5924.99	53.66	68.21	-14.55	35.63	35.10	12.78	29.85	0.00	217	176	PEAK																																																																																																																														
4	5973.81	57.92	68.20	-10.28	39.54	35.34	12.85	29.81	0.00	217	176	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	107.41	-----	-----	89.57	35.00	12.62	29.78	0.00	217	176	PEAK																																																																																																																														
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. A single peak is identified and numbered 1. The test signal is labeled U-NII-3(AVG). <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.45</td><td>-----</td><td>-----</td><td>82.61</td><td>35.00</td><td>12.62</td><td>29.78</td><td>0.00</td><td>217</td><td>176</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.45	-----	-----	82.61	35.00	12.62	29.78	0.00	217	176	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	100.45	-----	-----	82.61	35.00	12.62	29.78	0.00	217	176	AVERAGE																																																																																																																														



Mode	53																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.99</td><td>53.20</td><td>110.93</td><td>-57.73</td><td>35.35</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>111</td><td>138 PEAK</td></tr><tr><td>2 5874.99</td><td>55.18</td><td>105.30</td><td>-50.12</td><td>37.32</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>111</td><td>138 PEAK</td></tr><tr><td>3 5923.01</td><td>57.66</td><td>69.67</td><td>-12.01</td><td>39.65</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>111</td><td>138 PEAK</td></tr><tr><td>4 5967.41</td><td>56.73</td><td>68.20</td><td>-11.47</td><td>38.41</td><td>35.30</td><td>12.84</td><td>29.82</td><td>0.00</td><td>111</td><td>138 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.99	53.20	110.93	-57.73	35.35	35.00	12.67	29.82	0.00	111	138 PEAK	2 5874.99	55.18	105.30	-50.12	37.32	35.00	12.70	29.84	0.00	111	138 PEAK	3 5923.01	57.66	69.67	-12.01	39.65	35.09	12.77	29.85	0.00	111	138 PEAK	4 5967.41	56.73	68.20	-11.47	38.41	35.30	12.84	29.82	0.00	111	138 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.99	53.20	110.93	-57.73	35.35	35.00	12.67	29.82	0.00	111	138 PEAK																																																																														
2 5874.99	55.18	105.30	-50.12	37.32	35.00	12.70	29.84	0.00	111	138 PEAK																																																																														
3 5923.01	57.66	69.67	-12.01	39.65	35.09	12.77	29.85	0.00	111	138 PEAK																																																																														
4 5967.41	56.73	68.20	-11.47	38.41	35.30	12.84	29.82	0.00	111	138 PEAK																																																																														
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.41</td><td>-----</td><td>-----</td><td>85.57</td><td>35.00</td><td>12.62</td><td>29.78</td><td>0.00</td><td>111</td><td>138 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.41	-----	-----	85.57	35.00	12.62	29.78	0.00	111	138 PEAK																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	103.41	-----	-----	85.57	35.00	12.62	29.78	0.00	111	138 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.07</td><td>-----</td><td>-----</td><td>79.23</td><td>35.00</td><td>12.62</td><td>29.78</td><td>0.00</td><td>111</td><td>138 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.07	-----	-----	79.23	35.00	12.62	29.78	0.00	111	138 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	97.07	-----	-----	79.23	35.00	12.62	29.78	0.00	111	138 AVERAGE																																																																														

Mode

53

Harmonic

U-NII-3_5.725-5.85_802.11a_CH165_5825MHz

ANT

CDD 6+7

Pol.


Horizontal

Vertical

Peak


Avg

Level (dBuV/m)






	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	
1 11650.00	45.01	74.00	-28.99	50.21	38.25	17.98	61.43	0.00	-- PEAK
2 11988.00	52.44	74.00	-21.56	56.37	38.69	18.27	60.89	0.00	346 32 PEAK
3 11988.00	38.85	54.00	-15.15	42.81	38.68	18.26	60.90	0.00	346 32 AVERAGE

Level (dBuV/m)






	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	
1 11650.00	44.87	74.00	-29.13	50.07	38.25	17.98	61.43	0.00	-- PEAK
2 11988.00	52.80	74.00	-21.20	56.73	38.69	18.27	60.89	0.00	192 57 PEAK
3 11988.00	40.81	54.00	-13.19	44.77	38.68	18.26	60.90	0.00	192 57 AVERAGE






Mode	54																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																												
ANT	CDD 6+7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5615.41</td><td>56.10</td><td>68.20</td><td>-12.10</td><td>38.76</td><td>34.70</td><td>12.41</td><td>29.77</td><td>0.00</td><td>100</td><td>142</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>54.40</td><td>68.20</td><td>-13.80</td><td>37.12</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>100</td><td>142</td><td>PEAK</td></tr><tr><td>3 5701.01</td><td>55.62</td><td>105.58</td><td>-49.96</td><td>38.33</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>142</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>53.66</td><td>110.90</td><td>-57.24</td><td>36.26</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>142</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5615.41	56.10	68.20	-12.10	38.76	34.70	12.41	29.77	0.00	100	142	PEAK	2 5650.00	54.40	68.20	-13.80	37.12	34.70	12.44	29.86	0.00	100	142	PEAK	3 5701.01	55.62	105.58	-49.96	38.33	34.80	12.49	30.00	0.00	100	142	PEAK	4 5720.00	53.66	110.90	-57.24	36.26	34.84	12.51	29.95	0.00	100	142	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5745.00</td><td>105.99</td><td>-----</td><td>-----</td><td>88.43</td><td>34.90</td><td>12.54</td><td>29.88</td><td>0.00</td><td>100</td><td>142</td><td>PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5745.00	105.99	-----	-----	88.43	34.90	12.54	29.88	0.00	100	142	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																					
1 5615.41	56.10	68.20	-12.10	38.76	34.70	12.41	29.77	0.00	100	142	PEAK																																																																																																																		
2 5650.00	54.40	68.20	-13.80	37.12	34.70	12.44	29.86	0.00	100	142	PEAK																																																																																																																		
3 5701.01	55.62	105.58	-49.96	38.33	34.80	12.49	30.00	0.00	100	142	PEAK																																																																																																																		
4 5720.00	53.66	110.90	-57.24	36.26	34.84	12.51	29.95	0.00	100	142	PEAK																																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																					
1 5745.00	105.99	-----	-----	88.43	34.90	12.54	29.88	0.00	100	142	PEAK																																																																																																																		
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5745.00</td><td>96.31</td><td>-----</td><td>-----</td><td>78.82</td><td>34.87</td><td>12.53</td><td>29.91</td><td>0.00</td><td>100</td><td>142</td><td>AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5745.00	96.31	-----	-----	78.82	34.87	12.53	29.91	0.00	100	142	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																					
1 5745.00	96.31	-----	-----	78.82	34.87	12.53	29.91	0.00	100	142	AVERAGE																																																																																																																		






	54																																																																																																																						
Mode	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																						
ANT	CDD 6+7																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5614.21</td><td>56.32</td><td>68.20</td><td>-11.88</td><td>38.99</td><td>34.70</td><td>12.40</td><td>29.77</td><td>0.00</td><td>139 PEAK</td></tr><tr><td>2 5650.00</td><td>53.04</td><td>68.20</td><td>-15.16</td><td>35.76</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>139 PEAK</td></tr><tr><td>3 5700.21</td><td>54.02</td><td>105.36</td><td>-51.34</td><td>36.73</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>139 PEAK</td></tr><tr><td>4 5720.00</td><td>54.24</td><td>110.90</td><td>-56.66</td><td>36.84</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>139 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5614.21	56.32	68.20	-11.88	38.99	34.70	12.40	29.77	0.00	139 PEAK	2 5650.00	53.04	68.20	-15.16	35.76	34.70	12.44	29.86	0.00	139 PEAK	3 5700.21	54.02	105.36	-51.34	36.73	34.00	12.49	30.00	0.00	139 PEAK	4 5720.00	54.24	110.90	-56.66	36.84	34.84	12.51	29.95	0.00	139 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5745.00</td><td>106.97</td><td>-----</td><td>-----</td><td>89.44</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>139 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5745.00	106.97	-----	-----	89.44	34.89	12.53	29.89	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5614.21	56.32	68.20	-11.88	38.99	34.70	12.40	29.77	0.00	139 PEAK																																																																																																														
2 5650.00	53.04	68.20	-15.16	35.76	34.70	12.44	29.86	0.00	139 PEAK																																																																																																														
3 5700.21	54.02	105.36	-51.34	36.73	34.00	12.49	30.00	0.00	139 PEAK																																																																																																														
4 5720.00	54.24	110.90	-56.66	36.84	34.84	12.51	29.95	0.00	139 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5745.00	106.97	-----	-----	89.44	34.89	12.53	29.89	0.00	139 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5745.00</td><td>96.42</td><td>-----</td><td>-----</td><td>78.89</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>139 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5745.00	96.42	-----	-----	78.89	34.89	12.53	29.89	0.00	139 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5745.00	96.42	-----	-----	78.89	34.89	12.53	29.89	0.00	139 AVERAGE																																																																																																														

</






Mode	55																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_RU106/53_5745MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Three peaks are marked with vertical lines and numbered 1, 2, and 3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5629.81</td><td>56.31</td><td>68.20</td><td>-11.89</td><td>39.00</td><td>34.70</td><td>12.42</td><td>29.81</td><td>0.00</td><td>100</td><td>208</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.81</td><td>68.20</td><td>-15.39</td><td>35.53</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>100</td><td>208</td><td>PEAK</td></tr><tr><td>3</td><td>5700.61</td><td>56.17</td><td>105.47</td><td>-49.30</td><td>38.88</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>208</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.49</td><td>110.90</td><td>-58.41</td><td>35.09</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>208</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5629.81	56.31	68.20	-11.89	39.00	34.70	12.42	29.81	0.00	100	208	PEAK	2	5650.00	52.81	68.20	-15.39	35.53	34.70	12.44	29.86	0.00	100	208	PEAK	3	5700.61	56.17	105.47	-49.30	38.88	34.80	12.49	30.00	0.00	100	208	PEAK	4	5720.00	52.49	110.90	-58.41	35.09	34.84	12.51	29.95	0.00	100	208	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>109.18</td><td>-----</td><td>-----</td><td>91.72</td><td>34.86</td><td>12.52</td><td>29.92</td><td>0.00</td><td>100</td><td>208</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.18	-----	-----	91.72	34.86	12.52	29.92	0.00	100	208	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5629.81	56.31	68.20	-11.89	39.00	34.70	12.42	29.81	0.00	100	208	PEAK																																																																																																																															
2	5650.00	52.81	68.20	-15.39	35.53	34.70	12.44	29.86	0.00	100	208	PEAK																																																																																																																															
3	5700.61	56.17	105.47	-49.30	38.88	34.80	12.49	30.00	0.00	100	208	PEAK																																																																																																																															
4	5720.00	52.49	110.90	-58.41	35.09	34.84	12.51	29.95	0.00	100	208	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	109.18	-----	-----	91.72	34.86	12.52	29.92	0.00	100	208	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>100.94</td><td>-----</td><td>-----</td><td>83.48</td><td>34.86</td><td>12.52</td><td>29.92</td><td>0.00</td><td>100</td><td>208</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.94	-----	-----	83.48	34.86	12.52	29.92	0.00	100	208	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	100.94	-----	-----	83.48	34.86	12.52	29.92	0.00	100	208	AVERAGE																																																																																																																															




Mode	55																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_RU106/53_5745MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.01</td><td>56.22</td><td>68.20</td><td>-11.98</td><td>38.93</td><td>34.70</td><td>12.44</td><td>29.85</td><td>0.00</td><td>100</td><td>137</td><td>PEAK</td></tr><tr><td>2</td><td>5651.01</td><td>55.74</td><td>68.96</td><td>-13.22</td><td>38.47</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>100</td><td>137</td><td>PEAK</td></tr><tr><td>3</td><td>5701.81</td><td>55.71</td><td>105.81</td><td>-50.10</td><td>38.42</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>137</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.81</td><td>110.90</td><td>-57.09</td><td>36.41</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>137</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.01	56.22	68.20	-11.98	38.93	34.70	12.44	29.85	0.00	100	137	PEAK	2	5651.01	55.74	68.96	-13.22	38.47	34.70	12.44	29.87	0.00	100	137	PEAK	3	5701.81	55.71	105.81	-50.10	38.42	34.00	12.49	30.00	0.00	100	137	PEAK	4	5720.00	53.81	110.90	-57.09	36.41	34.84	12.51	29.95	0.00	100	137	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.93</td><td>-----</td><td>-----</td><td>88.44</td><td>34.87</td><td>12.53</td><td>29.91</td><td>0.00</td><td>100</td><td>137</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.93	-----	-----	88.44	34.87	12.53	29.91	0.00	100	137	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5645.01	56.22	68.20	-11.98	38.93	34.70	12.44	29.85	0.00	100	137	PEAK																																																																																																																															
2	5651.01	55.74	68.96	-13.22	38.47	34.70	12.44	29.87	0.00	100	137	PEAK																																																																																																																															
3	5701.81	55.71	105.81	-50.10	38.42	34.00	12.49	30.00	0.00	100	137	PEAK																																																																																																																															
4	5720.00	53.81	110.90	-57.09	36.41	34.84	12.51	29.95	0.00	100	137	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	105.93	-----	-----	88.44	34.87	12.53	29.91	0.00	100	137	PEAK																																																																																																																															
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.44</td><td>-----</td><td>-----</td><td>88.93</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>100</td><td>137</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.44	-----	-----	88.93	34.88	12.53	29.90	0.00	100	137	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	98.44	-----	-----	88.93	34.88	12.53	29.90	0.00	100	137	AVERAGE																																																																																																																															






Mode	56																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																												
ANT	CDD 6+7																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5632.61</td><td>56.71</td><td>68.20</td><td>-11.49</td><td>39.41</td><td>34.70</td><td>12.42</td><td>29.82</td><td>0.00</td></tr><tr><td>2 5650.21</td><td>55.59</td><td>68.36</td><td>-12.77</td><td>38.32</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td></tr><tr><td>3 5701.01</td><td>54.36</td><td>105.58</td><td>-51.22</td><td>37.07</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td></tr><tr><td>4 5720.00</td><td>53.06</td><td>110.90</td><td>-57.84</td><td>35.66</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5632.61	56.71	68.20	-11.49	39.41	34.70	12.42	29.82	0.00	2 5650.21	55.59	68.36	-12.77	38.32	34.70	12.44	29.87	0.00	3 5701.01	54.36	105.58	-51.22	37.07	34.00	12.49	30.00	0.00	4 5720.00	53.06	110.90	-57.84	35.66	34.84	12.51	29.95	0.00	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5785.00</td><td>108.63</td><td>-----</td><td>-----</td><td>90.90</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5785.00	108.63	-----	-----	90.90	34.96	12.57	29.80	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																					
1 5632.61	56.71	68.20	-11.49	39.41	34.70	12.42	29.82	0.00																																																																																																					
2 5650.21	55.59	68.36	-12.77	38.32	34.70	12.44	29.87	0.00																																																																																																					
3 5701.01	54.36	105.58	-51.22	37.07	34.00	12.49	30.00	0.00																																																																																																					
4 5720.00	53.06	110.90	-57.84	35.66	34.84	12.51	29.95	0.00																																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																					
1 5785.00	108.63	-----	-----	90.90	34.96	12.57	29.80	0.00																																																																																																					
Avg	Blank					 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5785.00</td><td>99.99</td><td>-----</td><td>-----</td><td>82.26</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5785.00	99.99	-----	-----	82.26	34.96	12.57	29.80	0.00																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																					
1 5785.00	99.99	-----	-----	82.26	34.96	12.57	29.80	0.00																																																																																																					




Mode	56																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.33</td><td>110.93</td><td>-56.60</td><td>36.48</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>159</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5874.99</td><td>55.75</td><td>105.30</td><td>-49.55</td><td>37.89</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>159</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5924.21</td><td>54.67</td><td>68.78</td><td>-14.11</td><td>36.64</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>159</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5952.61</td><td>57.37</td><td>68.20</td><td>-10.83</td><td>39.16</td><td>35.22</td><td>12.82</td><td>29.83</td><td>0.00</td><td>159</td><td>180</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	54.33	110.93	-56.60	36.48	35.00	12.67	29.82	0.00	159	180	PEAK	2	5874.99	55.75	105.30	-49.55	37.89	35.00	12.70	29.84	0.00	159	180	PEAK	3	5924.21	54.67	68.78	-14.11	36.64	35.10	12.78	29.85	0.00	159	180	PEAK	4	5952.61	57.37	68.20	-10.83	39.16	35.22	12.82	29.83	0.00	159	180	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.99	54.33	110.93	-56.60	36.48	35.00	12.67	29.82	0.00	159	180	PEAK																																																																									
2	5874.99	55.75	105.30	-49.55	37.89	35.00	12.70	29.84	0.00	159	180	PEAK																																																																									
3	5924.21	54.67	68.78	-14.11	36.64	35.10	12.78	29.85	0.00	159	180	PEAK																																																																									
4	5952.61	57.37	68.20	-10.83	39.16	35.22	12.82	29.83	0.00	159	180	PEAK																																																																									





Mode	56																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																											
ANT	CDD 6+7																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5617.81</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>39.68</td><td>34.70</td><td>12.41</td><td>29.78</td><td>0.00</td><td>112</td><td>138</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>53.92</td><td>68.20</td><td>-14.28</td><td>36.64</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>112</td><td>138</td><td>PEAK</td></tr><tr><td>3 5700.21</td><td>55.16</td><td>105.36</td><td>-50.20</td><td>37.87</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>112</td><td>138</td><td>PEAK</td></tr><tr><td>4 5720.21</td><td>53.51</td><td>111.39</td><td>-57.88</td><td>36.11</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>112</td><td>138</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5617.81	57.01	68.20	-11.19	39.68	34.70	12.41	29.78	0.00	112	138	PEAK	2 5650.00	53.92	68.20	-14.28	36.64	34.70	12.44	29.86	0.00	112	138	PEAK	3 5700.21	55.16	105.36	-50.20	37.87	34.00	12.49	30.00	0.00	112	138	PEAK	4 5720.21	53.51	111.39	-57.88	36.11	34.84	12.51	29.95	0.00	112	138	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>103.37</td><td>-----</td><td>-----</td><td>85.64</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td><td>112</td><td>138</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	103.37	-----	-----	85.64	34.96	12.57	29.80	0.00	112	138	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1 5617.81	57.01	68.20	-11.19	39.68	34.70	12.41	29.78	0.00	112	138	PEAK																																																																																																																	
2 5650.00	53.92	68.20	-14.28	36.64	34.70	12.44	29.86	0.00	112	138	PEAK																																																																																																																	
3 5700.21	55.16	105.36	-50.20	37.87	34.00	12.49	30.00	0.00	112	138	PEAK																																																																																																																	
4 5720.21	53.51	111.39	-57.88	36.11	34.84	12.51	29.95	0.00	112	138	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1 5785.00	103.37	-----	-----	85.64	34.96	12.57	29.80	0.00	112	138	PEAK																																																																																																																	
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>96.24</td><td>-----</td><td>-----</td><td>78.51</td><td>34.96</td><td>12.57</td><td>29.80</td><td>0.00</td><td>112</td><td>138</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	96.24	-----	-----	78.51	34.96	12.57	29.80	0.00	112	138	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1 5785.00	96.24	-----	-----	78.51	34.96	12.57	29.80	0.00	112	138	AVERAGE																																																																																																																	






Mode	56																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																			
ANT	CDD 6+7																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.21</td><td>54.83</td><td>112.69</td><td>-57.86</td><td>36.98</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>112</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>5874.99</td><td>56.38</td><td>105.30</td><td>-48.92</td><td>38.52</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>112</td><td>138</td><td>PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>54.80</td><td>68.21</td><td>-13.41</td><td>36.77</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>112</td><td>138</td><td>PEAK</td></tr><tr><td>4</td><td>5947.01</td><td>57.42</td><td>68.20</td><td>-10.78</td><td>39.25</td><td>35.19</td><td>12.81</td><td>29.83</td><td>0.00</td><td>112</td><td>138</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.21	54.83	112.69	-57.86	36.98	35.00	12.67	29.82	0.00	112	138	PEAK	2	5874.99	56.38	105.30	-48.92	38.52	35.00	12.70	29.84	0.00	112	138	PEAK	3	5924.99	54.80	68.21	-13.41	36.77	35.10	12.78	29.85	0.00	112	138	PEAK	4	5947.01	57.42	68.20	-10.78	39.25	35.19	12.81	29.83	0.00	112	138	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.21	54.83	112.69	-57.86	36.98	35.00	12.67	29.82	0.00	112	138	PEAK																																																																								
2	5874.99	56.38	105.30	-48.92	38.52	35.00	12.70	29.84	0.00	112	138	PEAK																																																																								
3	5924.99	54.80	68.21	-13.41	36.77	35.10	12.78	29.85	0.00	112	138	PEAK																																																																								
4	5947.01	57.42	68.20	-10.78	39.25	35.19	12.81	29.83	0.00	112	138	PEAK																																																																								






Mode	56																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																																							
ANT	CDD 6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11570.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>50.54</td><td>38.14</td><td>17.91</td><td>61.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>50.25</td><td>74.00</td><td>-23.75</td><td>54.18</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>348</td><td>29</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>38.74</td><td>54.00</td><td>-15.26</td><td>42.70</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>348</td><td>29</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.03	74.00	-28.97	50.54	38.14	17.91	61.56	0.00	--	--	PEAK	2	11988.00	50.25	74.00	-23.75	54.18	38.69	18.27	60.89	0.00	348	29	PEAK	3	11988.00	38.74	54.00	-15.26	42.70	38.68	18.26	60.90	0.00	348	29	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11570.00</td><td>45.31</td><td>74.00</td><td>-28.69</td><td>50.82</td><td>38.14</td><td>17.91</td><td>61.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.06</td><td>74.00</td><td>-21.94</td><td>55.99</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>212</td><td>57</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.65</td><td>54.00</td><td>-13.35</td><td>44.61</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>212</td><td>57</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.31	74.00	-28.69	50.82	38.14	17.91	61.56	0.00	--	--	PEAK	2	11988.00	52.06	74.00	-21.94	55.99	38.69	18.27	60.89	0.00	212	57	PEAK	3	11988.00	40.65	54.00	-13.35	44.61	38.68	18.26	60.90	0.00	212	57	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	11570.00	45.03	74.00	-28.97	50.54	38.14	17.91	61.56	0.00	--	--	PEAK																																																																																																																																												
2	11988.00	50.25	74.00	-23.75	54.18	38.69	18.27	60.89	0.00	348	29	PEAK																																																																																																																																												
3	11988.00	38.74	54.00	-15.26	42.70	38.68	18.26	60.90	0.00	348	29	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	11570.00	45.31	74.00	-28.69	50.82	38.14	17.91	61.56	0.00	--	--	PEAK																																																																																																																																												
2	11988.00	52.06	74.00	-21.94	55.99	38.69	18.27	60.89	0.00	212	57	PEAK																																																																																																																																												
3	11988.00	40.65	54.00	-13.35	44.61	38.68	18.26	60.90	0.00	212	57	AVERAGE																																																																																																																																												




Mode	57																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																							
ANT	CDD 6+7																																																																																																																																							
Pol.	Horizontal										Fundamental																																																																																																																													
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.99</td><td>54.94</td><td>110.93</td><td>-55.99</td><td>37.09</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>227</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5873.81</td><td>56.02</td><td>105.63</td><td>-49.61</td><td>38.16</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>227</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>54.23</td><td>68.21</td><td>-13.98</td><td>36.20</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>227</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5976.61</td><td>56.73</td><td>68.20</td><td>-11.47</td><td>38.33</td><td>35.36</td><td>12.85</td><td>29.81</td><td>0.00</td><td>227</td><td>177</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5854.99	54.94	110.93	-55.99	37.09	35.00	12.67	29.82	0.00	227	177	PEAK	2	5873.81	56.02	105.63	-49.61	38.16	35.00	12.70	29.84	0.00	227	177	PEAK	3	5924.99	54.23	68.21	-13.98	36.20	35.10	12.78	29.85	0.00	227	177	PEAK	4	5976.61	56.73	68.20	-11.47	38.33	35.36	12.85	29.81	0.00	227	177	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.03</td><td>-----</td><td>-----</td><td>91.18</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>227</td><td>177</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5825.00	109.03	-----	-----	91.18	35.00	12.63	29.78	0.00	227	177	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5854.99	54.94	110.93	-55.99	37.09	35.00	12.67	29.82	0.00	227	177	PEAK																																																																																																																												
2	5873.81	56.02	105.63	-49.61	38.16	35.00	12.70	29.84	0.00	227	177	PEAK																																																																																																																												
3	5924.99	54.23	68.21	-13.98	36.20	35.10	12.78	29.85	0.00	227	177	PEAK																																																																																																																												
4	5976.61	56.73	68.20	-11.47	38.33	35.36	12.85	29.81	0.00	227	177	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5825.00	109.03	-----	-----	91.18	35.00	12.63	29.78	0.00	227	177	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.31</td><td>-----</td><td>-----</td><td>82.46</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>227</td><td>177</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5825.00	100.31	-----	-----	82.46	35.00	12.63	29.78	0.00	227	177	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5825.00	100.31	-----	-----	82.46	35.00	12.63	29.78	0.00	227	177	AVERAGE																																																																																																																												






	57																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.61</td><td>54.64</td><td>111.78</td><td>-57.14</td><td>36.79</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>107</td><td>130 PEAK</td></tr><tr><td>2 5873.81</td><td>55.58</td><td>105.63</td><td>-50.05</td><td>37.72</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>107</td><td>130 PEAK</td></tr><tr><td>3 5924.21</td><td>54.67</td><td>68.78</td><td>-14.11</td><td>36.64</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>107</td><td>130 PEAK</td></tr><tr><td>4 5997.41</td><td>57.48</td><td>68.20</td><td>-10.72</td><td>38.90</td><td>35.48</td><td>12.89</td><td>29.79</td><td>0.00</td><td>107</td><td>130 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.61	54.64	111.78	-57.14	36.79	35.00	12.67	29.82	0.00	107	130 PEAK	2 5873.81	55.58	105.63	-50.05	37.72	35.00	12.70	29.84	0.00	107	130 PEAK	3 5924.21	54.67	68.78	-14.11	36.64	35.10	12.78	29.85	0.00	107	130 PEAK	4 5997.41	57.48	68.20	-10.72	38.90	35.48	12.89	29.79	0.00	107	130 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.03</td><td>-----</td><td>-----</td><td>87.19</td><td>35.00</td><td>12.61</td><td>29.77</td><td>0.00</td><td>107</td><td>130 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.03	-----	-----	87.19	35.00	12.61	29.77	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.61	54.64	111.78	-57.14	36.79	35.00	12.67	29.82	0.00	107	130 PEAK																																																																																																																									
2 5873.81	55.58	105.63	-50.05	37.72	35.00	12.70	29.84	0.00	107	130 PEAK																																																																																																																									
3 5924.21	54.67	68.78	-14.11	36.64	35.10	12.78	29.85	0.00	107	130 PEAK																																																																																																																									
4 5997.41	57.48	68.20	-10.72	38.90	35.48	12.89	29.79	0.00	107	130 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	105.03	-----	-----	87.19	35.00	12.61	29.77	0.00	107	130 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>96.05</td><td>-----</td><td>-----</td><td>78.20</td><td>35.00</td><td>12.62</td><td>29.77</td><td>0.00</td><td>107</td><td>130 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	96.05	-----	-----	78.20	35.00	12.62	29.77	0.00	107	130 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	96.05	-----	-----	78.20	35.00	12.62	29.77	0.00	107	130 AVERAGE																																																																																																																									






		57																																																																																									
Mode		Harmonic																																																																																									
		U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																									
ANT		CDD 6+7																																																																																									
Pol.		Horizontal						Vertical																																																																																			
Peak Avg																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>50.14</td><td>38.25</td><td>17.98</td><td>61.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>50.46</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>36.38</td><td>54.00</td><td>-17.62</td><td>40.34</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11650.00	44.94	74.00	-29.06	50.14	38.25	17.98	61.43	0.00	--	--	PEAK	2	11988.00	46.53	74.00	-27.47	50.46	38.69	18.27	60.89	0.00	100	0	PEAK	3	11988.00	36.38	54.00	-17.62	40.34	38.68	18.26	60.90	0.00	100	0	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	11650.00	44.94	74.00	-29.06	50.14	38.25	17.98	61.43	0.00	--	--	PEAK																																																																															
2	11988.00	46.53	74.00	-27.47	50.46	38.69	18.27	60.89	0.00	100	0	PEAK																																																																															
3	11988.00	36.38	54.00	-17.62	40.34	38.68	18.26	60.90	0.00	100	0	AVERAGE																																																																															
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>49.69</td><td>38.25</td><td>17.98</td><td>61.43</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.02</td><td>74.00</td><td>-21.98</td><td>55.95</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>61</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.35</td><td>54.00</td><td>-13.65</td><td>44.31</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>100</td><td>61</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11650.00	44.49	74.00	-29.51	49.69	38.25	17.98	61.43	0.00	--	--	PEAK	2	11988.00	52.02	74.00	-21.98	55.95	38.69	18.27	60.89	0.00	100	61	PEAK	3	11988.00	40.35	54.00	-13.65	44.31	38.68	18.26	60.90	0.00	100	61	AVERAGE	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	11650.00	44.49	74.00	-29.51	49.69	38.25	17.98	61.43	0.00	--	--	PEAK																																																																															
2	11988.00	52.02	74.00	-21.98	55.95	38.69	18.27	60.89	0.00	100	61	PEAK																																																																															
3	11988.00	40.35	54.00	-13.65	44.31	38.68	18.26	60.90	0.00	100	61	AVERAGE																																																																															






Mode	58																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_RU106/54_5825MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.21</td><td>56.50</td><td>112.69</td><td>-56.19</td><td>38.65</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>2</td><td>5871.01</td><td>56.02</td><td>106.41</td><td>-50.39</td><td>38.16</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>3</td><td>5924.61</td><td>54.77</td><td>68.49</td><td>-13.72</td><td>36.74</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>4</td><td>5969.01</td><td>57.84</td><td>68.20</td><td>-10.36</td><td>39.50</td><td>35.31</td><td>12.84</td><td>29.81</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.21	56.50	112.69	-56.19	38.65	35.00	12.67	29.82	0.00	100	193	PEAK	2	5871.01	56.02	106.41	-50.39	38.16	35.00	12.70	29.84	0.00	100	193	PEAK	3	5924.61	54.77	68.49	-13.72	36.74	35.10	12.78	29.85	0.00	100	193	PEAK	4	5969.01	57.84	68.20	-10.36	39.50	35.31	12.84	29.81	0.00	100	193	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.87</td><td>-----</td><td>-----</td><td>91.02</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.87	-----	-----	91.02	35.00	12.63	29.78	0.00	100	193	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.21	56.50	112.69	-56.19	38.65	35.00	12.67	29.82	0.00	100	193	PEAK																																																																																																																															
2	5871.01	56.02	106.41	-50.39	38.16	35.00	12.70	29.84	0.00	100	193	PEAK																																																																																																																															
3	5924.61	54.77	68.49	-13.72	36.74	35.10	12.78	29.85	0.00	100	193	PEAK																																																																																																																															
4	5969.01	57.84	68.20	-10.36	39.50	35.31	12.84	29.81	0.00	100	193	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	108.87	-----	-----	91.02	35.00	12.63	29.78	0.00	100	193	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.98</td><td>-----</td><td>-----</td><td>83.13</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>100</td><td>193</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.98	-----	-----	83.13	35.00	12.63	29.78	0.00	100	193	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	100.98	-----	-----	83.13	35.00	12.63	29.78	0.00	100	193	AVERAGE																																																																																																																															




Mode	58																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_RU106/54_5825MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.99</td><td>54.19</td><td>110.93</td><td>-56.74</td><td>36.34</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr><tr><td>2 5874.61</td><td>54.24</td><td>105.41</td><td>-51.17</td><td>36.38</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr><tr><td>3 5924.99</td><td>55.38</td><td>68.21</td><td>-12.83</td><td>37.35</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr><tr><td>4 5965.01</td><td>56.79</td><td>68.20</td><td>-11.41</td><td>38.48</td><td>35.29</td><td>12.84</td><td>29.82</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.99	54.19	110.93	-56.74	36.34	35.00	12.67	29.82	0.00	100	202 PEAK	2 5874.61	54.24	105.41	-51.17	36.38	35.00	12.70	29.84	0.00	100	202 PEAK	3 5924.99	55.38	68.21	-12.83	37.35	35.10	12.78	29.85	0.00	100	202 PEAK	4 5965.01	56.79	68.20	-11.41	38.48	35.29	12.84	29.82	0.00	100	202 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.82</td><td>-----</td><td>-----</td><td>87.97</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>100</td><td>202 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.82	-----	-----	87.97	35.00	12.63	29.78	0.00	100	202 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.99	54.19	110.93	-56.74	36.34	35.00	12.67	29.82	0.00	100	202 PEAK																																																																																																																										
2 5874.61	54.24	105.41	-51.17	36.38	35.00	12.70	29.84	0.00	100	202 PEAK																																																																																																																										
3 5924.99	55.38	68.21	-12.83	37.35	35.10	12.78	29.85	0.00	100	202 PEAK																																																																																																																										
4 5965.01	56.79	68.20	-11.41	38.48	35.29	12.84	29.82	0.00	100	202 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	105.82	-----	-----	87.97	35.00	12.63	29.78	0.00	100	202 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.63</td><td>-----</td><td>-----</td><td>79.78</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>100</td><td>202 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.63	-----	-----	79.78	35.00	12.63	29.78	0.00	100	202 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	97.63	-----	-----	79.78	35.00	12.63	29.78	0.00	100	202 AVERAGE																																																																																																																										






Mode	59																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.48</td><td>57.25</td><td>68.20</td><td>-10.95</td><td>39.97</td><td>34.70</td><td>12.43</td><td>29.85</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5651.23</td><td>56.18</td><td>69.12</td><td>-12.94</td><td>38.91</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5700.99</td><td>54.28</td><td>105.58</td><td>-51.30</td><td>36.99</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5720.67</td><td>56.84</td><td>112.43</td><td>-55.59</td><td>39.44</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5643.48	57.25	68.20	-10.95	39.97	34.70	12.43	29.85	0.00	200	179	PEAK	2	5651.23	56.18	69.12	-12.94	38.91	34.70	12.44	29.87	0.00	200	179	PEAK	3	5700.99	54.28	105.58	-51.30	36.99	34.00	12.49	30.00	0.00	200	179	PEAK	4	5720.67	56.84	112.43	-55.59	39.44	34.84	12.51	29.95	0.00	200	179	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.44</td><td>-----</td><td>-----</td><td>90.91</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	100.44	-----	-----	90.91	34.89	12.53	29.89	0.00	200	179	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5643.48	57.25	68.20	-10.95	39.97	34.70	12.43	29.85	0.00	200	179	PEAK																																																																																																																														
2	5651.23	56.18	69.12	-12.94	38.91	34.70	12.44	29.87	0.00	200	179	PEAK																																																																																																																														
3	5700.99	54.28	105.58	-51.30	36.99	34.00	12.49	30.00	0.00	200	179	PEAK																																																																																																																														
4	5720.67	56.84	112.43	-55.59	39.44	34.84	12.51	29.95	0.00	200	179	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	100.44	-----	-----	90.91	34.89	12.53	29.89	0.00	200	179	PEAK																																																																																																																														
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.39</td><td>-----</td><td>-----</td><td>82.86</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>200</td><td>179</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	100.39	-----	-----	82.86	34.89	12.53	29.89	0.00	200	179	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	100.39	-----	-----	82.86	34.89	12.53	29.89	0.00	200	179	AVERAGE																																																																																																																														




Mode	59																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.75</td><td>56.65</td><td>111.47</td><td>-54.82</td><td>38.80</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5873.86</td><td>56.02</td><td>105.62</td><td>-49.60</td><td>38.16</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5924.17</td><td>55.44</td><td>68.81</td><td>-13.37</td><td>37.41</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5949.91</td><td>56.47</td><td>68.20</td><td>-11.73</td><td>38.29</td><td>35.20</td><td>12.81</td><td>29.83</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.75	56.65	111.47	-54.82	38.80	35.00	12.67	29.82	0.00	200	179	PEAK	2	5873.86	56.02	105.62	-49.60	38.16	35.00	12.70	29.84	0.00	200	179	PEAK	3	5924.17	55.44	68.81	-13.37	37.41	35.10	12.78	29.85	0.00	200	179	PEAK	4	5949.91	56.47	68.20	-11.73	38.29	35.20	12.81	29.83	0.00	200	179	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.75	56.65	111.47	-54.82	38.80	35.00	12.67	29.82	0.00	200	179	PEAK																																																																									
2	5873.86	56.02	105.62	-49.60	38.16	35.00	12.70	29.84	0.00	200	179	PEAK																																																																									
3	5924.17	55.44	68.81	-13.37	37.41	35.10	12.78	29.85	0.00	200	179	PEAK																																																																									
4	5949.91	56.47	68.20	-11.73	38.29	35.20	12.81	29.83	0.00	200	179	PEAK																																																																									






Mode	59																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5605.35</td><td>56.69</td><td>68.20</td><td>-11.51</td><td>39.33</td><td>34.70</td><td>12.40</td><td>29.74</td><td>0.00</td><td>100</td><td>139</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.14</td><td>68.20</td><td>-14.06</td><td>36.87</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>100</td><td>139</td><td>PEAK</td></tr><tr><td>3</td><td>5700.37</td><td>55.94</td><td>105.40</td><td>-49.46</td><td>38.65</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>139</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.91</td><td>110.90</td><td>-56.99</td><td>36.51</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>100</td><td>139</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5605.35	56.69	68.20	-11.51	39.33	34.70	12.40	29.74	0.00	100	139	PEAK	2	5650.00	54.14	68.20	-14.06	36.87	34.70	12.44	29.87	0.00	100	139	PEAK	3	5700.37	55.94	105.40	-49.46	38.65	34.00	12.49	30.00	0.00	100	139	PEAK	4	5720.00	53.91	110.90	-56.99	36.51	34.84	12.51	29.95	0.00	100	139	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>102.79</td><td>-----</td><td>-----</td><td>85.23</td><td>34.90</td><td>12.54</td><td>29.88</td><td>0.00</td><td>100</td><td>139</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	102.79	-----	-----	85.23	34.90	12.54	29.88	0.00	100	139	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5605.35	56.69	68.20	-11.51	39.33	34.70	12.40	29.74	0.00	100	139	PEAK																																																																																																																															
2	5650.00	54.14	68.20	-14.06	36.87	34.70	12.44	29.87	0.00	100	139	PEAK																																																																																																																															
3	5700.37	55.94	105.40	-49.46	38.65	34.00	12.49	30.00	0.00	100	139	PEAK																																																																																																																															
4	5720.00	53.91	110.90	-56.99	36.51	34.84	12.51	29.95	0.00	100	139	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	102.79	-----	-----	85.23	34.90	12.54	29.88	0.00	100	139	PEAK																																																																																																																															
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>95.31</td><td>-----</td><td>-----</td><td>77.75</td><td>34.90</td><td>12.54</td><td>29.88</td><td>0.00</td><td>100</td><td>139</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	95.31	-----	-----	77.75	34.90	12.54	29.88	0.00	100	139	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	95.31	-----	-----	77.75	34.90	12.54	29.88	0.00	100	139	AVERAGE																																																																																																																															




Mode	59																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.94</td><td>53.66</td><td>111.03</td><td>-57.37</td><td>35.81</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>139</td><td>PEAK</td></tr><tr><td>2</td><td>5874.99</td><td>55.93</td><td>105.30</td><td>-49.37</td><td>38.07</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>139</td><td>PEAK</td></tr><tr><td>3</td><td>5923.00</td><td>56.45</td><td>69.68</td><td>-13.23</td><td>38.44</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>100</td><td>139</td><td>PEAK</td></tr><tr><td>4</td><td>5932.75</td><td>57.26</td><td>68.20</td><td>-10.94</td><td>39.18</td><td>35.13</td><td>12.79</td><td>29.84</td><td>0.00</td><td>100</td><td>139</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.94	53.66	111.03	-57.37	35.81	35.00	12.67	29.82	0.00	100	139	PEAK	2	5874.99	55.93	105.30	-49.37	38.07	35.00	12.70	29.84	0.00	100	139	PEAK	3	5923.00	56.45	69.68	-13.23	38.44	35.09	12.77	29.85	0.00	100	139	PEAK	4	5932.75	57.26	68.20	-10.94	39.18	35.13	12.79	29.84	0.00	100	139	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.94	53.66	111.03	-57.37	35.81	35.00	12.67	29.82	0.00	100	139	PEAK																																																																																		
2	5874.99	55.93	105.30	-49.37	38.07	35.00	12.70	29.84	0.00	100	139	PEAK																																																																																		
3	5923.00	56.45	69.68	-13.23	38.44	35.09	12.77	29.85	0.00	100	139	PEAK																																																																																		
4	5932.75	57.26	68.20	-10.94	39.18	35.13	12.79	29.84	0.00	100	139	PEAK																																																																																		



Mode	60																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5605.89</td><td>58.21</td><td>68.20</td><td>-9.99</td><td>40.86</td><td>34.70</td><td>12.40</td><td>29.75</td><td>0.00</td><td>198</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>57.27</td><td>68.36</td><td>-11.09</td><td>40.00</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>198</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5707.57</td><td>57.91</td><td>107.42</td><td>-49.51</td><td>40.57</td><td>34.82</td><td>12.50</td><td>29.98</td><td>0.00</td><td>198</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>57.69</td><td>111.54</td><td>-53.85</td><td>40.29</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>198</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5605.89	58.21	68.20	-9.99	40.86	34.70	12.40	29.75	0.00	198	180	PEAK	2	5650.22	57.27	68.36	-11.09	40.00	34.70	12.44	29.87	0.00	198	180	PEAK	3	5707.57	57.91	107.42	-49.51	40.57	34.82	12.50	29.98	0.00	198	180	PEAK	4	5720.28	57.69	111.54	-53.85	40.29	34.84	12.51	29.95	0.00	198	180	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>107.24</td><td>-----</td><td>-----</td><td>89.60</td><td>34.93</td><td>12.55</td><td>29.84</td><td>0.00</td><td>198</td><td>180</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	107.24	-----	-----	89.60	34.93	12.55	29.84	0.00	198	180	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5605.89	58.21	68.20	-9.99	40.86	34.70	12.40	29.75	0.00	198	180	PEAK																																																																																																																															
2	5650.22	57.27	68.36	-11.09	40.00	34.70	12.44	29.87	0.00	198	180	PEAK																																																																																																																															
3	5707.57	57.91	107.42	-49.51	40.57	34.82	12.50	29.98	0.00	198	180	PEAK																																																																																																																															
4	5720.28	57.69	111.54	-53.85	40.29	34.84	12.51	29.95	0.00	198	180	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	107.24	-----	-----	89.60	34.93	12.55	29.84	0.00	198	180	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.18</td><td>-----</td><td>-----</td><td>81.64</td><td>34.89</td><td>12.54</td><td>29.89</td><td>0.00</td><td>198</td><td>180</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.18	-----	-----	81.64	34.89	12.54	29.89	0.00	198	180	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	99.18	-----	-----	81.64	34.89	12.54	29.89	0.00	198	180	AVERAGE																																																																																																																															




Mode	60																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>55.21</td><td>111.26</td><td>-56.05</td><td>37.36</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>198</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5872.20</td><td>57.63</td><td>106.08</td><td>-48.45</td><td>39.77</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>198</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>54.14</td><td>68.31</td><td>-14.17</td><td>36.11</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>198</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5938.50</td><td>56.40</td><td>68.20</td><td>-11.80</td><td>38.29</td><td>35.15</td><td>12.80</td><td>29.84</td><td>0.00</td><td>198</td><td>180</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	55.21	111.26	-56.05	37.36	35.00	12.67	29.82	0.00	198	180	PEAK	2	5872.20	57.63	106.08	-48.45	39.77	35.00	12.70	29.84	0.00	198	180	PEAK	3	5924.85	54.14	68.31	-14.17	36.11	35.10	12.78	29.85	0.00	198	180	PEAK	4	5938.50	56.40	68.20	-11.80	38.29	35.15	12.80	29.84	0.00	198	180	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	55.21	111.26	-56.05	37.36	35.00	12.67	29.82	0.00	198	180	PEAK																																																																									
2	5872.20	57.63	106.08	-48.45	39.77	35.00	12.70	29.84	0.00	198	180	PEAK																																																																									
3	5924.85	54.14	68.31	-14.17	36.11	35.10	12.78	29.85	0.00	198	180	PEAK																																																																									
4	5938.50	56.40	68.20	-11.80	38.29	35.15	12.80	29.84	0.00	198	180	PEAK																																																																									





Mode	60																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5616.59</td><td>56.64</td><td>68.20</td><td>-11.56</td><td>39.30</td><td>34.70</td><td>12.41</td><td>29.77</td><td>0.00</td><td>124</td><td>139</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>56.28</td><td>68.48</td><td>-12.20</td><td>39.01</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>124</td><td>139</td><td>PEAK</td></tr><tr><td>3</td><td>5700.75</td><td>54.88</td><td>105.51</td><td>-50.63</td><td>37.59</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>124</td><td>139</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>55.40</td><td>111.19</td><td>-55.79</td><td>38.00</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>124</td><td>139</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5616.59	56.64	68.20	-11.56	39.30	34.70	12.41	29.77	0.00	124	139	PEAK	2	5650.38	56.28	68.48	-12.20	39.01	34.70	12.44	29.87	0.00	124	139	PEAK	3	5700.75	54.88	105.51	-50.63	37.59	34.00	12.49	30.00	0.00	124	139	PEAK	4	5720.13	55.40	111.19	-55.79	38.00	34.84	12.51	29.95	0.00	124	139	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5616.59	56.64	68.20	-11.56	39.30	34.70	12.41	29.77	0.00	124	139	PEAK																																																																																								
2	5650.38	56.28	68.48	-12.20	39.01	34.70	12.44	29.87	0.00	124	139	PEAK																																																																																								
3	5700.75	54.88	105.51	-50.63	37.59	34.00	12.49	30.00	0.00	124	139	PEAK																																																																																								
4	5720.13	55.40	111.19	-55.79	38.00	34.84	12.51	29.95	0.00	124	139	PEAK																																																																																								
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5755.00</td><td>103.78</td><td>-----</td><td>-----</td><td>86.24</td><td>34.89</td><td>12.54</td><td>29.89</td><td>0.00</td><td>124</td><td>139</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	103.78	-----	-----	86.24	34.89	12.54	29.89	0.00	124	139	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5755.00	103.78	-----	-----	86.24	34.89	12.54	29.89	0.00	124	139	PEAK																																																																																								
Blank																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5755.00</td><td>95.19</td><td>-----</td><td>-----</td><td>77.62</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>124</td><td>139</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5755.00	95.19	-----	-----	77.62	34.90	12.54	29.87	0.00	124	139	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5755.00	95.19	-----	-----	77.62	34.90	12.54	29.87	0.00	124	139	AVERAGE																																																																																								






Mode	60																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																														
ANT	CDD 6+7																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>54.64</td><td>111.26</td><td>-56.62</td><td>36.79</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>124</td><td>139</td><td>PEAK</td></tr><tr><td>2</td><td>5872.39</td><td>56.05</td><td>106.03</td><td>-49.98</td><td>38.19</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>124</td><td>139</td><td>PEAK</td></tr><tr><td>3</td><td>5921.92</td><td>57.52</td><td>70.48</td><td>-12.96</td><td>39.51</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>124</td><td>139</td><td>PEAK</td></tr><tr><td>4</td><td>5948.64</td><td>56.51</td><td>68.20</td><td>-11.69</td><td>38.34</td><td>35.19</td><td>12.81</td><td>29.83</td><td>0.00</td><td>124</td><td>139</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	54.64	111.26	-56.62	36.79	35.00	12.67	29.82	0.00	124	139	PEAK	2	5872.39	56.05	106.03	-49.98	38.19	35.00	12.70	29.84	0.00	124	139	PEAK	3	5921.92	57.52	70.48	-12.96	39.51	35.09	12.77	29.85	0.00	124	139	PEAK	4	5948.64	56.51	68.20	-11.69	38.34	35.19	12.81	29.83	0.00	124	139	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.84	54.64	111.26	-56.62	36.79	35.00	12.67	29.82	0.00	124	139	PEAK																																																																																			
2	5872.39	56.05	106.03	-49.98	38.19	35.00	12.70	29.84	0.00	124	139	PEAK																																																																																			
3	5921.92	57.52	70.48	-12.96	39.51	35.09	12.77	29.85	0.00	124	139	PEAK																																																																																			
4	5948.64	56.51	68.20	-11.69	38.34	35.19	12.81	29.83	0.00	124	139	PEAK																																																																																			




Mode	60																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																																																																
ANT	CDD 6+7																																																																																																																																																																																
Pol.	Horizontal											Vertical																																																																																																																																																																					
Peak Avg																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.71</td><td>74.00</td><td>-27.29</td><td>52.49</td><td>38.02</td><td>17.85</td><td>61.65</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>36.84</td><td>54.00</td><td>-17.16</td><td>42.62</td><td>38.02</td><td>17.85</td><td>61.65</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>11988.00</td><td>46.45</td><td>74.00</td><td>-27.55</td><td>50.38</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>11988.00</td><td>36.72</td><td>54.00</td><td>-17.28</td><td>40.68</td><td>38.68</td><td>18.26</td><td>60.90</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.71	74.00	-27.29	52.49	38.02	17.85	61.65	0.00	300	0	PEAK	2	11510.00	36.84	54.00	-17.16	42.62	38.02	17.85	61.65	0.00	300	0	AVERAGE	3	11988.00	46.45	74.00	-27.55	50.38	38.69	18.27	60.89	0.00	300	0	PEAK	4	11988.00	36.72	54.00	-17.28	40.68	38.68	18.26	60.90	0.00	300	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>51.06</td><td>38.02</td><td>17.85</td><td>61.65</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>51.78</td><td>74.00</td><td>-22.22</td><td>55.71</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>13</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.08</td><td>54.00</td><td>-13.92</td><td>44.00</td><td>38.69</td><td>18.27</td><td>60.88</td><td>0.00</td><td>100</td><td>13</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	45.28	74.00	-28.72	51.06	38.02	17.85	61.65	0.00	--	--	PEAK	2	11988.00	51.78	74.00	-22.22	55.71	38.69	18.27	60.89	0.00	100	13	PEAK	3	11988.00	40.08	54.00	-13.92	44.00	38.69	18.27	60.88	0.00	100	13
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	11510.00	46.71	74.00	-27.29	52.49	38.02	17.85	61.65	0.00	300	0	PEAK																																																																																																																																																																					
2	11510.00	36.84	54.00	-17.16	42.62	38.02	17.85	61.65	0.00	300	0	AVERAGE																																																																																																																																																																					
3	11988.00	46.45	74.00	-27.55	50.38	38.69	18.27	60.89	0.00	300	0	PEAK																																																																																																																																																																					
4	11988.00	36.72	54.00	-17.28	40.68	38.68	18.26	60.90	0.00	300	0	AVERAGE																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																						
1	11510.00	45.28	74.00	-28.72	51.06	38.02	17.85	61.65	0.00	--	--	PEAK																																																																																																																																																																					
2	11988.00	51.78	74.00	-22.22	55.71	38.69	18.27	60.89	0.00	100	13	PEAK																																																																																																																																																																					
3	11988.00	40.08	54.00	-13.92	44.00	38.69	18.27	60.88	0.00	100	13	AVERAGE																																																																																																																																																																					






Mode	61																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5644.40</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>40.21</td><td>34.70</td><td>12.43</td><td>29.85</td><td>0.00</td><td>200</td><td>179 PEAK</td></tr><tr><td>2 5650.00</td><td>53.33</td><td>68.20</td><td>-14.87</td><td>36.05</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>200</td><td>179 PEAK</td></tr><tr><td>3 5701.60</td><td>55.81</td><td>105.75</td><td>-49.94</td><td>38.52</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>200</td><td>179 PEAK</td></tr><tr><td>4 5720.00</td><td>54.86</td><td>110.90</td><td>-56.04</td><td>37.46</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>200</td><td>179 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5644.40	57.49	68.20	-10.71	40.21	34.70	12.43	29.85	0.00	200	179 PEAK	2 5650.00	53.33	68.20	-14.87	36.05	34.70	12.44	29.86	0.00	200	179 PEAK	3 5701.60	55.81	105.75	-49.94	38.52	34.00	12.49	30.00	0.00	200	179 PEAK	4 5720.00	54.86	110.90	-56.04	37.46	34.84	12.51	29.95	0.00	200	179 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>107.21</td><td>-----</td><td>-----</td><td>89.37</td><td>35.00</td><td>12.59</td><td>29.75</td><td>0.00</td><td>200</td><td>179 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	107.21	-----	-----	89.37	35.00	12.59	29.75	0.00	200	179 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5644.40	57.49	68.20	-10.71	40.21	34.70	12.43	29.85	0.00	200	179 PEAK																																																																																																																										
2 5650.00	53.33	68.20	-14.87	36.05	34.70	12.44	29.86	0.00	200	179 PEAK																																																																																																																										
3 5701.60	55.81	105.75	-49.94	38.52	34.00	12.49	30.00	0.00	200	179 PEAK																																																																																																																										
4 5720.00	54.86	110.90	-56.04	37.46	34.84	12.51	29.95	0.00	200	179 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	107.21	-----	-----	89.37	35.00	12.59	29.75	0.00	200	179 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>98.91</td><td>-----</td><td>-----</td><td>81.07</td><td>35.00</td><td>12.60</td><td>29.76</td><td>0.00</td><td>200</td><td>179 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	98.91	-----	-----	81.07	35.00	12.60	29.76	0.00	200	179 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	98.91	-----	-----	81.07	35.00	12.60	29.76	0.00	200	179 AVERAGE																																																																																																																										




Mode	61																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																			
ANT	CDD 6+7																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.61</td><td>111.36</td><td>-55.75</td><td>37.76</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>57.19</td><td>106.36</td><td>-49.17</td><td>39.33</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.80</td><td>68.35</td><td>-13.55</td><td>36.77</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5966.80</td><td>57.60</td><td>68.20</td><td>-10.60</td><td>39.28</td><td>35.30</td><td>12.84</td><td>29.82</td><td>0.00</td><td>200</td><td>179</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	55.61	111.36	-55.75	37.76	35.00	12.67	29.82	0.00	200	179	PEAK	2	5871.20	57.19	106.36	-49.17	39.33	35.00	12.70	29.84	0.00	200	179	PEAK	3	5924.80	54.80	68.35	-13.55	36.77	35.10	12.78	29.85	0.00	200	179	PEAK	4	5966.80	57.60	68.20	-10.60	39.28	35.30	12.84	29.82	0.00	200	179	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	55.61	111.36	-55.75	37.76	35.00	12.67	29.82	0.00	200	179	PEAK																																																																								
2	5871.20	57.19	106.36	-49.17	39.33	35.00	12.70	29.84	0.00	200	179	PEAK																																																																								
3	5924.80	54.80	68.35	-13.55	36.77	35.10	12.78	29.85	0.00	200	179	PEAK																																																																								
4	5966.80	57.60	68.20	-10.60	39.28	35.30	12.84	29.82	0.00	200	179	PEAK																																																																								





Mode	61																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																												
ANT	CDD 6+7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5646.00</td><td>56.79</td><td>68.20</td><td>-11.41</td><td>39.50</td><td>34.70</td><td>12.44</td><td>29.85</td><td>0.00</td><td>111</td><td>139</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>54.70</td><td>68.80</td><td>-14.10</td><td>37.43</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>111</td><td>139</td><td>PEAK</td></tr><tr><td>3 5700.00</td><td>55.31</td><td>105.52</td><td>-50.21</td><td>38.02</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>111</td><td>139</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>52.70</td><td>110.90</td><td>-58.20</td><td>35.30</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>111</td><td>139</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5646.00	56.79	68.20	-11.41	39.50	34.70	12.44	29.85	0.00	111	139	PEAK	2 5650.00	54.70	68.80	-14.10	37.43	34.70	12.44	29.87	0.00	111	139	PEAK	3 5700.00	55.31	105.52	-50.21	38.02	34.80	12.49	30.00	0.00	111	139	PEAK	4 5720.00	52.70	110.90	-58.20	35.30	34.84	12.51	29.95	0.00	111	139	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5795.00</td><td>103.82</td><td>-----</td><td>-----</td><td>86.04</td><td>34.98</td><td>12.58</td><td>29.78</td><td>0.00</td><td>111</td><td>139</td><td>PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5795.00	103.82	-----	-----	86.04	34.98	12.58	29.78	0.00	111	139	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																					
1 5646.00	56.79	68.20	-11.41	39.50	34.70	12.44	29.85	0.00	111	139	PEAK																																																																																																																		
2 5650.00	54.70	68.80	-14.10	37.43	34.70	12.44	29.87	0.00	111	139	PEAK																																																																																																																		
3 5700.00	55.31	105.52	-50.21	38.02	34.80	12.49	30.00	0.00	111	139	PEAK																																																																																																																		
4 5720.00	52.70	110.90	-58.20	35.30	34.84	12.51	29.95	0.00	111	139	PEAK																																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																					
1 5795.00	103.82	-----	-----	86.04	34.98	12.58	29.78	0.00	111	139	PEAK																																																																																																																		
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5795.00</td><td>94.71</td><td>-----</td><td>-----</td><td>76.90</td><td>34.99</td><td>12.58</td><td>29.76</td><td>0.00</td><td>111</td><td>139</td><td>AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5795.00	94.71	-----	-----	76.90	34.99	12.58	29.76	0.00	111	139	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																					
1 5795.00	94.71	-----	-----	76.90	34.99	12.58	29.76	0.00	111	139	AVERAGE																																																																																																																		






Mode	61																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.60</td><td>111.36</td><td>-56.76</td><td>36.75</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>111</td><td>139</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>54.93</td><td>105.36</td><td>-50.43</td><td>37.07</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>111</td><td>139</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.32</td><td>69.23</td><td>-13.91</td><td>37.30</td><td>35.09</td><td>12.78</td><td>29.85</td><td>0.00</td><td>111</td><td>139</td><td>PEAK</td></tr><tr><td>4</td><td>5976.80</td><td>56.76</td><td>68.20</td><td>-11.44</td><td>38.35</td><td>35.36</td><td>12.86</td><td>29.81</td><td>0.00</td><td>111</td><td>139</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	54.60	111.36	-56.76	36.75	35.00	12.67	29.82	0.00	111	139	PEAK	2	5874.80	54.93	105.36	-50.43	37.07	35.00	12.70	29.84	0.00	111	139	PEAK	3	5923.60	55.32	69.23	-13.91	37.30	35.09	12.78	29.85	0.00	111	139	PEAK	4	5976.80	56.76	68.20	-11.44	38.35	35.36	12.86	29.81	0.00	111	139	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	54.60	111.36	-56.76	36.75	35.00	12.67	29.82	0.00	111	139	PEAK																																																																									
2	5874.80	54.93	105.36	-50.43	37.07	35.00	12.70	29.84	0.00	111	139	PEAK																																																																									
3	5923.60	55.32	69.23	-13.91	37.30	35.09	12.78	29.85	0.00	111	139	PEAK																																																																									
4	5976.80	56.76	68.20	-11.44	38.35	35.36	12.86	29.81	0.00	111	139	PEAK																																																																									




Mode	61																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																																																		
ANT	CDD 6+7																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																												
Peak Avg																																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>49.86</td><td>38.18</td><td>17.92</td><td>61.53</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>50.39</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>0</td><td>300</td><td>PEAK</td></tr><tr><td>3 11988.00</td><td>38.47</td><td>54.00</td><td>-15.53</td><td>42.36</td><td>38.70</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td><td>0</td><td>300</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	44.43	74.00	-29.57	49.86	38.18	17.92	61.53	0.00	--	--	--	PEAK	2 11988.00	46.46	74.00	-27.54	50.39	38.69	18.27	60.89	0.00	300	0	300	PEAK	3 11988.00	38.47	54.00	-15.53	42.36	38.70	18.28	60.87	0.00	300	0	300	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11590.00</td><td>44.74</td><td>74.00</td><td>-29.26</td><td>50.17</td><td>38.18</td><td>17.92</td><td>61.53</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11988.00</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>52.88</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>303</td><td>74</td><td>303</td><td>PEAK</td></tr><tr><td>3 11988.00</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>46.71</td><td>38.70</td><td>18.28</td><td>60.87</td><td>0.00</td><td>303</td><td>74</td><td>303</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11590.00	44.74	74.00	-29.26	50.17	38.18	17.92	61.53	0.00	--	--	--	PEAK	2 11988.00	48.95	74.00	-25.05	52.88	38.69	18.27	60.89	0.00	303	74	303	PEAK	3 11988.00	42.82	54.00	-11.18	46.71	38.70	18.28	60.87	0.00	303	74	303
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																									
1 11590.00	44.43	74.00	-29.57	49.86	38.18	17.92	61.53	0.00	--	--	--	PEAK																																																																																																																																																							
2 11988.00	46.46	74.00	-27.54	50.39	38.69	18.27	60.89	0.00	300	0	300	PEAK																																																																																																																																																							
3 11988.00	38.47	54.00	-15.53	42.36	38.70	18.28	60.87	0.00	300	0	300	AVERAGE																																																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																									
1 11590.00	44.74	74.00	-29.26	50.17	38.18	17.92	61.53	0.00	--	--	--	PEAK																																																																																																																																																							
2 11988.00	48.95	74.00	-25.05	52.88	38.69	18.27	60.89	0.00	303	74	303	PEAK																																																																																																																																																							
3 11988.00	42.82	54.00	-11.18	46.71	38.70	18.28	60.87	0.00	303	74	303	AVERAGE																																																																																																																																																							






Mode	62																																																																																																																																																				
	Band Edge - L																																																																																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																																																																																				
ANT	CDD 6+7																																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																																														
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>57.27</td><td>68.20</td><td>-10.93</td><td>39.93</td><td>34.70</td><td>12.40</td><td>29.76</td><td>0.00</td><td>194</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.54</td><td>68.20</td><td>-13.66</td><td>37.26</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>194</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>54.54</td><td>105.30</td><td>-50.76</td><td>37.25</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>194</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>53.50</td><td>111.81</td><td>-58.31</td><td>36.10</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>194</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5610.00	57.27	68.20	-10.93	39.93	34.70	12.40	29.76	0.00	194	179	PEAK	2	5650.00	54.54	68.20	-13.66	37.26	34.70	12.44	29.86	0.00	194	179	PEAK	3	5700.00	54.54	105.30	-50.76	37.25	34.00	12.49	30.00	0.00	194	179	PEAK	4	5720.40	53.50	111.81	-58.31	36.10	34.84	12.51	29.95	0.00	194	179	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>109.09</td><td>-----</td><td>-----</td><td>91.25</td><td>35.00</td><td>12.60</td><td>29.76</td><td>0.00</td><td>194</td><td>179</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	109.09	-----	-----	91.25	35.00	12.60	29.76	0.00	194	179	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5610.00	57.27	68.20	-10.93	39.93	34.70	12.40	29.76	0.00	194	179	PEAK																																																																																																																																									
2	5650.00	54.54	68.20	-13.66	37.26	34.70	12.44	29.86	0.00	194	179	PEAK																																																																																																																																									
3	5700.00	54.54	105.30	-50.76	37.25	34.00	12.49	30.00	0.00	194	179	PEAK																																																																																																																																									
4	5720.40	53.50	111.81	-58.31	36.10	34.84	12.51	29.95	0.00	194	179	PEAK																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5795.00	109.09	-----	-----	91.25	35.00	12.60	29.76	0.00	194	179	PEAK																																																																																																																																									
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.23</td><td>-----</td><td>-----</td><td>82.39</td><td>35.00</td><td>12.60</td><td>29.76</td><td>0.00</td><td>194</td><td>179</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	100.23	-----	-----	82.39	35.00	12.60	29.76	0.00	194	179	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5795.00	100.23	-----	-----	82.39	35.00	12.60	29.76	0.00	194	179	AVERAGE																																																																																																																																									




Mode	62																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.54</td><td>111.36</td><td>-55.82</td><td>37.69</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>194</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>56.77</td><td>105.58</td><td>-48.81</td><td>38.91</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>194</td><td>179</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>59.00</td><td>68.64</td><td>-9.64</td><td>40.97</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>194</td><td>179</td><td>PEAK</td></tr><tr><td>4</td><td>5938.80</td><td>58.44</td><td>68.20</td><td>-9.76</td><td>40.32</td><td>35.16</td><td>12.80</td><td>29.84</td><td>0.00</td><td>194</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	55.54	111.36	-55.82	37.69	35.00	12.67	29.82	0.00	194	179	PEAK	2	5874.00	56.77	105.58	-48.81	38.91	35.00	12.70	29.84	0.00	194	179	PEAK	3	5924.40	59.00	68.64	-9.64	40.97	35.10	12.78	29.85	0.00	194	179	PEAK	4	5938.80	58.44	68.20	-9.76	40.32	35.16	12.80	29.84	0.00	194	179	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.80	55.54	111.36	-55.82	37.69	35.00	12.67	29.82	0.00	194	179	PEAK																																																																																		
2	5874.00	56.77	105.58	-48.81	38.91	35.00	12.70	29.84	0.00	194	179	PEAK																																																																																		
3	5924.40	59.00	68.64	-9.64	40.97	35.10	12.78	29.85	0.00	194	179	PEAK																																																																																		
4	5938.80	58.44	68.20	-9.76	40.32	35.16	12.80	29.84	0.00	194	179	PEAK																																																																																		






Mode	62																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5622.00</td><td>56.37</td><td>68.20</td><td>-11.83</td><td>39.05</td><td>34.70</td><td>12.41</td><td>29.79</td><td>0.00</td><td>171</td><td>132</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>55.69</td><td>68.20</td><td>-12.51</td><td>38.41</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>171</td><td>132</td><td>PEAK</td></tr><tr><td>3 5700.00</td><td>57.70</td><td>105.52</td><td>-47.82</td><td>40.41</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>171</td><td>132</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>54.82</td><td>110.90</td><td>-56.08</td><td>37.42</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>171</td><td>132</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5622.00	56.37	68.20	-11.83	39.05	34.70	12.41	29.79	0.00	171	132	PEAK	2 5650.00	55.69	68.20	-12.51	38.41	34.70	12.44	29.86	0.00	171	132	PEAK	3 5700.00	57.70	105.52	-47.82	40.41	34.00	12.49	30.00	0.00	171	132	PEAK	4 5720.00	54.82	110.90	-56.08	37.42	34.84	12.51	29.95	0.00	171	132	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>102.97</td><td>-----</td><td>-----</td><td>85.16</td><td>34.99</td><td>12.58</td><td>29.76</td><td>0.00</td><td>171</td><td>132</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	102.97	-----	-----	85.16	34.99	12.58	29.76	0.00	171	132	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5622.00	56.37	68.20	-11.83	39.05	34.70	12.41	29.79	0.00	171	132	PEAK																																																																																																																														
2 5650.00	55.69	68.20	-12.51	38.41	34.70	12.44	29.86	0.00	171	132	PEAK																																																																																																																														
3 5700.00	57.70	105.52	-47.82	40.41	34.00	12.49	30.00	0.00	171	132	PEAK																																																																																																																														
4 5720.00	54.82	110.90	-56.08	37.42	34.84	12.51	29.95	0.00	171	132	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5795.00	102.97	-----	-----	85.16	34.99	12.58	29.76	0.00	171	132	PEAK																																																																																																																														
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>95.84</td><td>-----</td><td>-----</td><td>78.00</td><td>35.00</td><td>12.59</td><td>29.75</td><td>0.00</td><td>171</td><td>132</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	95.84	-----	-----	78.00	35.00	12.59	29.75	0.00	171	132	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 5795.00	95.84	-----	-----	78.00	35.00	12.59	29.75	0.00	171	132	AVERAGE																																																																																																																														




Mode	62																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>55.04</td><td>112.27</td><td>-57.23</td><td>37.19</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>171</td><td>132</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>54.62</td><td>105.36</td><td>-50.74</td><td>36.76</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>171</td><td>132</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.28</td><td>69.53</td><td>-14.25</td><td>37.27</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>171</td><td>132</td><td>PEAK</td></tr><tr><td>4</td><td>5975.20</td><td>57.44</td><td>68.20</td><td>-10.76</td><td>39.05</td><td>35.35</td><td>12.85</td><td>29.81</td><td>0.00</td><td>171</td><td>132</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	55.04	112.27	-57.23	37.19	35.00	12.67	29.82	0.00	171	132	PEAK	2	5874.80	54.62	105.36	-50.74	36.76	35.00	12.70	29.84	0.00	171	132	PEAK	3	5923.20	55.28	69.53	-14.25	37.27	35.09	12.77	29.85	0.00	171	132	PEAK	4	5975.20	57.44	68.20	-10.76	39.05	35.35	12.85	29.81	0.00	171	132	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.40	55.04	112.27	-57.23	37.19	35.00	12.67	29.82	0.00	171	132	PEAK																																																																																		
2	5874.80	54.62	105.36	-50.74	36.76	35.00	12.70	29.84	0.00	171	132	PEAK																																																																																		
3	5923.20	55.28	69.53	-14.25	37.27	35.09	12.77	29.85	0.00	171	132	PEAK																																																																																		
4	5975.20	57.44	68.20	-10.76	39.05	35.35	12.85	29.81	0.00	171	132	PEAK																																																																																		






Mode	63																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5611.20</td><td>58.25</td><td>68.20</td><td>-9.95</td><td>40.91</td><td>34.70</td><td>12.40</td><td>29.76</td><td>0.00</td><td>203</td><td>190</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>55.31</td><td>69.39</td><td>-14.08</td><td>38.04</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>203</td><td>190</td><td>PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>57.29</td><td>105.41</td><td>-48.12</td><td>40.00</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>203</td><td>190</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.93</td><td>110.90</td><td>-55.97</td><td>37.53</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>203</td><td>190</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5611.20	58.25	68.20	-9.95	40.91	34.70	12.40	29.76	0.00	203	190	PEAK	2	5651.60	55.31	69.39	-14.08	38.04	34.70	12.44	29.87	0.00	203	190	PEAK	3	5700.40	57.29	105.41	-48.12	40.00	34.00	12.49	30.00	0.00	203	190	PEAK	4	5720.00	54.93	110.90	-55.97	37.53	34.84	12.51	29.95	0.00	203	190	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.85</td><td>-----</td><td>-----</td><td>86.21</td><td>34.93</td><td>12.55</td><td>29.84</td><td>0.00</td><td>203</td><td>190</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.85	-----	-----	86.21	34.93	12.55	29.84	0.00	203	190
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5611.20	58.25	68.20	-9.95	40.91	34.70	12.40	29.76	0.00	203	190	PEAK																																																																																																																														
2	5651.60	55.31	69.39	-14.08	38.04	34.70	12.44	29.87	0.00	203	190	PEAK																																																																																																																														
3	5700.40	57.29	105.41	-48.12	40.00	34.00	12.49	30.00	0.00	203	190	PEAK																																																																																																																														
4	5720.00	54.93	110.90	-55.97	37.53	34.84	12.51	29.95	0.00	203	190	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	103.85	-----	-----	86.21	34.93	12.55	29.84	0.00	203	190	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>95.25</td><td>-----</td><td>-----</td><td>77.61</td><td>34.93</td><td>12.55</td><td>29.84</td><td>0.00</td><td>203</td><td>190</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	95.25	-----	-----	77.61	34.93	12.55	29.84	0.00	203	190	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	95.25	-----	-----	77.61	34.93	12.55	29.84	0.00	203	190	AVERAGE																																																																																																																														




Mode	63																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																			
ANT	CDD 6+7																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>55.81</td><td>112.27</td><td>-56.46</td><td>37.96</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>203</td><td>190</td><td>PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>56.93</td><td>106.59</td><td>-49.66</td><td>39.06</td><td>35.00</td><td>12.70</td><td>29.83</td><td>0.00</td><td>203</td><td>190</td><td>PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>56.58</td><td>70.12</td><td>-13.54</td><td>38.57</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>203</td><td>190</td><td>PEAK</td></tr><tr><td>4</td><td>5942.00</td><td>56.77</td><td>68.20</td><td>-11.43</td><td>38.64</td><td>35.17</td><td>12.80</td><td>29.84</td><td>0.00</td><td>203</td><td>190</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	55.81	112.27	-56.46	37.96	35.00	12.67	29.82	0.00	203	190	PEAK	2	5870.40	56.93	106.59	-49.66	39.06	35.00	12.70	29.83	0.00	203	190	PEAK	3	5922.40	56.58	70.12	-13.54	38.57	35.09	12.77	29.85	0.00	203	190	PEAK	4	5942.00	56.77	68.20	-11.43	38.64	35.17	12.80	29.84	0.00	203	190	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	55.81	112.27	-56.46	37.96	35.00	12.67	29.82	0.00	203	190	PEAK																																																																								
2	5870.40	56.93	106.59	-49.66	39.06	35.00	12.70	29.83	0.00	203	190	PEAK																																																																								
3	5922.40	56.58	70.12	-13.54	38.57	35.09	12.77	29.85	0.00	203	190	PEAK																																																																								
4	5942.00	56.77	68.20	-11.43	38.64	35.17	12.80	29.84	0.00	203	190	PEAK																																																																								





Mode	63																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																													
ANT	CDD 6+7																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>56.49</td><td>68.20</td><td>-11.71</td><td>39.15</td><td>34.70</td><td>12.40</td><td>29.76</td><td>0.00</td><td>124</td><td>138 PEAK</td></tr><tr><td>2 5650.00</td><td>54.87</td><td>68.20</td><td>-13.33</td><td>37.59</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>124</td><td>138 PEAK</td></tr><tr><td>3 5700.00</td><td>56.00</td><td>105.30</td><td>-48.50</td><td>39.51</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>124</td><td>138 PEAK</td></tr><tr><td>4 5720.00</td><td>54.89</td><td>112.72</td><td>-57.83</td><td>37.49</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>124</td><td>138 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5610.00	56.49	68.20	-11.71	39.15	34.70	12.40	29.76	0.00	124	138 PEAK	2 5650.00	54.87	68.20	-13.33	37.59	34.70	12.44	29.86	0.00	124	138 PEAK	3 5700.00	56.00	105.30	-48.50	39.51	34.00	12.49	30.00	0.00	124	138 PEAK	4 5720.00	54.89	112.72	-57.83	37.49	34.84	12.51	29.95	0.00	124	138 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>99.70</td><td>-----</td><td>-----</td><td>82.03</td><td>34.94</td><td>12.56</td><td>29.83</td><td>0.00</td><td>124</td><td>138 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	99.70	-----	-----	82.03	34.94	12.56	29.83	0.00	124
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5610.00	56.49	68.20	-11.71	39.15	34.70	12.40	29.76	0.00	124	138 PEAK																																																																																																																				
2 5650.00	54.87	68.20	-13.33	37.59	34.70	12.44	29.86	0.00	124	138 PEAK																																																																																																																				
3 5700.00	56.00	105.30	-48.50	39.51	34.00	12.49	30.00	0.00	124	138 PEAK																																																																																																																				
4 5720.00	54.89	112.72	-57.83	37.49	34.84	12.51	29.95	0.00	124	138 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5775.00	99.70	-----	-----	82.03	34.94	12.56	29.83	0.00	124	138 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>91.01</td><td>-----</td><td>-----</td><td>73.44</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>124</td><td>138 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	91.01	-----	-----	73.44	34.90	12.54	29.87	0.00	124	138 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5775.00	91.01	-----	-----	73.44	34.90	12.54	29.87	0.00	124	138 AVERAGE																																																																																																																				






Mode	63																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																				
ANT	CDD 6+7																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.26</td><td>111.36</td><td>-56.10</td><td>37.41</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>124</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>55.96</td><td>106.36</td><td>-50.40</td><td>38.10</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>124</td><td>138</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.91</td><td>69.53</td><td>-13.62</td><td>37.90</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>124</td><td>138</td><td>PEAK</td></tr><tr><td>4</td><td>5946.00</td><td>56.48</td><td>68.20</td><td>-11.72</td><td>38.32</td><td>35.18</td><td>12.81</td><td>29.83</td><td>0.00</td><td>124</td><td>138</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	55.26	111.36	-56.10	37.41	35.00	12.67	29.82	0.00	124	138	PEAK	2	5871.20	55.96	106.36	-50.40	38.10	35.00	12.70	29.84	0.00	124	138	PEAK	3	5923.20	55.91	69.53	-13.62	37.90	35.09	12.77	29.85	0.00	124	138	PEAK	4	5946.00	56.48	68.20	-11.72	38.32	35.18	12.81	29.83	0.00	124	138	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	55.26	111.36	-56.10	37.41	35.00	12.67	29.82	0.00	124	138	PEAK																																																																									
2	5871.20	55.96	106.36	-50.40	38.10	35.00	12.70	29.84	0.00	124	138	PEAK																																																																									
3	5923.20	55.91	69.53	-13.62	37.90	35.09	12.77	29.85	0.00	124	138	PEAK																																																																									
4	5946.00	56.48	68.20	-11.72	38.32	35.18	12.81	29.83	0.00	124	138	PEAK																																																																									




Mode	63																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																																							
ANT	CDD 6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>50.86</td><td>38.10</td><td>17.89</td><td>61.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.18</td><td>74.00</td><td>-27.82</td><td>50.11</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>175</td><td>10</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>41.22</td><td>54.00</td><td>-12.78</td><td>45.11</td><td>38.70</td><td>18.28</td><td>60.87</td><td>0.00</td><td>175</td><td>10</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.26	74.00	-28.74	50.86	38.10	17.89	61.59	0.00	--	--	PEAK	2	11988.00	46.18	74.00	-27.82	50.11	38.69	18.27	60.89	0.00	175	10	PEAK	3	11988.00	41.22	54.00	-12.78	45.11	38.70	18.28	60.87	0.00	175	10	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>50.36</td><td>38.10</td><td>17.89</td><td>61.59</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>53.79</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>14</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>39.31</td><td>54.00</td><td>-14.69</td><td>43.23</td><td>38.69</td><td>18.27</td><td>60.88</td><td>0.00</td><td>100</td><td>14</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	44.76	74.00	-29.24	50.36	38.10	17.89	61.59	0.00	--	--	PEAK	2	11988.00	49.86	74.00	-24.14	53.79	38.69	18.27	60.89	0.00	100	14	PEAK	3	11988.00	39.31	54.00	-14.69	43.23	38.69	18.27	60.88	0.00	100	14	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	11550.00	45.26	74.00	-28.74	50.86	38.10	17.89	61.59	0.00	--	--	PEAK																																																																																																																																												
2	11988.00	46.18	74.00	-27.82	50.11	38.69	18.27	60.89	0.00	175	10	PEAK																																																																																																																																												
3	11988.00	41.22	54.00	-12.78	45.11	38.70	18.28	60.87	0.00	175	10	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	11550.00	44.76	74.00	-29.24	50.36	38.10	17.89	61.59	0.00	--	--	PEAK																																																																																																																																												
2	11988.00	49.86	74.00	-24.14	53.79	38.69	18.27	60.89	0.00	100	14	PEAK																																																																																																																																												
3	11988.00	39.31	54.00	-14.69	43.23	38.69	18.27	60.88	0.00	100	14	AVERAGE																																																																																																																																												






Mode	64																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																																																																							
ANT	CDD 6+7																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5615.20</td><td>56.66</td><td>68.20</td><td>-11.54</td><td>39.32</td><td>34.70</td><td>12.41</td><td>29.77</td><td>0.00</td><td>199 181 PEAK</td></tr><tr><td>2 5651.20</td><td>55.76</td><td>69.09</td><td>-13.33</td><td>38.49</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>199 181 PEAK</td></tr><tr><td>3 5702.00</td><td>55.77</td><td>106.09</td><td>-50.32</td><td>38.46</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>199 181 PEAK</td></tr><tr><td>4 5722.00</td><td>59.11</td><td>115.46</td><td>-56.35</td><td>41.70</td><td>34.84</td><td>12.51</td><td>29.94</td><td>0.00</td><td>199 181 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5615.20	56.66	68.20	-11.54	39.32	34.70	12.41	29.77	0.00	199 181 PEAK	2 5651.20	55.76	69.09	-13.33	38.49	34.70	12.44	29.87	0.00	199 181 PEAK	3 5702.00	55.77	106.09	-50.32	38.46	34.81	12.49	29.99	0.00	199 181 PEAK	4 5722.00	59.11	115.46	-56.35	41.70	34.84	12.51	29.94	0.00	199 181 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single sharp peak is visible at 5775 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>106.17</td><td>-----</td><td>-----</td><td>88.63</td><td>34.89</td><td>12.54</td><td>29.89</td><td>0.00</td><td>199 181 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5775.00	106.17	-----	-----	88.63	34.89	12.54	29.89	0.00	199 181 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1 5615.20	56.66	68.20	-11.54	39.32	34.70	12.41	29.77	0.00	199 181 PEAK																																																																																																															
2 5651.20	55.76	69.09	-13.33	38.49	34.70	12.44	29.87	0.00	199 181 PEAK																																																																																																															
3 5702.00	55.77	106.09	-50.32	38.46	34.81	12.49	29.99	0.00	199 181 PEAK																																																																																																															
4 5722.00	59.11	115.46	-56.35	41.70	34.84	12.51	29.94	0.00	199 181 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1 5775.00	106.17	-----	-----	88.63	34.89	12.54	29.89	0.00	199 181 PEAK																																																																																																															
Avg	Blank					 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single sharp peak is visible at 5775 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>96.97</td><td>-----</td><td>-----</td><td>79.43</td><td>34.89</td><td>12.54</td><td>29.89</td><td>0.00</td><td>199 181 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5775.00	96.97	-----	-----	79.43	34.89	12.54	29.89	0.00	199 181 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																															
1 5775.00	96.97	-----	-----	79.43	34.89	12.54	29.89	0.00	199 181 AVERAGE																																																																																																															




Mode	64																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>53.61</td><td>111.36</td><td>-57.75</td><td>35.76</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>199</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>56.01</td><td>105.47</td><td>-49.46</td><td>38.15</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>199</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>56.46</td><td>68.94</td><td>-12.48</td><td>38.43</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>199</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>5929.20</td><td>59.36</td><td>68.20</td><td>-8.84</td><td>41.31</td><td>35.12</td><td>12.78</td><td>29.85</td><td>0.00</td><td>199</td><td>181</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	53.61	111.36	-57.75	35.76	35.00	12.67	29.82	0.00	199	181	PEAK	2	5874.40	56.01	105.47	-49.46	38.15	35.00	12.70	29.84	0.00	199	181	PEAK	3	5924.00	56.46	68.94	-12.48	38.43	35.10	12.78	29.85	0.00	199	181	PEAK	4	5929.20	59.36	68.20	-8.84	41.31	35.12	12.78	29.85	0.00	199	181	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.00	53.61	111.36	-57.75	35.76	35.00	12.67	29.82	0.00	199	181	PEAK																																																																																		
2	5874.40	56.01	105.47	-49.46	38.15	35.00	12.70	29.84	0.00	199	181	PEAK																																																																																		
3	5924.00	56.46	68.94	-12.48	38.43	35.10	12.78	29.85	0.00	199	181	PEAK																																																																																		
4	5929.20	59.36	68.20	-8.84	41.31	35.12	12.78	29.85	0.00	199	181	PEAK																																																																																		






Mode	64																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal with peaks at 5624, 5650, 5704, and 5720 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5624.00</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>38.63</td><td>34.70</td><td>12.41</td><td>29.79</td><td>0.00</td><td>124</td><td>137</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>53.69</td><td>68.80</td><td>-15.11</td><td>36.42</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>124</td><td>137</td><td>PEAK</td></tr><tr><td>3 5704.00</td><td>55.13</td><td>106.42</td><td>-51.29</td><td>37.82</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>124</td><td>137</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>55.03</td><td>110.90</td><td>-55.87</td><td>37.63</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>124</td><td>137</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5624.00	55.95	68.20	-12.25	38.63	34.70	12.41	29.79	0.00	124	137	PEAK	2 5650.00	53.69	68.80	-15.11	36.42	34.70	12.44	29.87	0.00	124	137	PEAK	3 5704.00	55.13	106.42	-51.29	37.82	34.81	12.49	29.99	0.00	124	137	PEAK	4 5720.00	55.03	110.90	-55.87	37.63	34.84	12.51	29.95	0.00	124	137	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal with a peak at 5775 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5775.00</td><td>100.95</td><td>-----</td><td>-----</td><td>83.28</td><td>34.94</td><td>12.56</td><td>29.83</td><td>0.00</td><td>124</td><td>137</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5775.00	100.95	-----	-----	83.28	34.94	12.56	29.83	0.00	124	137	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 5624.00	55.95	68.20	-12.25	38.63	34.70	12.41	29.79	0.00	124	137	PEAK																																																																																																																														
2 5650.00	53.69	68.80	-15.11	36.42	34.70	12.44	29.87	0.00	124	137	PEAK																																																																																																																														
3 5704.00	55.13	106.42	-51.29	37.82	34.81	12.49	29.99	0.00	124	137	PEAK																																																																																																																														
4 5720.00	55.03	110.90	-55.87	37.63	34.84	12.51	29.95	0.00	124	137	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 5775.00	100.95	-----	-----	83.28	34.94	12.56	29.83	0.00	124	137	PEAK																																																																																																																														
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal with a peak at 5775 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.91</td><td>-----</td><td>-----</td><td>75.34</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>124</td><td>137</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5775.00	92.91	-----	-----	75.34	34.90	12.54	29.87	0.00	124	137	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																	
1 5775.00	92.91	-----	-----	75.34	34.90	12.54	29.87	0.00	124	137	AVERAGE																																																																																																																														




Mode	64																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/65_5775MHz																																																																							
ANT	CDD 6+7																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>53.26</td><td>111.36</td><td>-58.10</td><td>35.41</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>124 137 PEAK</td></tr><tr><td>2 5869.20</td><td>56.36</td><td>106.92</td><td>-50.56</td><td>38.50</td><td>35.00</td><td>12.69</td><td>29.83</td><td>0.00</td><td>124 137 PEAK</td></tr><tr><td>3 5924.00</td><td>53.09</td><td>68.35</td><td>-15.26</td><td>35.06</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>124 137 PEAK</td></tr><tr><td>4 5936.40</td><td>57.19</td><td>68.20</td><td>-11.01</td><td>39.09</td><td>35.15</td><td>12.79</td><td>29.84</td><td>0.00</td><td>124 137 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.00	53.26	111.36	-58.10	35.41	35.00	12.67	29.82	0.00	124 137 PEAK	2 5869.20	56.36	106.92	-50.56	38.50	35.00	12.69	29.83	0.00	124 137 PEAK	3 5924.00	53.09	68.35	-15.26	35.06	35.10	12.78	29.85	0.00	124 137 PEAK	4 5936.40	57.19	68.20	-11.01	39.09	35.15	12.79	29.84	0.00	124 137 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5854.00	53.26	111.36	-58.10	35.41	35.00	12.67	29.82	0.00	124 137 PEAK																																																															
2 5869.20	56.36	106.92	-50.56	38.50	35.00	12.69	29.83	0.00	124 137 PEAK																																																															
3 5924.00	53.09	68.35	-15.26	35.06	35.10	12.78	29.85	0.00	124 137 PEAK																																																															
4 5936.40	57.19	68.20	-11.01	39.09	35.15	12.79	29.84	0.00	124 137 PEAK																																																															






Mode	65																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																																																																						
ANT	CDD 6+7																																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5615.20</td><td>56.49</td><td>68.20</td><td>-11.71</td><td>39.15</td><td>34.70</td><td>12.41</td><td>29.77</td><td>0.00</td><td>170 178 PEAK</td></tr><tr><td>2 5650.40</td><td>55.23</td><td>68.50</td><td>-13.27</td><td>37.96</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>170 178 PEAK</td></tr><tr><td>3 5707.20</td><td>56.12</td><td>107.32</td><td>-51.20</td><td>38.79</td><td>34.81</td><td>12.50</td><td>29.98</td><td>0.00</td><td>170 178 PEAK</td></tr><tr><td>4 5720.40</td><td>54.73</td><td>111.81</td><td>-57.08</td><td>37.33</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>170 178 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5615.20	56.49	68.20	-11.71	39.15	34.70	12.41	29.77	0.00	170 178 PEAK	2 5650.40	55.23	68.50	-13.27	37.96	34.70	12.44	29.87	0.00	170 178 PEAK	3 5707.20	56.12	107.32	-51.20	38.79	34.81	12.50	29.98	0.00	170 178 PEAK	4 5720.40	54.73	111.81	-57.08	37.33	34.84	12.51	29.95	0.00	170 178 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5775.00</td><td>106.23</td><td>-----</td><td>-----</td><td>88.39</td><td>35.00</td><td>12.60</td><td>29.76</td><td>0.00</td><td>170 178 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5775.00	106.23	-----	-----	88.39	35.00	12.60	29.76	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5615.20	56.49	68.20	-11.71	39.15	34.70	12.41	29.77	0.00	170 178 PEAK																																																																																																														
2 5650.40	55.23	68.50	-13.27	37.96	34.70	12.44	29.87	0.00	170 178 PEAK																																																																																																														
3 5707.20	56.12	107.32	-51.20	38.79	34.81	12.50	29.98	0.00	170 178 PEAK																																																																																																														
4 5720.40	54.73	111.81	-57.08	37.33	34.84	12.51	29.95	0.00	170 178 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5775.00	106.23	-----	-----	88.39	35.00	12.60	29.76	0.00	170 178 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5775.00</td><td>96.42</td><td>-----</td><td>-----</td><td>78.58</td><td>35.00</td><td>12.60</td><td>29.76</td><td>0.00</td><td>170 178 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5775.00	96.42	-----	-----	78.58	35.00	12.60	29.76	0.00	170 178 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																															
1 5775.00	96.42	-----	-----	78.58	35.00	12.60	29.76	0.00	170 178 AVERAGE																																																																																																														




Mode	65																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																																			
ANT	CDD 6+7																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>54.52</td><td>111.36</td><td>-56.84</td><td>36.67</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>170</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>57.22</td><td>106.25</td><td>-49.03</td><td>39.36</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>170</td><td>178</td><td>PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>55.67</td><td>70.42</td><td>-14.75</td><td>37.66</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>170</td><td>178</td><td>PEAK</td></tr><tr><td>4</td><td>5940.00</td><td>56.04</td><td>68.20</td><td>-12.16</td><td>37.92</td><td>35.16</td><td>12.80</td><td>29.84</td><td>0.00</td><td>170</td><td>178</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.52	111.36	-56.84	36.67	35.00	12.67	29.82	0.00	170	178	PEAK	2	5871.60	57.22	106.25	-49.03	39.36	35.00	12.70	29.84	0.00	170	178	PEAK	3	5922.00	55.67	70.42	-14.75	37.66	35.09	12.77	29.85	0.00	170	178	PEAK	4	5940.00	56.04	68.20	-12.16	37.92	35.16	12.80	29.84	0.00	170	178	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	54.52	111.36	-56.84	36.67	35.00	12.67	29.82	0.00	170	178	PEAK																																																																								
2	5871.60	57.22	106.25	-49.03	39.36	35.00	12.70	29.84	0.00	170	178	PEAK																																																																								
3	5922.00	55.67	70.42	-14.75	37.66	35.09	12.77	29.85	0.00	170	178	PEAK																																																																								
4	5940.00	56.04	68.20	-12.16	37.92	35.16	12.80	29.84	0.00	170	178	PEAK																																																																								







Mode	65																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																																																													
ANT	CDD 6+7																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5644.00</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>38.67</td><td>34.70</td><td>12.43</td><td>29.85</td><td>0.00</td><td>117</td><td>139 PEAK</td></tr><tr><td>2 5651.20</td><td>54.82</td><td>69.09</td><td>-14.27</td><td>37.55</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>117</td><td>139 PEAK</td></tr><tr><td>3 5701.60</td><td>55.03</td><td>105.75</td><td>-50.72</td><td>37.74</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>117</td><td>139 PEAK</td></tr><tr><td>4 5720.00</td><td>51.32</td><td>110.90</td><td>-59.58</td><td>33.92</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>117</td><td>139 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5644.00	55.95	68.20	-12.25	38.67	34.70	12.43	29.85	0.00	117	139 PEAK	2 5651.20	54.82	69.09	-14.27	37.55	34.70	12.44	29.87	0.00	117	139 PEAK	3 5701.60	55.03	105.75	-50.72	37.74	34.00	12.49	30.00	0.00	117	139 PEAK	4 5720.00	51.32	110.90	-59.58	33.92	34.84	12.51	29.95	0.00	117	139 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>101.50</td><td>-----</td><td>-----</td><td>83.65</td><td>35.00</td><td>12.61</td><td>29.76</td><td>0.00</td><td>117</td><td>139 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5775.00	101.50	-----	-----	83.65	35.00	12.61	29.76	0.00	117	139 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5644.00	55.95	68.20	-12.25	38.67	34.70	12.43	29.85	0.00	117	139 PEAK																																																																																																				
2 5651.20	54.82	69.09	-14.27	37.55	34.70	12.44	29.87	0.00	117	139 PEAK																																																																																																				
3 5701.60	55.03	105.75	-50.72	37.74	34.00	12.49	30.00	0.00	117	139 PEAK																																																																																																				
4 5720.00	51.32	110.90	-59.58	33.92	34.84	12.51	29.95	0.00	117	139 PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5775.00	101.50	-----	-----	83.65	35.00	12.61	29.76	0.00	117	139 PEAK																																																																																																				
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.54</td><td>-----</td><td>-----</td><td>74.69</td><td>35.00</td><td>12.61</td><td>29.76</td><td>0.00</td><td>117</td><td>139 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1 5775.00	92.54	-----	-----	74.69	35.00	12.61	29.76	0.00	117	139 AVERAGE																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5775.00	92.54	-----	-----	74.69	35.00	12.61	29.76	0.00	117	139 AVERAGE																																																																																																				







Mode	65																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_RU484/66_5775MHz																																																																							
ANT	CDD 6+7																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.40</td><td>54.66</td><td>112.27</td><td>-57.61</td><td>36.81</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>117 139 PEAK</td></tr><tr><td>2 5872.80</td><td>55.05</td><td>105.92</td><td>-50.87</td><td>37.19</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>117 139 PEAK</td></tr><tr><td>3 5924.40</td><td>55.30</td><td>68.64</td><td>-13.34</td><td>37.27</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>117 139 PEAK</td></tr><tr><td>4 5950.00</td><td>56.88</td><td>68.20</td><td>-11.32</td><td>38.70</td><td>35.20</td><td>12.81</td><td>29.83</td><td>0.00</td><td>117 139 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.40	54.66	112.27	-57.61	36.81	35.00	12.67	29.82	0.00	117 139 PEAK	2 5872.80	55.05	105.92	-50.87	37.19	35.00	12.70	29.84	0.00	117 139 PEAK	3 5924.40	55.30	68.64	-13.34	37.27	35.10	12.78	29.85	0.00	117 139 PEAK	4 5950.00	56.88	68.20	-11.32	38.70	35.20	12.81	29.83	0.00	117 139 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5854.40	54.66	112.27	-57.61	36.81	35.00	12.67	29.82	0.00	117 139 PEAK																																																															
2 5872.80	55.05	105.92	-50.87	37.19	35.00	12.70	29.84	0.00	117 139 PEAK																																																															
3 5924.40	55.30	68.64	-13.34	37.27	35.10	12.78	29.85	0.00	117 139 PEAK																																																															
4 5950.00	56.88	68.20	-11.32	38.70	35.20	12.81	29.83	0.00	117 139 PEAK																																																															







Mode	66																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 38+1_5180MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.90</td><td>57.71</td><td>74.00</td><td>-16.29</td><td>41.27</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>300</td><td>141</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.90	57.71	74.00	-16.29	41.27	34.40	11.91	29.87	0.00	300	141
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5146.90	57.71	74.00	-16.29	41.27	34.40	11.91	29.87	0.00	300	141	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>113.78</td><td>-----</td><td>-----</td><td>97.28</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>300</td><td>141</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	113.78	-----	-----	97.28	34.45	11.93	29.88	0.00	300	141
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	113.78	-----	-----	97.28	34.45	11.93	29.88	0.00	300	141	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.90</td><td>47.57</td><td>54.00</td><td>-6.43</td><td>31.13</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>300</td><td>141</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.90	47.57	54.00	-6.43	31.13	34.40	11.90	29.86	0.00	300	141
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5122.90	47.57	54.00	-6.43	31.13	34.40	11.90	29.86	0.00	300	141	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.59</td><td>-----</td><td>-----</td><td>89.09</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>300</td><td>141</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.59	-----	-----	89.09	34.45	11.93	29.88	0.00	300	141
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	105.59	-----	-----	89.09	34.45	11.93	29.88	0.00	300	141	AVERAGE																																											







Mode	66																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 38+1_5180MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5115.00</td><td>58.19</td><td>74.00</td><td>-15.81</td><td>41.76</td><td>34.40</td><td>11.89</td><td>29.86</td><td>0.00</td><td>300</td><td>282</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5115.00	58.19	74.00	-15.81	41.76	34.40	11.89	29.86	0.00	300	282	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.67</td><td>-----</td><td>-----</td><td>93.17</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>300</td><td>282</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.67	-----	-----	93.17	34.45	11.93	29.88	0.00	300	282
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5115.00	58.19	74.00	-15.81	41.76	34.40	11.89	29.86	0.00	300	282	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	109.67	-----	-----	93.17	34.45	11.93	29.88	0.00	300	282	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5131.60</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>30.41</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>300</td><td>282</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5131.60	46.85	54.00	-7.15	30.41	34.40	11.90	29.86	0.00	300	282	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.82</td><td>-----</td><td>-----</td><td>85.32</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>300</td><td>282</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.82	-----	-----	85.32	34.45	11.93	29.88	0.00	300	282
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5131.60	46.85	54.00	-7.15	30.41	34.40	11.90	29.86	0.00	300	282	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	101.82	-----	-----	85.32	34.45	11.93	29.88	0.00	300	282	AVERAGE																																																																																							







Mode	67																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 53+4_5180MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.25</td><td>58.14</td><td>74.00</td><td>-15.86</td><td>41.70</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>300</td><td>141</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.25	58.14	74.00	-15.86	41.70	34.40	11.90	29.86	0.00	300	141	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.12</td><td>-----</td><td>-----</td><td>95.62</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>300</td><td>141</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.12	-----	-----	95.62	34.45	11.93	29.88	0.00	300	141
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5135.25	58.14	74.00	-15.86	41.70	34.40	11.90	29.86	0.00	300	141	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	112.12	-----	-----	95.62	34.45	11.93	29.88	0.00	300	141	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.05</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>30.65</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>300</td><td>141</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.05	47.09	54.00	-6.91	30.65	34.40	11.91	29.87	0.00	300	141	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.12</td><td>-----</td><td>-----</td><td>86.62</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>300</td><td>141</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.12	-----	-----	86.62	34.45	11.93	29.88	0.00	300	141
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5144.05	47.09	54.00	-6.91	30.65	34.40	11.91	29.87	0.00	300	141	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	103.12	-----	-----	86.62	34.45	11.93	29.88	0.00	300	141	AVERAGE																																																																																																			







Mode	67																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Index 53+4_5180MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.95</td><td>57.75</td><td>74.00</td><td>-16.25</td><td>41.32</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>272</td><td>217</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5103.95	57.75	74.00	-16.25	41.32	34.40	11.88	29.85	0.00	272	217	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.21</td><td>-----</td><td>-----</td><td>93.71</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>272</td><td>217</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	110.21	-----	-----	93.71	34.45	11.93	29.88	0.00	272	217
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5103.95	57.75	74.00	-16.25	41.32	34.40	11.88	29.85	0.00	272	217	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5180.00	110.21	-----	-----	93.71	34.45	11.93	29.88	0.00	272	217	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.55</td><td>46.88</td><td>54.00</td><td>-7.12</td><td>30.44</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>272</td><td>217</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5133.55	46.88	54.00	-7.12	30.44	34.40	11.90	29.86	0.00	272	217	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.30</td><td>-----</td><td>-----</td><td>84.00</td><td>34.45</td><td>11.93</td><td>29.88</td><td>0.00</td><td>272</td><td>217</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	101.30	-----	-----	84.00	34.45	11.93	29.88	0.00	272	217
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5133.55	46.88	54.00	-7.12	30.44	34.40	11.90	29.86	0.00	272	217	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	5180.00	101.30	-----	-----	84.00	34.45	11.93	29.88	0.00	272	217	AVERAGE																																																																																																			







Mode	68																																																														
	Band Edge																																																														
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Index 39+7_5320MHz																																																														
ANT	CDD 6+7																																																														
Pol.	Horizontal						Fundamental																																																								
Peak																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5352.05</td><td>59.99</td><td>74.00</td><td>-14.01</td><td>43.20</td><td>34.51</td><td>12.12</td><td>29.84</td><td>0.00</td><td>100</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5352.05	59.99	74.00	-14.01	43.20	34.51	12.12	29.84	0.00	100	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5352.05	59.99	74.00	-14.01	43.20	34.51	12.12	29.84	0.00	100	167	PEAK																																																			
Fundamental																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5320.00</td><td>116.16</td><td>-----</td><td>-----</td><td>99.47</td><td>34.50</td><td>12.08</td><td>29.89</td><td>0.00</td><td>100</td><td>167</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5320.00	116.16	-----	-----	99.47	34.50	12.08	29.89	0.00	100	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5320.00	116.16	-----	-----	99.47	34.50	12.08	29.89	0.00	100	167	PEAK																																																			
Avg																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5350.00</td><td>48.52</td><td>54.00</td><td>-5.48</td><td>31.75</td><td>34.50</td><td>12.11</td><td>29.84</td><td>0.00</td><td>100</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5350.00	48.52	54.00	-5.48	31.75	34.50	12.11	29.84	0.00	100	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5350.00	48.52	54.00	-5.48	31.75	34.50	12.11	29.84	0.00	100	167	AVERAGE																																																			
Fundamental																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5320.00</td><td>106.94</td><td>-----</td><td>-----</td><td>90.23</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>100</td><td>167</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5320.00	106.94	-----	-----	90.23	34.50	12.09	29.88	0.00	100	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5320.00	106.94	-----	-----	90.23	34.50	12.09	29.88	0.00	100	167	AVERAGE																																																			







Mode	69																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Index 54+4_5320MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5372.35</td><td>56.33</td><td>74.00</td><td>-17.67</td><td>39.42</td><td>34.59</td><td>12.14</td><td>29.82</td><td>0.00</td><td>105</td><td>165</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.35	56.33	74.00	-17.67	39.42	34.59	12.14	29.82	0.00	105	165	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>112.11</td><td>-----</td><td>-----</td><td>95.40</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>105</td><td>165</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.11	-----	-----	95.40	34.50	12.09	29.88	0.00	105	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5372.35	56.33	74.00	-17.67	39.42	34.59	12.14	29.82	0.00	105	165	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	112.11	-----	-----	95.40	34.50	12.09	29.88	0.00	105	165	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5359.45</td><td>45.96</td><td>54.00</td><td>-8.04</td><td>29.12</td><td>34.54</td><td>12.13</td><td>29.83</td><td>0.00</td><td>105</td><td>165</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.45	45.96	54.00	-8.04	29.12	34.54	12.13	29.83	0.00	105	165	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>103.77</td><td>-----</td><td>-----</td><td>87.00</td><td>34.50</td><td>12.08</td><td>29.89</td><td>0.00</td><td>105</td><td>165</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.77	-----	-----	87.00	34.50	12.08	29.89	0.00	105	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5359.45	45.96	54.00	-8.04	29.12	34.54	12.13	29.83	0.00	105	165	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	103.77	-----	-----	87.00	34.50	12.08	29.89	0.00	105	165	AVERAGE																																																																																																			



Mode	69																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Index 54+4_5320MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5370.35</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>39.12</td><td>34.58</td><td>12.14</td><td>29.82</td><td>0.00</td><td>276</td><td>212</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.35	56.02	74.00	-17.98	39.12	34.58	12.14	29.82	0.00	276	212	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>110.41</td><td>-----</td><td>-----</td><td>93.70</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>276</td><td>212</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.41	-----	-----	93.70	34.50	12.09	29.88	0.00	276	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5370.35	56.02	74.00	-17.98	39.12	34.58	12.14	29.82	0.00	276	212	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	110.41	-----	-----	93.70	34.50	12.09	29.88	0.00	276	212	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5391.05</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>28.30</td><td>34.66</td><td>12.16</td><td>29.79</td><td>0.00</td><td>276</td><td>212</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.05	45.33	54.00	-8.67	28.30	34.66	12.16	29.79	0.00	276	212	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>100.98</td><td>-----</td><td>-----</td><td>84.26</td><td>34.50</td><td>12.09</td><td>29.87</td><td>0.00</td><td>276</td><td>212</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.98	-----	-----	84.26	34.50	12.09	29.87	0.00	276	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5391.05	45.33	54.00	-8.67	28.30	34.66	12.16	29.79	0.00	276	212	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	100.98	-----	-----	84.26	34.50	12.09	29.87	0.00	276	212	AVERAGE																																																																																							





	70																																																																																																																												
Mode	Band Edge																																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 38+1_5500MHz																																																																																																																												
ANT	CDD 6+7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.29</td><td>58.11</td><td>74.00</td><td>-15.89</td><td>40.96</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>118</td><td>215</td><td>PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>58.43</td><td>68.20</td><td>-9.77</td><td>41.31</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>118</td><td>215</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.29	58.11	74.00	-15.89	40.96	34.79	12.23	29.87	0.00	118	215	PEAK	2	5469.13	58.43	68.20	-9.77	41.31	34.76	12.25	29.89	0.00	118	215	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>113.96</td><td>-----</td><td>-----</td><td>96.90</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>118</td><td>215</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	113.96	-----	-----	96.90	34.72	12.27	29.93	0.00	118	215	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5457.29	58.11	74.00	-15.89	40.96	34.79	12.23	29.87	0.00	118	215	PEAK																																																																																																																	
2	5469.13	58.43	68.20	-9.77	41.31	34.76	12.25	29.89	0.00	118	215	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	113.96	-----	-----	96.90	34.72	12.27	29.93	0.00	118	215	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.25</td><td>46.82</td><td>54.00</td><td>-7.18</td><td>29.65</td><td>34.80</td><td>12.23</td><td>29.86</td><td>0.00</td><td>118</td><td>215</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.25	46.82	54.00	-7.18	29.65	34.80	12.23	29.86	0.00	118	215	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.84</td><td>-----</td><td>-----</td><td>88.78</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>118</td><td>215</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.84	-----	-----	88.78	34.72	12.27	29.93	0.00	118	215	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5450.25	46.82	54.00	-7.18	29.65	34.80	12.23	29.86	0.00	118	215	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5500.00	105.84	-----	-----	88.78	34.72	12.27	29.93	0.00	118	215	AVERAGE																																																																																																																	







		70																																																																					
Mode	Band Edge																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 38+1_5500MHz																																																																						
ANT	CDD 6+7																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5444.65</td><td>56.66</td><td>74.00</td><td>-17.34</td><td>39.50</td><td>34.79</td><td>12.22</td><td>29.85</td><td>0.00</td><td>268</td><td>0 PEAK</td></tr><tr><td>2</td><td>5468.01</td><td>55.94</td><td>68.20</td><td>-12.26</td><td>38.80</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>268</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5444.65	56.66	74.00	-17.34	39.50	34.79	12.22	29.85	0.00	268	0 PEAK	2	5468.01	55.94	68.20	-12.26	38.80	34.78	12.24	29.88	0.00	268
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5444.65	56.66	74.00	-17.34	39.50	34.79	12.22	29.85	0.00	268	0 PEAK																																																												
2	5468.01	55.94	68.20	-12.26	38.80	34.78	12.24	29.88	0.00	268	0 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.73</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>28.83</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>268</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.73	45.97	54.00	-8.03	28.83	34.78	12.23	29.87	0.00	268	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5458.73	45.97	54.00	-8.03	28.83	34.78	12.23	29.87	0.00	268	0 AVERAGE																																																												
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>109.01</td><td>-----</td><td>-----</td><td>91.95</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>268</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	109.01	-----	-----	91.95	34.72	12.27	29.93	0.00	268	0 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5500.00	109.01	-----	-----	91.95	34.72	12.27	29.93	0.00	268	0 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>101.10</td><td>-----</td><td>-----</td><td>84.04</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>268</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	101.10	-----	-----	84.04	34.72	12.27	29.93	0.00	268	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5500.00	101.10	-----	-----	84.04	34.72	12.27	29.93	0.00	268	0 AVERAGE																																																												






		71																																																																		
Mode		Band Edge																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 53+4_5500MHz																																																																		
ANT		CDD 6+7																																																																		
Pol.		Fundamental																																																																		
Peak	Horizontal	Fundamental																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.65</td><td>56.05</td><td>74.00</td><td>-17.95</td><td>38.89</td><td>34.00</td><td>12.22</td><td>29.86</td><td>0.00</td><td>115</td><td>209</td><td>PEAK</td></tr><tr><td>2</td><td>5460.97</td><td>56.78</td><td>68.20</td><td>-11.42</td><td>39.64</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>115</td><td>209</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.65	56.05	74.00	-17.95	38.89	34.00	12.22	29.86	0.00	115	209	PEAK	2	5460.97	56.78	68.20	-11.42	39.64	34.78	12.24	29.88	0.00	115	209
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5448.65	56.05	74.00	-17.95	38.89	34.00	12.22	29.86	0.00	115	209	PEAK																																																								
2	5460.97	56.78	68.20	-11.42	39.64	34.78	12.24	29.88	0.00	115	209	PEAK																																																								
Avg	Horizontal	Fundamental																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.28</td><td>46.17</td><td>54.00</td><td>-7.83</td><td>29.02</td><td>34.78</td><td>12.24</td><td>29.87</td><td>0.00</td><td>115</td><td>209</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	46.17	54.00	-7.83	29.02	34.78	12.24	29.87	0.00	115	209	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.28	46.17	54.00	-7.83	29.02	34.78	12.24	29.87	0.00	115	209	AVERAGE																																																								






Mode	71																																																																																																												
	Band Edge																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Index 53+4_5500MHz																																																																																																												
ANT	CDD 6+7																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5440.81</td><td>56.04</td><td>74.00</td><td>-17.96</td><td>38.90</td><td>34.78</td><td>12.21</td><td>29.85</td><td>0.00</td><td>267</td><td>0 PEAK</td></tr><tr><td>2</td><td>5464.97</td><td>55.49</td><td>68.20</td><td>-12.71</td><td>38.36</td><td>34.77</td><td>12.24</td><td>29.88</td><td>0.00</td><td>267</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.81	56.04	74.00	-17.96	38.90	34.78	12.21	29.85	0.00	267	0 PEAK	2	5464.97	55.49	68.20	-12.71	38.36	34.77	12.24	29.88	0.00	267	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>106.80</td><td>-----</td><td>-----</td><td>89.74</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>267</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.80	-----	-----	89.74	34.72	12.27	29.93	0.00	267
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5440.81	56.04	74.00	-17.96	38.90	34.78	12.21	29.85	0.00	267	0 PEAK																																																																																																		
2	5464.97	55.49	68.20	-12.71	38.36	34.77	12.24	29.88	0.00	267	0 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	106.80	-----	-----	89.74	34.72	12.27	29.93	0.00	267	0 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5499.21</td><td>45.68</td><td>54.00</td><td>-8.32</td><td>28.53</td><td>34.78</td><td>12.24</td><td>29.87</td><td>0.00</td><td>267</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5499.21	45.68	54.00	-8.32	28.53	34.78	12.24	29.87	0.00	267	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.76</td><td>-----</td><td>-----</td><td>81.70</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>267</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.76	-----	-----	81.70	34.72	12.27	29.93	0.00	267	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5499.21	45.68	54.00	-8.32	28.53	34.78	12.24	29.87	0.00	267	0 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	98.76	-----	-----	81.70	34.72	12.27	29.93	0.00	267	0 AVERAGE																																																																																																		






Mode	72																																																																													
	Band Edge																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Index 39+7_5700MHz																																																																													
ANT	CDD 6+7																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5746.16</td><td>59.42</td><td>68.20</td><td>-8.78</td><td>41.87</td><td>34.89</td><td>12.54</td><td>29.88</td><td>0.00</td><td>138 179 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5746.16	59.42	68.20	-8.78	41.87	34.89	12.54	29.88	0.00	138 179 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>114.65</td><td>-----</td><td>-----</td><td>97.36</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>138 179 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	114.65	-----	-----	97.36	34.80	12.49	30.00	0.00	138 179 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5746.16	59.42	68.20	-8.78	41.87	34.89	12.54	29.88	0.00	138 179 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5700.00	114.65	-----	-----	97.36	34.80	12.49	30.00	0.00	138 179 PEAK																																																																					
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>105.87</td><td>-----</td><td>-----</td><td>88.58</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>138 179 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	105.87	-----	-----	88.58	34.80	12.49	30.00	0.00	138 179 AVERAGE																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1 5700.00	105.87	-----	-----	88.58	34.80	12.49	30.00	0.00	138 179 AVERAGE																																																																					






Mode	72																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Index 39+7_5700MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5742.88</td><td>56.55</td><td>68.20</td><td>-11.65</td><td>39.02</td><td>34.09</td><td>12.53</td><td>29.09</td><td>0.00</td><td>100</td><td>207</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.88	56.55	68.20	-11.65	39.02	34.09	12.53	29.09	0.00	100	207	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.91</td><td>-----</td><td>-----</td><td>91.62</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>207</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.91	-----	-----	91.62	34.80	12.49	30.00	0.00	100	207
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5742.88	56.55	68.20	-11.65	39.02	34.09	12.53	29.09	0.00	100	207	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	108.91	-----	-----	91.62	34.80	12.49	30.00	0.00	100	207	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.86</td><td>-----</td><td>-----</td><td>83.57</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>207</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.86	-----	-----	83.57	34.80	12.49	30.00	0.00	100	207	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	100.86	-----	-----	83.57	34.80	12.49	30.00	0.00	100	207	AVERAGE																																																																																							






Mode	73																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Index 54+4_5700MHz																																																																																													
ANT	CDD 6+7																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.20</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>39.68</td><td>34.85</td><td>12.52</td><td>29.94</td><td>0.00</td><td>136</td><td>179 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.20	57.11	68.20	-11.09	39.68	34.85	12.52	29.94	0.00	136	179 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>112.79</td><td>-----</td><td>-----</td><td>95.50</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>136</td><td>179 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	112.79	-----	-----	95.50	34.80	12.49	30.00	0.00	136
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5725.20	57.11	68.20	-11.09	39.68	34.85	12.52	29.94	0.00	136	179 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5700.00	112.79	-----	-----	95.50	34.80	12.49	30.00	0.00	136	179 PEAK																																																																																				
Avg	Blank																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>103.51</td><td>-----</td><td>-----</td><td>86.22</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>136</td><td>179 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	103.51	-----	-----	86.22	34.80	12.49	30.00	0.00	136	179 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5700.00	103.51	-----	-----	86.22	34.80	12.49	30.00	0.00	136	179 AVERAGE																																																																																				






Mode	73																																																																																												
	Band Edge																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Index 54+4_5700MHz																																																																																												
ANT	CDD 6+7																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.00</td><td>56.77</td><td>68.20</td><td>-11.43</td><td>39.34</td><td>34.85</td><td>12.52</td><td>29.94</td><td>0.00</td><td>100</td><td>206 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.00	56.77	68.20	-11.43	39.34	34.85	12.52	29.94	0.00	100	206 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>107.38</td><td>-----</td><td>-----</td><td>90.09</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>206 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	107.38	-----	-----	90.09	34.80	12.49	30.00	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5725.00	56.77	68.20	-11.43	39.34	34.85	12.52	29.94	0.00	100	206 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5700.00	107.38	-----	-----	90.09	34.80	12.49	30.00	0.00	100	206 PEAK																																																																																			
Avg	Blank																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>99.03</td><td>-----</td><td>-----</td><td>81.74</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>206 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	99.03	-----	-----	81.74	34.80	12.49	30.00	0.00	100	206 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5700.00	99.03	-----	-----	81.74	34.80	12.49	30.00	0.00	100	206 AVERAGE																																																																																			






Mode	74																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Index 38+1_5745MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.60</td><td>57.12</td><td>68.20</td><td>-11.08</td><td>39.82</td><td>34.70</td><td>12.42</td><td>29.82</td><td>0.00</td><td>203</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>56.79</td><td>69.09</td><td>-12.30</td><td>39.52</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>203</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>5704.80</td><td>57.67</td><td>106.65</td><td>-48.98</td><td>40.36</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>203</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>54.57</td><td>110.90</td><td>-56.33</td><td>37.17</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>203</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.60	57.12	68.20	-11.08	39.82	34.70	12.42	29.82	0.00	203	181	PEAK	2	5651.20	56.79	69.09	-12.30	39.52	34.70	12.44	29.87	0.00	203	181	PEAK	3	5704.80	57.67	106.65	-48.98	40.36	34.81	12.49	29.99	0.00	203	181	PEAK	4	5728.00	54.57	110.90	-56.33	37.17	34.84	12.51	29.95	0.00	203	181	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.97</td><td>-----</td><td>-----</td><td>96.46</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>203</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.97	-----	-----	96.46	34.88	12.53	29.90	0.00	203	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5631.60	57.12	68.20	-11.08	39.82	34.70	12.42	29.82	0.00	203	181	PEAK																																																																																																																														
2	5651.20	56.79	69.09	-12.30	39.52	34.70	12.44	29.87	0.00	203	181	PEAK																																																																																																																														
3	5704.80	57.67	106.65	-48.98	40.36	34.81	12.49	29.99	0.00	203	181	PEAK																																																																																																																														
4	5728.00	54.57	110.90	-56.33	37.17	34.84	12.51	29.95	0.00	203	181	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	113.97	-----	-----	96.46	34.88	12.53	29.90	0.00	203	181	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.05</td><td>-----</td><td>-----</td><td>88.54</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>203</td><td>181</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.05	-----	-----	88.54	34.88	12.53	29.90	0.00	203	181	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	106.05	-----	-----	88.54	34.88	12.53	29.90	0.00	203	181	AVERAGE																																																																																																																														






	74																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Index 38+1_5745MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5630.00</td><td>56.92</td><td>68.20</td><td>-11.28</td><td>39.61</td><td>34.70</td><td>12.42</td><td>29.81</td><td>0.00</td><td>112</td><td>139 PEAK</td></tr><tr><td>2 5650.00</td><td>53.69</td><td>68.20</td><td>-14.51</td><td>36.41</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>112</td><td>139 PEAK</td></tr><tr><td>3 5706.00</td><td>55.32</td><td>107.21</td><td>-51.89</td><td>37.99</td><td>34.81</td><td>12.50</td><td>29.98</td><td>0.00</td><td>112</td><td>139 PEAK</td></tr><tr><td>4 5720.40</td><td>54.71</td><td>111.81</td><td>-57.10</td><td>37.31</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>112</td><td>139 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5630.00	56.92	68.20	-11.28	39.61	34.70	12.42	29.81	0.00	112	139 PEAK	2 5650.00	53.69	68.20	-14.51	36.41	34.70	12.44	29.86	0.00	112	139 PEAK	3 5706.00	55.32	107.21	-51.89	37.99	34.81	12.50	29.98	0.00	112	139 PEAK	4 5720.40	54.71	111.81	-57.10	37.31	34.84	12.51	29.95	0.00	112	139 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>112.05</td><td>-----</td><td>-----</td><td>94.54</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>112</td><td>139 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	112.05	-----	-----	94.54	34.88	12.53	29.90	0.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5630.00	56.92	68.20	-11.28	39.61	34.70	12.42	29.81	0.00	112	139 PEAK																																																																																																																									
2 5650.00	53.69	68.20	-14.51	36.41	34.70	12.44	29.86	0.00	112	139 PEAK																																																																																																																									
3 5706.00	55.32	107.21	-51.89	37.99	34.81	12.50	29.98	0.00	112	139 PEAK																																																																																																																									
4 5720.40	54.71	111.81	-57.10	37.31	34.84	12.51	29.95	0.00	112	139 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	112.05	-----	-----	94.54	34.88	12.53	29.90	0.00	112	139 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>102.32</td><td>-----</td><td>-----</td><td>84.81</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>112</td><td>139 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	102.32	-----	-----	84.81	34.88	12.53	29.90	0.00	112	139 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	102.32	-----	-----	84.81	34.88	12.53	29.90	0.00	112	139 AVERAGE																																																																																																																									






	75																																																																																																																																									
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Index 53+4_5745MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5612.00</td><td>56.89</td><td>68.20</td><td>-11.31</td><td>39.55</td><td>34.70</td><td>12.40</td><td>29.76</td><td>0.00</td><td>203</td><td>180</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.69</td><td>68.20</td><td>-12.51</td><td>38.41</td><td>34.70</td><td>12.44</td><td>29.86</td><td>0.00</td><td>203</td><td>180</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>55.93</td><td>105.75</td><td>-49.82</td><td>38.64</td><td>34.00</td><td>12.49</td><td>30.00</td><td>0.00</td><td>203</td><td>180</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>56.68</td><td>111.81</td><td>-55.13</td><td>39.28</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>203</td><td>180</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5612.00	56.89	68.20	-11.31	39.55	34.70	12.40	29.76	0.00	203	180	PEAK	2	5650.00	55.69	68.20	-12.51	38.41	34.70	12.44	29.86	0.00	203	180	PEAK	3	5701.60	55.93	105.75	-49.82	38.64	34.00	12.49	30.00	0.00	203	180	PEAK	4	5720.40	56.68	111.81	-55.13	39.28	34.84	12.51	29.95	0.00	203	180	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>113.74</td><td>-----</td><td>-----</td><td>96.27</td><td>34.87</td><td>12.52</td><td>29.92</td><td>0.00</td><td>203</td><td>180</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.74	-----	-----	96.27	34.87	12.52	29.92	0.00	203	180
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5612.00	56.89	68.20	-11.31	39.55	34.70	12.40	29.76	0.00	203	180	PEAK																																																																																																																														
2	5650.00	55.69	68.20	-12.51	38.41	34.70	12.44	29.86	0.00	203	180	PEAK																																																																																																																														
3	5701.60	55.93	105.75	-49.82	38.64	34.00	12.49	30.00	0.00	203	180	PEAK																																																																																																																														
4	5720.40	56.68	111.81	-55.13	39.28	34.84	12.51	29.95	0.00	203	180	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	113.74	-----	-----	96.27	34.87	12.52	29.92	0.00	203	180	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.38</td><td>-----</td><td>-----</td><td>86.91</td><td>34.87</td><td>12.52</td><td>29.92</td><td>0.00</td><td>203</td><td>180</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.38	-----	-----	86.91	34.87	12.52	29.92	0.00	203	180	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	104.38	-----	-----	86.91	34.87	12.52	29.92	0.00	203	180	AVERAGE																																																																																																																														






	75																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Index 53+4_5745MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5621.20</td><td>56.82</td><td>68.20</td><td>-11.38</td><td>39.50</td><td>34.70</td><td>12.41</td><td>29.79</td><td>0.00</td><td>112</td><td>138 PEAK</td></tr><tr><td>2 5652.00</td><td>54.82</td><td>69.69</td><td>-14.87</td><td>37.55</td><td>34.70</td><td>12.44</td><td>29.87</td><td>0.00</td><td>112</td><td>138 PEAK</td></tr><tr><td>3 5703.20</td><td>56.80</td><td>106.20</td><td>-49.40</td><td>39.49</td><td>34.81</td><td>12.49</td><td>29.99</td><td>0.00</td><td>112</td><td>138 PEAK</td></tr><tr><td>4 5720.00</td><td>55.28</td><td>110.90</td><td>-55.62</td><td>37.88</td><td>34.84</td><td>12.51</td><td>29.95</td><td>0.00</td><td>112</td><td>138 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5621.20	56.82	68.20	-11.38	39.50	34.70	12.41	29.79	0.00	112	138 PEAK	2 5652.00	54.82	69.69	-14.87	37.55	34.70	12.44	29.87	0.00	112	138 PEAK	3 5703.20	56.80	106.20	-49.40	39.49	34.81	12.49	29.99	0.00	112	138 PEAK	4 5720.00	55.28	110.90	-55.62	37.88	34.84	12.51	29.95	0.00	112	138 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>108.73</td><td>-----</td><td>-----</td><td>91.19</td><td>34.89</td><td>12.54</td><td>29.89</td><td>0.00</td><td>112</td><td>138 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	108.73	-----	-----	91.19	34.89	12.54	29.89	0.00	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5621.20	56.82	68.20	-11.38	39.50	34.70	12.41	29.79	0.00	112	138 PEAK																																																																																																																									
2 5652.00	54.82	69.69	-14.87	37.55	34.70	12.44	29.87	0.00	112	138 PEAK																																																																																																																									
3 5703.20	56.80	106.20	-49.40	39.49	34.81	12.49	29.99	0.00	112	138 PEAK																																																																																																																									
4 5720.00	55.28	110.90	-55.62	37.88	34.84	12.51	29.95	0.00	112	138 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	108.73	-----	-----	91.19	34.89	12.54	29.89	0.00	112	138 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>100.09</td><td>-----</td><td>-----</td><td>82.58</td><td>34.88</td><td>12.53</td><td>29.90</td><td>0.00</td><td>112</td><td>138 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	100.09	-----	-----	82.58	34.88	12.53	29.90	0.00	112	138 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	100.09	-----	-----	82.58	34.88	12.53	29.90	0.00	112	138 AVERAGE																																																																																																																									






Mode	76																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Index 39+7_5825MHz																																																																																																																																										
ANT	CDD 6+7																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.74</td><td>111.36</td><td>-56.62</td><td>36.89</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>57.36</td><td>106.25</td><td>-48.89</td><td>39.50</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>194</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.71</td><td>68.64</td><td>-13.93</td><td>36.68</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>194</td><td>PEAK</td></tr><tr><td>4</td><td>5955.60</td><td>57.59</td><td>68.20</td><td>-10.61</td><td>39.37</td><td>35.23</td><td>12.82</td><td>29.83</td><td>0.00</td><td>100</td><td>194</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	54.74	111.36	-56.62	36.89	35.00	12.67	29.82	0.00	100	194	PEAK	2	5871.60	57.36	106.25	-48.89	39.50	35.00	12.70	29.84	0.00	100	194	PEAK	3	5924.40	54.71	68.64	-13.93	36.68	35.10	12.78	29.85	0.00	100	194	PEAK	4	5955.60	57.59	68.20	-10.61	39.37	35.23	12.82	29.83	0.00	100	194	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>111.67</td><td>-----</td><td>-----</td><td>93.82</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>100</td><td>194</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.67	-----	-----	93.82	35.00	12.64	29.79	0.00	100	194	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5854.80	54.74	111.36	-56.62	36.89	35.00	12.67	29.82	0.00	100	194	PEAK																																																																																																																															
2	5871.60	57.36	106.25	-48.89	39.50	35.00	12.70	29.84	0.00	100	194	PEAK																																																																																																																															
3	5924.40	54.71	68.64	-13.93	36.68	35.10	12.78	29.85	0.00	100	194	PEAK																																																																																																																															
4	5955.60	57.59	68.20	-10.61	39.37	35.23	12.82	29.83	0.00	100	194	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	111.67	-----	-----	93.82	35.00	12.64	29.79	0.00	100	194	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>104.38</td><td>-----</td><td>-----</td><td>86.53</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>100</td><td>194</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.38	-----	-----	86.53	35.00	12.64	29.79	0.00	100	194	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	104.38	-----	-----	86.53	35.00	12.64	29.79	0.00	100	194	AVERAGE																																																																																																																															






	76																																																																																																																																									
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Index 39+7_5825MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>56.65</td><td>112.27</td><td>-55.62</td><td>38.80</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>100</td><td>204</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>55.18</td><td>105.36</td><td>-50.18</td><td>37.32</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>100</td><td>204</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.19</td><td>68.35</td><td>-14.16</td><td>36.16</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>100</td><td>204</td><td>PEAK</td></tr><tr><td>4</td><td>5943.20</td><td>56.74</td><td>68.20</td><td>-11.46</td><td>38.61</td><td>35.17</td><td>12.80</td><td>29.84</td><td>0.00</td><td>100</td><td>204</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	56.65	112.27	-55.62	38.80	35.00	12.67	29.82	0.00	100	204	PEAK	2	5874.80	55.18	105.36	-50.18	37.32	35.00	12.70	29.84	0.00	100	204	PEAK	3	5924.80	54.19	68.35	-14.16	36.16	35.10	12.78	29.85	0.00	100	204	PEAK	4	5943.20	56.74	68.20	-11.46	38.61	35.17	12.80	29.84	0.00	100	204	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.69</td><td>-----</td><td>-----</td><td>90.84</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>100</td><td>204</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.69	-----	-----	90.84	35.00	12.64	29.79	0.00	100	204
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.40	56.65	112.27	-55.62	38.80	35.00	12.67	29.82	0.00	100	204	PEAK																																																																																																																														
2	5874.80	55.18	105.36	-50.18	37.32	35.00	12.70	29.84	0.00	100	204	PEAK																																																																																																																														
3	5924.80	54.19	68.35	-14.16	36.16	35.10	12.78	29.85	0.00	100	204	PEAK																																																																																																																														
4	5943.20	56.74	68.20	-11.46	38.61	35.17	12.80	29.84	0.00	100	204	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	108.69	-----	-----	90.84	35.00	12.64	29.79	0.00	100	204	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.08</td><td>-----</td><td>-----</td><td>83.23</td><td>35.00</td><td>12.64</td><td>29.79</td><td>0.00</td><td>100</td><td>204</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.08	-----	-----	83.23	35.00	12.64	29.79	0.00	100	204	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	101.08	-----	-----	83.23	35.00	12.64	29.79	0.00	100	204	AVERAGE																																																																																																																														







	77																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Index 54+4_5825MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>54.20</td><td>111.36</td><td>-57.16</td><td>36.35</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>140</td><td>193</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>56.63</td><td>105.58</td><td>-48.95</td><td>38.77</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>140</td><td>193</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>54.92</td><td>68.35</td><td>-13.43</td><td>36.89</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>140</td><td>193</td><td>PEAK</td></tr><tr><td>4</td><td>5952.00</td><td>58.97</td><td>68.20</td><td>-9.23</td><td>40.76</td><td>35.22</td><td>12.82</td><td>29.83</td><td>0.00</td><td>140</td><td>193</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	54.20	111.36	-57.16	36.35	35.00	12.67	29.82	0.00	140	193	PEAK	2	5874.00	56.63	105.58	-48.95	38.77	35.00	12.70	29.84	0.00	140	193	PEAK	3	5924.00	54.92	68.35	-13.43	36.89	35.10	12.78	29.85	0.00	140	193	PEAK	4	5952.00	58.97	68.20	-9.23	40.76	35.22	12.82	29.83	0.00	140	193	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.05</td><td>-----</td><td>-----</td><td>93.20</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>140</td><td>193</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	111.05	-----	-----	93.20	35.00	12.63	29.78	0.00	140	193	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.00	54.20	111.36	-57.16	36.35	35.00	12.67	29.82	0.00	140	193	PEAK																																																																																																																													
2	5874.00	56.63	105.58	-48.95	38.77	35.00	12.70	29.84	0.00	140	193	PEAK																																																																																																																													
3	5924.00	54.92	68.35	-13.43	36.89	35.10	12.78	29.85	0.00	140	193	PEAK																																																																																																																													
4	5952.00	58.97	68.20	-9.23	40.76	35.22	12.82	29.83	0.00	140	193	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	111.05	-----	-----	93.20	35.00	12.63	29.78	0.00	140	193	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.48</td><td>-----</td><td>-----</td><td>84.63</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>140</td><td>193</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.48	-----	-----	84.63	35.00	12.63	29.78	0.00	140	193	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	102.48	-----	-----	84.63	35.00	12.63	29.78	0.00	140	193	AVERAGE																																																																																																																													





	77																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Index 54+4_5825MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>54.51</td><td>112.27</td><td>-57.76</td><td>36.66</td><td>35.00</td><td>12.67</td><td>29.82</td><td>0.00</td><td>101</td><td>203 PEAK</td></tr><tr><td>2 5874.00</td><td>55.72</td><td>105.58</td><td>-49.86</td><td>37.86</td><td>35.00</td><td>12.70</td><td>29.84</td><td>0.00</td><td>101</td><td>203 PEAK</td></tr><tr><td>3 5922.80</td><td>56.53</td><td>69.83</td><td>-13.30</td><td>38.52</td><td>35.09</td><td>12.77</td><td>29.85</td><td>0.00</td><td>101</td><td>203 PEAK</td></tr><tr><td>4 5926.00</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>39.78</td><td>35.10</td><td>12.78</td><td>29.85</td><td>0.00</td><td>101</td><td>203 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	54.51	112.27	-57.76	36.66	35.00	12.67	29.82	0.00	101	203 PEAK	2 5874.00	55.72	105.58	-49.86	37.86	35.00	12.70	29.84	0.00	101	203 PEAK	3 5922.80	56.53	69.83	-13.30	38.52	35.09	12.77	29.85	0.00	101	203 PEAK	4 5926.00	57.81	68.20	-10.39	39.78	35.10	12.78	29.85	0.00	101	203 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.59</td><td>-----</td><td>-----</td><td>89.74</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>101</td><td>203 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.59	-----	-----	89.74	35.00	12.63	29.78	0.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.40	54.51	112.27	-57.76	36.66	35.00	12.67	29.82	0.00	101	203 PEAK																																																																																																																									
2 5874.00	55.72	105.58	-49.86	37.86	35.00	12.70	29.84	0.00	101	203 PEAK																																																																																																																									
3 5922.80	56.53	69.83	-13.30	38.52	35.09	12.77	29.85	0.00	101	203 PEAK																																																																																																																									
4 5926.00	57.81	68.20	-10.39	39.78	35.10	12.78	29.85	0.00	101	203 PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	107.59	-----	-----	89.74	35.00	12.63	29.78	0.00	101	203 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>98.84</td><td>-----</td><td>-----</td><td>80.99</td><td>35.00</td><td>12.63</td><td>29.78</td><td>0.00</td><td>101</td><td>203 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	98.84	-----	-----	80.99	35.00	12.63	29.78	0.00	101	203 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	98.84	-----	-----	80.99	35.00	12.63	29.78	0.00	101	203 AVERAGE																																																																																																																									







Mode	78																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ④ 5210MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.77</td><td>61.67</td><td>74.00</td><td>-12.33</td><td>45.23</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>107</td><td>165</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.77	61.67	74.00	-12.33	45.23	34.40	11.91	29.87	0.00	107	165	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>105.38</td><td>-----</td><td>-----</td><td>88.85</td><td>34.48</td><td>11.94</td><td>29.89</td><td>0.00</td><td>107</td><td>165</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	105.38	-----	-----	88.85	34.48	11.94	29.89	0.00	107	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5139.77	61.67	74.00	-12.33	45.23	34.40	11.91	29.87	0.00	107	165	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	105.38	-----	-----	88.85	34.48	11.94	29.89	0.00	107	165	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.98</td><td>49.95</td><td>54.00</td><td>-4.05</td><td>33.51</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>107</td><td>165</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.98	49.95	54.00	-4.05	33.51	34.40	11.91	29.87	0.00	107	165	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>97.19</td><td>-----</td><td>-----</td><td>80.66</td><td>34.48</td><td>11.94</td><td>29.89</td><td>0.00</td><td>107</td><td>165</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	97.19	-----	-----	80.66	34.48	11.94	29.89	0.00	107	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.98	49.95	54.00	-4.05	33.51	34.40	11.91	29.87	0.00	107	165	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5210.00	97.19	-----	-----	80.66	34.48	11.94	29.89	0.00	107	165	AVERAGE																																																																																																			





Mode	78																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ④ 5210MHz																																													
ANT	CDD 6+7																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5388.58</td><td>56.40</td><td>74.00</td><td>-17.60</td><td>39.38</td><td>34.65</td><td>12.16</td><td>29.79</td><td>0.00</td><td>107</td><td>165</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5388.58	56.40	74.00	-17.60	39.38	34.65	12.16	29.79	0.00	107	165	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5388.58	56.40	74.00	-17.60	39.38	34.65	12.16	29.79	0.00	107	165	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.69</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>28.66</td><td>34.50</td><td>12.12</td><td>29.84</td><td>0.00</td><td>107</td><td>165</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.69	45.44	54.00	-8.56	28.66	34.50	12.12	29.84	0.00	107	165	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5350.69	45.44	54.00	-8.56	28.66	34.50	12.12	29.84	0.00	107	165	AVERAGE																																		



Mode	78																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ④ 5210MHz																																																																																																																												
ANT	CDD 6+7																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5135.61</td><td>58.39</td><td>74.00</td><td>-15.61</td><td>41.95</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>252</td><td>275</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5135.61	58.39	74.00	-15.61	41.95	34.40	11.90	29.86	0.00	252	275	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5210.00</td><td>102.51</td><td>-----</td><td>-----</td><td>85.98</td><td>34.48</td><td>11.94</td><td>29.89</td><td>0.00</td><td>252</td><td>275</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5210.00	102.51	-----	-----	85.98	34.48	11.94	29.89	0.00	252	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5135.61	58.39	74.00	-15.61	41.95	34.40	11.90	29.86	0.00	252	275	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5210.00	102.51	-----	-----	85.98	34.48	11.94	29.89	0.00	252	275	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5137.27</td><td>47.43</td><td>54.00</td><td>-6.57</td><td>30.98</td><td>34.40</td><td>11.91</td><td>29.86</td><td>0.00</td><td>252</td><td>275</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5137.27	47.43	54.00	-6.57	30.98	34.40	11.91	29.86	0.00	252	275	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5210.00</td><td>94.30</td><td>-----</td><td>-----</td><td>77.77</td><td>34.48</td><td>11.94</td><td>29.89</td><td>0.00</td><td>252</td><td>275</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5210.00	94.30	-----	-----	77.77	34.48	11.94	29.89	0.00	252	275
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5137.27	47.43	54.00	-6.57	30.98	34.40	11.91	29.86	0.00	252	275	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5210.00	94.30	-----	-----	77.77	34.48	11.94	29.89	0.00	252	275	AVERAGE																																																																																																																	



	78																																																	
Mode	Band Edge - R																																																	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Puncturing 20M ④ 5210MHz																																																	
ANT	CDD 6+7																																																	
Pol.	Vertical					Fundamental																																												
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5378.94</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>38.43</td><td>34.58</td><td>12.14</td><td>29.82</td><td>0.00</td><td>252 275 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5378.94	55.33	74.00	-18.67	38.43	34.58	12.14	29.82	0.00	252 275 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																									
1 5378.94	55.33	74.00	-18.67	38.43	34.58	12.14	29.82	0.00	252 275 PEAK																																									
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5363.38</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>27.70</td><td>34.55</td><td>12.13</td><td>29.83</td><td>0.00</td><td>252 275 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5363.38	44.55	54.00	-9.45	27.70	34.55	12.13	29.83	0.00	252 275 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																									
1 5363.38	44.55	54.00	-9.45	27.70	34.55	12.13	29.83	0.00	252 275 AVERAGE																																									