





11BE80MIMO_Ant6_6865_484Tone_RU66



Date: 8.AUG.2025 19:23:47


11BE80MIMO_Ant7_6865_484Tone_RU66



Date: 8.AUG.2025 19:25:10




11BE80MIMO_Ant6_6945_484Tone_RU65



Date: 8.AUG.2025 19:26:58


11BE80MIMO_Ant7_6945_484Tone_RU65



Date: 8.AUG.2025 19:28:25




11BE80MIMO_Ant6_7025_484Tone_RU66



Date: 8.AUG.2025 19:30:38


11BE80MIMO_Ant7_7025_484Tone_RU66



Date: 8.AUG.2025 19:32:13




11BE160MIMO_Ant6_6025_996Tone_RU67



Date: 8.AUG.2025 19:42:54


11BE160MIMO_Ant7_6025_996Tone_RU67




Date: 8.AUG.2025 19:44:40



11BE160MIMO_Ant6_6185_996Tone_RU67




11BE160MIMO_Ant7_6185_996Tone_RU67






11BE160MIMO_Ant6_6345_996Tone_RUS67



Date: 8.AUG.2025 20:04:48


11BE160MIMO_Ant7_6345_996Tone_RUS67




Date: 8.AUG.2025 20:08:44



11BE160MIMO_Ant6_6505_996Tone_RU67




11BE160MIMO_Ant7_6505_996Tone_RU67






11BE160MIMO_Ant6_6665_996Tone_RUS67




11BE160MIMO_Ant7_6665_996Tone_RUS67






11BE160MIMO_Ant6_6825_996Tone_RU67




11BE160MIMO_Ant7_6825_996Tone_RU67






11BE160MIMO_Ant6_6985_996Tone_RUS67



11BE160MIMO_Ant7_6985_996Tone_RUS67





<Small RU>

Maximum power spectral density


Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20 MIMO	Ant6	5955	52Tone+26Tone	RU38+RU1	-12.02	-0.30	-12.32	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-10.47	-0.30	-10.77	≤-5.00	PASS
	Ant7	5955	52Tone+26Tone	RU38+RU1	-11.80	1.01	-10.79	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-10.10	1.01	-9.09	≤-5.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	-8.90	0.40	-8.50	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-7.27	0.40	-6.87	≤-5.00	PASS
	Ant6	6435	52Tone+26Tone	RU38+RU1	-10.46	-0.41	-10.87	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-8.85	-0.41	-9.26	≤-5.00	PASS
	Ant7	6435	52Tone+26Tone	RU38+RU1	-10.81	0.02	-10.79	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.22	0.02	-9.20	≤-5.00	PASS
	total	6435	52Tone+26Tone	RU38+RU1	-7.62	-0.19	-7.81	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-6.02	-0.19	-6.21	≤-5.00	PASS
	Ant6	6535	52Tone+26Tone	RU38+RU1	-11.30	0.54	-10.76	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.69	0.54	-9.15	≤-5.00	PASS
	Ant7	6535	52Tone+26Tone	RU38+RU1	-11.37	0.23	-11.14	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-9.80	0.23	-9.57	≤-5.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	-8.32	0.39	-7.93	≤-5.00	PASS
			106Tone+26Tone	RU53+RU4	-6.73	0.39	-6.34	≤-5.00	PASS
	Ant6	7095	52Tone+26Tone	RU39+RU7	-11.60	-0.20	-11.80	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-9.92	-0.20	-10.12	≤-5.00	PASS
	Ant7	7095	52Tone+26Tone	RU39+RU7	-12.46	0.01	-12.45	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-10.12	0.01	-10.11	≤-5.00	PASS
	total	7095	52Tone+26Tone	RU39+RU7	-9.00	-0.09	-9.09	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-7.01	-0.09	-7.10	≤-5.00	PASS
	Ant6	7115	52Tone+26Tone	RU39+RU7	-18.45	-0.20	-18.65	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-17.23	-0.20	-17.43	≤-5.00	PASS
	Ant7	7115	52Tone+26Tone	RU39+RU7	-18.77	0.01	-18.76	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-17.35	0.01	-17.34	≤-5.00	PASS
	total	7115	52Tone+26Tone	RU39+RU7	-15.60	-0.09	-15.69	≤-5.00	PASS
			106Tone+26Tone	RU54+RU4	-14.28	-0.09	-14.37	≤-5.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE20MIMO_Ant7_5955_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_5955_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6435_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6435_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant6_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant7_6535_52Tone+26Tone_RU38+RU1




11BE20MIMO_Ant7_6535_106Tone+26Tone_RU53+RU4






11BE20MIMO_Ant6_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_7095_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_7095_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant7_7095_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant6_7115_52Tone+26Tone_RU39+RU7




11BE20MIMO_Ant6_7115_106Tone+26Tone_RU54+RU4






11BE20MIMO_Ant7_7115_52Tone+26Tone_RU39+RU7



11BE20MIMO_Ant7_7115_106Tone+26Tone_RU54+RU4





<Large RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE320 MIMO	Ant6	6105	3*996Tone	RU4	-14.45	-0.30	-14.75	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-14.38	-0.30	-14.68	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-15.13	-0.30	-15.43	≤-5.00	PASS
	Ant7	6105	3*996Tone	RU4	-14.16	1.01	-13.15	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-14.87	1.01	-13.86	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-14.85	1.01	-13.84	≤-5.00	PASS
	total	6105	3*996Tone	RU4	-11.29	0.40	-10.89	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-11.61	0.40	-11.21	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-11.98	0.40	-11.58	≤-5.00	PASS
	Ant6	6585	3*996Tone	RU4	-13.1	0.54	-12.56	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-12.77	0.54	-12.23	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.01	0.54	-12.47	≤-5.00	PASS
	Ant7	6585	3*996Tone	RU4	-13.44	0.23	-13.21	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-13.76	0.23	-13.53	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-13.63	0.23	-13.40	≤-5.00	PASS
	total	6585	3*996Tone	RU4	-10.26	0.39	-9.87	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-10.23	0.39	-9.84	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-10.30	0.39	-9.91	≤-5.00	PASS
	Ant6	6745	3*996Tone	RU4	-14.6	0.54	-14.06	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-15.01	0.54	-14.47	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-14.26	0.54	-13.72	≤-5.00	PASS
	Ant7	6745	3*996Tone	RU4	-14.51	0.23	-14.28	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-14.23	0.23	-14.00	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-14.28	0.23	-14.05	≤-5.00	PASS
	total	6745	3*996Tone	RU4	-11.54	0.39	-11.15	≤-5.00	PASS
			2*996Tone+484Tone	RU6	-11.59	0.39	-11.20	≤-5.00	PASS
			3*996Tone+484Tone	RU8	-11.26	0.39	-10.87	≤-5.00	PASS
	Ant6	6905	3*996Tone+484Tone	RU1	-13.26	0.54	-12.72	≤-5.00	PASS
			3*996Tone	RU1	-13.55	0.54	-13.01	≤-5.00	PASS
			2*996Tone+484Tone	RU7	-13.31	0.54	-12.77	≤-5.00	PASS



	Ant7	6905	3*996Tone	RU1	-13.37	0.23	-13.14	≤-5.00	PASS
			3*996Tone+484Tone	RU1	-13.46	0.23	-13.23	≤-5.00	PASS
			2*996Tone+484Tone	RU7	-13.28	0.23	-13.05	≤-5.00	PASS
	total	6905	3*996Tone	RU1	-10.45	0.39	-10.06	≤-5.00	PASS
			3*996Tone+484Tone	RU1	-10.35	0.39	-9.96	≤-5.00	PASS
			2*996Tone+484Tone	RU7	-10.28	0.39	-9.89	≤-5.00	PASS
11BE80 MIMO	Ant6	5985	484Tone+242Tone	RU4	-9.13	-0.30	-9.43	≤-5.00	PASS
	Ant7	5985	484Tone+242Tone	RU4	-8.64	1.01	-7.63	≤-5.00	PASS
	total	5985	484Tone+242Tone	RU4	-5.87	0.40	-5.47	≤-5.00	PASS
	Ant6	6465	484Tone+242Tone	RU4	-9.37	-0.41	-9.78	≤-5.00	PASS
	Ant7	6465	484Tone+242Tone	RU4	-8.88	0.02	-8.86	≤-5.00	PASS
	total	6465	484Tone+242Tone	RU4	-6.11	-0.19	-6.30	≤-5.00	PASS
	Ant6	6625	484Tone+242Tone	RU4	-10.23	0.54	-9.69	≤-5.00	PASS
	Ant7	6625	484Tone+242Tone	RU4	-8.72	0.23	-8.49	≤-5.00	PASS
	total	6625	484Tone+242Tone	RU4	-6.40	0.39	-6.01	≤-5.00	PASS
	Ant6	7025	484Tone+242Tone	RU1	-8.47	-0.20	-8.67	≤-5.00	PASS
	Ant7	7025	484Tone+242Tone	RU1	-8.88	0.01	-8.87	≤-5.00	PASS
	total	7025	484Tone+242Tone	RU1	-5.66	-0.09	-5.75	≤-5.00	PASS
11BE160 MIMO	Ant6	6025	996Tone+484Tone	RU4	-11.62	-0.30	-11.92	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-11.89	-0.30	-12.19	≤-5.00	PASS
	Ant7	6025	996Tone+484Tone	RU4	-11.42	1.01	-10.41	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-11.78	1.01	-10.77	≤-5.00	PASS
	total	6025	996Tone+484Tone	RU4	-8.51	0.40	-8.11	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-8.82	0.40	-8.42	≤-5.00	PASS
	Ant6	6505	996Tone+484Tone	RU4	-10.01	0.54	-9.47	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-10.36	0.54	-9.82	≤-5.00	PASS
	Ant7	6505	996Tone+484Tone	RU4	-10.45	0.23	-10.22	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-10.83	0.23	-10.60	≤-5.00	PASS
	total	6505	996Tone+484Tone	RU4	-7.21	0.39	-6.82	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-7.58	0.39	-7.19	≤-5.00	PASS
	Ant6	6665	996Tone+484Tone	RU4	-11.42	0.54	-10.88	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-11.5	0.54	-10.96	≤-5.00	PASS
	Ant7	6665	996Tone+484Tone	RU4	-11.76	0.23	-11.53	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-11.8	0.23	-11.57	≤-5.00	PASS
	total	6665	996Tone+484Tone	RU4	-8.58	0.39	-8.19	≤-5.00	PASS
			996Tone+484Tone242Tone	RU8	-8.64	0.39	-8.25	≤-5.00	PASS
	Ant6	6985	996Tone+484Tone242Tone	RU1	-11.07	-0.20	-11.27	≤-5.00	PASS
			996Tone+484Tone	RU1	-10.88	-0.20	-11.08	≤-5.00	PASS
	Ant7	6985	996Tone+484Tone	RU1	-11.23	0.01	-11.22	≤-5.00	PASS




			996Tone+484Tone242Tone	RU1	-11.35	0.01	-11.34	≤-5.00	PASS
	total	6985	996Tone+484Tone	RU1	-8.04	-0.09	-8.13	≤-5.00	PASS
			996Tone+484Tone242Tone	RU1	-8.20	-0.09	-8.29	≤-5.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6105_3*996Tone_RU4






11BE320MIMO_Ant7_6105_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6105_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6585_3*996Tone_RU4




11BE320MIMO_Ant6_6585_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6585_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6585_3*996Tone_RU4






11BE320MIMO_Ant7_6585_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6585_3*996Tone+484Tone_RU8






11BE320MIMO_Ant6_6745_3*996Tone_RU4




11BE320MIMO_Ant6_6745_2*996Tone+484Tone_RU6






11BE320MIMO_Ant6_6745_3*996Tone+484Tone_RU8




11BE320MIMO_Ant7_6745_3*996Tone_RU4






11BE320MIMO_Ant7_6745_2*996Tone+484Tone_RU6




11BE320MIMO_Ant7_6745_3*996Tone+484Tone_RU8





11BE320MIMO_Ant6_6905_3*996Tone+484Tone_RU1



11BE320MIMO_Ant6_6905_3*996Tone_RU1





11BE320MIMO_Ant6_6905_2*996Tone+484Tone_RU7




11BE320MIMO_Ant7_6905_3*996Tone_RU1





11BE320MIMO_Ant7_6905_3*996Tone+484Tone_RU1




11BE320MIMO_Ant7_6905_2*996Tone+484Tone_RU7






11BE80MIMO_Ant6_5985_484Tone+242Tone_RU4




11BE80MIMO_Ant7_5985_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6465_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6465_484Tone+242Tone_RU4






11BE80MIMO_Ant6_6625_484Tone+242Tone_RU4




11BE80MIMO_Ant7_6625_484Tone+242Tone_RU4






11BE80MIMO_Ant6_7025_484Tone+242Tone_RU1




11BE80MIMO_Ant7_7025_484Tone+242Tone_RU1






11BE160MIMO_Ant6_6025_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6025_996Tone+484Tone_RU4



11BE160MIMO_Ant7_6025_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6505_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6505_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant6_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant6_6665_996Tone+484Tone242Tone_RU8






11BE160MIMO_Ant7_6665_996Tone+484Tone_RU4




11BE160MIMO_Ant7_6665_996Tone+484Tone242Tone_RU8





11BE160MIMO_Ant6_6985_996Tone+484Tone242Tone_RU1




11BE160MIMO_Ant6_6985_996Tone+484Tone_RU1





11BE160MIMO_Ant7_6985_996Tone+484Tone_RU1



11BE160MIMO_Ant7_6985_996Tone+484Tone242Tone_RU1





<Puncturing RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE320 MIMO	Ant6	6105	Puncturing 80M	RU4	-14.65	-0.30	-14.95	≤-5.00	PASS
			Puncturing 80+40M	RU6	-14.58	-0.30	-14.88	≤-5.00	PASS
			Puncturing 40M	RU8	-13.65	-0.30	-13.95	≤-5.00	PASS
	Ant7	6105	Puncturing 80M	RU4	-14.30	1.01	-13.29	≤-5.00	PASS
			Puncturing 80+40M	RU6	-15.15	1.01	-14.14	≤-5.00	PASS
			Puncturing 40M	RU8	-15.02	1.01	-14.01	≤-5.00	PASS
	total	6105	Puncturing 80M	RU4	-11.46	0.40	-11.06	≤-5.00	PASS
			Puncturing 80+40M	RU6	-11.85	0.40	-11.45	≤-5.00	PASS
			Puncturing 40M	RU8	-11.27	0.40	-10.87	≤-5.00	PASS
	Ant6	6585	Puncturing 80M	RU4	-13.18	0.54	-12.64	≤-5.00	PASS
			Puncturing 80+40M	RU6	-12.79	0.54	-12.25	≤-5.00	PASS
			Puncturing 40M	RU8	-13.17	0.54	-12.63	≤-5.00	PASS
	Ant7	6585	Puncturing 80M	RU4	-13.68	0.23	-13.45	≤-5.00	PASS
			Puncturing 80+40M	RU6	-13.81	0.23	-13.58	≤-5.00	PASS
			Puncturing 40M	RU8	-13.78	0.23	-13.55	≤-5.00	PASS
	total	6585	Puncturing 80M	RU4	-10.41	0.39	-10.02	≤-5.00	PASS
			Puncturing 80+40M	RU6	-10.26	0.39	-9.87	≤-5.00	PASS
			Puncturing 40M	RU8	-10.45	0.39	-10.06	≤-5.00	PASS
	Ant6	6745	Puncturing 80M	RU4	-14.28	0.54	-13.74	≤-5.00	PASS
			Puncturing 80+40M	RU6	-15.30	0.54	-14.76	≤-5.00	PASS
			Puncturing 40M	RU8	-14.75	0.54	-14.21	≤-5.00	PASS
	Ant7	6745	Puncturing 80M	RU4	-14.22	0.23	-13.99	≤-5.00	PASS
			Puncturing 80+40M	RU6	-14.22	0.23	-13.99	≤-5.00	PASS
			Puncturing 40M	RU8	-14.37	0.23	-14.14	≤-5.00	PASS
	total	6745	Puncturing 80M	RU4	-11.24	0.39	-10.85	≤-5.00	PASS
			Puncturing 80+40M	RU6	-11.72	0.39	-11.33	≤-5.00	PASS
			Puncturing 40M	RU8	-11.55	0.39	-11.16	≤-5.00	PASS
	Ant6	6905	Puncturing 40M	RU1	-13.24	0.54	-12.70	≤-5.00	PASS
			Puncturing 80M	RU1	-13.37	0.54	-12.83	≤-5.00	PASS
			Puncturing 80+40M	RU7	-13.65	0.54	-13.11	≤-5.00	PASS
	Ant7	6905	Puncturing 40M	RU1	-13.30	0.23	-13.07	≤-5.00	PASS
			Puncturing 80M	RU1	-13.33	0.23	-13.10	≤-5.00	PASS
			Puncturing 80+40M	RU7	-13.66	0.23	-13.43	≤-5.00	PASS
	total	6905	Puncturing 40M	RU1	-10.26	0.39	-9.87	≤-5.00	PASS




			Puncturing 80M	RU1	-10.34	0.39	-9.95	≤-5.00	PASS
			Puncturing 80+40M	RU7	-10.64	0.39	-10.25	≤-5.00	PASS
11BE80MIMO	Ant6	5985	Puncturing 20M	RU4	-10.00	-0.30	-10.30	≤-5.00	PASS
	Ant7	5985	Puncturing 20M	RU4	-10.45	1.01	-9.44	≤-5.00	PASS
	total	5985	Puncturing 20M	RU4	-7.21	0.40	-6.81	≤-5.00	PASS
	Ant6	6465	Puncturing 20M	RU4	-9.66	-0.41	-10.07	≤-5.00	PASS
	Ant7	6465	Puncturing 20M	RU4	-9.11	0.02	-9.09	≤-5.00	PASS
	total	6465	Puncturing 20M	RU4	-6.37	-0.19	-6.56	≤-5.00	PASS
	Ant6	6625	Puncturing 20M	RU4	-10.44	0.54	-9.90	≤-5.00	PASS
	Ant7	6625	Puncturing 20M	RU4	-8.89	0.23	-8.66	≤-5.00	PASS
	total	6625	Puncturing 20M	RU4	-6.59	0.39	-6.20	≤-5.00	PASS
	Ant6	7025	Puncturing 20M	RU1	-8.94	-0.20	-9.14	≤-5.00	PASS
	Ant7	7025	Puncturing 20M	RU1	-9.53	0.01	-9.52	≤-5.00	PASS
	total	7025	Puncturing 20M	RU1	-6.21	-0.09	-6.30	≤-5.00	PASS
11BE160MIMO	Ant6	6025	Puncturing 40M	RU4	-11.74	-0.30	-12.04	≤-5.00	PASS
			Puncturing 20M	RU8	-11.87	-0.30	-12.17	≤-5.00	PASS
	Ant7	6025	Puncturing 40M	RU4	-11.47	1.01	-10.46	≤-5.00	PASS
			Puncturing 20M	RU8	-11.58	1.01	-10.57	≤-5.00	PASS
	total	6025	Puncturing 40M	RU4	-8.59	0.40	-8.19	≤-5.00	PASS
			Puncturing 20M	RU8	-8.71	0.40	-8.31	≤-5.00	PASS
	Ant6	6505	Puncturing 40M	RU4	-10.15	0.54	-9.61	≤-5.00	PASS
			Puncturing 20M	RU8	-10.19	0.54	-9.65	≤-5.00	PASS
	Ant7	6505	Puncturing 40M	RU4	-10.55	0.23	-10.32	≤-5.00	PASS
			Puncturing 20M	RU8	-10.71	0.23	-10.48	≤-5.00	PASS
	total	6505	Puncturing 40M	RU4	-7.34	0.39	-6.95	≤-5.00	PASS
			Puncturing 20M	RU8	-7.43	0.39	-7.04	≤-5.00	PASS
	Ant6	6665	Puncturing 40M	RU4	-11.63	0.54	-11.09	≤-5.00	PASS
			Puncturing 20M	RU8	-11.41	0.54	-10.87	≤-5.00	PASS
	Ant7	6665	Puncturing 40M	RU4	-11.95	0.23	-11.72	≤-5.00	PASS
			Puncturing 20M	RU8	-11.50	0.23	-11.27	≤-5.00	PASS
	total	6665	Puncturing 40M	RU4	-8.78	0.39	-8.39	≤-5.00	PASS
			Puncturing 20M	RU8	-8.44	0.39	-8.05	≤-5.00	PASS
	Ant6	6985	Puncturing 40M	RU1	-10.50	-0.20	-10.70	≤-5.00	PASS
			Puncturing 20M	RU1	-10.44	-0.20	-10.64	≤-5.00	PASS
	Ant7	6985	Puncturing 20M	RU1	-11.06	0.01	-11.05	≤-5.00	PASS
			Puncturing 40M	RU1	-10.77	0.01	-10.76	≤-5.00	PASS
	total	6985	Puncturing 20M	RU1	-7.73	-0.09	-7.82	≤-5.00	PASS
			Puncturing 40M	RU1	-7.62	-0.09	-7.71	≤-5.00	PASS

Note: The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11BE320MIMO_Ant6_6105_Puncturing 40M_RU8




11BE320MIMO_Ant7_6105_Puncturing 80M_RU4






11BE320MIMO_Ant7_6105_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6105_Puncturing 40M_RU8






11BE320MIMO_Ant6_6585_Puncturing 80M_RU4




11BE320MIMO_Ant6_6585_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6585_Puncturing 40M_RU8




11BE320MIMO_Ant7_6585_Puncturing 80M_RU4






11BE320MIMO_Ant7_6585_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6585_Puncturing 40M_RU8






11BE320MIMO_Ant6_6745_Puncturing 80M_RU4




11BE320MIMO_Ant6_6745_Puncturing 80+40M_RU6






11BE320MIMO_Ant6_6745_Puncturing 40M_RU8




11BE320MIMO_Ant7_6745_Puncturing 80M_RU4






11BE320MIMO_Ant7_6745_Puncturing 80+40M_RU6




11BE320MIMO_Ant7_6745_Puncturing 40M_RU8






11BE320MIMO_Ant6_6905_Puncturing 40M_RU1




11BE320MIMO_Ant6_6905_Puncturing 80M_RU1






11BE320MIMO_Ant6_6905_Puncturing 80+40M_RU7




11BE320MIMO_Ant7_6905_Puncturing 40M_RU1






11BE320MIMO_Ant7_6905_Puncturing 80M_RU1




11BE320MIMO_Ant7_6905_Puncturing 80+40M_RU7






11BE80MIMO_Ant6_5985_Puncturing 20M_RU4




11BE80MIMO_Ant7_5985_Puncturing 20M_RU4






11BE80MIMO_Ant6_6465_Puncturing 20M_RU4




11BE80MIMO_Ant7_6465_Puncturing 20M_RU4






11BE80MIMO_Ant6_6625_Puncturing 20M_RU4



Date: 10.AUG.2025 14:39:11


11BE80MIMO_Ant7_6625_Puncturing 20M_RU4




Date: 10.AUG.2025 14:39:42



11BE80MIMO_Ant6_7025_Puncturing 20M_RU1




11BE80MIMO_Ant7_7025_Puncturing 20M_RU1






11BE160MIMO_Ant6_6025_Puncturing 40M_RU4




11BE160MIMO_Ant6_6025_Puncturing 20M_RU8






11BE160MIMO_Ant7_6025_Puncturing 40M_RU4




11BE160MIMO_Ant7_6025_Puncturing 20M_RU8






11BE160MIMO_Ant6_6505_Puncturing 40M_RU4




11BE160MIMO_Ant6_6505_Puncturing 20M_RU8






11BE160MIMO_Ant7_6505_Puncturing 40M_RU4




11BE160MIMO_Ant7_6505_Puncturing 20M_RU8






11BE160MIMO_Ant6_6665_Puncturing 40M_RU4




11BE160MIMO_Ant6_6665_Puncturing 20M_RU8






11BE160MIMO_Ant7_6665_Puncturing 40M_RU4




11BE160MIMO_Ant7_6665_Puncturing 20M_RU8






11BE160MIMO_Ant6_6985_Puncturing 40M_RU1




11BE160MIMO_Ant6_6985_Puncturing 20M_RU1






11BE160MIMO_Ant7_6985_Puncturing 20M_RU1




11BE160MIMO_Ant7_6985_Puncturing 40M_RU1





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.150	57.58	-8.42	66.00	46.90	0.23	10.45	QP
2	0.150	38.78	-17.22	56.00	28.10	0.23	10.45	Average
3	0.162	55.29	-10.09	65.38	44.60	0.24	10.45	QP
4	0.162	38.59	-16.79	55.38	27.90	0.24	10.45	Average
5	0.171	51.90	-13.00	64.90	41.20	0.25	10.45	QP
6	0.171	33.30	-21.60	54.90	22.60	0.25	10.45	Average
7	0.234	45.94	-16.36	62.30	35.20	0.27	10.47	QP
8	0.234	29.04	-23.26	52.30	18.30	0.27	10.47	Average
9	0.256	42.26	-19.30	61.56	31.50	0.29	10.47	QP
10	0.256	25.36	-26.20	51.56	14.60	0.29	10.47	Average
11	2.422	35.85	-20.15	56.00	25.20	0.42	10.23	QP
12	2.422	26.95	-19.05	46.00	16.30	0.42	10.23	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.154	55.88	-9.90	65.78	45.20	0.23	10.45	QP
2	0.154	38.48	-17.30	55.78	27.80	0.23	10.45	Average
3	0.164	54.50	-10.75	65.25	43.81	0.24	10.45	QP
4	0.164	37.00	-18.25	55.25	26.31	0.24	10.45	Average
5	0.171	51.90	-13.00	64.90	41.20	0.25	10.45	QP
6	0.171	33.00	-21.90	54.90	22.30	0.25	10.45	Average
7	0.248	43.94	-17.88	61.82	33.20	0.27	10.47	QP
8	0.248	28.04	-23.78	51.82	17.30	0.27	10.47	Average
9	2.422	38.82	-17.18	56.00	28.20	0.39	10.23	QP
10	2.422	31.92	-14.08	46.00	21.30	0.39	10.23	Average
11	2.636	39.42	-16.58	56.00	28.80	0.39	10.23	QP
12	2.636	32.82	-13.18	46.00	22.20	0.39	10.23	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jake zhou	Relative Humidity :	51 ~ 53 %
		Temperature :	22 ~ 26 °C

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Sample
Mode 1	U-NII-5	5.925-6.425	A6+A7	802.11a	1	5955	MCS0	-	1
Mode 2	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	-	1
Mode 3	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	RU106/53	1
Mode 4	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	-	1
Mode 5	U-NII-5	5.925-6.425	A6+A7	802.11be EHT40	3	5965	MCS0	RU242/61	1
Mode 6	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Full	1
Mode 7	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	RU484/65	1
Mode 8	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Full	1
Mode 9	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	RU996/67	1
Mode 10	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	-	1
Mode 11	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	RU996*2/69	1
Mode 12	U-NII-7	6.525-6.875	A6+A7	802.11a	117	6535	MCS0	Full	1
Mode 13	U-NII-7	6.525-6.875	A6+A7	802.11be EHT20	117	6535	MCS0	Full	1
Mode 14	U-NII-7	6.525-6.875	A6+A7	802.11be EHT40	123	6565	MCS0	Full	1
Mode 15	U-NII-7	6.525-6.875	A6+A7	802.11be EHT80	135	6625	MCS0	Full	1
Mode 16	U-NII-7	6.525-6.875	A6+A7	802.11be EHT160	143	6665	MCS0	Full	1
Mode 17	UNII-6-7	6.425-6.875	A6+A7	802.11be EHT320	127	6585	MCS0	-	1
Mode 18	U-NII-8	6.875-7.125	A6+A7	802.11a	229	7095	MCS0	-	1
Mode 19	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	-	1
Mode 20	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	RU106/54	1
Mode 21	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	-	1
Mode 22	U-NII-8	6.875-7.125	A6+A7	802.11be EHT40	227	7085	MCS0	RU242/62	1
Mode 23	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	-	1
Mode 24	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	RU484/66	1
Mode 25	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	-	1
Mode 26	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	RU996/68	1
Mode 27	UNII-7-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	-	1
Mode 28	UNII-7-8	6.525-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	RU996*2/70	1
Mode 29	U-NII-5	5.925-6.425	A6+A7	802.11be EHT20	1	5955	MCS0	Index 38+1	1
Mode 30	U-NII-5	6.425-6.525	A6+A7	802.11be EHT20	1	5955	MCS0	Index 53+4	1
Mode 31	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	7095	MCS0	Index 39+7	1
Mode 32	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	229	-	MCS0	Index 54+4	1
Mode 33	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	1
Mode 34	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	1
Mode 35	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	1



Mode 36	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 40M ①	1
Mode 37	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	1
Mode 38	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	1
Mode 39	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M +40M⑥	1
Mode 40	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M⑦	1
Mode 41	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	1
Mode 42	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	1
Mode 43	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	1
Mode 44	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	1
Mode 45	U-NII-5	5.925-6.425	A6+A7	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	1
Mode 46	U-NII-8	6.875-7.125	A6+A7	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ①	1
Mode 47	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	1
Mode 48	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ①	1
Mode 49	U-NII-5	5.925-6.425	A6+A7	802.11be EHT160	15	6025	MCS0	Large RU 996+484+242 ⑧	1
Mode 50	U-NII-8	6.875-7.125	A6+A7	802.11be EHT160	207	6985	MCS0	Large RU 996+484+242 ①	1
Mode 51	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	1
Mode 52	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑦	1
Mode 53	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	1
Mode 54	U-NII-5	5.925-6.425	A6+A7	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	1
Mode 55	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ①	1
Mode 56	U-NII-8	6.875-7.125	A6+A7	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ①	1
Mode 57	U-NII-8	6.875-7.125	A6+A7	802.11a	233	7115	MCS0	-	1
Mode 58	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	1
Mode 59	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	RU106/54	1
Mode 60	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 39+7	1
Mode 61	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	Index 54+4	1
Mode 62	U-NII-8	6.875-7.125	A6+A7	802.11be EHT20	233	7115	MCS0	-	2



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5896.50	39.94	68.20	-28.26	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	45.42	74.00	-28.58	H	PEAK	Pass	Harmonic
2	802.11be EHT20	1	5900.27	39.97	68.20	-28.23	H	AVERAGE	Pass	Band Edge
2	802.11be EHT20	1	11910.00	45.70	74.00	-28.30	V	PEAK	Pass	Harmonic
3	802.11be EHT20	1	5900.66	40.03	68.20	-28.17	H	AVERAGE	Pass	Band Edge
3	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
4	802.11be EHT40	3	5893.88	40.10	68.20	-28.10	H	AVERAGE	Pass	Band Edge
4	802.11be EHT40	3	11930.00	34.91	54.00	-19.09	V	AVERAGE	Pass	Harmonic
5	802.11be EHT40	3	5896.26	40.18	68.20	-28.02	H	AVERAGE	Pass	Band Edge
5	802.11be EHT40	3	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT80	7	5912.36	40.54	68.20	-27.66	H	AVERAGE	Pass	Band Edge
6	802.11be EHT80	7	11970.00	45.22	74.00	-28.78	V	PEAK	Pass	Harmonic
7	802.11be EHT80	7	5924.84	41.64	68.20	-26.56	V	AVERAGE	Pass	Band Edge
7	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
8	802.11be EHT160	15	5902.60	42.57	68.20	-25.63	H	AVERAGE	Pass	Band Edge
8	802.11be EHT160	15	12050.00	45.43	74.00	-28.57	V	PEAK	Pass	Harmonic
9	802.11be EHT160	15	5912.00	41.66	68.20	-26.54	H	AVERAGE	Pass	Band Edge
9	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT320	31	5802.92	43.16	68.20	-25.04	H	AVERAGE	Pass	Band Edge
10	802.11be EHT320	31	12210.00	35.30	54.00	-18.70	V	AVERAGE	Pass	Harmonic
11	802.11be EHT320	31	5891.24	43.19	68.20	-25.01	H	AVERAGE	Pass	Band Edge
11	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
12	802.11a	117	-	-	-	-	-	-	-	Band Edge
12	802.11a	117	13070.00	45.70	88.20	-42.50	H	PEAK	Pass	Harmonic
13	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
13	802.11be EHT20	117	13070.00	46.02	88.20	-42.18	H	PEAK	Pass	Harmonic
14	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT40	123	13130.00	44.94	88.20	-43.26	V	PEAK	Pass	Harmonic
15	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT80	135	13250.00	45.68	74.00	-28.32	H	PEAK	Pass	Harmonic
16	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
16	802.11be EHT160	143	13330.00	45.29	74.00	-28.71	V	PEAK	Pass	Harmonic
17	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT320	127	13170.00	46.53	88.20	-41.67	H	PEAK	Pass	Harmonic
18	802.11a	229	7169.32	41.06	68.20	-27.14	H	AVERAGE	Pass	Band Edge
18	802.11a	229	14190.00	46.70	88.20	-41.50	H	PEAK	Pass	Harmonic
19	802.11be EHT20	229	7151.56	41.21	68.20	-26.99	H	AVERAGE	Pass	Band Edge
19	802.11be EHT20	229	14190.00	45.75	88.20	-42.45	V	PEAK	Pass	Harmonic
20	802.11be EHT20	229	7147.40	41.24	68.20	-26.96	H	AVERAGE	Pass	Band Edge
20	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
21	802.11be EHT40	227	7172.36	41.50	68.20	-26.70	H	AVERAGE	Pass	Band Edge
21	802.11be EHT40	227	14170.00	45.92	88.20	-42.28	H	PEAK	Pass	Harmonic
22	802.11be EHT40	227	7167.88	41.54	68.20	-26.66	H	AVERAGE	Pass	Band Edge







22	802.11be EHT40	227	-	-	-	-	-	-	-	Harmonic
23	802.11be EHT80	215	7170.20	41.52	68.20	-26.68	H	AVERAGE	Pass	Band Edge
23	802.11be EHT80	215	14050.00	45.05	88.20	-43.15	V	PEAK	Pass	Harmonic
24	802.11be EHT80	215	7193.74	41.35	68.20	-26.85	H	AVERAGE	Pass	Band Edge
24	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
25	802.11be EHT160	207	7143.88	41.94	68.20	-26.26	H	AVERAGE	Pass	Band Edge
25	802.11be EHT160	207	13970.00	44.80	88.20	-43.40	H	PEAK	Pass	Harmonic
26	802.11be EHT160	207	7131.40	41.94	68.20	-26.26	H	AVERAGE	Pass	Band Edge
26	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
27	802.11be EHT320	191	7259.80	41.73	54.00	-12.27	H	AVERAGE	Pass	Band Edge
27	802.11be EHT320	191	13810.00	45.05	88.20	-43.15	H	PEAK	Pass	Harmonic
28	802.11be EHT320	191	7251.88	41.65	54.00	-12.35	H	AVERAGE	Pass	Band Edge
28	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
29	802.11be EHT20	1	5901.70	40.34	68.20	-27.86	H	AVERAGE	Pass	Band Edge
29	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
30	802.11be EHT20	1	5902.74	40.02	68.20	-28.18	H	AVERAGE	Pass	Band Edge
30	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
31	802.11be EHT20	229	7147.24	41.48	68.20	-26.72	H	AVERAGE	Pass	Band Edge
31	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
32	802.11be EHT20	229	7147.24	41.17	68.20	-27.03	H	AVERAGE	Pass	Band Edge
32	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
33	802.11be EHT80	7	5917.48	40.46	68.20	-27.74	H	AVERAGE	Pass	Band Edge
33	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
34	802.11be EHT80	215	7164.48	41.37	68.20	-26.83	H	AVERAGE	Pass	Band Edge
34	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
35	802.11be EHT160	15	5917.00	44.79	68.20	-23.41	H	AVERAGE	Pass	Band Edge
35	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
36	802.11be EHT160	207	7126.60	41.97	68.20	-26.23	H	AVERAGE	Pass	Band Edge
36	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
37	802.11be EHT160	15	5917.00	46.70	68.20	-21.50	H	AVERAGE	Pass	Band Edge
37	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
38	802.11be EHT160	207	7132.36	42.91	68.20	-25.29	H	AVERAGE	Pass	Band Edge
38	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
39	802.11be EHT320	31	5892.20	42.97	68.20	-25.23	H	AVERAGE	Pass	Band Edge
39	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
40	802.11be EHT320	191	7251.16	41.78	54.00	-12.22	H	AVERAGE	Pass	Band Edge
40	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
41	802.11be EHT320	31	5858.92	43.18	68.20	-25.02	H	AVERAGE	Pass	Band Edge
41	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
42	802.11be EHT320	191	7251.16	41.41	54.00	-12.59	V	AVERAGE	Pass	Band Edge
42	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
43	802.11be EHT320	31	5858.92	43.50	68.20	-24.70	H	AVERAGE	Pass	Band Edge
43	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
44	802.11be EHT320	191	7255.48	41.62	54.00	-12.38	V	AVERAGE	Pass	Band Edge
44	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
45	802.11be EHT80	7	5917.48	41.06	68.20	-27.14	H	AVERAGE	Pass	Band Edge
45	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic







46	802.11be EHT80	215	7190.88	41.61	68.20	-26.59	H	AVERAGE	Pass	Band Edge
46	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT160	15	5908.00	43.33	68.20	-24.87	H	AVERAGE	Pass	Band Edge
47	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT160	207	7135.24	42.37	68.20	-25.83	H	AVERAGE	Pass	Band Edge
48	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT160	15	5920.00	44.58	68.20	-23.62	H	AVERAGE	Pass	Band Edge
49	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT160	207	7148.92	42.89	68.20	-25.31	H	AVERAGE	Pass	Band Edge
50	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT320	31	5892.52	43.19	68.20	-25.01	H	AVERAGE	Pass	Band Edge
51	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT320	191	7253.32	41.77	54.00	-12.23	H	AVERAGE	Pass	Band Edge
52	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT320	31	5912.36	43.60	68.20	-24.60	H	AVERAGE	Pass	Band Edge
53	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT320	31	5792.36	44.15	68.20	-24.05	H	AVERAGE	Pass	Band Edge
54	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT320	191	7251.16	41.95	54.00	-12.05	H	AVERAGE	Pass	Band Edge
55	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT320	191	7250.44	42.09	54.00	-11.91	H	AVERAGE	Pass	Band Edge
56	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
57	802.11a	233	7125.00	59.14	68.20	-9.06	H	AVERAGE	Pass	Band Edge
57	802.11a	233	14230.00	46.02	88.20	-42.18	H	PEAK	Pass	Harmonic
58	802.11be EHT20	233	7125.00	67.00	68.20	-1.20	H	AVERAGE	Pass	Band Edge
58	802.11be EHT20	233	14230.00	45.69	88.20	-42.51	H	PEAK	Pass	Harmonic
59	802.11be EHT20	233	7125.00	66.83	68.20	-1.37	H	AVERAGE	Pass	Band Edge
59	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT20	233	7125.00	61.28	68.20	-6.92	H	AVERAGE	Pass	Band Edge
60	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT20	233	7125.00	66.75	68.20	-1.45	V	AVERAGE	Pass	Band Edge
61	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT20	233	7125.00	66.68	68.20	-1.52	H	AVERAGE	Pass	Band Edge
62	802.11be EHT20	233	14230.00	46.61	88.20	-41.59	V	PEAK	Pass	Harmonic





Mode	1																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5868.68</td><td>52.14</td><td>88.20</td><td>-36.06</td><td>42.27</td><td>35.17</td><td>11.35</td><td>36.65</td><td>0.00</td><td>182</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5868.68	52.14	88.20	-36.06	42.27	35.17	11.35	36.65	0.00	182	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.31</td><td>-----</td><td>-----</td><td>84.56</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>182</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.31	-----	-----	84.56	35.30	11.43	36.98	0.00	182	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5868.68	52.14	88.20	-36.06	42.27	35.17	11.35	36.65	0.00	182	360	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	94.31	-----	-----	84.56	35.30	11.43	36.98	0.00	182	360	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.50</td><td>39.94</td><td>68.20</td><td>-28.26</td><td>29.98</td><td>35.29</td><td>11.37</td><td>36.70</td><td>0.00</td><td>182</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.50	39.94	68.20	-28.26	29.98	35.29	11.37	36.70	0.00	182	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>85.03</td><td>-----</td><td>-----</td><td>75.28</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>182</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	85.03	-----	-----	75.28	35.30	11.43	36.98	0.00	182	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5896.50	39.94	68.20	-28.26	29.98	35.29	11.37	36.70	0.00	182	360	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	85.03	-----	-----	75.28	35.30	11.43	36.98	0.00	182	360	AVERAGE																																																																																											







Mode	1																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5875.57</td><td>51.17</td><td>88.20</td><td>-37.03</td><td>41.29</td><td>35.20</td><td>11.35</td><td>36.67</td><td>0.00</td><td>100</td><td>28</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5875.57	51.17	88.20	-37.03	41.29	35.20	11.35	36.67	0.00	100	28	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.83</td><td>-----</td><td>-----</td><td>81.08</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>100</td><td>28</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.83	-----	-----	81.08	35.30	11.43	36.98	0.00	100	28
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5875.57	51.17	88.20	-37.03	41.29	35.20	11.35	36.67	0.00	100	28	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	90.83	-----	-----	81.08	35.30	11.43	36.98	0.00	100	28	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5899.49</td><td>39.89</td><td>68.20</td><td>-28.31</td><td>29.92</td><td>35.30</td><td>11.38</td><td>36.71</td><td>0.00</td><td>100</td><td>28</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5899.49	39.89	68.20	-28.31	29.92	35.30	11.38	36.71	0.00	100	28	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>82.48</td><td>-----</td><td>-----</td><td>72.73</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>100</td><td>28</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	82.48	-----	-----	72.73	35.30	11.43	36.98	0.00	100	28
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5899.49	39.89	68.20	-28.31	29.92	35.30	11.38	36.71	0.00	100	28	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	82.48	-----	-----	72.73	35.30	11.43	36.98	0.00	100	28	AVERAGE																																																																																											







Mode	1																																																										
	Harmonic																																																										
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																										
ANT	A6+A7																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>56.47</td><td>38.61</td><td>16.62</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.42	74.00	-28.58	56.47	38.61	16.62	66.28	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11910.00	45.42	74.00	-28.58	56.47	38.61	16.62	66.28	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>56.42</td><td>38.61</td><td>16.62</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.37	74.00	-28.63	56.42	38.61	16.62	66.28	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11910.00	45.37	74.00	-28.63	56.42	38.61	16.62	66.28	0.00	---	---	PEAK																																															



Mode	2																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5857.89</td><td>51.51</td><td>88.20</td><td>-36.69</td><td>41.67</td><td>35.13</td><td>11.34</td><td>36.63</td><td>0.00</td><td>165</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5857.89	51.51	88.20	-36.69	41.67	35.13	11.34	36.63	0.00	165	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>95.60</td><td>-----</td><td>-----</td><td>85.81</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>165</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.60	-----	-----	85.81	35.30	11.43	36.94	0.00	165	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5857.89	51.51	88.20	-36.69	41.67	35.13	11.34	36.63	0.00	165	360	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	95.60	-----	-----	85.81	35.30	11.43	36.94	0.00	165	360	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5900.27</td><td>39.97</td><td>68.20</td><td>-28.23</td><td>30.00</td><td>35.30</td><td>11.38</td><td>36.71</td><td>0.00</td><td>165</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5900.27	39.97	68.20	-28.23	30.00	35.30	11.38	36.71	0.00	165	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>85.95</td><td>-----</td><td>-----</td><td>76.16</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>165</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	85.95	-----	-----	76.16	35.30	11.43	36.94	0.00	165	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5900.27	39.97	68.20	-28.23	30.00	35.30	11.38	36.71	0.00	165	360	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	85.95	-----	-----	76.16	35.30	11.43	36.94	0.00	165	360	AVERAGE																																																																																											







Mode	2																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																						
ANT	A6+A7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5882.85</td><td>52.03</td><td>88.20</td><td>-36.17</td><td>42.12</td><td>35.23</td><td>11.36</td><td>36.68</td><td>0.00</td><td>100</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5882.85	52.03	88.20	-36.17	42.12	35.23	11.36	36.68	0.00	100	314	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>92.49</td><td>-----</td><td>-----</td><td>82.70</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>100</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.49	-----	-----	82.70	35.30	11.43	36.94	0.00	100	314
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5882.85	52.03	88.20	-36.17	42.12	35.23	11.36	36.68	0.00	100	314	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	92.49	-----	-----	82.70	35.30	11.43	36.94	0.00	100	314	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5899.23</td><td>39.90</td><td>68.20</td><td>-28.30</td><td>29.93</td><td>35.30</td><td>11.38</td><td>36.71</td><td>0.00</td><td>100</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5899.23	39.90	68.20	-28.30	29.93	35.30	11.38	36.71	0.00	100	314	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>83.64</td><td>-----</td><td>-----</td><td>73.85</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>100</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	83.64	-----	-----	73.85	35.30	11.43	36.94	0.00	100	314
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5899.23	39.90	68.20	-28.30	29.93	35.30	11.38	36.71	0.00	100	314	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	83.64	-----	-----	73.85	35.30	11.43	36.94	0.00	100	314	AVERAGE																																																																																											







Mode	2																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																																									
ANT	A6+A7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg	Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) WiFi 6E(AVG) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>56.25</td><td>38.61</td><td>16.62</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.20	74.00	-28.80	56.25	38.61	16.62	66.28	0.00	---	---	PEAK	Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak) WiFi 6E(AVG) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>56.75</td><td>38.61</td><td>16.62</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.70	74.00	-28.30	56.75	38.61	16.62	66.28	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11910.00	45.20	74.00	-28.80	56.25	38.61	16.62	66.28	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11910.00	45.70	74.00	-28.30	56.75	38.61	16.62	66.28	0.00	---	---	PEAK																																																																																														







Mode	3																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																																																																				
ANT	A6+A7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5902.09</td><td>51.43</td><td>88.20</td><td>-36.77</td><td>41.47</td><td>35.30</td><td>11.38</td><td>36.72</td><td>0.00</td><td>173</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5902.09	51.43	88.20	-36.77	41.47	35.30	11.38	36.72	0.00	173	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.25</td><td>-----</td><td>-----</td><td>89.46</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>173</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.25	-----	-----	89.46	35.30	11.43	36.94	0.00	173	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5902.09	51.43	88.20	-36.77	41.47	35.30	11.38	36.72	0.00	173	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	99.25	-----	-----	89.46	35.30	11.43	36.94	0.00	173	0 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5900.66</td><td>40.03</td><td>68.20</td><td>-28.17</td><td>30.06</td><td>35.30</td><td>11.38</td><td>36.71</td><td>0.00</td><td>173</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5900.66	40.03	68.20	-28.17	30.06	35.30	11.38	36.71	0.00	173	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>90.14</td><td>-----</td><td>-----</td><td>80.35</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>173</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.14	-----	-----	80.35	35.30	11.43	36.94	0.00	173	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5900.66	40.03	68.20	-28.17	30.06	35.30	11.38	36.71	0.00	173	0 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	90.14	-----	-----	80.35	35.30	11.43	36.94	0.00	173	0 AVERAGE																																																																																										







		3																																																																																																						
Mode		Band Edge																																																																																																						
		U-NII-5_5.925-6.425_802.11be EHT20_CH1_RU106/53_5955MHz																																																																																																						
ANT		A6+A7																																																																																																						
Pol.		Vertical					Fundamental																																																																																																	
Peak																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5899.75</td><td>51.70</td><td>88.20</td><td>-36.50</td><td>41.73</td><td>35.30</td><td>11.38</td><td>36.71</td><td>0.00</td><td>110</td><td>312 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5899.75	51.70	88.20	-36.50	41.73	35.30	11.38	36.71	0.00	110	312 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.25</td><td>-----</td><td>-----</td><td>86.46</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>110</td><td>312 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	96.25	-----	-----	86.46	35.30	11.43	36.94	0.00	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5899.75	51.70	88.20	-36.50	41.73	35.30	11.38	36.71	0.00	110	312 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5955.00	96.25	-----	-----	86.46	35.30	11.43	36.94	0.00	110	312 PEAK																																																																																													
Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.64</td><td>39.92</td><td>68.20</td><td>-28.28</td><td>29.98</td><td>35.27</td><td>11.37</td><td>36.70</td><td>0.00</td><td>110</td><td>312 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5893.64	39.92	68.20	-28.28	29.98	35.27	11.37	36.70	0.00	110	312 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.27</td><td>-----</td><td>-----</td><td>77.48</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>110</td><td>312 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	87.27	-----	-----	77.48	35.30	11.43	36.94	0.00	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5893.64	39.92	68.20	-28.28	29.98	35.27	11.37	36.70	0.00	110	312 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5955.00	87.27	-----	-----	77.48	35.30	11.43	36.94	0.00	110	312 AVERAGE																																																																																													





Mode	4																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																											
ANT	A6+A7																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5879.18</td><td>51.12</td><td>88.20</td><td>-37.08</td><td>41.21</td><td>35.22</td><td>11.36</td><td>36.67</td><td>0.00</td><td>169</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5879.18	51.12	88.20	-37.08	41.21	35.22	11.36	36.67	0.00	169	0 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>96.88</td><td>-----</td><td>-----</td><td>87.13</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>169</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.88	-----	-----	87.13	35.30	11.43	36.98	0.00	169	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5879.18	51.12	88.20	-37.08	41.21	35.22	11.36	36.67	0.00	169	0 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	96.88	-----	-----	87.13	35.30	11.43	36.98	0.00	169	0 PEAK																																																																																	
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.88</td><td>40.10</td><td>68.20</td><td>-28.10</td><td>30.15</td><td>35.28</td><td>11.37</td><td>36.70</td><td>0.00</td><td>169</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5893.88	40.10	68.20	-28.10	30.15	35.28	11.37	36.70	0.00	169	0 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>86.86</td><td>-----</td><td>-----</td><td>77.11</td><td>35.30</td><td>11.43</td><td>36.98</td><td>0.00</td><td>169</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	86.86	-----	-----	77.11	35.30	11.43	36.98	0.00	169	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5893.88	40.10	68.20	-28.10	30.15	35.28	11.37	36.70	0.00	169	0 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	86.86	-----	-----	77.11	35.30	11.43	36.98	0.00	169	0 AVERAGE																																																																																	







Mode	4																																																								
	Band Edge																																																								
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																								
ANT	A6+A7																																																								
Pol.	Vertical																																																								
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5826.54</td><td>51.07</td><td>88.20</td><td>-37.13</td><td>41.29</td><td>35.05</td><td>11.31</td><td>36.58</td><td>0.00</td><td>100</td><td>31 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5826.54	51.07	88.20	-37.13	41.29	35.05	11.31	36.58	0.00	100	31 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5826.54	51.07	88.20	-37.13	41.29	35.05	11.31	36.58	0.00	100	31 PEAK																																														
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>94.37</td><td>-----</td><td>-----</td><td>84.65</td><td>35.30</td><td>11.44</td><td>37.02</td><td>0.00</td><td>100</td><td>31 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	94.37	-----	-----	84.65	35.30	11.44	37.02	0.00	100	31 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5965.00	94.37	-----	-----	84.65	35.30	11.44	37.02	0.00	100	31 PEAK																																														
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5900.60</td><td>39.97</td><td>68.20</td><td>-28.23</td><td>30.00</td><td>35.30</td><td>11.38</td><td>36.71</td><td>0.00</td><td>100</td><td>31 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5900.60	39.97	68.20	-28.23	30.00	35.30	11.38	36.71	0.00	100	31 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5900.60	39.97	68.20	-28.23	30.00	35.30	11.38	36.71	0.00	100	31 AVERAGE																																														
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>84.03</td><td>-----</td><td>-----</td><td>74.31</td><td>35.30</td><td>11.44</td><td>37.02</td><td>0.00</td><td>100</td><td>31 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	84.03	-----	-----	74.31	35.30	11.44	37.02	0.00	100	31 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5965.00	84.03	-----	-----	74.31	35.30	11.44	37.02	0.00	100	31 AVERAGE																																														







Mode	4																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																																																					
ANT	A6+A7																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>56.19</td><td>38.63</td><td>16.63</td><td>66.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11930.00	45.18	74.00	-28.82	56.19	38.63	16.63	66.27	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>46.44</td><td>74.00</td><td>-27.56</td><td>57.45</td><td>38.63</td><td>16.63</td><td>66.27</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11930.00</td><td>34.91</td><td>54.00</td><td>-19.09</td><td>45.96</td><td>38.61</td><td>16.62</td><td>66.28</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	11930.00	46.44	74.00	-27.56	57.45	38.63	16.63	66.27	0.00	100	360	PEAK	2	11930.00	34.91	54.00	-19.09	45.96	38.61	16.62	66.28	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11930.00	45.18	74.00	-28.82	56.19	38.63	16.63	66.27	0.00	---	---	PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	11930.00	46.44	74.00	-27.56	57.45	38.63	16.63	66.27	0.00	100	360	PEAK																																																																																																										
2	11930.00	34.91	54.00	-19.09	45.96	38.61	16.62	66.28	0.00	100	360	AVERAGE																																																																																																										



Mode	5																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_RU242/61_5965MHz																																																							
ANT	A6+A7																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5899.34</td><td>51.62</td><td>88.20</td><td>-36.58</td><td>41.65</td><td>35.30</td><td>11.38</td><td>36.71</td><td>0.00</td><td>173</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5899.34	51.62	88.20	-36.58	41.65	35.30	11.38	36.71	0.00	173	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5899.34	51.62	88.20	-36.58	41.65	35.30	11.38	36.71	0.00	173	0 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>99.94</td><td>-----</td><td>-----</td><td>90.15</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>173</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	99.94	-----	-----	90.15	35.30	11.43	36.94	0.00	173	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5965.00	99.94	-----	-----	90.15	35.30	11.43	36.94	0.00	173	0 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.26</td><td>40.18</td><td>68.20</td><td>-28.02</td><td>30.22</td><td>35.29</td><td>11.37</td><td>36.70</td><td>0.00</td><td>173</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.26	40.18	68.20	-28.02	30.22	35.29	11.37	36.70	0.00	173	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5896.26	40.18	68.20	-28.02	30.22	35.29	11.37	36.70	0.00	173	0 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>90.96</td><td>-----</td><td>-----</td><td>81.17</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>173</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	90.96	-----	-----	81.17	35.30	11.43	36.94	0.00	173	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5965.00	90.96	-----	-----	81.17	35.30	11.43	36.94	0.00	173	0 AVERAGE																																													



Mode	5																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_RU242/61_5965MHz																																																						
ANT	A6+A7																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5871.34</td><td>51.54</td><td>88.20</td><td>-36.66</td><td>41.66</td><td>35.19</td><td>11.35</td><td>36.66</td><td>0.00</td><td>108</td><td>312 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5871.34	51.54	88.20	-36.66	41.66	35.19	11.35	36.66	0.00	108
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5871.34	51.54	88.20	-36.66	41.66	35.19	11.35	36.66	0.00	108	312 PEAK																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>98.02</td><td>-----</td><td>-----</td><td>88.23</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>108</td><td>312 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	98.02	-----	-----	88.23	35.30	11.43	36.94	0.00	108
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5965.00	98.02	-----	-----	88.23	35.30	11.43	36.94	0.00	108	312 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5901.58</td><td>40.01</td><td>68.20</td><td>-28.19</td><td>30.05</td><td>35.30</td><td>11.38</td><td>36.72</td><td>0.00</td><td>108</td><td>312 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5901.58	40.01	68.20	-28.19	30.05	35.30	11.38	36.72	0.00	108	312 AVERAGE				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5901.58	40.01	68.20	-28.19	30.05	35.30	11.38	36.72	0.00	108	312 AVERAGE																																												
																																																							
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>88.04</td><td>-----</td><td>-----</td><td>78.25</td><td>35.30</td><td>11.43</td><td>36.94</td><td>0.00</td><td>108</td><td>312 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	88.04	-----	-----	78.25	35.30	11.43	36.94	0.00	108	312 AVERAGE					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5965.00	88.04	-----	-----	78.25	35.30	11.43	36.94	0.00	108	312 AVERAGE																																												