













Mode	16																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5118.01</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>40.99</td><td>34.40</td><td>11.89</td><td>29.86</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5118.01	57.42	74.00	-16.58	40.99	34.40	11.89	29.86	0.00	100	168	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>110.75</td><td>-----</td><td>-----</td><td>94.06</td><td>34.57</td><td>12.02</td><td>29.90</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	110.75	-----	-----	94.06	34.57	12.02	29.90	0.00	100	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5118.01	57.42	74.00	-16.58	40.99	34.40	11.89	29.86	0.00	100	168	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5260.00	110.75	-----	-----	94.06	34.57	12.02	29.90	0.00	100	168	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.45</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>30.45</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>100</td><td>168</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.45	46.89	54.00	-7.11	30.45	34.40	11.91	29.87	0.00	100	168	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>103.48</td><td>-----</td><td>-----</td><td>86.78</td><td>34.59</td><td>12.01</td><td>29.90</td><td>0.00</td><td>100</td><td>168</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	103.48	-----	-----	86.78	34.59	12.01	29.90	0.00	100	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5139.45	46.89	54.00	-7.11	30.45	34.40	11.91	29.87	0.00	100	168	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5260.00	103.48	-----	-----	86.78	34.59	12.01	29.90	0.00	100	168	AVERAGE																																																																																																			





Mode	16																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5377.31</td><td>56.17</td><td>74.00</td><td>-17.83</td><td>39.22</td><td>34.61</td><td>12.15</td><td>29.81</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.31	56.17	74.00	-17.83	39.22	34.61	12.15	29.81	0.00	100	168	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5377.31	56.17	74.00	-17.83	39.22	34.61	12.15	29.81	0.00	100	168	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.91</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>28.51</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>100</td><td>168</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.91	45.65	54.00	-8.35	28.51	34.78	12.23	29.87	0.00	100	168	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5457.91	45.65	54.00	-8.35	28.51	34.78	12.23	29.87	0.00	100	168	AVERAGE																																												





Mode	16																																																													
	Band Edge - L																																																													
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																													
ANT	CDD 6+7																																																													
Pol.	Vertical						Fundamental																																																							
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5114.65</td><td>57.60</td><td>74.00</td><td>-16.40</td><td>41.17</td><td>34.40</td><td>11.89</td><td>29.86</td><td>0.00</td><td>272</td><td>206</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5114.65	57.60	74.00	-16.40	41.17	34.40	11.89	29.86	0.00	272	206
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5114.65	57.60	74.00	-16.40	41.17	34.40	11.89	29.86	0.00	272	206	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5114.17</td><td>46.68</td><td>54.00</td><td>-7.32</td><td>30.25</td><td>34.40</td><td>11.89</td><td>29.86</td><td>0.00</td><td>272</td><td>206</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5114.17	46.68	54.00	-7.32	30.25	34.40	11.89	29.86	0.00	272	206
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5114.17	46.68	54.00	-7.32	30.25	34.40	11.89	29.86	0.00	272	206	AVERAGE																																																		
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5260.00</td><td>106.50</td><td>-----</td><td>-----</td><td>91.80</td><td>34.59</td><td>12.01</td><td>29.90</td><td>0.00</td><td>272</td><td>206</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5260.00	106.50	-----	-----	91.80	34.59	12.01	29.90	0.00	272	206
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5260.00	106.50	-----	-----	91.80	34.59	12.01	29.90	0.00	272	206	PEAK																																																		
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5260.00</td><td>101.17</td><td>-----</td><td>-----</td><td>84.47</td><td>34.59</td><td>12.01</td><td>29.90</td><td>0.00</td><td>272</td><td>206</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5260.00	101.17	-----	-----	84.47	34.59	12.01	29.90	0.00	272	206
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	5260.00	101.17	-----	-----	84.47	34.59	12.01	29.90	0.00	272	206	AVERAGE																																																		







Mode	16																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.71</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>39.45</td><td>34.62</td><td>12.15</td><td>29.81</td><td>0.00</td><td>272</td><td>206</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.71	56.41	74.00	-17.59	39.45	34.62	12.15	29.81	0.00	272	206	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5379.71	56.41	74.00	-17.59	39.45	34.62	12.15	29.81	0.00	272	206	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.91</td><td>45.54</td><td>54.00</td><td>-8.46</td><td>28.39</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>272</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.91	45.54	54.00	-8.46	28.39	34.79	12.23	29.87	0.00	272	206	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5456.91	45.54	54.00	-8.46	28.39	34.79	12.23	29.87	0.00	272	206	AVERAGE																																												





		16																																																																												
Mode		Harmonic																																																																												
		U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																												
ANT		CDD 6+7																																																																												
Pol.		Horizontal					Vertical																																																																							
Peak Avg																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6766.80</td><td>47.42</td><td>68.20</td><td>-20.78</td><td>61.36</td><td>35.70</td><td>14.38</td><td>64.02</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11985.60</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>48.06</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6766.80	47.42	68.20	-20.78	61.36	35.70	14.38	64.02	0.00	--	PEAK	2	11985.60	45.14	74.00	-28.86	48.06	38.69	19.28	60.89	0.00	--	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6766.80	47.42	68.20	-20.78	61.36	35.70	14.38	64.02	0.00	--	PEAK																																																																			
2	11985.60	45.14	74.00	-28.86	48.06	38.69	19.28	60.89	0.00	--	PEAK																																																																			
																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6766.80</td><td>49.85</td><td>68.20</td><td>-18.35</td><td>63.79</td><td>35.70</td><td>14.38</td><td>64.02</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11985.60</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>55.47</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>300</td><td>55 PEAK</td></tr><tr><td>3</td><td>11985.60</td><td>40.20</td><td>54.00</td><td>-13.80</td><td>43.12</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>300</td><td>55 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6766.80	49.85	68.20	-18.35	63.79	35.70	14.38	64.02	0.00	--	PEAK	2	11985.60	52.55	74.00	-21.45	55.47	38.69	19.28	60.89	0.00	300	55 PEAK	3	11985.60	40.20	54.00	-13.80	43.12	38.69	19.28	60.89	0.00	300	55 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6766.80	49.85	68.20	-18.35	63.79	35.70	14.38	64.02	0.00	--	PEAK																																																																			
2	11985.60	52.55	74.00	-21.45	55.47	38.69	19.28	60.89	0.00	300	55 PEAK																																																																			
3	11985.60	40.20	54.00	-13.80	43.12	38.69	19.28	60.89	0.00	300	55 AVERAGE																																																																			







		17																																																																																																																										
Mode		Band Edge - L																																																																																																																										
		U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																										
ANT		CDD 6+7																																																																																																																										
Pol.	Horizontal											Fundamental																																																																																																																
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5099.16</td><td>57.88</td><td>74.00</td><td>-16.12</td><td>41.45</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>200</td><td>163</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5099.16	57.88	74.00	-16.12	41.45	34.40	11.88	29.85	0.00	200	163	PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5300.00</td><td>111.22</td><td>-----</td><td>-----</td><td>94.57</td><td>34.50</td><td>12.06</td><td>29.91</td><td>0.00</td><td>200</td><td>163</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5300.00	111.22	-----	-----	94.57	34.50	12.06	29.91	0.00	200	163	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5099.16	57.88	74.00	-16.12	41.45	34.40	11.88	29.85	0.00	200	163	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5300.00	111.22	-----	-----	94.57	34.50	12.06	29.91	0.00	200	163	PEAK																																																																																																																
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5090.46</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>30.49</td><td>34.38</td><td>11.87</td><td>29.85</td><td>0.00</td><td>200</td><td>163</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5090.46	46.89	54.00	-7.11	30.49	34.38	11.87	29.85	0.00	200	163	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5300.00</td><td>104.20</td><td>-----</td><td>-----</td><td>87.55</td><td>34.51</td><td>12.05</td><td>29.91</td><td>0.00</td><td>200</td><td>163</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5300.00	104.20	-----	-----	87.55	34.51	12.05	29.91	0.00	200	163	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5090.46	46.89	54.00	-7.11	30.49	34.38	11.87	29.85	0.00	200	163	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																	
1	5300.00	104.20	-----	-----	87.55	34.51	12.05	29.91	0.00	200	163	AVERAGE																																																																																																																





Mode	17																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5389.45</td><td>57.13</td><td>74.00</td><td>-16.87</td><td>40.10</td><td>34.66</td><td>12.16</td><td>29.79</td><td>0.00</td><td>200</td><td>163</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5389.45	57.13	74.00	-16.87	40.10	34.66	12.16	29.79	0.00	200	163	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5389.45	57.13	74.00	-16.87	40.10	34.66	12.16	29.79	0.00	200	163	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.15</td><td>46.11</td><td>54.00</td><td>-7.89</td><td>29.04</td><td>34.68</td><td>12.17</td><td>29.78</td><td>0.00</td><td>200</td><td>163</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.15	46.11	54.00	-7.89	29.04	34.68	12.17	29.78	0.00	200	163	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5396.15	46.11	54.00	-7.89	29.04	34.68	12.17	29.78	0.00	200	163	AVERAGE																																												





		17																																																																																																																					
Mode	Band Edge - L																																																																																																																						
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																						
ANT	CDD 6+7																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5020.26</td><td>57.73</td><td>74.00</td><td>-16.27</td><td>41.43</td><td>34.30</td><td>11.82</td><td>29.82</td><td>0.00</td><td>283</td><td>209 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5020.26	57.73	74.00	-16.27	41.43	34.30	11.82	29.82	0.00	283	209 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5300.00</td><td>109.25</td><td>-----</td><td>-----</td><td>92.60</td><td>34.50</td><td>12.06</td><td>29.91</td><td>0.00</td><td>283</td><td>209 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5300.00	109.25	-----	-----	92.60	34.50	12.06	29.91	0.00	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5020.26	57.73	74.00	-16.27	41.43	34.30	11.82	29.82	0.00	283	209 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5300.00	109.25	-----	-----	92.60	34.50	12.06	29.91	0.00	283	209 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5074.22</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>30.72</td><td>34.35</td><td>11.86</td><td>29.84</td><td>0.00</td><td>283</td><td>209 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5074.22	47.09	54.00	-6.91	30.72	34.35	11.86	29.84	0.00	283	209 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5300.00</td><td>101.42</td><td>-----</td><td>-----</td><td>84.77</td><td>34.50</td><td>12.06</td><td>29.91</td><td>0.00</td><td>283</td><td>209 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5300.00	101.42	-----	-----	84.77	34.50	12.06	29.91	0.00	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5074.22	47.09	54.00	-6.91	30.72	34.35	11.86	29.84	0.00	283	209 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5300.00	101.42	-----	-----	84.77	34.50	12.06	29.91	0.00	283	209 AVERAGE																																																																																																												







Mode	17																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.25</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>38.24</td><td>34.70</td><td>12.17</td><td>29.78</td><td>0.00</td><td>283</td><td>209</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.25	55.33	74.00	-18.67	38.24	34.70	12.17	29.78	0.00	283	209	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5399.25	55.33	74.00	-18.67	38.24	34.70	12.17	29.78	0.00	283	209	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.85</td><td>45.49</td><td>54.00</td><td>-8.51</td><td>28.43</td><td>34.68</td><td>12.17</td><td>29.79</td><td>0.00</td><td>283</td><td>209</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.85	45.49	54.00	-8.51	28.43	34.68	12.17	29.79	0.00	283	209	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5395.85	45.49	54.00	-8.51	28.43	34.68	12.17	29.79	0.00	283	209	AVERAGE																																												







Mode	17										
	Harmonic										
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz										
ANT	CDD 6+7										
Pol.	Horizontal						Vertical				
Peak Avg											
	Limit						Limit				
	Read						Read				
Ant						Ant					
Cable						Cable					
Preamp						Preamp					
Aux						Aux					
APos						APos					
TPos						TPos					
Remark						Remark					
Freq						Freq					
Level						Level					
Line						Line					
Margin						Margin					
Level						Level					
Factor						Factor					
Loss						Loss					
Factor						Factor					
Factor						Factor					
cm						cm					
deg						deg					
MHz						MHz					
dBuV/m						dBuV/m					
dBuV/m						dBuV/m					
dB						dB					
dBuV						dBuV					
dB/m						dB/m					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB						dB					
dB											





Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5359.85</td><td>57.22</td><td>74.00</td><td>-16.78</td><td>40.38</td><td>34.54</td><td>12.13</td><td>29.83</td><td>0.00</td><td>225</td><td>162</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.85	57.22	74.00	-16.78	40.38	34.54	12.13	29.83	0.00	225	162	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>111.80</td><td>-----</td><td>-----</td><td>95.11</td><td>34.50</td><td>12.08</td><td>29.89</td><td>0.00</td><td>225</td><td>162</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.80	-----	-----	95.11	34.50	12.08	29.89	0.00	225	162
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5359.85	57.22	74.00	-16.78	40.38	34.54	12.13	29.83	0.00	225	162	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	111.80	-----	-----	95.11	34.50	12.08	29.89	0.00	225	162	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.55</td><td>46.99</td><td>54.00</td><td>-7.01</td><td>30.20</td><td>34.51</td><td>12.12</td><td>29.84</td><td>0.00</td><td>225</td><td>162</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.55	46.99	54.00	-7.01	30.20	34.51	12.12	29.84	0.00	225	162	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>103.89</td><td>-----</td><td>-----</td><td>87.20</td><td>34.50</td><td>12.08</td><td>29.89</td><td>0.00</td><td>225</td><td>162</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.89	-----	-----	87.20	34.50	12.08	29.89	0.00	225	162
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5351.55	46.99	54.00	-7.01	30.20	34.51	12.12	29.84	0.00	225	162	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	103.89	-----	-----	87.20	34.50	12.08	29.89	0.00	225	162	AVERAGE																																																																																							







		18																																																																																							
Mode		Band Edge																																																																																							
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																							
ANT		CDD 6+7																																																																																							
Pol.		Fundamental																																																																																							
Peak	Vertical	Fundamental																																																																																							
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5377.65</td><td>56.47</td><td>74.00</td><td>-17.53</td><td>39.52</td><td>34.61</td><td>12.15</td><td>29.81</td><td>0.00</td><td>300</td><td>119</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.65	56.47	74.00	-17.53	39.52	34.61	12.15	29.81	0.00	300	119	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>104.76</td><td>-----</td><td>-----</td><td>88.09</td><td>34.50</td><td>12.07</td><td>29.90</td><td>0.00</td><td>300</td><td>119</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.76	-----	-----	88.09	34.50	12.07	29.90	0.00	300	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5377.65	56.47	74.00	-17.53	39.52	34.61	12.15	29.81	0.00	300	119	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5320.00	104.76	-----	-----	88.09	34.50	12.07	29.90	0.00	300	119	PEAK																																																																													
Avg	Vertical	Fundamental																																																																																							
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5392.95</td><td>45.47</td><td>54.00</td><td>-8.53</td><td>28.43</td><td>34.67</td><td>12.16</td><td>29.79</td><td>0.00</td><td>300</td><td>119</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5392.95	45.47	54.00	-8.53	28.43	34.67	12.16	29.79	0.00	300	119	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>97.33</td><td>-----</td><td>-----</td><td>80.66</td><td>34.50</td><td>12.07</td><td>29.90</td><td>0.00</td><td>300</td><td>119</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.33	-----	-----	80.66	34.50	12.07	29.90	0.00	300	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5392.95	45.47	54.00	-8.53	28.43	34.67	12.16	29.79	0.00	300	119	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5320.00	97.33	-----	-----	80.66	34.50	12.07	29.90	0.00	300	119	AVERAGE																																																																													



		18																																																																																																																																																																				
Mode		Harmonic																																																																																																																																																																				
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																				
ANT		CDD 6+7																																																																																																																																																																				
Pol.		Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6384.00</td><td>45.89</td><td>68.20</td><td>-22.31</td><td>68.43</td><td>35.63</td><td>14.01</td><td>64.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 10640.00</td><td>43.98</td><td>74.00</td><td>-30.02</td><td>50.21</td><td>37.74</td><td>18.28</td><td>62.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 11977.20</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>48.24</td><td>38.68</td><td>19.27</td><td>68.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6384.00	45.89	68.20	-22.31	68.43	35.63	14.01	64.18	0.00	--	--	PEAK	2 10640.00	43.98	74.00	-30.02	50.21	37.74	18.28	62.25	0.00	--	--	PEAK	3 11977.20	45.28	74.00	-28.72	48.24	38.68	19.27	68.91	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6384.00</td><td>44.07</td><td>68.20</td><td>-24.13</td><td>58.61</td><td>35.63</td><td>14.01</td><td>64.18</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 10640.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>50.60</td><td>37.74</td><td>18.28</td><td>62.25</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 11977.20</td><td>53.35</td><td>74.00</td><td>-20.65</td><td>56.31</td><td>38.68</td><td>19.27</td><td>68.91</td><td>0.00</td><td>297</td><td>56</td><td>PEAK</td></tr><tr><td>4 11977.20</td><td>40.80</td><td>54.00</td><td>-13.20</td><td>43.74</td><td>38.68</td><td>19.28</td><td>60.90</td><td>0.00</td><td>297</td><td>56</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6384.00	44.07	68.20	-24.13	58.61	35.63	14.01	64.18	0.00	--	--	PEAK	2 10640.00	44.37	74.00	-29.63	50.60	37.74	18.28	62.25	0.00	--	--	PEAK	3 11977.20	53.35	74.00	-20.65	56.31	38.68	19.27	68.91	0.00	297	56	PEAK	4 11977.20	40.80	54.00	-13.20	43.74	38.68	19.28	60.90	0.00	297	56
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1 6384.00	45.89	68.20	-22.31	68.43	35.63	14.01	64.18	0.00	--	--	PEAK																																																																																																																																																											
2 10640.00	43.98	74.00	-30.02	50.21	37.74	18.28	62.25	0.00	--	--	PEAK																																																																																																																																																											
3 11977.20	45.28	74.00	-28.72	48.24	38.68	19.27	68.91	0.00	--	--	PEAK																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1 6384.00	44.07	68.20	-24.13	58.61	35.63	14.01	64.18	0.00	--	--	PEAK																																																																																																																																																											
2 10640.00	44.37	74.00	-29.63	50.60	37.74	18.28	62.25	0.00	--	--	PEAK																																																																																																																																																											
3 11977.20	53.35	74.00	-20.65	56.31	38.68	19.27	68.91	0.00	297	56	PEAK																																																																																																																																																											
4 11977.20	40.80	54.00	-13.20	43.74	38.68	19.28	60.90	0.00	297	56	AVERAGE																																																																																																																																																											



	19																																																																																																				
Mode	Band Edge - L																																																																																																				
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5106.01</td><td>57.26</td><td>74.00</td><td>-16.74</td><td>40.83</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>100</td><td>166 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5106.01	57.26	74.00	-16.74	40.83	34.40	11.88	29.85	0.00	100	166 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5260.00</td><td>112.57</td><td>-----</td><td>-----</td><td>95.88</td><td>34.57</td><td>12.02</td><td>29.90</td><td>0.00</td><td>100</td><td>166 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5260.00	112.57	-----	-----	95.88	34.57	12.02	29.90	0.00	100	166 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5106.01	57.26	74.00	-16.74	40.83	34.40	11.88	29.85	0.00	100	166 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5260.00	112.57	-----	-----	95.88	34.57	12.02	29.90	0.00	100	166 PEAK																																																																																										
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5106.65</td><td>46.82</td><td>54.00</td><td>-7.18</td><td>30.39</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>100</td><td>166 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5106.65	46.82	54.00	-7.18	30.39	34.40	11.88	29.85	0.00	100	166 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5260.00</td><td>103.76</td><td>-----</td><td>-----</td><td>87.06</td><td>34.59</td><td>12.01</td><td>29.90</td><td>0.00</td><td>100</td><td>166 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5260.00	103.76	-----	-----	87.06	34.59	12.01	29.90	0.00	100	166 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5106.65	46.82	54.00	-7.18	30.39	34.40	11.88	29.85	0.00	100	166 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5260.00	103.76	-----	-----	87.06	34.59	12.01	29.90	0.00	100	166 AVERAGE																																																																																										





Mode	19										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz										
ANT	CDD 6+7										
Pol.	Horizontal										
Peak	Level (dBuV/m)										





Mode	19																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.77</td><td>57.45</td><td>74.00</td><td>-16.55</td><td>41.01</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>300</td><td>125</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.77	57.45	74.00	-16.55	41.01	34.40	11.91	29.87	0.00	300	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.77	57.45	74.00	-16.55	41.01	34.40	11.91	29.87	0.00	300	125	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>106.76</td><td>-----</td><td>-----</td><td>90.06</td><td>34.59</td><td>12.01</td><td>29.90</td><td>0.00</td><td>300</td><td>125</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	106.76	-----	-----	90.06	34.59	12.01	29.90	0.00	300	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5260.00	106.76	-----	-----	90.06	34.59	12.01	29.90	0.00	300	125	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.21</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>30.21</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>300</td><td>125</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.21	46.65	54.00	-7.35	30.21	34.40	11.90	29.86	0.00	300	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5125.21	46.65	54.00	-7.35	30.21	34.40	11.90	29.86	0.00	300	125	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>98.71</td><td>-----</td><td>-----</td><td>82.01</td><td>34.59</td><td>12.01</td><td>29.90</td><td>0.00</td><td>300</td><td>125</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	98.71	-----	-----	82.01	34.59	12.01	29.90	0.00	300	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5260.00	98.71	-----	-----	82.01	34.59	12.01	29.90	0.00	300	125	AVERAGE																																											







Mode	19																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.11</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>39.26</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>300</td><td>125</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.11	56.41	74.00	-17.59	39.26	34.79	12.23	29.87	0.00	300	125	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5455.11	56.41	74.00	-17.59	39.26	34.79	12.23	29.87	0.00	300	125	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.71</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>28.39</td><td>34.00</td><td>12.23</td><td>29.86</td><td>0.00</td><td>300</td><td>125</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.71	45.56	54.00	-8.44	28.39	34.00	12.23	29.86	0.00	300	125	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5450.71	45.56	54.00	-8.44	28.39	34.00	12.23	29.86	0.00	300	125	AVERAGE																																											





Mode	19																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5260MHz																																																																																																																																																							
ANT	CDD 6+7																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6766.80</td><td>46.66</td><td>68.20</td><td>-21.54</td><td>60.60</td><td>35.70</td><td>14.38</td><td>64.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11985.60</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>51.78</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>303</td><td>34</td><td>PEAK</td></tr><tr><td>3</td><td>11985.60</td><td>37.45</td><td>54.00</td><td>-16.55</td><td>40.39</td><td>38.68</td><td>19.28</td><td>60.90</td><td>0.00</td><td>303</td><td>34</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6766.80	46.66	68.20	-21.54	60.60	35.70	14.38	64.02	0.00	--	--	PEAK	2	11985.60	48.86	74.00	-25.14	51.78	38.69	19.28	60.89	0.00	303	34	PEAK	3	11985.60	37.45	54.00	-16.55	40.39	38.68	19.28	60.90	0.00	303	34	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6766.80</td><td>50.51</td><td>68.20</td><td>-17.69</td><td>64.45</td><td>35.70</td><td>14.38</td><td>64.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11985.60</td><td>52.90</td><td>74.00</td><td>-21.10</td><td>55.82</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>300</td><td>57</td><td>PEAK</td></tr><tr><td>3</td><td>11985.60</td><td>40.44</td><td>54.00</td><td>-13.56</td><td>43.38</td><td>38.68</td><td>19.28</td><td>60.90</td><td>0.00</td><td>300</td><td>57</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6766.80	50.51	68.20	-17.69	64.45	35.70	14.38	64.02	0.00	--	--	PEAK	2	11985.60	52.90	74.00	-21.10	55.82	38.69	19.28	60.89	0.00	300	57	PEAK	3	11985.60	40.44	54.00	-13.56	43.38	38.68	19.28	60.90	0.00	300	57	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	6766.80	46.66	68.20	-21.54	60.60	35.70	14.38	64.02	0.00	--	--	PEAK																																																																																																																																												
2	11985.60	48.86	74.00	-25.14	51.78	38.69	19.28	60.89	0.00	303	34	PEAK																																																																																																																																												
3	11985.60	37.45	54.00	-16.55	40.39	38.68	19.28	60.90	0.00	303	34	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	6766.80	50.51	68.20	-17.69	64.45	35.70	14.38	64.02	0.00	--	--	PEAK																																																																																																																																												
2	11985.60	52.90	74.00	-21.10	55.82	38.69	19.28	60.89	0.00	300	57	PEAK																																																																																																																																												
3	11985.60	40.44	54.00	-13.56	43.38	38.68	19.28	60.90	0.00	300	57	AVERAGE																																																																																																																																												







Mode	20																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5068.86</td><td>57.12</td><td>74.00</td><td>-16.88</td><td>40.76</td><td>34.34</td><td>11.86</td><td>29.84</td><td>0.00</td><td>200</td><td>166</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5068.86	57.12	74.00	-16.88	40.76	34.34	11.86	29.84	0.00	200	166	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>112.70</td><td>-----</td><td>-----</td><td>96.05</td><td>34.51</td><td>12.05</td><td>29.91</td><td>0.00</td><td>200</td><td>166</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	112.70	-----	-----	96.05	34.51	12.05	29.91	0.00	200	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5068.86	57.12	74.00	-16.88	40.76	34.34	11.86	29.84	0.00	200	166	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5300.00	112.70	-----	-----	96.05	34.51	12.05	29.91	0.00	200	166	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5111.16</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>30.36</td><td>34.40</td><td>11.89</td><td>29.85</td><td>0.00</td><td>200</td><td>166</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5111.16	46.80	54.00	-7.20	30.36	34.40	11.89	29.85	0.00	200	166	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>103.96</td><td>-----</td><td>-----</td><td>87.31</td><td>34.51</td><td>12.05</td><td>29.91</td><td>0.00</td><td>200</td><td>166</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	103.96	-----	-----	87.31	34.51	12.05	29.91	0.00	200	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5111.16	46.80	54.00	-7.20	30.36	34.40	11.89	29.85	0.00	200	166	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5300.00	103.96	-----	-----	87.31	34.51	12.05	29.91	0.00	200	166	AVERAGE																																																																																																			



Mode	20																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																			
ANT	CDD 6+7																																																			
Pol.	Horizontal										Fundamental																																									
Peak											Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.85</td><td>56.53</td><td>74.00</td><td>-17.47</td><td>39.48</td><td>34.68</td><td>12.16</td><td>29.79</td><td>0.00</td><td>200</td><td>166 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.85	56.53	74.00	-17.47	39.48	34.68	12.16	29.79	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5394.85	56.53	74.00	-17.47	39.48	34.68	12.16	29.79	0.00	200	166 PEAK																																									
Avg											Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.83</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>29.33</td><td>34.52</td><td>12.12</td><td>29.84</td><td>0.00</td><td>200</td><td>166 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.83	46.13	54.00	-7.87	29.33	34.52	12.12	29.84	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5355.83	46.13	54.00	-7.87	29.33	34.52	12.12	29.84	0.00	200	166 AVERAGE																																									





		20																																																						
Mode		Band Edge - L																																																						
		U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																						
ANT		CDD 6+7																																																						
Pol.		Vertical						Fundamental																																																
Peak																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5092.56</td><td>57.22</td><td>74.00</td><td>-16.78</td><td>40.81</td><td>34.39</td><td>11.87</td><td>29.85</td><td>0.00</td><td>270</td><td>200</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5092.56	57.22	74.00	-16.78	40.81	34.39	11.87	29.85	0.00	270	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5092.56	57.22	74.00	-16.78	40.81	34.39	11.87	29.85	0.00	270	200	PEAK																																												
Fundamental																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>107.85</td><td>-----</td><td>-----</td><td>91.18</td><td>34.53</td><td>12.05</td><td>29.91</td><td>0.00</td><td>270</td><td>200</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	107.85	-----	-----	91.18	34.53	12.05	29.91	0.00	270	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5300.00	107.85	-----	-----	91.18	34.53	12.05	29.91	0.00	270	200	PEAK																																												
Avg																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5093.16</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>30.50</td><td>34.39</td><td>11.88</td><td>29.85</td><td>0.00</td><td>270</td><td>200</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.16	46.92	54.00	-7.08	30.50	34.39	11.88	29.85	0.00	270	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5093.16	46.92	54.00	-7.08	30.50	34.39	11.88	29.85	0.00	270	200	AVERAGE																																												
Fundamental																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>99.94</td><td>-----</td><td>-----</td><td>83.27</td><td>34.53</td><td>12.05</td><td>29.91</td><td>0.00</td><td>270</td><td>200</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	99.94	-----	-----	83.27	34.53	12.05	29.91	0.00	270	200
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5300.00	99.94	-----	-----	83.27	34.53	12.05	29.91	0.00	270	200	AVERAGE																																												







Mode	20																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.65</td><td>55.81</td><td>74.00</td><td>-18.19</td><td>39.02</td><td>34.51</td><td>12.12</td><td>29.84</td><td>0.00</td><td>270</td><td>200</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.65	55.81	74.00	-18.19	39.02	34.51	12.12	29.84	0.00	270	200	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.65	55.81	74.00	-18.19	39.02	34.51	12.12	29.84	0.00	270	200	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5396.65</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>28.36</td><td>34.69</td><td>12.17</td><td>29.78</td><td>0.00</td><td>270</td><td>200</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.65	45.44	54.00	-8.56	28.36	34.69	12.17	29.78	0.00	270	200	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5396.65	45.44	54.00	-8.56	28.36	34.69	12.17	29.78	0.00	270	200	AVERAGE																																											







Mode	20																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal											Vertical																																																																																																																														
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>6818.40</td><td>42.65</td><td>68.20</td><td>-25.55</td><td>56.55</td><td>35.66</td><td>14.43</td><td>63.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>47.72</td><td>38.69</td><td>19.28</td><td>68.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	6818.40	42.65	68.20	-25.55	56.55	35.66	14.43	63.99	0.00	--	--	PEAK	2	11988.00	44.80	74.00	-29.20	47.72	38.69	19.28	68.89	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>6818.40</td><td>46.28</td><td>68.20</td><td>-21.92</td><td>60.18</td><td>35.66</td><td>14.43</td><td>63.99</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>54.10</td><td>38.69</td><td>19.28</td><td>68.89</td><td>0.00</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>39.52</td><td>54.00</td><td>-14.48</td><td>42.46</td><td>38.68</td><td>19.28</td><td>68.90</td><td>0.00</td><td>100</td><td>63</td><td>AVERAGE</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	6818.40	46.28	68.20	-21.92	60.18	35.66	14.43	63.99	0.00	--	--	PEAK	2	11988.00	51.18	74.00	-22.82	54.10	38.69	19.28	68.89	0.00	100	63	PEAK	3	11988.00	39.52	54.00	-14.48	42.46	38.68	19.28	68.90	0.00	100	63	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																		
1	6818.40	42.65	68.20	-25.55	56.55	35.66	14.43	63.99	0.00	--	--	PEAK																																																																																																																														
2	11988.00	44.80	74.00	-29.20	47.72	38.69	19.28	68.89	0.00	--	--	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																		
1	6818.40	46.28	68.20	-21.92	60.18	35.66	14.43	63.99	0.00	--	--	PEAK																																																																																																																														
2	11988.00	51.18	74.00	-22.82	54.10	38.69	19.28	68.89	0.00	100	63	PEAK																																																																																																																														
3	11988.00	39.52	54.00	-14.48	42.46	38.68	19.28	68.90	0.00	100	63	AVERAGE																																																																																																																														





	21																																																						
Mode	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.15</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>39.54</td><td>34.55</td><td>12.13</td><td>29.83</td><td>0.00</td><td>199</td><td>163</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.15	56.39	74.00	-17.61	39.54	34.55	12.13	29.83	0.00	199	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5362.15	56.39	74.00	-17.61	39.54	34.55	12.13	29.83	0.00	199	163	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.75</td><td>46.78</td><td>54.00</td><td>-7.22</td><td>30.00</td><td>34.50</td><td>12.12</td><td>29.84</td><td>0.00</td><td>199</td><td>163</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.75	46.78	54.00	-7.22	30.00	34.50	12.12	29.84	0.00	199	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.75	46.78	54.00	-7.22	30.00	34.50	12.12	29.84	0.00	199	163	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.82</td><td>-----</td><td>-----</td><td>94.13</td><td>34.50</td><td>12.08</td><td>29.89</td><td>0.00</td><td>199</td><td>163</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.82	-----	-----	94.13	34.50	12.08	29.89	0.00	199	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	110.82	-----	-----	94.13	34.50	12.08	29.89	0.00	199	163	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.16</td><td>-----</td><td>-----</td><td>85.49</td><td>34.50</td><td>12.07</td><td>29.90</td><td>0.00</td><td>199</td><td>163</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.16	-----	-----	85.49	34.50	12.07	29.90	0.00	199	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	102.16	-----	-----	85.49	34.50	12.07	29.90	0.00	199	163	AVERAGE																																											







Mode	21																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.55</td><td>55.83</td><td>74.00</td><td>-18.17</td><td>38.87</td><td>34.62</td><td>12.15</td><td>29.81</td><td>0.00</td><td>282</td><td>236</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.55	55.83	74.00	-18.17	38.87	34.62	12.15	29.81	0.00	282	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5379.55	55.83	74.00	-18.17	38.87	34.62	12.15	29.81	0.00	282	236	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.32</td><td>-----</td><td>-----</td><td>90.65</td><td>34.50</td><td>12.07</td><td>29.90</td><td>0.00</td><td>282</td><td>236</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.32	-----	-----	90.65	34.50	12.07	29.90	0.00	282	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	107.32	-----	-----	90.65	34.50	12.07	29.90	0.00	282	236	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.85</td><td>45.40</td><td>54.00</td><td>-8.60</td><td>28.31</td><td>34.70</td><td>12.17</td><td>29.78</td><td>0.00</td><td>282</td><td>236</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.85	45.40	54.00	-8.60	28.31	34.70	12.17	29.78	0.00	282	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5399.85	45.40	54.00	-8.60	28.31	34.70	12.17	29.78	0.00	282	236	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>98.45</td><td>-----</td><td>-----</td><td>81.78</td><td>34.50</td><td>12.07</td><td>29.90</td><td>0.00</td><td>282</td><td>236</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	98.45	-----	-----	81.78	34.50	12.07	29.90	0.00	282	236
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	98.45	-----	-----	81.78	34.50	12.07	29.90	0.00	282	236	AVERAGE																																											







Mode	21																																																																																																																																																													
	Harmonic																																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																																																																																																													
ANT	CDD 6+7																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6384.00</td><td>43.23</td><td>68.20</td><td>-24.97</td><td>57.77</td><td>35.63</td><td>14.01</td><td>64.18</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>45.53</td><td>74.00</td><td>-28.47</td><td>51.76</td><td>37.74</td><td>18.28</td><td>62.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11977.20</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>47.78</td><td>38.68</td><td>19.27</td><td>60.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6384.00	43.23	68.20	-24.97	57.77	35.63	14.01	64.18	0.00	--	PEAK	2	10640.00	45.53	74.00	-28.47	51.76	37.74	18.28	62.25	0.00	--	PEAK	3	11977.20	44.82	74.00	-29.18	47.78	38.68	19.27	60.91	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6384.00</td><td>43.08</td><td>68.20</td><td>-25.12</td><td>57.62</td><td>35.63</td><td>14.01</td><td>64.18</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>51.42</td><td>37.74</td><td>18.28</td><td>62.25</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11977.20</td><td>51.01</td><td>74.00</td><td>-22.99</td><td>53.97</td><td>38.68</td><td>19.27</td><td>60.91</td><td>0.00</td><td>100</td><td>61 PEAK</td></tr><tr><td>4</td><td>11977.20</td><td>39.17</td><td>54.00</td><td>-14.83</td><td>42.13</td><td>38.68</td><td>19.27</td><td>60.91</td><td>0.00</td><td>100</td><td>61 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6384.00	43.08	68.20	-25.12	57.62	35.63	14.01	64.18	0.00	--	PEAK	2	10640.00	45.19	74.00	-28.81	51.42	37.74	18.28	62.25	0.00	--	PEAK	3	11977.20	51.01	74.00	-22.99	53.97	38.68	19.27	60.91	0.00	100	61 PEAK	4	11977.20	39.17	54.00	-14.83	42.13	38.68	19.27	60.91	0.00	100	61 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	6384.00	43.23	68.20	-24.97	57.77	35.63	14.01	64.18	0.00	--	PEAK																																																																																																																																																			
2	10640.00	45.53	74.00	-28.47	51.76	37.74	18.28	62.25	0.00	--	PEAK																																																																																																																																																			
3	11977.20	44.82	74.00	-29.18	47.78	38.68	19.27	60.91	0.00	--	PEAK																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																				
1	6384.00	43.08	68.20	-25.12	57.62	35.63	14.01	64.18	0.00	--	PEAK																																																																																																																																																			
2	10640.00	45.19	74.00	-28.81	51.42	37.74	18.28	62.25	0.00	--	PEAK																																																																																																																																																			
3	11977.20	51.01	74.00	-22.99	53.97	38.68	19.27	60.91	0.00	100	61 PEAK																																																																																																																																																			
4	11977.20	39.17	54.00	-14.83	42.13	38.68	19.27	60.91	0.00	100	61 AVERAGE																																																																																																																																																			







Mode	22																																																																																											
	Band Edge																																																																																											
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_RU106/54_5320MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5363.35</td><td>56.04</td><td>74.00</td><td>-17.96</td><td>39.19</td><td>34.55</td><td>12.13</td><td>29.83</td><td>0.00</td><td>100 165 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5363.35	56.04	74.00	-17.96	39.19	34.55	12.13	29.83	0.00	100 165 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>112.10</td><td>-----</td><td>-----</td><td>95.39</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>100 165 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	112.10	-----	-----	95.39	34.50	12.09	29.88	0.00	100 165 PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 5363.35	56.04	74.00	-17.96	39.19	34.55	12.13	29.83	0.00	100 165 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 5320.00	112.10	-----	-----	95.39	34.50	12.09	29.88	0.00	100 165 PEAK																																																																																			
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5391.65</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>28.52</td><td>34.67</td><td>12.16</td><td>29.79</td><td>0.00</td><td>100 165 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5391.65	45.56	54.00	-8.44	28.52	34.67	12.16	29.79	0.00	100 165 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>103.48</td><td>-----</td><td>-----</td><td>86.79</td><td>34.50</td><td>12.08</td><td>29.89</td><td>0.00</td><td>100 165 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	103.48	-----	-----	86.79	34.50	12.08	29.89	0.00	100 165 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 5391.65	45.56	54.00	-8.44	28.52	34.67	12.16	29.79	0.00	100 165 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1 5320.00	103.48	-----	-----	86.79	34.50	12.08	29.89	0.00	100 165 AVERAGE																																																																																			



Mode	22																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_RU106/54_5320MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.25</td><td>55.92</td><td>74.00</td><td>-18.08</td><td>39.12</td><td>34.52</td><td>12.12</td><td>29.84</td><td>0.00</td><td>276</td><td>212</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.25	55.92	74.00	-18.08	39.12	34.52	12.12	29.84	0.00	276	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.25	55.92	74.00	-18.08	39.12	34.52	12.12	29.84	0.00	276	212	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>111.18</td><td>-----</td><td>-----</td><td>94.47</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>276</td><td>212</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.18	-----	-----	94.47	34.50	12.09	29.88	0.00	276	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	111.18	-----	-----	94.47	34.50	12.09	29.88	0.00	276	212	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5391.55</td><td>45.21</td><td>54.00</td><td>-8.79</td><td>28.17</td><td>34.67</td><td>12.16</td><td>29.79</td><td>0.00</td><td>276</td><td>212</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5391.55	45.21	54.00	-8.79	28.17	34.67	12.16	29.79	0.00	276	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5391.55	45.21	54.00	-8.79	28.17	34.67	12.16	29.79	0.00	276	212	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>100.64</td><td>-----</td><td>-----</td><td>83.93</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>276</td><td>212</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.64	-----	-----	83.93	34.50	12.09	29.88	0.00	276	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	100.64	-----	-----	83.93	34.50	12.09	29.88	0.00	276	212	AVERAGE																																											







Mode	23																																																																
	Band Edge - L																																																																
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																
ANT	CDD 6+7																																																																
Pol.	Horizontal						Fundamental																																																										
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5127.58</td><td>57.59</td><td>74.00</td><td>-16.41</td><td>41.15</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>100</td><td>167</td><td colspan="3">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5127.58	57.59	74.00	-16.41	41.15	34.40	11.90	29.86	0.00	100	167	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5127.58	57.59	74.00	-16.41	41.15	34.40	11.90	29.86	0.00	100	167	PEAK																																																					
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5149.18</td><td>47.15</td><td>54.00</td><td>-6.85</td><td>30.71</td><td>34.40</td><td>11.91</td><td>29.87</td><td>0.00</td><td>100</td><td>167</td><td colspan="3">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5149.18	47.15	54.00	-6.85	30.71	34.40	11.91	29.87	0.00	100	167	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5149.18	47.15	54.00	-6.85	30.71	34.40	11.91	29.87	0.00	100	167	AVERAGE																																																					
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5270.00</td><td>109.79</td><td>-----</td><td>-----</td><td>93.10</td><td>34.56</td><td>12.03</td><td>29.90</td><td>0.00</td><td>100</td><td>167</td><td colspan="3">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5270.00	109.79	-----	-----	93.10	34.56	12.03	29.90	0.00	100	167	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5270.00	109.79	-----	-----	93.10	34.56	12.03	29.90	0.00	100	167	PEAK																																																					
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5270.00</td><td>101.71</td><td>-----</td><td>-----</td><td>85.02</td><td>34.56</td><td>12.03</td><td>29.90</td><td>0.00</td><td>100</td><td>167</td><td colspan="3">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5270.00	101.71	-----	-----	85.02	34.56	12.03	29.90	0.00	100	167	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5270.00	101.71	-----	-----	85.02	34.56	12.03	29.90	0.00	100	167	AVERAGE																																																					



Mode	23										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz										
ANT	CDD 6+7										
Pol.	Horizontal										
Peak	</										





Mode	23																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5088.43</td><td>58.07</td><td>74.00</td><td>-15.93</td><td>41.67</td><td>34.38</td><td>11.87</td><td>29.85</td><td>0.00</td><td>270</td><td>207</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5088.43	58.07	74.00	-15.93	41.67	34.38	11.87	29.85	0.00	270	207
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5088.43	58.07	74.00	-15.93	41.67	34.38	11.87	29.85	0.00	270	207	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>107.78</td><td>-----</td><td>-----</td><td>91.11</td><td>34.54</td><td>12.04</td><td>29.91</td><td>0.00</td><td>270</td><td>207</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	107.78	-----	-----	91.11	34.54	12.04	29.91	0.00	270	207
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5270.00	107.78	-----	-----	91.11	34.54	12.04	29.91	0.00	270	207	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5085.46</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>30.69</td><td>34.37</td><td>11.87</td><td>29.84</td><td>0.00</td><td>270</td><td>207</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5085.46	47.09	54.00	-6.91	30.69	34.37	11.87	29.84	0.00	270	207
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5085.46	47.09	54.00	-6.91	30.69	34.37	11.87	29.84	0.00	270	207	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>98.74</td><td>-----</td><td>-----</td><td>82.07</td><td>34.54</td><td>12.04</td><td>29.91</td><td>0.00</td><td>270</td><td>207</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	98.74	-----	-----	82.07	34.54	12.04	29.91	0.00	270	207
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5270.00	98.74	-----	-----	82.07	34.54	12.04	29.91	0.00	270	207	AVERAGE																																											







Mode	23										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz										
ANT	CDD 6+7										
Pol.	Vertical										
Peak	Level (dBuV/m)										





		23																																																																																														
Mode		Harmonic																																																																																														
		U-NII-2A_5.25-5.35_802.11be EHT40_CH54_Full_5270MHz																																																																																														
ANT		CDD 6+7																																																																																														
Pol.		Horizontal						Vertical																																																																																								
Peak Avg																																																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6777.59</td><td>44.73</td><td>68.20</td><td>-23.47</td><td>58.66</td><td>35.70</td><td>14.39</td><td>64.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>44.26</td><td>68.20</td><td>-23.94</td><td>50.77</td><td>37.64</td><td>18.18</td><td>62.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11988.80</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>47.61</td><td>38.69</td><td>19.28</td><td>68.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6777.59	44.73	68.20	-23.47	58.66	35.70	14.39	64.02	0.00	--	--	PEAK	2	10540.00	44.26	68.20	-23.94	50.77	37.64	18.18	62.33	0.00	--	--	PEAK	3	11988.80	44.69	74.00	-29.31	47.61	38.69	19.28	68.89	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	6777.59	44.73	68.20	-23.47	58.66	35.70	14.39	64.02	0.00	--	--	PEAK																																																																																				
2	10540.00	44.26	68.20	-23.94	50.77	37.64	18.18	62.33	0.00	--	--	PEAK																																																																																				
3	11988.80	44.69	74.00	-29.31	47.61	38.69	19.28	68.89	0.00	--	--	PEAK																																																																																				
																																																																																																
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6777.59</td><td>47.32</td><td>68.20</td><td>-20.88</td><td>61.25</td><td>35.70</td><td>14.39</td><td>64.02</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10540.00</td><td>43.79</td><td>68.20</td><td>-24.41</td><td>50.30</td><td>37.64</td><td>18.18</td><td>62.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11988.80</td><td>46.37</td><td>74.00</td><td>-27.63</td><td>49.29</td><td>38.69</td><td>19.28</td><td>68.89</td><td>0.00</td><td>235</td><td>34</td><td>PEAK</td></tr><tr><td>4</td><td>11988.80</td><td>36.20</td><td>54.00</td><td>-17.80</td><td>39.16</td><td>38.68</td><td>19.27</td><td>60.91</td><td>0.00</td><td>235</td><td>34</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6777.59	47.32	68.20	-20.88	61.25	35.70	14.39	64.02	0.00	--	--	PEAK	2	10540.00	43.79	68.20	-24.41	50.30	37.64	18.18	62.33	0.00	--	--	PEAK	3	11988.80	46.37	74.00	-27.63	49.29	38.69	19.28	68.89	0.00	235	34	PEAK	4	11988.80	36.20	54.00	-17.80	39.16	38.68	19.27	60.91	0.00	235	34	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	6777.59	47.32	68.20	-20.88	61.25	35.70	14.39	64.02	0.00	--	--	PEAK																																																																																				
2	10540.00	43.79	68.20	-24.41	50.30	37.64	18.18	62.33	0.00	--	--	PEAK																																																																																				
3	11988.80	46.37	74.00	-27.63	49.29	38.69	19.28	68.89	0.00	235	34	PEAK																																																																																				
4	11988.80	36.20	54.00	-17.80	39.16	38.68	19.27	60.91	0.00	235	34	AVERAGE																																																																																				







Mode	24																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5129.69</td><td>57.37</td><td>74.00</td><td>-16.63</td><td>40.93</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>225</td><td>165</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5129.69	57.37	74.00	-16.63	40.93	34.40	11.90	29.86	0.00	225	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5129.69	57.37	74.00	-16.63	40.93	34.40	11.90	29.86	0.00	225	165	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>110.77</td><td>-----</td><td>-----</td><td>94.10</td><td>34.50</td><td>12.07</td><td>29.90</td><td>0.00</td><td>225</td><td>165</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	110.77	-----	-----	94.10	34.50	12.07	29.90	0.00	225	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	110.77	-----	-----	94.10	34.50	12.07	29.90	0.00	225	165	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5108.25</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>30.45</td><td>34.40</td><td>11.89</td><td>29.85</td><td>0.00</td><td>225</td><td>165</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5108.25	46.89	54.00	-7.11	30.45	34.40	11.89	29.85	0.00	225	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5108.25	46.89	54.00	-7.11	30.45	34.40	11.89	29.85	0.00	225	165	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>101.62</td><td>-----</td><td>-----</td><td>84.93</td><td>34.50</td><td>12.08</td><td>29.89</td><td>0.00</td><td>225</td><td>165</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	101.62	-----	-----	84.93	34.50	12.08	29.89	0.00	225	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	101.62	-----	-----	84.93	34.50	12.08	29.89	0.00	225	165	AVERAGE																																											



Mode	24																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5355.25</td><td>60.71</td><td>74.00</td><td>-13.29</td><td>43.91</td><td>34.52</td><td>12.12</td><td>29.84</td><td>0.00</td><td>225</td><td>165</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.25	60.71	74.00	-13.29	43.91	34.52	12.12	29.84	0.00	225	165	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5355.25	60.71	74.00	-13.29	43.91	34.52	12.12	29.84	0.00	225	165	PEAK																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5355.15</td><td>51.16</td><td>54.00</td><td>-2.84</td><td>34.36</td><td>34.52</td><td>12.12</td><td>29.84</td><td>0.00</td><td>225</td><td>165</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.15	51.16	54.00	-2.84	34.36	34.52	12.12	29.84	0.00	225	165	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5355.15	51.16	54.00	-2.84	34.36	34.52	12.12	29.84	0.00	225	165	AVERAGE																																												





Mode	24																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5121.69</td><td>57.15</td><td>74.00</td><td>-16.85</td><td>40.71</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>300</td><td>120</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.69	57.15	74.00	-16.85	40.71	34.40	11.90	29.86	0.00	300	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5121.69	57.15	74.00	-16.85	40.71	34.40	11.90	29.86	0.00	300	120	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>104.49</td><td>-----</td><td>-----</td><td>87.82</td><td>34.50</td><td>12.07</td><td>29.90</td><td>0.00</td><td>300</td><td>120</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	104.49	-----	-----	87.82	34.50	12.07	29.90	0.00	300	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	104.49	-----	-----	87.82	34.50	12.07	29.90	0.00	300	120	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5128.06</td><td>46.67</td><td>54.00</td><td>-7.33</td><td>30.23</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>300</td><td>120</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5128.06	46.67	54.00	-7.33	30.23	34.40	11.90	29.86	0.00	300	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5128.06	46.67	54.00	-7.33	30.23	34.40	11.90	29.86	0.00	300	120	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>95.77</td><td>-----</td><td>-----</td><td>79.10</td><td>34.50</td><td>12.07</td><td>29.90</td><td>0.00</td><td>300</td><td>120</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.77	-----	-----	79.10	34.50	12.07	29.90	0.00	300	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	95.77	-----	-----	79.10	34.50	12.07	29.90	0.00	300	120	AVERAGE																																											







Mode	24																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.05</td><td>57.07</td><td>74.00</td><td>-16.93</td><td>40.28</td><td>34.51</td><td>12.12</td><td>29.84</td><td>0.00</td><td>300</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.05	57.07	74.00	-16.93	40.28	34.51	12.12	29.84	0.00	300	120	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5353.05	57.07	74.00	-16.93	40.28	34.51	12.12	29.84	0.00	300	120	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.24</td><td>47.53</td><td>54.00</td><td>-6.47</td><td>30.75</td><td>34.50</td><td>12.12</td><td>29.84</td><td>0.00</td><td>300</td><td>120</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.24	47.53	54.00	-6.47	30.75	34.50	12.12	29.84	0.00	300	120	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.24	47.53	54.00	-6.47	30.75	34.50	12.12	29.84	0.00	300	120	AVERAGE																																											





		24																																																																																																																																																																					
Mode		Harmonic																																																																																																																																																																					
		U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																																																																																																					
ANT		CDD 6+7																																																																																																																																																																					
Pol.		Horizontal														Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6814.00</td><td>42.49</td><td>68.20</td><td>-25.71</td><td>56.39</td><td>35.67</td><td>14.43</td><td>64.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>50.75</td><td>37.72</td><td>18.26</td><td>62.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11989.20</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>48.08</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6814.00	42.49	68.20	-25.71	56.39	35.67	14.43	64.00	0.00	--	--	PEAK	2	10620.00	44.46	74.00	-29.54	50.75	37.72	18.26	62.27	0.00	--	--	PEAK	3	11989.20	45.16	74.00	-28.84	48.08	38.69	19.28	60.89	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6814.00</td><td>46.53</td><td>68.20</td><td>-21.67</td><td>60.43</td><td>35.67</td><td>14.43</td><td>64.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>50.55</td><td>37.72</td><td>18.26</td><td>62.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11989.20</td><td>50.58</td><td>74.00</td><td>-23.42</td><td>53.50</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>113</td><td>72</td><td>PEAK</td></tr><tr><td>4</td><td>11989.20</td><td>38.99</td><td>54.00</td><td>-15.01</td><td>41.95</td><td>38.68</td><td>19.27</td><td>60.91</td><td>0.00</td><td>113</td><td>72</td><td>AVERAGE</td></tr></tbody></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6814.00	46.53	68.20	-21.67	60.43	35.67	14.43	64.00	0.00	--	--	PEAK	2	10620.00	44.26	74.00	-29.74	50.55	37.72	18.26	62.27	0.00	--	--	PEAK	3	11989.20	50.58	74.00	-23.42	53.50	38.69	19.28	60.89	0.00	113	72	PEAK	4	11989.20	38.99	54.00	-15.01	41.95	38.68	19.27	60.91	0.00	113	72
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		cm	deg																																																																																																																																																												
1	6814.00	42.49	68.20	-25.71	56.39	35.67	14.43	64.00	0.00	--	--	PEAK																																																																																																																																																											
2	10620.00	44.46	74.00	-29.54	50.75	37.72	18.26	62.27	0.00	--	--	PEAK																																																																																																																																																											
3	11989.20	45.16	74.00	-28.84	48.08	38.69	19.28	60.89	0.00	--	--	PEAK																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		cm	deg																																																																																																																																																												
1	6814.00	46.53	68.20	-21.67	60.43	35.67	14.43	64.00	0.00	--	--	PEAK																																																																																																																																																											
2	10620.00	44.26	74.00	-29.74	50.55	37.72	18.26	62.27	0.00	--	--	PEAK																																																																																																																																																											
3	11989.20	50.58	74.00	-23.42	53.50	38.69	19.28	60.89	0.00	113	72	PEAK																																																																																																																																																											
4	11989.20	38.99	54.00	-15.01	41.95	38.68	19.27	60.91	0.00	113	72	AVERAGE																																																																																																																																																											





Mode	25																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_RU242/62_5310MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.49</td><td>57.39</td><td>74.00</td><td>-16.61</td><td>40.95</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>200</td><td>163</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.49	57.39	74.00	-16.61	40.95	34.40	11.90	29.86	0.00	200	163	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>110.86</td><td>-----</td><td>-----</td><td>94.15</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>200</td><td>163</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	110.86	-----	-----	94.15	34.50	12.09	29.88	0.00	200	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5130.49	57.39	74.00	-16.61	40.95	34.40	11.90	29.86	0.00	200	163	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	110.86	-----	-----	94.15	34.50	12.09	29.88	0.00	200	163	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.09</td><td>46.68</td><td>54.00</td><td>-7.32</td><td>30.25</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>200</td><td>163</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.09	46.68	54.00	-7.32	30.25	34.40	11.88	29.85	0.00	200	163	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>101.29</td><td>-----</td><td>-----</td><td>84.58</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>200</td><td>163</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	101.29	-----	-----	84.58	34.50	12.09	29.88	0.00	200	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5100.09	46.68	54.00	-7.32	30.25	34.40	11.88	29.85	0.00	200	163	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	101.29	-----	-----	84.58	34.50	12.09	29.88	0.00	200	163	AVERAGE																																																																																																			







	25																																																							
Mode	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_RU242/62_5310MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.05</td><td>60.25</td><td>74.00</td><td>-13.75</td><td>43.47</td><td>34.50</td><td>12.12</td><td>29.84</td><td>0.00</td><td>200</td><td>163</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.05	60.25	74.00	-13.75	43.47	34.50	12.12	29.84	0.00	200	163	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.05	60.25	74.00	-13.75	43.47	34.50	12.12	29.84	0.00	200	163	PEAK																																												
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.03</td><td>47.13</td><td>54.00</td><td>-6.87</td><td>30.35</td><td>34.50</td><td>12.12</td><td>29.84</td><td>0.00</td><td>200</td><td>163</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.03	47.13	54.00	-6.87	30.35	34.50	12.12	29.84	0.00	200	163	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.03	47.13	54.00	-6.87	30.35	34.50	12.12	29.84	0.00	200	163	AVERAGE																																												

Mode	25																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_RU242/62_5310MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.37</td><td>56.49</td><td>74.00</td><td>-17.51</td><td>40.04</td><td>34.40</td><td>11.91</td><td>29.86</td><td>0.00</td><td>276</td><td>284</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.37	56.49	74.00	-17.51	40.04	34.40	11.91	29.86	0.00	276	284	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>105.95</td><td>-----</td><td>-----</td><td>89.24</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>276</td><td>284</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.95	-----	-----	89.24	34.50	12.09	29.88	0.00	276	284	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5137.37	56.49	74.00	-17.51	40.04	34.40	11.91	29.86	0.00	276	284	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5310.00	105.95	-----	-----	89.24	34.50	12.09	29.88	0.00	276	284	PEAK																																																																																								
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.61</td><td>46.52</td><td>54.00</td><td>-7.48</td><td>30.09</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>276</td><td>284</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.61	46.52	54.00	-7.48	30.09	34.40	11.88	29.85	0.00	276	284	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>97.13</td><td>-----</td><td>-----</td><td>80.42</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>276</td><td>284</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.13	-----	-----	80.42	34.50	12.09	29.88	0.00	276	284	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5103.61	46.52	54.00	-7.48	30.09	34.40	11.88	29.85	0.00	276	284	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5310.00	97.13	-----	-----	80.42	34.50	12.09	29.88	0.00	276	284	AVERAGE																																																																																								





Mode	25																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_RU242/62_5310MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5390.83</td><td>55.62</td><td>74.00</td><td>-18.38</td><td>38.59</td><td>34.66</td><td>12.16</td><td>29.79</td><td>0.00</td><td>276</td><td>284</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5390.83	55.62	74.00	-18.38	38.59	34.66	12.16	29.79	0.00	276	284	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5390.83	55.62	74.00	-18.38	38.59	34.66	12.16	29.79	0.00	276	284	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5392.45</td><td>45.37</td><td>54.00</td><td>-8.63</td><td>28.33</td><td>34.67</td><td>12.16</td><td>29.79</td><td>0.00</td><td>276</td><td>284</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5392.45	45.37	54.00	-8.63	28.33	34.67	12.16	29.79	0.00	276	284	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5392.45	45.37	54.00	-8.63	28.33	34.67	12.16	29.79	0.00	276	284	AVERAGE																																												







Mode	26																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																																												
ANT	CDD 6+7																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5133.85</td><td>58.13</td><td>74.00</td><td>-15.87</td><td>41.69</td><td>34.40</td><td>11.90</td><td>29.86</td><td>0.00</td><td>239</td><td>162</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5133.85	58.13	74.00	-15.87	41.69	34.40	11.90	29.86	0.00	239	162	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>107.85</td><td>-----</td><td>-----</td><td>91.18</td><td>34.55</td><td>12.03</td><td>29.91</td><td>0.00</td><td>239</td><td>162</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5290.00	107.85	-----	-----	91.18	34.55	12.03	29.91	0.00	239	162
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5133.85	58.13	74.00	-15.87	41.69	34.40	11.90	29.86	0.00	239	162	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5290.00	107.85	-----	-----	91.18	34.55	12.03	29.91	0.00	239	162	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5136.41</td><td>47.56</td><td>54.00</td><td>-6.44</td><td>31.11</td><td>34.40</td><td>11.91</td><td>29.86</td><td>0.00</td><td>239</td><td>162</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5136.41	47.56	54.00	-6.44	31.11	34.40	11.91	29.86	0.00	239	162	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5290.00</td><td>97.76</td><td>-----</td><td>-----</td><td>81.09</td><td>34.55</td><td>12.03</td><td>29.91</td><td>0.00</td><td>239</td><td>162</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5290.00	97.76	-----	-----	81.09	34.55	12.03	29.91	0.00	239	162
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5136.41	47.56	54.00	-6.44	31.11	34.40	11.91	29.86	0.00	239	162	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5290.00	97.76	-----	-----	81.09	34.55	12.03	29.91	0.00	239	162	AVERAGE																																																																																																																	





Mode	26																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.25</td><td>63.09</td><td>74.00</td><td>-10.91</td><td>46.01</td><td>34.69</td><td>12.17</td><td>29.78</td><td>0.00</td><td>239</td><td>162</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.25	63.09	74.00	-10.91	46.01	34.69	12.17	29.78	0.00	239	162	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5357.25	63.09	74.00	-10.91	46.01	34.69	12.17	29.78	0.00	239	162	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.25</td><td>51.09</td><td>54.00</td><td>-2.91</td><td>34.28</td><td>34.53</td><td>12.12</td><td>29.84</td><td>0.00</td><td>239</td><td>162</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.25	51.09	54.00	-2.91	34.28	34.53	12.12	29.84	0.00	239	162	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5357.25	51.09	54.00	-2.91	34.28	34.53	12.12	29.84	0.00	239	162	AVERAGE																																												





Mode	26																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																																																		
ANT	CDD 6+7																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5104.09</td><td>58.38</td><td>74.00</td><td>-15.62</td><td>41.95</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>300</td><td>203</td><td colspan="3">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5104.09	58.38	74.00	-15.62	41.95	34.40	11.88	29.85	0.00	300	203	PEAK			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5290.00</td><td>101.89</td><td>-----</td><td>-----</td><td>85.22</td><td>34.54</td><td>12.04</td><td>29.91</td><td>0.00</td><td>300</td><td>203</td><td colspan="3">PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5290.00	101.89	-----	-----	85.22	34.54	12.04	29.91	0.00	300	203	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5104.09	58.38	74.00	-15.62	41.95	34.40	11.88	29.85	0.00	300	203	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5290.00	101.89	-----	-----	85.22	34.54	12.04	29.91	0.00	300	203	PEAK																																																																																																																							
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5104.73</td><td>46.93</td><td>54.00</td><td>-7.07</td><td>30.50</td><td>34.40</td><td>11.88</td><td>29.85</td><td>0.00</td><td>300</td><td>203</td><td colspan="3">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5104.73	46.93	54.00	-7.07	30.50	34.40	11.88	29.85	0.00	300	203	AVERAGE			<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th colspan="3"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>5290.00</td><td>92.97</td><td>-----</td><td>-----</td><td>76.30</td><td>34.55</td><td>12.03</td><td>29.91</td><td>0.00</td><td>300</td><td>203</td><td colspan="3">AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg				1	5290.00	92.97	-----	-----	76.30	34.55	12.03	29.91	0.00	300	203	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5104.73	46.93	54.00	-7.07	30.50	34.40	11.88	29.85	0.00	300	203	AVERAGE																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5290.00	92.97	-----	-----	76.30	34.55	12.03	29.91	0.00	300	203	AVERAGE																																																																																																																							







Mode	26																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																
ANT	CDD 6+7																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.45</td><td>56.86</td><td>74.00</td><td>-17.14</td><td>40.04</td><td>34.53</td><td>12.12</td><td>29.83</td><td>0.00</td><td>300</td><td>203</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.45	56.86	74.00	-17.14	40.04	34.53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5358.45	56.86	74.00	-17.14	40.04	34.53	12.12	29.83	0.00	300	203	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.25</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>30.07</td><td>34.55</td><td>12.13</td><td>29.83</td><td>0.00</td><td>300</td><td>203</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.25	46.92	54.00	-7.08	30.07	34.55
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5361.25	46.92	54.00	-7.08	30.07	34.55	12.13	29.83	0.00	300	203	AVERAGE																																					





Mode	26																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																																																																										
ANT	CDD 6+7																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>6784.80</td><td>43.58</td><td>68.20</td><td>-24.62</td><td>57.49</td><td>35.70</td><td>14.40</td><td>64.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>44.09</td><td>68.20</td><td>-24.11</td><td>50.49</td><td>37.68</td><td>18.22</td><td>62.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11986.80</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>47.39</td><td>38.69</td><td>19.28</td><td>68.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	6784.80	43.58	68.20	-24.62	57.49	35.70	14.40	64.01	0.00	--	PEAK	2	10580.00	44.09	68.20	-24.11	50.49	37.68	18.22	62.30	0.00	--	PEAK	3	11986.80	44.47	74.00	-29.53	47.39	38.69	19.28	68.89	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>6784.80</td><td>43.96</td><td>68.20</td><td>-24.24</td><td>57.87</td><td>35.70</td><td>14.40</td><td>64.01</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>43.12</td><td>68.20</td><td>-25.08</td><td>49.52</td><td>37.68</td><td>18.22</td><td>62.30</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11986.80</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>50.87</td><td>38.69</td><td>19.28</td><td>68.89</td><td>0.00</td><td>300</td><td>53 PEAK</td></tr><tr><td>4</td><td>11986.80</td><td>37.38</td><td>54.00</td><td>-16.62</td><td>40.32</td><td>38.68</td><td>19.28</td><td>60.90</td><td>0.00</td><td>300</td><td>53 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	6784.80	43.96	68.20	-24.24	57.87	35.70	14.40	64.01	0.00	--	PEAK	2	10580.00	43.12	68.20	-25.08	49.52	37.68	18.22	62.30	0.00	--	PEAK	3	11986.80	47.95	74.00	-26.05	50.87	38.69	19.28	68.89	0.00	300	53 PEAK	4	11986.80	37.38	54.00	-16.62	40.32	38.68	19.28	60.90	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																		
1	6784.80	43.58	68.20	-24.62	57.49	35.70	14.40	64.01	0.00	--	PEAK																																																																																																																																																
2	10580.00	44.09	68.20	-24.11	50.49	37.68	18.22	62.30	0.00	--	PEAK																																																																																																																																																
3	11986.80	44.47	74.00	-29.53	47.39	38.69	19.28	68.89	0.00	--	PEAK																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																		
1	6784.80	43.96	68.20	-24.24	57.87	35.70	14.40	64.01	0.00	--	PEAK																																																																																																																																																
2	10580.00	43.12	68.20	-25.08	49.52	37.68	18.22	62.30	0.00	--	PEAK																																																																																																																																																
3	11986.80	47.95	74.00	-26.05	50.87	38.69	19.28	68.89	0.00	300	53 PEAK																																																																																																																																																
4	11986.80	37.38	54.00	-16.62	40.32	38.68	19.28	60.90	0.00	300	53 AVERAGE																																																																																																																																																



Mode	27																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_RU484/66_5290MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5119.61</td><td>57.02</td><td>74.00</td><td>-16.98</td><td>40.59</td><td>34.40</td><td>11.89</td><td>29.86</td><td>0.00</td><td>198</td><td>165</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5119.61	57.02	74.00	-16.98	40.59	34.40	11.89	29.86	0.00	198	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5119.61	57.02	74.00	-16.98	40.59	34.40	11.89	29.86	0.00	198	165	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>106.17</td><td>-----</td><td>-----</td><td>89.48</td><td>34.50</td><td>12.08</td><td>29.89</td><td>0.00</td><td>198</td><td>165</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	106.17	-----	-----	89.48	34.50	12.08	29.89	0.00	198	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5290.00	106.17	-----	-----	89.48	34.50	12.08	29.89	0.00	198	165	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.93</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>30.45</td><td>34.40</td><td>11.89</td><td>29.85</td><td>0.00</td><td>198</td><td>165</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.93	46.89	54.00	-7.11	30.45	34.40	11.89	29.85	0.00	198	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5107.93	46.89	54.00	-7.11	30.45	34.40	11.89	29.85	0.00	198	165	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>97.85</td><td>-----</td><td>-----</td><td>81.14</td><td>34.50</td><td>12.09</td><td>29.88</td><td>0.00</td><td>198</td><td>165</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	97.85	-----	-----	81.14	34.50	12.09	29.88	0.00	198	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5290.00	97.85	-----	-----	81.14	34.50	12.09	29.88	0.00	198	165	AVERAGE																																											





Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_RU484/66_5290MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.65</td><td>58.24</td><td>74.00</td><td>-15.76</td><td>41.45</td><td>34.51</td><td>12.12</td><td>29.84</td><td>0.00</td><td>198</td><td>165</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.65	58.24	74.00	-15.76	41.45	34.51	12.12	29.84	0.00	198	165	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.65	58.24	74.00	-15.76	41.45	34.51	12.12	29.84	0.00	198	165	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.65</td><td>47.37</td><td>54.00</td><td>-6.63</td><td>30.58</td><td>34.51</td><td>12.12</td><td>29.84</td><td>0.00</td><td>198</td><td>165</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.65	47.37	54.00	-6.63	30.58	34.51	12.12	29.84	0.00	198	165	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.65	47.37	54.00	-6.63	30.58	34.51	12.12	29.84	0.00	198	165	AVERAGE																																												



		27										
Mode		Band Edge - L										
		U-NII-2A_5.25-5.35_802.11be EHT80_CH58_RU484/66_5290MHz										
ANT		CDD 6+7										
Pol.		Fundamental										
Peak	Vertical	Fundamental										
	<											



Mode	27																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_RU484/66_5290MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5377.15</td><td>56.36</td><td>74.00</td><td>-17.64</td><td>39.42</td><td>34.61</td><td>12.14</td><td>29.81</td><td>0.00</td><td>275</td><td>208 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5377.15	56.36	74.00	-17.64	39.42	34.61	12.14	29.81	0.00	275	208 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5377.15	56.36	74.00	-17.64	39.42	34.61	12.14	29.81	0.00	275	208 PEAK																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5357.85</td><td>45.73</td><td>54.00</td><td>-8.27</td><td>28.91</td><td>34.53</td><td>12.12</td><td>29.83</td><td>0.00</td><td>275</td><td>208 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5357.85	45.73	54.00	-8.27	28.91	34.53	12.12	29.83	0.00	275	208 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5357.85	45.73	54.00	-8.27	28.91	34.53	12.12	29.83	0.00	275	208 AVERAGE																																													

Mode

28

Band Edge

U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz

ANT

CDD 6+7

Pol.

Horizontal

Fundamental

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5382

5414

5446

5478

5510

U-NII-1-U-NII-2A-U-NII-2C

1

2

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line Margin

Level Factor

Loss Factor

Loss Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5408.97

56.19

74.00

-17.81

39.08

34.72

12.18

29.79

0.00

151

202

PEAK

2

5465.29

55.82

68.20

-12.38

38.69

34.77

12.24

29.88

0.00

151

202

PEAK

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

U-NII-1-U-NII-2A-U-NII-2C

1

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line Margin

Level Factor

Loss Factor

Loss Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5500.00

109.40

92.35

34.70

12.28

29.93

0.00

151

202

PEAK

Avg

Horizontal

Fundamental

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5382

5414

5446

5478

5510

U-NII-1-U-NII-2A-U-NII-2C(AVG)

1

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line Margin

Level Factor

Loss Factor

Loss Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5452.33

46.68

54.00

-7.32

29.51

34.80

12.23

29.86

0.00

151

202

AVERAGE

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

1000

2200

3400

4600

5800

7000

U-NII-1-U-NII-2A-U-NII-2C(AVG)

1

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line Margin

Level Factor

Loss Factor

Loss Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5500.00

102.55

85.50

34.71

12.28

29.94





0.00

151



202

AVERAGE







Mode	28																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5428.17</td><td>55.96</td><td>74.00</td><td>-18.04</td><td>38.83</td><td>34.76</td><td>12.20</td><td>29.83</td><td>0.00</td><td>314</td><td>121</td><td>PEAK</td></tr><tr><td>2</td><td>5468.65</td><td>56.65</td><td>68.20</td><td>-11.55</td><td>39.53</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>314</td><td>121</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.17	55.96	74.00	-18.04	38.83	34.76	12.20	29.83	0.00	314	121	PEAK	2	5468.65	56.65	68.20	-11.55	39.53	34.76	12.25	29.89	0.00	314	121	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.19</td><td>-----</td><td>-----</td><td>88.14</td><td>34.71</td><td>12.28</td><td>29.94</td><td>0.00</td><td>314</td><td>121</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.19	-----	-----	88.14	34.71	12.28	29.94	0.00	314	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5428.17	55.96	74.00	-18.04	38.83	34.76	12.20	29.83	0.00	314	121	PEAK																																																																																																				
2	5468.65	56.65	68.20	-11.55	39.53	34.76	12.25	29.89	0.00	314	121	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	105.19	-----	-----	88.14	34.71	12.28	29.94	0.00	314	121	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.68</td><td>45.72</td><td>54.00</td><td>-8.28</td><td>28.58</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>314</td><td>121</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.68	45.72	54.00	-8.28	28.58	34.78	12.24	29.88	0.00	314	121	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>97.87</td><td>-----</td><td>-----</td><td>80.82</td><td>34.71</td><td>12.28</td><td>29.94</td><td>0.00</td><td>314</td><td>121</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.87	-----	-----	80.82	34.71	12.28	29.94	0.00	314	121	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.68	45.72	54.00	-8.28	28.58	34.78	12.24	29.88	0.00	314	121	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	97.87	-----	-----	80.82	34.71	12.28	29.94	0.00	314	121	AVERAGE																																																																																																				




Mode	28																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																																											
ANT	CDD 6+7																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6595.20</td><td>45.02</td><td>68.20</td><td>-23.18</td><td>59.20</td><td>35.70</td><td>14.23</td><td>64.11</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>43.80</td><td>74.00</td><td>-30.20</td><td>49.45</td><td>37.70</td><td>18.62</td><td>61.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>48.07</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6595.20	45.02	68.20	-23.18	59.20	35.70	14.23	64.11	0.00	--	PEAK	2	11000.00	43.80	74.00	-30.20	49.45	37.70	18.62	61.97	0.00	--	PEAK	3	11988.00	45.15	74.00	-28.85	48.07	38.69	19.28	60.89	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6595.20</td><td>42.36</td><td>68.20</td><td>-25.84</td><td>56.54</td><td>35.70</td><td>14.23</td><td>64.11</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>48.81</td><td>37.70</td><td>18.62</td><td>61.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>51.66</td><td>74.00</td><td>-22.34</td><td>54.58</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>213</td><td>58 PEAK</td></tr><tr><td>4</td><td>11988.00</td><td>39.82</td><td>54.00</td><td>-14.18</td><td>42.76</td><td>38.68</td><td>19.28</td><td>60.90</td><td>0.00</td><td>213</td><td>58 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6595.20	42.36	68.20	-25.84	56.54	35.70	14.23	64.11	0.00	--	PEAK	2	11000.00	43.16	74.00	-30.84	48.81	37.70	18.62	61.97	0.00	--	PEAK	3	11988.00	51.66	74.00	-22.34	54.58	38.69	19.28	60.89	0.00	213	58 PEAK	4	11988.00	39.82	54.00	-14.18	42.76	38.68	19.28	60.90	0.00	213
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	6595.20	45.02	68.20	-23.18	59.20	35.70	14.23	64.11	0.00	--	PEAK																																																																																																																																																	
2	11000.00	43.80	74.00	-30.20	49.45	37.70	18.62	61.97	0.00	--	PEAK																																																																																																																																																	
3	11988.00	45.15	74.00	-28.85	48.07	38.69	19.28	60.89	0.00	--	PEAK																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	6595.20	42.36	68.20	-25.84	56.54	35.70	14.23	64.11	0.00	--	PEAK																																																																																																																																																	
2	11000.00	43.16	74.00	-30.84	48.81	37.70	18.62	61.97	0.00	--	PEAK																																																																																																																																																	
3	11988.00	51.66	74.00	-22.34	54.58	38.69	19.28	60.89	0.00	213	58 PEAK																																																																																																																																																	
4	11988.00	39.82	54.00	-14.18	42.76	38.68	19.28	60.90	0.00	213	58 AVERAGE																																																																																																																																																	







		29																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																			
ANT		CDD 6+7																																																																																																			
Pol.		Horizontal						Fundamental																																																																																													
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.17	57.27	74.00	-16.73	40.13	34.77	12.21	29.84	0.00	108	205	PEAK	2	5463.21	56.40	68.20	-11.80	39.27	34.77	12.24	29.88	0.00	108	205	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>112.76</td><td>-----</td><td>-----</td><td>95.48</td><td>34.70</td><td>12.36</td><td>29.78</td><td>0.00</td><td>108</td><td>205</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	112.76	-----	-----	95.48	34.70	12.36	29.78	0.00	108	205
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5436.17	57.27	74.00	-16.73	40.13	34.77	12.21	29.84	0.00	108	205	PEAK																																																																																									
2	5463.21	56.40	68.20	-11.80	39.27	34.77	12.24	29.88	0.00	108	205	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5580.00	112.76	-----	-----	95.48	34.70	12.36	29.78	0.00	108	205	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	46.33	54.00	-7.67	29.19	34.78	12.24	29.88	0.00	108	205	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>104.47</td><td>-----</td><td>-----</td><td>87.17</td><td>34.70</td><td>12.37</td><td>29.77</td><td>0.00</td><td>108</td><td>205</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	104.47	-----	-----	87.17	34.70	12.37	29.77	0.00	108	205	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.69	46.33	54.00	-7.67	29.19	34.78	12.24	29.88	0.00	108	205	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5580.00	104.47	-----	-----	87.17	34.70	12.37	29.77	0.00	108	205	AVERAGE																																																																																									




Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.08</td><td>56.01</td><td>68.20</td><td>-12.19</td><td>38.57</td><td>34.85</td><td>12.52</td><td>29.93</td><td>0.00</td><td>108</td><td>205</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.08	56.01	68.20	-12.19	38.57	34.85	12.52	29.93	0.00	108	205	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.08	56.01	68.20	-12.19	38.57	34.85	12.52	29.93	0.00	108	205	PEAK																																												





Mode	29																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																								
ANT	CDD 6+7																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5422.89</td><td>57.58</td><td>74.00</td><td>-16.42</td><td>40.45</td><td>34.75</td><td>12.20</td><td>29.82</td><td>0.00</td><td>283</td><td>129 PEAK</td></tr><tr><td>2</td><td>5467.85</td><td>55.85</td><td>68.20</td><td>-12.35</td><td>38.74</td><td>34.76</td><td>12.24</td><td>29.89</td><td>0.00</td><td>283</td><td>129 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.89	57.58	74.00	-16.42	40.45	34.75	12.20	29.82	0.00	283	129 PEAK	2	5467.85	55.85	68.20	-12.35	38.74	34.76	12.24	29.89	0.00	283	129 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>107.09</td><td>-----</td><td>-----</td><td>89.81</td><td>34.70</td><td>12.36</td><td>29.78</td><td>0.00</td><td>283</td><td>129 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	107.09	-----	-----	89.81	34.70	12.36	29.78	0.00	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5422.89	57.58	74.00	-16.42	40.45	34.75	12.20	29.82	0.00	283	129 PEAK																																																																																																														
2	5467.85	55.85	68.20	-12.35	38.74	34.76	12.24	29.89	0.00	283	129 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5580.00	107.09	-----	-----	89.81	34.70	12.36	29.78	0.00	283	129 PEAK																																																																																																														
Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.65</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>28.53</td><td>34.79</td><td>12.23</td><td>29.86</td><td>0.00</td><td>283</td><td>129 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.65	45.69	54.00	-8.31	28.53	34.79	12.23	29.86	0.00	283	129 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>99.74</td><td>-----</td><td>-----</td><td>82.47</td><td>34.70</td><td>12.36</td><td>29.79</td><td>0.00</td><td>283</td><td>129 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	99.74	-----	-----	82.47	34.70	12.36	29.79	0.00	283	129 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5452.65	45.69	54.00	-8.31	28.53	34.79	12.23	29.86	0.00	283	129 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5580.00	99.74	-----	-----	82.47	34.70	12.36	29.79	0.00	283	129 AVERAGE																																																																																																														






Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.60</td><td>56.77</td><td>68.20</td><td>-11.43</td><td>39.20</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>283</td><td>129</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.60	56.77	68.20	-11.43	39.20	34.90	12.54	29.87	0.00	283	129	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5751.60	56.77	68.20	-11.43	39.20	34.90	12.54	29.87	0.00	283	129	PEAK																																												






Mode	29																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																				
ANT	CDD 6+7																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>43.47</td><td>74.00</td><td>-30.53</td><td>48.81</td><td>37.00</td><td>18.73</td><td>61.87</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>48.86</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	43.47	74.00	-30.53	48.81	37.00	18.73	61.87	0.00	--	PEAK	2	11988.00	45.94	74.00	-28.06	48.86	38.69	19.28	60.89	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>49.36</td><td>37.00</td><td>18.73</td><td>61.87</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>55.59</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>300</td><td>54 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.28</td><td>54.00</td><td>-13.72</td><td>43.22</td><td>38.68</td><td>19.28</td><td>60.90</td><td>0.00</td><td>300</td><td>54 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	44.02	74.00	-29.98	49.36	37.00	18.73	61.87	0.00	--	PEAK	2	11988.00	52.67	74.00	-21.33	55.59	38.69	19.28	60.89	0.00	300	54 PEAK	3	11988.00	40.28	54.00	-13.72	43.22	38.68	19.28	60.90	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	11160.00	43.47	74.00	-30.53	48.81	37.00	18.73	61.87	0.00	--	PEAK																																																																																																																										
2	11988.00	45.94	74.00	-28.06	48.86	38.69	19.28	60.89	0.00	--	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	11160.00	44.02	74.00	-29.98	49.36	37.00	18.73	61.87	0.00	--	PEAK																																																																																																																										
2	11988.00	52.67	74.00	-21.33	55.59	38.69	19.28	60.89	0.00	300	54 PEAK																																																																																																																										
3	11988.00	40.28	54.00	-13.72	43.22	38.68	19.28	60.90	0.00	300	54 AVERAGE																																																																																																																										





Mode	30																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																	
ANT	CDD 6+7																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5748.80</td><td>57.29</td><td>68.20</td><td>-10.91</td><td>39.78</td><td>34.88</td><td>12.53</td><td>29.90</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5748.80	57.29	68.20	-10.91	39.78	34.88	12.53	29.90	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5700.00</td><td>111.49</td><td>-----</td><td>-----</td><td>94.20</td><td>34.78</td><td>12.48</td><td>29.97</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	111.49	-----	-----	94.20	34.78	12.48	29.97
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 5748.80	57.29	68.20	-10.91	39.78	34.88	12.53	29.90																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 5700.00	111.49	-----	-----	94.20	34.78	12.48	29.97																																																											
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5700.00</td><td>103.55</td><td>-----</td><td>-----</td><td>86.26</td><td>34.79</td><td>12.49</td><td>29.99</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	103.55	-----	-----	86.26	34.79	12.49	29.99																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1 5700.00	103.55	-----	-----	86.26	34.79	12.49	29.99																																																											







Mode	30																																																																									
	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																									
ANT	CDD 6+7																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with a peak at 5748.24 MHz. A red limit line is at 65.0 dBuV/m. The x-axis ranges from 5685 to 5765 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5748.24</td><td>56.47</td><td>68.20</td><td>-11.73</td><td>38.91</td><td>34.90</td><td>12.54</td><td>29.88</td><td>0.00</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5748.24	56.47	68.20	-11.73	38.91	34.90	12.54	29.88	0.00	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with a peak at 5700.00 MHz. A red limit line is at 65.0 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5700.00</td><td>106.67</td><td>-----</td><td>-----</td><td>89.38</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	106.67	-----	-----	89.38	34.80	12.49	30.00	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 5748.24	56.47	68.20	-11.73	38.91	34.90	12.54	29.88	0.00																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 5700.00	106.67	-----	-----	89.38	34.80	12.49	30.00	0.00																																																																		
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue trace with a peak at 5700.00 MHz. A red limit line is at 48.8 dBuV/m. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5700.00</td><td>98.78</td><td>-----</td><td>-----</td><td>81.49</td><td>34.79</td><td>12.49</td><td>29.99</td><td>0.00</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	98.78	-----	-----	81.49	34.79	12.49	29.99	0.00																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																		
1 5700.00	98.78	-----	-----	81.49	34.79	12.49	29.99	0.00																																																																		



Mode	30																																																																																					
	Harmonic																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																					
ANT	CDD 6+7																																																																																					
Pol.	Horizontal						Vertical																																																																															
Peak Avg																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>48.37</td><td>38.10</td><td>18.89</td><td>61.73</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>48.76</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	43.63	74.00	-30.37	48.37	38.10	18.89	61.73	0.00	--	--	PEAK	2	11988.00	45.84	74.00	-28.16	48.76	38.69	19.28	60.89	0.00	--	--	PEAK												
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	11400.00	43.63	74.00	-30.37	48.37	38.10	18.89	61.73	0.00	--	--	PEAK																																																																										
2	11988.00	45.84	74.00	-28.16	48.76	38.69	19.28	60.89	0.00	--	--	PEAK																																																																										
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>48.81</td><td>38.10</td><td>18.89</td><td>61.73</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.53</td><td>74.00</td><td>-21.47</td><td>55.45</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>301</td><td>56</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.37</td><td>54.00</td><td>-13.63</td><td>43.31</td><td>38.68</td><td>19.28</td><td>60.90</td><td>0.00</td><td>301</td><td>56</td><td>AVERAGE</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	44.07	74.00	-29.93	48.81	38.10	18.89	61.73	0.00	--	--	PEAK	2	11988.00	52.53	74.00	-21.47	55.45	38.69	19.28	60.89	0.00	301	56	PEAK	3	11988.00	40.37	54.00	-13.63	43.31	38.68	19.28	60.90	0.00	301	56	AVERAGE
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	11400.00	44.07	74.00	-29.93	48.81	38.10	18.89	61.73	0.00	--	--	PEAK																																																																										
2	11988.00	52.53	74.00	-21.47	55.45	38.69	19.28	60.89	0.00	301	56	PEAK																																																																										
3	11988.00	40.37	54.00	-13.63	43.31	38.68	19.28	60.90	0.00	301	56	AVERAGE																																																																										





		31																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																																													
ANT		CDD 6+7																																																																																																													
Pol.		Horizontal						Fundamental																																																																																																							
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.49</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>38.83</td><td>34.00</td><td>12.22</td><td>29.86</td><td>0.00</td><td>170</td><td>214</td><td>PEAK</td></tr><tr><td>2</td><td>5467.69</td><td>55.49</td><td>68.20</td><td>-12.71</td><td>38.38</td><td>34.76</td><td>12.24</td><td>29.89</td><td>0.00</td><td>170</td><td>214</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.49	55.99	74.00	-18.01	38.83	34.00	12.22	29.86	0.00	170	214	PEAK	2	5467.69	55.49	68.20	-12.71	38.38	34.76	12.24	29.89	0.00	170	214	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.79</td><td>-----</td><td>-----</td><td>92.74</td><td>34.70</td><td>12.28</td><td>29.93</td><td>0.00</td><td>170</td><td>214</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.79	-----	-----	92.74	34.70	12.28	29.93	0.00	170	214
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5448.49	55.99	74.00	-18.01	38.83	34.00	12.22	29.86	0.00	170	214	PEAK																																																																																																			
2	5467.69	55.49	68.20	-12.71	38.38	34.76	12.24	29.89	0.00	170	214	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	109.79	-----	-----	92.74	34.70	12.28	29.93	0.00	170	214	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.89</td><td>46.21</td><td>54.00</td><td>-7.79</td><td>29.07</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>170</td><td>214</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.89	46.21	54.00	-7.79	29.07	34.78	12.23	29.87	0.00	170	214	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.08</td><td>-----</td><td>-----</td><td>84.03</td><td>34.70</td><td>12.28</td><td>29.93</td><td>0.00</td><td>170</td><td>214</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.08	-----	-----	84.03	34.70	12.28	29.93	0.00	170	214	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5458.89	46.21	54.00	-7.79	29.07	34.78	12.23	29.87	0.00	170	214	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	101.08	-----	-----	84.03	34.70	12.28	29.93	0.00	170	214	AVERAGE																																																																																																			



		31										
Mode		Band Edge										
		U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz										
ANT		CDD 6+7										
Pol.		Fundamental										
Peak	Vertical	Fundamental										
	</											







Mode	31																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																																																																				
ANT	CDD 6+7																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>48.41</td><td>37.70</td><td>18.62</td><td>61.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>48.20</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	42.76	74.00	-31.24	48.41	37.70	18.62	61.97	0.00	--	PEAK	2	11988.00	45.28	74.00	-28.72	48.20	38.69	19.28	60.89	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>42.99</td><td>74.00</td><td>-31.01</td><td>48.64</td><td>37.70</td><td>18.62</td><td>61.97</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>54.95</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>298</td><td>55 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.40</td><td>54.00</td><td>-13.60</td><td>43.34</td><td>38.68</td><td>19.28</td><td>60.90</td><td>0.00</td><td>298</td><td>55 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	42.99	74.00	-31.01	48.64	37.70	18.62	61.97	0.00	--	PEAK	2	11988.00	52.03	74.00	-21.97	54.95	38.69	19.28	60.89	0.00	298	55 PEAK	3	11988.00	40.40	54.00	-13.60	43.34	38.68	19.28	60.90	0.00	298
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	11000.00	42.76	74.00	-31.24	48.41	37.70	18.62	61.97	0.00	--	PEAK																																																																																																																										
2	11988.00	45.28	74.00	-28.72	48.20	38.69	19.28	60.89	0.00	--	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	11000.00	42.99	74.00	-31.01	48.64	37.70	18.62	61.97	0.00	--	PEAK																																																																																																																										
2	11988.00	52.03	74.00	-21.97	54.95	38.69	19.28	60.89	0.00	298	55 PEAK																																																																																																																										
3	11988.00	40.40	54.00	-13.60	43.34	38.68	19.28	60.90	0.00	298	55 AVERAGE																																																																																																																										



Mode	32																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_RU106/53_5500MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.05</td><td>56.89</td><td>74.00</td><td>-17.11</td><td>39.75</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>116</td><td>207</td><td>PEAK</td></tr><tr><td>2</td><td>5467.85</td><td>56.64</td><td>68.20</td><td>-11.56</td><td>39.53</td><td>34.76</td><td>12.24</td><td>29.89</td><td>0.00</td><td>116</td><td>207</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	56.89	74.00	-17.11	39.75	34.78	12.23	29.87	0.00	116	207	PEAK	2	5467.85	56.64	68.20	-11.56	39.53	34.76	12.24	29.89	0.00	116	207	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>114.98</td><td>-----</td><td>-----</td><td>97.92</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>116</td><td>207</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	114.98	-----	-----	97.92	34.72	12.27	29.93	0.00	116	207
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.05	56.89	74.00	-17.11	39.75	34.78	12.23	29.87	0.00	116	207	PEAK																																																																																																				
2	5467.85	56.64	68.20	-11.56	39.53	34.76	12.24	29.89	0.00	116	207	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	114.98	-----	-----	97.92	34.72	12.27	29.93	0.00	116	207	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.45</td><td>46.63</td><td>54.00</td><td>-7.37</td><td>29.48</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>116</td><td>207</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.45	46.63	54.00	-7.37	29.48	34.79	12.23	29.87	0.00	116	207	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.31</td><td>-----</td><td>-----</td><td>88.25</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>116</td><td>207</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.31	-----	-----	88.25	34.72	12.27	29.93	0.00	116	207	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.45	46.63	54.00	-7.37	29.48	34.79	12.23	29.87	0.00	116	207	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	105.31	-----	-----	88.25	34.72	12.27	29.93	0.00	116	207	AVERAGE																																																																																																				



Mode	32																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_RU106/53_5500MHz																																																																			
ANT	CDD 6+7																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.25</td><td>55.96</td><td>74.00</td><td>-18.04</td><td>39.01</td><td>34.61</td><td>12.15</td><td>29.81</td><td>0.00</td><td>268</td><td>0 PEAK</td></tr><tr><td>2</td><td>5468.97</td><td>54.91</td><td>68.20</td><td>-13.29</td><td>37.77</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>268</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.25	55.96	74.00	-18.04	39.01	34.61	12.15	29.81	0.00	268	0 PEAK	2	5468.97	54.91	68.20	-13.29	37.77	34.78	12.24	29.88	0.00	268	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5378.25	55.96	74.00	-18.04	39.01	34.61	12.15	29.81	0.00	268	0 PEAK																																																									
2	5468.97	54.91	68.20	-13.29	37.77	34.78	12.24	29.88	0.00	268	0 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.86</td><td>-----</td><td>-----</td><td>90.80</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>268</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.86	-----	-----	90.80	34.72	12.27	29.93	0.00	268	0 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	107.86	-----	-----	90.80	34.72	12.27	29.93	0.00	268	0 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.25</td><td>45.75</td><td>54.00</td><td>-8.25</td><td>28.61</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>268</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.25	45.75	54.00	-8.25	28.61	34.78	12.23	29.87	0.00	268	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.25	45.75	54.00	-8.25	28.61	34.78	12.23	29.87	0.00	268	0 AVERAGE																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.60</td><td>-----</td><td>-----</td><td>82.54</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>268</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.60	-----	-----	82.54	34.72	12.27	29.93	0.00	268	0 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	99.60	-----	-----	82.54	34.72	12.27	29.93	0.00	268	0 AVERAGE																																																									

33

Mode

Band Edge - L

U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz

ANT

CDD 6+7

Pol.

Horizontal

Fundamental

Peak

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5382

5414

5446

5478

5510

U-NII-1-U-NII-2A-U-NII-2C

1

2

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5432.31

56.33

74.00

-17.67

39.19

34.76

12.21

29.83

0.00

160

204

PEAK

2

5467.37

55.81

68.20

-12.39

38.69

34.77

12.24

29.89

0.00

160

204

PEAK

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5580.00

112.57

95.27

34.70

12.37

29.77

0.00

160

204

PEAK

Avg

Level (dBuV/m)

130

113.8

97.5

81.3

65.0

48.8

32.5

16.3

0

5350

5382

5414

5446

5478

5510

U-NII-1-U-NII-2A-U-NII-2C(AVG)

1

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5459.85

46.22

54.00

-7.78

29.08

34.78

12.24

29.88

0.00

160

204

AVERAGE

Limit

Read

Ant

Cable

Preamp

Aux

APos

TPos

Remark

Freq

Level

Line

Margin

Level

Factor

Loss

Factor

Factor

MHz

dBuV/m

dBuV/m

dB

dBuV

dB/m

dB

dB

dB

cm

deg

1

5580.00

103.08

85.78

34.70

12.37

29.77


0.00

160





204

AVERAGE



Mode	33																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.16</td><td>56.87</td><td>68.20</td><td>-11.33</td><td>39.41</td><td>34.86</td><td>12.52</td><td>29.92</td><td>0.00</td><td>160</td><td>204</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.16	56.87	68.20	-11.33	39.41	34.86	12.52	29.92	0.00	160	204	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5730.16	56.87	68.20	-11.33	39.41	34.86	12.52	29.92	0.00	160	204	PEAK																																												



		33																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.13</td><td>55.93</td><td>74.00</td><td>-18.07</td><td>38.77</td><td>34.79</td><td>12.23</td><td>29.86</td><td>0.00</td><td>284</td><td>129</td><td>PEAK</td></tr><tr><td>2</td><td>5468.81</td><td>54.36</td><td>68.20</td><td>-13.84</td><td>37.24</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>284</td><td>129</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.13	55.93	74.00	-18.07	38.77	34.79	12.23	29.86	0.00	284	129	PEAK	2	5468.81	54.36	68.20	-13.84	37.24	34.76	12.25	29.89	0.00	284	129	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>108.41</td><td>-----</td><td>-----</td><td>91.13</td><td>34.70</td><td>12.36</td><td>29.78</td><td>0.00</td><td>284</td><td>129</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	108.41	-----	-----	91.13	34.70	12.36	29.78	0.00	284	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5453.13	55.93	74.00	-18.07	38.77	34.79	12.23	29.86	0.00	284	129	PEAK																																																																																																				
2	5468.81	54.36	68.20	-13.84	37.24	34.76	12.25	29.89	0.00	284	129	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5580.00	108.41	-----	-----	91.13	34.70	12.36	29.78	0.00	284	129	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5439.85</td><td>45.64</td><td>54.00</td><td>-8.36</td><td>28.49</td><td>34.78</td><td>12.21</td><td>29.84</td><td>0.00</td><td>284</td><td>129</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.85	45.64	54.00	-8.36	28.49	34.78	12.21	29.84	0.00	284	129	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>99.29</td><td>-----</td><td>-----</td><td>82.01</td><td>34.70</td><td>12.36</td><td>29.78</td><td>0.00</td><td>284</td><td>129</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	99.29	-----	-----	82.01	34.70	12.36	29.78	0.00	284	129	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5439.85	45.64	54.00	-8.36	28.49	34.78	12.21	29.84	0.00	284	129	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5580.00	99.29	-----	-----	82.01	34.70	12.36	29.78	0.00	284	129	AVERAGE																																																																																																				






Mode	33																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																									
ANT	CDD 6+7																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5753.84</td><td>56.68</td><td>68.20</td><td>-11.52</td><td>39.10</td><td>34.91</td><td>12.54</td><td>29.87</td><td>0.00</td><td>284 129 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5753.84	56.68	68.20	-11.52	39.10	34.91	12.54	29.87	0.00	284 129 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1 5753.84	56.68	68.20	-11.52	39.10	34.91	12.54	29.87	0.00	284 129 PEAK																																	






		33																																																																													
Mode		Harmonic																																																																													
		U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																													
ANT		CDD 6+7																																																																													
Pol.		Horizontal					Vertical																																																																								
Peak Avg																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>48.50</td><td>37.00</td><td>18.73</td><td>61.87</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>48.27</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	43.16	74.00	-30.84	48.50	37.00	18.73	61.87	0.00	--	PEAK	2	11988.00	45.35	74.00	-28.65	48.27	38.69	19.28	60.89	0.00	--	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	11160.00	43.16	74.00	-30.84	48.50	37.00	18.73	61.87	0.00	--	PEAK																																																																				
2	11988.00	45.35	74.00	-28.65	48.27	38.69	19.28	60.89	0.00	--	PEAK																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>49.38</td><td>37.00</td><td>18.73</td><td>61.87</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.47</td><td>74.00</td><td>-21.53</td><td>55.39</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>308</td><td>55 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>40.31</td><td>54.00</td><td>-13.69</td><td>43.25</td><td>38.68</td><td>19.28</td><td>60.90</td><td>0.00</td><td>308</td><td>55 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	44.04	74.00	-29.96	49.38	37.00	18.73	61.87	0.00	--	PEAK	2	11988.00	52.47	74.00	-21.53	55.39	38.69	19.28	60.89	0.00	308	55 PEAK	3	11988.00	40.31	54.00	-13.69	43.25	38.68	19.28	60.90	0.00	308	55 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	11160.00	44.04	74.00	-29.96	49.38	37.00	18.73	61.87	0.00	--	PEAK																																																																				
2	11988.00	52.47	74.00	-21.53	55.39	38.69	19.28	60.89	0.00	308	55 PEAK																																																																				
3	11988.00	40.31	54.00	-13.69	43.25	38.68	19.28	60.90	0.00	308	55 AVERAGE																																																																				





Mode	34																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5759.12</td><td>57.16</td><td>68.20</td><td>-11.04</td><td>39.54</td><td>34.92</td><td>12.55</td><td>29.85</td><td>0.00</td><td>172</td><td>207</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5759.12	57.16	68.20	-11.04	39.54	34.92	12.55	29.85	0.00	172	207	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>109.03</td><td>-----</td><td>-----</td><td>91.74</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>172</td><td>207</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	109.03	-----	-----	91.74	34.80	12.49	30.00	0.00	172	207	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5759.12	57.16	68.20	-11.04	39.54	34.92	12.55	29.85	0.00	172	207	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	109.03	-----	-----	91.74	34.80	12.49	30.00	0.00	172	207	PEAK																																																																																							
Avg	Blank																																																																																																	
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>99.24</td><td>-----</td><td>-----</td><td>81.95</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>172</td><td>207</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	99.24	-----	-----	81.95	34.80	12.49	30.00	0.00	172	207	AVERAGE																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	99.24	-----	-----	81.95	34.80	12.49	30.00	0.00	172	207	AVERAGE																																																																																							






Mode	34																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5728.72</td><td>56.97</td><td>68.20</td><td>-11.23</td><td>39.52</td><td>34.86</td><td>12.52</td><td>29.93</td><td>0.00</td><td>100</td><td>208</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5728.72	56.97	68.20	-11.23	39.52	34.86	12.52	29.93	0.00	100	208	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>103.23</td><td>-----</td><td>-----</td><td>85.94</td><td>34.79</td><td>12.49</td><td>29.99</td><td>0.00</td><td>100</td><td>208</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	103.23	-----	-----	85.94	34.79	12.49	29.99	0.00	100	208
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5728.72	56.97	68.20	-11.23	39.52	34.86	12.52	29.93	0.00	100	208	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5700.00	103.23	-----	-----	85.94	34.79	12.49	29.99	0.00	100	208	PEAK																																																																																					
Avg	Blank																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>95.37</td><td>-----</td><td>-----</td><td>78.08</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>100</td><td>208</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	95.37	-----	-----	78.08	34.80	12.49	30.00	0.00	100	208	AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 5700.00	95.37	-----	-----	78.08	34.80	12.49	30.00	0.00	100	208	AVERAGE																																																																																					






Mode	34																																																																																																																																					
	Harmonic																																																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																																																					
ANT	CDD 6+7																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>49.38</td><td>38.10</td><td>18.89</td><td>61.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>48.61</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	44.64	74.00	-29.36	49.38	38.10	18.89	61.73	0.00	--	PEAK	2	11988.00	45.69	74.00	-28.31	48.61	38.69	19.28	60.89	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>49.13</td><td>38.10</td><td>18.89</td><td>61.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>54.55</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>300</td><td>57 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>39.86</td><td>54.00</td><td>-14.14</td><td>42.78</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>300</td><td>57 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	44.39	74.00	-29.61	49.13	38.10	18.89	61.73	0.00	--	PEAK	2	11988.00	51.63	74.00	-22.37	54.55	38.69	19.28	60.89	0.00	300	57 PEAK	3	11988.00	39.86	54.00	-14.14	42.78	38.69	19.28	60.89	0.00	300	57 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	11400.00	44.64	74.00	-29.36	49.38	38.10	18.89	61.73	0.00	--	PEAK																																																																																																																											
2	11988.00	45.69	74.00	-28.31	48.61	38.69	19.28	60.89	0.00	--	PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	11400.00	44.39	74.00	-29.61	49.13	38.10	18.89	61.73	0.00	--	PEAK																																																																																																																											
2	11988.00	51.63	74.00	-22.37	54.55	38.69	19.28	60.89	0.00	300	57 PEAK																																																																																																																											
3	11988.00	39.86	54.00	-14.14	42.78	38.69	19.28	60.89	0.00	300	57 AVERAGE																																																																																																																											







Mode	35																																																																																												
	Band Edge																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_RU106/54_5700MHz																																																																																												
ANT	CDD 6+7																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5749.76</td><td>57.84</td><td>68.20</td><td>-10.36</td><td>40.28</td><td>34.90</td><td>12.54</td><td>29.88</td><td>0.00</td><td>126</td><td>178 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5749.76	57.84	68.20	-10.36	40.28	34.90	12.54	29.88	0.00	126	178 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>112.00</td><td>-----</td><td>-----</td><td>94.71</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>126</td><td>178 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	112.00	-----	-----	94.71	34.80	12.49	30.00	0.00	126
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5749.76	57.84	68.20	-10.36	40.28	34.90	12.54	29.88	0.00	126	178 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5700.00	112.00	-----	-----	94.71	34.80	12.49	30.00	0.00	126	178 PEAK																																																																																			
Avg	Blank																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>102.82</td><td>-----</td><td>-----</td><td>85.53</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>126</td><td>178 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	102.82	-----	-----	85.53	34.80	12.49	30.00	0.00	126	178 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5700.00	102.82	-----	-----	85.53	34.80	12.49	30.00	0.00	126	178 AVERAGE																																																																																			




Mode	35																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_RU106/54_5700MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.08</td><td>56.40</td><td>68.20</td><td>-11.80</td><td>38.83</td><td>34.90</td><td>12.54</td><td>29.87</td><td>0.00</td><td>101</td><td>205</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.08	56.40	68.20	-11.80	38.83	34.90	12.54	29.87	0.00	101	205	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>108.42</td><td>-----</td><td>-----</td><td>91.13</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>101</td><td>205</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.42	-----	-----	91.13	34.80	12.49	30.00	0.00	101	205
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5750.08	56.40	68.20	-11.80	38.83	34.90	12.54	29.87	0.00	101	205	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	108.42	-----	-----	91.13	34.80	12.49	30.00	0.00	101	205	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.44</td><td>-----</td><td>-----</td><td>81.15</td><td>34.80</td><td>12.49</td><td>30.00</td><td>0.00</td><td>101</td><td>205</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.44	-----	-----	81.15	34.80	12.49	30.00	0.00	101	205	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	98.44	-----	-----	81.15	34.80	12.49	30.00	0.00	101	205	AVERAGE																																																																																							







		36																																																																																																															
Mode		Band Edge - L																																																																																																															
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																															
ANT		CDD 6+7																																																																																																															
Pol.		Horizontal						Fundamental																																																																																																									
Peak																																																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	59.40	74.00	-14.60	42.26	34.78	12.24	29.88	0.00	162	202	PEAK	2	5468.97	62.77	68.20	-5.43	45.65	34.76	12.25	29.89	0.00	162	202	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	109.19	-----	-----	92.12	34.70	12.29	29.92	0.00	162	202	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.85	59.40	74.00	-14.60	42.26	34.78	12.24	29.88	0.00	162	202	PEAK																																																																																																					
2	5468.97	62.77	68.20	-5.43	45.65	34.76	12.25	29.89	0.00	162	202	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	109.19	-----	-----	92.12	34.70	12.29	29.92	0.00	162	202	PEAK																																																																																																					
Avg																																																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.29	49.30	54.00	-4.70	32.15	34.79	12.23	29.87	0.00	162	202	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.18	-----	-----	83.11	34.70	12.29	29.92	0.00	162	202	AVERAGE																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.29	49.30	54.00	-4.70	32.15	34.79	12.23	29.87	0.00	162	202	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	100.18	-----	-----	83.11	34.70	12.29	29.92	0.00	162	202	AVERAGE																																																																																																					




Mode	36																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5758.72</td><td>56.52</td><td>68.20</td><td>-11.68</td><td>38.90</td><td>34.92</td><td>12.55</td><td>29.85</td><td>0.00</td><td>162</td><td>202</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5758.72	56.52	68.20	-11.68	38.90	34.92	12.55	29.85	0.00	162	202	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5758.72	56.52	68.20	-11.68	38.90	34.92	12.55	29.85	0.00	162	202	PEAK																																											





Mode	36																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.13</td><td>56.67</td><td>74.00</td><td>-17.33</td><td>39.51</td><td>34.79</td><td>12.23</td><td>29.86</td><td>0.00</td><td>278</td><td>132</td><td>PEAK</td></tr><tr><td>2</td><td>5468.49</td><td>58.28</td><td>68.20</td><td>-9.92</td><td>41.16</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>278</td><td>132</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.13	56.67	74.00	-17.33	39.51	34.79	12.23	29.86	0.00	278	132	PEAK	2	5468.49	58.28	68.20	-9.92	41.16	34.76	12.25	29.89	0.00	278	132	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>104.42</td><td>-----</td><td>-----</td><td>87.35</td><td>34.70</td><td>12.29</td><td>29.92</td><td>0.00</td><td>278</td><td>132</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.42	-----	-----	87.35	34.70	12.29	29.92	0.00	278	132
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5453.13	56.67	74.00	-17.33	39.51	34.79	12.23	29.86	0.00	278	132	PEAK																																																																																																				
2	5468.49	58.28	68.20	-9.92	41.16	34.76	12.25	29.89	0.00	278	132	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	104.42	-----	-----	87.35	34.70	12.29	29.92	0.00	278	132	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.38</td><td>46.52</td><td>54.00</td><td>-7.48</td><td>29.38</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>278</td><td>132</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.38	46.52	54.00	-7.48	29.38	34.78	12.24	29.88	0.00	278	132	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>96.01</td><td>-----</td><td>-----</td><td>78.94</td><td>34.70</td><td>12.29</td><td>29.92</td><td>0.00</td><td>278</td><td>132</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.01	-----	-----	78.94	34.70	12.29	29.92	0.00	278	132	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.38	46.52	54.00	-7.48	29.38	34.78	12.24	29.88	0.00	278	132	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	96.01	-----	-----	78.94	34.70	12.29	29.92	0.00	278	132	AVERAGE																																																																																																				







Mode	36																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.00</td><td>56.74</td><td>68.20</td><td>-11.46</td><td>39.30</td><td>34.85</td><td>12.52</td><td>29.93</td><td>0.00</td><td>278</td><td>132</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.00	56.74	68.20	-11.46	39.30	34.85	12.52	29.93	0.00	278	132	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.00	56.74	68.20	-11.46	39.30	34.85	12.52	29.93	0.00	278	132	PEAK																																												




		36																																																																																
Mode		Harmonic																																																																																
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																
ANT		CDD 6+7																																																																																
Pol.		Horizontal										Vertical																																																																						
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>42.77</td><td>74.00</td><td>-31.23</td><td>48.38</td><td>37.72</td><td>18.63</td><td>61.96</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>48.27</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	42.77	74.00	-31.23	48.38	37.72	18.63	61.96	0.00	--	PEAK	2	11988.00	45.35	74.00	-28.65	48.27	38.69	19.28	60.89	0.00	--	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11020.00	42.77	74.00	-31.23	48.38	37.72	18.63	61.96	0.00	--	PEAK																																																																							
2	11988.00	45.35	74.00	-28.65	48.27	38.69	19.28	60.89	0.00	--	PEAK																																																																							
																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>49.38</td><td>37.72</td><td>18.63</td><td>61.96</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>54.09</td><td>38.69</td><td>19.28</td><td>60.89</td><td>0.00</td><td>300</td><td>57 PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>39.90</td><td>54.00</td><td>-14.10</td><td>42.84</td><td>38.68</td><td>19.28</td><td>60.90</td><td>0.00</td><td>300</td><td>57 AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	43.77	74.00	-30.23	49.38	37.72	18.63	61.96	0.00	--	PEAK	2	11988.00	51.17	74.00	-22.83	54.09	38.69	19.28	60.89	0.00	300	57 PEAK	3	11988.00	39.90	54.00	-14.10	42.84	38.68	19.28	60.90	0.00	300	57 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	11020.00	43.77	74.00	-30.23	49.38	37.72	18.63	61.96	0.00	--	PEAK																																																																							
2	11988.00	51.17	74.00	-22.83	54.09	38.69	19.28	60.89	0.00	300	57 PEAK																																																																							
3	11988.00	39.90	54.00	-14.10	42.84	38.68	19.28	60.90	0.00	300	57 AVERAGE																																																																							



		37																																																																		
Mode		Band Edge - L																																																																		
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz																																																																		
ANT		CDD 6+7																																																																		
Pol.		Horizontal																																																																		
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.33</td><td>56.33</td><td>74.00</td><td>-17.67</td><td>39.17</td><td>34.00</td><td>12.22</td><td>29.86</td><td>0.00</td><td>160</td><td>208</td><td>PEAK</td></tr><tr><td>2</td><td>5478.00</td><td>60.06</td><td>68.20</td><td>-8.14</td><td>42.94</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>160</td><td>208</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5448.33	56.33	74.00	-17.67	39.17	34.00	12.22	29.86	0.00	160	208	PEAK	2	5478.00	60.06	68.20	-8.14	42.94	34.76	12.25	29.89	0.00	160	208
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5448.33	56.33	74.00	-17.67	39.17	34.00	12.22	29.86	0.00	160	208	PEAK																																																								
2	5478.00	60.06	68.20	-8.14	42.94	34.76	12.25	29.89	0.00	160	208	PEAK																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>109.94</td><td>-----</td><td>-----</td><td>92.88</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>160</td><td>208</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	109.94	-----	-----	92.88	34.72	12.27	29.93	0.00	160	208	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5510.00	109.94	-----	-----	92.88	34.72	12.27	29.93	0.00	160	208	PEAK																																																								
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.89</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>29.78</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>160</td><td>208</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.89	46.92	54.00	-7.08	29.78	34.78	12.23	29.87	0.00	160	208	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5458.89	46.92	54.00	-7.08	29.78	34.78	12.23	29.87	0.00	160	208	AVERAGE																																																								
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>101.02</td><td>-----</td><td>-----</td><td>83.96</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>160</td><td>208</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	101.02	-----	-----	83.96	34.72	12.27	29.93	0.00	160	208	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5510.00	101.02	-----	-----	83.96	34.72	12.27	29.93	0.00	160	208	AVERAGE																																																								




Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.60</td><td>56.49</td><td>68.20</td><td>-11.71</td><td>38.96</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>160</td><td>288</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5743.60	56.49	68.20	-11.71	38.96	34.89	12.53	29.89	0.00	160	288	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5743.60	56.49	68.20	-11.71	38.96	34.89	12.53	29.89	0.00	160	288	PEAK																																												







Mode	37																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz																																																																						
ANT	CDD 6+7																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5449.61</td><td>55.74</td><td>74.00</td><td>-18.26</td><td>38.58</td><td>34.00</td><td>12.22</td><td>29.86</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>2</td><td>5469.29</td><td>56.85</td><td>68.20</td><td>-11.35</td><td>39.73</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5449.61	55.74	74.00	-18.26	38.58	34.00	12.22	29.86	0.00	100	48 PEAK	2	5469.29	56.85	68.20	-11.35	39.73	34.76	12.25	29.89	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5449.61	55.74	74.00	-18.26	38.58	34.00	12.22	29.86	0.00	100	48 PEAK																																																												
2	5469.29	56.85	68.20	-11.35	39.73	34.76	12.25	29.89	0.00	100	48 PEAK																																																												
Avg																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5452.33</td><td>45.85</td><td>54.00</td><td>-8.15</td><td>28.68</td><td>34.00</td><td>12.23</td><td>29.86</td><td>0.00</td><td>100</td><td>48 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5452.33	45.85	54.00	-8.15	28.68	34.00	12.23	29.86	0.00	100	48 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5452.33	45.85	54.00	-8.15	28.68	34.00	12.23	29.86	0.00	100	48 AVERAGE																																																												
Peak																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>107.62</td><td>-----</td><td>-----</td><td>90.56</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5510.00	107.62	-----	-----	90.56	34.72	12.27	29.93	0.00	100	48 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5510.00	107.62	-----	-----	90.56	34.72	12.27	29.93	0.00	100	48 PEAK																																																												
Avg																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>96.13</td><td>-----</td><td>-----</td><td>79.07</td><td>34.72</td><td>12.27</td><td>29.93</td><td>0.00</td><td>100</td><td>48 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5510.00	96.13	-----	-----	79.07	34.72	12.27	29.93	0.00	100	48 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5510.00	96.13	-----	-----	79.07	34.72	12.27	29.93	0.00	100	48 AVERAGE																																																												



Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.80</td><td>56.00</td><td>68.20</td><td>-12.20</td><td>38.41</td><td>34.91</td><td>12.54</td><td>29.86</td><td>0.00</td><td>100</td><td>48</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.80	56.00	68.20	-12.20	38.41	34.91	12.54	29.86	0.00	100	48	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5754.80	56.00	68.20	-12.20	38.41	34.91	12.54	29.86	0.00	100	48	PEAK																																												







Mode	38																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.11</td><td>59.48</td><td>74.00</td><td>-14.52</td><td>42.33</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>189</td><td>209</td><td>PEAK</td></tr><tr><td>2</td><td>5468.91</td><td>60.45</td><td>68.20</td><td>-7.75</td><td>43.33</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>189</td><td>209</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.11	59.48	74.00	-14.52	42.33	34.79	12.23	29.87	0.00	189	209	PEAK	2	5468.91	60.45	68.20	-7.75	43.33	34.76	12.25	29.89	0.00	189	209	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>110.32</td><td>-----</td><td>-----</td><td>93.11</td><td>34.70</td><td>12.34</td><td>29.83</td><td>0.00</td><td>189</td><td>209</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	110.32	-----	-----	93.11	34.70	12.34	29.83	0.00	189	209
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.11	59.48	74.00	-14.52	42.33	34.79	12.23	29.87	0.00	189	209	PEAK																																																																																																				
2	5468.91	60.45	68.20	-7.75	43.33	34.76	12.25	29.89	0.00	189	209	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	110.32	-----	-----	93.11	34.70	12.34	29.83	0.00	189	209	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.91</td><td>48.50</td><td>54.00</td><td>-5.50</td><td>31.36</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>189</td><td>209</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.91	48.50	54.00	-5.50	31.36	34.78	12.24	29.88	0.00	189	209	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>101.17</td><td>-----</td><td>-----</td><td>83.96</td><td>34.70</td><td>12.34</td><td>29.83</td><td>0.00</td><td>189</td><td>209</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	101.17	-----	-----	83.96	34.70	12.34	29.83	0.00	189	209	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.91	48.50	54.00	-5.50	31.36	34.78	12.24	29.88	0.00	189	209	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5550.00	101.17	-----	-----	83.96	34.70	12.34	29.83	0.00	189	209	AVERAGE																																																																																																				




Mode	38																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																			
ANT	CDD 6+7																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.58</td><td>56.37</td><td>68.20</td><td>-11.83</td><td>38.78</td><td>34.91</td><td>12.54</td><td>29.86</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>189</td><td>209</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5754.58	56.37	68.20	-11.83	38.78	34.91	12.54	29.86	0.00									189	209	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																											
1	5754.58	56.37	68.20	-11.83	38.78	34.91	12.54	29.86	0.00																																											
								189	209																																											





Mode	38																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																																											
ANT	CDD 6+7																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.51</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>38.82</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>286</td><td>131</td><td>PEAK</td></tr><tr><td>2</td><td>5463.51</td><td>56.55</td><td>68.20</td><td>-11.65</td><td>39.42</td><td>34.77</td><td>12.24</td><td>29.88</td><td>0.00</td><td>286</td><td>131</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.51	55.97	74.00	-18.03	38.82	34.79	12.23	29.87	0.00	286	131	PEAK	2	5463.51	56.55	68.20	-11.65	39.42	34.77	12.24	29.88	0.00	286	131	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>107.61</td><td>-----</td><td>-----</td><td>90.43</td><td>34.70</td><td>12.33</td><td>29.85</td><td>0.00</td><td>286</td><td>131</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	107.61	-----	-----	90.43	34.70	12.33	29.85	0.00	286	131
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5453.51	55.97	74.00	-18.03	38.82	34.79	12.23	29.87	0.00	286	131	PEAK																																																																																																																
2	5463.51	56.55	68.20	-11.65	39.42	34.77	12.24	29.88	0.00	286	131	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5550.00	107.61	-----	-----	90.43	34.70	12.33	29.85	0.00	286	131	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.91</td><td>46.98</td><td>54.00</td><td>-7.02</td><td>29.83</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>286</td><td>131</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.91	46.98	54.00	-7.02	29.83	34.79	12.23	29.87	0.00	286	131	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>97.10</td><td>-----</td><td>-----</td><td>79.92</td><td>34.70</td><td>12.33</td><td>29.85</td><td>0.00</td><td>286</td><td>131</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	97.10	-----	-----	79.92	34.70	12.33	29.85	0.00	286	131	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5456.91	46.98	54.00	-7.02	29.83	34.79	12.23	29.87	0.00	286	131	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5550.00	97.10	-----	-----	79.92	34.70	12.33	29.85	0.00	286	131	AVERAGE																																																																																																																







Mode	38																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																												
ANT	CDD 6+7																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.16</td><td>56.71</td><td>68.20</td><td>-11.49</td><td>39.11</td><td>34.91</td><td>12.55</td><td>29.86</td><td>0.00</td><td>286</td><td>131</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.16	56.71	68.20	-11.49	39.11	34.91	12.55	29.86	0.00	286	131	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5757.16	56.71	68.20	-11.49	39.11	34.91	12.55	29.86	0.00	286	131	PEAK																																	




Mode	38																																																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																																																																																																																																																		
ANT	CDD 6+7																																																																																																																																																																																																																																		
Pol.	Horizontal								Vertical																																																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th><th></th></tr><tr><td>1</td><td>11100.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>51.01</td><td>37.80</td><td>17.50</td><td>61.91</td><td>0.00</td><td>--</td><td>--</td><td colspan="5">PEAK</td><td></td></tr><tr><td>2</td><td>11988.00</td><td>47.80</td><td>74.00</td><td>-26.20</td><td>51.73</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>336</td><td>27</td><td colspan="5">PEAK</td><td></td></tr><tr><td>3</td><td>11988.00</td><td>39.83</td><td>54.00</td><td>-14.17</td><td>43.72</td><td>38.70</td><td>18.28</td><td>60.87</td><td>0.00</td><td>336</td><td>27</td><td colspan="5">AVERAGE</td><td></td></tr></table> <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th><th></th></tr><tr><td>1</td><td>11100.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>50.92</td><td>37.80</td><td>17.50</td><td>61.91</td><td>0.00</td><td>--</td><td>--</td><td colspan="5">PEAK</td><td></td></tr><tr><td>2</td><td>11988.00</td><td>49.74</td><td>74.00</td><td>-24.26</td><td>53.67</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>254</td><td>35</td><td colspan="5">PEAK</td><td></td></tr><tr><td>3</td><td>11988.00</td><td>41.73</td><td>54.00</td><td>-12.27</td><td>45.62</td><td>38.70</td><td>18.28</td><td>60.87</td><td>0.00</td><td>254</td><td>35</td><td colspan="5">AVERAGE</td><td></td></tr></table>																		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg							1	11100.00	44.40	74.00	-29.60	51.01	37.80	17.50	61.91	0.00	--	--	PEAK						2	11988.00	47.80	74.00	-26.20	51.73	38.69	18.27	60.89	0.00	336	27	PEAK						3	11988.00	39.83	54.00	-14.17	43.72	38.70	18.28	60.87	0.00	336	27	AVERAGE								Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg							1	11100.00	44.31	74.00	-29.69	50.92	37.80	17.50	61.91	0.00	--	--	PEAK						2	11988.00	49.74	74.00	-24.26	53.67	38.69	18.27	60.89	0.00	254	35	PEAK						3	11988.00	41.73	54.00	-12.27	45.62	38.70	18.28	60.87	0.00	254	35	AVERAGE				
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																								
1	11100.00	44.40	74.00	-29.60	51.01	37.80	17.50	61.91	0.00	--	--	PEAK																																																																																																																																																																																																																							
2	11988.00	47.80	74.00	-26.20	51.73	38.69	18.27	60.89	0.00	336	27	PEAK																																																																																																																																																																																																																							
3	11988.00	39.83	54.00	-14.17	43.72	38.70	18.28	60.87	0.00	336	27	AVERAGE																																																																																																																																																																																																																							
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																								
1	11100.00	44.31	74.00	-29.69	50.92	37.80	17.50	61.91	0.00	--	--	PEAK																																																																																																																																																																																																																							
2	11988.00	49.74	74.00	-24.26	53.67	38.69	18.27	60.89	0.00	254	35	PEAK																																																																																																																																																																																																																							
3	11988.00	41.73	54.00	-12.27	45.62	38.70	18.28	60.87	0.00	254	35	AVERAGE																																																																																																																																																																																																																							



Mode	39																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.49</td><td>56.19</td><td>74.00</td><td>-17.81</td><td>39.06</td><td>34.76</td><td>12.20</td><td>29.83</td><td>0.00</td><td>143</td><td>203</td><td>PEAK</td></tr><tr><td>2</td><td>5464.97</td><td>55.23</td><td>68.20</td><td>-12.97</td><td>38.10</td><td>34.77</td><td>12.24</td><td>29.88</td><td>0.00</td><td>143</td><td>203</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.49	56.19	74.00	-17.81	39.06	34.76	12.20	29.83	0.00	143	203	PEAK	2	5464.97	55.23	68.20	-12.97	38.10	34.77	12.24	29.88	0.00	143	203	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>108.51</td><td>-----</td><td>-----</td><td>91.23</td><td>34.71</td><td>12.44</td><td>29.87</td><td>0.00</td><td>143</td><td>203</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.51	-----	-----	91.23	34.71	12.44	29.87	0.00	143	203	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5428.49	56.19	74.00	-17.81	39.06	34.76	12.20	29.83	0.00	143	203	PEAK																																																																																																					
2	5464.97	55.23	68.20	-12.97	38.10	34.77	12.24	29.88	0.00	143	203	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	108.51	-----	-----	91.23	34.71	12.44	29.87	0.00	143	203	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.09</td><td>45.83</td><td>54.00</td><td>-8.17</td><td>28.68</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>143</td><td>203</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.09	45.83	54.00	-8.17	28.68	34.79	12.23	29.87	0.00	143	203	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>99.70</td><td>-----</td><td>-----</td><td>82.42</td><td>34.74</td><td>12.46</td><td>29.92</td><td>0.00</td><td>143</td><td>203</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.70	-----	-----	82.42	34.74	12.46	29.92	0.00	143	203	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5454.09	45.83	54.00	-8.17	28.68	34.79	12.23	29.87	0.00	143	203	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	99.70	-----	-----	82.42	34.74	12.46	29.92	0.00	143	203	AVERAGE																																																																																																					




Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.44</td><td>58.26</td><td>68.20</td><td>-9.94</td><td>40.73</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>143</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.44	58.26	68.20	-9.94	40.73	34.89	12.53	29.89	0.00	143	283	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5743.44	58.26	68.20	-9.94	40.73	34.89	12.53	29.89	0.00	143	283	PEAK																																												





Mode	39																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																						
ANT	CDD 6+7																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5452.49</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>38.20</td><td>34.00</td><td>12.23</td><td>29.86</td><td>0.00</td><td>286</td><td>128 PEAK</td></tr><tr><td>2</td><td>5469.77</td><td>55.57</td><td>68.20</td><td>-12.63</td><td>38.45</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>286</td><td>128 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5452.49	55.37	74.00	-18.63	38.20	34.00	12.23	29.86	0.00	286	128 PEAK	2	5469.77	55.57	68.20	-12.63	38.45	34.76	12.25	29.89	0.00	286
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5452.49	55.37	74.00	-18.63	38.20	34.00	12.23	29.86	0.00	286	128 PEAK																																																												
2	5469.77	55.57	68.20	-12.63	38.45	34.76	12.25	29.89	0.00	286	128 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.53</td><td>45.68</td><td>54.00</td><td>-8.32</td><td>28.54</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>286</td><td>128 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.53	45.68	54.00	-8.32	28.54	34.78	12.24	29.88	0.00	286	128 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5459.53	45.68	54.00	-8.32	28.54	34.78	12.24	29.88	0.00	286	128 AVERAGE																																																												
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>104.63</td><td>-----</td><td>-----</td><td>87.35</td><td>34.73</td><td>12.45</td><td>29.90</td><td>0.00</td><td>286</td><td>128 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	104.63	-----	-----	87.35	34.73	12.45	29.90	0.00	286	128 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5670.00	104.63	-----	-----	87.35	34.73	12.45	29.90	0.00	286	128 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5670.00</td><td>96.55</td><td>-----</td><td>-----</td><td>79.27</td><td>34.73</td><td>12.46</td><td>29.91</td><td>0.00</td><td>286</td><td>128 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	96.55	-----	-----	79.27	34.73	12.46	29.91	0.00	286	128 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5670.00	96.55	-----	-----	79.27	34.73	12.46	29.91	0.00	286	128 AVERAGE																																																												







Mode	39																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.08</td><td>57.35</td><td>68.20</td><td>-10.85</td><td>39.89</td><td>34.86</td><td>12.52</td><td>29.92</td><td>0.00</td><td>286</td><td>128</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.08	57.35	68.20	-10.85	39.89	34.86	12.52	29.92	0.00	286	128	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.08	57.35	68.20	-10.85	39.89	34.86	12.52	29.92	0.00	286	128	PEAK																																											




Mode	39																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																	
ANT	CDD 6+7																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>51.25</td><td>37.98</td><td>17.71</td><td>61.77</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>46.34</td><td>74.00</td><td>-27.66</td><td>50.27</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>38.98</td><td>54.00</td><td>-15.02</td><td>42.87</td><td>38.70</td><td>18.28</td><td>60.87</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	45.17	74.00	-28.83	51.25	37.98	17.71	61.77	0.00	--	--	PEAK	2	11988.00	46.34	74.00	-27.66	50.27	38.69	18.27	60.89	0.00	100	0	PEAK	3	11988.00	38.98	54.00	-15.02	42.87	38.70	18.28	60.87	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	11340.00	45.17	74.00	-28.83	51.25	37.98	17.71	61.77	0.00	--	--	PEAK																																																																						
2	11988.00	46.34	74.00	-27.66	50.27	38.69	18.27	60.89	0.00	100	0	PEAK																																																																						
3	11988.00	38.98	54.00	-15.02	42.87	38.70	18.28	60.87	0.00	100	0	AVERAGE																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>49.84</td><td>37.98</td><td>17.71</td><td>61.77</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>56.30</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>51</td><td>PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>39.93</td><td>54.00</td><td>-14.07</td><td>43.90</td><td>38.68</td><td>18.26</td><td>60.91</td><td>0.00</td><td>300</td><td>51</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	43.76	74.00	-30.24	49.84	37.98	17.71	61.77	0.00	--	--	PEAK	2	11988.00	52.37	74.00	-21.63	56.30	38.69	18.27	60.89	0.00	300	51	PEAK	3	11988.00	39.93	54.00	-14.07	43.90	38.68	18.26	60.91	0.00	300	51	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	11340.00	43.76	74.00	-30.24	49.84	37.98	17.71	61.77	0.00	--	--	PEAK																																																																						
2	11988.00	52.37	74.00	-21.63	56.30	38.69	18.27	60.89	0.00	300	51	PEAK																																																																						
3	11988.00	39.93	54.00	-14.07	43.90	38.68	18.26	60.91	0.00	300	51	AVERAGE																																																																						







Mode	40																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.57</td><td>57.48</td><td>74.00</td><td>-16.52</td><td>40.34</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>192</td><td>179</td><td>PEAK</td></tr><tr><td>2</td><td>5468.97</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>38.83</td><td>34.76</td><td>12.25</td><td>29.89</td><td>0.00</td><td>192</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.57	57.48	74.00	-16.52	40.34	34.78	12.23	29.87	0.00	192	179	PEAK	2	5468.97	55.95	68.20	-12.25	38.83	34.76	12.25	29.89	0.00	192	179	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>107.14</td><td>-----</td><td>-----</td><td>89.85</td><td>34.77</td><td>12.47</td><td>29.95</td><td>0.00</td><td>192</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.14	-----	-----	89.85	34.77	12.47	29.95	0.00	192	179
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.57	57.48	74.00	-16.52	40.34	34.78	12.23	29.87	0.00	192	179	PEAK																																																																																																				
2	5468.97	55.95	68.20	-12.25	38.83	34.76	12.25	29.89	0.00	192	179	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	107.14	-----	-----	89.85	34.77	12.47	29.95	0.00	192	179	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.69</td><td>45.86</td><td>54.00</td><td>-8.14</td><td>28.69</td><td>34.80</td><td>12.23</td><td>29.86</td><td>0.00</td><td>192</td><td>179</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.69	45.86	54.00	-8.14	28.69	34.80	12.23	29.86	0.00	192	179	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>99.54</td><td>-----</td><td>-----</td><td>82.26</td><td>34.75</td><td>12.47</td><td>29.94</td><td>0.00</td><td>192</td><td>179</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.54	-----	-----	82.26	34.75	12.47	29.94	0.00	192	179	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5451.69	45.86	54.00	-8.14	28.69	34.80	12.23	29.86	0.00	192	179	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	99.54	-----	-----	82.26	34.75	12.47	29.94	0.00	192	179	AVERAGE																																																																																																				




Mode	40																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.00</td><td>57.30</td><td>68.20</td><td>-10.90</td><td>39.74</td><td>34.90</td><td>12.54</td><td>29.88</td><td>0.00</td><td>192</td><td>179</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.00	57.30	68.20	-10.90	39.74	34.90	12.54	29.88	0.00	192	179	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5750.00	57.30	68.20	-10.90	39.74	34.90	12.54	29.88	0.00	192	179	PEAK																																												







Mode	40																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5389.29</td><td>55.32</td><td>74.00</td><td>-18.68</td><td>38.29</td><td>34.66</td><td>12.16</td><td>29.79</td><td>0.00</td><td>304</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>5467.37</td><td>55.01</td><td>68.20</td><td>-13.19</td><td>37.89</td><td>34.77</td><td>12.24</td><td>29.89</td><td>0.00</td><td>304</td><td>125</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5389.29	55.32	74.00	-18.68	38.29	34.66	12.16	29.79	0.00	304	125	PEAK	2	5467.37	55.01	68.20	-13.19	37.89	34.77	12.24	29.89	0.00	304	125	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>104.15</td><td>-----</td><td>-----</td><td>86.87</td><td>34.75</td><td>12.47</td><td>29.94</td><td>0.00</td><td>304</td><td>125</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.15	-----	-----	86.87	34.75	12.47	29.94	0.00	304	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5389.29	55.32	74.00	-18.68	38.29	34.66	12.16	29.79	0.00	304	125	PEAK																																																																																																				
2	5467.37	55.01	68.20	-13.19	37.89	34.77	12.24	29.89	0.00	304	125	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	104.15	-----	-----	86.87	34.75	12.47	29.94	0.00	304	125	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.85</td><td>45.58</td><td>54.00</td><td>-8.42</td><td>28.41</td><td>34.00</td><td>12.23</td><td>29.86</td><td>0.00</td><td>304</td><td>125</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.85	45.58	54.00	-8.42	28.41	34.00	12.23	29.86	0.00	304	125	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>95.52</td><td>-----</td><td>-----</td><td>78.24</td><td>34.75</td><td>12.47</td><td>29.94</td><td>0.00</td><td>304</td><td>125</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	95.52	-----	-----	78.24	34.75	12.47	29.94	0.00	304	125	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5451.85	45.58	54.00	-8.42	28.41	34.00	12.23	29.86	0.00	304	125	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	95.52	-----	-----	78.24	34.75	12.47	29.94	0.00	304	125	AVERAGE																																																																																																				




Mode	40																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																												
ANT	CDD 6+7																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.96</td><td>57.82</td><td>68.20</td><td>-10.38</td><td>40.29</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>304</td><td>125</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.96	57.82	68.20	-10.38	40.29	34.89	12.53	29.89	0.00	304	125	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5744.96	57.82	68.20	-10.38	40.29	34.89	12.53	29.89	0.00	304	125	PEAK																																	







		41																																																																						
Mode		Band Edge - L																																																																						
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																						
ANT		CDD 6+7																																																																						
Pol.		Fundamental																																																																						
Peak	Horizontal	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5457.93</td><td>59.07</td><td>74.00</td><td>-14.93</td><td>41.93</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>155</td><td>212 PEAK</td></tr><tr><td>2</td><td>5461.77</td><td>59.33</td><td>68.20</td><td>-8.87</td><td>42.19</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>155</td><td>212 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.93	59.07	74.00	-14.93	41.93	34.78	12.23	29.87	0.00	155	212 PEAK	2	5461.77	59.33	68.20	-8.87	42.19	34.78	12.24	29.88	0.00	155	212 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5457.93	59.07	74.00	-14.93	41.93	34.78	12.23	29.87	0.00	155	212 PEAK																																																													
2	5461.77	59.33	68.20	-8.87	42.19	34.78	12.24	29.88	0.00	155	212 PEAK																																																													
Fundamental	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5530.00</td><td>104.95</td><td>-----</td><td>-----</td><td>87.86</td><td>34.70</td><td>12.30</td><td>29.91</td><td>0.00</td><td>155</td><td>212 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	104.95	-----	-----	87.86	34.70	12.30	29.91	0.00	155	212 PEAK																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5530.00	104.95	-----	-----	87.86	34.70	12.30	29.91	0.00	155	212 PEAK																																																													
Avg	Horizontal	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.53</td><td>48.95</td><td>54.00</td><td>-5.05</td><td>31.81</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>155</td><td>212 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5459.53	48.95	54.00	-5.05	31.81	34.78	12.24	29.88	0.00	155	212 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5459.53	48.95	54.00	-5.05	31.81	34.78	12.24	29.88	0.00	155	212 AVERAGE																																																													
Fundamental	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5530.00</td><td>95.92</td><td>-----</td><td>-----</td><td>78.77</td><td>34.70</td><td>12.32</td><td>29.87</td><td>0.00</td><td>155</td><td>212 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	95.92	-----	-----	78.77	34.70	12.32	29.87	0.00	155	212 AVERAGE																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5530.00	95.92	-----	-----	78.77	34.70	12.32	29.87	0.00	155	212 AVERAGE																																																													




Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.96</td><td>56.31</td><td>68.20</td><td>-11.89</td><td>38.76</td><td>34.89</td><td>12.54</td><td>29.88</td><td>0.00</td><td>155</td><td>212</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5746.96	56.31	68.20	-11.89	38.76	34.89	12.54	29.88	0.00	155	212	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5746.96	56.31	68.20	-11.89	38.76	34.89	12.54	29.88	0.00	155	212	PEAK																																												





		41																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																											
ANT		CDD 6+7																																																																																																											
Pol.		Fundamental																																																																																																											
Peak	Vertical	Fundamental																																																																																																											
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5442.73</td><td>57.10</td><td>74.00</td><td>-16.90</td><td>39.94</td><td>34.79</td><td>12.22</td><td>29.85</td><td>0.00</td><td>253</td><td>127 PEAK</td></tr><tr><td>2</td><td>5468.17</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>40.40</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>253</td><td>127 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5442.73	57.10	74.00	-16.90	39.94	34.79	12.22	29.85	0.00	253	127 PEAK	2	5468.17	57.54	68.20	-10.66	40.40	34.78	12.24	29.88	0.00	253	127 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>101.51</td><td>-----</td><td>-----</td><td>84.36</td><td>34.70</td><td>12.32</td><td>29.87</td><td>0.00</td><td>253</td><td>127 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	101.51	-----	-----	84.36	34.70	12.32	29.87	0.00	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5442.73	57.10	74.00	-16.90	39.94	34.79	12.22	29.85	0.00	253	127 PEAK																																																																																																		
2	5468.17	57.54	68.20	-10.66	40.40	34.78	12.24	29.88	0.00	253	127 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	101.51	-----	-----	84.36	34.70	12.32	29.87	0.00	253	127 PEAK																																																																																																		
Avg	Vertical	Fundamental																																																																																																											
	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5456.92</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>29.60</td><td>34.79</td><td>12.23</td><td>29.87</td><td>0.00</td><td>253</td><td>127 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5456.92	46.75	54.00	-7.25	29.60	34.79	12.23	29.87	0.00	253	127 AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.44</td><td>-----</td><td>-----</td><td>74.29</td><td>34.70</td><td>12.32</td><td>29.87</td><td>0.00</td><td>253</td><td>127 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	91.44	-----	-----	74.29	34.70	12.32	29.87	0.00	253	127 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.92	46.75	54.00	-7.25	29.60	34.79	12.23	29.87	0.00	253	127 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	91.44	-----	-----	74.29	34.70	12.32	29.87	0.00	253	127 AVERAGE																																																																																																		







Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.92</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>39.28</td><td>34.89</td><td>12.53</td><td>29.89</td><td>0.00</td><td>253</td><td>127</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.92	56.81	68.20	-11.39	39.28	34.89	12.53	29.89	0.00	253	127	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5743.92	56.81	68.20	-11.39	39.28	34.89	12.53	29.89	0.00	253	127	PEAK																																												




		41																																																																																																																				
Mode		Harmonic																																																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																				
ANT		CDD 6+7																																																																																																																				
Pol.		Horizontal												Vertical																																																																																																								
Peak Avg																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th></tr><tr><td>1</td><td>11060.00</td><td>42.90</td><td>74.00</td><td>-31.10</td><td>49.61</td><td>37.76</td><td>17.46</td><td>61.93</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="4">PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>49.49</td><td>74.00</td><td>-24.51</td><td>53.42</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>299</td><td>26</td><td colspan="4">PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>38.56</td><td>54.00</td><td>-15.44</td><td>42.53</td><td>38.68</td><td>18.26</td><td>60.91</td><td>0.00</td><td>299</td><td>26</td><td colspan="4">AVERAGE</td></tr></table>																				Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg					1	11060.00	42.90	74.00	-31.10	49.61	37.76	17.46	61.93	0.00	--	--	--	PEAK				2	11988.00	49.49	74.00	-24.51	53.42	38.69	18.27	60.89	0.00	299	26	PEAK				3	11988.00	38.56	54.00	-15.44	42.53	38.68	18.26	60.91	0.00	299	26	AVERAGE			
			Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																					
	Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																					
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																										
1	11060.00	42.90	74.00	-31.10	49.61	37.76	17.46	61.93	0.00	--	--	--	PEAK																																																																																																									
2	11988.00	49.49	74.00	-24.51	53.42	38.69	18.27	60.89	0.00	299	26	PEAK																																																																																																										
3	11988.00	38.56	54.00	-15.44	42.53	38.68	18.26	60.91	0.00	299	26	AVERAGE																																																																																																										
																																																																																																																						
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th></tr><tr><td>1</td><td>11060.00</td><td>43.45</td><td>74.00</td><td>-30.55</td><td>50.16</td><td>37.76</td><td>17.46</td><td>61.93</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="4">PEAK</td></tr><tr><td>2</td><td>11988.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>51.60</td><td>38.69</td><td>18.27</td><td>60.89</td><td>0.00</td><td>300</td><td>8</td><td colspan="4">PEAK</td></tr><tr><td>3</td><td>11988.00</td><td>41.68</td><td>54.00</td><td>-12.32</td><td>45.57</td><td>38.70</td><td>18.28</td><td>60.87</td><td>0.00</td><td>300</td><td>8</td><td colspan="4">AVERAGE</td></tr></table>																				Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg					1	11060.00	43.45	74.00	-30.55	50.16	37.76	17.46	61.93	0.00	--	--	--	PEAK				2	11988.00	47.67	74.00	-26.33	51.60	38.69	18.27	60.89	0.00	300	8	PEAK				3	11988.00	41.68	54.00	-12.32	45.57	38.70	18.28	60.87	0.00	300	8	AVERAGE				
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																						
Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																						
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																										
1	11060.00	43.45	74.00	-30.55	50.16	37.76	17.46	61.93	0.00	--	--	--	PEAK																																																																																																									
2	11988.00	47.67	74.00	-26.33	51.60	38.69	18.27	60.89	0.00	300	8	PEAK																																																																																																										
3	11988.00	41.68	54.00	-12.32	45.57	38.70	18.28	60.87	0.00	300	8	AVERAGE																																																																																																										



Mode	42																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.09</td><td>58.02</td><td>74.00</td><td>-15.98</td><td>40.88</td><td>34.78</td><td>12.23</td><td>29.87</td><td>0.00</td><td>130</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>5464.17</td><td>68.64</td><td>68.20</td><td>-7.56</td><td>43.51</td><td>34.77</td><td>12.24</td><td>29.88</td><td>0.00</td><td>130</td><td>206</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.09	58.02	74.00	-15.98	40.88	34.78	12.23	29.87	0.00	130	206	PEAK	2	5464.17	68.64	68.20	-7.56	43.51	34.77	12.24	29.88	0.00	130	206	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>106.77</td><td>-----</td><td>-----</td><td>89.72</td><td>34.71</td><td>12.28</td><td>29.94</td><td>0.00</td><td>130</td><td>206</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	106.77	-----	-----	89.72	34.71	12.28	29.94	0.00	130	206
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.09	58.02	74.00	-15.98	40.88	34.78	12.23	29.87	0.00	130	206	PEAK																																																																																																				
2	5464.17	68.64	68.20	-7.56	43.51	34.77	12.24	29.88	0.00	130	206	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	106.77	-----	-----	89.72	34.71	12.28	29.94	0.00	130	206	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>48.17</td><td>54.00</td><td>-5.83</td><td>31.03</td><td>34.78</td><td>12.24</td><td>29.88</td><td>0.00</td><td>130</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.17	54.00	-5.83	31.03	34.78	12.24	29.88	0.00	130	206	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>97.85</td><td>-----</td><td>-----</td><td>80.00</td><td>34.71</td><td>12.28</td><td>29.94</td><td>0.00</td><td>130</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.85	-----	-----	80.00	34.71	12.28	29.94	0.00	130	206	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5460.00	48.17	54.00	-5.83	31.03	34.78	12.24	29.88	0.00	130	206	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	97.85	-----	-----	80.00	34.71	12.28	29.94	0.00	130	206	AVERAGE																																																																																																				



Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5764.72</td><td>56.80</td><td>68.20</td><td>-11.40</td><td>39.16</td><td>34.93</td><td>12.55</td><td>29.84</td><td>0.00</td><td>130</td><td>206</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5764.72	56.80	68.20	-11.40	39.16	34.93	12.55	29.84	0.00	130	206	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5764.72	56.80	68.20	-11.40	39.16	34.93	12.55	29.84	0.00	130	206	PEAK																																												