






























































































<Single RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320MIMO	Ant6	6105	2*996Tone	RU69	-5.28	0.20	-5.08	≤-1.00	PASS
	Ant7	6105	2*996Tone	RU69	-5.26	-0.30	-5.56	≤-1.00	PASS
	total	6105	2*996Tone	RU69	-2.26	-0.04	-2.30	≤-1.00	PASS
	Ant6	6265	2*996Tone	RU69	-5.08	0.20	-4.88	≤-1.00	PASS
	Ant7	6265	2*996Tone	RU69	-3.88	-0.30	-4.18	≤-1.00	PASS
	total	6265	2*996Tone	RU69	-1.43	-0.04	-1.47	≤-1.00	PASS
	Ant6	6425	2*996Tone	RU70	-5.36	0.60	-4.76	≤-1.00	PASS
	Ant7	6425	2*996Tone	RU70	-4.91	-0.60	-5.51	≤-1.00	PASS
	total	6425	2*996Tone	RU70	-2.12	0.04	-2.08	≤-1.00	PASS
	Ant6	6585	2*996Tone	RU69	-5.03	0.60	-4.43	≤-1.00	PASS
	Ant7	6585	2*996Tone	RU69	-4.51	-0.60	-5.11	≤-1.00	PASS
	total	6585	2*996Tone	RU69	-1.75	0.04	-1.71	≤-1.00	PASS
	Ant6	6745	2*996Tone	RU70	-5.26	0.00	-5.26	≤-1.00	PASS
	Ant7	6745	2*996Tone	RU70	-4.80	-0.40	-5.20	≤-1.00	PASS
	total	6745	2*996Tone	RU70	-2.01	-0.20	-2.21	≤-1.00	PASS
	Ant6	6905	2*996Tone	RU70	-5.83	0.00	-5.83	≤-1.00	PASS
	Ant7	6905	2*996Tone	RU70	-5.19	-0.40	-5.59	≤-1.00	PASS
	total	6905	2*996Tone	RU70	-2.49	-0.20	-2.69	≤-1.00	PASS
11BE20MIMO	Ant6	5955	26Tone	RU0	-5.30	0.20	-5.10	≤-1.00	PASS
			52Tone	RU37	-5.22	0.20	-5.02	≤-1.00	PASS
			106Tone	RU53	-4.16	0.20	-3.96	≤-1.00	PASS
	Ant7	5955	26Tone	RU0	-4.68	-0.30	-4.98	≤-1.00	PASS
			52Tone	RU37	-4.51	-0.30	-4.81	≤-1.00	PASS
			106Tone	RU53	-3.87	-0.30	-4.17	≤-1.00	PASS
	total	5955	26Tone	RU0	-1.97	-0.04	-2.01	≤-1.00	PASS
			52Tone	RU37	-1.84	-0.04	-1.88	≤-1.00	PASS
			106Tone	RU53	-1.00	-0.04	-1.04	≤-1.00	PASS
	Ant6	6195	26Tone	RU0	-5.62	0.20	-5.42	≤-1.00	PASS
			52Tone	RU37	-5.32	0.20	-5.12	≤-1.00	PASS
			106Tone	RU53	-5.15	0.20	-4.95	≤-1.00	PASS
	Ant7	6195	26Tone	RU0	-4.71	-0.30	-5.01	≤-1.00	PASS



			52Tone	RU37	-4.36	-0.30	-4.66	≤ -1.00	PASS
			106Tone	RU53	-4.16	-0.30	-4.46	≤ -1.00	PASS
	total	6195	26Tone	RU0	-2.13	-0.04	-2.17	≤ -1.00	PASS
			52Tone	RU37	-1.80	-0.04	-1.84	≤ -1.00	PASS
			106Tone	RU53	-1.62	-0.04	-1.66	≤ -1.00	PASS
	Ant6	6415	26Tone	RU8	-4.82	0.20	-4.62	≤ -1.00	PASS
			52Tone	RU40	-4.73	0.20	-4.53	≤ -1.00	PASS
			106Tone	RU54	-4.58	0.20	-4.38	≤ -1.00	PASS
	Ant7	6415	26Tone	RU8	-4.52	-0.30	-4.82	≤ -1.00	PASS
			52Tone	RU40	-4.81	-0.30	-5.11	≤ -1.00	PASS
			106Tone	RU54	-4.55	-0.30	-4.85	≤ -1.00	PASS
	total	6415	26Tone	RU8	-1.66	-0.04	-1.70	≤ -1.00	PASS
			52Tone	RU40	-1.76	-0.04	-1.80	≤ -1.00	PASS
			106Tone	RU54	-1.55	-0.04	-1.59	≤ -1.00	PASS
	Ant6	6435	26Tone	RU0	-5.32	0.60	-4.72	≤ -1.00	PASS
			52Tone	RU37	-5.20	0.60	-4.60	≤ -1.00	PASS
			106Tone	RU53	-4.72	0.60	-4.12	≤ -1.00	PASS
	Ant7	6435	26Tone	RU0	-4.81	-0.60	-5.41	≤ -1.00	PASS
			52Tone	RU37	-5.02	-0.60	-5.62	≤ -1.00	PASS
			106Tone	RU53	-4.70	-0.60	-5.30	≤ -1.00	PASS
	total	6435	26Tone	RU0	-2.05	0.04	-2.01	≤ -1.00	PASS
			52Tone	RU37	-2.10	0.04	-2.06	≤ -1.00	PASS
			106Tone	RU53	-1.70	0.04	-1.66	≤ -1.00	PASS
	Ant6	6475	26Tone	RU0	-5.20	0.60	-4.60	≤ -1.00	PASS
			52Tone	RU37	-5.16	0.60	-4.56	≤ -1.00	PASS
			106Tone	RU53	-5.04	0.60	-4.44	≤ -1.00	PASS
	Ant7	6475	26Tone	RU0	-4.39	-0.60	-4.99	≤ -1.00	PASS
			52Tone	RU37	-4.41	-0.60	-5.01	≤ -1.00	PASS
			106Tone	RU53	-4.31	-0.60	-4.91	≤ -1.00	PASS
	total	6475	26Tone	RU0	-1.77	0.04	-1.73	≤ -1.00	PASS
			52Tone	RU37	-1.76	0.04	-1.72	≤ -1.00	PASS
			106Tone	RU53	-1.65	0.04	-1.61	≤ -1.00	PASS
	Ant6	6515	26Tone	RU8	-6.05	0.60	-5.45	≤ -1.00	PASS
			52Tone	RU40	-6.50	0.60	-5.90	≤ -1.00	PASS
			106Tone	RU54	-5.77	0.60	-5.17	≤ -1.00	PASS
	Ant7	6515	26Tone	RU8	-5.26	-0.60	-5.86	≤ -1.00	PASS
			52Tone	RU40	-5.45	-0.60	-6.05	≤ -1.00	PASS
			106Tone	RU54	-5.15	-0.60	-5.75	≤ -1.00	PASS
	total	6515	26Tone	RU8	-2.63	0.04	-2.59	≤ -1.00	PASS



			52Tone	RU40	-2.93	0.04	-2.89	≤ -1.00	PASS
			106Tone	RU54	-2.44	0.04	-2.40	≤ -1.00	PASS
	Ant6	6535	26Tone	RU0	-4.65	0.00	-4.65	≤ -1.00	PASS
			52Tone	RU37	-4.68	0.00	-4.68	≤ -1.00	PASS
			106Tone	RU53	-4.38	0.00	-4.38	≤ -1.00	PASS
	Ant7	6535	26Tone	RU0	-4.57	-0.40	-4.97	≤ -1.00	PASS
			52Tone	RU37	-4.72	-0.40	-5.12	≤ -1.00	PASS
			106Tone	RU53	-4.30	-0.40	-4.70	≤ -1.00	PASS
	total	6535	26Tone	RU0	-1.60	-0.20	-1.80	≤ -1.00	PASS
			52Tone	RU37	-1.69	-0.20	-1.89	≤ -1.00	PASS
			106Tone	RU53	-1.33	-0.20	-1.53	≤ -1.00	PASS
	Ant6	6695	26Tone	RU0	-4.81	0.00	-4.81	≤ -1.00	PASS
			52Tone	RU37	-4.66	0.00	-4.66	≤ -1.00	PASS
			106Tone	RU53	-4.26	0.00	-4.26	≤ -1.00	PASS
	Ant7	6695	26Tone	RU0	-3.77	-0.40	-4.17	≤ -1.00	PASS
			52Tone	RU37	-3.97	-0.40	-4.37	≤ -1.00	PASS
			106Tone	RU53	-4.04	-0.40	-4.44	≤ -1.00	PASS
	total	6695	26Tone	RU0	-1.25	-0.20	-1.45	≤ -1.00	PASS
			52Tone	RU37	-1.29	-0.20	-1.49	≤ -1.00	PASS
			106Tone	RU53	-1.14	-0.20	-1.34	≤ -1.00	PASS
	Ant6	6855	26Tone	RU8	-5.20	0.00	-5.20	≤ -1.00	PASS
			52Tone	RU40	-5.16	0.00	-5.16	≤ -1.00	PASS
			106Tone	RU54	-4.88	0.00	-4.88	≤ -1.00	PASS
	Ant7	6855	26Tone	RU8	-5.30	-0.40	-5.70	≤ -1.00	PASS
			52Tone	RU40	-5.11	-0.40	-5.51	≤ -1.00	PASS
			106Tone	RU54	-4.28	-0.40	-4.68	≤ -1.00	PASS
	total	6855	26Tone	RU8	-2.24	-0.20	-2.44	≤ -1.00	PASS
			52Tone	RU40	-2.12	-0.20	-2.32	≤ -1.00	PASS
			106Tone	RU54	-1.56	-0.20	-1.76	≤ -1.00	PASS
	Ant6	6875	26Tone	RU8	-5.32	0.00	-5.32	≤ -1.00	PASS
			52Tone	RU40	-5.34	0.00	-5.34	≤ -1.00	PASS
			106Tone	RU54	-5.01	0.00	-5.01	≤ -1.00	PASS
	Ant7	6875	26Tone	RU8	-5.17	-0.40	-5.57	≤ -1.00	PASS
			52Tone	RU40	-5.24	-0.40	-5.64	≤ -1.00	PASS
			106Tone	RU54	-4.52	-0.40	-4.92	≤ -1.00	PASS
	total	6875	26Tone	RU8	-2.23	-0.20	-2.43	≤ -1.00	PASS
			52Tone	RU40	-2.28	-0.20	-2.48	≤ -1.00	PASS
			106Tone	RU54	-1.75	-0.20	-1.95	≤ -1.00	PASS
	Ant6	6895	26Tone	RU0	-4.84	-0.50	-5.34	≤ -1.00	PASS



			52Tone	RU37	-5.26	-0.50	-5.76	≤ -1.00	PASS
			106Tone	RU53	-4.68	-0.50	-5.18	≤ -1.00	PASS
	Ant7	6895	26Tone	RU0	-4.73	-0.20	-4.93	≤ -1.00	PASS
			52Tone	RU37	-5.04	-0.20	-5.24	≤ -1.00	PASS
			106Tone	RU53	-4.06	-0.20	-4.26	≤ -1.00	PASS
	total	6895	26Tone	RU0	-1.77	-0.35	-2.12	≤ -1.00	PASS
			52Tone	RU37	-2.14	-0.35	-2.49	≤ -1.00	PASS
			106Tone	RU53	-1.35	-0.35	-1.70	≤ -1.00	PASS
	Ant6	6995	26Tone	RU0	-4.89	-0.50	-5.39	≤ -1.00	PASS
			52Tone	RU37	-4.91	-0.50	-5.41	≤ -1.00	PASS
			106Tone	RU53	-4.77	-0.50	-5.27	≤ -1.00	PASS
	Ant7	6995	26Tone	RU0	-4.19	-0.20	-4.39	≤ -1.00	PASS
			52Tone	RU37	-4.21	-0.20	-4.41	≤ -1.00	PASS
			106Tone	RU53	-3.98	-0.20	-4.18	≤ -1.00	PASS
	total	6995	26Tone	RU0	-1.52	-0.35	-1.87	≤ -1.00	PASS
			52Tone	RU37	-1.54	-0.35	-1.89	≤ -1.00	PASS
			106Tone	RU53	-1.35	-0.35	-1.70	≤ -1.00	PASS
	Ant6	7095	26Tone	RU8	-4.99	-0.50	-5.49	≤ -1.00	PASS
			52Tone	RU40	-5.30	-0.50	-5.80	≤ -1.00	PASS
			106Tone	RU54	-4.78	-0.50	-5.28	≤ -1.00	PASS
	Ant7	7095	26Tone	RU8	-4.70	-0.20	-4.90	≤ -1.00	PASS
			52Tone	RU40	-4.71	-0.20	-4.91	≤ -1.00	PASS
			106Tone	RU54	-4.17	-0.20	-4.37	≤ -1.00	PASS
	total	7095	26Tone	RU8	-1.83	-0.35	-2.18	≤ -1.00	PASS
			52Tone	RU40	-1.98	-0.35	-2.33	≤ -1.00	PASS
			106Tone	RU54	-1.45	-0.35	-1.80	≤ -1.00	PASS
	Ant6	7115	26Tone	RU8	-21.39	-0.50	-21.89	≤ -1.00	PASS
			52Tone	RU40	-21.42	-0.50	-21.92	≤ -1.00	PASS
			106Tone	RU54	-21.03	-0.50	-21.53	≤ -1.00	PASS
	Ant7	7115	26Tone	RU8	-21.00	-0.20	-21.20	≤ -1.00	PASS
			52Tone	RU40	-21.12	-0.20	-21.32	≤ -1.00	PASS
			106Tone	RU54	-20.60	-0.20	-20.80	≤ -1.00	PASS
	total	7115	26Tone	RU8	-18.18	-0.35	-18.53	≤ -1.00	PASS
			52Tone	RU40	-18.26	-0.35	-18.61	≤ -1.00	PASS
			106Tone	RU54	-17.80	-0.35	-18.15	≤ -1.00	PASS
11BE40MIMO	Ant6	5965	242Tone	RU61	-4.95	0.20	-4.75	≤ -1.00	PASS
	Ant7	5965	242Tone	RU61	-3.85	-0.30	-4.15	≤ -1.00	PASS
	total	5965	242Tone	RU61	-1.35	-0.04	-1.39	≤ -1.00	PASS
	Ant6	6205	242Tone	RU61	-4.77	0.20	-4.57	≤ -1.00	PASS



	Ant7	6205	242Tone	RU61	-4.86	-0.30	-5.16	≤ -1.00	PASS
	total	6205	242Tone	RU61	-1.80	-0.04	-1.84	≤ -1.00	PASS
	Ant6	6405	242Tone	RU62	-5.56	0.20	-5.36	≤ -1.00	PASS
	Ant7	6405	242Tone	RU62	-4.25	-0.30	-4.55	≤ -1.00	PASS
	total	6405	242Tone	RU62	-1.85	-0.04	-1.89	≤ -1.00	PASS
	Ant6	6445	242Tone	RU61	-5.17	0.60	-4.57	≤ -1.00	PASS
	Ant7	6445	242Tone	RU61	-4.25	-0.60	-4.85	≤ -1.00	PASS
	total	6445	242Tone	RU61	-1.68	0.04	-1.64	≤ -1.00	PASS
	Ant6	6485	242Tone	RU61	-5.62	0.60	-5.02	≤ -1.00	PASS
	Ant7	6485	242Tone	RU61	-3.70	-0.60	-4.30	≤ -1.00	PASS
	total	6485	242Tone	RU61	-1.54	0.04	-1.50	≤ -1.00	PASS
	Ant6	6525	242Tone	RU62	-5.88	0.60	-5.28	≤ -1.00	PASS
	Ant7	6525	242Tone	RU62	-3.93	-0.60	-4.53	≤ -1.00	PASS
	total	6525	242Tone	RU62	-1.79	0.04	-1.75	≤ -1.00	PASS
	Ant6	6565	242Tone	RU61	-5.09	0.00	-5.09	≤ -1.00	PASS
	Ant7	6565	242Tone	RU61	-3.77	-0.40	-4.17	≤ -1.00	PASS
	total	6565	242Tone	RU61	-1.37	-0.20	-1.57	≤ -1.00	PASS
	Ant6	6685	242Tone	RU61	-5.21	0.00	-5.21	≤ -1.00	PASS
	Ant7	6685	242Tone	RU61	-3.97	-0.40	-4.37	≤ -1.00	PASS
	total	6685	242Tone	RU61	-1.54	-0.20	-1.74	≤ -1.00	PASS
	Ant6	6845	242Tone	RU62	-5.41	0.00	-5.41	≤ -1.00	PASS
	Ant7	6845	242Tone	RU62	-3.57	-0.40	-3.97	≤ -1.00	PASS
	total	6845	242Tone	RU62	-1.38	-0.20	-1.58	≤ -1.00	PASS
	Ant6	6885	242Tone	RU62	-5.45	0.00	-5.45	≤ -1.00	PASS
	Ant7	6885	242Tone	RU62	-3.75	-0.40	-4.15	≤ -1.00	PASS
	total	6885	242Tone	RU62	-1.51	-0.20	-1.71	≤ -1.00	PASS
	Ant6	6925	242Tone	RU61	-4.38	-0.50	-4.88	≤ -1.00	PASS
	Ant7	6925	242Tone	RU61	-3.42	-0.20	-3.62	≤ -1.00	PASS
	total	6925	242Tone	RU61	-0.86	-0.35	-1.21	≤ -1.00	PASS
	Ant6	7005	242Tone	RU61	-4.94	-0.50	-5.44	≤ -1.00	PASS
	Ant7	7005	242Tone	RU61	-3.94	-0.20	-4.14	≤ -1.00	PASS
	total	7005	242Tone	RU61	-1.40	-0.35	-1.75	≤ -1.00	PASS
	Ant6	7085	242Tone	RU62	-5.03	-0.50	-5.53	≤ -1.00	PASS
	Ant7	7085	242Tone	RU62	-4.26	-0.20	-4.46	≤ -1.00	PASS
	total	7085	242Tone	RU62	-1.62	-0.35	-1.97	≤ -1.00	PASS
11BE80MIMO	Ant6	5985	484Tone	RU65	-4.97	0.20	-4.77	≤ -1.00	PASS
	Ant7	5985	484Tone	RU65	-4.19	-0.30	-4.49	≤ -1.00	PASS
	total	5985	484Tone	RU65	-1.55	-0.04	-1.59	≤ -1.00	PASS
	Ant6	6225	484Tone	RU65	-4.35	0.20	-4.15	≤ -1.00	PASS



	Ant7	6225	484Tone	RU65	-5.00	-0.30	-5.30	≤-1.00	PASS
	total	6225	484Tone	RU65	-1.65	-0.04	-1.69	≤-1.00	PASS
	Ant6	6385	484Tone	RU66	-5.19	0.20	-4.99	≤-1.00	PASS
	Ant7	6385	484Tone	RU66	-4.39	-0.30	-4.69	≤-1.00	PASS
	total	6385	484Tone	RU66	-1.76	-0.04	-1.80	≤-1.00	PASS
	Ant6	6465	484Tone	RU65	-4.82	0.60	-4.22	≤-1.00	PASS
	Ant7	6465	484Tone	RU65	-4.28	-0.60	-4.88	≤-1.00	PASS
	total	6465	484Tone	RU65	-1.53	0.04	-1.49	≤-1.00	PASS
	Ant6	6545	484Tone	RU66	-5.23	0.60	-4.63	≤-1.00	PASS
	Ant7	6545	484Tone	RU66	-4.47	-0.60	-5.07	≤-1.00	PASS
	total	6545	484Tone	RU66	-1.82	0.04	-1.78	≤-1.00	PASS
	Ant6	6625	484Tone	RU65	-5.42	0.00	-5.42	≤-1.00	PASS
	Ant7	6625	484Tone	RU65	-4.33	-0.40	-4.73	≤-1.00	PASS
	total	6625	484Tone	RU65	-1.83	-0.20	-2.03	≤-1.00	PASS
	Ant6	6705	484Tone	RU65	-5.13	0.00	-5.13	≤-1.00	PASS
	Ant7	6705	484Tone	RU65	-4.33	-0.40	-4.73	≤-1.00	PASS
	total	6705	484Tone	RU65	-1.70	-0.20	-1.90	≤-1.00	PASS
	Ant6	6785	484Tone	RU66	-5.41	0.00	-5.41	≤-1.00	PASS
	Ant7	6785	484Tone	RU66	-3.34	-0.40	-3.74	≤-1.00	PASS
	total	6785	484Tone	RU66	-1.24	-0.20	-1.44	≤-1.00	PASS
	Ant6	6865	484Tone	RU66	-4.90	0.00	-4.90	≤-1.00	PASS
	Ant7	6865	484Tone	RU66	-4.05	-0.40	-4.45	≤-1.00	PASS
	total	6865	484Tone	RU66	-1.44	-0.20	-1.64	≤-1.00	PASS
	Ant6	6945	484Tone	RU65	-5.18	-0.50	-5.68	≤-1.00	PASS
	Ant7	6945	484Tone	RU65	-3.72	-0.20	-3.92	≤-1.00	PASS
	total	6945	484Tone	RU65	-1.38	-0.35	-1.73	≤-1.00	PASS
	Ant6	7025	484Tone	RU66	-5.08	-0.50	-5.58	≤-1.00	PASS
	Ant7	7025	484Tone	RU66	-4.49	-0.20	-4.69	≤-1.00	PASS
	total	7025	484Tone	RU66	-1.76	-0.35	-2.11	≤-1.00	PASS
11BE160MIMO	Ant6	6025	996Tone	RU67	-4.69	0.20	-4.49	≤-1.00	PASS
	Ant7	6025	996Tone	RU67	-4.37	-0.30	-4.67	≤-1.00	PASS
	total	6025	996Tone	RU67	-1.52	-0.04	-1.56	≤-1.00	PASS
	Ant6	6185	996Tone	RU67	-4.84	0.20	-4.64	≤-1.00	PASS
	Ant7	6185	996Tone	RU67	-4.49	-0.30	-4.79	≤-1.00	PASS
	total	6185	996Tone	RU67	-1.65	-0.04	-1.69	≤-1.00	PASS
	Ant6	6345	996Tone	RU68	-5.17	0.20	-4.97	≤-1.00	PASS
	Ant7	6345	996Tone	RU68	-4.55	-0.30	-4.85	≤-1.00	PASS
	total	6345	996Tone	RU68	-1.84	-0.04	-1.88	≤-1.00	PASS
	Ant6	6505	996Tone	RU67	-5.57	0.60	-4.97	≤-1.00	PASS



	Ant7	6505	996Tone	RU67	-4.45	-0.60	-5.05	≤ -1.00	PASS
	total	6505	996Tone	RU67	-1.96	0.04	-1.92	≤ -1.00	PASS
	Ant6	6665	996Tone	RU68	-5.12	0.00	-5.12	≤ -1.00	PASS
	Ant7	6665	996Tone	RU68	-5.13	-0.40	-5.53	≤ -1.00	PASS
	total	6665	996Tone	RU68	-2.11	-0.20	-2.31	≤ -1.00	PASS
	Ant6	6825	996Tone	RU67	-5.14	0.00	-5.14	≤ -1.00	PASS
	Ant7	6825	996Tone	RU67	-3.89	-0.40	-4.29	≤ -1.00	PASS
	total	6825	996Tone	RU67	-1.46	-0.20	-1.66	≤ -1.00	PASS
	Ant6	6985	996Tone	RU68	-4.69	-0.50	-5.19	≤ -1.00	PASS
	Ant7	6985	996Tone	RU68	-4.14	-0.20	-4.34	≤ -1.00	PASS
	total	6985	996Tone	RU68	-1.40	-0.35	-1.75	≤ -1.00	PASS



Test Graphs

