





Conducted Spurious Emission



Test Result



TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
BT6.0-ASK	Ant6	2404	Reference	5.71	5.71	---	PASS
			30~1000	5.71	-44.92	≤-14.29	PASS
			1000~26500	5.71	-35.6	≤-14.29	PASS
	Ant7	2404	Reference	5.80	5.80	---	PASS
			30~1000	5.80	-45.11	≤-14.2	PASS
			1000~26500	5.80	-36.03	≤-14.2	PASS
	Ant6	2440	Reference	6.78	6.78	---	PASS
			30~1000	6.78	-44.45	≤-13.22	PASS
			1000~26500	6.78	-34.9	≤-13.22	PASS
	Ant7	2440	Reference	6.58	6.58	---	PASS
			30~1000	6.58	-44.59	≤-13.42	PASS
			1000~26500	6.58	-35.14	≤-13.42	PASS
	Ant6	2478	Reference	7.08	7.08	---	PASS
			30~1000	7.08	-45.1	≤-12.92	PASS
			1000~26500	7.08	-34.73	≤-12.92	PASS
	Ant7	2478	Reference	6.83	6.83	---	PASS
			30~1000	6.83	-44.37	≤-13.17	PASS
			1000~26500	6.83	-36.53	≤-13.17	PASS






Test Graphs






























Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.162	45.20	-20.18	65.38	25.20	9.55	10.45	QP
2	0.162	30.20	-25.18	55.38	10.20	9.55	10.45	Average
3	0.171	43.60	-21.30	64.90	23.61	9.54	10.45	QP
4	0.171	30.00	-24.90	54.90	10.01	9.54	10.45	Average
5	0.181	43.22	-21.24	64.46	23.20	9.56	10.46	QP
6	0.181	29.92	-24.54	54.46	9.90	9.56	10.46	Average
7	0.214	40.58	-22.47	63.05	20.50	9.62	10.46	QP
8	0.214	29.38	-23.67	53.05	9.30	9.62	10.46	Average
9	0.592	36.60	-19.40	56.00	16.45	9.78	10.37	QP
10	0.592	29.35	-16.65	46.00	9.20	9.78	10.37	Average
11	2.099	37.64	-18.46	56.00	17.49	9.81	10.24	QP
12 *	2.099	32.64	-13.46	46.00	12.49	9.81	10.24	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23°C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	6	Bluetooth BR_GFSK	0	2402	-	-	-
Mode 2	2400-2483.5	6	Bluetooth BR_GFSK	39	2441	-	-	-
Mode 3	2400-2483.5	6	Bluetooth BR_GFSK	78	2480	-	-	-
Mode 4	2400-2483.5	7	Bluetooth BR_GFSK	0	2402	-	-	-
Mode 5	2400-2483.5	7	Bluetooth BR_GFSK	39	2441	-	-	-
Mode 6	2400-2483.5	7	Bluetooth BR_GFSK	78	2480	-	-	-
Mode 7	2400-2483.5	6	Bluetooth LE ASK Tx	2	2404	-	-	-
Mode 8	2400-2483.5	6	Bluetooth LE ASK Tx	38	2440	-	-	-
Mode 9	2400-2483.5	6	Bluetooth LE ASK Tx	76	2478	-	-	-
Mode 10	2400-2483.5	7	Bluetooth LE ASK Tx	2	2404	-	-	-
Mode 11	2400-2483.5	7	Bluetooth LE ASK Tx	38	2440	-	-	-
Mode 12	2400-2483.5	7	Bluetooth LE ASK Tx	76	2478	-	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2367.98	55.18	74.00	-18.82	H	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	0	4804.00	39.83	74.00	-34.17	V	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	2485.00	56.16	74.00	-17.84	V	PEAK	Pass	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	41.32	74.00	-32.68	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2484.90	55.85	74.00	-18.15	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	41.40	74.00	-32.60	H	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	0	2369.28	56.04	74.00	-17.96	V	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	0	4804.00	39.27	74.00	-34.73	H	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	2385.92	55.90	74.00	-18.10	H	PEAK	Pass	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	40.95	74.00	-33.05	H	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2499.47	56.39	74.00	-17.61	V	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	4960.00	41.79	74.00	-32.21	V	PEAK	Pass	Harmonic
7	Bluetooth LE ASK Tx	2	2388.78	56.56	74.00	-17.44	H	PEAK	Pass	Band Edge
7	Bluetooth LE ASK Tx	2	4808.00	39.53	74.00	-34.47	H	PEAK	Pass	Harmonic
8	Bluetooth LE ASK Tx	38	2499.94	56.62	74.00	-17.38	V	PEAK	Pass	Band Edge
8	Bluetooth LE ASK Tx	38	4880.00	39.40	74.00	-34.60	V	PEAK	Pass	Harmonic
9	Bluetooth LE ASK Tx	76	2489.08	55.89	74.00	-18.11	V	PEAK	Pass	Band Edge
9	Bluetooth LE ASK Tx	76	4956.00	39.85	74.00	-34.15	H	PEAK	Pass	Harmonic
10	Bluetooth LE ASK Tx	2	2381.11	55.49	74.00	-18.51	H	PEAK	Pass	Band Edge
10	Bluetooth LE ASK Tx	2	4808.00	39.93	74.00	-34.07	V	PEAK	Pass	Harmonic
11	Bluetooth LE ASK Tx	38	2490.34	55.85	74.00	-18.15	H	PEAK	Pass	Band Edge
11	Bluetooth LE ASK Tx	38	4880.00	39.81	74.00	-34.19	H	PEAK	Pass	Harmonic
12	Bluetooth LE ASK Tx	76	2490.58	56.02	74.00	-17.98	H	PEAK	Pass	Band Edge
12	Bluetooth LE ASK Tx	76	4956.00	40.07	74.00	-33.93	V	PEAK	Pass	Harmonic



Mode	1																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																							
ANT	6																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>2367.98</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>42.69</td><td>32.17</td><td>6.66</td><td>32.34</td><td>6.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>2367.98</td><td>30.36</td><td>54.00</td><td>-23.64</td><td>17.87</td><td>32.17</td><td>6.66</td><td>32.34</td><td>6.00</td><td>100</td><td>237</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1	2367.98	55.18	74.00	-18.82	42.69	32.17	6.66	32.34	6.00	100	237	PEAK	2	2367.98	30.36	54.00	-23.64	17.87	32.17	6.66	32.34	6.00	100	237	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>2402.00</td><td>104.74</td><td>-----</td><td>-----</td><td>92.06</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>79.92</td><td>-----</td><td>-----</td><td>67.24</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>100</td><td>237</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1	2402.00	104.74	-----	-----	92.06	32.31	6.70	32.33	6.00	100	237	PEAK	2	2402.00	79.92	-----	-----	67.24	32.31	6.70	32.33	6.00	100	237	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
1	2367.98	55.18	74.00	-18.82	42.69	32.17	6.66	32.34	6.00	100	237	PEAK																																																																																												
2	2367.98	30.36	54.00	-23.64	17.87	32.17	6.66	32.34	6.00	100	237	AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
1	2402.00	104.74	-----	-----	92.06	32.31	6.70	32.33	6.00	100	237	PEAK																																																																																												
2	2402.00	79.92	-----	-----	67.24	32.31	6.70	32.33	6.00	100	237	AVERAGE																																																																																												





Mode	1																																																																					
	Band Edge																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																					
ANT	6																																																																					
Pol.	Vertical																																																																					
Peak																																																																						
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2387.48</td><td>55.14</td><td>74.00</td><td>-18.86</td><td>42.54</td><td>32.25</td><td>6.68</td><td>32.33</td><td>6.00</td><td>376</td><td>294 PEAK</td></tr><tr><td>2</td><td>2387.48</td><td>30.32</td><td>54.00</td><td>-23.68</td><td>17.72</td><td>32.25</td><td>6.68</td><td>32.33</td><td>6.00</td><td>376</td><td>294 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2387.48	55.14	74.00	-18.86	42.54	32.25	6.68	32.33	6.00	376	294 PEAK	2	2387.48	30.32	54.00	-23.68	17.72	32.25	6.68	32.33	6.00	376	294 AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2387.48	55.14	74.00	-18.86	42.54	32.25	6.68	32.33	6.00	376	294 PEAK																																																											
2	2387.48	30.32	54.00	-23.68	17.72	32.25	6.68	32.33	6.00	376	294 AVERAGE																																																											
																																																																						
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>100.98</td><td>-----</td><td>-----</td><td>88.30</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>376</td><td>294 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>76.16</td><td>-----</td><td>-----</td><td>63.48</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>376</td><td>294 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	100.98	-----	-----	88.30	32.31	6.70	32.33	6.00	376	294 PEAK	2	2402.00	76.16	-----	-----	63.48	32.31	6.70	32.33	6.00	376	294 AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2402.00	100.98	-----	-----	88.30	32.31	6.70	32.33	6.00	376	294 PEAK																																																											
2	2402.00	76.16	-----	-----	63.48	32.31	6.70	32.33	6.00	376	294 AVERAGE																																																											



Mode	1																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																		
ANT	6																																																																																																		
Pol.	Horizontal										Vertical																																																																																								
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.29</td><td>74.00</td><td>-34.71</td><td>61.73</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>--- PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.29	74.00	-34.71	61.73	34.10	9.62	66.16	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.83</td><td>74.00</td><td>-34.17</td><td>62.27</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>--- PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.83	74.00	-34.17	62.27	34.10	9.62	66.16	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4804.00	39.29	74.00	-34.71	61.73	34.10	9.62	66.16	0.00	--- PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4804.00	39.83	74.00	-34.17	62.27	34.10	9.62	66.16	0.00	--- PEAK																																																																																									



Mode	2																																																																																																																								
	Band Edge - L																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2378.90</td><td>55.05</td><td>74.00</td><td>-18.95</td><td>42.50</td><td>32.22</td><td>6.67</td><td>32.34</td><td>6.00</td><td>102</td><td>241 PEAK</td></tr><tr><td>2</td><td>2378.90</td><td>30.23</td><td>54.00</td><td>-23.77</td><td>17.68</td><td>32.22</td><td>6.67</td><td>32.34</td><td>6.00</td><td>102</td><td>241 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2378.90	55.05	74.00	-18.95	42.50	32.22	6.67	32.34	6.00	102	241 PEAK	2	2378.90	30.23	54.00	-23.77	17.68	32.22	6.67	32.34	6.00	102	241 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2441.00</td><td>106.37</td><td>-----</td><td>-----</td><td>93.47</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>102</td><td>241 PEAK</td></tr><tr><td>2</td><td>2441.00</td><td>81.55</td><td>-----</td><td>-----</td><td>68.65</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>102</td><td>241 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2441.00	106.37	-----	-----	93.47	32.47	6.76	32.33	6.00	102	241 PEAK	2	2441.00	81.55	-----	-----	68.65	32.47	6.76	32.33	6.00	102	241 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2378.90	55.05	74.00	-18.95	42.50	32.22	6.67	32.34	6.00	102	241 PEAK																																																																																																														
2	2378.90	30.23	54.00	-23.77	17.68	32.22	6.67	32.34	6.00	102	241 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2441.00	106.37	-----	-----	93.47	32.47	6.76	32.33	6.00	102	241 PEAK																																																																																																														
2	2441.00	81.55	-----	-----	68.65	32.47	6.76	32.33	6.00	102	241 AVERAGE																																																																																																														




Mode	2																																																								
	Band Edge - R																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																								
ANT	6																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.82</td><td>55.94</td><td>74.00</td><td>-18.06</td><td>42.93</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>102</td><td>241 PEAK</td></tr><tr><td>2</td><td>2496.82</td><td>31.12</td><td>54.00</td><td>-22.88</td><td>18.11</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>102</td><td>241 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.82	55.94	74.00	-18.06	42.93	32.50	6.84	32.33	6.00	102	241 PEAK	2	2496.82	31.12	54.00	-22.88	18.11	32.50	6.84	32.33	6.00	102	241 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2496.82	55.94	74.00	-18.06	42.93	32.50	6.84	32.33	6.00	102	241 PEAK																																														
2	2496.82	31.12	54.00	-22.88	18.11	32.50	6.84	32.33	6.00	102	241 AVERAGE																																														





Mode	2																																																																																																																								
	Band Edge - L																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2358.62</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>42.83</td><td>32.13</td><td>6.64</td><td>32.34</td><td>6.00</td><td>387</td><td>22 PEAK</td></tr><tr><td>2</td><td>2358.62</td><td>30.44</td><td>54.00</td><td>-23.56</td><td>18.01</td><td>32.13</td><td>6.64</td><td>32.34</td><td>6.00</td><td>387</td><td>22 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2358.62	55.26	74.00	-18.74	42.83	32.13	6.64	32.34	6.00	387	22 PEAK	2	2358.62	30.44	54.00	-23.56	18.01	32.13	6.64	32.34	6.00	387	22 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2441.00</td><td>101.72</td><td>-----</td><td>-----</td><td>88.82</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>387</td><td>22 PEAK</td></tr><tr><td>2</td><td>2441.00</td><td>76.90</td><td>-----</td><td>-----</td><td>64.00</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>387</td><td>22 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2441.00	101.72	-----	-----	88.82	32.47	6.76	32.33	6.00	387	22 PEAK	2	2441.00	76.90	-----	-----	64.00	32.47	6.76	32.33	6.00	387	22 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2358.62	55.26	74.00	-18.74	42.83	32.13	6.64	32.34	6.00	387	22 PEAK																																																																																																														
2	2358.62	30.44	54.00	-23.56	18.01	32.13	6.64	32.34	6.00	387	22 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2441.00	101.72	-----	-----	88.82	32.47	6.76	32.33	6.00	387	22 PEAK																																																																																																														
2	2441.00	76.90	-----	-----	64.00	32.47	6.76	32.33	6.00	387	22 AVERAGE																																																																																																														





Mode	2																																																								
	Band Edge - R																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																								
ANT	6																																																								
Pol.	Vertical	Fundamental																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2405.00</td><td>56.16</td><td>74.00</td><td>-17.84</td><td>43.17</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>387</td><td>22 PEAK</td></tr><tr><td>2</td><td>2485.00</td><td>31.34</td><td>54.00</td><td>-22.66</td><td>18.35</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>387</td><td>22 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2405.00	56.16	74.00	-17.84	43.17	32.50	6.82	32.33	6.00	387	22 PEAK	2	2485.00	31.34	54.00	-22.66	18.35	32.50	6.82	32.33	6.00	387	22 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2405.00	56.16	74.00	-17.84	43.17	32.50	6.82	32.33	6.00	387	22 PEAK																																														
2	2485.00	31.34	54.00	-22.66	18.35	32.50	6.82	32.33	6.00	387	22 AVERAGE																																														





Mode	2																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																											
ANT	6																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>39.53</td><td>74.00</td><td>-34.47</td><td>61.92</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>60.17</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4882.00	39.53	74.00	-34.47	61.92	34.10	9.69	66.18	0.00	---	---	PEAK	2	7323.00	41.08	74.00	-32.92	60.17	35.65	11.95	66.69	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>61.78</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>41.32</td><td>74.00</td><td>-32.68</td><td>60.41</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4882.00	39.39	74.00	-34.61	61.78	34.10	9.69	66.18	0.00	---	---	PEAK	2	7323.00	41.32	74.00	-32.68	60.41	35.65	11.95	66.69	0.00	---	---	PEAK
			Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	4882.00	39.53	74.00	-34.47	61.92	34.10	9.69	66.18	0.00	---	---	PEAK																																																																																																																																
2	7323.00	41.08	74.00	-32.92	60.17	35.65	11.95	66.69	0.00	---	---	PEAK																																																																																																																																
		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																	
1	4882.00	39.39	74.00	-34.61	61.78	34.10	9.69	66.18	0.00	---	---	PEAK																																																																																																																																
2	7323.00	41.32	74.00	-32.68	60.41	35.65	11.95	66.69	0.00	---	---	PEAK																																																																																																																																





Mode	3																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.90</td><td>55.85</td><td>74.00</td><td>-18.15</td><td>42.86</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>122</td><td>241 PEAK</td></tr><tr><td>2</td><td>2484.90</td><td>31.03</td><td>54.00</td><td>-22.97</td><td>18.04</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>122</td><td>241 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.90	55.85	74.00	-18.15	42.86	32.50	6.82	32.33	6.00	122	241 PEAK	2	2484.90	31.03	54.00	-22.97	18.04	32.50	6.82	32.33	6.00	122	241 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.20</td><td>-----</td><td>-----</td><td>93.21</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>122</td><td>241 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>81.38</td><td>-----</td><td>-----</td><td>68.39</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>122</td><td>241 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.20	-----	-----	93.21	32.50	6.82	32.33	6.00	122	241 PEAK	2	2480.00	81.38	-----	-----	68.39	32.50	6.82	32.33	6.00	122	241 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2484.90	55.85	74.00	-18.15	42.86	32.50	6.82	32.33	6.00	122	241 PEAK																																																																																																																		
2	2484.90	31.03	54.00	-22.97	18.04	32.50	6.82	32.33	6.00	122	241 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2480.00	106.20	-----	-----	93.21	32.50	6.82	32.33	6.00	122	241 PEAK																																																																																																																		
2	2480.00	81.38	-----	-----	68.39	32.50	6.82	32.33	6.00	122	241 AVERAGE																																																																																																																		





Mode	3																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																												
ANT	6																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.49</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>42.50</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>355</td><td>276 PEAK</td></tr><tr><td>2</td><td>2486.49</td><td>30.68</td><td>54.00</td><td>-23.32</td><td>17.68</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>355</td><td>276 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.49	55.50	74.00	-18.50	42.50	32.50	6.83	32.33	6.00	355	276 PEAK	2	2486.49	30.68	54.00	-23.32	17.68	32.50	6.83	32.33	6.00	355	276 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.44</td><td>-----</td><td>-----</td><td>87.45</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>355</td><td>276 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>75.62</td><td>-----</td><td>-----</td><td>62.63</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>355</td><td>276 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.44	-----	-----	87.45	32.50	6.82	32.33	6.00	355	276 PEAK	2	2480.00	75.62	-----	-----	62.63	32.50	6.82	32.33	6.00	355	276 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2486.49	55.50	74.00	-18.50	42.50	32.50	6.83	32.33	6.00	355	276 PEAK																																																																																																																		
2	2486.49	30.68	54.00	-23.32	17.68	32.50	6.83	32.33	6.00	355	276 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2480.00	100.44	-----	-----	87.45	32.50	6.82	32.33	6.00	355	276 PEAK																																																																																																																		
2	2480.00	75.62	-----	-----	62.63	32.50	6.82	32.33	6.00	355	276 AVERAGE																																																																																																																		





Mode	3																																																																					
	Harmonic																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																					
ANT	6																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>39.49</td><td>74.00</td><td>-34.51</td><td>61.88</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.40</td><td>74.00</td><td>-32.60</td><td>60.29</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	39.49	74.00	-34.51	61.88	34.04	9.76	66.19	0.00	---	--- PEAK	2	7440.00	41.40	74.00	-32.60	60.29	35.78	12.03	66.70	0.00	---	--- PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4960.00	39.49	74.00	-34.51	61.88	34.04	9.76	66.19	0.00	---	--- PEAK																																																											
2	7440.00	41.40	74.00	-32.60	60.29	35.78	12.03	66.70	0.00	---	--- PEAK																																																											
Vertical																																																																						
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>39.19</td><td>74.00</td><td>-34.81</td><td>61.58</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.23</td><td>74.00</td><td>-32.77</td><td>60.12</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	39.19	74.00	-34.81	61.58	34.04	9.76	66.19	0.00	---	--- PEAK	2	7440.00	41.23	74.00	-32.77	60.12	35.78	12.03	66.70	0.00	---	--- PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4960.00	39.19	74.00	-34.81	61.58	34.04	9.76	66.19	0.00	---	--- PEAK																																																											
2	7440.00	41.23	74.00	-32.77	60.12	35.78	12.03	66.70	0.00	---	--- PEAK																																																											



Mode	4																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.37</td><td>55.38</td><td>74.00</td><td>-18.62</td><td>42.82</td><td>32.23</td><td>6.67</td><td>32.34</td><td>6.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>2381.37</td><td>30.62</td><td>54.00</td><td>-23.38</td><td>18.06</td><td>32.23</td><td>6.67</td><td>32.34</td><td>6.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.37	55.38	74.00	-18.62	42.82	32.23	6.67	32.34	6.00	100	117	PEAK	2	2381.37	30.62	54.00	-23.38	18.06	32.23	6.67	32.34	6.00	100	117	AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.56</td><td>77.80</td><td>24.76</td><td>89.88</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>100</td><td>117</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>77.80</td><td>77.80</td><td>0.00</td><td>65.12</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.56	77.80	24.76	89.88	32.31	6.70	32.33	6.00	100	117	PEAK	2	2402.00	77.80	77.80	0.00	65.12	32.31	6.70	32.33	6.00	100	117	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2381.37	55.38	74.00	-18.62	42.82	32.23	6.67	32.34	6.00	100	117	PEAK																																																																																																																		
2	2381.37	30.62	54.00	-23.38	18.06	32.23	6.67	32.34	6.00	100	117	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	102.56	77.80	24.76	89.88	32.31	6.70	32.33	6.00	100	117	PEAK																																																																																																																		
2	2402.00	77.80	77.80	0.00	65.12	32.31	6.70	32.33	6.00	100	117	AVERAGE																																																																																																																		





Mode	4																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2369.28</td><td>56.04</td><td>74.00</td><td>-17.96</td><td>43.54</td><td>32.18</td><td>6.66</td><td>32.34</td><td>6.00</td><td>391</td><td>315 PEAK</td></tr><tr><td>2</td><td>2369.28</td><td>31.28</td><td>54.00</td><td>-22.72</td><td>18.78</td><td>32.18</td><td>6.66</td><td>32.34</td><td>6.00</td><td>391</td><td>315 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2369.28	56.04	74.00	-17.96	43.54	32.18	6.66	32.34	6.00	391	315 PEAK	2	2369.28	31.28	54.00	-22.72	18.78	32.18	6.66	32.34	6.00	391	315 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.75</td><td>-----</td><td>-----</td><td>88.07</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>391</td><td>315 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>75.99</td><td>-----</td><td>-----</td><td>63.31</td><td>32.31</td><td>6.70</td><td>32.33</td><td>6.00</td><td>391</td><td>315 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.75	-----	-----	88.07	32.31	6.70	32.33	6.00	391	315 PEAK	2	2402.00	75.99	-----	-----	63.31	32.31	6.70	32.33	6.00	391	315 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2369.28	56.04	74.00	-17.96	43.54	32.18	6.66	32.34	6.00	391	315 PEAK																																																																																																																			
2	2369.28	31.28	54.00	-22.72	18.78	32.18	6.66	32.34	6.00	391	315 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	100.75	-----	-----	88.07	32.31	6.70	32.33	6.00	391	315 PEAK																																																																																																																			
2	2402.00	75.99	-----	-----	63.31	32.31	6.70	32.33	6.00	391	315 AVERAGE																																																																																																																			




Mode	4																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																				
ANT	7																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.27</td><td>74.00</td><td>-34.73</td><td>61.71</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.27	74.00	-34.73	61.71	34.10	9.62	66.16	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.12</td><td>74.00</td><td>-34.88</td><td>61.56</td><td>34.10</td><td>9.62</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.12	74.00	-34.88	61.56	34.10	9.62	66.16	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4804.00	39.27	74.00	-34.73	61.71	34.10	9.62	66.16	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4804.00	39.12	74.00	-34.88	61.56	34.10	9.62	66.16	0.00	---	PEAK																																																																																										





Mode	5																																																																																																																								
	Band Edge - L																																																																																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																								
ANT	7																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.92</td><td>55.90</td><td>74.00</td><td>-18.10</td><td>43.31</td><td>32.24</td><td>6.68</td><td>32.33</td><td>6.00</td><td>100</td><td>94 PEAK</td></tr><tr><td>2</td><td>2385.92</td><td>31.14</td><td>54.00</td><td>-22.86</td><td>18.55</td><td>32.24</td><td>6.68</td><td>32.33</td><td>6.00</td><td>100</td><td>94 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.92	55.90	74.00	-18.10	43.31	32.24	6.68	32.33	6.00	100	94 PEAK	2	2385.92	31.14	54.00	-22.86	18.55	32.24	6.68	32.33	6.00	100	94 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2441.00</td><td>102.87</td><td>-----</td><td>-----</td><td>89.97</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>100</td><td>94 PEAK</td></tr><tr><td>2</td><td>2441.00</td><td>78.11</td><td>-----</td><td>-----</td><td>65.21</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>100</td><td>94 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2441.00	102.87	-----	-----	89.97	32.47	6.76	32.33	6.00	100	94 PEAK	2	2441.00	78.11	-----	-----	65.21	32.47	6.76	32.33	6.00	100	94 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2385.92	55.90	74.00	-18.10	43.31	32.24	6.68	32.33	6.00	100	94 PEAK																																																																																																														
2	2385.92	31.14	54.00	-22.86	18.55	32.24	6.68	32.33	6.00	100	94 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2441.00	102.87	-----	-----	89.97	32.47	6.76	32.33	6.00	100	94 PEAK																																																																																																														
2	2441.00	78.11	-----	-----	65.21	32.47	6.76	32.33	6.00	100	94 AVERAGE																																																																																																														




Mode	5																																																								
	Band Edge - R																																																								
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																								
ANT	7																																																								
Pol.	Horizontal	Fundamental																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.94</td><td>55.84</td><td>74.00</td><td>-18.16</td><td>42.83</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>100</td><td>94 PEAK</td></tr><tr><td>2</td><td>2496.94</td><td>31.08</td><td>54.00</td><td>-22.92</td><td>18.07</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>100</td><td>94 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.94	55.84	74.00	-18.16	42.83	32.50	6.84	32.33	6.00	100	94 PEAK	2	2496.94	31.08	54.00	-22.92	18.07	32.50	6.84	32.33	6.00	100	94 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2496.94	55.84	74.00	-18.16	42.83	32.50	6.84	32.33	6.00	100	94 PEAK																																														
2	2496.94	31.08	54.00	-22.92	18.07	32.50	6.84	32.33	6.00	100	94 AVERAGE																																														



Mode	5																																																																																																																													
	Band Edge - L																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2374.87</td><td>55.31</td><td>74.00</td><td>-18.69</td><td>42.78</td><td>32.20</td><td>6.67</td><td>32.34</td><td>6.00</td><td>385</td><td>323</td><td>PEAK</td></tr><tr><td>2</td><td>2374.87</td><td>30.55</td><td>54.00</td><td>-23.45</td><td>18.02</td><td>32.20</td><td>6.67</td><td>32.34</td><td>6.00</td><td>385</td><td>323</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2374.87	55.31	74.00	-18.69	42.78	32.20	6.67	32.34	6.00	385	323	PEAK	2	2374.87	30.55	54.00	-23.45	18.02	32.20	6.67	32.34	6.00	385	323	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2441.00</td><td>102.25</td><td>-----</td><td>-----</td><td>89.35</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>385</td><td>323</td><td>PEAK</td></tr><tr><td>2</td><td>2441.00</td><td>77.49</td><td>-----</td><td>-----</td><td>64.59</td><td>32.47</td><td>6.76</td><td>32.33</td><td>6.00</td><td>385</td><td>323</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2441.00	102.25	-----	-----	89.35	32.47	6.76	32.33	6.00	385	323	PEAK	2	2441.00	77.49	-----	-----	64.59	32.47	6.76	32.33	6.00	385	323	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2374.87	55.31	74.00	-18.69	42.78	32.20	6.67	32.34	6.00	385	323	PEAK																																																																																																																		
2	2374.87	30.55	54.00	-23.45	18.02	32.20	6.67	32.34	6.00	385	323	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2441.00	102.25	-----	-----	89.35	32.47	6.76	32.33	6.00	385	323	PEAK																																																																																																																		
2	2441.00	77.49	-----	-----	64.59	32.47	6.76	32.33	6.00	385	323	AVERAGE																																																																																																																		





Mode	5																																																										
	Band Edge - R																																																										
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																										
ANT	7																																																										
Pol.	Vertical	Fundamental																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.96</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>42.77</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>385</td><td>323 PEAK</td></tr><tr><td>2</td><td>2497.96</td><td>31.02</td><td>54.00</td><td>-22.98</td><td>18.01</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>385</td><td>323 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.96	55.78	74.00	-18.22	42.77	32.50	6.84	32.33	6.00	385	323 PEAK	2	2497.96	31.02	54.00	-22.98	18.01	32.50	6.84	32.33	6.00	385	323 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	2497.96	55.78	74.00	-18.22	42.77	32.50	6.84	32.33	6.00	385	323 PEAK																																																
2	2497.96	31.02	54.00	-22.98	18.01	32.50	6.84	32.33	6.00	385	323 AVERAGE																																																





Mode	5																																																																	
	Harmonic																																																																	
	2400-2483.5 Bluetooth BR_GFSK_CH39_2441MHz																																																																	
ANT	7																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.00</td><td>74.00</td><td>-34.00</td><td>62.39</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>40.95</td><td>74.00</td><td>-33.05</td><td>60.04</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	40.00	74.00	-34.00	62.39	34.10	9.69	66.18	0.00	--- PEAK	2	7323.00	40.95	74.00	-33.05	60.04	35.65	11.95	66.69	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4882.00	40.00	74.00	-34.00	62.39	34.10	9.69	66.18	0.00	--- PEAK																																																								
2	7323.00	40.95	74.00	-33.05	60.04	35.65	11.95	66.69	0.00	--- PEAK																																																								
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>62.31</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>40.69</td><td>74.00</td><td>-33.31</td><td>59.78</td><td>35.65</td><td>11.95</td><td>66.69</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.92	74.00	-34.08	62.31	34.10	9.69	66.18	0.00	--- PEAK	2	7323.00	40.69	74.00	-33.31	59.78	35.65	11.95	66.69	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	4882.00	39.92	74.00	-34.08	62.31	34.10	9.69	66.18	0.00	--- PEAK																																																								
2	7323.00	40.69	74.00	-33.31	59.78	35.65	11.95	66.69	0.00	--- PEAK																																																								





Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.07</td><td>56.12</td><td>74.00</td><td>-17.88</td><td>43.13</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100</td><td>90</td><td>PEAK</td></tr><tr><td>2</td><td>2485.07</td><td>31.36</td><td>54.00</td><td>-22.64</td><td>18.37</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.07	56.12	74.00	-17.88	43.13	32.50	6.82	32.33	6.00	100	90	PEAK	2	2485.07	31.36	54.00	-22.64	18.37	32.50	6.82	32.33	6.00	100	90	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.20</td><td>-----</td><td>-----</td><td>91.21</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100</td><td>90</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.44</td><td>-----</td><td>-----</td><td>66.45</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>100</td><td>90</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.20	-----	-----	91.21	32.50	6.82	32.33	6.00	100	90	PEAK	2	2480.00	79.44	-----	-----	66.45	32.50	6.82	32.33	6.00	100	90	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2485.07	56.12	74.00	-17.88	43.13	32.50	6.82	32.33	6.00	100	90	PEAK																																																																																																																		
2	2485.07	31.36	54.00	-22.64	18.37	32.50	6.82	32.33	6.00	100	90	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2480.00	104.20	-----	-----	91.21	32.50	6.82	32.33	6.00	100	90	PEAK																																																																																																																		
2	2480.00	79.44	-----	-----	66.45	32.50	6.82	32.33	6.00	100	90	AVERAGE																																																																																																																		



Mode	6																																																																																																																											
	Band Edge																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																											
ANT	7																																																																																																																											
Pol.	Vertical					Fundamental																																																																																																																						
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.47</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>43.38</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>321</td><td>360 PEAK</td></tr><tr><td>2</td><td>2499.47</td><td>31.63</td><td>54.00</td><td>-22.37</td><td>18.62</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>321</td><td>360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.47	56.39	74.00	-17.61	43.38	32.50	6.84	32.33	6.00	321	360 PEAK	2	2499.47	31.63	54.00	-22.37	18.62	32.50	6.84	32.33	6.00	321	360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.77</td><td>-----</td><td>-----</td><td>87.78</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>321</td><td>360 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.01</td><td>-----</td><td>-----</td><td>63.02</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>321</td><td>360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.77	-----	-----	87.78	32.50	6.82	32.33	6.00	321	360 PEAK	2	2480.00	76.01	-----	-----	63.02	32.50	6.82	32.33	6.00	321	360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2499.47	56.39	74.00	-17.61	43.38	32.50	6.84	32.33	6.00	321	360 PEAK																																																																																																																	
2	2499.47	31.63	54.00	-22.37	18.62	32.50	6.84	32.33	6.00	321	360 AVERAGE																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2480.00	100.77	-----	-----	87.78	32.50	6.82	32.33	6.00	321	360 PEAK																																																																																																																	
2	2480.00	76.01	-----	-----	63.02	32.50	6.82	32.33	6.00	321	360 AVERAGE																																																																																																																	





Mode	6																																																																																																																																		
	Harmonic																																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																		
ANT	7																																																																																																																																		
Pol.	Horizontal											Vertical																																																																																																																							
Peak Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>62.44</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>39.95</td><td>74.00</td><td>-34.05</td><td>58.84</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.05	74.00	-33.95	62.44	34.04	9.76	66.19	0.00	---	---	PEAK	2	7440.00	39.95	74.00	-34.05	58.84	35.78	12.03	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.79</td><td>74.00</td><td>-32.21</td><td>64.18</td><td>34.04</td><td>9.76</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.09</td><td>74.00</td><td>-32.91</td><td>59.98</td><td>35.78</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.79	74.00	-32.21	64.18	34.04	9.76	66.19	0.00	---	---	PEAK	2	7440.00	41.09	74.00	-32.91	59.98	35.78	12.03	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4960.00	40.05	74.00	-33.95	62.44	34.04	9.76	66.19	0.00	---	---	PEAK																																																																																																																							
2	7440.00	39.95	74.00	-34.05	58.84	35.78	12.03	66.70	0.00	---	---	PEAK																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	4960.00	41.79	74.00	-32.21	64.18	34.04	9.76	66.19	0.00	---	---	PEAK																																																																																																																							
2	7440.00	41.09	74.00	-32.91	59.98	35.78	12.03	66.70	0.00	---	---	PEAK																																																																																																																							





Mode	6	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line fluctuating around 48.8 dBuV/m, with a red line indicating the FCC PART 15C (AVG) limit at 65.0 dBuV/m. The x-axis ranges from 18000 to 25000 MHz, and the y-axis ranges from 0 to 130 dBuV/m.	Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line fluctuating around 48.8 dBuV/m, with a red line indicating the FCC PART 15C (AVG) limit at 65.0 dBuV/m. The x-axis ranges from 18000 to 25000 MHz, and the y-axis ranges from 0 to 130 dBuV/m.




Mode	6																																																																																																																			
	30-1G																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																			
ANT	7																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.33</td><td>20.50</td><td>40.00</td><td>-19.50</td><td>27.81</td><td>24.26</td><td>0.49</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>56.80</td><td>18.58</td><td>40.00</td><td>-21.42</td><td>37.50</td><td>12.30</td><td>0.84</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>136.82</td><td>21.63</td><td>43.50</td><td>-21.87</td><td>34.54</td><td>17.50</td><td>1.62</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>187.63</td><td>19.79</td><td>43.50</td><td>-23.71</td><td>35.24</td><td>14.69</td><td>1.92</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>265.95</td><td>19.01</td><td>46.00</td><td>-26.99</td><td>28.94</td><td>19.85</td><td>2.28</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>722.10</td><td>35.80</td><td>46.00</td><td>-10.20</td><td>36.85</td><td>27.44</td><td>3.79</td><td>32.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	31.33	20.50	40.00	-19.50	27.81	24.26	0.49	32.06	0.00	---	---	Peak	2	56.80	18.58	40.00	-21.42	37.50	12.30	0.84	32.06	0.00	---	---	Peak	3	136.82	21.63	43.50	-21.87	34.54	17.50	1.62	32.03	0.00	---	---	Peak	4	187.63	19.79	43.50	-23.71	35.24	14.69	1.92	32.06	0.00	---	---	Peak	5	265.95	19.01	46.00	-26.99	28.94	19.85	2.28	32.06	0.00	---	---	Peak	6	722.10	35.80	46.00	-10.20	36.85	27.44	3.79	32.28	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	31.33	20.50	40.00	-19.50	27.81	24.26	0.49	32.06	0.00	---	---	Peak																																																																																																								
2	56.80	18.58	40.00	-21.42	37.50	12.30	0.84	32.06	0.00	---	---	Peak																																																																																																								
3	136.82	21.63	43.50	-21.87	34.54	17.50	1.62	32.03	0.00	---	---	Peak																																																																																																								
4	187.63	19.79	43.50	-23.71	35.24	14.69	1.92	32.06	0.00	---	---	Peak																																																																																																								
5	265.95	19.01	46.00	-26.99	28.94	19.85	2.28	32.06	0.00	---	---	Peak																																																																																																								
6	722.10	35.80	46.00	-10.20	36.85	27.44	3.79	32.28	0.00	---	---	Peak																																																																																																								
																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>54.25</td><td>30.86</td><td>40.00</td><td>-9.14</td><td>49.24</td><td>12.88</td><td>0.80</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>84.56</td><td>22.61</td><td>40.00</td><td>-17.39</td><td>39.51</td><td>13.96</td><td>1.20</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>188.23</td><td>19.22</td><td>43.50</td><td>-24.28</td><td>34.67</td><td>14.69</td><td>1.92</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>242.07</td><td>18.49</td><td>46.00</td><td>-27.51</td><td>30.74</td><td>17.62</td><td>2.18</td><td>32.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>569.56</td><td>25.30</td><td>46.00</td><td>-20.70</td><td>28.10</td><td>26.14</td><td>3.36</td><td>32.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>722.22</td><td>31.73</td><td>46.00</td><td>-14.27</td><td>32.77</td><td>27.45</td><td>3.79</td><td>32.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	54.25	30.86	40.00	-9.14	49.24	12.88	0.80	32.06	0.00	---	---	Peak	2	84.56	22.61	40.00	-17.39	39.51	13.96	1.20	32.06	0.00	---	---	Peak	3	188.23	19.22	43.50	-24.28	34.67	14.69	1.92	32.06	0.00	---	---	Peak	4	242.07	18.49	46.00	-27.51	30.74	17.62	2.18	32.05	0.00	---	---	Peak	5	569.56	25.30	46.00	-20.70	28.10	26.14	3.36	32.30	0.00	---	---	Peak	6	722.22	31.73	46.00	-14.27	32.77	27.45	3.79	32.28	0.00	---	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	54.25	30.86	40.00	-9.14	49.24	12.88	0.80	32.06	0.00	---	---	Peak																																																																																																								
2	84.56	22.61	40.00	-17.39	39.51	13.96	1.20	32.06	0.00	---	---	Peak																																																																																																								
3	188.23	19.22	43.50	-24.28	34.67	14.69	1.92	32.06	0.00	---	---	Peak																																																																																																								
4	242.07	18.49	46.00	-27.51	30.74	17.62	2.18	32.05	0.00	---	---	Peak																																																																																																								
5	569.56	25.30	46.00	-20.70	28.10	26.14	3.36	32.30	0.00	---	---	Peak																																																																																																								
6	722.22	31.73	46.00	-14.27	32.77	27.45	3.79	32.28	0.00	---	---	Peak																																																																																																								





Mode	7																																																																																																																							
	Band Edge																																																																																																																							
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_2404MHz																																																																																																																							
ANT	6																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>56.56</td><td>74.00</td><td>-17.44</td><td>43.95</td><td>32.26</td><td>6.68</td><td>32.33</td><td>6.00</td><td>102</td><td>251 PEAK</td></tr><tr><td>2</td><td>2388.78</td><td>10.36</td><td>54.00</td><td>-43.64</td><td>-2.25</td><td>32.26</td><td>6.68</td><td>32.33</td><td>6.00</td><td>102</td><td>251 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	56.56	74.00	-17.44	43.95	32.26	6.68	32.33	6.00	102	251 PEAK	2	2388.78	10.36	54.00	-43.64	-2.25	32.26	6.68	32.33	6.00	102	251 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>104.65</td><td>-----</td><td>-----</td><td>91.95</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>102</td><td>251 PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>58.45</td><td>-----</td><td>-----</td><td>45.75</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>102</td><td>251 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	104.65	-----	-----	91.95	32.32	6.71	32.33	6.00	102	251 PEAK	2	2404.00	58.45	-----	-----	45.75	32.32	6.71	32.33	6.00	102	251 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2388.78	56.56	74.00	-17.44	43.95	32.26	6.68	32.33	6.00	102	251 PEAK																																																																																																													
2	2388.78	10.36	54.00	-43.64	-2.25	32.26	6.68	32.33	6.00	102	251 AVERAGE																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2404.00	104.65	-----	-----	91.95	32.32	6.71	32.33	6.00	102	251 PEAK																																																																																																													
2	2404.00	58.45	-----	-----	45.75	32.32	6.71	32.33	6.00	102	251 AVERAGE																																																																																																													



Mode	7																																																																			
	Band Edge																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_2404MHz																																																																			
ANT	6																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2312.47</td><td>55.07</td><td>74.00</td><td>-18.93</td><td>43.20</td><td>31.65</td><td>6.58</td><td>32.36</td><td>6.00</td><td>376</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>2312.47</td><td>8.87</td><td>54.00</td><td>-45.13</td><td>-3.00</td><td>31.65</td><td>6.58</td><td>32.36</td><td>6.00</td><td>376</td><td>294</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2312.47	55.07	74.00	-18.93	43.20	31.65	6.58	32.36	6.00	376	294	PEAK	2	2312.47	8.87	54.00	-45.13	-3.00	31.65	6.58	32.36	6.00	376	294	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2312.47	55.07	74.00	-18.93	43.20	31.65	6.58	32.36	6.00	376	294	PEAK																																																								
2	2312.47	8.87	54.00	-45.13	-3.00	31.65	6.58	32.36	6.00	376	294	AVERAGE																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>100.17</td><td>-----</td><td>-----</td><td>87.47</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>376</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>53.97</td><td>-----</td><td>-----</td><td>41.27</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>376</td><td>294</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	100.17	-----	-----	87.47	32.32	6.71	32.33	6.00	376	294	PEAK	2	2404.00	53.97	-----	-----	41.27	32.32	6.71	32.33	6.00	376	294	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2404.00	100.17	-----	-----	87.47	32.32	6.71	32.33	6.00	376	294	PEAK																																																								
2	2404.00	53.97	-----	-----	41.27	32.32	6.71	32.33	6.00	376	294	AVERAGE																																																								




Mode	7																																																																																	
	Harmonic																																																																																	
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_2404MHz																																																																																	
ANT	6																																																																																	
Pol.	Horizontal								Vertical																																																																									
Peak Avg																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4888.00</td><td>39.53</td><td>74.00</td><td>-34.47</td><td>61.96</td><td>34.10</td><td>9.63</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1	4888.00	39.53	74.00	-34.47	61.96	34.10	9.63	66.16	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4888.00</td><td>38.94</td><td>74.00</td><td>-35.06</td><td>61.37</td><td>34.10</td><td>9.63</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1	4888.00	38.94	74.00	-35.06	61.37	34.10	9.63	66.16	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																									
1	4888.00	39.53	74.00	-34.47	61.96	34.10	9.63	66.16	0.00	---	---	PEAK																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																									
1	4888.00	38.94	74.00	-35.06	61.37	34.10	9.63	66.16	0.00	---	---	PEAK																																																																						





Mode	8																																																																																																																													
	Band Edge - L																																																																																																																													
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2333.92</td><td>54.77</td><td>74.00</td><td>-19.23</td><td>42.60</td><td>31.91</td><td>6.61</td><td>32.35</td><td>6.00</td><td>102</td><td>241</td><td>PEAK</td></tr><tr><td>2</td><td>2333.92</td><td>8.57</td><td>54.00</td><td>-45.43</td><td>-3.60</td><td>31.91</td><td>6.61</td><td>32.35</td><td>6.00</td><td>102</td><td>241</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2333.92	54.77	74.00	-19.23	42.60	31.91	6.61	32.35	6.00	102	241	PEAK	2	2333.92	8.57	54.00	-45.43	-3.60	31.91	6.61	32.35	6.00	102	241	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>105.93</td><td>-----</td><td>-----</td><td>93.04</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>102</td><td>241</td><td>PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>59.73</td><td>-----</td><td>-----</td><td>46.84</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>102</td><td>241</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	105.93	-----	-----	93.04	32.46	6.76	32.33	6.00	102	241	PEAK	2	2440.00	59.73	-----	-----	46.84	32.46	6.76	32.33	6.00	102	241	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2333.92	54.77	74.00	-19.23	42.60	31.91	6.61	32.35	6.00	102	241	PEAK																																																																																																																		
2	2333.92	8.57	54.00	-45.43	-3.60	31.91	6.61	32.35	6.00	102	241	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2440.00	105.93	-----	-----	93.04	32.46	6.76	32.33	6.00	102	241	PEAK																																																																																																																		
2	2440.00	59.73	-----	-----	46.84	32.46	6.76	32.33	6.00	102	241	AVERAGE																																																																																																																		



Mode	8																																																																	
	Band Edge - R																																																																	
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																	
ANT	6																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.42</td><td>55.94</td><td>74.00</td><td>-18.06</td><td>42.93</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>102</td><td>241 PEAK</td></tr><tr><td>2</td><td>2497.42</td><td>9.74</td><td>54.00</td><td>-44.26</td><td>-3.27</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>102</td><td>241 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.42	55.94	74.00	-18.06	42.93	32.50	6.84	32.33	6.00	102	241 PEAK	2	2497.42	9.74	54.00	-44.26	-3.27	32.50	6.84	32.33	6.00	102	241 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2497.42	55.94	74.00	-18.06	42.93	32.50	6.84	32.33	6.00	102	241 PEAK																																																							
2	2497.42	9.74	54.00	-44.26	-3.27	32.50	6.84	32.33	6.00	102	241 AVERAGE																																																							





Mode	8																																																																																																																								
	Band Edge - L																																																																																																																								
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.60</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>43.90</td><td>32.11</td><td>6.63</td><td>32.34</td><td>6.00</td><td>387</td><td>17 PEAK</td></tr><tr><td>2</td><td>2351.60</td><td>10.10</td><td>54.00</td><td>-43.90</td><td>-2.30</td><td>32.11</td><td>6.63</td><td>32.34</td><td>6.00</td><td>387</td><td>17 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.60	56.30	74.00	-17.70	43.90	32.11	6.63	32.34	6.00	387	17 PEAK	2	2351.60	10.10	54.00	-43.90	-2.30	32.11	6.63	32.34	6.00	387	17 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>99.98</td><td>-----</td><td>-----</td><td>87.09</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>387</td><td>17 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>53.78</td><td>-----</td><td>-----</td><td>40.89</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>387</td><td>17 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	99.98	-----	-----	87.09	32.46	6.76	32.33	6.00	387	17 PEAK	2	2440.00	53.78	-----	-----	40.89	32.46	6.76	32.33	6.00	387	17 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2351.60	56.30	74.00	-17.70	43.90	32.11	6.63	32.34	6.00	387	17 PEAK																																																																																																														
2	2351.60	10.10	54.00	-43.90	-2.30	32.11	6.63	32.34	6.00	387	17 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2440.00	99.98	-----	-----	87.09	32.46	6.76	32.33	6.00	387	17 PEAK																																																																																																														
2	2440.00	53.78	-----	-----	40.89	32.46	6.76	32.33	6.00	387	17 AVERAGE																																																																																																														





Mode	8																																																									
	Band Edge - R																																																									
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																									
ANT	6																																																									
Pol.	Vertical	Fundamental																																																								
Peak	Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.94</td><td>56.62</td><td>74.00</td><td>-17.38</td><td>43.61</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>387</td><td>17 PEAK</td></tr><tr><td>2</td><td>2499.94</td><td>10.42</td><td>54.00</td><td>-43.58</td><td>-2.59</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>387</td><td>17 AVERAGE</td></tr></table> Blank		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.94	56.62	74.00	-17.38	43.61	32.50	6.84	32.33	6.00	387	17 PEAK	2	2499.94	10.42	54.00	-43.58	-2.59	32.50	6.84	32.33	6.00	387	17 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	2499.94	56.62	74.00	-17.38	43.61	32.50	6.84	32.33	6.00	387	17 PEAK																																															
2	2499.94	10.42	54.00	-43.58	-2.59	32.50	6.84	32.33	6.00	387	17 AVERAGE																																															



Mode	8																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.35</td><td>74.00</td><td>-34.65</td><td>61.74</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.35	74.00	-34.65	61.74	34.10	9.69	66.18	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.40</td><td>74.00</td><td>-34.60</td><td>61.79</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	39.40	74.00	-34.60	61.79	34.10	9.69	66.18	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4880.00	39.35	74.00	-34.65	61.74	34.10	9.69	66.18	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4880.00	39.40	74.00	-34.60	61.79	34.10	9.69	66.18	0.00	---	---	PEAK																																																																																								





Mode	8	
	18G-25G	
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	8																																																																																																	
	30-1G																																																																																																	
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Horizontal																																																																																																	
Peak Avg																																																																																																		
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>21.28</td><td>40.00</td><td>-18.72</td><td>28.02</td><td>24.86</td><td>0.47</td><td>32.07</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>108.57</td><td>19.61</td><td>43.50</td><td>-23.89</td><td>33.26</td><td>16.92</td><td>1.46</td><td>32.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>137.06</td><td>23.57</td><td>43.50</td><td>-19.93</td><td>36.48</td><td>17.50</td><td>1.62</td><td>32.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>186.53</td><td>21.90</td><td>43.50</td><td>-21.60</td><td>37.36</td><td>14.69</td><td>1.91</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>632.25</td><td>27.72</td><td>46.00</td><td>-18.28</td><td>29.92</td><td>26.53</td><td>3.54</td><td>32.27</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>722.22</td><td>33.55</td><td>46.00</td><td>-12.45</td><td>34.59</td><td>27.45</td><td>3.79</td><td>32.28</td><td>0.00</td><td>--- Peak</td></tr></table>											Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	21.28	40.00	-18.72	28.02	24.86	0.47	32.07	0.00	--- Peak	2	108.57	19.61	43.50	-23.89	33.26	16.92	1.46	32.03	0.00	--- Peak	3	137.06	23.57	43.50	-19.93	36.48	17.50	1.62	32.03	0.00	--- Peak	4	186.53	21.90	43.50	-21.60	37.36	14.69	1.91	32.06	0.00	--- Peak	5	632.25	27.72	46.00	-18.28	29.92	26.53	3.54	32.27	0.00	--- Peak	6	722.22	33.55	46.00	-12.45	34.59	27.45	3.79	32.28	0.00
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	30.00	21.28	40.00	-18.72	28.02	24.86	0.47	32.07	0.00	--- Peak																																																																																								
2	108.57	19.61	43.50	-23.89	33.26	16.92	1.46	32.03	0.00	--- Peak																																																																																								
3	137.06	23.57	43.50	-19.93	36.48	17.50	1.62	32.03	0.00	--- Peak																																																																																								
4	186.53	21.90	43.50	-21.60	37.36	14.69	1.91	32.06	0.00	--- Peak																																																																																								
5	632.25	27.72	46.00	-18.28	29.92	26.53	3.54	32.27	0.00	--- Peak																																																																																								
6	722.22	33.55	46.00	-12.45	34.59	27.45	3.79	32.28	0.00	--- Peak																																																																																								
Peak Avg																																																																																																		
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>49.64</td><td>30.07</td><td>40.00</td><td>-9.93</td><td>46.83</td><td>14.60</td><td>0.74</td><td>32.10</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>79.96</td><td>22.44</td><td>40.00</td><td>-17.56</td><td>39.98</td><td>13.38</td><td>1.15</td><td>32.07</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>136.34</td><td>18.10</td><td>43.50</td><td>-25.40</td><td>31.00</td><td>17.51</td><td>1.62</td><td>32.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>183.26</td><td>19.93</td><td>43.50</td><td>-23.57</td><td>35.36</td><td>14.74</td><td>1.89</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>573.81</td><td>25.94</td><td>46.00</td><td>-20.06</td><td>28.89</td><td>25.98</td><td>3.37</td><td>32.30</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>728.76</td><td>29.36</td><td>46.00</td><td>-16.64</td><td>30.02</td><td>27.80</td><td>3.80</td><td>32.26</td><td>0.00</td><td>--- Peak</td></tr></table>											Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	49.64	30.07	40.00	-9.93	46.83	14.60	0.74	32.10	0.00	--- Peak	2	79.96	22.44	40.00	-17.56	39.98	13.38	1.15	32.07	0.00	--- Peak	3	136.34	18.10	43.50	-25.40	31.00	17.51	1.62	32.03	0.00	--- Peak	4	183.26	19.93	43.50	-23.57	35.36	14.74	1.89	32.06	0.00	--- Peak	5	573.81	25.94	46.00	-20.06	28.89	25.98	3.37	32.30	0.00	--- Peak	6	728.76	29.36	46.00	-16.64	30.02	27.80	3.80	32.26	0.00
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	49.64	30.07	40.00	-9.93	46.83	14.60	0.74	32.10	0.00	--- Peak																																																																																								
2	79.96	22.44	40.00	-17.56	39.98	13.38	1.15	32.07	0.00	--- Peak																																																																																								
3	136.34	18.10	43.50	-25.40	31.00	17.51	1.62	32.03	0.00	--- Peak																																																																																								
4	183.26	19.93	43.50	-23.57	35.36	14.74	1.89	32.06	0.00	--- Peak																																																																																								
5	573.81	25.94	46.00	-20.06	28.89	25.98	3.37	32.30	0.00	--- Peak																																																																																								
6	728.76	29.36	46.00	-16.64	30.02	27.80	3.80	32.26	0.00	--- Peak																																																																																								





Mode	9																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																																													
ANT	6																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.96</td><td>55.61</td><td>74.00</td><td>-18.39</td><td>42.61</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>124</td><td>241 PEAK</td></tr><tr><td>2</td><td>2491.96</td><td>9.41</td><td>54.00</td><td>-44.59</td><td>-3.59</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>124</td><td>241 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.96	55.61	74.00	-18.39	42.61	32.50	6.83	32.33	6.00	124	241 PEAK	2	2491.96	9.41	54.00	-44.59	-3.59	32.50	6.83	32.33	6.00	124	241 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.59</td><td>-----</td><td>-----</td><td>92.61</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>124</td><td>241 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>59.39</td><td>-----</td><td>-----</td><td>46.41</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>124</td><td>241 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	105.59	-----	-----	92.61	32.50	6.81	32.33	6.00	124	241 PEAK	2	2478.00	59.39	-----	-----	46.41	32.50	6.81	32.33	6.00	124	241 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2491.96	55.61	74.00	-18.39	42.61	32.50	6.83	32.33	6.00	124	241 PEAK																																																																																																																			
2	2491.96	9.41	54.00	-44.59	-3.59	32.50	6.83	32.33	6.00	124	241 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	105.59	-----	-----	92.61	32.50	6.81	32.33	6.00	124	241 PEAK																																																																																																																			
2	2478.00	59.39	-----	-----	46.41	32.50	6.81	32.33	6.00	124	241 AVERAGE																																																																																																																			





Mode	9																																																																																																																									
	Band Edge																																																																																																																									
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																																									
ANT	6																																																																																																																									
Pol.	Vertical					Fundamental																																																																																																																				
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.08</td><td>55.89</td><td>74.00</td><td>-18.11</td><td>42.89</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>399</td><td>302 PEAK</td></tr><tr><td>2</td><td>2489.08</td><td>9.69</td><td>54.00</td><td>-44.31</td><td>-3.31</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>399</td><td>302 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.08	55.89	74.00	-18.11	42.89	32.50	6.83	32.33	6.00	399	302 PEAK	2	2489.08	9.69	54.00	-44.31	-3.31	32.50	6.83	32.33	6.00	399	302 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>100.08</td><td>-----</td><td>87.10</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>399</td><td>302 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>53.88</td><td>-----</td><td>40.90</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>399</td><td>302 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	100.08	-----	87.10	32.50	6.81	32.33	6.00	399	302 PEAK	2	2478.00	53.88	-----	40.90	32.50	6.81	32.33	6.00	399	302 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2489.08	55.89	74.00	-18.11	42.89	32.50	6.83	32.33	6.00	399	302 PEAK																																																																																																															
2	2489.08	9.69	54.00	-44.31	-3.31	32.50	6.83	32.33	6.00	399	302 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2478.00	100.08	-----	87.10	32.50	6.81	32.33	6.00	399	302 PEAK																																																																																																																
2	2478.00	53.88	-----	40.90	32.50	6.81	32.33	6.00	399	302 AVERAGE																																																																																																																





Mode	9																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																									
ANT	6																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>39.85</td><td>74.00</td><td>-34.15</td><td>62.27</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	39.85	74.00	-34.15	62.27	34.02	9.75	66.19	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>39.34</td><td>74.00</td><td>-34.66</td><td>61.76</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	39.34	74.00	-34.66	61.76	34.02	9.75	66.19	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4956.00	39.85	74.00	-34.15	62.27	34.02	9.75	66.19	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4956.00	39.34	74.00	-34.66	61.76	34.02	9.75	66.19	0.00	---	---	PEAK																																																																																														





Mode	10											
	Band Edge											
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_ 2404MHz											
ANT	7											
Pol.	Horizontal					Fundamental						
Peak												
	Limit Over Read Ant Cable Preamp Aux APos TPos					Limit Over Read Ant Cable Preamp Aux APos TPos						
	Freq Level Line Limit Level Factor Loss Factor Factor					Freq Level Line Limit Level Factor Loss Factor Factor						
	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg					MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg						
1	2381.11	55.49	74.00	-18.51	42.94	32.22	6.67	32.34	6.00	100	101	PEAK
2	2381.11	9.47	54.00	-44.53	-3.08	32.22	6.67	32.34	6.00	100	101	AVERAGE
1	2404.00	101.38	-----	-----	88.68	32.32	6.71	32.33	6.00	100	101	PEAK
2	2404.00	55.36	-----	-----	42.66	32.32	6.71	32.33	6.00	100	101	AVERAGE





Mode	10																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_ 2404MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.97</td><td>55.40</td><td>74.00</td><td>-18.60</td><td>42.81</td><td>32.24</td><td>6.68</td><td>32.33</td><td>6.00</td><td>390</td><td>323</td><td>PEAK</td></tr><tr><td>2</td><td>2383.97</td><td>9.38</td><td>54.00</td><td>-44.62</td><td>-3.21</td><td>32.24</td><td>6.68</td><td>32.33</td><td>6.00</td><td>390</td><td>323</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.97	55.40	74.00	-18.60	42.81	32.24	6.68	32.33	6.00	390	323	PEAK	2	2383.97	9.38	54.00	-44.62	-3.21	32.24	6.68	32.33	6.00	390	323	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>100.92</td><td>-----</td><td>-----</td><td>88.22</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>390</td><td>323</td><td>PEAK</td></tr><tr><td>2</td><td>2404.00</td><td>54.90</td><td>-----</td><td>-----</td><td>42.20</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>390</td><td>323</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	100.92	-----	-----	88.22	32.32	6.71	32.33	6.00	390	323	PEAK	2	2404.00	54.90	-----	-----	42.20	32.32	6.71	32.33	6.00	390	323	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2383.97	55.40	74.00	-18.60	42.81	32.24	6.68	32.33	6.00	390	323	PEAK																																																																																																																		
2	2383.97	9.38	54.00	-44.62	-3.21	32.24	6.68	32.33	6.00	390	323	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2404.00	100.92	-----	-----	88.22	32.32	6.71	32.33	6.00	390	323	PEAK																																																																																																																		
2	2404.00	54.90	-----	-----	42.20	32.32	6.71	32.33	6.00	390	323	AVERAGE																																																																																																																		




Mode	10																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_ Bluetooth LE ASK Tx _CH2_2404MHz																																																																																																				
ANT	7																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4888.00</td><td>39.11</td><td>74.00</td><td>-34.89</td><td>61.54</td><td>34.10</td><td>9.63</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4888.00	39.11	74.00	-34.89	61.54	34.10	9.63	66.16	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4888.00</td><td>39.93</td><td>74.00</td><td>-34.07</td><td>62.36</td><td>34.10</td><td>9.63</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4888.00	39.93	74.00	-34.07	62.36	34.10	9.63	66.16	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4888.00	39.11	74.00	-34.89	61.54	34.10	9.63	66.16	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4888.00	39.93	74.00	-34.07	62.36	34.10	9.63	66.16	0.00	---	PEAK																																																																																										





Mode	11																																																																																																																								
	Band Edge - L																																																																																																																								
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																																								
ANT	7																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.87</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>42.62</td><td>32.25</td><td>6.68</td><td>32.33</td><td>6.00</td><td>102</td><td>86 PEAK</td></tr><tr><td>2</td><td>2387.87</td><td>9.20</td><td>54.00</td><td>-44.80</td><td>-3.40</td><td>32.25</td><td>6.68</td><td>32.33</td><td>6.00</td><td>102</td><td>86 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.87	55.22	74.00	-18.78	42.62	32.25	6.68	32.33	6.00	102	86 PEAK	2	2387.87	9.20	54.00	-44.80	-3.40	32.25	6.68	32.33	6.00	102	86 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>102.38</td><td>-----</td><td>-----</td><td>89.49</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>102</td><td>86 PEAK</td></tr><tr><td>2</td><td>2440.00</td><td>56.36</td><td>-----</td><td>-----</td><td>43.47</td><td>32.46</td><td>6.76</td><td>32.33</td><td>6.00</td><td>102</td><td>86 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.38	-----	-----	89.49	32.46	6.76	32.33	6.00	102	86 PEAK	2	2440.00	56.36	-----	-----	43.47	32.46	6.76	32.33	6.00	102	86 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2387.87	55.22	74.00	-18.78	42.62	32.25	6.68	32.33	6.00	102	86 PEAK																																																																																																														
2	2387.87	9.20	54.00	-44.80	-3.40	32.25	6.68	32.33	6.00	102	86 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	2440.00	102.38	-----	-----	89.49	32.46	6.76	32.33	6.00	102	86 PEAK																																																																																																														
2	2440.00	56.36	-----	-----	43.47	32.46	6.76	32.33	6.00	102	86 AVERAGE																																																																																																														




Mode	11																																																																	
	Band Edge - R																																																																	
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																	
ANT	7																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.34</td><td>55.85</td><td>74.00</td><td>-18.15</td><td>42.85</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>102</td><td>86 PEAK</td></tr><tr><td>2</td><td>2490.34</td><td>9.83</td><td>54.00</td><td>-44.17</td><td>-3.17</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>102</td><td>86 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.34	55.85	74.00	-18.15	42.85	32.50	6.83	32.33	6.00	102	86 PEAK	2	2490.34	9.83	54.00	-44.17	-3.17	32.50	6.83	32.33	6.00	102	86 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2490.34	55.85	74.00	-18.15	42.85	32.50	6.83	32.33	6.00	102	86 PEAK																																																							
2	2490.34	9.83	54.00	-44.17	-3.17	32.50	6.83	32.33	6.00	102	86 AVERAGE																																																							





Mode	11											
	Band Edge - L											
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz											
ANT	7											
Pol.	Vertical						Fundamental					
Peak												
	Limit Over Read Ant Cable Preamp Aux APos TPos						Limit Over Read Ant Cable Preamp Aux APos TPos					
	Freq Level Line Limit Level Factor Loss Factor Factor						Freq Level Line Limit Level Factor Loss Factor Factor					
	MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg						MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg					
1	2364.73	55.37	74.00	-18.63	42.90	32.16	6.65	32.34	6.00	306	322	PEAK
2	2364.73	9.35	54.00	-44.65	-3.12	32.16	6.65	32.34	6.00	306	322	AVERAGE
1	2440.00	101.43	-----	-----	88.54	32.46	6.76	32.33	6.00	306	322	PEAK
2	2440.00	55.41	-----	-----	42.52	32.46	6.76	32.33	6.00	306	322	AVERAGE





Mode	11																																																								
	Band Edge - R																																																								
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																								
ANT	7																																																								
Pol.	Vertical	Fundamental																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.30</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>42.63</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>306</td><td>322 PEAK</td></tr><tr><td>2</td><td>2494.30</td><td>9.62</td><td>54.00</td><td>-44.38</td><td>-3.39</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>306</td><td>322 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.30	55.64	74.00	-18.36	42.63	32.50	6.84	32.33	6.00	306	322 PEAK	2	2494.30	9.62	54.00	-44.38	-3.39	32.50	6.84	32.33	6.00	306	322 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2494.30	55.64	74.00	-18.36	42.63	32.50	6.84	32.33	6.00	306	322 PEAK																																														
2	2494.30	9.62	54.00	-44.38	-3.39	32.50	6.84	32.33	6.00	306	322 AVERAGE																																														



Mode	11																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_ Bluetooth LE ASK Tx _CH38_2440MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>62.20</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	39.81	74.00	-34.19	62.20	34.10	9.69	66.18	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>39.17</td><td>74.00</td><td>-34.83</td><td>61.56</td><td>34.10</td><td>9.69</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	39.17	74.00	-34.83	61.56	34.10	9.69	66.18	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4880.00	39.81	74.00	-34.19	62.20	34.10	9.69	66.18	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4880.00	39.17	74.00	-34.83	61.56	34.10	9.69	66.18	0.00	---	---	PEAK																																																																																														





Mode	12																																																																																																																							
	Band Edge																																																																																																																							
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																																							
ANT	7																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																		
Peak																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.58</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>43.02</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>100</td><td>86 PEAK</td></tr><tr><td>2</td><td>2490.58</td><td>10.00</td><td>54.00</td><td>-44.00</td><td>-3.00</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>100</td><td>86 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.58	56.02	74.00	-17.98	43.02	32.50	6.83	32.33	6.00	100	86 PEAK	2	2490.58	10.00	54.00	-44.00	-3.00	32.50	6.83	32.33	6.00	100	86 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>102.31</td><td>-----</td><td>-----</td><td>89.33</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>100</td><td>86 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>56.29</td><td>-----</td><td>-----</td><td>43.31</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>100</td><td>86 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	102.31	-----	-----	89.33	32.50	6.81	32.33	6.00	100	86 PEAK	2	2478.00	56.29	-----	-----	43.31	32.50	6.81	32.33	6.00	100	86 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2490.58	56.02	74.00	-17.98	43.02	32.50	6.83	32.33	6.00	100	86 PEAK																																																																																																													
2	2490.58	10.00	54.00	-44.00	-3.00	32.50	6.83	32.33	6.00	100	86 AVERAGE																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2478.00	102.31	-----	-----	89.33	32.50	6.81	32.33	6.00	100	86 PEAK																																																																																																													
2	2478.00	56.29	-----	-----	43.31	32.50	6.81	32.33	6.00	100	86 AVERAGE																																																																																																													




Mode	12																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.28</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>42.64</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>373</td><td>325</td><td>PEAK</td></tr><tr><td>2</td><td>2496.28</td><td>9.63</td><td>54.00</td><td>-44.37</td><td>-3.38</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>373</td><td>325</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.28	55.65	74.00	-18.35	42.64	32.50	6.84	32.33	6.00	373	325	PEAK	2	2496.28	9.63	54.00	-44.37	-3.38	32.50	6.84	32.33	6.00	373	325	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>101.02</td><td>-----</td><td>-----</td><td>88.04</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>373</td><td>325</td><td>PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>55.00</td><td>-----</td><td>-----</td><td>42.02</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>373</td><td>325</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	101.02	-----	-----	88.04	32.50	6.81	32.33	6.00	373	325	PEAK	2	2478.00	55.00	-----	-----	42.02	32.50	6.81	32.33	6.00	373	325	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2496.28	55.65	74.00	-18.35	42.64	32.50	6.84	32.33	6.00	373	325	PEAK																																																																																																																		
2	2496.28	9.63	54.00	-44.37	-3.38	32.50	6.84	32.33	6.00	373	325	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2478.00	101.02	-----	-----	88.04	32.50	6.81	32.33	6.00	373	325	PEAK																																																																																																																		
2	2478.00	55.00	-----	-----	42.02	32.50	6.81	32.33	6.00	373	325	AVERAGE																																																																																																																		




Mode	12																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_ Bluetooth LE ASK Tx _CH76_2478MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>39.00</td><td>74.00</td><td>-35.00</td><td>61.42</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	39.00	74.00	-35.00	61.42	34.02	9.75	66.19	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.07</td><td>74.00</td><td>-33.93</td><td>62.49</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	40.07	74.00	-33.93	62.49	34.02	9.75	66.19	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4956.00	39.00	74.00	-35.00	61.42	34.02	9.75	66.19	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	4956.00	40.07	74.00	-33.93	62.49	34.02	9.75	66.19	0.00	---	---	PEAK																																																																																														

Appendix D. Duty Cycle Plots

3DH5 on time (One Pulse) Plot on Channel 39_Ant6




3DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.87 / 100 = 5.74 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.82 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

3DH5 on time (One Pulse) Plot on Channel 39_Ant7




3DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.89 / 100 = 5.78 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.76 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.

BLE ASK on time (One Pulse) Plot on Channel 2_Ant 6




BLE ASK on time (Count Pulses) Plot on Channel 2




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 0.245 / 100 = 0.49 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -46.20 \text{ dB}$

BLE ASK on time (One Pulse) Plot on Channel 2_Ant 7



BLE ASK on time (Count Pulses) Plot on Channel 2



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 0.25 / 100 = 0.50 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -46.02 \text{ dB}$