








Mode	30																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5740.28</td><td>56.71</td><td>68.20</td><td>-11.49</td><td>46.01</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>102</td><td>189</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.28	56.71	68.20	-11.49	46.01	34.68	12.44	36.42	0.00	102	189	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>113.44</td><td>-----</td><td>-----</td><td>102.79</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>102</td><td>189</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	113.44	-----	-----	102.79	34.61	12.40	36.36	0.00	102	189	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5740.28	56.71	68.20	-11.49	46.01	34.68	12.44	36.42	0.00	102	189	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	113.44	-----	-----	102.79	34.61	12.40	36.36	0.00	102	189	PEAK																																																																																								
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.58</td><td>-----</td><td>-----</td><td>93.93</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>102</td><td>189</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.58	-----	-----	93.93	34.61	12.40	36.36	0.00	102	189	AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	104.58	-----	-----	93.93	34.61	12.40	36.36	0.00	102	189	AVERAGE																																																																																								







Mode	30																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5759.56</td><td>55.47</td><td>68.20</td><td>-12.73</td><td>44.72</td><td>34.76</td><td>12.45</td><td>36.46</td><td>0.00</td><td>391</td><td>193 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5759.56	55.47	68.20	-12.73	44.72	34.76	12.45	36.46	0.00	391	193 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.38</td><td>-----</td><td>-----</td><td>96.73</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>391</td><td>193 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	107.38	-----	-----	96.73	34.60	12.40	36.35	0.00	391
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5759.56	55.47	68.20	-12.73	44.72	34.76	12.45	36.46	0.00	391	193 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	107.38	-----	-----	96.73	34.60	12.40	36.35	0.00	391	193 PEAK																																																																																											
Avg	Blank																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.60</td><td>-----</td><td>-----</td><td>88.95</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>391</td><td>193 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	99.60	-----	-----	88.95	34.60	12.40	36.35	0.00	391	193 AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	99.60	-----	-----	88.95	34.60	12.40	36.35	0.00	391	193 AVERAGE																																																																																											







Mode	30																																																																						
	Harmonic																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																						
ANT	CDD 6+7																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>56.12</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	45.33	74.00	-28.67	56.12	38.00	17.80	66.59	0.00	---	---	PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	11400.00	45.33	74.00	-28.67	56.12	38.00	17.80	66.59	0.00	---	---	PEAK																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>58.18</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>36.63</td><td>54.00</td><td>-17.37</td><td>47.42</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	47.39	74.00	-26.61	58.18	38.00	17.80	66.59	0.00	100	360	PEAK	2	11400.00	36.63	54.00	-17.37	47.42	38.00	17.80	66.59	0.00	100	360	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	11400.00	47.39	74.00	-26.61	58.18	38.00	17.80	66.59	0.00	100	360	PEAK																																																											
2	11400.00	36.63	54.00	-17.37	47.42	38.00	17.80	66.59	0.00	100	360	AVERAGE																																																											





Mode	31																																																																																																													
	Band Edge																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																																													
ANT	CDD 6+7																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.24</td><td>56.46</td><td>74.00</td><td>-17.54</td><td>46.13</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>101 173 PEAK</td></tr><tr><td>2</td><td>5460.00</td><td>55.68</td><td>68.20</td><td>-12.52</td><td>45.36</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>101 173 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.24	56.46	74.00	-17.54	46.13	34.68	12.09	36.44	0.00	101 173 PEAK	2	5460.00	55.68	68.20	-12.52	45.36	34.66	12.10	36.44	0.00	101 173 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>113.48</td><td>-----</td><td>-----</td><td>103.28</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>101 173 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	113.48	-----	-----	103.28	34.52	12.15	36.47	0.00	101 173 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5456.24	56.46	74.00	-17.54	46.13	34.68	12.09	36.44	0.00	101 173 PEAK																																																																																																				
2	5460.00	55.68	68.20	-12.52	45.36	34.66	12.10	36.44	0.00	101 173 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	113.48	-----	-----	103.28	34.52	12.15	36.47	0.00	101 173 PEAK																																																																																																				
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>35.61</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>101 173 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	45.93	54.00	-8.07	35.61	34.66	12.10	36.44	0.00	101 173 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.45</td><td>-----</td><td>-----</td><td>94.25</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>101 173 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.45	-----	-----	94.25	34.52	12.15	36.47	0.00	101 173 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.76	45.93	54.00	-8.07	35.61	34.66	12.10	36.44	0.00	101 173 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5500.00	104.45	-----	-----	94.25	34.52	12.15	36.47	0.00	101 173 AVERAGE																																																																																																				







		31																																																															
Mode	Band Edge																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																
ANT	CDD 6+7																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.52</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>43.38</td><td>34.69</td><td>12.09</td><td>36.44</td><td>0.00</td><td>384 350 PEAK</td></tr><tr><td>2</td><td>5463.44</td><td>55.17</td><td>68.20</td><td>-13.03</td><td>44.85</td><td>34.65</td><td>12.11</td><td>36.44</td><td>0.00</td><td>384 350 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.52	53.72	74.00	-20.28	43.38	34.69	12.09	36.44	0.00	384 350 PEAK	2	5463.44	55.17	68.20	-13.03	44.85	34.65	12.11	36.44	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5453.52	53.72	74.00	-20.28	43.38	34.69	12.09	36.44	0.00	384 350 PEAK																																																							
2	5463.44	55.17	68.20	-13.03	44.85	34.65	12.11	36.44	0.00	384 350 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.99</td><td>-----</td><td>-----</td><td>99.79</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>384 350 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.99	-----	-----	99.79	34.52	12.15	36.47	0.00	384 350 PEAK										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	109.99	-----	-----	99.79	34.52	12.15	36.47	0.00	384 350 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>43.00</td><td>54.00</td><td>-11.00</td><td>32.68</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>384 350 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	43.00	54.00	-11.00	32.68	34.66	12.10	36.44	0.00	384 350 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5458.96	43.00	54.00	-11.00	32.68	34.66	12.10	36.44	0.00	384 350 AVERAGE																																																							
AVERAGE																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.16</td><td>-----</td><td>-----</td><td>89.96</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>384 350 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.16	-----	-----	89.96	34.52	12.15	36.47	0.00	384 350 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	100.16	-----	-----	89.96	34.52	12.15	36.47	0.00	384 350 AVERAGE																																																							







Mode	31																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_5500MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>56.00</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	45.59	74.00	-28.41	56.00	37.90	17.52	66.63	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>58.69</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>37.53</td><td>54.00</td><td>-16.47</td><td>48.74</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	47.48	74.00	-26.52	58.69	37.90	17.52	66.63	0.00	100	360 PEAK	2	11000.00	37.53	54.00	-16.47	48.74	37.90	17.52	66.63	0.00	100	360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11000.00	45.59	74.00	-28.41	56.00	37.90	17.52	66.63	0.00	---	PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Level	Factor	Loss	Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11000.00	47.48	74.00	-26.52	58.69	37.90	17.52	66.63	0.00	100	360 PEAK																																																																																																						
2	11000.00	37.53	54.00	-16.47	48.74	37.90	17.52	66.63	0.00	100	360 AVERAGE																																																																																																						







Mode	32																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_RU106/53_5500MHz																																																																			
ANT	CDD 6+7																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.20</td><td>55.63</td><td>74.00</td><td>-18.37</td><td>45.29</td><td>34.69</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>173 PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>55.93</td><td>68.20</td><td>-12.27</td><td>45.64</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>173 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.20	55.63	74.00	-18.37	45.29	34.69	12.09	36.44	0.00	100	173 PEAK	2	5467.92	55.93	68.20	-12.27	45.64	34.63	12.11	36.45	0.00	100	173 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5453.20	55.63	74.00	-18.37	45.29	34.69	12.09	36.44	0.00	100	173 PEAK																																																									
2	5467.92	55.93	68.20	-12.27	45.64	34.63	12.11	36.45	0.00	100	173 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>115.76</td><td>-----</td><td>-----</td><td>105.56</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>173 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	115.76	-----	-----	105.56	34.52	12.15	36.47	0.00	100	173 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	115.76	-----	-----	105.56	34.52	12.15	36.47	0.00	100	173 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>44.54</td><td>54.00</td><td>-9.46</td><td>34.22</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>173 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	44.54	54.00	-9.46	34.22	34.66	12.10	36.44	0.00	100	173 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.92	44.54	54.00	-9.46	34.22	34.66	12.10	36.44	0.00	100	173 AVERAGE																																																									
AVERAGE																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.21</td><td>-----</td><td>-----</td><td>97.01</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>173 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.21	-----	-----	97.01	34.52	12.15	36.47	0.00	100	173 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	107.21	-----	-----	97.01	34.52	12.15	36.47	0.00	100	173 AVERAGE																																																									




		32																																																															
Mode	Band Edge																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_RU106/53_5500MHz																																																																
ANT	CDD 6+7																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.48</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>44.49</td><td>34.60</td><td>12.01</td><td>36.41</td><td>0.00</td><td>387 348 PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>56.48</td><td>68.20</td><td>-11.72</td><td>46.20</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>387 348 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.48	54.69	74.00	-19.31	44.49	34.60	12.01	36.41	0.00	387 348 PEAK	2	5469.52	56.48	68.20	-11.72	46.20	34.62	12.11	36.45	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5394.48	54.69	74.00	-19.31	44.49	34.60	12.01	36.41	0.00	387 348 PEAK																																																							
2	5469.52	56.48	68.20	-11.72	46.20	34.62	12.11	36.45	0.00	387 348 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.20</td><td>-----</td><td>-----</td><td>102.01</td><td>34.50</td><td>12.16</td><td>36.47</td><td>0.00</td><td>387 348 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.20	-----	-----	102.01	34.50	12.16	36.47	0.00	387 348 PEAK										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	112.20	-----	-----	102.01	34.50	12.16	36.47	0.00	387 348 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>32.86</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>387 348 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	43.18	54.00	-10.82	32.86	34.66	12.10	36.44	0.00	387 348 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5459.76	43.18	54.00	-10.82	32.86	34.66	12.10	36.44	0.00	387 348 AVERAGE																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.53</td><td>-----</td><td>-----</td><td>92.33</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>387 348 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.53	-----	-----	92.33	34.52	12.15	36.47	0.00	387 348 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5500.00	102.53	-----	-----	92.33	34.52	12.15	36.47	0.00	387 348 AVERAGE																																																							







Mode	33																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.32</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>43.14</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr><tr><td>2</td><td>5462.80</td><td>54.34</td><td>68.20</td><td>-13.86</td><td>44.03</td><td>34.65</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	53.47	74.00	-20.53	43.14	34.67	12.10	36.44	0.00	100	179 PEAK	2	5462.80	54.34	68.20	-13.86	44.03	34.65	12.10	36.44	0.00	100	179 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>114.26</td><td>-----</td><td>-----</td><td>103.79</td><td>34.47</td><td>12.29</td><td>36.29</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	114.26	-----	-----	103.79	34.47	12.29	36.29	0.00	100	179 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.32	53.47	74.00	-20.53	43.14	34.67	12.10	36.44	0.00	100	179 PEAK																																																																																																						
2	5462.80	54.34	68.20	-13.86	44.03	34.65	12.10	36.44	0.00	100	179 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5580.00	114.26	-----	-----	103.79	34.47	12.29	36.29	0.00	100	179 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>33.11</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>179 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	43.43	54.00	-10.57	33.11	34.66	12.10	36.44	0.00	100	179 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>104.52</td><td>-----</td><td>-----</td><td>94.05</td><td>34.47</td><td>12.29</td><td>36.29</td><td>0.00</td><td>100</td><td>179 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	104.52	-----	-----	94.05	34.47	12.29	36.29	0.00	100	179 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.76	43.43	54.00	-10.57	33.11	34.66	12.10	36.44	0.00	100	179 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5580.00	104.52	-----	-----	94.05	34.47	12.29	36.29	0.00	100	179 AVERAGE																																																																																																						




Mode	33																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.12</td><td>55.81</td><td>68.20</td><td>-12.39</td><td>45.09</td><td>34.72</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.12	55.81	68.20	-12.39	45.09	34.72	12.45	36.45	0.00	100	179	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5754.12	55.81	68.20	-12.39	45.09	34.72	12.45	36.45	0.00	100	179	PEAK																																												





		33																																																																																																																					
Mode		Band Edge - L																																																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																																																					
ANT		CDD 6+7																																																																																																																					
Pol.		Vertical					Fundamental																																																																																																																
Peak																																																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.20</td><td>53.74</td><td>74.00</td><td>-20.26</td><td>43.39</td><td>34.70</td><td>12.08</td><td>36.43</td><td>0.00</td><td>352 202 PEAK</td></tr><tr><td>2</td><td>5464.24</td><td>52.65</td><td>68.20</td><td>-15.55</td><td>42.34</td><td>34.64</td><td>12.11</td><td>36.44</td><td>0.00</td><td>352 202 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.20	53.74	74.00	-20.26	43.39	34.70	12.08	36.43	0.00	352 202 PEAK	2	5464.24	52.65	68.20	-15.55	42.34	34.64	12.11	36.44	0.00	352 202 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>109.21</td><td>-----</td><td>-----</td><td>98.78</td><td>34.46</td><td>12.28</td><td>36.31</td><td>0.00</td><td>352 202 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	109.21	-----	-----	98.78	34.46	12.28	36.31	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5449.20	53.74	74.00	-20.26	43.39	34.70	12.08	36.43	0.00	352 202 PEAK																																																																																																													
2	5464.24	52.65	68.20	-15.55	42.34	34.64	12.11	36.44	0.00	352 202 PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5580.00	109.21	-----	-----	98.78	34.46	12.28	36.31	0.00	352 202 PEAK																																																																																																													
Avg																																																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>32.45</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>352 202 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	42.77	54.00	-11.23	32.45	34.66	12.10	36.44	0.00	352 202 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>100.24</td><td>-----</td><td>-----</td><td>89.85</td><td>34.44</td><td>12.27</td><td>36.32</td><td>0.00</td><td>352 202 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	100.24	-----	-----	89.85	34.44	12.27	36.32	0.00	352 202 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5459.12	42.77	54.00	-11.23	32.45	34.66	12.10	36.44	0.00	352 202 AVERAGE																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5580.00	100.24	-----	-----	89.85	34.44	12.27	36.32	0.00	352 202 AVERAGE																																																																																																													






Mode	33																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.64</td><td>54.92</td><td>68.20</td><td>-13.28</td><td>44.23</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>352</td><td>202</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.64	54.92	68.20	-13.28	44.23	34.67	12.43	36.41	0.00	352	202	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5735.64	54.92	68.20	-13.28	44.23	34.67	12.43	36.41	0.00	352	202	PEAK																																												






		33																																																																																
Mode		Harmonic																																																																																
		U-NII-2C_5.47-5.725_802.11be EHT20_CH116_5580MHz																																																																																
ANT		CDD 6+7																																																																																
Pol.		Horizontal						Vertical																																																																										
Peak Avg																																																																																		
																																																																																		
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Over</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>55.78</td><td>37.90</td><td>17.63</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Over	Read		Ant	Cable	Preamp	Aux	APos	TPos			Freq		Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg		1	11160.00	44.70	74.00	-29.30	55.78	37.90	17.63	66.61	0.00	---	---	---	---	---	PEAK						
		Limit		Over	Read		Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq		Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	Remark																																																																			
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg																																																																				
1	11160.00	44.70	74.00	-29.30	55.78	37.90	17.63	66.61	0.00	---	---	---	---	---	PEAK																																																																			
		<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>58.30</td><td>37.90</td><td>17.63</td><td>66.61</td><td>0.00</td><td>100</td><td>360</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>36.85</td><td>54.00</td><td>-17.15</td><td>47.93</td><td>37.90</td><td>17.63</td><td>66.61</td><td>0.00</td><td>100</td><td>360</td><td>---</td><td>AVERAGE</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq		Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11160.00	47.22	74.00	-26.78	58.30	37.90	17.63	66.61	0.00	100	360	---	PEAK	2	11160.00	36.85	54.00	-17.15	47.93	37.90	17.63	66.61	0.00	100	360	---	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq		Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																					
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																						
1	11160.00	47.22	74.00	-26.78	58.30	37.90	17.63	66.61	0.00	100	360	---	PEAK																																																																					
2	11160.00	36.85	54.00	-17.15	47.93	37.90	17.63	66.61	0.00	100	360	---	AVERAGE																																																																					





Mode	34																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5739.40</td><td>56.30</td><td>68.20</td><td>-11.90</td><td>45.60</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>160</td><td>177</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.40	56.30	68.20	-11.90	45.60	34.68	12.44	36.42	0.00	160	177	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>115.76</td><td>-----</td><td>-----</td><td>105.11</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>160</td><td>177</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	115.76	-----	-----	105.11	34.60	12.40	36.35	0.00	160	177
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5739.40	56.30	68.20	-11.90	45.60	34.68	12.44	36.42	0.00	160	177	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	115.76	-----	-----	105.11	34.60	12.40	36.35	0.00	160	177	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.52</td><td>-----</td><td>-----</td><td>93.87</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>160</td><td>177</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.52	-----	-----	93.87	34.61	12.40	36.36	0.00	160	177	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	104.52	-----	-----	93.87	34.61	12.40	36.36	0.00	160	177	AVERAGE																																																																																							






Mode	34																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5736.20</td><td>56.09</td><td>68.20</td><td>-12.11</td><td>45.41</td><td>34.67</td><td>12.43</td><td>36.42</td><td>0.00</td><td>304</td><td>257 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5736.20	56.09	68.20	-12.11	45.41	34.67	12.43	36.42	0.00	304	257 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.93</td><td>-----</td><td>-----</td><td>97.30</td><td>34.58</td><td>12.39</td><td>36.34</td><td>0.00</td><td>304</td><td>257 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	107.93	-----	-----	97.30	34.58	12.39	36.34	0.00	304
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5736.20	56.09	68.20	-12.11	45.41	34.67	12.43	36.42	0.00	304	257 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	107.93	-----	-----	97.30	34.58	12.39	36.34	0.00	304	257 PEAK																																																																																											
Avg	Blank																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.49</td><td>-----</td><td>-----</td><td>87.84</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>304</td><td>257 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	98.49	-----	-----	87.84	34.60	12.40	36.35	0.00	304	257 AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	98.49	-----	-----	87.84	34.60	12.40	36.35	0.00	304	257 AVERAGE																																																																																											



Mode	34																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_5700MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>55.90</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	45.11	74.00	-28.89	55.90	38.00	17.80	66.59	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>57.06</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.27	74.00	-27.73	57.06	38.00	17.80	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11400.00	45.11	74.00	-28.89	55.90	38.00	17.80	66.59	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11400.00	46.27	74.00	-27.73	57.06	38.00	17.80	66.59	0.00	---	PEAK																																																																																										







Mode	35																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_RU106/54_5700MHz																																																																																																						
ANT	CDD 6+7																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.20</td><td>60.90</td><td>68.20</td><td>-7.30</td><td>50.23</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>102</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.20	60.90	68.20	-7.30	50.23	34.65	12.42	36.40	0.00	102	178	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>115.78</td><td>-----</td><td>-----</td><td>105.13</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>102</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	115.78	-----	-----	105.13	34.61	12.40	36.36	0.00	102	178
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5726.20	60.90	68.20	-7.30	50.23	34.65	12.42	36.40	0.00	102	178	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	115.78	-----	-----	105.13	34.61	12.40	36.36	0.00	102	178	PEAK																																																																																											
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.55</td><td>-----</td><td>-----</td><td>96.90</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>102</td><td>178</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	107.55	-----	-----	96.90	34.61	12.40	36.36	0.00	102	178	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	107.55	-----	-----	96.90	34.61	12.40	36.36	0.00	102	178	AVERAGE																																																																																											




Mode	35																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_RU106/54_5700MHz																																																																																																							
ANT	CDD 6+7																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.40</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>49.14</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>333</td><td>188</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.40	59.81	68.20	-8.39	49.14	34.65	12.42	36.40	0.00	333	188	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.90</td><td>-----</td><td>-----</td><td>100.25</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>333</td><td>188</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	110.90	-----	-----	100.25	34.61	12.40	36.36	0.00	333	188
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5725.40	59.81	68.20	-8.39	49.14	34.65	12.42	36.40	0.00	333	188	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	110.90	-----	-----	100.25	34.61	12.40	36.36	0.00	333	188	PEAK																																																																																												
Avg	Blank																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.67</td><td>-----</td><td>-----</td><td>91.02</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>333</td><td>188</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	101.67	-----	-----	91.02	34.61	12.40	36.36	0.00	333	188	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	101.67	-----	-----	91.02	34.61	12.40	36.36	0.00	333	188	AVERAGE																																																																																												







		36																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																								
ANT		CDD 6+7																																																																																																								
Pol.		Horizontal					Fundamental																																																																																																			
Peak																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.24	56.89	74.00	-17.11	46.56	34.68	12.09	36.44	0.00	100	175 PEAK	2	5466.80	59.89	68.20	-8.31	49.60	34.63	12.11	36.45	0.00	100	175 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>112.10</td><td>-----</td><td>-----</td><td>101.87</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	112.10	-----	-----	101.87	34.45	12.20	36.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5456.24	56.89	74.00	-17.11	46.56	34.68	12.09	36.44	0.00	100	175 PEAK																																																																																															
2	5466.80	59.89	68.20	-8.31	49.60	34.63	12.11	36.45	0.00	100	175 PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5510.00	112.10	-----	-----	101.87	34.45	12.20	36.42	0.00	100	175 PEAK																																																																																															
Avg																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	45.88	54.00	-8.12	35.55	34.67	12.10	36.44	0.00	100	175 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>102.45</td><td>-----</td><td>-----</td><td>92.25</td><td>34.49</td><td>12.17</td><td>36.46</td><td>0.00</td><td>100</td><td>175 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.45	-----	-----	92.25	34.49	12.17	36.46	0.00	100	175 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5457.20	45.88	54.00	-8.12	35.55	34.67	12.10	36.44	0.00	100	175 AVERAGE																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5510.00	102.45	-----	-----	92.25	34.49	12.17	36.46	0.00	100	175 AVERAGE																																																																																															




Mode	36																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.48</td><td>54.91</td><td>68.20</td><td>-13.29</td><td>44.19</td><td>34.72</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>175</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5753.48	54.91	68.20	-13.29	44.19	34.72	12.45	36.45	0.00	100	175	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5753.48	54.91	68.20	-13.29	44.19	34.72	12.45	36.45	0.00	100	175	PEAK																																												





Mode	36																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																	
ANT	CDD 6+7																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5380.56</td><td>54.61</td><td>74.00</td><td>-19.39</td><td>44.47</td><td>34.60</td><td>11.99</td><td>36.45</td><td>0.00</td><td>293 360 PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>53.88</td><td>68.20</td><td>-14.32</td><td>43.60</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>293 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5380.56	54.61	74.00	-19.39	44.47	34.60	11.99	36.45	0.00	293 360 PEAK	2	5469.04	53.88	68.20	-14.32	43.60	34.62	12.11	36.45	0.00	293 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5380.56	54.61	74.00	-19.39	44.47	34.60	11.99	36.45	0.00	293 360 PEAK																																																								
2	5469.04	53.88	68.20	-14.32	43.60	34.62	12.11	36.45	0.00	293 360 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>32.89</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>293 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	43.21	54.00	-10.79	32.89	34.66	12.10	36.44	0.00	293 360 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5458.96	43.21	54.00	-10.79	32.89	34.66	12.10	36.44	0.00	293 360 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>105.13</td><td>-----</td><td>-----</td><td>94.94</td><td>34.50</td><td>12.16</td><td>36.47</td><td>0.00</td><td>293 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.13	-----	-----	94.94	34.50	12.16	36.47	0.00	293 360 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	105.13	-----	-----	94.94	34.50	12.16	36.47	0.00	293 360 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>96.79</td><td>-----</td><td>-----</td><td>86.57</td><td>34.46</td><td>12.19</td><td>36.43</td><td>0.00</td><td>293 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.79	-----	-----	86.57	34.46	12.19	36.43	0.00	293 360 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	96.79	-----	-----	86.57	34.46	12.19	36.43	0.00	293 360 AVERAGE																																																								







Mode	36																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.64</td><td>54.38</td><td>68.20</td><td>-13.82</td><td>43.68</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>293</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.64	54.38	68.20	-13.82	43.68	34.69	12.44	36.43	0.00	293	360	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5743.64	54.38	68.20	-13.82	43.68	34.69	12.44	36.43	0.00	293	360	PEAK																																												




Mode	36																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>55.66</td><td>37.90</td><td>17.53</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.46	74.00	-29.54	55.66	37.90	17.53	66.63	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>57.26</td><td>37.90</td><td>17.53</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	46.06	74.00	-27.94	57.26	37.90	17.53	66.63	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11020.00	44.46	74.00	-29.54	55.66	37.90	17.53	66.63	0.00	---	PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11020.00	46.06	74.00	-27.94	57.26	37.90	17.53	66.63	0.00	---	PEAK																																																																																									







	37																																																																																																															
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>58.16</td><td>74.00</td><td>-15.84</td><td>47.84</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>173 PEAK</td></tr><tr><td>2</td><td>5465.20</td><td>61.87</td><td>68.20</td><td>-6.33</td><td>51.57</td><td>34.64</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>173 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	58.16	74.00	-15.84	47.84	34.66	12.10	36.44	0.00	100	173 PEAK	2	5465.20	61.87	68.20	-6.33	51.57	34.64	12.11	36.45	0.00	100	173 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>111.57</td><td>-----</td><td>-----</td><td>101.37</td><td>34.49</td><td>12.17</td><td>36.46</td><td>0.00</td><td>100</td><td>173 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	111.57	-----	-----	101.37	34.49	12.17	36.46	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.60	58.16	74.00	-15.84	47.84	34.66	12.10	36.44	0.00	100	173 PEAK																																																																																																					
2	5465.20	61.87	68.20	-6.33	51.57	34.64	12.11	36.45	0.00	100	173 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	111.57	-----	-----	101.37	34.49	12.17	36.46	0.00	100	173 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>46.82</td><td>54.00</td><td>-7.18</td><td>36.50</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>173 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	46.82	54.00	-7.18	36.50	34.66	12.10	36.44	0.00	100	173 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>103.45</td><td>-----</td><td>-----</td><td>93.25</td><td>34.49</td><td>12.17</td><td>36.46</td><td>0.00</td><td>100</td><td>173 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	103.45	-----	-----	93.25	34.49	12.17	36.46	0.00	100	173 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.92	46.82	54.00	-7.18	36.50	34.66	12.10	36.44	0.00	100	173 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	103.45	-----	-----	93.25	34.49	12.17	36.46	0.00	100	173 AVERAGE																																																																																																					




Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.52</td><td>55.42</td><td>68.20</td><td>-12.78</td><td>44.64</td><td>34.78</td><td>12.46</td><td>36.46</td><td>0.00</td><td>100</td><td>173</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5762.52	55.42	68.20	-12.78	44.64	34.78	12.46	36.46	0.00	100	173	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5762.52	55.42	68.20	-12.78	44.64	34.78	12.46	36.46	0.00	100	173	PEAK																																												







		37																																																																	
Mode	Band Edge - L																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz																																																																		
ANT	CDD 6+7																																																																		
Pol.	Vertical																																																																		
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>56.39</td><td>74.00</td><td>-17.61</td><td>46.07</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>304</td><td>244 PEAK</td></tr><tr><td>2</td><td>5463.28</td><td>60.95</td><td>68.20</td><td>-7.25</td><td>50.64</td><td>34.65</td><td>12.10</td><td>36.44</td><td>0.00</td><td>304</td><td>244 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	56.39	74.00	-17.61	46.07	34.66	12.10	36.44	0.00	304	244 PEAK	2	5463.28	60.95	68.20	-7.25	50.64	34.65	12.10	36.44	0.00	304
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.92	56.39	74.00	-17.61	46.07	34.66	12.10	36.44	0.00	304	244 PEAK																																																								
2	5463.28	60.95	68.20	-7.25	50.64	34.65	12.10	36.44	0.00	304	244 PEAK																																																								
Fundamental																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>108.29</td><td>-----</td><td>-----</td><td>98.09</td><td>34.49</td><td>12.17</td><td>36.46</td><td>0.00</td><td>304</td><td>244 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	108.29	-----	-----	98.09	34.49	12.17	36.46	0.00	304	244 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5510.00	108.29	-----	-----	98.09	34.49	12.17	36.46	0.00	304	244 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>45.31</td><td>54.00</td><td>-8.69</td><td>34.99</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>304</td><td>244 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	45.31	54.00	-8.69	34.99	34.66	12.10	36.44	0.00	304	244 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.92	45.31	54.00	-8.69	34.99	34.66	12.10	36.44	0.00	304	244 AVERAGE																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.18</td><td>-----</td><td>-----</td><td>87.98</td><td>34.49</td><td>12.17</td><td>36.46</td><td>0.00</td><td>304</td><td>244 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.18	-----	-----	87.98	34.49	12.17	36.46	0.00	304	244 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5510.00	98.18	-----	-----	87.98	34.49	12.17	36.46	0.00	304	244 AVERAGE																																																								




Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_RU242/61_5510MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.80</td><td>54.90</td><td>68.20</td><td>-13.30</td><td>44.22</td><td>34.66</td><td>12.43</td><td>36.41</td><td>0.00</td><td>304</td><td>244</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.80	54.90	68.20	-13.30	44.22	34.66	12.43	36.41	0.00	304	244	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5731.80	54.90	68.20	-13.30	44.22	34.66	12.43	36.41	0.00	304	244	PEAK																																												







		38																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																				
ANT		CDD 6+7																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5388.00	55.36	74.00	-18.64	45.19	34.60	12.00	36.43	0.00	108	172 PEAK	2	5463.40	55.83	68.20	-12.37	45.51	34.65	12.11	36.44	0.00	108	172 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	111.84	-----	-----	101.58	34.40	12.23	36.37	0.00	108	172 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5388.00	55.36	74.00	-18.64	45.19	34.60	12.00	36.43	0.00	108	172 PEAK																																																																																											
2	5463.40	55.83	68.20	-12.37	45.51	34.65	12.11	36.44	0.00	108	172 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5550.00	111.84	-----	-----	101.58	34.40	12.23	36.37	0.00	108	172 PEAK																																																																																											
Avg																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.00	45.04	54.00	-8.96	34.70	34.69	12.08	36.43	0.00	108	172 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	102.97	-----	-----	92.71	34.40	12.23	36.37	0.00	108	172 AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5447.00	45.04	54.00	-8.96	34.70	34.69	12.08	36.43	0.00	108	172 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5550.00	102.97	-----	-----	92.71	34.40	12.23	36.37	0.00	108	172 AVERAGE																																																																																											




Mode	38																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.07</td><td>55.70</td><td>68.20</td><td>-12.50</td><td>45.00</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>108</td><td>172</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.07	55.70	68.20	-12.50	45.00	34.69	12.44	36.43	0.00	108	172	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5743.07	55.70	68.20	-12.50	45.00	34.69	12.44	36.43	0.00	108	172	PEAK																																											





Mode	38																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																																													
ANT	CDD 6+7																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.40</td><td>54.60</td><td>74.00</td><td>-19.40</td><td>44.26</td><td>34.69</td><td>12.08</td><td>36.43</td><td>0.00</td><td>300</td><td>247 PEAK</td></tr><tr><td>2</td><td>5464.80</td><td>53.99</td><td>68.20</td><td>-14.21</td><td>43.69</td><td>34.64</td><td>12.11</td><td>36.45</td><td>0.00</td><td>300</td><td>247 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.40	54.60	74.00	-19.40	44.26	34.69	12.08	36.43	0.00	300	247 PEAK	2	5464.80	53.99	68.20	-14.21	43.69	34.64	12.11	36.45	0.00	300	247 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>106.10</td><td>-----</td><td>-----</td><td>95.84</td><td>34.40</td><td>12.23</td><td>36.37</td><td>0.00</td><td>300</td><td>247 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	106.10	-----	-----	95.84	34.40	12.23	36.37	0.00	300	247 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5447.40	54.60	74.00	-19.40	44.26	34.69	12.08	36.43	0.00	300	247 PEAK																																																																																																																			
2	5464.80	53.99	68.20	-14.21	43.69	34.64	12.11	36.45	0.00	300	247 PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5550.00	106.10	-----	-----	95.84	34.40	12.23	36.37	0.00	300	247 PEAK																																																																																																																			
Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.40</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>33.00</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>247 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.40	43.32	54.00	-10.68	33.00	34.66	12.10	36.44	0.00	300	247 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>97.26</td><td>-----</td><td>-----</td><td>87.00</td><td>34.40</td><td>12.23</td><td>36.37</td><td>0.00</td><td>300</td><td>247 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	97.26	-----	-----	87.00	34.40	12.23	36.37	0.00	300	247 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5459.40	43.32	54.00	-10.68	33.00	34.66	12.10	36.44	0.00	300	247 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5550.00	97.26	-----	-----	87.00	34.40	12.23	36.37	0.00	300	247 AVERAGE																																																																																																																			







Mode	38																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.46</td><td>54.46</td><td>68.20</td><td>-13.74</td><td>43.74</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>300</td><td>247 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.46	54.46	68.20	-13.74	43.74	34.71	12.45	36.44	0.00	300	247 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5751.46	54.46	68.20	-13.74	43.74	34.71	12.45	36.44	0.00	300	247 PEAK																																													




Mode	38																																																																																																							
	Harmonic																																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH110_Full_5550MHz																																																																																																							
ANT	CDD 6+7																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>56.46</td><td>37.90</td><td>17.59</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	45.33	74.00	-28.67	56.46	37.90	17.59	66.62	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>56.95</td><td>37.90</td><td>17.59</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	45.82	74.00	-28.18	56.95	37.90	17.59	66.62	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11100.00	45.33	74.00	-28.67	56.46	37.90	17.59	66.62	0.00	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11100.00	45.82	74.00	-28.18	56.95	37.90	17.59	66.62	0.00	---	PEAK																																																																																													







Mode	39																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5422.48</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>43.46</td><td>34.64</td><td>12.04</td><td>36.42</td><td>0.00</td><td>100</td><td>178 PEAK</td></tr><tr><td>2</td><td>5466.80</td><td>53.16</td><td>68.20</td><td>-15.04</td><td>42.87</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>178 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.48	53.72	74.00	-20.28	43.46	34.64	12.04	36.42	0.00	100	178 PEAK	2	5466.80	53.16	68.20	-15.04	42.87	34.63	12.11	36.45	0.00	100	178 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>112.79</td><td>-----</td><td>-----</td><td>102.19</td><td>34.55</td><td>12.38</td><td>36.33</td><td>0.00</td><td>100</td><td>178 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	112.79	-----	-----	102.19	34.55	12.38	36.33	0.00	100	178 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5422.48	53.72	74.00	-20.28	43.46	34.64	12.04	36.42	0.00	100	178 PEAK																																																																																																						
2	5466.80	53.16	68.20	-15.04	42.87	34.63	12.11	36.45	0.00	100	178 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	112.79	-----	-----	102.19	34.55	12.38	36.33	0.00	100	178 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>42.90</td><td>54.00</td><td>-11.10</td><td>32.57</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>178 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	42.90	54.00	-11.10	32.57	34.67	12.10	36.44	0.00	100	178 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>103.02</td><td>-----</td><td>-----</td><td>92.42</td><td>34.55</td><td>12.38</td><td>36.33</td><td>0.00</td><td>100</td><td>178 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.02	-----	-----	92.42	34.55	12.38	36.33	0.00	100	178 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.52	42.90	54.00	-11.10	32.57	34.67	12.10	36.44	0.00	100	178 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	103.02	-----	-----	92.42	34.55	12.38	36.33	0.00	100	178 AVERAGE																																																																																																						




Mode	39																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.92</td><td>57.15</td><td>68.20</td><td>-11.05</td><td>46.45</td><td>34.70</td><td>12.44</td><td>36.44</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.92	57.15	68.20	-11.05	46.45	34.70	12.44	36.44	0.00	100	178	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5748.92	57.15	68.20	-11.05	46.45	34.70	12.44	36.44	0.00	100	178	PEAK																																											





Mode	39																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.84</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>43.72</td><td>34.68</td><td>12.07</td><td>36.43</td><td>0.00</td><td>287</td><td>241 PEAK</td></tr><tr><td>2</td><td>5462.64</td><td>52.96</td><td>68.20</td><td>-15.24</td><td>42.65</td><td>34.65</td><td>12.10</td><td>36.44</td><td>0.00</td><td>287</td><td>241 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.84	54.04	74.00	-19.96	43.72	34.68	12.07	36.43	0.00	287	241 PEAK	2	5462.64	52.96	68.20	-15.24	42.65	34.65	12.10	36.44	0.00	287	241 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>105.30</td><td>-----</td><td>-----</td><td>94.71</td><td>34.54</td><td>12.37</td><td>36.32</td><td>0.00</td><td>287</td><td>241 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.30	-----	-----	94.71	34.54	12.37	36.32	0.00	287	241 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5437.84	54.04	74.00	-19.96	43.72	34.68	12.07	36.43	0.00	287	241 PEAK																																																																																																						
2	5462.64	52.96	68.20	-15.24	42.65	34.65	12.10	36.44	0.00	287	241 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	105.30	-----	-----	94.71	34.54	12.37	36.32	0.00	287	241 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>42.42</td><td>54.00</td><td>-11.58</td><td>32.10</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>287</td><td>241 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	42.42	54.00	-11.58	32.10	34.66	12.10	36.44	0.00	287	241 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>96.10</td><td>-----</td><td>-----</td><td>85.51</td><td>34.54</td><td>12.37</td><td>36.32</td><td>0.00</td><td>287</td><td>241 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.10	-----	-----	85.51	34.54	12.37	36.32	0.00	287	241 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.28	42.42	54.00	-11.58	32.10	34.66	12.10	36.44	0.00	287	241 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	96.10	-----	-----	85.51	34.54	12.37	36.32	0.00	287	241 AVERAGE																																																																																																						







Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.24</td><td>54.70</td><td>68.20</td><td>-13.50</td><td>44.03</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>287</td><td>241</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.24	54.70	68.20	-13.50	44.03	34.65	12.42	36.40	0.00	287	241	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.24	54.70	68.20	-13.50	44.03	34.65	12.42	36.40	0.00	287	241	PEAK																																												




		39																																																																																																																																							
Mode		Harmonic																																																																																																																																							
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																																							
ANT		CDD 6+7																																																																																																																																							
Pol.		Horizontal											Vertical																																																																																																																												
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>55.35</td><td>37.94</td><td>17.76</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	44.45	74.00	-29.55	55.35	37.94	17.76	66.60	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.60</td><td>74.00</td><td>-29.40</td><td>55.50</td><td>37.94</td><td>17.76</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	44.60	74.00	-29.40	55.50	37.94	17.76	66.60	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	11340.00	44.45	74.00	-29.55	55.35	37.94	17.76	66.60	0.00	---	---	PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	11340.00	44.60	74.00	-29.40	55.50	37.94	17.76	66.60	0.00	---	---	PEAK																																																																																																																													







Mode	40																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5405.04</td><td>53.75</td><td>74.00</td><td>-20.25</td><td>43.52</td><td>34.61</td><td>12.02</td><td>36.40</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>53.56</td><td>68.20</td><td>-14.64</td><td>43.28</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.04	53.75	74.00	-20.25	43.52	34.61	12.02	36.40	0.00	100	187 PEAK	2	5469.84	53.56	68.20	-14.64	43.28	34.62	12.11	36.45	0.00	100	187 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>113.33</td><td>-----</td><td>-----</td><td>102.72</td><td>34.56</td><td>12.38</td><td>36.33</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	113.33	-----	-----	102.72	34.56	12.38	36.33	0.00	100	187 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5405.04	53.75	74.00	-20.25	43.52	34.61	12.02	36.40	0.00	100	187 PEAK																																																																																																						
2	5469.84	53.56	68.20	-14.64	43.28	34.62	12.11	36.45	0.00	100	187 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	113.33	-----	-----	102.72	34.56	12.38	36.33	0.00	100	187 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.32</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>32.43</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>187 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	42.76	54.00	-11.24	32.43	34.67	12.10	36.44	0.00	100	187 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>103.79</td><td>-----</td><td>-----</td><td>93.18</td><td>34.56</td><td>12.38</td><td>36.33</td><td>0.00</td><td>100</td><td>187 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.79	-----	-----	93.18	34.56	12.38	36.33	0.00	100	187 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.32	42.76	54.00	-11.24	32.43	34.67	12.10	36.44	0.00	100	187 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	103.79	-----	-----	93.18	34.56	12.38	36.33	0.00	100	187 AVERAGE																																																																																																						




Mode	40																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.16</td><td>56.62</td><td>68.20</td><td>-11.58</td><td>45.95</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.16	56.62	68.20	-11.58	45.95	34.65	12.42	36.40	0.00	100	187 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5725.16	56.62	68.20	-11.58	45.95	34.65	12.42	36.40	0.00	100	187 PEAK																																											







		40																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																																																																																								
ANT		CDD 6+7																																																																																																								
Pol.		Vertical					Fundamental																																																																																																			
Peak																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	53.65	74.00	-20.35	43.33	34.66	12.10	36.44	0.00	100	81 PEAK	2	5460.08	53.48	68.20	-14.72	43.16	34.66	12.10	36.44	0.00	100	81 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.32	-----	-----	94.70	34.57	12.39	36.34	0.00	100	81 PEAK				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5459.92	53.65	74.00	-20.35	43.33	34.66	12.10	36.44	0.00	100	81 PEAK																																																																																															
2	5460.08	53.48	68.20	-14.72	43.16	34.66	12.10	36.44	0.00	100	81 PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5670.00	105.32	-----	-----	94.70	34.57	12.39	36.34	0.00	100	81 PEAK																																																																																															
Avg																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	42.57	54.00	-11.43	32.25	34.66	12.10	36.44	0.00	100	81 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.88	-----	-----	86.26	34.57	12.39	36.34	0.00	100	81 AVERAGE																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5459.76	42.57	54.00	-11.43	32.25	34.66	12.10	36.44	0.00	100	81 AVERAGE																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5670.00	96.88	-----	-----	86.26	34.57	12.39	36.34	0.00	100	81 AVERAGE																																																																																															




Mode	40																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_RU242/62_5670MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.60</td><td>54.79</td><td>68.20</td><td>-13.41</td><td>44.11</td><td>34.67</td><td>12.43</td><td>36.42</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.60	54.79	68.20	-13.41	44.11	34.67	12.43	36.42	0.00	100	81 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5736.60	54.79	68.20	-13.41	44.11	34.67	12.43	36.42	0.00	100	81 PEAK																																											







Mode	41																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.16</td><td>61.31</td><td>74.00</td><td>-12.69</td><td>50.98</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr><tr><td>2</td><td>5461.68</td><td>60.03</td><td>68.20</td><td>-8.17</td><td>49.72</td><td>34.65</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	61.31	74.00	-12.69	50.98	34.67	12.10	36.44	0.00	100	181 PEAK	2	5461.68	60.03	68.20	-8.17	49.72	34.65	12.10	36.44	0.00	100	181 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>108.76</td><td>-----</td><td>-----</td><td>98.54</td><td>34.48</td><td>12.18</td><td>36.44</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	108.76	-----	-----	98.54	34.48	12.18	36.44	0.00	100	181 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.16	61.31	74.00	-12.69	50.98	34.67	12.10	36.44	0.00	100	181 PEAK																																																																																																						
2	5461.68	60.03	68.20	-8.17	49.72	34.65	12.10	36.44	0.00	100	181 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	108.76	-----	-----	98.54	34.48	12.18	36.44	0.00	100	181 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.24</td><td>51.97</td><td>54.00</td><td>-2.03</td><td>41.64</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>181 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.24	51.97	54.00	-2.03	41.64	34.68	12.09	36.44	0.00	100	181 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>98.99</td><td>-----</td><td>-----</td><td>88.74</td><td>34.43</td><td>12.21</td><td>36.39</td><td>0.00</td><td>100</td><td>181 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.99	-----	-----	88.74	34.43	12.21	36.39	0.00	100	181 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.24	51.97	54.00	-2.03	41.64	34.68	12.09	36.44	0.00	100	181 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	98.99	-----	-----	88.74	34.43	12.21	36.39	0.00	100	181 AVERAGE																																																																																																						




Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.68</td><td>56.83</td><td>68.20</td><td>-11.37</td><td>46.14</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>181</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.68	56.83	68.20	-11.37	46.14	34.67	12.43	36.41	0.00	100	181	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5732.68	56.83	68.20	-11.37	46.14	34.67	12.43	36.41	0.00	100	181	PEAK																																												





Mode	41																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																												
ANT	CDD 6+7																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.84</td><td>57.22</td><td>74.00</td><td>-16.78</td><td>46.89</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>335 185 PEAK</td></tr><tr><td>2</td><td>5460.56</td><td>56.18</td><td>68.20</td><td>-12.02</td><td>45.86</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>335 185 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	57.22	74.00	-16.78	46.89	34.67	12.10	36.44	0.00	335 185 PEAK	2	5460.56	56.18	68.20	-12.02	45.86	34.66	12.10	36.44	0.00	335 185 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>104.20</td><td>-----</td><td>-----</td><td>93.95</td><td>34.43</td><td>12.21</td><td>36.39</td><td>0.00</td><td>335 185 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	104.20	-----	-----	93.95	34.43	12.21	36.39	0.00	335 185 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5457.84	57.22	74.00	-16.78	46.89	34.67	12.10	36.44	0.00	335 185 PEAK																																																																																																			
2	5460.56	56.18	68.20	-12.02	45.86	34.66	12.10	36.44	0.00	335 185 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	104.20	-----	-----	93.95	34.43	12.21	36.39	0.00	335 185 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.08</td><td>46.37</td><td>54.00</td><td>-7.63</td><td>36.04</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>335 185 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.08	46.37	54.00	-7.63	36.04	34.68	12.09	36.44	0.00	335 185 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.70</td><td>-----</td><td>-----</td><td>84.45</td><td>34.43</td><td>12.21</td><td>36.39</td><td>0.00</td><td>335 185 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.70	-----	-----	84.45	34.43	12.21	36.39	0.00	335 185 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.08	46.37	54.00	-7.63	36.04	34.68	12.09	36.44	0.00	335 185 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5530.00	94.70	-----	-----	84.45	34.43	12.21	36.39	0.00	335 185 AVERAGE																																																																																																			







Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.44</td><td>55.36</td><td>68.20</td><td>-12.84</td><td>44.67</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>335</td><td>185</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.44	55.36	68.20	-12.84	44.67	34.67	12.43	36.41	0.00	335	185	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.44	55.36	68.20	-12.84	44.67	34.67	12.43	36.41	0.00	335	185	PEAK																																												




Mode	41																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																								
ANT	CDD 6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.70</td><td>74.00</td><td>-30.30</td><td>54.86</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	43.70	74.00	-30.30	54.86	37.90	17.56	66.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>54.90</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	43.74	74.00	-30.26	54.90	37.90	17.56	66.62	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11060.00	43.70	74.00	-30.30	54.86	37.90	17.56	66.62	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11060.00	43.74	74.00	-30.26	54.90	37.90	17.56	66.62	0.00	---	---	PEAK																																																																																													







Mode	42																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.04</td><td>57.07</td><td>74.00</td><td>-16.93</td><td>46.73</td><td>34.69</td><td>12.08</td><td>36.43</td><td>0.00</td><td>100</td><td>171 PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>63.31</td><td>68.20</td><td>-4.89</td><td>53.03</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>171 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.04	57.07	74.00	-16.93	46.73	34.69	12.08	36.43	0.00	100	171 PEAK	2	5469.20	63.31	68.20	-4.89	53.03	34.62	12.11	36.45	0.00	100	171 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>109.88</td><td>-----</td><td>-----</td><td>99.68</td><td>34.49</td><td>12.17</td><td>36.46</td><td>0.00</td><td>100</td><td>171 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	109.88	-----	-----	99.68	34.49	12.17	36.46	0.00	100	171 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5445.04	57.07	74.00	-16.93	46.73	34.69	12.08	36.43	0.00	100	171 PEAK																																																																																																						
2	5469.20	63.31	68.20	-4.89	53.03	34.62	12.11	36.45	0.00	100	171 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	109.88	-----	-----	99.68	34.49	12.17	36.46	0.00	100	171 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.60</td><td>46.86</td><td>54.00</td><td>-7.14</td><td>36.51</td><td>34.70</td><td>12.08</td><td>36.43</td><td>0.00</td><td>100</td><td>171 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.60	46.86	54.00	-7.14	36.51	34.70	12.08	36.43	0.00	100	171 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>100.71</td><td>-----</td><td>-----</td><td>90.48</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>100</td><td>171 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.71	-----	-----	90.48	34.45	12.20	36.42	0.00	100	171 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5447.60	46.86	54.00	-7.14	36.51	34.70	12.08	36.43	0.00	100	171 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	100.71	-----	-----	90.48	34.45	12.20	36.42	0.00	100	171 AVERAGE																																																																																																						



Mode	42																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.32</td><td>56.87</td><td>68.20</td><td>-11.33</td><td>46.20</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>171 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.32	56.87	68.20	-11.33	46.20	34.65	12.42	36.40	0.00	100	171 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5725.32	56.87	68.20	-11.33	46.20	34.65	12.42	36.40	0.00	100	171 PEAK																																											







Mode	42																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz																																																																			
ANT	CDD 6+7																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5441.04</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>45.27</td><td>34.68</td><td>12.07</td><td>36.43</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>59.60</td><td>68.20</td><td>-8.60</td><td>49.32</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.04	55.59	74.00	-18.41	45.27	34.68	12.07	36.43	0.00	300	245 PEAK	2	5469.68	59.60	68.20	-8.60	49.32	34.62	12.11	36.45	0.00	300	245 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5441.04	55.59	74.00	-18.41	45.27	34.68	12.07	36.43	0.00	300	245 PEAK																																																									
2	5469.68	59.60	68.20	-8.60	49.32	34.62	12.11	36.45	0.00	300	245 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>34.24</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>245 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	44.56	54.00	-9.44	34.24	34.66	12.10	36.44	0.00	300	245 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.92	44.56	54.00	-9.44	34.24	34.66	12.10	36.44	0.00	300	245 AVERAGE																																																									
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>104.18</td><td>-----</td><td>-----</td><td>93.95</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>300</td><td>245 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	104.18	-----	-----	93.95	34.44	12.20	36.41	0.00	300	245 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5530.00	104.18	-----	-----	93.95	34.44	12.20	36.41	0.00	300	245 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>94.78</td><td>-----</td><td>-----</td><td>84.55</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>300</td><td>245 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.78	-----	-----	84.55	34.45	12.20	36.42	0.00	300	245 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5530.00	94.78	-----	-----	84.55	34.45	12.20	36.42	0.00	300	245 AVERAGE																																																									




Mode	42																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_RU484/65_5530MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.76</td><td>54.54</td><td>68.20</td><td>-13.66</td><td>43.81</td><td>34.72</td><td>12.45</td><td>36.44</td><td>0.00</td><td>300</td><td>245</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5752.76	54.54	68.20	-13.66	43.81	34.72	12.45	36.44	0.00	300	245	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5752.76	54.54	68.20	-13.66	43.81	34.72	12.45	36.44	0.00	300	245	PEAK																																											







		43																																																																																																																											
Mode		Band Edge - L																																																																																																																											
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																											
ANT		CDD 6+7																																																																																																																											
Pol.		Horizontal					Fundamental																																																																																																																						
Peak																																																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.68</td><td>54.70</td><td>74.00</td><td>-19.30</td><td>44.36</td><td>34.69</td><td>12.08</td><td>36.43</td><td>0.00</td><td>100</td><td>189</td><td>PEAK</td></tr><tr><td>2</td><td>5463.60</td><td>54.53</td><td>68.20</td><td>-13.67</td><td>44.21</td><td>34.65</td><td>12.11</td><td>36.44</td><td>0.00</td><td>100</td><td>189</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.68	54.70	74.00	-19.30	44.36	34.69	12.08	36.43	0.00	100	189	PEAK	2	5463.60	54.53	68.20	-13.67	44.21	34.65	12.11	36.44	0.00	100	189	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>108.82</td><td>-----</td><td>-----</td><td>98.27</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>189</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	108.82	-----	-----	98.27	34.50	12.35	36.30	0.00	100	189
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5445.68	54.70	74.00	-19.30	44.36	34.69	12.08	36.43	0.00	100	189	PEAK																																																																																																																	
2	5463.60	54.53	68.20	-13.67	44.21	34.65	12.11	36.44	0.00	100	189	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5610.00	108.82	-----	-----	98.27	34.50	12.35	36.30	0.00	100	189	PEAK																																																																																																																	
Avg																																																																																																																													
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.40</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>35.03</td><td>34.67</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>189</td><td>AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	45.35	54.00	-8.65	35.03	34.67	12.09	36.44	0.00	100	189	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>99.46</td><td>-----</td><td>-----</td><td>88.91</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>100</td><td>189</td><td>AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	99.46	-----	-----	88.91	34.50	12.33	36.28	0.00	100	189	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5456.40	45.35	54.00	-8.65	35.03	34.67	12.09	36.44	0.00	100	189	AVERAGE																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5610.00	99.46	-----	-----	88.91	34.50	12.33	36.28	0.00	100	189	AVERAGE																																																																																																																	




Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.80</td><td>58.00</td><td>68.20</td><td>-10.20</td><td>47.30</td><td>34.70</td><td>12.44</td><td>36.44</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.80	58.00	68.20	-10.20	47.30	34.70	12.44	36.44	0.00	100	109	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5747.80	58.00	68.20	-10.20	47.30	34.70	12.44	36.44	0.00	100	109	PEAK																																												



Mode	43																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																													
ANT	CDD 6+7																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.68</td><td>54.81</td><td>74.00</td><td>-19.19</td><td>44.46</td><td>34.70</td><td>12.08</td><td>36.43</td><td>0.00</td><td>349 208 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>54.49</td><td>68.20</td><td>-13.71</td><td>44.21</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>349 208 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.68	54.81	74.00	-19.19	44.46	34.70	12.08	36.43	0.00	349 208 PEAK	2	5470.00	54.49	68.20	-13.71	44.21	34.62	12.11	36.45	0.00	349 208 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>104.00</td><td>-----</td><td>-----</td><td>93.58</td><td>34.48</td><td>12.30</td><td>36.28</td><td>0.00</td><td>349 208 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.00	-----	-----	93.58	34.48	12.30	36.28	0.00	349 208 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5449.68	54.81	74.00	-19.19	44.46	34.70	12.08	36.43	0.00	349 208 PEAK																																																																																																				
2	5470.00	54.49	68.20	-13.71	44.21	34.62	12.11	36.45	0.00	349 208 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	104.00	-----	-----	93.58	34.48	12.30	36.28	0.00	349 208 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.28</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>32.98</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>349 208 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	43.30	54.00	-10.70	32.98	34.66	12.10	36.44	0.00	349 208 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.50</td><td>-----</td><td>-----</td><td>83.95</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>349 208 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.50	-----	-----	83.95	34.50	12.32	36.27	0.00	349 208 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.28	43.30	54.00	-10.70	32.98	34.66	12.10	36.44	0.00	349 208 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	94.50	-----	-----	83.95	34.50	12.32	36.27	0.00	349 208 AVERAGE																																																																																																				







Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.84</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>44.27</td><td>34.66</td><td>12.43</td><td>36.41</td><td>0.00</td><td>349</td><td>208</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.84	54.95	68.20	-13.25	44.27	34.66	12.43	36.41	0.00	349	208	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5730.84	54.95	68.20	-13.25	44.27	34.66	12.43	36.41	0.00	349	208	PEAK																																												




Mode	43																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>55.10</td><td>37.90</td><td>17.67</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	44.06	74.00	-29.94	55.10	37.90	17.67	66.61	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>55.20</td><td>37.90</td><td>17.67</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	44.16	74.00	-29.84	55.20	37.90	17.67	66.61	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11220.00	44.06	74.00	-29.94	55.10	37.90	17.67	66.61	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11220.00	44.16	74.00	-29.84	55.20	37.90	17.67	66.61	0.00	---	---	PEAK																																																																																														



	44																																																																																																												
Mode	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																																																																												
ANT	CDD 6+7																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5356.72</td><td>54.46</td><td>74.00</td><td>-19.54</td><td>44.38</td><td>34.60</td><td>11.98</td><td>36.50</td><td>0.00</td><td>107 176 PEAK</td></tr><tr><td>2</td><td>5460.88</td><td>54.86</td><td>68.20</td><td>-13.34</td><td>44.54</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>107 176 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.72	54.46	74.00	-19.54	44.38	34.60	11.98	36.50	0.00	107 176 PEAK	2	5460.88	54.86	68.20	-13.34	44.54	34.66	12.10	36.44	0.00	107 176 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>112.22</td><td>-----</td><td>-----</td><td>101.67</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>107 176 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	112.22	-----	-----	101.67	34.50	12.34	36.29	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5356.72	54.46	74.00	-19.54	44.38	34.60	11.98	36.50	0.00	107 176 PEAK																																																																																																			
2	5460.88	54.86	68.20	-13.34	44.54	34.66	12.10	36.44	0.00	107 176 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	112.22	-----	-----	101.67	34.50	12.34	36.29	0.00	107 176 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.24</td><td>43.77</td><td>54.00</td><td>-10.23</td><td>33.44</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>107 176 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.24	43.77	54.00	-10.23	33.44	34.68	12.09	36.44	0.00	107 176 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>100.76</td><td>-----</td><td>-----</td><td>90.21</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>107 176 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	100.76	-----	-----	90.21	34.50	12.32	36.27	0.00	107 176 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.24	43.77	54.00	-10.23	33.44	34.68	12.09	36.44	0.00	107 176 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	100.76	-----	-----	90.21	34.50	12.32	36.27	0.00	107 176 AVERAGE																																																																																																			




Mode	44																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.44</td><td>57.37</td><td>68.20</td><td>-10.83</td><td>46.68</td><td>34.66</td><td>12.43</td><td>36.40</td><td>0.00</td><td>107</td><td>176 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.44	57.37	68.20	-10.83	46.68	34.66	12.43	36.40	0.00	107	176 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5730.44	57.37	68.20	-10.83	46.68	34.66	12.43	36.40	0.00	107	176 PEAK																																											







Mode	44																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																																																																								
ANT	CDD 6+7																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	53.81	74.00	-20.19	43.49	34.66	12.10	36.44	0.00	347	208	PEAK	2	5468.40	53.46	68.20	-14.74	43.17	34.63	12.11	36.45	0.00	347	208	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>104.40</td><td>-----</td><td>-----</td><td>93.85</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>347</td><td>208</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.40	-----	-----	93.85	34.50	12.33	36.28	0.00	347	208
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5459.60	53.81	74.00	-20.19	43.49	34.66	12.10	36.44	0.00	347	208	PEAK																																																																																													
2	5468.40	53.46	68.20	-14.74	43.17	34.63	12.11	36.45	0.00	347	208	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5610.00	104.40	-----	-----	93.85	34.50	12.33	36.28	0.00	347	208	PEAK																																																																																													
Avg																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	42.97	54.00	-11.03	32.65	34.67	12.09	36.44	0.00	347	208	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>95.68</td><td>-----</td><td>-----</td><td>85.13</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>347</td><td>208</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.68	-----	-----	85.13	34.50	12.34	36.29	0.00	347	208	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5456.40	42.97	54.00	-11.03	32.65	34.67	12.09	36.44	0.00	347	208	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5610.00	95.68	-----	-----	85.13	34.50	12.34	36.29	0.00	347	208	AVERAGE																																																																																													




Mode	44																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_RU484/66_5610MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.92</td><td>54.96</td><td>68.20</td><td>-13.24</td><td>44.26</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>347</td><td>200</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.92	54.96	68.20	-13.24	44.26	34.69	12.44	36.43	0.00	347	200	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5746.92	54.96	68.20	-13.24	44.26	34.69	12.44	36.43	0.00	347	200	PEAK																																												







		45																																																																	
Mode		Band Edge - L																																																																	
		U-NII-2C_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																																	
ANT		CDD 6+7																																																																	
Pol.		Horizontal					Fundamental																																																												
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5438.88</td><td>63.62</td><td>74.00</td><td>-10.38</td><td>53.30</td><td>34.68</td><td>12.07</td><td>36.43</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr><tr><td>2</td><td>5460.22</td><td>60.78</td><td>68.20</td><td>-7.42</td><td>50.46</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.88	63.62	74.00	-10.38	53.30	34.68	12.07	36.43	0.00	100	179 PEAK	2	5460.22	60.78	68.20	-7.42	50.46	34.66	12.10	36.44	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5438.88	63.62	74.00	-10.38	53.30	34.68	12.07	36.43	0.00	100	179 PEAK																																																								
2	5460.22	60.78	68.20	-7.42	50.46	34.66	12.10	36.44	0.00	100	179 PEAK																																																								
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.38</td><td>52.77</td><td>54.00</td><td>-1.23</td><td>42.44</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>179 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.38	52.77	54.00	-1.23	42.44	34.68	12.09	36.44	0.00	100	179 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5455.38	52.77	54.00	-1.23	42.44	34.68	12.09	36.44	0.00	100	179 AVERAGE																																																								
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>109.12</td><td>-----</td><td>-----</td><td>98.73</td><td>34.44</td><td>12.27</td><td>36.32</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	109.12	-----	-----	98.73	34.44	12.27	36.32	0.00	100	179 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5570.00	109.12	-----	-----	98.73	34.44	12.27	36.32	0.00	100	179 PEAK																																																								
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>96.18</td><td>-----</td><td>-----</td><td>85.79</td><td>34.44</td><td>12.27</td><td>36.32</td><td>0.00</td><td>100</td><td>179 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.18	-----	-----	85.79	34.44	12.27	36.32	0.00	100	179 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5570.00	96.18	-----	-----	85.79	34.44	12.27	36.32	0.00	100	179 AVERAGE																																																								




Mode	45																																																							
	Band Edge - R																																																							
	U-NII-2C_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.12</td><td>66.69</td><td>68.20</td><td>-1.51</td><td>56.01</td><td>34.67</td><td>12.43</td><td>36.42</td><td>0.00</td><td>100</td><td>179 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.12	66.69	68.20	-1.51	56.01	34.67	12.43	36.42	0.00	100	179 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5737.12	66.69	68.20	-1.51	56.01	34.67	12.43	36.42	0.00	100	179 PEAK																																													





Mode	45																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5419.08</td><td>60.00</td><td>74.00</td><td>-14.00</td><td>49.73</td><td>34.64</td><td>12.04</td><td>36.41</td><td>0.00</td><td>393</td><td>194 PEAK</td></tr><tr><td>2</td><td>5460.22</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>47.22</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>393</td><td>194 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5419.08	60.00	74.00	-14.00	49.73	34.64	12.04	36.41	0.00	393	194 PEAK	2	5460.22	57.54	68.20	-10.66	47.22	34.66	12.10	36.44	0.00	393	194 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>101.56</td><td>-----</td><td>-----</td><td>91.13</td><td>34.46</td><td>12.28</td><td>36.31</td><td>0.00</td><td>393</td><td>194 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.56	-----	-----	91.13	34.46	12.28	36.31	0.00	393	194 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5419.08	60.00	74.00	-14.00	49.73	34.64	12.04	36.41	0.00	393	194 PEAK																																																																																																						
2	5460.22	57.54	68.20	-10.66	47.22	34.66	12.10	36.44	0.00	393	194 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	101.56	-----	-----	91.13	34.46	12.28	36.31	0.00	393	194 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5420.62</td><td>49.21</td><td>54.00</td><td>-4.79</td><td>38.94</td><td>34.64</td><td>12.04</td><td>36.41</td><td>0.00</td><td>393</td><td>194 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5420.62	49.21	54.00	-4.79	38.94	34.64	12.04	36.41	0.00	393	194 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>91.84</td><td>-----</td><td>-----</td><td>81.41</td><td>34.46</td><td>12.28</td><td>36.31</td><td>0.00</td><td>393</td><td>194 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.84	-----	-----	81.41	34.46	12.28	36.31	0.00	393	194 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5420.62	49.21	54.00	-4.79	38.94	34.64	12.04	36.41	0.00	393	194 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	91.84	-----	-----	81.41	34.46	12.28	36.31	0.00	393	194 AVERAGE																																																																																																						





Mode	45																																																							
	Band Edge - R																																																							
	U-NII-2C_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.58</td><td>62.84</td><td>68.20</td><td>-5.36</td><td>52.15</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>393</td><td>194</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.58	62.84	68.20	-5.36	52.15	34.67	12.43	36.41	0.00	393	194	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.58	62.84	68.20	-5.36	52.15	34.67	12.43	36.41	0.00	393	194	PEAK																																												





		45																																																									
Mode		Harmonic																																																									
		U-NII-2C_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																									
ANT		CDD 6+7																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>43.00</td><td>74.00</td><td>-31.00</td><td>54.10</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	43.00	74.00	-31.00	54.10	37.90	17.62	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11140.00	43.00	74.00	-31.00	54.10	37.90	17.62	66.62	0.00	---	---	PEAK																																															
		Vertical																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>43.65</td><td>74.00</td><td>-30.35</td><td>54.75</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	43.65	74.00	-30.35	54.75	37.90	17.62	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11140.00	43.65	74.00	-30.35	54.75	37.90	17.62	66.62	0.00	---	---	PEAK																																															







Mode	45	
	18G-40G	
	U-NII-2C_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz	
ANT	CDD 6+7	
Pol.	Horizontal	Vertical
Peak Avg		




	45																																																																																																																		
Mode	18G-40G																																																																																																																		
	U-NII-2C_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																																																																																		
ANT	CDD 6+7																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.24</td><td>20.56</td><td>40.00</td><td>-19.44</td><td>27.41</td><td>24.75</td><td>0.47</td><td>32.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>51.70</td><td>18.05</td><td>40.00</td><td>-21.95</td><td>35.64</td><td>13.73</td><td>0.76</td><td>32.08</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>138.16</td><td>23.07</td><td>43.50</td><td>-20.43</td><td>35.99</td><td>17.48</td><td>1.63</td><td>32.03</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>186.90</td><td>22.53</td><td>43.50</td><td>-20.97</td><td>37.99</td><td>14.69</td><td>1.91</td><td>32.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>485.05</td><td>24.24</td><td>46.00</td><td>-21.76</td><td>29.68</td><td>23.70</td><td>3.10</td><td>32.24</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>751.56</td><td>27.79</td><td>46.00</td><td>-18.21</td><td>27.80</td><td>28.32</td><td>3.86</td><td>32.19</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.24	20.56	40.00	-19.44	27.41	24.75	0.47	32.07	0.00	---	Peak	2	51.70	18.05	40.00	-21.95	35.64	13.73	0.76	32.08	0.00	---	Peak	3	138.16	23.07	43.50	-20.43	35.99	17.48	1.63	32.03	0.00	---	Peak	4	186.90	22.53	43.50	-20.97	37.99	14.69	1.91	32.06	0.00	---	Peak	5	485.05	24.24	46.00	-21.76	29.68	23.70	3.10	32.24	0.00	---	Peak	6	751.56	27.79	46.00	-18.21	27.80	28.32	3.86	32.19	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	30.24	20.56	40.00	-19.44	27.41	24.75	0.47	32.07	0.00	---	Peak																																																																																																								
2	51.70	18.05	40.00	-21.95	35.64	13.73	0.76	32.08	0.00	---	Peak																																																																																																								
3	138.16	23.07	43.50	-20.43	35.99	17.48	1.63	32.03	0.00	---	Peak																																																																																																								
4	186.90	22.53	43.50	-20.97	37.99	14.69	1.91	32.06	0.00	---	Peak																																																																																																								
5	485.05	24.24	46.00	-21.76	29.68	23.70	3.10	32.24	0.00	---	Peak																																																																																																								
6	751.56	27.79	46.00	-18.21	27.80	28.32	3.86	32.19	0.00	---	Peak																																																																																																								
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>54.74</td><td>31.15</td><td>40.00</td><td>-8.85</td><td>49.64</td><td>12.75</td><td>0.81</td><td>32.05</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>82.50</td><td>23.17</td><td>40.00</td><td>-16.83</td><td>40.35</td><td>13.70</td><td>1.18</td><td>32.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>136.34</td><td>20.04</td><td>43.50</td><td>-23.46</td><td>32.94</td><td>17.51</td><td>1.62</td><td>32.03</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>183.75</td><td>19.24</td><td>43.50</td><td>-24.26</td><td>34.66</td><td>14.74</td><td>1.90</td><td>32.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>243.16</td><td>19.58</td><td>46.00</td><td>-26.42</td><td>31.70</td><td>17.75</td><td>2.18</td><td>32.05</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>713.12</td><td>32.17</td><td>46.00</td><td>-13.83</td><td>33.81</td><td>26.90</td><td>3.76</td><td>32.30</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	54.74	31.15	40.00	-8.85	49.64	12.75	0.81	32.05	0.00	---	Peak	2	82.50	23.17	40.00	-16.83	40.35	13.70	1.18	32.06	0.00	---	Peak	3	136.34	20.04	43.50	-23.46	32.94	17.51	1.62	32.03	0.00	---	Peak	4	183.75	19.24	43.50	-24.26	34.66	14.74	1.90	32.06	0.00	---	Peak	5	243.16	19.58	46.00	-26.42	31.70	17.75	2.18	32.05	0.00	---	Peak	6	713.12	32.17	46.00	-13.83	33.81	26.90	3.76	32.30	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	54.74	31.15	40.00	-8.85	49.64	12.75	0.81	32.05	0.00	---	Peak																																																																																																								
2	82.50	23.17	40.00	-16.83	40.35	13.70	1.18	32.06	0.00	---	Peak																																																																																																								
3	136.34	20.04	43.50	-23.46	32.94	17.51	1.62	32.03	0.00	---	Peak																																																																																																								
4	183.75	19.24	43.50	-24.26	34.66	14.74	1.90	32.06	0.00	---	Peak																																																																																																								
5	243.16	19.58	46.00	-26.42	31.70	17.75	2.18	32.05	0.00	---	Peak																																																																																																								
6	713.12	32.17	46.00	-13.83	33.81	26.90	3.76	32.30	0.00	---	Peak																																																																																																								







		46																																																						
Mode		Band Edge - L																																																						
		U-NII-2C_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz																																																						
ANT		CDD 6+7																																																						
Pol.		Horizontal					Fundamental																																																	
Peak																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.02	60.27	74.00	-13.73	49.93	34.69	12.08	36.43	0.00	100	171 PEAK	2	5463.96	60.49	68.20	-7.71	50.18	34.64	12.11	36.44	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5447.02	60.27	74.00	-13.73	49.93	34.69	12.08	36.43	0.00	100	171 PEAK																																													
2	5463.96	60.49	68.20	-7.71	50.18	34.64	12.11	36.44	0.00	100	171 PEAK																																													
Avg																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.92	49.74	54.00	-4.26	39.40	34.69	12.08	36.43	0.00	100	171 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5445.92	49.74	54.00	-4.26	39.40	34.69	12.08	36.43	0.00	100	171 AVERAGE																																													
Peak																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	106.54	-----	-----	96.28	34.40	12.23	36.37	0.00	100	171 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5570.00	106.54	-----	-----	96.28	34.40	12.23	36.37	0.00	100	171 PEAK																																													
Avg																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.26	-----	-----	86.00	34.40	12.23	36.37	0.00	100	171 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5570.00	96.26	-----	-----	86.00	34.40	12.23	36.37	0.00	100	171 AVERAGE																																													




Mode	46																																																					
	Band Edge - R																																																					
	U-NII-2C_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Horizontal							Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.14</td><td>55.53</td><td>68.20</td><td>-12.67</td><td>44.83</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>171 PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.14	55.53	68.20	-12.67	44.83	34.69	12.44	36.43	0.00	100	171 PEAK	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5744.14	55.53	68.20	-12.67	44.83	34.69	12.44	36.43	0.00	100	171 PEAK																																											





		46																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz																																																																																																					
ANT		CDD 6+7																																																																																																					
Pol.		Vertical					Fundamental																																																																																																
Peak																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.28	55.60	74.00	-18.40	45.30	34.66	12.06	36.42	0.00	399 188 PEAK	2	5460.22	53.84	68.20	-14.36	43.52	34.66	12.10	36.44	0.00	399 188 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>100.63</td><td>-----</td><td>-----</td><td>90.40</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>399 188 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.63	-----	-----	90.40	34.45	12.20	36.42	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5432.28	55.60	74.00	-18.40	45.30	34.66	12.06	36.42	0.00	399 188 PEAK																																																																																													
2	5460.22	53.84	68.20	-14.36	43.52	34.66	12.10	36.44	0.00	399 188 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5570.00	100.63	-----	-----	90.40	34.45	12.20	36.42	0.00	399 188 PEAK																																																																																													
Avg																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.02	44.92	54.00	-9.08	34.62	34.67	12.06	36.43	0.00	399 188 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>91.53</td><td>-----</td><td>-----</td><td>81.28</td><td>34.43</td><td>12.21</td><td>36.39</td><td>0.00</td><td>399 188 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.53	-----	-----	81.28	34.43	12.21	36.39	0.00	399 188 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5436.02	44.92	54.00	-9.08	34.62	34.67	12.06	36.43	0.00	399 188 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5570.00	91.53	-----	-----	81.28	34.43	12.21	36.39	0.00	399 188 AVERAGE																																																																																													





Mode	46																																																						
	Band Edge - R																																																						
	U-NII-2C_5.15-5.25_802.11be EHT160_CH114_RU996/67_5570MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.42</td><td>53.97</td><td>68.20</td><td>-14.23</td><td>43.30</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>399</td><td>188</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.42	53.97	68.20	-14.23	43.30	34.65	12.42	36.40	0.00	399	188	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5725.42	53.97	68.20	-14.23	43.30	34.65	12.42	36.40	0.00	399	188	PEAK																																											





Mode	47																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																			
ANT	CDD 6+7																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>58.23</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>150</td><td>0 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>36.52</td><td>54.00</td><td>-17.48</td><td>47.24</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>150</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.51	74.00	-26.49	58.23	38.04	17.83	66.59	0.00	150	0 PEAK	2	11440.00	36.52	54.00	-17.48	47.24	38.04	17.83	66.59	0.00	150	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>56.88</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.16	74.00	-27.84	56.88	38.04	17.83	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	11440.00	47.51	74.00	-26.49	58.23	38.04	17.83	66.59	0.00	150	0 PEAK																																																																																																									
2	11440.00	36.52	54.00	-17.48	47.24	38.04	17.83	66.59	0.00	150	0 AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	11440.00	46.16	74.00	-27.84	56.88	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																																								





Mode	48																																																							
	Harmonic																																																							
	U-NII-2C_5.47-5.85_802.11be EHT20_CH144_5720MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal																																																							
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>56.30</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.58	74.00	-28.42	56.30	38.04	17.83	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11440.00	45.58	74.00	-28.42	56.30	38.04	17.83	66.59	0.00	---	PEAK																																													
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>57.51</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	46.79	74.00	-27.21	57.51	38.04	17.83	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11440.00	46.79	74.00	-27.21	57.51	38.04	17.83	66.59	0.00	---	PEAK																																													






Mode	49																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.85_802.11be EHT40_CH142_5710MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.98</td><td>74.00</td><td>-29.02</td><td>55.74</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	44.98	74.00	-29.02	55.74	38.02	17.81	66.59	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>56.13</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.37	74.00	-28.63	56.13	38.02	17.81	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11420.00	44.98	74.00	-29.02	55.74	38.02	17.81	66.59	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11420.00	45.37	74.00	-28.63	56.13	38.02	17.81	66.59	0.00	---	PEAK																																																																																											



Mode	50																																																																																																							
	Harmonic																																																																																																							
	U-NII-2C_5.47-5.85_802.11be EHT80_CH138_5690MHz																																																																																																							
ANT	CDD 6+7																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>43.49</td><td>74.00</td><td>-30.51</td><td>54.31</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	43.49	74.00	-30.51	54.31	37.98	17.79	66.59	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>54.84</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	44.02	74.00	-29.98	54.84	37.98	17.79	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11380.00	43.49	74.00	-30.51	54.31	37.98	17.79	66.59	0.00	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11380.00	44.02	74.00	-29.98	54.84	37.98	17.79	66.59	0.00	---	PEAK																																																																																													





		51																																																																																										
Mode	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.00</td><td>53.36</td><td>68.20</td><td>-14.84</td><td>42.81</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.50</td><td>68.20</td><td>-16.70</td><td>40.96</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>3</td><td>5706.00</td><td>53.70</td><td>106.98</td><td>-53.28</td><td>43.04</td><td>34.61</td><td>12.41</td><td>36.36</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.78</td><td>110.90</td><td>-58.12</td><td>42.11</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.00	53.36	68.20	-14.84	42.81	34.50	12.35	36.30	0.00	100	182 PEAK	2	5650.00	51.50	68.20	-16.70	40.96	34.50	12.35	36.31	0.00	100	182 PEAK	3	5706.00	53.70	106.98	-53.28	43.04	34.61	12.41	36.36	0.00	100	182 PEAK	4	5720.00	52.78	110.90	-58.12	42.11	34.64	12.42	36.39	0.00	100	182 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5648.00	53.36	68.20	-14.84	42.81	34.50	12.35	36.30	0.00	100	182 PEAK																																																																																	
2	5650.00	51.50	68.20	-16.70	40.96	34.50	12.35	36.31	0.00	100	182 PEAK																																																																																	
3	5706.00	53.70	106.98	-53.28	43.04	34.61	12.41	36.36	0.00	100	182 PEAK																																																																																	
4	5720.00	52.78	110.90	-58.12	42.11	34.64	12.42	36.39	0.00	100	182 PEAK																																																																																	
Fundamental																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.09</td><td>-----</td><td>-----</td><td>102.39</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.09	-----	-----	102.39	34.69	12.44	36.43	0.00	100	182 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	113.09	-----	-----	102.39	34.69	12.44	36.43	0.00	100	182 PEAK																																																																																	
Avg																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.09</td><td>-----</td><td>-----</td><td>94.39</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>182 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.09	-----	-----	94.39	34.69	12.44	36.43	0.00	100	182 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	105.09	-----	-----	94.39	34.69	12.44	36.43	0.00	100	182 AVERAGE																																																																																	






		51																																																																																										
Mode	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Vertical																																																																																											
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.00</td><td>53.62</td><td>68.20</td><td>-14.58</td><td>43.07</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>350</td><td>196 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>51.04</td><td>68.50</td><td>-17.46</td><td>40.49</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>350</td><td>196 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>50.74</td><td>105.30</td><td>-54.56</td><td>40.09</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>350</td><td>196 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>52.00</td><td>111.81</td><td>-59.81</td><td>41.33</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>350</td><td>196 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.00	53.62	68.20	-14.58	43.07	34.50	12.35	36.30	0.00	350	196 PEAK	2	5650.40	51.04	68.50	-17.46	40.49	34.50	12.36	36.31	0.00	350	196 PEAK	3	5700.00	50.74	105.30	-54.56	40.09	34.60	12.40	36.35	0.00	350	196 PEAK	4	5720.40	52.00	111.81	-59.81	41.33	34.64	12.42	36.39	0.00	350	196 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
	1	5646.00	53.62	68.20	-14.58	43.07	34.50	12.35	36.30	0.00	350	196 PEAK																																																																																
2	5650.40	51.04	68.50	-17.46	40.49	34.50	12.36	36.31	0.00	350	196 PEAK																																																																																	
3	5700.00	50.74	105.30	-54.56	40.09	34.60	12.40	36.35	0.00	350	196 PEAK																																																																																	
4	5720.40	52.00	111.81	-59.81	41.33	34.64	12.42	36.39	0.00	350	196 PEAK																																																																																	
Fundamental	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.58</td><td>-----</td><td>-----</td><td>96.88</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>350</td><td>196 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.58	-----	-----	96.88	34.69	12.44	36.43	0.00	350	196 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
	1	5745.00	107.58	-----	-----	96.88	34.69	12.44	36.43	0.00	350	196 PEAK																																																																																
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.21</td><td>-----</td><td>-----</td><td>89.51</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>350</td><td>196 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.21	-----	-----	89.51	34.69	12.44	36.43	0.00	350	196 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
	1	5745.00	100.21	-----	-----	89.51	34.69	12.44	36.43	0.00	350	196 AVERAGE																																																																																




Mode	51																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.95</td><td>74.00</td><td>-29.05</td><td>55.58</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.95	74.00	-29.05	55.58	38.09	17.86	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>57.38</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.75	74.00	-27.25	57.38	38.09	17.86	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	44.95	74.00	-29.05	55.58	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	46.75	74.00	-27.25	57.38	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														






Mode	52																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.60</td><td>53.80</td><td>68.20</td><td>-14.40</td><td>43.25</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.52</td><td>68.20</td><td>-17.68</td><td>39.98</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr><tr><td>3</td><td>5707.20</td><td>53.92</td><td>107.32</td><td>-53.40</td><td>43.26</td><td>34.61</td><td>12.41</td><td>36.36</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>54.38</td><td>112.72</td><td>-58.34</td><td>43.71</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.60	53.80	68.20	-14.40	43.25	34.50	12.35	36.30	0.00	100	183 PEAK	2	5650.00	50.52	68.20	-17.68	39.98	34.50	12.35	36.31	0.00	100	183 PEAK	3	5707.20	53.92	107.32	-53.40	43.26	34.61	12.41	36.36	0.00	100	183 PEAK	4	5720.80	54.38	112.72	-58.34	43.71	34.64	12.42	36.39	0.00	100	183 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>111.66</td><td>-----</td><td>-----</td><td>100.76</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	111.66	-----	-----	100.76	34.93	12.48	36.51	0.00	100	183 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5639.60	53.80	68.20	-14.40	43.25	34.50	12.35	36.30	0.00	100	183 PEAK																																																																																																																														
2	5650.00	50.52	68.20	-17.68	39.98	34.50	12.35	36.31	0.00	100	183 PEAK																																																																																																																														
3	5707.20	53.92	107.32	-53.40	43.26	34.61	12.41	36.36	0.00	100	183 PEAK																																																																																																																														
4	5720.80	54.38	112.72	-58.34	43.71	34.64	12.42	36.39	0.00	100	183 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5785.00	111.66	-----	-----	100.76	34.93	12.48	36.51	0.00	100	183 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>104.17</td><td>-----</td><td>-----</td><td>93.27</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>100</td><td>183 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	104.17	-----	-----	93.27	34.93	12.48	36.51	0.00	100	183 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5785.00	104.17	-----	-----	93.27	34.93	12.48	36.51	0.00	100	183 AVERAGE																																																																																																																														




Mode	52																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.00</td><td>52.83</td><td>111.36</td><td>-58.53</td><td>41.78</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>54.88</td><td>106.36</td><td>-51.48</td><td>43.77</td><td>35.18</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.25</td><td>68.64</td><td>-16.39</td><td>41.11</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr><tr><td>4</td><td>5956.00</td><td>53.99</td><td>68.20</td><td>-14.21</td><td>42.95</td><td>35.30</td><td>12.70</td><td>36.96</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.00	52.83	111.36	-58.53	41.78	35.12	12.56	36.63	0.00	100	183 PEAK	2	5871.20	54.88	106.36	-51.48	43.77	35.18	12.59	36.66	0.00	100	183 PEAK	3	5924.40	52.25	68.64	-16.39	41.11	35.30	12.66	36.82	0.00	100	183 PEAK	4	5956.00	53.99	68.20	-14.21	42.95	35.30	12.70	36.96	0.00	100	183 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	5854.00	52.83	111.36	-58.53	41.78	35.12	12.56	36.63	0.00	100	183 PEAK																																																																																	
2	5871.20	54.88	106.36	-51.48	43.77	35.18	12.59	36.66	0.00	100	183 PEAK																																																																																	
3	5924.40	52.25	68.64	-16.39	41.11	35.30	12.66	36.82	0.00	100	183 PEAK																																																																																	
4	5956.00	53.99	68.20	-14.21	42.95	35.30	12.70	36.96	0.00	100	183 PEAK																																																																																	





Mode	52																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5648.00</td><td>52.58</td><td>68.20</td><td>-15.62</td><td>42.03</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>381</td><td>353 PEAK</td></tr><tr><td>2 5651.60</td><td>51.07</td><td>69.39</td><td>-18.32</td><td>40.52</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>381</td><td>353 PEAK</td></tr><tr><td>3 5781.20</td><td>51.07</td><td>105.64</td><td>-54.57</td><td>40.42</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>381</td><td>353 PEAK</td></tr><tr><td>4 5720.40</td><td>50.29</td><td>111.81</td><td>-61.52</td><td>39.62</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>381</td><td>353 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5648.00	52.58	68.20	-15.62	42.03	34.50	12.35	36.30	0.00	381	353 PEAK	2 5651.60	51.07	69.39	-18.32	40.52	34.50	12.36	36.31	0.00	381	353 PEAK	3 5781.20	51.07	105.64	-54.57	40.42	34.60	12.40	36.35	0.00	381	353 PEAK	4 5720.40	50.29	111.81	-61.52	39.62	34.64	12.42	36.39	0.00	381	353 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>106.84</td><td>-----</td><td>-----</td><td>95.92</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>381</td><td>353 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	106.84	-----	-----	95.92	34.96	12.48	36.52	0.00	381	353 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5648.00	52.58	68.20	-15.62	42.03	34.50	12.35	36.30	0.00	381	353 PEAK																																																																																																																										
2 5651.60	51.07	69.39	-18.32	40.52	34.50	12.36	36.31	0.00	381	353 PEAK																																																																																																																										
3 5781.20	51.07	105.64	-54.57	40.42	34.60	12.40	36.35	0.00	381	353 PEAK																																																																																																																										
4 5720.40	50.29	111.81	-61.52	39.62	34.64	12.42	36.39	0.00	381	353 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	106.84	-----	-----	95.92	34.96	12.48	36.52	0.00	381	353 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>98.15</td><td>-----</td><td>-----</td><td>87.25</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>381</td><td>353 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	98.15	-----	-----	87.25	34.93	12.48	36.51	0.00	381	353 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	98.15	-----	-----	87.25	34.93	12.48	36.51	0.00	381	353 AVERAGE																																																																																																																										






Mode	52																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5853.60</td><td>51.50</td><td>114.09</td><td>-62.59</td><td>40.46</td><td>35.11</td><td>12.56</td><td>36.63</td><td>0.00</td><td>381</td><td>353 PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>51.14</td><td>105.36</td><td>-54.22</td><td>40.01</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>381</td><td>353 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.24</td><td>68.64</td><td>-14.40</td><td>43.10</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>381</td><td>353 PEAK</td></tr><tr><td>4</td><td>5958.80</td><td>53.21</td><td>68.20</td><td>-14.99</td><td>42.18</td><td>35.30</td><td>12.70</td><td>36.97</td><td>0.00</td><td>381</td><td>353 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5853.60	51.50	114.09	-62.59	40.46	35.11	12.56	36.63	0.00	381	353 PEAK	2	5874.80	51.14	105.36	-54.22	40.01	35.20	12.59	36.66	0.00	381	353 PEAK	3	5924.40	54.24	68.64	-14.40	43.10	35.30	12.66	36.82	0.00	381	353 PEAK	4	5958.80	53.21	68.20	-14.99	42.18	35.30	12.70	36.97	0.00	381	353 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	5853.60	51.50	114.09	-62.59	40.46	35.11	12.56	36.63	0.00	381	353 PEAK																																																																								
2	5874.80	51.14	105.36	-54.22	40.01	35.20	12.59	36.66	0.00	381	353 PEAK																																																																								
3	5924.40	54.24	68.64	-14.40	43.10	35.30	12.66	36.82	0.00	381	353 PEAK																																																																								
4	5958.80	53.21	68.20	-14.99	42.18	35.30	12.70	36.97	0.00	381	353 PEAK																																																																								



Mode	52																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																						
ANT	CDD 6+7																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>55.87</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.43	74.00	-28.57	55.87	38.17	17.92	66.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.15</td><td>74.00</td><td>-26.85</td><td>57.59</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.25</td><td>54.00</td><td>-16.75</td><td>47.69</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	47.15	74.00	-26.85	57.59	38.17	17.92	66.53	0.00	100	360	PEAK	2	11570.00	37.25	54.00	-16.75	47.69	38.17	17.92	66.53	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11570.00	45.43	74.00	-28.57	55.87	38.17	17.92	66.53	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11570.00	47.15	74.00	-26.85	57.59	38.17	17.92	66.53	0.00	100	360	PEAK																																																																																																											
2	11570.00	37.25	54.00	-16.75	47.69	38.17	17.92	66.53	0.00	100	360	AVERAGE																																																																																																											





Mode	53																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>55.09</td><td>111.36</td><td>-56.27</td><td>44.04</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>53.06</td><td>106.25</td><td>-53.19</td><td>41.94</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>52.40</td><td>68.35</td><td>-15.95</td><td>41.26</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr><tr><td>4</td><td>5955.20</td><td>53.57</td><td>68.20</td><td>-14.63</td><td>42.53</td><td>35.30</td><td>12.70</td><td>36.96</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.09	111.36	-56.27	44.04	35.12	12.56	36.63	0.00	100	183 PEAK	2	5871.60	53.06	106.25	-53.19	41.94	35.19	12.59	36.66	0.00	100	183 PEAK	3	5924.80	52.40	68.35	-15.95	41.26	35.30	12.66	36.82	0.00	100	183 PEAK	4	5955.20	53.57	68.20	-14.63	42.53	35.30	12.70	36.96	0.00	100	183 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.87</td><td>-----</td><td>-----</td><td>101.87</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.87	-----	-----	101.87	35.05	12.52	36.57	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.00	55.09	111.36	-56.27	44.04	35.12	12.56	36.63	0.00	100	183 PEAK																																																																																																																														
2	5871.60	53.06	106.25	-53.19	41.94	35.19	12.59	36.66	0.00	100	183 PEAK																																																																																																																														
3	5924.80	52.40	68.35	-15.95	41.26	35.30	12.66	36.82	0.00	100	183 PEAK																																																																																																																														
4	5955.20	53.57	68.20	-14.63	42.53	35.30	12.70	36.96	0.00	100	183 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	112.87	-----	-----	101.87	35.05	12.52	36.57	0.00	100	183 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.12</td><td>-----</td><td>-----</td><td>93.12</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>183 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.12	-----	-----	93.12	35.05	12.52	36.57	0.00	100	183 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	104.12	-----	-----	93.12	35.05	12.52	36.57	0.00	100	183 AVERAGE																																																																																																																														





	53																																																																																																																																			
Mode	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>50.54</td><td>111.36</td><td>-60.82</td><td>39.49</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>321 188 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>51.54</td><td>105.58</td><td>-54.04</td><td>40.41</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>321 188 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.23</td><td>68.35</td><td>-16.12</td><td>41.09</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>321 188 PEAK</td></tr><tr><td>4</td><td>5958.00</td><td>53.16</td><td>68.20</td><td>-15.04</td><td>42.13</td><td>35.30</td><td>12.70</td><td>36.97</td><td>0.00</td><td>321 188 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	50.54	111.36	-60.82	39.49	35.12	12.56	36.63	0.00	321 188 PEAK	2	5874.00	51.54	105.58	-54.04	40.41	35.20	12.59	36.66	0.00	321 188 PEAK	3	5924.00	52.23	68.35	-16.12	41.09	35.30	12.66	36.82	0.00	321 188 PEAK	4	5958.00	53.16	68.20	-15.04	42.13	35.30	12.70	36.97	0.00	321 188 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.68</td><td>-----</td><td>-----</td><td>96.67</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>321 188 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.68	-----	-----	96.67	35.06	12.53	36.58	0.00	321 188 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5854.00	50.54	111.36	-60.82	39.49	35.12	12.56	36.63	0.00	321 188 PEAK																																																																																																																										
2	5874.00	51.54	105.58	-54.04	40.41	35.20	12.59	36.66	0.00	321 188 PEAK																																																																																																																										
3	5924.00	52.23	68.35	-16.12	41.09	35.30	12.66	36.82	0.00	321 188 PEAK																																																																																																																										
4	5958.00	53.16	68.20	-15.04	42.13	35.30	12.70	36.97	0.00	321 188 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	107.68	-----	-----	96.67	35.06	12.53	36.58	0.00	321 188 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.72</td><td>-----</td><td>-----</td><td>87.72</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>321 188 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.72	-----	-----	87.72	35.05	12.52	36.57	0.00	321 188 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5825.00	98.72	-----	-----	87.72	35.05	12.52	36.57	0.00	321 188 AVERAGE																																																																																																																										



Mode	53																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																						
ANT	CDD 6+7																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>56.99</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.80	74.00	-27.20	56.99	38.30	17.98	66.47	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>58.99</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>37.93</td><td>54.00</td><td>-16.07</td><td>48.11</td><td>38.31</td><td>17.98</td><td>66.47</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	48.80	74.00	-25.20	58.99	38.30	17.98	66.47	0.00	100	360	PEAK	2	11650.00	37.93	54.00	-16.07	48.11	38.31	17.98	66.47	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11650.00	46.80	74.00	-27.20	56.99	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11650.00	48.80	74.00	-25.20	58.99	38.30	17.98	66.47	0.00	100	360	PEAK																																																																																																											
2	11650.00	37.93	54.00	-16.07	48.11	38.31	17.98	66.47	0.00	100	360	AVERAGE																																																																																																											






Mode	54																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>55.55</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.92	74.00	-29.08	55.55	38.09	17.86	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>56.89</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.26	74.00	-27.74	56.89	38.09	17.86	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	44.92	74.00	-29.08	55.55	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	46.26	74.00	-27.74	56.89	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														






Mode	55																																																																																																																															
	Band Edge																																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_RU106/53_5745MHz																																																																																																																															
ANT	CDD 6+7																																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																																														
Peak	Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue signal line. The signal line has peaks at 5644.80, 5658.80, 5702.80, and 5720.00 MHz. The limit line is at 65.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.80</td><td>54.64</td><td>68.20</td><td>-13.56</td><td>44.09</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr><tr><td>2</td><td>5658.80</td><td>53.41</td><td>68.80</td><td>-15.39</td><td>42.86</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr><tr><td>3</td><td>5702.80</td><td>55.69</td><td>106.09</td><td>-50.40</td><td>45.04</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.12</td><td>110.90</td><td>-56.78</td><td>43.45</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.80	54.64	68.20	-13.56	44.09	34.50	12.35	36.30	0.00	100	174 PEAK	2	5658.80	53.41	68.80	-15.39	42.86	34.50	12.36	36.31	0.00	100	174 PEAK	3	5702.80	55.69	106.09	-50.40	45.04	34.61	12.40	36.36	0.00	100	174 PEAK	4	5720.00	54.12	110.90	-56.78	43.45	34.64	12.42	36.39	0.00	100	174 PEAK	Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. The signal line has a peak at 5745.00 MHz. The limit line is at 65.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.24</td><td>-----</td><td>-----</td><td>103.54</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.24	-----	-----	103.54	34.68	12.44	36.42	0.00	100	174 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5644.80	54.64	68.20	-13.56	44.09	34.50	12.35	36.30	0.00	100	174 PEAK																																																																																																																					
2	5658.80	53.41	68.80	-15.39	42.86	34.50	12.36	36.31	0.00	100	174 PEAK																																																																																																																					
3	5702.80	55.69	106.09	-50.40	45.04	34.61	12.40	36.36	0.00	100	174 PEAK																																																																																																																					
4	5720.00	54.12	110.90	-56.78	43.45	34.64	12.42	36.39	0.00	100	174 PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5745.00	114.24	-----	-----	103.54	34.68	12.44	36.42	0.00	100	174 PEAK																																																																																																																					
Avg	Blank	Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. The signal line has an average peak at 5745.00 MHz. The limit line is at 65.0 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.95</td><td>-----</td><td>-----</td><td>95.25</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>174 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.95	-----	-----	95.25	34.68	12.44	36.42	0.00	100	174 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																						
1	5745.00	105.95	-----	-----	95.25	34.68	12.44	36.42	0.00	100	174 AVERAGE																																																																																																																					




Mode	55																																																																																																																																												
	Band Edge																																																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_RU106/53_5745MHz																																																																																																																																												
ANT	CDD 6+7																																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																																						
Peak																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.40</td><td>54.38</td><td>68.20</td><td>-13.82</td><td>43.83</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>371</td><td>192</td><td>PEAK</td></tr><tr><td>2</td><td>5654.00</td><td>55.91</td><td>71.18</td><td>-15.27</td><td>45.35</td><td>34.51</td><td>12.36</td><td>36.31</td><td>0.00</td><td>371</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>53.60</td><td>105.64</td><td>-52.04</td><td>42.95</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>371</td><td>192</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.11</td><td>110.90</td><td>-56.79</td><td>43.44</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>371</td><td>192</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5638.40	54.38	68.20	-13.82	43.83	34.50	12.34	36.29	0.00	371	192	PEAK	2	5654.00	55.91	71.18	-15.27	45.35	34.51	12.36	36.31	0.00	371	192	PEAK	3	5701.20	53.60	105.64	-52.04	42.95	34.60	12.40	36.35	0.00	371	192	PEAK	4	5720.00	54.11	110.90	-56.79	43.44	34.64	12.42	36.39	0.00	371	192	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.23</td><td>-----</td><td>-----</td><td>99.53</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>371</td><td>192</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.23	-----	-----	99.53	34.68	12.44	36.42	0.00	371	192
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5638.40	54.38	68.20	-13.82	43.83	34.50	12.34	36.29	0.00	371	192	PEAK																																																																																																																																	
2	5654.00	55.91	71.18	-15.27	45.35	34.51	12.36	36.31	0.00	371	192	PEAK																																																																																																																																	
3	5701.20	53.60	105.64	-52.04	42.95	34.60	12.40	36.35	0.00	371	192	PEAK																																																																																																																																	
4	5720.00	54.11	110.90	-56.79	43.44	34.64	12.42	36.39	0.00	371	192	PEAK																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5745.00	110.23	-----	-----	99.53	34.68	12.44	36.42	0.00	371	192	PEAK																																																																																																																																	
Avg	Blank																																																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.49</td><td>-----</td><td>-----</td><td>90.80</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>371</td><td>192</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.49	-----	-----	90.80	34.67	12.43	36.41	0.00	371	192	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5745.00	101.49	-----	-----	90.80	34.67	12.43	36.41	0.00	371	192	AVERAGE																																																																																																																																	






Mode	56																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																													
ANT	CDD 6+7																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue signal line. A sharp peak is visible at 5785 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5686.40</td><td>54.02</td><td>68.20</td><td>-14.18</td><td>43.47</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>100</td><td>189 PEAK</td></tr><tr><td>2 5650.40</td><td>52.60</td><td>68.50</td><td>-15.90</td><td>42.05</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>189 PEAK</td></tr><tr><td>3 5704.00</td><td>54.04</td><td>106.42</td><td>-52.38</td><td>43.39</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>100</td><td>189 PEAK</td></tr><tr><td>4 5720.00</td><td>52.13</td><td>110.90</td><td>-58.77</td><td>41.46</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>189 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5686.40	54.02	68.20	-14.18	43.47	34.50	12.32	36.27	0.00	100	189 PEAK	2 5650.40	52.60	68.50	-15.90	42.05	34.50	12.36	36.31	0.00	100	189 PEAK	3 5704.00	54.04	106.42	-52.38	43.39	34.61	12.40	36.36	0.00	100	189 PEAK	4 5720.00	52.13	110.90	-58.77	41.46	34.64	12.42	36.39	0.00	100	189 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A sharp peak is visible at 5785 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>111.81</td><td>-----</td><td>-----</td><td>100.91</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>100</td><td>189 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5785.00	111.81	-----	-----	100.91	34.93	12.48	36.51	0.00	100	189 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5686.40	54.02	68.20	-14.18	43.47	34.50	12.32	36.27	0.00	100	189 PEAK																																																																																																				
2 5650.40	52.60	68.50	-15.90	42.05	34.50	12.36	36.31	0.00	100	189 PEAK																																																																																																				
3 5704.00	54.04	106.42	-52.38	43.39	34.61	12.40	36.36	0.00	100	189 PEAK																																																																																																				
4 5720.00	52.13	110.90	-58.77	41.46	34.64	12.42	36.39	0.00	100	189 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5785.00	111.81	-----	-----	100.91	34.93	12.48	36.51	0.00	100	189 PEAK																																																																																																				
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A sharp peak is visible at 5785 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>103.70</td><td>-----</td><td>-----</td><td>92.80</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>100</td><td>189 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5785.00	103.70	-----	-----	92.80	34.93	12.48	36.51	0.00	100	189 AVERAGE																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5785.00	103.70	-----	-----	92.80	34.93	12.48	36.51	0.00	100	189 AVERAGE																																																																																																				




Mode	56																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>54.91</td><td>112.27</td><td>-57.36</td><td>43.06</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>189</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>54.44</td><td>105.58</td><td>-51.14</td><td>43.31</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>189</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.58</td><td>69.23</td><td>-13.65</td><td>44.44</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>189</td><td>PEAK</td></tr><tr><td>4</td><td>5928.00</td><td>56.22</td><td>68.20</td><td>-11.98</td><td>45.10</td><td>35.30</td><td>12.66</td><td>36.84</td><td>0.00</td><td>100</td><td>189</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	54.91	112.27	-57.36	43.06	35.12	12.56	36.63	0.00	100	189	PEAK	2	5874.00	54.44	105.58	-51.14	43.31	35.20	12.59	36.66	0.00	100	189	PEAK	3	5923.60	55.58	69.23	-13.65	44.44	35.30	12.66	36.82	0.00	100	189	PEAK	4	5928.00	56.22	68.20	-11.98	45.10	35.30	12.66	36.84	0.00	100	189	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.40	54.91	112.27	-57.36	43.06	35.12	12.56	36.63	0.00	100	189	PEAK																																																																																				
2	5874.00	54.44	105.58	-51.14	43.31	35.20	12.59	36.66	0.00	100	189	PEAK																																																																																				
3	5923.60	55.58	69.23	-13.65	44.44	35.30	12.66	36.82	0.00	100	189	PEAK																																																																																				
4	5928.00	56.22	68.20	-11.98	45.10	35.30	12.66	36.84	0.00	100	189	PEAK																																																																																				





Mode	56																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5633.60</td><td>54.37</td><td>68.20</td><td>-13.83</td><td>43.82</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>2 5658.80</td><td>50.77</td><td>68.80</td><td>-18.03</td><td>40.22</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>3 5782.00</td><td>54.37</td><td>105.86</td><td>-51.49</td><td>43.72</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>4 5720.00</td><td>51.53</td><td>110.90</td><td>-59.37</td><td>40.86</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5633.60	54.37	68.20	-13.83	43.82	34.50	12.34	36.29	0.00	100	78 PEAK	2 5658.80	50.77	68.80	-18.03	40.22	34.50	12.36	36.31	0.00	100	78 PEAK	3 5782.00	54.37	105.86	-51.49	43.72	34.60	12.40	36.35	0.00	100	78 PEAK	4 5720.00	51.53	110.90	-59.37	40.86	34.64	12.42	36.39	0.00	100	78 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>105.22</td><td>-----</td><td>-----</td><td>94.32</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	105.22	-----	-----	94.32	34.93	12.48	36.51	0.00	100	78 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5633.60	54.37	68.20	-13.83	43.82	34.50	12.34	36.29	0.00	100	78 PEAK																																																																																																																										
2 5658.80	50.77	68.80	-18.03	40.22	34.50	12.36	36.31	0.00	100	78 PEAK																																																																																																																										
3 5782.00	54.37	105.86	-51.49	43.72	34.60	12.40	36.35	0.00	100	78 PEAK																																																																																																																										
4 5720.00	51.53	110.90	-59.37	40.86	34.64	12.42	36.39	0.00	100	78 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	105.22	-----	-----	94.32	34.93	12.48	36.51	0.00	100	78 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>96.84</td><td>-----</td><td>-----</td><td>85.98</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>100</td><td>78 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	96.84	-----	-----	85.98	34.89	12.47	36.50	0.00	100	78 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	96.84	-----	-----	85.98	34.89	12.47	36.50	0.00	100	78 AVERAGE																																																																																																																										






Mode	56																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>54.31</td><td>114.09</td><td>-59.78</td><td>43.27</td><td>35.11</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>52.77</td><td>105.47</td><td>-52.70</td><td>41.64</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.58</td><td>68.35</td><td>-12.77</td><td>44.44</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr><tr><td>4</td><td>5949.20</td><td>55.39</td><td>68.20</td><td>-12.81</td><td>44.33</td><td>35.30</td><td>12.69</td><td>36.93</td><td>0.00</td><td>100</td><td>78 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	54.31	114.09	-59.78	43.27	35.11	12.56	36.63	0.00	100	78 PEAK	2	5874.40	52.77	105.47	-52.70	41.64	35.20	12.59	36.66	0.00	100	78 PEAK	3	5924.80	55.58	68.35	-12.77	44.44	35.30	12.66	36.82	0.00	100	78 PEAK	4	5949.20	55.39	68.20	-12.81	44.33	35.30	12.69	36.93	0.00	100	78 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	5853.60	54.31	114.09	-59.78	43.27	35.11	12.56	36.63	0.00	100	78 PEAK																																																																								
2	5874.40	52.77	105.47	-52.70	41.64	35.20	12.59	36.66	0.00	100	78 PEAK																																																																								
3	5924.80	55.58	68.35	-12.77	44.44	35.30	12.66	36.82	0.00	100	78 PEAK																																																																								
4	5949.20	55.39	68.20	-12.81	44.33	35.30	12.69	36.93	0.00	100	78 PEAK																																																																								






Mode	56																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																								
ANT	CDD 6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>56.59</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.15	74.00	-27.85	56.59	38.17	17.92	66.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.48</td><td>74.00</td><td>-27.52</td><td>56.92</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.48	74.00	-27.52	56.92	38.17	17.92	66.53	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11570.00	46.15	74.00	-27.85	56.59	38.17	17.92	66.53	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11570.00	46.48	74.00	-27.52	56.92	38.17	17.92	66.53	0.00	---	---	PEAK																																																																																													





Mode	57																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																									
ANT	CDD 6+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>54.73</td><td>112.27</td><td>-57.54</td><td>43.68</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>110</td><td>175 PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>56.63</td><td>106.70</td><td>-50.07</td><td>45.53</td><td>35.18</td><td>12.58</td><td>36.66</td><td>0.00</td><td>110</td><td>175 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.54</td><td>69.53</td><td>-13.99</td><td>44.39</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>110</td><td>175 PEAK</td></tr><tr><td>4</td><td>5936.80</td><td>55.35</td><td>68.20</td><td>-12.85</td><td>44.26</td><td>35.30</td><td>12.67</td><td>36.88</td><td>0.00</td><td>110</td><td>175 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	54.73	112.27	-57.54	43.68	35.12	12.56	36.63	0.00	110	175 PEAK	2	5870.00	56.63	106.70	-50.07	45.53	35.18	12.58	36.66	0.00	110	175 PEAK	3	5923.20	55.54	69.53	-13.99	44.39	35.30	12.66	36.81	0.00	110	175 PEAK	4	5936.80	55.35	68.20	-12.85	44.26	35.30	12.67	36.88	0.00	110	175 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.90</td><td>-----</td><td>-----</td><td>101.90</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>110</td><td>175 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	112.90	-----	-----	101.90	35.05	12.52	36.57	0.00	110	175 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5854.40	54.73	112.27	-57.54	43.68	35.12	12.56	36.63	0.00	110	175 PEAK																																																																																																																															
2	5870.00	56.63	106.70	-50.07	45.53	35.18	12.58	36.66	0.00	110	175 PEAK																																																																																																																															
3	5923.20	55.54	69.53	-13.99	44.39	35.30	12.66	36.81	0.00	110	175 PEAK																																																																																																																															
4	5936.80	55.35	68.20	-12.85	44.26	35.30	12.67	36.88	0.00	110	175 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	112.90	-----	-----	101.90	35.05	12.52	36.57	0.00	110	175 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.53</td><td>-----</td><td>-----</td><td>92.53</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>110</td><td>175 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.53	-----	-----	92.53	35.05	12.52	36.57	0.00	110	175 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	103.53	-----	-----	92.53	35.05	12.52	36.57	0.00	110	175 AVERAGE																																																																																																																															






Mode	57																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>52.69</td><td>111.36</td><td>-58.67</td><td>41.64</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>352</td><td>187 PEAK</td></tr><tr><td>2 5878.80</td><td>55.21</td><td>106.47</td><td>-51.26</td><td>44.10</td><td>35.18</td><td>12.59</td><td>36.66</td><td>0.00</td><td>352</td><td>187 PEAK</td></tr><tr><td>3 5923.20</td><td>54.32</td><td>69.53</td><td>-15.21</td><td>43.17</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>352</td><td>187 PEAK</td></tr><tr><td>4 5941.20</td><td>55.17</td><td>68.20</td><td>-13.03</td><td>44.09</td><td>35.30</td><td>12.68</td><td>36.90</td><td>0.00</td><td>352</td><td>187 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	52.69	111.36	-58.67	41.64	35.12	12.56	36.63	0.00	352	187 PEAK	2 5878.80	55.21	106.47	-51.26	44.10	35.18	12.59	36.66	0.00	352	187 PEAK	3 5923.20	54.32	69.53	-15.21	43.17	35.30	12.66	36.81	0.00	352	187 PEAK	4 5941.20	55.17	68.20	-13.03	44.09	35.30	12.68	36.90	0.00	352	187 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.64</td><td>-----</td><td>-----</td><td>96.64</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>352</td><td>187 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.64	-----	-----	96.64	35.05	12.52	36.57	0.00	352	187 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	52.69	111.36	-58.67	41.64	35.12	12.56	36.63	0.00	352	187 PEAK																																																																																																																										
2 5878.80	55.21	106.47	-51.26	44.10	35.18	12.59	36.66	0.00	352	187 PEAK																																																																																																																										
3 5923.20	54.32	69.53	-15.21	43.17	35.30	12.66	36.81	0.00	352	187 PEAK																																																																																																																										
4 5941.20	55.17	68.20	-13.03	44.09	35.30	12.68	36.90	0.00	352	187 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	107.64	-----	-----	96.64	35.05	12.52	36.57	0.00	352	187 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>97.39</td><td>-----</td><td>-----</td><td>86.38</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>352</td><td>187 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	97.39	-----	-----	86.38	35.06	12.53	36.58	0.00	352	187 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	97.39	-----	-----	86.38	35.06	12.53	36.58	0.00	352	187 AVERAGE																																																																																																																										





Mode	57																																																																																																															
	Harmonic																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																															
ANT	CDD 6+7																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>56.26</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.07	74.00	-27.93	56.26	38.30	17.98	66.47	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>48.20</td><td>74.00</td><td>-25.80</td><td>58.39</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>37.29</td><td>54.00</td><td>-16.71</td><td>47.46</td><td>38.32</td><td>17.98</td><td>66.47</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	48.20	74.00	-25.80	58.39	38.30	17.98	66.47	0.00	100	360 PEAK	2	11650.00	37.29	54.00	-16.71	47.46	38.32	17.98	66.47	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11650.00	46.07	74.00	-27.93	56.26	38.30	17.98	66.47	0.00	---	PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11650.00	48.20	74.00	-25.80	58.39	38.30	17.98	66.47	0.00	100	360 PEAK																																																																																																					
2	11650.00	37.29	54.00	-16.71	47.46	38.32	17.98	66.47	0.00	100	360 AVERAGE																																																																																																					






Mode	58																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_RU106/54_5825MHz																																																																																																																		
ANT	CDD 6+7																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5854.00</td><td>55.39</td><td>111.36</td><td>-55.97</td><td>44.34</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>54.91</td><td>106.25</td><td>-51.34</td><td>43.79</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.35</td><td>68.35</td><td>-13.00</td><td>44.21</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr><tr><td>4</td><td>5963.20</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>44.43</td><td>35.30</td><td>12.71</td><td>36.99</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5854.00	55.39	111.36	-55.97	44.34	35.12	12.56	36.63	0.00	100	100 PEAK	2	5871.60	54.91	106.25	-51.34	43.79	35.19	12.59	36.66	0.00	100	100 PEAK	3	5924.00	55.35	68.35	-13.00	44.21	35.30	12.66	36.82	0.00	100	100 PEAK	4	5963.20	55.45	68.20	-12.75	44.43	35.30	12.71	36.99	0.00	100	100 PEAK	 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5825.00</td><td>115.24</td><td>-----</td><td>-----</td><td>104.23</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>100</td><td>100 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	115.24	-----	-----	104.23	35.06	12.53	36.58	0.00	100	100 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5854.00	55.39	111.36	-55.97	44.34	35.12	12.56	36.63	0.00	100	100 PEAK																																																																																																								
2	5871.60	54.91	106.25	-51.34	43.79	35.19	12.59	36.66	0.00	100	100 PEAK																																																																																																								
3	5924.00	55.35	68.35	-13.00	44.21	35.30	12.66	36.82	0.00	100	100 PEAK																																																																																																								
4	5963.20	55.45	68.20	-12.75	44.43	35.30	12.71	36.99	0.00	100	100 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5825.00	115.24	-----	-----	104.23	35.06	12.53	36.58	0.00	100	100 PEAK																																																																																																								
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><td>1</td><td>5825.00</td><td>106.03</td><td>-----</td><td>-----</td><td>95.02</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>100</td><td>100 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	106.03	-----	-----	95.02	35.06	12.53	36.58	0.00	100	100 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5825.00	106.03	-----	-----	95.02	35.06	12.53	36.58	0.00	100	100 AVERAGE																																																																																																								




	58																																																																																										
Mode	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_RU106/54_5825MHz																																																																																										
ANT	CDD 6+7																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>53.20</td><td>112.27</td><td>-59.07</td><td>42.15</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>353</td><td>190 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>54.47</td><td>105.47</td><td>-51.00</td><td>43.34</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>353</td><td>190 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.32</td><td>68.64</td><td>-15.32</td><td>42.18</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>353</td><td>190 PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>54.97</td><td>68.20</td><td>-13.23</td><td>43.84</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>353</td><td>190 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	53.20	112.27	-59.07	42.15	35.12	12.56	36.63	0.00	353	190 PEAK	2	5874.40	54.47	105.47	-51.00	43.34	35.20	12.59	36.66	0.00	353	190 PEAK	3	5924.40	53.32	68.64	-15.32	42.18	35.30	12.66	36.82	0.00	353	190 PEAK	4	5926.40	54.97	68.20	-13.23	43.84	35.30	12.66	36.83	0.00	353
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5854.40	53.20	112.27	-59.07	42.15	35.12	12.56	36.63	0.00	353	190 PEAK																																																																																
2	5874.40	54.47	105.47	-51.00	43.34	35.20	12.59	36.66	0.00	353	190 PEAK																																																																																
3	5924.40	53.32	68.64	-15.32	42.18	35.30	12.66	36.82	0.00	353	190 PEAK																																																																																
4	5926.40	54.97	68.20	-13.23	43.84	35.30	12.66	36.83	0.00	353	190 PEAK																																																																																
Avg	Blank																																																																																										
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.95</td><td>-----</td><td>-----</td><td>89.94</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>353</td><td>190 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	100.95	-----	-----	89.94	35.06	12.53	36.58	0.00	353	190 AVERAGE																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5825.00	100.95	-----	-----	89.94	35.06	12.53	36.58	0.00	353	190 AVERAGE																																																																																






	59																																																																																							
Mode	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5603.41</td><td>54.50</td><td>68.20</td><td>-13.70</td><td>43.95</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>112</td><td>181 PEAK</td></tr><tr><td>2 5650.22</td><td>53.75</td><td>68.36</td><td>-14.61</td><td>43.20</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>112</td><td>181 PEAK</td></tr><tr><td>3 5717.18</td><td>69.37</td><td>110.11</td><td>-40.74</td><td>58.70</td><td>34.63</td><td>12.42</td><td>36.38</td><td>0.00</td><td>112</td><td>181 PEAK</td></tr><tr><td>4 5721.06</td><td>70.27</td><td>113.31</td><td>-43.04</td><td>59.60</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>112</td><td>181 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5603.41	54.50	68.20	-13.70	43.95	34.50	12.31	36.26	0.00	112	181 PEAK	2 5650.22	53.75	68.36	-14.61	43.20	34.50	12.36	36.31	0.00	112	181 PEAK	3 5717.18	69.37	110.11	-40.74	58.70	34.63	12.42	36.38	0.00	112	181 PEAK	4 5721.06	70.27	113.31	-43.04	59.60	34.64	12.42	36.39	0.00	112	181 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5603.41	54.50	68.20	-13.70	43.95	34.50	12.31	36.26	0.00	112	181 PEAK																																																																														
2 5650.22	53.75	68.36	-14.61	43.20	34.50	12.36	36.31	0.00	112	181 PEAK																																																																														
3 5717.18	69.37	110.11	-40.74	58.70	34.63	12.42	36.38	0.00	112	181 PEAK																																																																														
4 5721.06	70.27	113.31	-43.04	59.60	34.64	12.42	36.39	0.00	112	181 PEAK																																																																														
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>112.64</td><td>-----</td><td>-----</td><td>101.94</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>112</td><td>181 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	112.64	-----	-----	101.94	34.68	12.44	36.42	0.00	112	181 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5755.00	112.64	-----	-----	101.94	34.68	12.44	36.42	0.00	112	181 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>103.66</td><td>-----</td><td>-----</td><td>92.96</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>112</td><td>181 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	103.66	-----	-----	92.96	34.68	12.44	36.42	0.00	112	181 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5755.00	103.66	-----	-----	92.96	34.68	12.44	36.42	0.00	112	181 AVERAGE																																																																														




Mode	59																																																																																								
	Band Edge - R																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																								
ANT	CDD 6+7																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>54.66</td><td>111.26</td><td>-56.60</td><td>43.61</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>112 181 PEAK</td></tr><tr><td>2</td><td>5871.22</td><td>56.39</td><td>106.36</td><td>-49.97</td><td>45.28</td><td>35.18</td><td>12.59</td><td>36.66</td><td>0.00</td><td>112 181 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>54.69</td><td>68.31</td><td>-13.62</td><td>43.55</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>112 181 PEAK</td></tr><tr><td>4</td><td>5928.94</td><td>55.10</td><td>68.20</td><td>-13.10</td><td>43.98</td><td>35.30</td><td>12.66</td><td>36.84</td><td>0.00</td><td>112 181 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	54.66	111.26	-56.60	43.61	35.12	12.56	36.63	0.00	112 181 PEAK	2	5871.22	56.39	106.36	-49.97	45.28	35.18	12.59	36.66	0.00	112 181 PEAK	3	5924.85	54.69	68.31	-13.62	43.55	35.30	12.66	36.82	0.00	112 181 PEAK	4	5928.94	55.10	68.20	-13.10	43.98	35.30	12.66	36.84	0.00	112 181 PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5854.84	54.66	111.26	-56.60	43.61	35.12	12.56	36.63	0.00	112 181 PEAK																																																																															
2	5871.22	56.39	106.36	-49.97	45.28	35.18	12.59	36.66	0.00	112 181 PEAK																																																																															
3	5924.85	54.69	68.31	-13.62	43.55	35.30	12.66	36.82	0.00	112 181 PEAK																																																																															
4	5928.94	55.10	68.20	-13.10	43.98	35.30	12.66	36.84	0.00	112 181 PEAK																																																																															






Mode	59																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																																																																														
ANT	CDD 6+7																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.03</td><td>54.48</td><td>68.20</td><td>-13.72</td><td>43.93</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>350</td><td>196</td><td>PEAK</td></tr><tr><td>2</td><td>5653.32</td><td>53.16</td><td>70.67</td><td>-17.51</td><td>42.60</td><td>34.51</td><td>12.36</td><td>36.31</td><td>0.00</td><td>350</td><td>196</td><td>PEAK</td></tr><tr><td>3</td><td>5712.84</td><td>62.75</td><td>108.90</td><td>-46.15</td><td>52.08</td><td>34.63</td><td>12.41</td><td>36.37</td><td>0.00</td><td>350</td><td>196</td><td>PEAK</td></tr><tr><td>4</td><td>5720.90</td><td>67.83</td><td>112.95</td><td>-45.12</td><td>57.16</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>350</td><td>196</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.03	54.48	68.20	-13.72	43.93	34.50	12.33	36.28	0.00	350	196	PEAK	2	5653.32	53.16	70.67	-17.51	42.60	34.51	12.36	36.31	0.00	350	196	PEAK	3	5712.84	62.75	108.90	-46.15	52.08	34.63	12.41	36.37	0.00	350	196	PEAK	4	5720.90	67.83	112.95	-45.12	57.16	34.64	12.42	36.39	0.00	350	196	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.05</td><td>-----</td><td>-----</td><td>98.35</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>350</td><td>196</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	109.05	-----	-----	98.35	34.69	12.44	36.43	0.00	350	196	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5624.03	54.48	68.20	-13.72	43.93	34.50	12.33	36.28	0.00	350	196	PEAK																																																																																																																																			
2	5653.32	53.16	70.67	-17.51	42.60	34.51	12.36	36.31	0.00	350	196	PEAK																																																																																																																																			
3	5712.84	62.75	108.90	-46.15	52.08	34.63	12.41	36.37	0.00	350	196	PEAK																																																																																																																																			
4	5720.90	67.83	112.95	-45.12	57.16	34.64	12.42	36.39	0.00	350	196	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5755.00	109.05	-----	-----	98.35	34.69	12.44	36.43	0.00	350	196	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.08</td><td>-----</td><td>-----</td><td>88.38</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>350</td><td>196</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	99.08	-----	-----	88.38	34.69	12.44	36.43	0.00	350	196	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5755.00	99.08	-----	-----	88.38	34.69	12.44	36.43	0.00	350	196	AVERAGE																																																																																																																																			




Mode	59																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_RU242/61_5755MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.84</td><td>53.08</td><td>111.26</td><td>-58.18</td><td>42.03</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>350</td><td>196 PEAK</td></tr><tr><td>2</td><td>5873.95</td><td>55.47</td><td>105.59</td><td>-50.12</td><td>44.34</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>350</td><td>196 PEAK</td></tr><tr><td>3</td><td>5922.31</td><td>55.53</td><td>70.19</td><td>-14.66</td><td>44.38</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>350</td><td>196 PEAK</td></tr><tr><td>4</td><td>5926.02</td><td>55.20</td><td>68.20</td><td>-13.00</td><td>44.07</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>350</td><td>196 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.84	53.08	111.26	-58.18	42.03	35.12	12.56	36.63	0.00	350	196 PEAK	2	5873.95	55.47	105.59	-50.12	44.34	35.20	12.59	36.66	0.00	350	196 PEAK	3	5922.31	55.53	70.19	-14.66	44.38	35.30	12.66	36.81	0.00	350	196 PEAK	4	5926.02	55.20	68.20	-13.00	44.07	35.30	12.66	36.83	0.00	350	196 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	5854.84	53.08	111.26	-58.18	42.03	35.12	12.56	36.63	0.00	350	196 PEAK																																																																																	
2	5873.95	55.47	105.59	-50.12	44.34	35.20	12.59	36.66	0.00	350	196 PEAK																																																																																	
3	5922.31	55.53	70.19	-14.66	44.38	35.30	12.66	36.81	0.00	350	196 PEAK																																																																																	
4	5926.02	55.20	68.20	-13.00	44.07	35.30	12.66	36.83	0.00	350	196 PEAK																																																																																	






	60																																																																																																																																							
Mode	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																							
ANT	CDD 6+7																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.01</td><td>56.66</td><td>68.20</td><td>-11.54</td><td>46.11</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr><tr><td>2</td><td>5658.07</td><td>55.00</td><td>68.25</td><td>-13.25</td><td>44.45</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr><tr><td>3</td><td>5710.21</td><td>62.84</td><td>108.16</td><td>-45.32</td><td>52.18</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr><tr><td>4</td><td>5720.75</td><td>60.14</td><td>112.60</td><td>-52.46</td><td>49.47</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.01	56.66	68.20	-11.54	46.11	34.50	12.35	36.30	0.00	100	174 PEAK	2	5658.07	55.00	68.25	-13.25	44.45	34.50	12.36	36.31	0.00	100	174 PEAK	3	5710.21	62.84	108.16	-45.32	52.18	34.62	12.41	36.37	0.00	100	174 PEAK	4	5720.75	60.14	112.60	-52.46	49.47	34.64	12.42	36.39	0.00	100	174 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>110.04</td><td>-----</td><td>-----</td><td>99.24</td><td>34.82</td><td>12.46</td><td>36.48</td><td>0.00</td><td>100</td><td>174 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	110.04	-----	-----	99.24	34.82	12.46	36.48	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5642.01	56.66	68.20	-11.54	46.11	34.50	12.35	36.30	0.00	100	174 PEAK																																																																																																																													
2	5658.07	55.00	68.25	-13.25	44.45	34.50	12.36	36.31	0.00	100	174 PEAK																																																																																																																													
3	5710.21	62.84	108.16	-45.32	52.18	34.62	12.41	36.37	0.00	100	174 PEAK																																																																																																																													
4	5720.75	60.14	112.60	-52.46	49.47	34.64	12.42	36.39	0.00	100	174 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	110.04	-----	-----	99.24	34.82	12.46	36.48	0.00	100	174 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.88</td><td>-----</td><td>-----</td><td>91.16</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>100</td><td>174 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.88	-----	-----	91.16	34.71	12.45	36.44	0.00	100	174 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	101.88	-----	-----	91.16	34.71	12.45	36.44	0.00	100	174 AVERAGE																																																																																																																													




Mode	60																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.87</td><td>56.08</td><td>113.49</td><td>-57.41</td><td>45.03</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>174</td><td>PEAK</td></tr><tr><td>2</td><td>5873.17</td><td>56.04</td><td>105.81</td><td>-49.77</td><td>44.92</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>174</td><td>PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>54.74</td><td>68.46</td><td>-13.72</td><td>43.60</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>174</td><td>PEAK</td></tr><tr><td>4</td><td>5927.58</td><td>56.59</td><td>68.20</td><td>-11.61</td><td>45.46</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>100</td><td>174</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.87	56.08	113.49	-57.41	45.03	35.12	12.56	36.63	0.00	100	174	PEAK	2	5873.17	56.04	105.81	-49.77	44.92	35.19	12.59	36.66	0.00	100	174	PEAK	3	5924.65	54.74	68.46	-13.72	43.60	35.30	12.66	36.82	0.00	100	174	PEAK	4	5927.58	56.59	68.20	-11.61	45.46	35.30	12.66	36.83	0.00	100	174	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5853.87	56.08	113.49	-57.41	45.03	35.12	12.56	36.63	0.00	100	174	PEAK																																																																																				
2	5873.17	56.04	105.81	-49.77	44.92	35.19	12.59	36.66	0.00	100	174	PEAK																																																																																				
3	5924.65	54.74	68.46	-13.72	43.60	35.30	12.66	36.82	0.00	100	174	PEAK																																																																																				
4	5927.58	56.59	68.20	-11.61	45.46	35.30	12.66	36.83	0.00	100	174	PEAK																																																																																				





	60																																																																																																																																								
Mode	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.63</td><td>54.49</td><td>68.20</td><td>-13.71</td><td>43.94</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>387</td><td>199 PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>53.03</td><td>68.59</td><td>-15.56</td><td>42.48</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>387</td><td>199 PEAK</td></tr><tr><td>3</td><td>5717.49</td><td>62.53</td><td>110.20</td><td>-47.67</td><td>51.86</td><td>34.63</td><td>12.42</td><td>36.38</td><td>0.00</td><td>387</td><td>199 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>59.54</td><td>111.19</td><td>-51.65</td><td>48.87</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>387</td><td>199 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5642.63	54.49	68.20	-13.71	43.94	34.50	12.35	36.30	0.00	387	199 PEAK	2	5650.53	53.03	68.59	-15.56	42.48	34.50	12.36	36.31	0.00	387	199 PEAK	3	5717.49	62.53	110.20	-47.67	51.86	34.63	12.42	36.38	0.00	387	199 PEAK	4	5720.13	59.54	111.19	-51.65	48.87	34.64	12.42	36.39	0.00	387	199 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>106.15</td><td>-----</td><td>-----</td><td>95.43</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>387</td><td>199 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	106.15	-----	-----	95.43	34.71	12.45	36.44	0.00	387	199 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5642.63	54.49	68.20	-13.71	43.94	34.50	12.35	36.30	0.00	387	199 PEAK																																																																																																																														
2	5650.53	53.03	68.59	-15.56	42.48	34.50	12.36	36.31	0.00	387	199 PEAK																																																																																																																														
3	5717.49	62.53	110.20	-47.67	51.86	34.63	12.42	36.38	0.00	387	199 PEAK																																																																																																																														
4	5720.13	59.54	111.19	-51.65	48.87	34.64	12.42	36.39	0.00	387	199 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	106.15	-----	-----	95.43	34.71	12.45	36.44	0.00	387	199 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.41</td><td>-----</td><td>-----</td><td>86.71</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>387</td><td>199 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	97.41	-----	-----	86.71	34.69	12.44	36.43	0.00	387	199 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	97.41	-----	-----	86.71	34.69	12.44	36.43	0.00	387	199 AVERAGE																																																																																																																														






Mode	60																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>53.57</td><td>111.26</td><td>-57.69</td><td>42.52</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>387 199 PEAK</td></tr><tr><td>2</td><td>5873.56</td><td>54.36</td><td>105.70</td><td>-51.34</td><td>43.24</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>387 199 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>52.73</td><td>68.31</td><td>-15.58</td><td>41.59</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>387 199 PEAK</td></tr><tr><td>4</td><td>5929.14</td><td>54.44</td><td>68.20</td><td>-13.76</td><td>43.32</td><td>35.30</td><td>12.66</td><td>36.84</td><td>0.00</td><td>387 199 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	53.57	111.26	-57.69	42.52	35.12	12.56	36.63	0.00	387 199 PEAK	2	5873.56	54.36	105.70	-51.34	43.24	35.19	12.59	36.66	0.00	387 199 PEAK	3	5924.85	52.73	68.31	-15.58	41.59	35.30	12.66	36.82	0.00	387 199 PEAK	4	5929.14	54.44	68.20	-13.76	43.32	35.30	12.66	36.84	0.00	387 199 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.84	53.57	111.26	-57.69	42.52	35.12	12.56	36.63	0.00	387 199 PEAK																																																																														
2	5873.56	54.36	105.70	-51.34	43.24	35.19	12.59	36.66	0.00	387 199 PEAK																																																																														
3	5924.85	52.73	68.31	-15.58	41.59	35.30	12.66	36.82	0.00	387 199 PEAK																																																																														
4	5929.14	54.44	68.20	-13.76	43.32	35.30	12.66	36.84	0.00	387 199 PEAK																																																																														




Mode	60																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>55.24</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.66	74.00	-29.34	55.24	38.11	17.88	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>56.87</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.29	74.00	-27.71	56.87	38.11	17.88	66.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	44.66	74.00	-29.34	55.24	38.11	17.88	66.57	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	46.29	74.00	-27.71	56.87	38.11	17.88	66.57	0.00	---	---	PEAK																																																																																														






Mode	61																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																												
ANT	CDD 6+7																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1 5688.40</td><td>54.76</td><td>68.20</td><td>-13.44</td><td>44.21</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>110</td><td>176 PEAK</td></tr><tr><td>2 5658.80</td><td>54.12</td><td>68.80</td><td>-14.68</td><td>43.57</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>110</td><td>176 PEAK</td></tr><tr><td>3 5781.20</td><td>54.05</td><td>105.64</td><td>-51.59</td><td>43.40</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>110</td><td>176 PEAK</td></tr><tr><td>4 5720.00</td><td>55.03</td><td>110.90</td><td>-55.87</td><td>44.36</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>110</td><td>176 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1 5688.40	54.76	68.20	-13.44	44.21	34.50	12.32	36.27	0.00	110	176 PEAK	2 5658.80	54.12	68.80	-14.68	43.57	34.50	12.36	36.31	0.00	110	176 PEAK	3 5781.20	54.05	105.64	-51.59	43.40	34.60	12.40	36.35	0.00	110	176 PEAK	4 5720.00	55.03	110.90	-55.87	44.36	34.64	12.42	36.39	0.00	110	176 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1 5795.00</td><td>110.97</td><td>-----</td><td>-----</td><td>100.05</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>110</td><td>176 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1 5795.00	110.97	-----	-----	100.05	34.96	12.48	36.52	0.00	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
1 5688.40	54.76	68.20	-13.44	44.21	34.50	12.32	36.27	0.00	110	176 PEAK																																																																																																			
2 5658.80	54.12	68.80	-14.68	43.57	34.50	12.36	36.31	0.00	110	176 PEAK																																																																																																			
3 5781.20	54.05	105.64	-51.59	43.40	34.60	12.40	36.35	0.00	110	176 PEAK																																																																																																			
4 5720.00	55.03	110.90	-55.87	44.36	34.64	12.42	36.39	0.00	110	176 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
1 5795.00	110.97	-----	-----	100.05	34.96	12.48	36.52	0.00	110	176 PEAK																																																																																																			
Avg	Blank																																																																																																												
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1 5795.00</td><td>102.02</td><td>-----</td><td>-----</td><td>91.10</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>110</td><td>176 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1 5795.00	102.02	-----	-----	91.10	34.96	12.48	36.52	0.00	110	176 AVERAGE																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
1 5795.00	102.02	-----	-----	91.10	34.96	12.48	36.52	0.00	110	176 AVERAGE																																																																																																			




Mode	61																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																						
ANT	CDD 6+7																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.40</td><td>111.36</td><td>-55.96</td><td>44.35</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>110</td><td>176</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>56.83</td><td>106.25</td><td>-49.42</td><td>45.71</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>110</td><td>176</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>54.56</td><td>68.64</td><td>-14.08</td><td>43.42</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>110</td><td>176</td><td>PEAK</td></tr><tr><td>4</td><td>5927.20</td><td>55.60</td><td>68.20</td><td>-12.60</td><td>44.47</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>110</td><td>176</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.40	111.36	-55.96	44.35	35.12	12.56	36.63	0.00	110	176	PEAK	2	5871.60	56.83	106.25	-49.42	45.71	35.19	12.59	36.66	0.00	110	176	PEAK	3	5924.40	54.56	68.64	-14.08	43.42	35.30	12.66	36.82	0.00	110	176	PEAK	4	5927.20	55.60	68.20	-12.60	44.47	35.30	12.66	36.83	0.00	110	176	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.00	55.40	111.36	-55.96	44.35	35.12	12.56	36.63	0.00	110	176	PEAK																																																																											
2	5871.60	56.83	106.25	-49.42	45.71	35.19	12.59	36.66	0.00	110	176	PEAK																																																																											
3	5924.40	54.56	68.64	-14.08	43.42	35.30	12.66	36.82	0.00	110	176	PEAK																																																																											
4	5927.20	55.60	68.20	-12.60	44.47	35.30	12.66	36.83	0.00	110	176	PEAK																																																																											





Mode	61																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5683.20</td><td>53.25</td><td>68.20</td><td>-14.95</td><td>42.70</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.79</td><td>68.20</td><td>-17.41</td><td>40.25</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>52.18</td><td>105.30</td><td>-53.12</td><td>41.53</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.07</td><td>110.90</td><td>-58.83</td><td>41.40</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5683.20	53.25	68.20	-14.95	42.70	34.50	12.31	36.26	0.00	100	82 PEAK	2	5650.00	50.79	68.20	-17.41	40.25	34.50	12.35	36.31	0.00	100	82 PEAK	3	5700.00	52.18	105.30	-53.12	41.53	34.60	12.40	36.35	0.00	100	82 PEAK	4	5720.00	52.07	110.90	-58.83	41.40	34.64	12.42	36.39	0.00	100	82 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5683.20	53.25	68.20	-14.95	42.70	34.50	12.31	36.26	0.00	100	82 PEAK																																																																																	
2	5650.00	50.79	68.20	-17.41	40.25	34.50	12.35	36.31	0.00	100	82 PEAK																																																																																	
3	5700.00	52.18	105.30	-53.12	41.53	34.60	12.40	36.35	0.00	100	82 PEAK																																																																																	
4	5720.00	52.07	110.90	-58.83	41.40	34.64	12.42	36.39	0.00	100	82 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>104.90</td><td>-----</td><td>-----</td><td>94.00</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.90	-----	-----	94.00	34.93	12.48	36.51	0.00	100	82 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5795.00	104.90	-----	-----	94.00	34.93	12.48	36.51	0.00	100	82 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>94.79</td><td>-----</td><td>-----</td><td>83.89</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>100</td><td>82 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	94.79	-----	-----	83.89	34.93	12.48	36.51	0.00	100	82 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5795.00	94.79	-----	-----	83.89	34.93	12.48	36.51	0.00	100	82 AVERAGE																																																																																	






Mode	61																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.00</td><td>52.41</td><td>111.36</td><td>-58.95</td><td>41.36</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>57.06</td><td>107.15</td><td>-50.09</td><td>45.96</td><td>35.17</td><td>12.58</td><td>36.65</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.58</td><td>68.64</td><td>-16.06</td><td>41.44</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>4</td><td>5930.80</td><td>55.11</td><td>68.20</td><td>-13.09</td><td>43.99</td><td>35.30</td><td>12.67</td><td>36.85</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5854.00	52.41	111.36	-58.95	41.36	35.12	12.56	36.63	0.00	100	82 PEAK	2	5868.40	57.06	107.15	-50.09	45.96	35.17	12.58	36.65	0.00	100	82 PEAK	3	5924.40	52.58	68.64	-16.06	41.44	35.30	12.66	36.82	0.00	100	82 PEAK	4	5930.80	55.11	68.20	-13.09	43.99	35.30	12.67	36.85	0.00	100	82 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																											
1	5854.00	52.41	111.36	-58.95	41.36	35.12	12.56	36.63	0.00	100	82 PEAK																																																																								
2	5868.40	57.06	107.15	-50.09	45.96	35.17	12.58	36.65	0.00	100	82 PEAK																																																																								
3	5924.40	52.58	68.64	-16.06	41.44	35.30	12.66	36.82	0.00	100	82 PEAK																																																																								
4	5930.80	55.11	68.20	-13.09	43.99	35.30	12.67	36.85	0.00	100	82 PEAK																																																																								




Mode	61																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>56.24</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	45.84	74.00	-28.16	56.24	38.19	17.93	66.52	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>56.09</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	45.69	74.00	-28.31	56.09	38.19	17.93	66.52	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11590.00	45.84	74.00	-28.16	56.24	38.19	17.93	66.52	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11590.00	45.69	74.00	-28.31	56.09	38.19	17.93	66.52	0.00	---	PEAK																																																																																											






Mode	62																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a blue trace with a peak at 5795 MHz and a red limit line. The peak level is 112.49 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5640.00</td><td>56.09</td><td>68.20</td><td>-12.11</td><td>45.54</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr><tr><td>2 5651.60</td><td>55.11</td><td>69.39</td><td>-14.28</td><td>44.56</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr><tr><td>3 5700.80</td><td>53.25</td><td>105.52</td><td>-52.27</td><td>42.60</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr><tr><td>4 5720.00</td><td>52.16</td><td>110.90</td><td>-58.74</td><td>41.49</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5640.00	56.09	68.20	-12.11	45.54	34.50	12.35	36.30	0.00	100	181 PEAK	2 5651.60	55.11	69.39	-14.28	44.56	34.50	12.36	36.31	0.00	100	181 PEAK	3 5700.80	53.25	105.52	-52.27	42.60	34.60	12.40	36.35	0.00	100	181 PEAK	4 5720.00	52.16	110.90	-58.74	41.49	34.64	12.42	36.39	0.00	100	181 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue trace with a peak at 5795 MHz and a red limit line. The peak level is 112.49 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>112.49</td><td>-----</td><td>-----</td><td>101.57</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	112.49	-----	-----	101.57	34.96	12.48	36.52	0.00	100	181 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5640.00	56.09	68.20	-12.11	45.54	34.50	12.35	36.30	0.00	100	181 PEAK																																																																																																																										
2 5651.60	55.11	69.39	-14.28	44.56	34.50	12.36	36.31	0.00	100	181 PEAK																																																																																																																										
3 5700.80	53.25	105.52	-52.27	42.60	34.60	12.40	36.35	0.00	100	181 PEAK																																																																																																																										
4 5720.00	52.16	110.90	-58.74	41.49	34.64	12.42	36.39	0.00	100	181 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	112.49	-----	-----	101.57	34.96	12.48	36.52	0.00	100	181 PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue trace with a peak at 5795 MHz and a red limit line. The peak level is 103.47 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>103.47</td><td>-----</td><td>-----</td><td>92.51</td><td>35.00</td><td>12.49</td><td>36.53</td><td>0.00</td><td>100</td><td>181 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	103.47	-----	-----	92.51	35.00	12.49	36.53	0.00	100	181 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	103.47	-----	-----	92.51	35.00	12.49	36.53	0.00	100	181 AVERAGE																																																																																																																										




Mode	62																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.00</td><td>55.03</td><td>111.36</td><td>-56.33</td><td>43.90</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>56.83</td><td>105.69</td><td>-48.86</td><td>45.71</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>55.02</td><td>70.42</td><td>-15.40</td><td>43.88</td><td>35.30</td><td>12.65</td><td>36.81</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr><tr><td>4</td><td>5958.00</td><td>54.96</td><td>68.20</td><td>-13.24</td><td>43.93</td><td>35.30</td><td>12.70</td><td>36.97</td><td>0.00</td><td>100</td><td>181 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.00	55.03	111.36	-56.33	43.90	35.12	12.56	36.63	0.00	100	181 PEAK	2	5873.60	56.83	105.69	-48.86	45.71	35.19	12.59	36.66	0.00	100	181 PEAK	3	5922.00	55.02	70.42	-15.40	43.88	35.30	12.65	36.81	0.00	100	181 PEAK	4	5958.00	54.96	68.20	-13.24	43.93	35.30	12.70	36.97	0.00	100	181 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	5854.00	55.03	111.36	-56.33	43.90	35.12	12.56	36.63	0.00	100	181 PEAK																																																																								
2	5873.60	56.83	105.69	-48.86	45.71	35.19	12.59	36.66	0.00	100	181 PEAK																																																																								
3	5922.00	55.02	70.42	-15.40	43.88	35.30	12.65	36.81	0.00	100	181 PEAK																																																																								
4	5958.00	54.96	68.20	-13.24	43.93	35.30	12.70	36.97	0.00	100	181 PEAK																																																																								






Mode	62																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																																													
ANT	CDD 6+7																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5630.00</td><td>54.60</td><td>68.20</td><td>-13.60</td><td>44.05</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>343</td><td>213 PEAK</td></tr><tr><td>2 5650.00</td><td>50.35</td><td>68.20</td><td>-17.85</td><td>39.81</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>343</td><td>213 PEAK</td></tr><tr><td>3 5701.20</td><td>53.76</td><td>105.64</td><td>-51.88</td><td>43.11</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>343</td><td>213 PEAK</td></tr><tr><td>4 5720.40</td><td>50.95</td><td>111.81</td><td>-60.86</td><td>40.28</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>343</td><td>213 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5630.00	54.60	68.20	-13.60	44.05	34.50	12.34	36.29	0.00	343	213 PEAK	2 5650.00	50.35	68.20	-17.85	39.81	34.50	12.35	36.31	0.00	343	213 PEAK	3 5701.20	53.76	105.64	-51.88	43.11	34.60	12.40	36.35	0.00	343	213 PEAK	4 5720.40	50.95	111.81	-60.86	40.28	34.64	12.42	36.39	0.00	343	213 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>107.35</td><td>-----</td><td>-----</td><td>96.43</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>343</td><td>213 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5795.00	107.35	-----	-----	96.43	34.96	12.48	36.52	0.00	343	213 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5630.00	54.60	68.20	-13.60	44.05	34.50	12.34	36.29	0.00	343	213 PEAK																																																																																																				
2 5650.00	50.35	68.20	-17.85	39.81	34.50	12.35	36.31	0.00	343	213 PEAK																																																																																																				
3 5701.20	53.76	105.64	-51.88	43.11	34.60	12.40	36.35	0.00	343	213 PEAK																																																																																																				
4 5720.40	50.95	111.81	-60.86	40.28	34.64	12.42	36.39	0.00	343	213 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5795.00	107.35	-----	-----	96.43	34.96	12.48	36.52	0.00	343	213 PEAK																																																																																																				
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>97.82</td><td>-----</td><td>-----</td><td>86.90</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>343</td><td>213 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5795.00	97.82	-----	-----	86.90	34.96	12.48	36.52	0.00	343	213 AVERAGE																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5795.00	97.82	-----	-----	86.90	34.96	12.48	36.52	0.00	343	213 AVERAGE																																																																																																				




Mode	62																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_RU242/62_5795MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.80</td><td>53.42</td><td>111.36</td><td>-57.94</td><td>42.37</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>343</td><td>213 PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>57.98</td><td>106.03</td><td>-48.05</td><td>46.86</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>343</td><td>213 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.04</td><td>69.53</td><td>-14.49</td><td>43.89</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>343</td><td>213 PEAK</td></tr><tr><td>4</td><td>5988.80</td><td>55.05</td><td>68.20</td><td>-13.15</td><td>44.12</td><td>35.30</td><td>12.74</td><td>37.11</td><td>0.00</td><td>343</td><td>213 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.80	53.42	111.36	-57.94	42.37	35.12	12.56	36.63	0.00	343	213 PEAK	2	5872.40	57.98	106.03	-48.05	46.86	35.19	12.59	36.66	0.00	343	213 PEAK	3	5923.20	55.04	69.53	-14.49	43.89	35.30	12.66	36.81	0.00	343	213 PEAK	4	5988.80	55.05	68.20	-13.15	44.12	35.30	12.74	37.11	0.00	343	213 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	5854.80	53.42	111.36	-57.94	42.37	35.12	12.56	36.63	0.00	343	213 PEAK																																																																								
2	5872.40	57.98	106.03	-48.05	46.86	35.19	12.59	36.66	0.00	343	213 PEAK																																																																								
3	5923.20	55.04	69.53	-14.49	43.89	35.30	12.66	36.81	0.00	343	213 PEAK																																																																								
4	5988.80	55.05	68.20	-13.15	44.12	35.30	12.74	37.11	0.00	343	213 PEAK																																																																								






Mode	63																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5630.00</td><td>55.71</td><td>68.20</td><td>-12.49</td><td>45.16</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>2 5652.40</td><td>56.61</td><td>69.99</td><td>-13.38</td><td>46.06</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>3 5702.40</td><td>61.41</td><td>105.97</td><td>-44.56</td><td>50.76</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr><tr><td>4 5720.00</td><td>61.83</td><td>110.90</td><td>-49.07</td><td>51.16</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5630.00	55.71	68.20	-12.49	45.16	34.50	12.34	36.29	0.00	100	177 PEAK	2 5652.40	56.61	69.99	-13.38	46.06	34.50	12.36	36.31	0.00	100	177 PEAK	3 5702.40	61.41	105.97	-44.56	50.76	34.60	12.40	36.35	0.00	100	177 PEAK	4 5720.00	61.83	110.90	-49.07	51.16	34.64	12.42	36.39	0.00	100	177 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>107.20</td><td>-----</td><td>-----</td><td>96.28</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>100</td><td>177 PEAK</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	107.20	-----	-----	96.28	34.96	12.48	36.52	0.00	100	177 PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5630.00	55.71	68.20	-12.49	45.16	34.50	12.34	36.29	0.00	100	177 PEAK																																																																																																																										
2 5652.40	56.61	69.99	-13.38	46.06	34.50	12.36	36.31	0.00	100	177 PEAK																																																																																																																										
3 5702.40	61.41	105.97	-44.56	50.76	34.60	12.40	36.35	0.00	100	177 PEAK																																																																																																																										
4 5720.00	61.83	110.90	-49.07	51.16	34.64	12.42	36.39	0.00	100	177 PEAK																																																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	107.20	-----	-----	96.28	34.96	12.48	36.52	0.00	100	177 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>98.35</td><td>-----</td><td>-----</td><td>87.60</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>177 AVERAGE</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	98.35	-----	-----	87.60	34.75	12.45	36.45	0.00	100	177 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	98.35	-----	-----	87.60	34.75	12.45	36.45	0.00	100	177 AVERAGE																																																																																																																										




Mode	63																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																															
ANT	CDD 6+7																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>60.27</td><td>113.18</td><td>-52.91</td><td>49.22</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>59.02</td><td>105.58</td><td>-46.56</td><td>47.89</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.88</td><td>68.94</td><td>-13.06</td><td>44.74</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>56.46</td><td>68.20</td><td>-11.74</td><td>45.40</td><td>35.30</td><td>12.69</td><td>36.93</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	60.27	113.18	-52.91	49.22	35.12	12.56	36.63	0.00	100	177	PEAK	2	5874.00	59.02	105.58	-46.56	47.89	35.20	12.59	36.66	0.00	100	177	PEAK	3	5924.00	55.88	68.94	-13.06	44.74	35.30	12.66	36.82	0.00	100	177	PEAK	4	5948.00	56.46	68.20	-11.74	45.40	35.30	12.69	36.93	0.00	100	177	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	60.27	113.18	-52.91	49.22	35.12	12.56	36.63	0.00	100	177	PEAK																																																																																				
2	5874.00	59.02	105.58	-46.56	47.89	35.20	12.59	36.66	0.00	100	177	PEAK																																																																																				
3	5924.00	55.88	68.94	-13.06	44.74	35.30	12.66	36.82	0.00	100	177	PEAK																																																																																				
4	5948.00	56.46	68.20	-11.74	45.40	35.30	12.69	36.93	0.00	100	177	PEAK																																																																																				



Mode	63																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																													
ANT	CDD 6+7																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>55.02</td><td>68.20</td><td>-13.18</td><td>44.47</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>381</td><td>198</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.08</td><td>68.20</td><td>-15.12</td><td>42.54</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>381</td><td>198</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>55.58</td><td>106.09</td><td>-50.51</td><td>44.93</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>381</td><td>198</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.61</td><td>110.90</td><td>-54.29</td><td>45.94</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>381</td><td>198</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.00	55.02	68.20	-13.18	44.47	34.50	12.35	36.30	0.00	381	198	PEAK	2	5650.00	53.08	68.20	-15.12	42.54	34.50	12.35	36.31	0.00	381	198	PEAK	3	5702.00	55.58	106.09	-50.51	44.93	34.61	12.40	36.36	0.00	381	198	PEAK	4	5720.00	56.61	110.90	-54.29	45.94	34.64	12.42	36.39	0.00	381	198	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.40</td><td>-----</td><td>-----</td><td>92.63</td><td>34.78</td><td>12.46</td><td>36.47</td><td>0.00</td><td>381</td><td>198</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.40	-----	-----	92.63	34.78	12.46	36.47	0.00	381	198
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5644.00	55.02	68.20	-13.18	44.47	34.50	12.35	36.30	0.00	381	198	PEAK																																																																																																																																		
2	5650.00	53.08	68.20	-15.12	42.54	34.50	12.35	36.31	0.00	381	198	PEAK																																																																																																																																		
3	5702.00	55.58	106.09	-50.51	44.93	34.61	12.40	36.36	0.00	381	198	PEAK																																																																																																																																		
4	5720.00	56.61	110.90	-54.29	45.94	34.64	12.42	36.39	0.00	381	198	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5775.00	103.40	-----	-----	92.63	34.78	12.46	36.47	0.00	381	198	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.96</td><td>-----</td><td>-----</td><td>83.19</td><td>34.78</td><td>12.46</td><td>36.47</td><td>0.00</td><td>381</td><td>198</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.96	-----	-----	83.19	34.78	12.46	36.47	0.00	381	198	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5775.00	93.96	-----	-----	83.19	34.78	12.46	36.47	0.00	381	198	AVERAGE																																																																																																																																		



Mode	63																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																														
ANT	CDD 6+7																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>52.58</td><td>111.36</td><td>-58.78</td><td>41.53</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>381 198 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>55.54</td><td>105.69</td><td>-50.15</td><td>44.42</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>381 198 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.62</td><td>68.35</td><td>-14.73</td><td>42.48</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>381 198 PEAK</td></tr><tr><td>4</td><td>5931.60</td><td>54.83</td><td>68.20</td><td>-13.37</td><td>43.71</td><td>35.30</td><td>12.67</td><td>36.85</td><td>0.00</td><td>381 198 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	52.58	111.36	-58.78	41.53	35.12	12.56	36.63	0.00	381 198 PEAK	2	5873.60	55.54	105.69	-50.15	44.42	35.19	12.59	36.66	0.00	381 198 PEAK	3	5924.00	53.62	68.35	-14.73	42.48	35.30	12.66	36.82	0.00	381 198 PEAK	4	5931.60	54.83	68.20	-13.37	43.71	35.30	12.67	36.85	0.00	381 198 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.00	52.58	111.36	-58.78	41.53	35.12	12.56	36.63	0.00	381 198 PEAK																																																																					
2	5873.60	55.54	105.69	-50.15	44.42	35.19	12.59	36.66	0.00	381 198 PEAK																																																																					
3	5924.00	53.62	68.35	-14.73	42.48	35.30	12.66	36.82	0.00	381 198 PEAK																																																																					
4	5931.60	54.83	68.20	-13.37	43.71	35.30	12.67	36.85	0.00	381 198 PEAK																																																																					