







		95																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242 ①_5610MHz																																																																																																					
ANT		CDD 6+7																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																
Peak																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.00	54.93	74.00	-19.07	44.60	34.68	12.09	36.44	0.00	111 174 PEAK	2	5461.20	53.98	68.20	-14.22	43.66	34.66	12.10	36.44	0.00	111 174 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	109.46	-----	-----	98.91	34.50	12.35	36.30	0.00	111 174 PEAK				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5454.00	54.93	74.00	-19.07	44.60	34.68	12.09	36.44	0.00	111 174 PEAK																																																																																													
2	5461.20	53.98	68.20	-14.22	43.66	34.66	12.10	36.44	0.00	111 174 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	109.46	-----	-----	98.91	34.50	12.35	36.30	0.00	111 174 PEAK																																																																																													
Avg																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	44.27	54.00	-9.73	33.95	34.67	12.09	36.44	0.00	111 174 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.97	-----	-----	88.43	34.50	12.35	36.31	0.00	111 174 AVERAGE															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5456.40	44.27	54.00	-9.73	33.95	34.67	12.09	36.44	0.00	111 174 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5610.00	98.97	-----	-----	88.43	34.50	12.35	36.31	0.00	111 174 AVERAGE																																																																																													




Mode	95										
	Band Edge - R										
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242 ① _5610MHz										
ANT	CDD 6+7										
Pol.	Horizontal						Fundamental				
Peak	Level (dBuV/m)										







		95										
Mode		Band Edge - L										
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242 ① _5610MHz										
ANT		CDD 6+7										
Pol.		Fundamental										
Peak	Vertical	Fundamental										





Mode	95																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Large RU 484+242 ① _5610MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.76</td><td>55.60</td><td>68.20</td><td>-12.60</td><td>44.90</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>350</td><td>209</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.76	55.60	68.20	-12.60	44.90	34.69	12.44	36.43	0.00	350	209	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5744.76	55.60	68.20	-12.60	44.90	34.69	12.44	36.43	0.00	350	209	PEAK																																												







	96																																																																																																	
Mode	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484 ①_5250MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.25</td><td>64.72</td><td>74.00</td><td>-9.28</td><td>55.85</td><td>34.09</td><td>11.80</td><td>37.02</td><td>0.00</td><td>198 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.25	64.72	74.00	-9.28	55.85	34.09	11.80	37.02	0.00	198 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>103.93</td><td>-----</td><td>-----</td><td>94.46</td><td>34.49</td><td>11.89</td><td>36.91</td><td>0.00</td><td>198 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	103.93	-----	-----	94.46	34.49	11.89	36.91	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5146.25	64.72	74.00	-9.28	55.85	34.09	11.80	37.02	0.00	198 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	103.93	-----	-----	94.46	34.49	11.89	36.91	0.00	198 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.00</td><td>50.88</td><td>54.00</td><td>-3.12</td><td>42.00</td><td>34.10</td><td>11.80</td><td>37.02</td><td>0.00</td><td>198 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.00	50.88	54.00	-3.12	42.00	34.10	11.80	37.02	0.00	198 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>94.24</td><td>-----</td><td>-----</td><td>84.77</td><td>34.49</td><td>11.89</td><td>36.91</td><td>0.00</td><td>198 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	94.24	-----	-----	84.77	34.49	11.89	36.91	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5148.00	50.88	54.00	-3.12	42.00	34.10	11.80	37.02	0.00	198 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	94.24	-----	-----	84.77	34.49	11.89	36.91	0.00	198 AVERAGE																																																																																								



Mode	96																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484 ①_5250MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.44</td><td>58.86</td><td>74.00</td><td>-15.14</td><td>48.76</td><td>34.60</td><td>11.98</td><td>36.48</td><td>0.00</td><td>100</td><td>198</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.44	58.86	74.00	-15.14	48.76	34.60	11.98	36.48	0.00	100	198	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5368.44	58.86	74.00	-15.14	48.76	34.60	11.98	36.48	0.00	100	198	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5365.08</td><td>49.08</td><td>54.00</td><td>-4.92</td><td>38.98</td><td>34.60</td><td>11.98</td><td>36.48</td><td>0.00</td><td>100</td><td>198</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5365.08	49.08	54.00	-4.92	38.98	34.60	11.98	36.48	0.00	100	198	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5365.08	49.08	54.00	-4.92	38.98	34.60	11.98	36.48	0.00	100	198	AVERAGE																																												







Mode	96																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484 ①_5250MHz																																																																																																						
ANT	CDD 6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5124.00</td><td>59.76</td><td>74.00</td><td>-14.24</td><td>50.90</td><td>34.05</td><td>11.77</td><td>36.96</td><td>0.00</td><td>355</td><td>247</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.00	59.76	74.00	-14.24	50.90	34.05	11.77	36.96	0.00	355	247	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>99.23</td><td>-----</td><td>-----</td><td>89.66</td><td>34.52</td><td>11.90</td><td>36.85</td><td>0.00</td><td>355</td><td>247</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	99.23	-----	-----	89.66	34.52	11.90	36.85	0.00	355	247
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5124.00	59.76	74.00	-14.24	50.90	34.05	11.77	36.96	0.00	355	247	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5250.00	99.23	-----	-----	89.66	34.52	11.90	36.85	0.00	355	247	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.50</td><td>48.26</td><td>54.00</td><td>-5.74</td><td>39.41</td><td>34.04</td><td>11.77</td><td>36.96</td><td>0.00</td><td>355</td><td>247</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.50	48.26	54.00	-5.74	39.41	34.04	11.77	36.96	0.00	355	247	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>89.44</td><td>-----</td><td>-----</td><td>79.87</td><td>34.52</td><td>11.90</td><td>36.85</td><td>0.00</td><td>355</td><td>247</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.44	-----	-----	79.87	34.52	11.90	36.85	0.00	355	247
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5122.50	48.26	54.00	-5.74	39.41	34.04	11.77	36.96	0.00	355	247	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5250.00	89.44	-----	-----	79.87	34.52	11.90	36.85	0.00	355	247	AVERAGE																																																																																											





Mode	96																																																								
	Band Edge - R																																																								
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484 ①_5250MHz																																																								
ANT	CDD 6+7																																																								
Pol.	Vertical										Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.98</td><td>56.35</td><td>74.00</td><td>-17.65</td><td>46.26</td><td>34.60</td><td>11.98</td><td>36.49</td><td>0.00</td><td>355</td><td>247</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.98	56.35	74.00	-17.65	46.26	34.60	11.98	36.49	0.00	355	247	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5362.98	56.35	74.00	-17.65	46.26	34.60	11.98	36.49	0.00	355	247	PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.61</td><td>47.39</td><td>54.00</td><td>-6.61</td><td>37.30</td><td>34.60</td><td>11.98</td><td>36.49</td><td>0.00</td><td>355</td><td>247</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.61	47.39	54.00	-6.61	37.30	34.60	11.98	36.49	0.00	355	247	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5363.61	47.39	54.00	-6.61	37.30	34.60	11.98	36.49	0.00	355	247	AVERAGE																																													







	97																																																																																																			
Mode	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484 ①_5250MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.50</td><td>58.51</td><td>74.00</td><td>-15.49</td><td>49.64</td><td>34.09</td><td>11.79</td><td>37.01</td><td>0.00</td><td>114</td><td>195 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.50	58.51	74.00	-15.49	49.64	34.09	11.79	37.01	0.00	114	195 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>102.99</td><td>-----</td><td>-----</td><td>93.33</td><td>34.54</td><td>11.91</td><td>36.79</td><td>0.00</td><td>114</td><td>195 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	102.99	-----	-----	93.33	34.54	11.91	36.79	0.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5143.50	58.51	74.00	-15.49	49.64	34.09	11.79	37.01	0.00	114	195 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	102.99	-----	-----	93.33	34.54	11.91	36.79	0.00	114	195 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.25</td><td>48.19</td><td>54.00</td><td>-5.81</td><td>39.32</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>114</td><td>195 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.25	48.19	54.00	-5.81	39.32	34.10	11.80	37.03	0.00	114	195 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>94.13</td><td>-----</td><td>-----</td><td>84.66</td><td>34.49</td><td>11.89</td><td>36.91</td><td>0.00</td><td>114</td><td>195 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	94.13	-----	-----	84.66	34.49	11.89	36.91	0.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5148.25	48.19	54.00	-5.81	39.32	34.10	11.80	37.03	0.00	114	195 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	94.13	-----	-----	84.66	34.49	11.89	36.91	0.00	114	195 AVERAGE																																																																																									





Mode	97																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484 ① _5250MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal							Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5402.46</td><td>58.79</td><td>74.00</td><td>-15.21</td><td>48.58</td><td>34.60</td><td>12.01</td><td>36.40</td><td>0.00</td><td>114</td><td>195 PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.46	58.79	74.00	-15.21	48.58	34.60	12.01	36.40	0.00	114	195 PEAK	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5402.46	58.79	74.00	-15.21	48.58	34.60	12.01	36.40	0.00	114	195 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5366.55</td><td>49.19</td><td>54.00</td><td>-4.81</td><td>39.09</td><td>34.60</td><td>11.98</td><td>36.48</td><td>0.00</td><td>114</td><td>195 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.55	49.19	54.00	-4.81	39.09	34.60	11.98	36.48	0.00	114	195 AVERAGE	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5366.55	49.19	54.00	-4.81	39.09	34.60	11.98	36.48	0.00	114	195 AVERAGE																																													







		97																																																																																												
Mode		Band Edge - L																																																																																												
		U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484 ①_5250MHz																																																																																												
ANT		CDD 6+7																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.75	55.26	74.00	-18.74	46.39	34.07	11.79	36.99	0.00	400	246 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>97.79</td><td>-----</td><td>-----</td><td>88.44</td><td>34.44</td><td>11.88</td><td>36.97</td><td>0.00</td><td>400</td><td>246 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	97.79	-----	-----	88.44	34.44	11.88	36.97	0.00	400
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5135.75	55.26	74.00	-18.74	46.39	34.07	11.79	36.99	0.00	400	246 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5250.00	97.79	-----	-----	88.44	34.44	11.88	36.97	0.00	400	246 PEAK																																																																																			
Avg																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.50	45.61	54.00	-8.39	36.74	34.07	11.79	36.99	0.00	400	246 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>89.08</td><td>-----</td><td>-----</td><td>79.67</td><td>34.47</td><td>11.88</td><td>36.94</td><td>0.00</td><td>400</td><td>246 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.08	-----	-----	79.67	34.47	11.88	36.94	0.00	400
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5135.50	45.61	54.00	-8.39	36.74	34.07	11.79	36.99	0.00	400	246 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5250.00	89.08	-----	-----	79.67	34.47	11.88	36.94	0.00	400	246 AVERAGE																																																																																			




Mode	97																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484 ① _5250MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.94</td><td>56.31</td><td>74.00</td><td>-17.69</td><td>46.23</td><td>34.60</td><td>11.98</td><td>36.50</td><td>0.00</td><td>400</td><td>246</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.94	56.31	74.00	-17.69	46.23	34.60	11.98	36.50	0.00	400	246	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5357.94	56.31	74.00	-17.69	46.23	34.60	11.98	36.50	0.00	400	246	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.99</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>36.56</td><td>34.60</td><td>11.98</td><td>36.50</td><td>0.00</td><td>400</td><td>246</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.99	46.64	54.00	-7.36	36.56	34.60	11.98	36.50	0.00	400	246	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5358.99	46.64	54.00	-7.36	36.56	34.60	11.98	36.50	0.00	400	246	AVERAGE																																												







		98																																																																	
Mode		Band Edge - L																																																																	
		U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484 ①_5570MHz																																																																	
ANT		CDD 6+7																																																																	
Pol.		Horizontal					Fundamental																																																												
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5418.86</td><td>61.47</td><td>74.00</td><td>-12.53</td><td>51.20</td><td>34.64</td><td>12.04</td><td>36.41</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr><tr><td>2</td><td>5464.40</td><td>60.92</td><td>68.20</td><td>-7.28</td><td>50.62</td><td>34.64</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5418.86	61.47	74.00	-12.53	51.20	34.64	12.04	36.41	0.00	100	187 PEAK	2	5464.40	60.92	68.20	-7.28	50.62	34.64	12.11	36.45	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5418.86	61.47	74.00	-12.53	51.20	34.64	12.04	36.41	0.00	100	187 PEAK																																																								
2	5464.40	60.92	68.20	-7.28	50.62	34.64	12.11	36.45	0.00	100	187 PEAK																																																								
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.78</td><td>50.56</td><td>54.00</td><td>-3.44</td><td>40.24</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>187 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.78	50.56	54.00	-3.44	40.24	34.66	12.10	36.44	0.00	100	187 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5459.78	50.56	54.00	-3.44	40.24	34.66	12.10	36.44	0.00	100	187 AVERAGE																																																								
Peak																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>105.22</td><td>-----</td><td>-----</td><td>94.86</td><td>34.43</td><td>12.26</td><td>36.33</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	105.22	-----	-----	94.86	34.43	12.26	36.33	0.00	100	187 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5570.00	105.22	-----	-----	94.86	34.43	12.26	36.33	0.00	100	187 PEAK																																																								
Avg																																																																			
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>95.50</td><td>-----</td><td>-----</td><td>84.95</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100</td><td>187 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	95.50	-----	-----	84.95	34.50	12.31	36.26	0.00	100	187 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5570.00	95.50	-----	-----	84.95	34.50	12.31	36.26	0.00	100	187 AVERAGE																																																								




Mode	98																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484 ④_5570MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.02</td><td>58.46</td><td>68.20</td><td>-9.74</td><td>47.77</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.02	58.46	68.20	-9.74	47.77	34.67	12.43	36.41	0.00	100	187 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5733.02	58.46	68.20	-9.74	47.77	34.67	12.43	36.41	0.00	100	187 PEAK																																											







Mode	98																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484 ①_5570MHz																																																																																																														
ANT	CDD 6+7																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.18</td><td>61.59</td><td>74.00</td><td>-12.41</td><td>51.27</td><td>34.68</td><td>12.07</td><td>36.43</td><td>0.00</td><td>391 193 PEAK</td></tr><tr><td>2</td><td>5463.08</td><td>61.18</td><td>68.20</td><td>-7.02</td><td>50.87</td><td>34.65</td><td>12.10</td><td>36.44</td><td>0.00</td><td>391 193 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.18	61.59	74.00	-12.41	51.27	34.68	12.07	36.43	0.00	391 193 PEAK	2	5463.08	61.18	68.20	-7.02	50.87	34.65	12.10	36.44	0.00	391 193 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>101.29</td><td>-----</td><td>-----</td><td>91.00</td><td>34.41</td><td>12.24</td><td>36.36</td><td>0.00</td><td>391 193 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.29	-----	-----	91.00	34.41	12.24	36.36	0.00	391 193 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5442.18	61.59	74.00	-12.41	51.27	34.68	12.07	36.43	0.00	391 193 PEAK																																																																																																					
2	5463.08	61.18	68.20	-7.02	50.87	34.65	12.10	36.44	0.00	391 193 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5570.00	101.29	-----	-----	91.00	34.41	12.24	36.36	0.00	391 193 PEAK																																																																																																					
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.78</td><td>51.37</td><td>54.00</td><td>-2.63</td><td>41.05</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>391 193 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.78	51.37	54.00	-2.63	41.05	34.66	12.10	36.44	0.00	391 193 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>91.49</td><td>-----</td><td>-----</td><td>81.06</td><td>34.46</td><td>12.28</td><td>36.31</td><td>0.00</td><td>391 193 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.49	-----	-----	81.06	34.46	12.28	36.31	0.00	391 193 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5459.78	51.37	54.00	-2.63	41.05	34.66	12.10	36.44	0.00	391 193 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5570.00	91.49	-----	-----	81.06	34.46	12.28	36.31	0.00	391 193 AVERAGE																																																																																																					




Mode	98																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484 ④_5570MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.24</td><td>55.24</td><td>68.20</td><td>-12.96</td><td>44.54</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>391</td><td>193</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.24	55.24	68.20	-12.96	44.54	34.68	12.44	36.42	0.00	391	193	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5740.24	55.24	68.20	-12.96	44.54	34.68	12.44	36.42	0.00	391	193	PEAK																																											



		99																																																																																																															
Mode	Band Edge - L																																																																																																																
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484 ①_5570MHz																																																																																																																
ANT	CDD 6+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.80</td><td>58.99</td><td>74.00</td><td>-15.01</td><td>48.66</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>188 PEAK</td></tr><tr><td>2</td><td>5464.18</td><td>60.38</td><td>68.20</td><td>-7.82</td><td>50.07</td><td>34.64</td><td>12.11</td><td>36.44</td><td>0.00</td><td>100</td><td>188 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.80	58.99	74.00	-15.01	48.66	34.67	12.10	36.44	0.00	100	188 PEAK	2	5464.18	60.38	68.20	-7.82	50.07	34.64	12.11	36.44	0.00	100	188 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>105.51</td><td>-----</td><td>-----</td><td>94.96</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100</td><td>188 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	105.51	-----	-----	94.96	34.50	12.31	36.26	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.80	58.99	74.00	-15.01	48.66	34.67	12.10	36.44	0.00	100	188 PEAK																																																																																																						
2	5464.18	60.38	68.20	-7.82	50.07	34.64	12.11	36.44	0.00	100	188 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	105.51	-----	-----	94.96	34.50	12.31	36.26	0.00	100	188 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.62</td><td>49.34</td><td>54.00</td><td>-4.66</td><td>39.00</td><td>34.69</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>188 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.62	49.34	54.00	-4.66	39.00	34.69	12.09	36.44	0.00	100	188 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>95.29</td><td>-----</td><td>-----</td><td>84.74</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100</td><td>188 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.29	-----	-----	84.74	34.50	12.31	36.26	0.00	100	188 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5453.62	49.34	54.00	-4.66	39.00	34.69	12.09	36.44	0.00	100	188 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	95.29	-----	-----	84.74	34.50	12.31	36.26	0.00	100	188 AVERAGE																																																																																																						



Mode	99																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484 ①_5570MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.56</td><td>61.02</td><td>68.20</td><td>-7.18</td><td>50.34</td><td>34.66</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>188</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.56	61.02	68.20	-7.18	50.34	34.66	12.42	36.40	0.00	100	188	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.56	61.02	68.20	-7.18	50.34	34.66	12.42	36.40	0.00	100	188	PEAK																																												



		99									
Mode	Band Edge - L										
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484 ①_5570MHz										
ANT	CDD 6+7										
Pol.	Vertical										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										


Vertical											
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5456.70	54.47	74.00	-19.53	44.14	34.67	12.10	36.44	0.00	357	192 PEAK
2	5463.30	54.72	68.20	-13.48	44.41	34.65	12.10	36.44	0.00	357	192 PEAK

Fundamental											
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5570.00	100.70	-----	-----	90.44	34.42	12.22	36.38	0.00	357	192 PEAK





Vertical											
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5445.70	44.77	54.00	-9.23	34.43	34.69	12.08	36.43	0.00	357	192 AVERAGE

Fundamental											
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5570.00	91.51	-----	-----	81.25	34.42	12.22	36.38	0.00	357	192 AVERAGE



Mode	99																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484 ①_5570MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.56</td><td>58.55</td><td>68.20</td><td>-9.65</td><td>47.87</td><td>34.66</td><td>12.42</td><td>36.40</td><td>0.00</td><td>357</td><td>192</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.56	58.55	68.20	-9.65	47.87	34.66	12.42	36.40	0.00	357	192	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5727.56	58.55	68.20	-9.65	47.87	34.66	12.42	36.40	0.00	357	192	PEAK																																											







	100																																																																																																			
Mode	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484+242 ⑧_5250MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5108.00</td><td>65.75</td><td>74.00</td><td>-8.25</td><td>56.89</td><td>34.02</td><td>11.76</td><td>36.92</td><td>0.00</td><td>115</td><td>197 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5108.00	65.75	74.00	-8.25	56.89	34.02	11.76	36.92	0.00	115	197 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>104.13</td><td>-----</td><td>-----</td><td>94.66</td><td>34.49</td><td>11.89</td><td>36.91</td><td>0.00</td><td>115</td><td>197 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	104.13	-----	-----	94.66	34.49	11.89	36.91	0.00	115
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5108.00	65.75	74.00	-8.25	56.89	34.02	11.76	36.92	0.00	115	197 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	104.13	-----	-----	94.66	34.49	11.89	36.91	0.00	115	197 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.50</td><td>50.84</td><td>54.00</td><td>-3.16</td><td>41.97</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>115</td><td>197 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.50	50.84	54.00	-3.16	41.97	34.10	11.80	37.03	0.00	115	197 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>93.46</td><td>-----</td><td>-----</td><td>83.99</td><td>34.49</td><td>11.89</td><td>36.91</td><td>0.00</td><td>115</td><td>197 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	93.46	-----	-----	83.99	34.49	11.89	36.91	0.00	115
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5148.50	50.84	54.00	-3.16	41.97	34.10	11.80	37.03	0.00	115	197 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5250.00	93.46	-----	-----	83.99	34.49	11.89	36.91	0.00	115	197 AVERAGE																																																																																									





Mode	100																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484+242 ⑧_5250MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.38</td><td>61.57</td><td>74.00</td><td>-12.43</td><td>51.39</td><td>34.60</td><td>12.00</td><td>36.42</td><td>0.00</td><td>115</td><td>197</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5392.38	61.57	74.00	-12.43	51.39	34.60	12.00	36.42	0.00	115	197	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5392.38	61.57	74.00	-12.43	51.39	34.60	12.00	36.42	0.00	115	197	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5370.33</td><td>49.29</td><td>54.00</td><td>-4.71</td><td>39.17</td><td>34.60</td><td>11.99</td><td>36.47</td><td>0.00</td><td>115</td><td>197</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5370.33	49.29	54.00	-4.71	39.17	34.60	11.99	36.47	0.00	115	197	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5370.33	49.29	54.00	-4.71	39.17	34.60	11.99	36.47	0.00	115	197	AVERAGE																																												







	100																																																																																																						
Mode	Band Edge - L																																																																																																						
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484+242 ⑧_5250MHz																																																																																																						
ANT	CDD 6+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5124.00</td><td>59.96</td><td>74.00</td><td>-14.04</td><td>51.10</td><td>34.05</td><td>11.77</td><td>36.96</td><td>0.00</td><td>314</td><td>245</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.00	59.96	74.00	-14.04	51.10	34.05	11.77	36.96	0.00	314	245	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>99.62</td><td>-----</td><td>-----</td><td>90.21</td><td>34.47</td><td>11.88</td><td>36.94</td><td>0.00</td><td>314</td><td>245</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	99.62	-----	-----	90.21	34.47	11.88	36.94	0.00	314	245
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5124.00	59.96	74.00	-14.04	51.10	34.05	11.77	36.96	0.00	314	245	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5250.00	99.62	-----	-----	90.21	34.47	11.88	36.94	0.00	314	245	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5123.75</td><td>48.03</td><td>54.00</td><td>-5.97</td><td>39.17</td><td>34.05</td><td>11.77</td><td>36.96</td><td>0.00</td><td>314</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.75	48.03	54.00	-5.97	39.17	34.05	11.77	36.96	0.00	314	245	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>89.05</td><td>-----</td><td>-----</td><td>79.64</td><td>34.47</td><td>11.88</td><td>36.94</td><td>0.00</td><td>314</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.05	-----	-----	79.64	34.47	11.88	36.94	0.00	314	245
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5123.75	48.03	54.00	-5.97	39.17	34.05	11.77	36.96	0.00	314	245	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5250.00	89.05	-----	-----	79.64	34.47	11.88	36.94	0.00	314	245	AVERAGE																																																																																											





Mode	100																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484+242 ⑧_5250MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5306.92</td><td>56.98</td><td>74.00</td><td>-17.02</td><td>46.81</td><td>34.60</td><td>12.00</td><td>36.43</td><td>0.00</td><td>314</td><td>245</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5306.92	56.98	74.00	-17.02	46.81	34.60	12.00	36.43	0.00	314	245	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5306.92	56.98	74.00	-17.02	46.81	34.60	12.00	36.43	0.00	314	245	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5383.77</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>36.61</td><td>34.60</td><td>12.00</td><td>36.44</td><td>0.00</td><td>314</td><td>245</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5383.77	46.77	54.00	-7.23	36.61	34.60	12.00	36.44	0.00	314	245	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5383.77	46.77	54.00	-7.23	36.61	34.60	12.00	36.44	0.00	314	245	AVERAGE																																												







		101																																																																																								
Mode		Band Edge - L																																																																																								
		U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484+242 ①_5250MHz																																																																																								
ANT		CDD 6+7																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.75	62.61	74.00	-11.39	53.73	34.10	11.80	37.02	0.00	114	196 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>102.60</td><td>-----</td><td>-----</td><td>92.99</td><td>34.53</td><td>11.90</td><td>36.82</td><td>0.00</td><td>114</td><td>196 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	102.60	-----	-----	92.99	34.53	11.90	36.82	0.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5147.75	62.61	74.00	-11.39	53.73	34.10	11.80	37.02	0.00	114	196 PEAK																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5250.00	102.60	-----	-----	92.99	34.53	11.90	36.82	0.00	114	196 PEAK																																																																															
Avg																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.21	54.00	-3.79	41.34	34.10	11.80	37.03	0.00	114	196 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>93.70</td><td>-----</td><td>-----</td><td>84.23</td><td>34.49</td><td>11.89</td><td>36.91</td><td>0.00</td><td>114</td><td>196 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	93.70	-----	-----	84.23	34.49	11.89	36.91	0.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5150.00	50.21	54.00	-3.79	41.34	34.10	11.80	37.03	0.00	114	196 AVERAGE																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5250.00	93.70	-----	-----	84.23	34.49	11.89	36.91	0.00	114	196 AVERAGE																																																																															





Mode	101																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484+242 ①_5250MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.24</td><td>59.83</td><td>74.00</td><td>-14.17</td><td>49.67</td><td>34.60</td><td>12.00</td><td>36.44</td><td>0.00</td><td>114</td><td>196</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.24	59.83	74.00	-14.17	49.67	34.60	12.00	36.44	0.00	114	196	PEAK	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5385.24	59.83	74.00	-14.17	49.67	34.60	12.00	36.44	0.00	114	196	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.86</td><td>48.67</td><td>54.00</td><td>-5.33</td><td>38.55</td><td>34.60</td><td>11.99</td><td>36.47</td><td>0.00</td><td>114</td><td>196</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.86	48.67	54.00	-5.33	38.55	34.60	11.99	36.47	0.00	114	196	AVERAGE	Blank
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5368.86	48.67	54.00	-5.33	38.55	34.60	11.99	36.47	0.00	114	196	AVERAGE																																											







		101																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484+242 ①_5250MHz																																																																																										
ANT		CDD 6+7																																																																																										
Pol.		Vertical						Fundamental																																																																																				
Peak																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5085.50	59.30	74.00	-14.70	50.50	33.97	11.74	36.91	0.00	400	245	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>98.66</td><td>-----</td><td>-----</td><td>89.25</td><td>34.47</td><td>11.88</td><td>36.94</td><td>0.00</td><td>400</td><td>245</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	98.66	-----	-----	89.25	34.47	11.88	36.94	0.00	400	245
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5085.50	59.30	74.00	-14.70	50.50	33.97	11.74	36.91	0.00	400	245	PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5250.00	98.66	-----	-----	89.25	34.47	11.88	36.94	0.00	400	245	PEAK																																																																																
Avg																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.50	47.42	54.00	-6.58	38.57	34.04	11.77	36.96	0.00	400	245	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>89.28</td><td>-----</td><td>-----</td><td>79.93</td><td>34.44</td><td>11.88</td><td>36.97</td><td>0.00</td><td>400</td><td>245</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	89.28	-----	-----	79.93	34.44	11.88	36.97	0.00	400	245
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5121.50	47.42	54.00	-6.58	38.57	34.04	11.77	36.96	0.00	400	245	AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5250.00	89.28	-----	-----	79.93	34.44	11.88	36.97	0.00	400	245	AVERAGE																																																																																




Mode	101																																																
	Band Edge - R																																																
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Large RU 996+484+242 ①_5250MHz																																																
ANT	CDD 6+7																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5358.99</td><td>58.63</td><td>74.00</td><td>-15.37</td><td>48.55</td><td>34.60</td><td>11.98</td><td>36.50</td><td>0.00</td><td>400</td><td>245</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.99	58.63	74.00	-15.37	48.55	34.60
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5358.99	58.63	74.00	-15.37	48.55	34.60	11.98	36.50	0.00	400	245	PEAK																																					
Avg							Blank																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5360.04</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>36.56</td><td>34.60</td><td>11.98</td><td>36.50</td><td>0.00</td><td>400</td><td>245</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5360.04	46.64	54.00	-7.36	36.56	34.60
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	5360.04	46.64	54.00	-7.36	36.56	34.60	11.98	36.50	0.00	400	245	AVERAGE																																					



		102																																																																		
Mode		Band Edge - L																																																																		
		U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484+242 ⑧_5570MHz																																																																		
ANT		CDD 6+7																																																																		
Pol.		Horizontal																																																																		
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.50</td><td>62.59</td><td>74.00</td><td>-11.41</td><td>52.25</td><td>34.69</td><td>12.08</td><td>36.43</td><td>0.00</td><td>100</td><td>189 PEAK</td></tr><tr><td>2</td><td>5465.50</td><td>62.91</td><td>68.20</td><td>-5.29</td><td>52.61</td><td>34.64</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>189 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5443.50	62.59	74.00	-11.41	52.25	34.69	12.08	36.43	0.00	100	189 PEAK	2	5465.50	62.91	68.20	-5.29	52.61	34.64	12.11	36.45	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5443.50	62.59	74.00	-11.41	52.25	34.69	12.08	36.43	0.00	100	189 PEAK																																																									
2	5465.50	62.91	68.20	-5.29	52.61	34.64	12.11	36.45	0.00	100	189 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>103.32</td><td>-----</td><td>-----</td><td>92.85</td><td>34.47</td><td>12.29</td><td>36.29</td><td>0.00</td><td>100</td><td>189 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	103.32	-----	-----	92.85	34.47	12.29	36.29	0.00	100	189 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5570.00	103.32	-----	-----	92.85	34.47	12.29	36.29	0.00	100	189 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.80</td><td>50.68</td><td>54.00</td><td>-3.32</td><td>40.34</td><td>34.69</td><td>12.08</td><td>36.43</td><td>0.00</td><td>100</td><td>189 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5446.80	50.68	54.00	-3.32	40.34	34.69	12.08	36.43	0.00	100	189 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5446.80	50.68	54.00	-3.32	40.34	34.69	12.08	36.43	0.00	100	189 AVERAGE																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>94.07</td><td>-----</td><td>-----</td><td>83.52</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100</td><td>189 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	94.07	-----	-----	83.52	34.50	12.31	36.26	0.00	100	189 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	5570.00	94.07	-----	-----	83.52	34.50	12.31	36.26	0.00	100	189 AVERAGE																																																									




Mode	102																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484+242 ⑧_5570MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.78</td><td>63.31</td><td>68.20</td><td>-4.89</td><td>52.64</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>189</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.78	63.31	68.20	-4.89	52.64	34.65	12.42	36.40	0.00	100	189	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.78	63.31	68.20	-4.89	52.64	34.65	12.42	36.40	0.00	100	189	PEAK																																												







Mode	102																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484+242 ⑧_5570MHz																																																																																																											
ANT	CDD 6+7																																																																																																											
Pol.	Vertical					Fundamental																																																																																																						
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5390.70</td><td>56.58</td><td>74.00</td><td>-17.42</td><td>46.40</td><td>34.60</td><td>12.00</td><td>36.42</td><td>0.00</td><td>300 251 PEAK</td></tr><tr><td>2</td><td>5465.50</td><td>56.00</td><td>68.20</td><td>-12.20</td><td>45.70</td><td>34.64</td><td>12.11</td><td>36.45</td><td>0.00</td><td>300 251 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5390.70	56.58	74.00	-17.42	46.40	34.60	12.00	36.42	0.00	300 251 PEAK	2	5465.50	56.00	68.20	-12.20	45.70	34.64	12.11	36.45	0.00	300 251 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>98.43</td><td>-----</td><td>-----</td><td>88.17</td><td>34.42</td><td>12.22</td><td>36.38</td><td>0.00</td><td>300 251 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.43	-----	-----	88.17	34.42	12.22	36.38	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5390.70	56.58	74.00	-17.42	46.40	34.60	12.00	36.42	0.00	300 251 PEAK																																																																																																		
2	5465.50	56.00	68.20	-12.20	45.70	34.64	12.11	36.45	0.00	300 251 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5570.00	98.43	-----	-----	88.17	34.42	12.22	36.38	0.00	300 251 PEAK																																																																																																		
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.02</td><td>46.37</td><td>54.00</td><td>-7.63</td><td>36.03</td><td>34.69</td><td>12.08</td><td>36.43</td><td>0.00</td><td>300 251 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.02	46.37	54.00	-7.63	36.03	34.69	12.08	36.43	0.00	300 251 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>89.25</td><td>-----</td><td>-----</td><td>78.78</td><td>34.47</td><td>12.29</td><td>36.29</td><td>0.00</td><td>300 251 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	89.25	-----	-----	78.78	34.47	12.29	36.29	0.00	300 251 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5447.02	46.37	54.00	-7.63	36.03	34.69	12.08	36.43	0.00	300 251 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5570.00	89.25	-----	-----	78.78	34.47	12.29	36.29	0.00	300 251 AVERAGE																																																																																																		




Mode	102																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484+242 ⑧_5570MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.54</td><td>57.84</td><td>68.20</td><td>-10.36</td><td>47.15</td><td>34.66</td><td>12.43</td><td>36.40</td><td>0.00</td><td>300</td><td>251</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.54	57.84	68.20	-10.36	47.15	34.66	12.43	36.40	0.00	300	251	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5728.54	57.84	68.20	-10.36	47.15	34.66	12.43	36.40	0.00	300	251	PEAK																																											



Mode	103																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484+242 ①_5570MHz																																																																																																											
ANT	CDD 6+7																																																																																																											
Pol.	Horizontal					Fundamental																																																																																																						
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.56</td><td>61.18</td><td>74.00</td><td>-12.82</td><td>50.83</td><td>34.70</td><td>12.08</td><td>36.43</td><td>0.00</td><td>100 187 PEAK</td></tr><tr><td>2</td><td>5467.26</td><td>61.68</td><td>68.20</td><td>-6.52</td><td>51.39</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100 187 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.56	61.18	74.00	-12.82	50.83	34.70	12.08	36.43	0.00	100 187 PEAK	2	5467.26	61.68	68.20	-6.52	51.39	34.63	12.11	36.45	0.00	100 187 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>105.04</td><td>-----</td><td>-----</td><td>94.61</td><td>34.46</td><td>12.28</td><td>36.31</td><td>0.00</td><td>100 187 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	105.04	-----	-----	94.61	34.46	12.28	36.31	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5448.56	61.18	74.00	-12.82	50.83	34.70	12.08	36.43	0.00	100 187 PEAK																																																																																																		
2	5467.26	61.68	68.20	-6.52	51.39	34.63	12.11	36.45	0.00	100 187 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5570.00	105.04	-----	-----	94.61	34.46	12.28	36.31	0.00	100 187 PEAK																																																																																																		
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.92</td><td>50.03</td><td>54.00</td><td>-3.97</td><td>39.69</td><td>34.69</td><td>12.08</td><td>36.43</td><td>0.00</td><td>100 187 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.92	50.03	54.00	-3.97	39.69	34.69	12.08	36.43	0.00	100 187 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>95.03</td><td>-----</td><td>-----</td><td>84.48</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100 187 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.03	-----	-----	84.48	34.50	12.31	36.26	0.00	100 187 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5445.92	50.03	54.00	-3.97	39.69	34.69	12.08	36.43	0.00	100 187 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5570.00	95.03	-----	-----	84.48	34.50	12.31	36.26	0.00	100 187 AVERAGE																																																																																																		




Mode	103																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484+242 ①_5570MHz																																																					
ANT	CDD 6+7																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.76</td><td>66.64</td><td>68.20</td><td>-1.56</td><td>55.96</td><td>34.66</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>187 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.76	66.64	68.20	-1.56	55.96	34.66	12.42	36.40	0.00	100	187 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5727.76	66.64	68.20	-1.56	55.96	34.66	12.42	36.40	0.00	100	187 PEAK																																											






		103																																																																																																					
Mode		Band Edge - L																																																																																																					
		U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484+242 ①_5570MHz																																																																																																					
ANT		CDD 6+7																																																																																																					
Pol.		Vertical					Fundamental																																																																																																
Peak																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.12	57.72	74.00	-16.28	47.37	34.70	12.08	36.43	0.00	300 250 PEAK	2	5467.70	56.48	68.20	-11.72	46.19	34.63	12.11	36.45	0.00	300 250 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	98.74	-----	-----	88.48	34.40	12.23	36.37	0.00	300 250 PEAK				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5448.12	57.72	74.00	-16.28	47.37	34.70	12.08	36.43	0.00	300 250 PEAK																																																																																													
2	5467.70	56.48	68.20	-11.72	46.19	34.63	12.11	36.45	0.00	300 250 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5570.00	98.74	-----	-----	88.48	34.40	12.23	36.37	0.00	300 250 PEAK																																																																																													
Avg																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.78	46.72	54.00	-7.28	36.37	34.70	12.08	36.43	0.00	300 250 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	89.73	-----	-----	79.47	34.40	12.23	36.37	0.00	300 250 AVERAGE															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5448.78	46.72	54.00	-7.28	36.37	34.70	12.08	36.43	0.00	300 250 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5570.00	89.73	-----	-----	79.47	34.40	12.23	36.37	0.00	300 250 AVERAGE																																																																																													




Mode	103																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT160_CH114_Large RU 996+484+242 ①_5570MHz																																																							
ANT	CDD 6+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.00</td><td>62.11</td><td>68.20</td><td>-6.09</td><td>51.44</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>300</td><td>250</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.00	62.11	68.20	-6.09	51.44	34.65	12.42	36.40	0.00	300	250	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.00	62.11	68.20	-6.09	51.44	34.65	12.42	36.40	0.00	300	250	PEAK																																												






Mode	104																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																																																																							
ANT	CDD 6+7																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.00</td><td>55.43</td><td>68.20</td><td>-12.77</td><td>44.88</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>52.74</td><td>68.50</td><td>-15.76</td><td>42.19</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>65.19</td><td>110.34</td><td>-45.15</td><td>54.51</td><td>34.64</td><td>12.42</td><td>36.38</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.91</td><td>110.90</td><td>-49.99</td><td>50.24</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5636.00	55.43	68.20	-12.77	44.88	34.50	12.34	36.29	0.00	100	182 PEAK	2	5650.40	52.74	68.50	-15.76	42.19	34.50	12.36	36.31	0.00	100	182 PEAK	3	5718.00	65.19	110.34	-45.15	54.51	34.64	12.42	36.38	0.00	100	182 PEAK	4	5720.00	60.91	110.90	-49.99	50.24	34.64	12.42	36.39	0.00	100	182 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>107.91</td><td>-----</td><td>-----</td><td>97.14</td><td>34.78</td><td>12.46</td><td>36.47</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	107.91	-----	-----	97.14	34.78	12.46	36.47	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5636.00	55.43	68.20	-12.77	44.88	34.50	12.34	36.29	0.00	100	182 PEAK																																																																																																																													
2	5650.40	52.74	68.50	-15.76	42.19	34.50	12.36	36.31	0.00	100	182 PEAK																																																																																																																													
3	5718.00	65.19	110.34	-45.15	54.51	34.64	12.42	36.38	0.00	100	182 PEAK																																																																																																																													
4	5720.00	60.91	110.90	-49.99	50.24	34.64	12.42	36.39	0.00	100	182 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	107.91	-----	-----	97.14	34.78	12.46	36.47	0.00	100	182 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.79</td><td>-----</td><td>-----</td><td>87.09</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>182 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.79	-----	-----	87.09	34.68	12.44	36.42	0.00	100	182 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5775.00	97.79	-----	-----	87.09	34.68	12.44	36.42	0.00	100	182 AVERAGE																																																																																																																													




Mode	104																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ④_5775MHz																																																																																											
ANT	CDD 6+7																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.38</td><td>111.36</td><td>-56.98</td><td>43.33</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>55.00</td><td>105.80</td><td>-50.80</td><td>43.88</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>55.56</td><td>69.83</td><td>-14.27</td><td>44.41</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>4</td><td>5938.00</td><td>56.29</td><td>68.20</td><td>-11.91</td><td>45.19</td><td>35.30</td><td>12.68</td><td>36.88</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	54.38	111.36	-56.98	43.33	35.12	12.56	36.63	0.00	100	182 PEAK	2	5873.20	55.00	105.80	-50.80	43.88	35.19	12.59	36.66	0.00	100	182 PEAK	3	5922.80	55.56	69.83	-14.27	44.41	35.30	12.66	36.81	0.00	100	182 PEAK	4	5938.00	56.29	68.20	-11.91	45.19	35.30	12.68	36.88	0.00	100	182 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	54.38	111.36	-56.98	43.33	35.12	12.56	36.63	0.00	100	182 PEAK																																																																																	
2	5873.20	55.00	105.80	-50.80	43.88	35.19	12.59	36.66	0.00	100	182 PEAK																																																																																	
3	5922.80	55.56	69.83	-14.27	44.41	35.30	12.66	36.81	0.00	100	182 PEAK																																																																																	
4	5938.00	56.29	68.20	-11.91	45.19	35.30	12.68	36.88	0.00	100	182 PEAK																																																																																	








Mode	104																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5623.60</td><td>54.97</td><td>68.20</td><td>-13.23</td><td>44.42</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>350</td><td>201 PEAK</td></tr><tr><td>2 5651.60</td><td>53.64</td><td>69.39</td><td>-15.75</td><td>43.09</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>350</td><td>201 PEAK</td></tr><tr><td>3 5706.40</td><td>59.98</td><td>107.09</td><td>-47.11</td><td>49.32</td><td>34.61</td><td>12.41</td><td>36.36</td><td>0.00</td><td>350</td><td>201 PEAK</td></tr><tr><td>4 5720.00</td><td>58.53</td><td>110.90</td><td>-52.37</td><td>47.86</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>350</td><td>201 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5623.60	54.97	68.20	-13.23	44.42	34.50	12.33	36.28	0.00	350	201 PEAK	2 5651.60	53.64	69.39	-15.75	43.09	34.50	12.36	36.31	0.00	350	201 PEAK	3 5706.40	59.98	107.09	-47.11	49.32	34.61	12.41	36.36	0.00	350	201 PEAK	4 5720.00	58.53	110.90	-52.37	47.86	34.64	12.42	36.39	0.00	350	201 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>105.39</td><td>-----</td><td>-----</td><td>94.67</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>350</td><td>201 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	105.39	-----	-----	94.67	34.71	12.45	36.44	0.00	350	201 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5623.60	54.97	68.20	-13.23	44.42	34.50	12.33	36.28	0.00	350	201 PEAK																																																																																																																										
2 5651.60	53.64	69.39	-15.75	43.09	34.50	12.36	36.31	0.00	350	201 PEAK																																																																																																																										
3 5706.40	59.98	107.09	-47.11	49.32	34.61	12.41	36.36	0.00	350	201 PEAK																																																																																																																										
4 5720.00	58.53	110.90	-52.37	47.86	34.64	12.42	36.39	0.00	350	201 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	105.39	-----	-----	94.67	34.71	12.45	36.44	0.00	350	201 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.91</td><td>-----</td><td>-----</td><td>82.19</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>350</td><td>201 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	92.91	-----	-----	82.19	34.71	12.45	36.44	0.00	350	201 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	92.91	-----	-----	82.19	34.71	12.45	36.44	0.00	350	201 AVERAGE																																																																																																																										




Mode	104																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ④_5775MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.40</td><td>52.43</td><td>112.27</td><td>-59.84</td><td>41.30</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>350</td><td>201 PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>54.44</td><td>105.36</td><td>-50.92</td><td>43.31</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>350</td><td>201 PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>55.67</td><td>70.42</td><td>-14.75</td><td>44.53</td><td>35.30</td><td>12.65</td><td>36.81</td><td>0.00</td><td>350</td><td>201 PEAK</td></tr><tr><td>4</td><td>5930.00</td><td>55.00</td><td>68.20</td><td>-13.20</td><td>43.88</td><td>35.30</td><td>12.67</td><td>36.85</td><td>0.00</td><td>350</td><td>201 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.40	52.43	112.27	-59.84	41.30	35.12	12.56	36.63	0.00	350	201 PEAK	2	5874.80	54.44	105.36	-50.92	43.31	35.20	12.59	36.66	0.00	350	201 PEAK	3	5922.00	55.67	70.42	-14.75	44.53	35.30	12.65	36.81	0.00	350	201 PEAK	4	5930.00	55.00	68.20	-13.20	43.88	35.30	12.67	36.85	0.00	350	201 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	5854.40	52.43	112.27	-59.84	41.30	35.12	12.56	36.63	0.00	350	201 PEAK																																																																								
2	5874.80	54.44	105.36	-50.92	43.31	35.20	12.59	36.66	0.00	350	201 PEAK																																																																								
3	5922.00	55.67	70.42	-14.75	44.53	35.30	12.65	36.81	0.00	350	201 PEAK																																																																								
4	5930.00	55.00	68.20	-13.20	43.88	35.30	12.67	36.85	0.00	350	201 PEAK																																																																								






Mode	105																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																							
ANT	CDD 6+7																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5641.60</td><td>56.06</td><td>68.20</td><td>-12.14</td><td>45.51</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr><tr><td>2 5653.60</td><td>56.24</td><td>70.88</td><td>-14.64</td><td>45.68</td><td>34.51</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr><tr><td>3 5714.00</td><td>65.96</td><td>109.22</td><td>-43.26</td><td>55.30</td><td>34.63</td><td>12.41</td><td>36.38</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr><tr><td>4 5720.00</td><td>66.90</td><td>110.90</td><td>-44.00</td><td>56.23</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5641.60	56.06	68.20	-12.14	45.51	34.50	12.35	36.30	0.00	100	175 PEAK	2 5653.60	56.24	70.88	-14.64	45.68	34.51	12.36	36.31	0.00	100	175 PEAK	3 5714.00	65.96	109.22	-43.26	55.30	34.63	12.41	36.38	0.00	100	175 PEAK	4 5720.00	66.90	110.90	-44.00	56.23	34.64	12.42	36.39	0.00	100	175 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5641.60	56.06	68.20	-12.14	45.51	34.50	12.35	36.30	0.00	100	175 PEAK																																																																														
2 5653.60	56.24	70.88	-14.64	45.68	34.51	12.36	36.31	0.00	100	175 PEAK																																																																														
3 5714.00	65.96	109.22	-43.26	55.30	34.63	12.41	36.38	0.00	100	175 PEAK																																																																														
4 5720.00	66.90	110.90	-44.00	56.23	34.64	12.42	36.39	0.00	100	175 PEAK																																																																														
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>107.36</td><td>-----</td><td>-----</td><td>96.61</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	107.36	-----	-----	96.61	34.75	12.45	36.45	0.00	100	175 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	107.36	-----	-----	96.61	34.75	12.45	36.45	0.00	100	175 PEAK																																																																														
Blank																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>98.02</td><td>-----</td><td>-----</td><td>87.27</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>175 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	98.02	-----	-----	87.27	34.75	12.45	36.45	0.00	100	175 AVERAGE																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	98.02	-----	-----	87.27	34.75	12.45	36.45	0.00	100	175 AVERAGE																																																																														
Fundamental																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>107.36</td><td>-----</td><td>-----</td><td>96.61</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	107.36	-----	-----	96.61	34.75	12.45	36.45	0.00	100	175 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	107.36	-----	-----	96.61	34.75	12.45	36.45	0.00	100	175 PEAK																																																																														
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>98.02</td><td>-----</td><td>-----</td><td>87.27</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>175 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	98.02	-----	-----	87.27	34.75	12.45	36.45	0.00	100	175 AVERAGE																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	98.02	-----	-----	87.27	34.75	12.45	36.45	0.00	100	175 AVERAGE																																																																														




Mode	105																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																		
ANT	CDD 6+7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>60.78</td><td>111.36</td><td>-50.58</td><td>49.73</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>63.48</td><td>110.62</td><td>-47.14</td><td>52.42</td><td>35.12</td><td>12.57</td><td>36.63</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>56.25</td><td>69.53</td><td>-13.28</td><td>45.10</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr><tr><td>4</td><td>5940.00</td><td>56.55</td><td>68.20</td><td>-11.65</td><td>45.46</td><td>35.30</td><td>12.68</td><td>36.89</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	60.78	111.36	-50.58	49.73	35.12	12.56	36.63	0.00	100	175 PEAK	2	5856.00	63.48	110.62	-47.14	52.42	35.12	12.57	36.63	0.00	100	175 PEAK	3	5923.20	56.25	69.53	-13.28	45.10	35.30	12.66	36.81	0.00	100	175 PEAK	4	5940.00	56.55	68.20	-11.65	45.46	35.30	12.68	36.89	0.00	100	175 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.00	60.78	111.36	-50.58	49.73	35.12	12.56	36.63	0.00	100	175 PEAK																																																																								
2	5856.00	63.48	110.62	-47.14	52.42	35.12	12.57	36.63	0.00	100	175 PEAK																																																																								
3	5923.20	56.25	69.53	-13.28	45.10	35.30	12.66	36.81	0.00	100	175 PEAK																																																																								
4	5940.00	56.55	68.20	-11.65	45.46	35.30	12.68	36.89	0.00	100	175 PEAK																																																																								







Mode	105																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5648.00</td><td>55.44</td><td>68.20</td><td>-12.76</td><td>44.89</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>348</td><td>205 PEAK</td></tr><tr><td>2 5651.20</td><td>52.19</td><td>69.09</td><td>-16.90</td><td>41.64</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>348</td><td>205 PEAK</td></tr><tr><td>3 5700.80</td><td>54.48</td><td>105.52</td><td>-51.04</td><td>43.83</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>348</td><td>205 PEAK</td></tr><tr><td>4 5723.60</td><td>63.96</td><td>119.11</td><td>-55.15</td><td>53.28</td><td>34.65</td><td>12.42</td><td>36.39</td><td>0.00</td><td>348</td><td>205 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5648.00	55.44	68.20	-12.76	44.89	34.50	12.35	36.30	0.00	348	205 PEAK	2 5651.20	52.19	69.09	-16.90	41.64	34.50	12.36	36.31	0.00	348	205 PEAK	3 5700.80	54.48	105.52	-51.04	43.83	34.60	12.40	36.35	0.00	348	205 PEAK	4 5723.60	63.96	119.11	-55.15	53.28	34.65	12.42	36.39	0.00	348	205 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>101.72</td><td>-----</td><td>-----</td><td>90.88</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>348</td><td>205 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	101.72	-----	-----	90.88	34.86	12.47	36.49	0.00	348	205 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5648.00	55.44	68.20	-12.76	44.89	34.50	12.35	36.30	0.00	348	205 PEAK																																																																																																																										
2 5651.20	52.19	69.09	-16.90	41.64	34.50	12.36	36.31	0.00	348	205 PEAK																																																																																																																										
3 5700.80	54.48	105.52	-51.04	43.83	34.60	12.40	36.35	0.00	348	205 PEAK																																																																																																																										
4 5723.60	63.96	119.11	-55.15	53.28	34.65	12.42	36.39	0.00	348	205 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	101.72	-----	-----	90.88	34.86	12.47	36.49	0.00	348	205 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.32</td><td>-----</td><td>-----</td><td>81.48</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>348</td><td>205 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	92.32	-----	-----	81.48	34.86	12.47	36.49	0.00	348	205 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	92.32	-----	-----	81.48	34.86	12.47	36.49	0.00	348	205 AVERAGE																																																																																																																										





Mode	105																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																														
ANT	CDD 6+7																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.83</td><td>111.36</td><td>-55.53</td><td>44.78</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>348 205 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>57.28</td><td>105.80</td><td>-48.52</td><td>46.16</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>348 205 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.87</td><td>68.64</td><td>-14.77</td><td>42.73</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>348 205 PEAK</td></tr><tr><td>4</td><td>5938.00</td><td>54.59</td><td>68.20</td><td>-13.61</td><td>43.49</td><td>35.30</td><td>12.68</td><td>36.88</td><td>0.00</td><td>348 205 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.83	111.36	-55.53	44.78	35.12	12.56	36.63	0.00	348 205 PEAK	2	5873.20	57.28	105.80	-48.52	46.16	35.19	12.59	36.66	0.00	348 205 PEAK	3	5924.40	53.87	68.64	-14.77	42.73	35.30	12.66	36.82	0.00	348 205 PEAK	4	5938.00	54.59	68.20	-13.61	43.49	35.30	12.68	36.88	0.00	348 205 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.00	55.83	111.36	-55.53	44.78	35.12	12.56	36.63	0.00	348 205 PEAK																																																																					
2	5873.20	57.28	105.80	-48.52	46.16	35.19	12.59	36.66	0.00	348 205 PEAK																																																																					
3	5924.40	53.87	68.64	-14.77	42.73	35.30	12.66	36.82	0.00	348 205 PEAK																																																																					
4	5938.00	54.59	68.20	-13.61	43.49	35.30	12.68	36.88	0.00	348 205 PEAK																																																																					





Co-location:

Mode	106																																																																																																		
	Fundamental																																																																																																		
	2400-2483.5_2400-2483.5_802.11be EHT20_CH11_Full_2462MHz																																																																																																		
ANT	A7																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>116.05</td><td>-----</td><td>106.21</td><td>32.80</td><td>8.07</td><td>37.03</td><td>6.00</td><td>339</td><td>104 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	116.05	-----	106.21	32.80	8.07	37.03	6.00	339	104 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>112.02</td><td>-----</td><td>102.24</td><td>32.74</td><td>8.08</td><td>37.04</td><td>6.00</td><td>316</td><td>360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.02	-----	102.24	32.74	8.08	37.04	6.00	316
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	116.05	-----	106.21	32.80	8.07	37.03	6.00	339	104 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	112.02	-----	102.24	32.74	8.08	37.04	6.00	316	360 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.12</td><td>-----</td><td>93.27</td><td>32.82</td><td>8.06</td><td>37.03</td><td>6.00</td><td>339</td><td>104 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.12	-----	93.27	32.82	8.06	37.03	6.00	339	104 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.57</td><td>-----</td><td>91.77</td><td>32.76</td><td>8.07</td><td>37.03</td><td>6.00</td><td>316</td><td>360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.57	-----	91.77	32.76	8.07	37.03	6.00	316
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	103.12	-----	93.27	32.82	8.06	37.03	6.00	339	104 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	101.57	-----	91.77	32.76	8.07	37.03	6.00	316	360 AVERAGE																																																																																									







Mode	106																																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																																				
	2400-2483.5_2400-2483.5_802.11be EHT20_CH11_Full_2462MHz																																																																																																																																																																																																				
ANT	A7																																																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																																																														
Peak Avg																																																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>64.62</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4956.00</td><td>40.88</td><td>74.00</td><td>-33.12</td><td>60.81</td><td>33.91</td><td>11.59</td><td>65.43</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>5570.00</td><td>69.08</td><td>-----</td><td>-----</td><td>87.80</td><td>34.44</td><td>12.27</td><td>65.43</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7386.00</td><td>42.97</td><td>74.00</td><td>-31.03</td><td>59.13</td><td>35.80</td><td>14.19</td><td>66.15</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>5</td><td>7434.00</td><td>40.14</td><td>74.00</td><td>-33.86</td><td>56.36</td><td>35.80</td><td>14.23</td><td>66.25</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	44.51	74.00	-29.49	64.62	33.90	11.54	65.55	0.00	---	PEAK	2	4956.00	40.88	74.00	-33.12	60.81	33.91	11.59	65.43	0.00	---	Peak	3	5570.00	69.08	-----	-----	87.80	34.44	12.27	65.43	0.00	---	Peak	4	7386.00	42.97	74.00	-31.03	59.13	35.80	14.19	66.15	0.00	---	PEAK	5	7434.00	40.14	74.00	-33.86	56.36	35.80	14.23	66.25	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.90</td><td>74.00</td><td>-32.10</td><td>62.01</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4956.00</td><td>38.66</td><td>74.00</td><td>-35.34</td><td>58.59</td><td>33.91</td><td>11.59</td><td>65.43</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>5570.00</td><td>65.18</td><td>-----</td><td>-----</td><td>83.90</td><td>34.44</td><td>12.27</td><td>65.43</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7386.00</td><td>43.29</td><td>74.00</td><td>-30.71</td><td>59.45</td><td>35.80</td><td>14.19</td><td>66.15</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>5</td><td>7434.00</td><td>40.01</td><td>74.00</td><td>-33.99</td><td>56.23</td><td>35.80</td><td>14.23</td><td>66.25</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4924.00	41.90	74.00	-32.10	62.01	33.90	11.54	65.55	0.00	---	PEAK	2	4956.00	38.66	74.00	-35.34	58.59	33.91	11.59	65.43	0.00	---	Peak	3	5570.00	65.18	-----	-----	83.90	34.44	12.27	65.43	0.00	---	Peak	4	7386.00	43.29	74.00	-30.71	59.45	35.80	14.19	66.15	0.00	---	PEAK	5	7434.00	40.01	74.00	-33.99	56.23	35.80	14.23	66.25	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																											
1	4924.00	44.51	74.00	-29.49	64.62	33.90	11.54	65.55	0.00	---	PEAK																																																																																																																																																																																										
2	4956.00	40.88	74.00	-33.12	60.81	33.91	11.59	65.43	0.00	---	Peak																																																																																																																																																																																										
3	5570.00	69.08	-----	-----	87.80	34.44	12.27	65.43	0.00	---	Peak																																																																																																																																																																																										
4	7386.00	42.97	74.00	-31.03	59.13	35.80	14.19	66.15	0.00	---	PEAK																																																																																																																																																																																										
5	7434.00	40.14	74.00	-33.86	56.36	35.80	14.23	66.25	0.00	---	Peak																																																																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																										
1	4924.00	41.90	74.00	-32.10	62.01	33.90	11.54	65.55	0.00	---	PEAK																																																																																																																																																																																										
2	4956.00	38.66	74.00	-35.34	58.59	33.91	11.59	65.43	0.00	---	Peak																																																																																																																																																																																										
3	5570.00	65.18	-----	-----	83.90	34.44	12.27	65.43	0.00	---	Peak																																																																																																																																																																																										
4	7386.00	43.29	74.00	-30.71	59.45	35.80	14.19	66.15	0.00	---	PEAK																																																																																																																																																																																										
5	7434.00	40.01	74.00	-33.99	56.23	35.80	14.23	66.25	0.00	---	Peak																																																																																																																																																																																										



		106																																																								
Mode		Harmonic																																																								
		U-NII-2C_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																								
ANT		CDD 6+7																																																								
Pol.		Horizontal																																																								
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>55.51</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	44.41	74.00	-29.59	55.51	37.90	17.62	66.62	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	11140.00	44.41	74.00	-29.59	55.51	37.90	17.62	66.62	0.00	---	PEAK																																															
		Vertical																																																								
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>45.04</td><td>74.00</td><td>-28.96</td><td>56.14</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	45.04	74.00	-28.96	56.14	37.90	17.62	66.62	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	11140.00	45.04	74.00	-28.96	56.14	37.90	17.62	66.62	0.00	---	PEAK																																															





Mode	107																																																					
	Fundamental																																																					
	2400-2483.5_2400-2483.5_802.11be EHT20_CH11_Full_2462MHz																																																					
ANT	A6+A7																																																					
Pol.	Horizontal						Vertical																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>115.87</td><td>-----</td><td>106.07</td><td>32.76</td><td>8.07</td><td>37.03</td><td>6.00</td><td>255</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	115.87	-----	106.07	32.76	8.07	37.03	6.00	255
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	115.87	-----	106.07	32.76	8.07	37.03	6.00	255	0 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.49</td><td>-----</td><td>95.67</td><td>32.78</td><td>8.07</td><td>37.03</td><td>6.00</td><td>255</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.49	-----	95.67	32.78	8.07	37.03	6.00	255
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	105.49	-----	95.67	32.78	8.07	37.03	6.00	255	0 AVERAGE																																												
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.01</td><td>-----</td><td>101.12</td><td>32.86</td><td>8.06</td><td>37.03</td><td>6.00</td><td>286</td><td>360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.01	-----	101.12	32.86	8.06	37.03	6.00	286
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	111.01	-----	101.12	32.86	8.06	37.03	6.00	286	360 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.51</td><td>-----</td><td>91.75</td><td>32.72</td><td>8.08</td><td>37.04</td><td>6.00</td><td>286</td><td>360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.51	-----	91.75	32.72	8.08	37.04	6.00	286
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	101.51	-----	91.75	32.72	8.08	37.04	6.00	286	360 AVERAGE																																												







Mode	107																																																																																																																																																													
	Harmonic																																																																																																																																																													
	2400-2483.5_2400-2483.5_802.11be EHT20_CH11_Full_2462MHz																																																																																																																																																													
ANT	A6+A7																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4924.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>61.63</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5570.00</td><td>65.13</td><td>-----</td><td>-----</td><td>83.85</td><td>34.44</td><td>12.27</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>42.31</td><td>74.00</td><td>-31.69</td><td>58.47</td><td>35.80</td><td>14.19</td><td>66.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.52	74.00	-32.48	61.63	33.90	11.54	65.55	0.00	---	---	PEAK	2	5570.00	65.13	-----	-----	83.85	34.44	12.27	65.43	0.00	---	---	Peak	3	7386.00	42.31	74.00	-31.69	58.47	35.80	14.19	66.15	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4924.00</td><td>41.81</td><td>74.00</td><td>-32.19</td><td>61.92</td><td>33.90</td><td>11.54</td><td>65.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5570.00</td><td>58.44</td><td>-----</td><td>-----</td><td>77.16</td><td>34.44</td><td>12.27</td><td>65.43</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>43.71</td><td>74.00</td><td>-30.29</td><td>59.87</td><td>35.80</td><td>14.19</td><td>66.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	41.81	74.00	-32.19	61.92	33.90	11.54	65.55	0.00	---	---	PEAK	2	5570.00	58.44	-----	-----	77.16	34.44	12.27	65.43	0.00	---	---	Peak	3	7386.00	43.71	74.00	-30.29	59.87	35.80	14.19	66.15	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4924.00	41.52	74.00	-32.48	61.63	33.90	11.54	65.55	0.00	---	---	PEAK																																																																																																																																																		
2	5570.00	65.13	-----	-----	83.85	34.44	12.27	65.43	0.00	---	---	Peak																																																																																																																																																		
3	7386.00	42.31	74.00	-31.69	58.47	35.80	14.19	66.15	0.00	---	---	PEAK																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4924.00	41.81	74.00	-32.19	61.92	33.90	11.54	65.55	0.00	---	---	PEAK																																																																																																																																																		
2	5570.00	58.44	-----	-----	77.16	34.44	12.27	65.43	0.00	---	---	Peak																																																																																																																																																		
3	7386.00	43.71	74.00	-30.29	59.87	35.80	14.19	66.15	0.00	---	---	PEAK																																																																																																																																																		





Mode	107																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>43.31</td><td>74.00</td><td>-30.69</td><td>54.41</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	43.31	74.00	-30.69	54.41	37.90	17.62	66.62	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>55.53</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	44.43	74.00	-29.57	55.53	37.90	17.62	66.62	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11140.00	43.31	74.00	-30.69	54.41	37.90	17.62	66.62	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11140.00	44.43	74.00	-29.57	55.53	37.90	17.62	66.62	0.00	---	PEAK																																																																																											





Mode	108																																																													
	Fundamental																																																													
	2400-2483.5_ Bluetooth LE CS GFSK Tx _CH76_2478MHz																																																													
ANT	A6																																																													
Pol.	Horizontal						Vertical																																																							
Peak																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>105.07</td><td>-----</td><td>-----</td><td>95.40</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>100</td><td>239</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2478.00	105.07	-----	-----	95.40	32.62	8.09	37.04	6.00	100	239
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2478.00	105.07	-----	-----	95.40	32.62	8.09	37.04	6.00	100	239	PEAK																																																		
																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>102.18</td><td>-----</td><td>-----</td><td>92.51</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>345</td><td>292</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2478.00	102.18	-----	-----	92.51	32.62	8.09	37.04	6.00	345	292
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2478.00	102.18	-----	-----	92.51	32.62	8.09	37.04	6.00	345	292	PEAK																																																		
Avg																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>98.61</td><td>-----</td><td>-----</td><td>88.94</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2478.00	98.61	-----	-----	88.94	32.62	8.09	37.04	6.00	100	239
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2478.00	98.61	-----	-----	88.94	32.62	8.09	37.04	6.00	100	239	AVERAGE																																																		
																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>95.69</td><td>-----</td><td>-----</td><td>86.02</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>345</td><td>292</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2478.00	95.69	-----	-----	86.02	32.62	8.09	37.04	6.00	345	292
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2478.00	95.69	-----	-----	86.02	32.62	8.09	37.04	6.00	345	292	AVERAGE																																																		





Mode	108																																																																																
	Harmonic																																																																																
	2400-2483.5_ Bluetooth LE CS GFSK Tx _CH76_2478MHz																																																																																
ANT	A6																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.88</td><td>74.00</td><td>-33.12</td><td>60.81</td><td>33.91</td><td>11.59</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5570.00</td><td>63.02</td><td>-----</td><td>-----</td><td>81.78</td><td>34.67</td><td>12.06</td><td>65.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7434.00</td><td>43.33</td><td>74.00</td><td>-30.67</td><td>59.55</td><td>35.00</td><td>14.23</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	40.88	74.00	-33.12	60.81	33.91	11.59	65.43	0.00	---	PEAK	2	5570.00	63.02	-----	-----	81.78	34.67	12.06	65.49	0.00	---	PEAK	3	7434.00	43.33	74.00	-30.67	59.55	35.00	14.23	66.25	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4956.00	40.88	74.00	-33.12	60.81	33.91	11.59	65.43	0.00	---	PEAK																																																																						
2	5570.00	63.02	-----	-----	81.78	34.67	12.06	65.49	0.00	---	PEAK																																																																						
3	7434.00	43.33	74.00	-30.67	59.55	35.00	14.23	66.25	0.00	---	PEAK																																																																						
Vertical																																																																																	
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>41.37</td><td>74.00</td><td>-32.63</td><td>61.30</td><td>33.91</td><td>11.59</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5570.00</td><td>62.64</td><td>-----</td><td>-----</td><td>81.40</td><td>34.67</td><td>12.06</td><td>65.49</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7434.00</td><td>42.78</td><td>74.00</td><td>-31.22</td><td>59.00</td><td>35.00</td><td>14.23</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	41.37	74.00	-32.63	61.30	33.91	11.59	65.43	0.00	---	PEAK	2	5570.00	62.64	-----	-----	81.40	34.67	12.06	65.49	0.00	---	PEAK	3	7434.00	42.78	74.00	-31.22	59.00	35.00	14.23	66.25	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4956.00	41.37	74.00	-32.63	61.30	33.91	11.59	65.43	0.00	---	PEAK																																																																						
2	5570.00	62.64	-----	-----	81.40	34.67	12.06	65.49	0.00	---	PEAK																																																																						
3	7434.00	42.78	74.00	-31.22	59.00	35.00	14.23	66.25	0.00	---	PEAK																																																																						







Mode	108																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11be EHT160_CH50_Full_5250MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>44.21</td><td>68.20</td><td>-23.99</td><td>56.49</td><td>37.67</td><td>17.07</td><td>67.02</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	44.21	68.20	-23.99	56.49	37.67	17.07	67.02	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>43.95</td><td>68.20</td><td>-24.25</td><td>56.36</td><td>37.62</td><td>17.03</td><td>67.06</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	43.95	68.20	-24.25	56.36	37.62	17.03	67.06	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10500.00	44.21	68.20	-23.99	56.49	37.67	17.07	67.02	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10500.00	43.95	68.20	-24.25	56.36	37.62	17.03	67.06	0.00	---	PEAK																																																																																											



		108																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																										
ANT		CDD 6+7																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>55.00</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	43.90	74.00	-30.10	55.00	37.90	17.62	66.62	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11140.00	43.90	74.00	-30.10	55.00	37.90	17.62	66.62	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>55.09</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	43.99	74.00	-30.01	55.09	37.90	17.62	66.62	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11140.00	43.99	74.00	-30.01	55.09	37.90	17.62	66.62	0.00	---	---	PEAK																																																



Mode	108																																																																																																						
	Fundamental																																																																																																						
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																						
ANT	A7																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>102.71</td><td>-----</td><td>93.06</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>295</td><td>107</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	102.71	-----	93.06	32.60	8.10	37.05	6.00	295	107	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>101.16</td><td>-----</td><td>91.51</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>284</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	101.16	-----	91.51	32.60	8.10	37.05	6.00	284	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2480.00	102.71	-----	93.06	32.60	8.10	37.05	6.00	295	107	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2480.00	101.16	-----	91.51	32.60	8.10	37.05	6.00	284	360	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>98.57</td><td>-----</td><td>88.92</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>295</td><td>107</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	98.57	-----	88.92	32.60	8.10	37.05	6.00	295	107	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>97.12</td><td>-----</td><td>87.47</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>284</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	97.12	-----	87.47	32.60	8.10	37.05	6.00	284	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2480.00	98.57	-----	88.92	32.60	8.10	37.05	6.00	295	107	AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	2480.00	97.12	-----	87.47	32.60	8.10	37.05	6.00	284	360	AVERAGE																																																																																												



Mode	109																																																																																
	Harmonic																																																																																
	2400-2483.5_2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																
ANT	A7																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4960.00</td><td>40.86</td><td>74.00</td><td>-33.14</td><td>60.77</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5570.00</td><td>60.38</td><td>-----</td><td>-----</td><td>79.15</td><td>34.41</td><td>12.23</td><td>65.41</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>43.42</td><td>74.00</td><td>-30.58</td><td>59.66</td><td>35.80</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.86	74.00	-33.14	60.77	33.92	11.59	65.42	0.00	---	PEAK	2	5570.00	60.38	-----	-----	79.15	34.41	12.23	65.41	0.00	---	PEAK	3	7440.00	43.42	74.00	-30.58	59.66	35.80	14.23	66.27	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4960.00	40.86	74.00	-33.14	60.77	33.92	11.59	65.42	0.00	---	PEAK																																																																						
2	5570.00	60.38	-----	-----	79.15	34.41	12.23	65.41	0.00	---	PEAK																																																																						
3	7440.00	43.42	74.00	-30.58	59.66	35.80	14.23	66.27	0.00	---	PEAK																																																																						
Vertical																																																																																	
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4960.00</td><td>40.97</td><td>74.00</td><td>-33.03</td><td>60.88</td><td>33.92</td><td>11.59</td><td>65.42</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5570.00</td><td>54.11</td><td>-----</td><td>-----</td><td>72.85</td><td>34.47</td><td>12.18</td><td>65.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>43.74</td><td>74.00</td><td>-30.26</td><td>59.98</td><td>35.80</td><td>14.23</td><td>66.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.97	74.00	-33.03	60.88	33.92	11.59	65.42	0.00	---	PEAK	2	5570.00	54.11	-----	-----	72.85	34.47	12.18	65.39	0.00	---	PEAK	3	7440.00	43.74	74.00	-30.26	59.98	35.80	14.23	66.27	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	4960.00	40.97	74.00	-33.03	60.88	33.92	11.59	65.42	0.00	---	PEAK																																																																						
2	5570.00	54.11	-----	-----	72.85	34.47	12.18	65.39	0.00	---	PEAK																																																																						
3	7440.00	43.74	74.00	-30.26	59.98	35.80	14.23	66.27	0.00	---	PEAK																																																																						




Mode	109																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.15-5.25_802.11be EHT160_CH114_Full_5570MHz																																																																																																					
ANT	CDD 6+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>43.28</td><td>74.00</td><td>-30.72</td><td>54.38</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	43.28	74.00	-30.72	54.38	37.90	17.62	66.62	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>43.15</td><td>74.00</td><td>-30.85</td><td>54.25</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	43.15	74.00	-30.85	54.25	37.90	17.62	66.62	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11140.00	43.28	74.00	-30.72	54.38	37.90	17.62	66.62	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11140.00	43.15	74.00	-30.85	54.25	37.90	17.62	66.62	0.00	---	PEAK																																																																																											

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.01	-	-	10Hz
802.11be EHT20	100	-	-	10Hz
802.11be EHT40	100	-	-	10Hz
802.11be EHT80	100	-	-	10Hz
802.11be EHT160	100	-	-	10Hz
802.11be EHT20 RU106	98.37	-	-	10Hz
802.11be EHT40 RU242	99.28	-	-	10Hz
802.11be EHT80 RU484	98.45	-	-	10Hz
802.11be EHT160 RU996	97.83	0.813	1.23	1.3KHz
Small RU52+26	98.47	-	-	10Hz
Small RU106+26	98.66	-	-	10Hz
802.11be EHT80 Puncturing 20M	100	-	-	10Hz
802.11be EHT160 Puncturing 20M	100	-	-	10Hz
802.11be EHT160 Puncturing 40M	100	-	-	10Hz
802.11be EHT80 Large RU 484+242	98.23	-	-	10Hz
802.11be EHT160 Large RU 996+484	97.89	0.93	1.075	10Hz
802.11be EHT160 Large RU 996+484+242	100	-	-	10Hz



802.11a




802.11be EHT20







802.11be EHT40




802.11be EHT80



802.11be EHT160




802.11be EHT20 RU106






802.11be EHT40 RU242




802.11be EHT80 RU484






802.11be EHT160 RU996




Small RU52+26







Small RU106+26




802.11be EHT80 Puncturing 20M



802.11be EHT160 Puncturing 20M




802.11be EHT160 Puncturing 40M






802.11be EHT80 Large RU 484+242



802.11be EHT160 Large RU 996+484





802.11be EHT160 Large RU 996+484+242

