





























































Date: 27.JAN.2026 22:39:05






Date: 27.JAN.2026 22:39:16







































<Small RU>

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant6	5180	52Tone+26Tone	RU38+RU1	5.1	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.66	≤11.00	PASS
	Ant7	5180	52Tone+26Tone	RU38+RU1	5.71	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.82	≤11.00	PASS
	total	5180	52Tone+26Tone	RU38+RU1	8.43	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	9.75	≤11.00	PASS
	Ant6	5320	52Tone+26Tone	RU39+RU7	4.92	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	6.61	≤11.00	PASS
	Ant7	5320	52Tone+26Tone	RU39+RU7	4.47	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	5.89	≤11.00	PASS
	total	5320	52Tone+26Tone	RU39+RU7	7.71	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	9.28	≤11.00	PASS
	Ant6	5500	52Tone+26Tone	RU38+RU1	4.81	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	5.85	≤11.00	PASS
	Ant7	5500	52Tone+26Tone	RU38+RU1	5.11	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	6.1	≤11.00	PASS
	total	5500	52Tone+26Tone	RU38+RU1	7.97	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	8.99	≤11.00	PASS
	Ant6	5700	52Tone+26Tone	RU39+RU7	5.18	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	6.49	≤11.00	PASS
	Ant7	5700	52Tone+26Tone	RU39+RU7	5.26	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	6.76	≤11.00	PASS
	total	5700	52Tone+26Tone	RU39+RU7	8.23	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	9.64	≤11.00	PASS
	Ant6	5745	52Tone+26Tone	RU38+RU1	1.91	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	3.15	≤30.00	PASS
	Ant7	5745	52Tone+26Tone	RU38+RU1	2.16	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	3.63	≤30.00	PASS
	total	5745	52Tone+26Tone	RU38+RU1	5.05	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	6.41	≤30.00	PASS
	Ant6	5825	52Tone+26Tone	RU39+RU7	1.62	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	2.9	≤30.00	PASS
	Ant7	5825	52Tone+26Tone	RU39+RU7	1.89	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	3.48	≤30.00	PASS
	total	5825	52Tone+26Tone	RU39+RU7	4.77	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	6.21	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.







Test Graphs










































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.154	45.33	-20.45	65.78	25.30	9.56	10.47	QP
2	0.154	30.23	-25.55	55.78	10.20	9.56	10.47	Average
3	0.166	43.62	-21.54	65.16	23.61	9.54	10.47	QP
4	0.166	30.22	-24.94	55.16	10.21	9.54	10.47	Average
5	0.195	40.87	-22.93	63.80	20.80	9.59	10.48	QP
6	0.195	29.37	-24.43	53.80	9.30	9.59	10.48	Average
7	0.598	36.89	-19.11	56.00	16.60	9.78	10.51	QP
8 *	0.598	32.99	-13.01	46.00	12.70	9.78	10.51	Average
9	2.133	37.84	-18.16	56.00	17.50	9.80	10.54	QP
10	2.133	32.64	-13.36	46.00	12.30	9.80	10.54	Average
11	7.137	31.41	-28.59	60.00	11.20	9.65	10.56	QP
12	7.137	24.61	-25.39	50.00	4.40	9.65	10.56	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	41~42%
		Temperature :	22~23℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 6+7	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 6+7	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 6+7	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	Full	-
Mode 5	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	RU106/53	-
Mode 6	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	44	5220	MCS0	Full	-
Mode 7	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	48	5240	MCS0	Full	-
Mode 8	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT40	38	5190	MCS0	Full	-
Mode 9	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT40	38	5190	MCS0	RU242/61	-
Mode 10	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT40	46	5230	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	RU484/65	-
Mode 13	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Full	-
Mode 14	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	RU996/67	-
Mode 15	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	RU996/68	-
Mode 16	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	52	5260	6Mbps	-	-
Mode 17	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	60	5300	6Mbps	-	-
Mode 18	U-NII-2A	5.25-5.35	CDD 6+7	802.11a	64	5320	6Mbps	-	-
Mode 19	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	52	5260	MCS0	Full	-
Mode 20	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	60	5300	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	RU106/54	-
Mode 23	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT40	54	5270	MCS0	Full	-
Mode 24	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT40	62	5310	MCS0	Full	-
Mode 25	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT40	62	5310	MCS0	RU242/62	-
Mode 26	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	Full	-
Mode 27	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	RU484/66	-
Mode 28	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	100	5500	6Mbps	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	116	5580	6Mbps	-	-
Mode 30	U-NII-2C	5.47-5.725	CDD 6+7	802.11a	140	5700	6Mbps	-	-
Mode 31	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	-	-
Mode 32	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	RU106/53	-
Mode 33	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	116	5580	MCS0	-	-
Mode 34	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	-	-
Mode 35	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	RU106/54	-
Mode 36	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	102	5510	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	102	5510	MCS0	RU242/61	-
Mode 38	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	110	5550	MCS0	Full	-
Mode 39	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	134	5670	MCS0	Full	-



Mode 40	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT40	134	5670	MCS0	RU242/62	-
Mode 41	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	Full	-
Mode 42	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	RU484/65	-
Mode 43	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	Full	-
Mode 44	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	RU484/66	-
Mode 45	U-NII-2C	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Full	-
Mode 46	U-NII-2C	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	RU996/67	-
Mode 47	U-NII-2C	5.47-5.85	CDD 6+7	802.11a	144	5720	6Mbps	-	-
Mode 48	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT20	144	5720	MCS0	-	-
Mode 49	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT40	142	5710	MCS0	-	-
Mode 50	U-NII-2C	5.47-5.85	CDD 6+7	802.11be EHT80	138	5690	MCS0	-	-
Mode 51	U-NII-3	5.725-5.85	CDD 6+7	802.11a	149	5745	6Mbps	-	-
Mode 52	U-NII-3	5.725-5.85	CDD 6+7	802.11a	157	5785	6Mbps	-	-
Mode 53	U-NII-3	5.725-5.85	CDD 6+7	802.11a	165	5825	6Mbps	-	-
Mode 54	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	Full	-
Mode 55	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	RU106/53	-
Mode 56	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	157	5785	MCS0	Full	-
Mode 57	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	Full	-
Mode 58	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	RU106/54	-
Mode 59	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	151	5755	MCS0	RU242/61	-
Mode 60	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	151	5755	MCS0	Full	-
Mode 61	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	159	5795	MCS0	Full	-
Mode 62	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT40	159	5795	MCS0	RU242/62	-
Mode 63	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Full	-
Mode 64	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	RU484/65	-
Mode 65	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	RU484/66	-
Mode 66	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	Small RU Index 38+1	-
Mode 67	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT20	36	5180	MCS0	Small RU Index 53+4	-
Mode 68	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	Small RU Index 39+7	-
Mode 69	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT20	64	5320	MCS0	Small RU Index 54+4	-
Mode 70	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	Small RU Index 38+1	-
Mode 71	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	100	5500	MCS0	Small RU Index 53+4	-
Mode 72	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	Small RU Index 39+7	-
Mode 73	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT20	140	5700	MCS0	Small RU Index 54+4	-
Mode 74	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	Small RU Index 38+1	-
Mode 75	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	149	5745	MCS0	Small RU Index 53+4	-
Mode 76	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	Small RU Index 39+7	-
Mode 77	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT20	165	5825	MCS0	Small RU Index 54+4	-
Mode 78	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	Puncturing 20M ④	-
Mode 79	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	Puncturing 20M ①	-
Mode 80	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	Puncturing 20M ④	-
Mode 81	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	Puncturing 20M ①	-
Mode 82	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 40M ④	-
Mode 83	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 40M ①	-
Mode 84	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 40M ④	-
Mode 85	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 40M ①	-



Mode 86	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 20M ①	-
Mode 87	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Puncturing 20M ⑧	-
Mode 88	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 20M ①	-
Mode 89	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Puncturing 20M ⑧	-
Mode 90	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Puncturing 20M ①	-
Mode 91	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Puncturing 20M ④	-
Mode 92	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT80	42	5210	MCS0	Large RU 484+242 ④	-
Mode 93	U-NII-2A	5.25-5.35	CDD 6+7	802.11be EHT80	58	5290	MCS0	Large RU 484+242 ①	-
Mode 94	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	106	5530	MCS0	Large RU 484+242 ④	-
Mode 95	U-NII-2C	5.47-5.725	CDD 6+7	802.11be EHT80	122	5610	MCS0	Large RU 484+242 ①	-
Mode 96	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ④	-
Mode 97	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ①	-
Mode 98	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ④	-
Mode 99	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ①	-
Mode 100	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484+242 ⑧	-
Mode 101	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Large RU 996+484+242 ①	-
Mode 102	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484+242 ⑧	-
Mode 103	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Large RU 996+484+242 ①	-
Mode 104	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ④	-
Mode 105	U-NII-3	5.725-5.85	CDD 6+7	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ①	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5148.50	47.58	54.00	-6.42	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	46.93	68.20	-21.27	V	PEAK	Pass	Harmonic
2	802.11a	44	5124.52	43.84	54.00	-10.16	H	AVERAGE	Pass	Band Edge
2	802.11a	44	10440.00	47.67	68.20	-20.53	V	PEAK	Pass	Harmonic
3	802.11a	48	5350.22	43.27	54.00	-10.73	H	AVERAGE	Pass	Band Edge
3	802.11a	48	10480.00	47.03	68.20	-21.17	V	PEAK	Pass	Harmonic
4	802.11be EHT20	36	5150.00	46.05	54.00	-7.95	H	AVERAGE	Pass	Band Edge
4	802.11be EHT20	36	10360.00	47.00	68.20	-21.20	V	PEAK	Pass	Harmonic
5	802.11be EHT20	36	5146.40	43.59	54.00	-10.41	H	AVERAGE	Pass	Band Edge
5	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
6	802.11be EHT20	44	5135.30	43.70	54.00	-10.30	H	AVERAGE	Pass	Band Edge
6	802.11be EHT20	44	10440.00	47.62	68.20	-20.58	V	PEAK	Pass	Harmonic
7	802.11be EHT20	48	5350.00	43.13	54.00	-10.87	H	AVERAGE	Pass	Band Edge
7	802.11be EHT20	48	10480.00	47.98	68.20	-20.22	V	PEAK	Pass	Harmonic
8	802.11be EHT40	38	5144.16	46.89	54.00	-7.11	H	AVERAGE	Pass	Band Edge
8	802.11be EHT40	38	10380.00	46.70	68.20	-21.50	V	PEAK	Pass	Harmonic
9	802.11be EHT40	38	5149.92	45.11	54.00	-8.89	H	AVERAGE	Pass	Band Edge
9	802.11be EHT40	38	-	-	-	-	-	-	-	Harmonic
10	802.11be EHT40	46	5146.40	45.67	54.00	-8.33	H	AVERAGE	Pass	Band Edge
10	802.11be EHT40	46	10460.00	46.39	68.20	-21.81	V	PEAK	Pass	Harmonic
11	802.11be EHT80	42	5144.16	48.58	54.00	-5.42	H	AVERAGE	Pass	Band Edge
11	802.11be EHT80	42	10420.00	44.41	68.20	-23.79	V	PEAK	Pass	Harmonic
12	802.11be EHT80	42	5149.28	48.54	54.00	-5.46	H	AVERAGE	Pass	Band Edge
12	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
13	802.11be EHT160	50	5443.20	51.02	54.00	-2.98	H	AVERAGE	Pass	Band Edge
13	802.11be EHT160	50	10500.00	43.93	68.20	-24.27	H	PEAK	Pass	Harmonic
14	802.11be EHT160	50	5149.50	48.23	54.00	-5.77	H	AVERAGE	Pass	Band Edge
14	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
15	802.11be EHT160	50	5365.50	49.73	54.00	-4.27	H	AVERAGE	Pass	Band Edge
15	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
16	802.11a	52	5350.00	43.55	54.00	-10.45	H	AVERAGE	Pass	Band Edge
16	802.11a	52	10520.00	47.67	68.20	-20.53	V	PEAK	Pass	Harmonic
17	802.11a	60	5350.00	44.04	54.00	-9.96	H	AVERAGE	Pass	Band Edge
17	802.11a	60	10600.00	37.42	54.00	-16.58	V	AVERAGE	Pass	Harmonic
18	802.11a	64	5353.20	45.28	54.00	-8.72	H	AVERAGE	Pass	Band Edge
18	802.11a	64	10640.00	37.40	54.00	-16.60	V	AVERAGE	Pass	Harmonic
19	802.11be EHT20	52	5145.76	43.47	54.00	-10.53	H	AVERAGE	Pass	Band Edge
19	802.11be EHT20	52	10520.00	48.56	68.20	-19.64	V	PEAK	Pass	Harmonic
20	802.11be EHT20	60	5351.20	43.64	54.00	-10.36	H	AVERAGE	Pass	Band Edge
20	802.11be EHT20	60	10600.00	37.33	54.00	-16.67	V	AVERAGE	Pass	Harmonic
21	802.11be EHT20	64	5355.70	44.60	54.00	-9.40	H	AVERAGE	Pass	Band Edge
21	802.11be EHT20	64	10640.00	46.81	74.00	-27.19	V	PEAK	Pass	Harmonic
22	802.11be EHT20	64	5350.00	44.21	54.00	-9.79	H	AVERAGE	Pass	Band Edge
22	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic



23	802.11be EHT40	54	5350.18	44.67	54.00	-9.33	H	AVERAGE	Pass	Band Edge
23	802.11be EHT40	54	10540.00	45.93	68.20	-22.27	V	PEAK	Pass	Harmonic
24	802.11be EHT40	62	5350.00	46.92	54.00	-7.08	H	AVERAGE	Pass	Band Edge
24	802.11be EHT40	62	10620.00	45.62	74.00	-28.38	V	PEAK	Pass	Harmonic
25	802.11be EHT40	62	5350.00	50.62	54.00	-3.38	H	AVERAGE	Pass	Band Edge
25	802.11be EHT40	62	-	-	-	-	-	-	-	Harmonic
26	802.11be EHT80	58	5363.70	48.55	54.00	-5.45	H	AVERAGE	Pass	Band Edge
26	802.11be EHT80	58	10580.00	42.94	68.20	-25.26	H	PEAK	Pass	Harmonic
27	802.11be EHT80	58	5350.00	50.65	54.00	-3.35	H	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
28	802.11a	100	5459.76	45.58	54.00	-8.42	H	AVERAGE	Pass	Band Edge
28	802.11a	100	11000.00	38.26	54.00	-15.74	V	AVERAGE	Pass	Harmonic
29	802.11a	116	5458.64	43.24	54.00	-10.76	H	AVERAGE	Pass	Band Edge
29	802.11a	116	11160.00	46.54	74.00	-27.46	V	PEAK	Pass	Harmonic
30	802.11a	140	5740.28	56.71	68.20	-11.49	H	PEAK	Pass	Band Edge
30	802.11a	140	11400.00	36.63	54.00	-17.37	V	AVERAGE	Pass	Harmonic
31	802.11be EHT20	100	5459.76	45.93	54.00	-8.07	H	AVERAGE	Pass	Band Edge
31	802.11be EHT20	100	11000.00	37.53	54.00	-16.47	V	AVERAGE	Pass	Harmonic
32	802.11be EHT20	100	5459.92	44.54	54.00	-9.46	H	AVERAGE	Pass	Band Edge
32	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
33	802.11be EHT20	116	5459.76	43.43	54.00	-10.57	H	AVERAGE	Pass	Band Edge
33	802.11be EHT20	116	11160.00	36.85	54.00	-17.15	V	AVERAGE	Pass	Harmonic
34	802.11be EHT20	140	5739.40	56.30	68.20	-11.90	H	PEAK	Pass	Band Edge
34	802.11be EHT20	140	11400.00	46.27	74.00	-27.73	V	PEAK	Pass	Harmonic
35	802.11be EHT20	140	5726.20	60.90	68.20	-7.30	H	PEAK	Pass	Band Edge
35	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
36	802.11be EHT40	102	5457.20	45.88	54.00	-8.12	H	AVERAGE	Pass	Band Edge
36	802.11be EHT40	102	11020.00	46.06	74.00	-27.94	V	PEAK	Pass	Harmonic
37	802.11be EHT40	102	5465.20	61.87	68.20	-6.33	H	PEAK	Pass	Band Edge
37	802.11be EHT40	102	-	-	-	-	-	-	-	Harmonic
38	802.11be EHT40	110	5447.00	45.04	54.00	-8.96	H	AVERAGE	Pass	Band Edge
38	802.11be EHT40	110	11100.00	45.82	74.00	-28.18	V	PEAK	Pass	Harmonic
39	802.11be EHT40	134	5748.92	57.15	68.20	-11.05	H	PEAK	Pass	Band Edge
39	802.11be EHT40	134	11340.00	44.60	74.00	-29.40	V	PEAK	Pass	Harmonic
40	802.11be EHT40	134	5458.32	42.76	54.00	-11.24	H	AVERAGE	Pass	Band Edge
40	802.11be EHT40	134	-	-	-	-	-	-	-	Harmonic
41	802.11be EHT80	106	5456.24	51.97	54.00	-2.03	H	AVERAGE	Pass	Band Edge
41	802.11be EHT80	106	11060.00	43.74	74.00	-30.26	V	PEAK	Pass	Harmonic
42	802.11be EHT80	106	5469.20	63.31	68.20	-4.89	H	PEAK	Pass	Band Edge
42	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
43	802.11be EHT80	122	5456.40	45.35	54.00	-8.65	H	AVERAGE	Pass	Band Edge
43	802.11be EHT80	122	11220.00	44.16	74.00	-29.84	V	PEAK	Pass	Harmonic
44	802.11be EHT80	122	5456.24	43.77	54.00	-10.23	H	AVERAGE	Pass	Band Edge
44	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
45	802.11be EHT160	114	5455.38	52.77	54.00	-1.23	H	AVERAGE	Pass	Band Edge
45	802.11be EHT160	114	11140.00	43.65	74.00	-30.35	V	PEAK	Pass	Harmonic



46	802.11be EHT160	114	5445.92	49.74	54.00	-4.26	H	AVERAGE	Pass	Band Edge
46	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
47	802.11a	144	-	-	-	-	-	-	-	Band Edge
47	802.11a	144	11440.00	36.52	54.00	-17.48	H	AVERAGE	Pass	Harmonic
48	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT20	144	11440.00	46.79	74.00	-27.21	V	PEAK	Pass	Harmonic
49	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
49	802.11be EHT40	142	11420.00	45.37	74.00	-28.63	V	PEAK	Pass	Harmonic
50	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
50	802.11be EHT80	138	11380.00	44.02	74.00	-29.98	V	PEAK	Pass	Harmonic
51	802.11a	149	5646.00	53.62	68.20	-14.58	V	PEAK	Pass	Band Edge
51	802.11a	149	11490.00	46.75	74.00	-27.25	V	PEAK	Pass	Harmonic
52	802.11a	157	5956.00	53.99	68.20	-14.21	H	PEAK	Pass	Band Edge
52	802.11a	157	11570.00	37.25	54.00	-16.75	V	AVERAGE	Pass	Harmonic
53	802.11a	165	5955.20	53.57	68.20	-14.63	H	PEAK	Pass	Band Edge
53	802.11a	165	11650.00	37.93	54.00	-16.07	V	AVERAGE	Pass	Harmonic
54	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
54	802.11be EHT20	149	11490.00	46.26	74.00	-27.74	V	PEAK	Pass	Harmonic
55	802.11be EHT20	149	5644.80	54.64	68.20	-13.56	H	PEAK	Pass	Band Edge
55	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	157	5928.00	56.22	68.20	-11.98	H	PEAK	Pass	Band Edge
56	802.11be EHT20	157	11570.00	46.48	74.00	-27.52	V	PEAK	Pass	Harmonic
57	802.11be EHT20	165	5936.80	55.35	68.20	-12.85	H	PEAK	Pass	Band Edge
57	802.11be EHT20	165	11650.00	37.29	54.00	-16.71	V	AVERAGE	Pass	Harmonic
58	802.11be EHT20	165	5963.20	55.45	68.20	-12.75	H	PEAK	Pass	Band Edge
58	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT40	151	5926.02	55.20	68.20	-13.00	V	PEAK	Pass	Band Edge
59	802.11be EHT40	151	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT40	151	5642.01	56.66	68.20	-11.54	H	PEAK	Pass	Band Edge
60	802.11be EHT40	151	11510.00	46.29	74.00	-27.71	V	PEAK	Pass	Harmonic
61	802.11be EHT40	159	5927.20	55.60	68.20	-12.60	H	PEAK	Pass	Band Edge
61	802.11be EHT40	159	11590.00	45.84	74.00	-28.16	H	PEAK	Pass	Harmonic
62	802.11be EHT40	159	5640.00	56.09	68.20	-12.11	H	PEAK	Pass	Band Edge
62	802.11be EHT40	159	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT80	155	5948.80	56.46	68.20	-11.74	H	PEAK	Pass	Band Edge
63	802.11be EHT80	155	11550.00	44.11	74.00	-29.89	V	PEAK	Pass	Harmonic
64	802.11be EHT80	155	5944.40	55.81	68.20	-12.39	H	PEAK	Pass	Band Edge
64	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT80	155	5947.20	56.53	68.20	-11.67	H	PEAK	Pass	Band Edge
65	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	36	5149.80	44.95	54.00	-9.05	H	AVERAGE	Pass	Band Edge
66	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT20	36	5149.80	44.04	54.00	-9.96	H	AVERAGE	Pass	Band Edge
67	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT20	64	5350.20	46.13	54.00	-7.87	H	AVERAGE	Pass	Band Edge
68	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic



69	802.11be EHT20	64	5350.00	45.48	54.00	-8.52	H	AVERAGE	Pass	Band Edge
69	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT20	100	5467.28	61.16	68.20	-7.04	V	PEAK	Pass	Band Edge
70	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT20	100	5468.72	65.50	68.20	-2.70	H	PEAK	Pass	Band Edge
71	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT20	140	5726.36	59.84	68.20	-8.36	H	PEAK	Pass	Band Edge
72	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT20	140	5727.64	58.64	68.20	-9.56	H	PEAK	Pass	Band Edge
73	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT20	149	5637.60	56.44	68.20	-11.76	H	PEAK	Pass	Band Edge
74	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT20	149	5640.00	55.01	68.20	-13.19	H	PEAK	Pass	Band Edge
75	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT20	165	5939.20	56.17	68.20	-12.03	H	PEAK	Pass	Band Edge
76	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT20	165	5939.20	55.45	68.20	-12.75	H	PEAK	Pass	Band Edge
77	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT80	42	5145.28	47.09	54.00	-6.91	H	AVERAGE	Pass	Band Edge
78	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT80	58	5350.00	46.90	54.00	-7.10	H	AVERAGE	Pass	Band Edge
79	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT80	106	5454.80	49.67	54.00	-4.33	H	AVERAGE	Pass	Band Edge
80	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT80	122	5456.40	43.90	54.00	-10.10	H	AVERAGE	Pass	Band Edge
81	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	50	5128.75	50.70	54.00	-3.30	H	AVERAGE	Pass	Band Edge
82	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT160	50	5149.00	48.12	54.00	-5.88	H	AVERAGE	Pass	Band Edge
83	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT160	114	5460.00	52.20	54.00	-1.80	H	AVERAGE	Pass	Band Edge
84	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT160	114	5735.56	63.76	68.20	-4.44	H	PEAK	Pass	Band Edge
85	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT160	50	5146.75	50.90	54.00	-3.10	H	AVERAGE	Pass	Band Edge
86	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT160	50	5130.25	50.96	54.00	-3.04	H	AVERAGE	Pass	Band Edge
87	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT160	114	5741.21	66.74	68.20	-1.46	H	PEAK	Pass	Band Edge
88	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT160	114	5451.42	52.49	54.00	-1.51	H	AVERAGE	Pass	Band Edge
89	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT80	155	5940.80	56.68	68.20	-11.52	H	PEAK	Pass	Band Edge
90	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT80	155	5635.20	55.29	68.20	-12.91	H	PEAK	Pass	Band Edge
91	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic



92	802.11be EHT80	42	5149.92	48.24	54.00	-5.76	H	AVERAGE	Pass	Band Edge
92	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
93	802.11be EHT80	58	5363.60	50.85	54.00	-3.15	H	AVERAGE	Pass	Band Edge
93	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT80	106	5468.40	66.45	68.20	-1.75	H	PEAK	Pass	Band Edge
94	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
95	802.11be EHT80	122	5749.32	58.95	68.20	-9.25	H	PEAK	Pass	Band Edge
95	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
96	802.11be EHT160	50	5148.00	50.88	54.00	-3.12	H	AVERAGE	Pass	Band Edge
96	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
97	802.11be EHT160	50	5366.55	49.19	54.00	-4.81	H	AVERAGE	Pass	Band Edge
97	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
98	802.11be EHT160	114	5459.78	51.37	54.00	-2.63	V	AVERAGE	Pass	Band Edge
98	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
99	802.11be EHT160	114	5453.62	49.34	54.00	-4.66	H	AVERAGE	Pass	Band Edge
99	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
100	802.11be EHT160	50	5148.50	50.84	54.00	-3.16	H	AVERAGE	Pass	Band Edge
100	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
101	802.11be EHT160	50	5150.00	50.21	54.00	-3.79	H	AVERAGE	Pass	Band Edge
101	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
102	802.11be EHT160	114	5446.80	50.68	54.00	-3.32	H	AVERAGE	Pass	Band Edge
102	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
103	802.11be EHT160	114	5727.76	66.64	68.20	-1.56	H	PEAK	Pass	Band Edge
103	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
104	802.11be EHT80	155	5938.00	56.29	68.20	-11.91	H	PEAK	Pass	Band Edge
104	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
105	802.11be EHT80	155	5940.80	56.55	68.20	-11.65	H	PEAK	Pass	Band Edge
105	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic



Co-location





Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 106	2400-2483.5	2400-2483.5	A7	802.11be EHT20	11	2462	MCS0	Full	-
	2400-2483.5	2400-2483.5	A6	Bluetooth LE CS GFSK Tx	76	2478	2Mbps		
	U-NII-2C	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Full	-
	NFC								
	RFID 902.75M								
Mode 107	2400-2483.5	2400-2483.5	A6+A7	802.11be EHT20	11	2462	MCS0	Full	-
	U-NI2C	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Full	-
	NFC								
	RFID 902.75M								
Mode 108	2400-2483.5	2400-2483.5	A6	Bluetooth LE CS GFSK Tx	76	2478	2Mbps	-	-
	U-NII-1	5.15-5.25	CDD 6+7	802.11be EHT160	50	5250	MCS0	Full	-
	U-NII-2C	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Full	-
	NFC								
	RFID 902.75M								
Mode 109	2400-2483.5	2400-2483.5	A7	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-
	U-NII-2C	5.15-5.25	CDD 6+7	802.11be EHT160	114	5570	MCS0	Full	-
	NFC								
	RFID 902.75M								





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
106	802.11be EHT20	11	4924.00	44.51	74.00	-29.49	H	PEAK	Pass	Harmonic
	Bluetooth LE CS GFSK Tx	76	4956.00	40.88	74.00	-33.12	H	PEAK	Pass	Harmonic
	802.11be EHT160	114	11140.00	45.04	74.00	-28.96	V	PEAK	Pass	Harmonic
107	802.11be EHT20	11	7386.00	43.71	74.00	-30.29	V	PEAK	Pass	Harmonic
	802.11be EHT160	114	11140.00	44.43	74.00	-29.57	V	PEAK	Pass	Harmonic
108	Bluetooth LE CS GFSK Tx	76	7434.00	43.33	74.00	-30.67	H	PEAK	Pass	Harmonic
	802.11be EHT160	50	10500.00	44.21	68.20	-23.99	H	PEAK	Pass	Harmonic
	802.11be EHT160	114	11140.00	43.99	74.00	-30.01	V	PEAK	Pass	Harmonic
109	Bluetooth-LE_GFSK	39	7440.00	43.74	74.00	-30.26	V	PEAK	Pass	Harmonic
111	802.11be EHT160	114	11140.00	43.28	74.00	-30.72	H	PEAK	Pass	Harmonic





Mode	1																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.70</td><td>58.09</td><td>74.00</td><td>-15.91</td><td>49.22</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.70	58.09	74.00	-15.91	49.22	34.10	11.80	37.03	0.00	100	192 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>110.27</td><td>-----</td><td>-----</td><td>101.34</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.27	-----	-----	101.34	34.20	11.83	37.10	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.70	58.09	74.00	-15.91	49.22	34.10	11.80	37.03	0.00	100	192 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	110.27	-----	-----	101.34	34.20	11.83	37.10	0.00	100	192 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.50</td><td>47.58</td><td>54.00</td><td>-6.42</td><td>38.71</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>100</td><td>192 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.50	47.58	54.00	-6.42	38.71	34.10	11.80	37.03	0.00	100	192 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>103.50</td><td>-----</td><td>-----</td><td>94.57</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>100</td><td>192 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.50	-----	-----	94.57	34.20	11.83	37.10	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5148.50	47.58	54.00	-6.42	38.71	34.10	11.80	37.03	0.00	100	192 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	103.50	-----	-----	94.57	34.20	11.83	37.10	0.00	100	192 AVERAGE																																																																																									







Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	CDD 6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5141.90</td><td>55.67</td><td>74.00</td><td>-18.33</td><td>46.81</td><td>34.08</td><td>11.79</td><td>37.01</td><td>0.00</td><td>340 243 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.90	55.67	74.00	-18.33	46.81	34.08	11.79	37.01	0.00	340 243 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>106.51</td><td>-----</td><td>-----</td><td>97.58</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>340 243 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.51	-----	-----	97.58	34.20	11.83	37.10	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5141.90	55.67	74.00	-18.33	46.81	34.08	11.79	37.01	0.00	340 243 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	106.51	-----	-----	97.58	34.20	11.83	37.10	0.00	340 243 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.20</td><td>44.17</td><td>54.00</td><td>-9.83</td><td>35.30</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>340 243 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.20	44.17	54.00	-9.83	35.30	34.10	11.80	37.03	0.00	340 243 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.04</td><td>-----</td><td>-----</td><td>90.09</td><td>34.23</td><td>11.83</td><td>37.11</td><td>0.00</td><td>340 243 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.04	-----	-----	90.09	34.23	11.83	37.11	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5148.20	44.17	54.00	-9.83	35.30	34.10	11.80	37.03	0.00	340 243 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	99.04	-----	-----	90.09	34.23	11.83	37.11	0.00	340 243 AVERAGE																																																																																								





Mode	1																																																																																																				
	Harmonic																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. The frequency range is from 7000 to 18000 MHz. The level range is from 0 to 130 dBuV/m. The measured signal is consistently below the limit, with a peak level of approximately 45 dBuV/m at 7400 MHz and 10360 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7400.40</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>61.21</td><td>35.80</td><td>14.20</td><td>66.18</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2 10360.00</td><td>45.40</td><td>68.20</td><td>-22.80</td><td>58.21</td><td>37.37</td><td>16.86</td><td>67.04</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7400.40	45.03	74.00	-28.97	61.21	35.80	14.20	66.18	0.00	---	--- PEAK	2 10360.00	45.40	68.20	-22.80	58.21	37.37	16.86	67.04	0.00	---	--- PEAK	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. The frequency range is from 7000 to 18000 MHz. The level range is from 0 to 130 dBuV/m. The measured signal is consistently below the limit, with a peak level of approximately 46.93 dBuV/m at 10360 MHz. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10360.00</td><td>46.93</td><td>68.20</td><td>-21.27</td><td>59.74</td><td>37.36</td><td>16.86</td><td>67.03</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	46.93	68.20	-21.27	59.74	37.36	16.86	67.03	0.00	---	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 7400.40	45.03	74.00	-28.97	61.21	35.80	14.20	66.18	0.00	---	--- PEAK																																																																																											
2 10360.00	45.40	68.20	-22.80	58.21	37.37	16.86	67.04	0.00	---	--- PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 10360.00	46.93	68.20	-21.27	59.74	37.36	16.86	67.03	0.00	---	--- PEAK																																																																																											







		2																																																																																																		
Mode	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.44</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>46.63</td><td>34.09</td><td>11.79</td><td>37.01</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.44	55.50	74.00	-18.50	46.63	34.09	11.79	37.01	0.00	100	192 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>109.63</td><td>-----</td><td>-----</td><td>100.40</td><td>34.40</td><td>11.87</td><td>37.04</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	109.63	-----	-----	100.40	34.40	11.87	37.04	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5143.44	55.50	74.00	-18.50	46.63	34.09	11.79	37.01	0.00	100	192 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5220.00	109.63	-----	-----	100.40	34.40	11.87	37.04	0.00	100	192 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5124.52</td><td>43.84</td><td>54.00</td><td>-10.16</td><td>34.98</td><td>34.05</td><td>11.77</td><td>36.96</td><td>0.00</td><td>100</td><td>192 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.52	43.84	54.00	-10.16	34.98	34.05	11.77	36.96	0.00	100	192 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>102.68</td><td>-----</td><td>-----</td><td>93.52</td><td>34.37</td><td>11.86</td><td>37.07</td><td>0.00</td><td>100</td><td>192 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	102.68	-----	-----	93.52	34.37	11.86	37.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5124.52	43.84	54.00	-10.16	34.98	34.05	11.77	36.96	0.00	100	192 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5220.00	102.68	-----	-----	93.52	34.37	11.86	37.07	0.00	100	192 AVERAGE																																																																																									





	2																																																								
Mode	Band Edge - R																																																								
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																								
ANT	CDD 6+7																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5415.36</td><td>54.91</td><td>74.00</td><td>-19.09</td><td>44.66</td><td>34.63</td><td>12.03</td><td>36.41</td><td>0.00</td><td>100</td><td>192</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5415.36	54.91	74.00	-19.09	44.66	34.63	12.03	36.41	0.00	100	192	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5415.36	54.91	74.00	-19.09	44.66	34.63	12.03	36.41	0.00	100	192	PEAK																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.04</td><td>43.02</td><td>54.00</td><td>-10.98</td><td>32.97</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>100</td><td>192</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.04	43.02	54.00	-10.98	32.97	34.60	11.97	36.52	0.00	100	192	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5351.04	43.02	54.00	-10.98	32.97	34.60	11.97	36.52	0.00	100	192	AVERAGE																																													





Mode	2																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.24</td><td>54.39</td><td>74.00</td><td>-19.61</td><td>45.53</td><td>34.06</td><td>11.78</td><td>36.98</td><td>0.00</td><td>359 246 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.24	54.39	74.00	-19.61	45.53	34.06	11.78	36.98	0.00	359 246 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5130.24	54.39	74.00	-19.61	45.53	34.06	11.78	36.98	0.00	359 246 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>107.77</td><td>-----</td><td>-----</td><td>98.54</td><td>34.40</td><td>11.87</td><td>37.04</td><td>0.00</td><td>359 246 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	107.77	-----	-----	98.54	34.40	11.87	37.04	0.00	359 246 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5220.00	107.77	-----	-----	98.54	34.40	11.87	37.04	0.00	359 246 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5069.08</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>34.27</td><td>33.94</td><td>11.72</td><td>36.92</td><td>0.00</td><td>359 246 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5069.08	43.01	54.00	-10.99	34.27	33.94	11.72	36.92	0.00	359 246 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5069.08	43.01	54.00	-10.99	34.27	33.94	11.72	36.92	0.00	359 246 AVERAGE																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>98.77</td><td>-----</td><td>-----</td><td>89.54</td><td>34.40</td><td>11.87</td><td>37.04</td><td>0.00</td><td>359 246 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	98.77	-----	-----	89.54	34.40	11.87	37.04	0.00	359 246 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5220.00	98.77	-----	-----	89.54	34.40	11.87	37.04	0.00	359 246 AVERAGE																																													







Mode	2																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																						
ANT	CDD 6+7																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5451.12</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>42.62</td><td>34.70</td><td>12.09</td><td>36.44</td><td>0.00</td><td>359</td><td>246 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5451.12	52.97	74.00	-21.03	42.62	34.70	12.09	36.44	0.00	359	246 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5451.12	52.97	74.00	-21.03	42.62	34.70	12.09	36.44	0.00	359	246 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5457.84</td><td>42.48</td><td>54.00</td><td>-11.52</td><td>32.15</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>359</td><td>246 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5457.84	42.48	54.00	-11.52	32.15	34.67	12.10	36.44	0.00	359	246 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5457.84	42.48	54.00	-11.52	32.15	34.67	12.10	36.44	0.00	359	246 AVERAGE																																													







Mode	2																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																								
ANT	CDD 6+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.08</td><td>68.20</td><td>-23.12</td><td>57.72</td><td>37.48</td><td>16.94</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	45.08	68.20	-23.12	57.72	37.48	16.94	67.06	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>47.67</td><td>68.20</td><td>-20.53</td><td>60.33</td><td>37.47</td><td>16.93</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	47.67	68.20	-20.53	60.33	37.47	16.93	67.06	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10440.00	45.08	68.20	-23.12	57.72	37.48	16.94	67.06	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10440.00	47.67	68.20	-20.53	60.33	37.47	16.93	67.06	0.00	---	---	PEAK																																																																																													





Mode	3																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5355.06</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>44.09</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.06	54.15	74.00	-19.85	44.09	34.60	11.97	36.51	0.00	100	192 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>110.55</td><td>-----</td><td>-----</td><td>101.20</td><td>34.44</td><td>11.88</td><td>36.97</td><td>0.00</td><td>100</td><td>192 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	110.55	-----	-----	101.20	34.44	11.88	36.97	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5355.06	54.15	74.00	-19.85	44.09	34.60	11.97	36.51	0.00	100	192 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5240.00	110.55	-----	-----	101.20	34.44	11.88	36.97	0.00	100	192 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.22</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>33.22</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>100</td><td>192 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.22	43.27	54.00	-10.73	33.22	34.60	11.97	36.52	0.00	100	192 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>102.95</td><td>-----</td><td>-----</td><td>93.54</td><td>34.47</td><td>11.88</td><td>36.94</td><td>0.00</td><td>100</td><td>192 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	102.95	-----	-----	93.54	34.47	11.88	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.22	43.27	54.00	-10.73	33.22	34.60	11.97	36.52	0.00	100	192 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5240.00	102.95	-----	-----	93.54	34.47	11.88	36.94	0.00	100	192 AVERAGE																																																																																									







		3																																											
Mode		Band Edge																																											
		U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																											
ANT		CDD 6+7																																											
Pol.		Vertical																																											
Peak																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5444.60	53.18	74.00	-20.82	42.84	34.69	12.00	36.43	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	5444.60	53.18	74.00	-20.82	42.84	34.69	12.00	36.43	0.00	300	249 PEAK																																		
Fundamental																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5240.00	107.43	-----	-----	98.02	34.47	11.88	36.94	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	5240.00	107.43	-----	-----	98.02	34.47	11.88	36.94	0.00	300	249 PEAK																																		
Avg																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.48	42.50	54.00	-11.50	32.18	34.67	12.09	36.44	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	5456.48	42.50	54.00	-11.50	32.18	34.67	12.09	36.44	0.00	300	249 AVERAGE																																		
AVERAGE																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5240.00	99.18	-----	-----	89.77	34.47	11.88	36.94	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	5240.00	99.18	-----	-----	89.77	34.47	11.88	36.94	0.00	300	249 AVERAGE																																		







Mode	3																																																																																																				
	Harmonic																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																				
ANT	CDD 6+7																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>46.70</td><td>68.20</td><td>-21.50</td><td>59.23</td><td>37.56</td><td>16.98</td><td>67.07</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	46.70	68.20	-21.50	59.23	37.56	16.98	67.07	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10400.00</td><td>47.03</td><td>68.20</td><td>-21.17</td><td>59.56</td><td>37.56</td><td>16.98</td><td>67.07</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10400.00	47.03	68.20	-21.17	59.56	37.56	16.98	67.07	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10400.00	46.70	68.20	-21.50	59.23	37.56	16.98	67.07	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10400.00	47.03	68.20	-21.17	59.56	37.56	16.98	67.07	0.00	---	PEAK																																																																																										





	4																																																																																																			
Mode	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5121.10</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>47.13</td><td>34.04</td><td>11.77</td><td>36.95</td><td>0.00</td><td>100</td><td>191 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.10	55.99	74.00	-18.01	47.13	34.04	11.77	36.95	0.00	100	191 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.58</td><td>-----</td><td>-----</td><td>102.65</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>100</td><td>191 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.58	-----	-----	102.65	34.20	11.83	37.10	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5121.10	55.99	74.00	-18.01	47.13	34.04	11.77	36.95	0.00	100	191 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	111.58	-----	-----	102.65	34.20	11.83	37.10	0.00	100	191 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>46.05</td><td>54.00</td><td>-7.95</td><td>37.18</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>100</td><td>191 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	46.05	54.00	-7.95	37.18	34.10	11.80	37.03	0.00	100	191 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.90</td><td>-----</td><td>-----</td><td>93.97</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>100</td><td>191 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.90	-----	-----	93.97	34.20	11.83	37.10	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5150.00	46.05	54.00	-7.95	37.18	34.10	11.80	37.03	0.00	100	191 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	102.90	-----	-----	93.97	34.20	11.83	37.10	0.00	100	191 AVERAGE																																																																																									







		4																																																																																																												
Mode		Band Edge																																																																																																												
		U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																												
ANT		CDD 6+7																																																																																																												
Pol.		Vertical					Fundamental																																																																																																							
Peak																																																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5107.20</td><td>54.91</td><td>74.00</td><td>-19.09</td><td>46.06</td><td>34.01</td><td>11.76</td><td>36.92</td><td>0.00</td><td>343</td><td>244 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.20	54.91	74.00	-19.09	46.06	34.01	11.76	36.92	0.00	343	244 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>105.42</td><td>-----</td><td>-----</td><td>96.49</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>343</td><td>244 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.42	-----	-----	96.49	34.20	11.83	37.10	0.00	343
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5107.20	54.91	74.00	-19.09	46.06	34.01	11.76	36.92	0.00	343	244 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5180.00	105.42	-----	-----	96.49	34.20	11.83	37.10	0.00	343	244 PEAK																																																																																																			
Avg																																																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.90</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>34.85</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>343</td><td>244 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	43.72	54.00	-10.28	34.85	34.10	11.80	37.03	0.00	343	244 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>98.21</td><td>-----</td><td>-----</td><td>89.28</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>343</td><td>244 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.21	-----	-----	89.28	34.20	11.83	37.10	0.00	343
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5149.90	43.72	54.00	-10.28	34.85	34.10	11.80	37.03	0.00	343	244 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5180.00	98.21	-----	-----	89.28	34.20	11.83	37.10	0.00	343	244 AVERAGE																																																																																																			



Mode	4																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																			
ANT	CDD 6+7																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7400.40</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>61.60</td><td>35.80</td><td>14.20</td><td>66.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10360.00</td><td>45.85</td><td>68.20</td><td>-22.35</td><td>58.67</td><td>37.36</td><td>16.85</td><td>67.03</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7400.40	45.42	74.00	-28.58	61.60	35.80	14.20	66.18	0.00	---	PEAK	2	10360.00	45.85	68.20	-22.35	58.67	37.36	16.85	67.03	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>47.00</td><td>68.20</td><td>-21.20</td><td>59.82</td><td>37.36</td><td>16.85</td><td>67.03</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	47.00	68.20	-21.20	59.82	37.36	16.85	67.03	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7400.40	45.42	74.00	-28.58	61.60	35.80	14.20	66.18	0.00	---	PEAK																																																																																									
2	10360.00	45.85	68.20	-22.35	58.67	37.36	16.85	67.03	0.00	---	PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10360.00	47.00	68.20	-21.20	59.82	37.36	16.85	67.03	0.00	---	PEAK																																																																																									



Mode	5																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_RU106/53_5180MHz																																																																																																		
ANT	CDD 6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.40</td><td>54.85</td><td>74.00</td><td>-19.15</td><td>45.99</td><td>34.05</td><td>11.78</td><td>36.97</td><td>0.00</td><td>109 198 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.40	54.85	74.00	-19.15	45.99	34.05	11.78	36.97	0.00	109 198 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.83</td><td>-----</td><td>-----</td><td>102.90</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>109 198 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.83	-----	-----	102.90	34.20	11.83	37.10	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5125.40	54.85	74.00	-19.15	45.99	34.05	11.78	36.97	0.00	109 198 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	111.83	-----	-----	102.90	34.20	11.83	37.10	0.00	109 198 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.40</td><td>43.59</td><td>54.00</td><td>-10.41</td><td>34.72</td><td>34.09</td><td>11.80</td><td>37.02</td><td>0.00</td><td>109 198 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.40	43.59	54.00	-10.41	34.72	34.09	11.80	37.02	0.00	109 198 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.53</td><td>-----</td><td>-----</td><td>95.60</td><td>34.20</td><td>11.83</td><td>37.10</td><td>0.00</td><td>109 198 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.53	-----	-----	95.60	34.20	11.83	37.10	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5146.40	43.59	54.00	-10.41	34.72	34.09	11.80	37.02	0.00	109 198 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	104.53	-----	-----	95.60	34.20	11.83	37.10	0.00	109 198 AVERAGE																																																																																									